


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 38
 03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6786G	47.80	83.54	-35.74	45.21	1	Vertical	345	1.69	-	37.91	14.51	49.83
AV	20.6912G	34.98	63.54	-28.56	32.35	1	Vertical	345	1.69	-	37.93	14.52	49.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 38
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6572G	48.05	83.54	-35.49	45.51	1	Horizontal	145	1.12	-	37.89	14.49	49.84
AV	20.7042G	34.96	63.54	-28.58	32.30	1	Horizontal	145	1.12	-	37.95	14.53	49.82

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 33
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9178G	102.58	Inf	-Inf	94.06	3	Vertical	360	2.18	-	35.84	8.16	35.48
RMS	6.907G	90.28	Inf	-Inf	81.79	3	Vertical	360	2.18	-	35.81	8.15	35.47
PK	7.1758G	62.58	88.20	-25.62	53.52	3	Vertical	360	2.18	-	36.40	8.20	35.54
RMS	7.1518G	50.18	68.20	-18.02	41.20	3	Vertical	360	2.18	-	36.31	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 33
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9094G	106.37	Inf	-Inf	97.87	3	Horizontal	52	1.59	-	35.82	8.15	35.47
RMS	6.919G	93.29	Inf	-Inf	84.77	3	Horizontal	52	1.59	-	35.84	8.16	35.48
PK	7.1986G	63.32	88.20	-24.88	54.17	3	Horizontal	52	1.59	-	36.49	8.20	35.54
RMS	7.1506G	50.35	68.20	-17.85	41.38	3	Horizontal	52	1.59	-	36.30	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 33
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84388G	62.87	88.20	-25.33	43.13	3	Vertical	99	2.75	-	40.99	12.28	33.53
RMS	13.85276G	49.58	68.20	-18.62	29.82	3	Vertical	99	2.75	-	41.01	12.28	33.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 33
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84712G	62.90	88.20	-25.30	43.16	3	Horizontal	57	1.29	-	40.99	12.28	33.53
RMS	13.85954G	49.46	68.20	-18.74	29.68	3	Horizontal	57	1.29	-	41.02	12.29	33.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 33
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7926G	48.63	83.54	-34.91	45.89	1	Vertical	73	1.39	-	37.93	14.59	49.78
AV	20.7688G	35.47	63.54	-28.07	32.71	1	Vertical	73	1.39	-	37.97	14.58	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 33
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8062G	48.46	83.54	-35.08	45.73	1	Horizontal	84	2.72	-	37.91	14.60	49.78
AV	20.7672G	35.44	63.54	-28.10	32.68	1	Horizontal	84	2.72	-	37.97	14.58	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 33
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0066G	104.01	Inf	-Inf	95.57	3	Vertical	360	2.11	-	35.73	8.20	35.49
RMS	7.0066G	91.72	Inf	-Inf	83.28	3	Vertical	360	2.11	-	35.73	8.20	35.49
PK	7.177G	63.32	88.20	-24.88	54.25	3	Vertical	360	2.11	-	36.41	8.20	35.54
RMS	7.161G	50.17	68.20	-18.03	41.16	3	Vertical	360	2.11	-	36.34	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 33
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0058G	107.67	Inf	-Inf	99.24	3	Horizontal	306.6	2.43	-	35.72	8.20	35.49
RMS	7.0082G	95.16	Inf	-Inf	86.72	3	Horizontal	306.6	2.43	-	35.73	8.20	35.49
PK	7.1434G	62.67	88.20	-25.53	53.74	3	Horizontal	306.6	2.43	-	36.26	8.20	35.53
RMS	7.1474G	50.19	68.20	-18.01	41.24	3	Horizontal	306.6	2.43	-	36.28	8.20	35.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 33
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01786G	63.52	88.20	-24.68	43.38	3	Vertical	205	1.39	-	41.34	12.41	33.61
RMS	14.02428G	50.44	68.20	-17.76	30.30	3	Vertical	205	1.39	-	41.35	12.41	33.62

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 33
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.02308G	64.80	88.20	-23.40	44.66	3	Horizontal	322	1.39	-	41.35	12.41	33.62
RMS	14.0193G	50.39	68.20	-17.81	30.25	3	Horizontal	322	1.39	-	41.34	12.41	33.61

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 33
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0476G	47.61	83.54	-35.93	44.91	1	Vertical	194	1.13	-	37.60	14.79	49.69
AV	20.9772G	34.82	63.54	-28.72	32.16	1	Vertical	194	1.13	-	37.64	14.73	49.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 33
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.033G	48.27	83.54	-35.27	45.59	1	Horizontal	169	2.04	-	37.60	14.77	49.69
AV	20.995G	34.84	63.54	-28.70	32.18	1	Horizontal	169	2.04	-	37.61	14.75	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 40
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0982G	106.74	Inf	-Inf	98.06	3	Vertical	353.6	2.41	-	36.00	8.20	35.52
RMS	7.1018G	93.86	Inf	-Inf	85.17	3	Vertical	353.6	2.41	-	36.01	8.20	35.52
PK	7.13G	73.41	88.20	-14.79	64.55	3	Vertical	353.6	2.41	-	36.18	8.20	35.52
RMS	7.1252G	56.12	68.20	-12.08	47.29	3	Vertical	353.6	2.41	-	36.15	8.20	35.52

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 40
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.067G	109.30	Inf	-Inf	100.68	3	Horizontal	307	2.43	-	35.93	8.20	35.51
RMS	7.067G	96.18	Inf	-Inf	87.56	3	Horizontal	307	2.43	-	35.93	8.20	35.51
PK	7.1258G	71.14	88.20	-17.06	62.31	3	Horizontal	307	2.43	-	36.15	8.20	35.52
RMS	7.1252G	55.64	68.20	-12.56	46.81	3	Horizontal	307	2.43	-	36.15	8.20	35.52

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 40
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1616G	63.53	88.20	-24.67	43.27	3	Vertical	144	2.60	-	41.62	12.48	33.84
RMS	14.16586G	50.60	68.20	-17.60	30.33	3	Vertical	144	2.60	-	41.63	12.48	33.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 40
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17036G	63.84	88.20	-24.36	43.56	3	Horizontal	269	2.64	-	41.64	12.49	33.85
RMS	14.1814G	50.54	68.20	-17.66	30.26	3	Horizontal	269	2.64	-	41.66	12.49	33.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 40
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.301G	48.27	83.54	-35.27	45.27	1	Vertical	357	2.60	-	37.66	14.98	49.64
AV	21.2922G	34.35	63.54	-29.19	31.37	1	Vertical	357	2.60	-	37.65	14.97	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 40
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.305G	47.41	83.54	-36.13	44.40	1	Horizontal	52	1.69	-	37.67	14.98	49.64
AV	21.2948G	34.27	63.54	-29.27	31.29	1	Horizontal	52	1.69	-	37.65	14.97	49.64

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 54
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	67.24	88.20	-20.96	60.60	3	Vertical	357.6	2.82	-	34.68	7.51	35.55
RMS	5.916G	53.04	68.20	-15.16	46.41	3	Vertical	357.6	2.82	-	34.67	7.52	35.56
PK	6.021G	104.42	Inf	-Inf	97.64	3	Vertical	357.6	2.82	-	34.74	7.63	35.59
RMS	6.022G	92.69	Inf	-Inf	85.91	3	Vertical	357.6	2.82	-	34.74	7.63	35.59

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 54
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	76.93	88.20	-11.27	70.32	3	Horizontal	311	1.00	-	34.65	7.52	35.56
RMS	5.919G	62.79	68.20	-5.41	56.17	3	Horizontal	311	1.00	-	34.66	7.52	35.56
PK	5.966G	110.68	Inf	-Inf	104.06	3	Horizontal	311	1.00	-	34.63	7.57	35.58
RMS	5.968G	98.26	Inf	-Inf	91.63	3	Horizontal	311	1.00	-	34.64	7.57	35.58

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 54
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.95986G	57.20	74.00	-16.80	42.41	3	Vertical	317	1.37	-	39.50	10.79	35.50
AV	11.95512G	43.49	54.00	-10.51	28.70	3	Vertical	317	1.37	-	39.50	10.79	35.50
PK	17.9248G	61.04	74.00	-12.96	36.16	3	Vertical	34	1.13	-	44.82	14.75	34.69
AV	17.953G	48.12	54.00	-5.88	23.17	3	Vertical	34	1.13	-	44.85	14.77	34.67

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Y_4TX
Setting 54
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.95824G	56.77	74.00	-17.23	41.98	3	Horizontal	225	1.76	-	39.50	10.79	35.50
AV	11.95644G	43.52	54.00	-10.48	28.73	3	Horizontal	225	1.76	-	39.50	10.79	35.50
PK	18.002G	61.14	74.00	-12.86	36.09	3	Horizontal	337	1.66	-	44.90	14.80	34.65
AV	17.954G	48.08	54.00	-5.92	23.13	3	Horizontal	337	1.66	-	44.85	14.77	34.67

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 48
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8106G	59.64	88.20	-28.56	53.34	3	Vertical	348.9	2.45	-	34.40	7.41	35.51
RMS	5.9066G	47.05	68.20	-21.15	40.40	3	Vertical	348.9	2.45	-	34.69	7.51	35.55
PK	6.1114G	104.22	Inf	-Inf	96.91	3	Vertical	348.9	2.45	-	35.10	7.77	35.56
RMS	6.1754G	89.78	Inf	-Inf	82.30	3	Vertical	348.9	2.45	-	35.15	7.86	35.53

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 48
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8474G	60.77	88.20	-27.43	54.44	3	Horizontal	47	2.29	-	34.40	7.45	35.52
RMS	5.9082G	47.44	68.20	-20.76	40.80	3	Horizontal	47	2.29	-	34.68	7.51	35.55
PK	6.1562G	109.91	Inf	-Inf	102.51	3	Horizontal	47	2.29	-	35.11	7.83	35.54
RMS	6.1578G	97.39	Inf	-Inf	89.97	3	Horizontal	47	2.29	-	35.12	7.84	35.54

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 48
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28574G	57.41	74.00	-16.59	42.72	3	Vertical	315	2.33	-	39.09	11.03	35.43
AV	12.29996G	43.42	54.00	-10.58	28.71	3	Vertical	315	2.33	-	39.10	11.04	35.43

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 48
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.27632G	56.56	74.00	-17.44	41.89	3	Horizontal	325	2.66	-	39.08	11.02	35.43
AV	12.29174G	43.39	54.00	-10.61	28.70	3	Horizontal	325	2.66	-	39.09	11.03	35.43

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 48
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.429G	45.82	83.54	-37.72	44.32	1	Vertical	176	1.29	-	37.71	13.92	50.13
AV	18.4488G	32.50	63.54	-31.04	30.96	1	Vertical	176	1.29	-	37.74	13.92	50.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 48
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4752G	45.54	83.54	-38.00	43.96	1	Horizontal	267	2.32	-	37.77	13.92	50.11
AV	18.4478G	32.55	63.54	-30.99	31.01	1	Horizontal	267	2.32	-	37.74	13.92	50.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 51
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9248G	59.75	88.20	-28.45	53.14	3	Vertical	359.9	2.89	-	34.65	7.52	35.56
RMS	5.7584G	49.48	68.20	-18.72	43.12	3	Vertical	359.9	2.89	-	34.40	7.44	35.48
PK	6.359G	103.94	Inf	-Inf	96.76	3	Vertical	359.9	2.89	-	34.90	7.74	35.46
RMS	6.3642G	91.73	Inf	-Inf	84.54	3	Vertical	359.9	2.89	-	34.90	7.74	35.45

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 51
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7818G	59.94	88.20	-28.26	53.61	3	Horizontal	304	2.15	-	34.40	7.42	35.49
RMS	5.7662G	47.64	68.20	-20.56	41.29	3	Horizontal	304	2.15	-	34.40	7.43	35.48
PK	6.424G	107.81	Inf	-Inf	100.64	3	Horizontal	304	2.15	-	34.85	7.75	35.43
RMS	6.424G	97.01	Inf	-Inf	89.84	3	Horizontal	304	2.15	-	34.85	7.75	35.43

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 51
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77396G	56.83	88.20	-31.37	40.92	3	Vertical	312	2.20	-	39.25	11.42	34.76
RMS	12.7739G	43.38	68.20	-24.82	27.47	3	Vertical	312	2.20	-	39.25	11.42	34.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 51
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76562G	57.32	88.20	-30.88	41.46	3	Horizontal	300	2.34	-	39.23	11.41	34.78
RMS	12.7841G	43.56	68.20	-24.64	27.60	3	Horizontal	300	2.34	-	39.27	11.43	34.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 51
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1238G	46.92	83.54	-36.62	44.73	1	Vertical	264	2.63	-	37.85	13.96	49.62
AV	19.1426G	33.45	63.54	-30.09	31.29	1	Vertical	264	2.63	-	37.83	13.96	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 51
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.185G	46.41	83.54	-37.13	44.31	1	Horizontal	19	1.63	-	37.78	13.96	49.64
AV	19.1126G	33.50	63.54	-30.04	31.30	1	Horizontal	19	1.63	-	37.86	13.96	49.62

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT V_4TX
Setting 50
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.877G	59.59	88.20	-28.61	53.09	3	Vertical	0	2.94	-	34.56	7.48	35.54
RMS	5.91G	47.07	68.20	-21.13	40.43	3	Vertical	0	2.94	-	34.68	7.51	35.55
PK	6.453G	103.18	Inf	-Inf	95.99	3	Vertical	0	2.94	-	34.80	7.81	35.42
RMS	6.453G	91.74	Inf	-Inf	84.55	3	Vertical	0	2.94	-	34.80	7.81	35.42
PK	7.155G	62.45	88.20	-25.75	53.46	3	Vertical	0	2.94	-	36.32	8.20	35.53
RMS	7.143G	50.16	68.20	-18.04	41.23	3	Vertical	0	2.94	-	36.26	8.20	35.53

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Y_4TX
Setting 50
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.895G	59.73	88.20	-28.47	53.11	3	Horizontal	70.4	2.38	-	34.67	7.50	35.55
RMS	5.757G	47.40	68.20	-20.80	41.04	3	Horizontal	70.4	2.38	-	34.40	7.44	35.48
PK	6.429G	111.41	Inf	-Inf	104.24	3	Horizontal	70.4	2.38	-	34.84	7.76	35.43
RMS	6.468G	98.38	Inf	-Inf	91.15	3	Horizontal	70.4	2.38	-	34.80	7.84	35.41
PK	7.197G	62.61	88.20	-25.59	53.46	3	Horizontal	70.4	2.38	-	36.49	8.20	35.54
RMS	7.179G	50.19	68.20	-18.01	41.11	3	Horizontal	70.4	2.38	-	36.42	8.20	35.54

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 50
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94212G	58.55	88.20	-29.65	41.83	3	Vertical	259	2.03	-	39.54	11.55	34.37
RMS	12.94398G	44.80	68.20	-23.40	28.07	3	Vertical	259	2.03	-	39.54	11.56	34.37

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 50
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92754G	58.41	88.20	-29.79	41.75	3	Horizontal	128	1.67	-	39.53	11.54	34.41
RMS	12.94188G	44.82	68.20	-23.38	28.10	3	Horizontal	128	1.67	-	39.54	11.55	34.37

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 50
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4398G	47.37	83.54	-36.17	45.24	1	Vertical	189	2.97	-	37.85	13.97	49.69
AV	19.441G	33.83	63.54	-29.71	31.70	1	Vertical	189	2.97	-	37.85	13.97	49.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6465MHz_TnomVnom



EUT Y_4TX
Setting 50
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3628G	46.78	83.54	-36.76	44.69	1	Horizontal	70	1.57	-	37.79	13.97	49.67
AV	19.4324G	33.68	63.54	-29.86	31.55	1	Horizontal	70	1.57	-	37.85	13.97	49.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 53
 03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	59.52	88.20	-28.68	52.90	3	Vertical	360	2.04	-	34.66	7.52	35.56
RMS	5.9234G	47.14	68.20	-21.06	40.53	3	Vertical	360	2.04	-	34.65	7.52	35.56
PK	6.5842G	104.42	Inf	-Inf	96.63	3	Vertical	360	2.04	-	35.14	8.07	35.42
RMS	6.5814G	93.40	Inf	-Inf	85.62	3	Vertical	360	2.04	-	35.13	8.06	35.41
PK	7.133G	62.61	88.20	-25.59	53.73	3	Vertical	360	2.04	-	36.20	8.20	35.52
RMS	7.2198G	50.38	68.20	-17.82	41.05	3	Vertical	360	2.04	-	36.62	8.26	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
Setting 53
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	59.27	88.20	-28.93	52.62	3	Horizontal	78.1	1.42	-	34.70	7.50	35.55
RMS	5.925G	47.12	68.20	-21.08	40.51	3	Horizontal	78.1	1.42	-	34.65	7.52	35.56
PK	6.517G	108.75	Inf	-Inf	101.35	3	Horizontal	78.1	1.42	-	34.87	7.93	35.40
RMS	6.531G	96.31	Inf	-Inf	88.84	3	Horizontal	78.1	1.42	-	34.92	7.96	35.41
PK	7.2226G	62.92	88.20	-25.28	53.56	3	Horizontal	78.1	1.42	-	36.64	8.27	35.55
RMS	7.2254G	50.35	68.20	-17.85	40.97	3	Horizontal	78.1	1.42	-	36.65	8.28	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
Setting 53
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.734G	61.81	88.20	-26.39	42.28	3	Vertical	118	2.03	-	40.83	12.19	33.49
RMS	13.7508G	49.66	68.20	-18.54	30.11	3	Vertical	118	2.03	-	40.85	12.20	33.50


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 53
 03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08886G	57.70	88.20	-30.50	40.25	3	Horizontal	308	1.67	-	39.87	11.67	34.09
RMS	13.09972G	45.37	68.20	-22.83	27.86	3	Horizontal	308	1.67	-	39.90	11.68	34.07


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 53
 03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5904G	47.41	83.54	-36.13	45.27	1	Vertical	358	2.50	-	37.86	13.98	49.70
AV	19.5852G	34.07	63.54	-29.47	31.92	1	Vertical	358	2.50	-	37.87	13.98	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 53
 03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6324G	47.15	83.54	-36.39	45.02	1	Horizontal	158	1.43	-	37.85	13.98	49.70
AV	19.5864G	34.11	63.54	-29.43	31.96	1	Horizontal	158	1.43	-	37.87	13.98	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 52
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6322G	105.09	Inf	-Inf	97.08	3	Vertical	26.7	2.81	-	35.33	8.10	35.42
RMS	6.6322G	92.63	Inf	-Inf	84.62	3	Vertical	26.7	2.81	-	35.33	8.10	35.42
PK	7.1818G	62.85	88.20	-25.35	53.76	3	Vertical	26.7	2.81	-	36.43	8.20	35.54
RMS	7.1578G	50.21	68.20	-17.99	41.21	3	Vertical	26.7	2.81	-	36.33	8.20	35.53

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 52
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6178G	112.72	Inf	-Inf	104.77	3	Horizontal	70	2.39	-	35.27	8.10	35.42
RMS	6.6202G	101.20	Inf	-Inf	93.24	3	Horizontal	70	2.39	-	35.28	8.10	35.42
PK	7.153G	63.22	88.20	-24.98	54.24	3	Horizontal	70	2.39	-	36.31	8.20	35.53
RMS	7.1962G	50.41	68.20	-17.79	41.27	3	Horizontal	70	2.39	-	36.48	8.20	35.54

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 52
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25876G	58.58	74.00	-15.42	40.40	3	Vertical	77	1.61	-	40.18	11.81	33.81
AV	13.26176G	45.71	54.00	-8.29	27.52	3	Vertical	77	1.61	-	40.19	11.81	33.81

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 52
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2582G	59.09	74.00	-14.91	40.92	3	Horizontal	106	2.99	-	40.17	11.81	33.81
AV	13.26326G	45.82	54.00	-8.18	27.62	3	Horizontal	106	2.99	-	40.19	11.81	33.80

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 52
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8434G	47.91	83.54	-35.63	45.97	1	Vertical	261	1.44	-	37.65	13.99	49.70
AV	19.8928G	34.49	63.54	-29.05	32.63	1	Vertical	261	1.44	-	37.57	13.99	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Y_4TX
Setting 52
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9078G	47.80	83.54	-35.74	45.95	1	Horizontal	173	2.38	-	37.55	14.00	49.70
AV	19.8624G	34.47	63.54	-29.07	32.56	1	Horizontal	173	2.38	-	37.62	13.99	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 48
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.687G	104.31	Inf	-Inf	96.17	3	Vertical	1	1.80	-	35.47	8.10	35.43
RMS	6.689G	91.68	Inf	-Inf	83.53	3	Vertical	1	1.80	-	35.48	8.10	35.43
PK	7.155G	63.35	88.20	-24.85	54.36	3	Vertical	1	1.80	-	36.32	8.20	35.53
RMS	7.189G	50.38	68.20	-17.82	41.26	3	Vertical	1	1.80	-	36.46	8.20	35.54

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 48
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.721G	107.77	Inf	-Inf	99.53	3	Horizontal	55.1	1.77	-	35.58	8.10	35.44
RMS	6.715G	96.02	Inf	-Inf	87.80	3	Horizontal	55.1	1.77	-	35.56	8.10	35.44
PK	7.153G	63.04	88.20	-25.16	54.06	3	Horizontal	55.1	1.77	-	36.31	8.20	35.53
RMS	7.165G	50.44	68.20	-17.76	41.41	3	Horizontal	55.1	1.77	-	36.36	8.20	35.53

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 48
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.42152G	60.03	88.20	-28.17	41.13	3	Vertical	324	2.70	-	40.50	11.94	33.54
RMS	13.4247G	46.40	68.20	-21.80	27.49	3	Vertical	324	2.70	-	40.50	11.94	33.53

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 48
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41054G	59.03	88.20	-29.17	40.16	3	Horizontal	83	2.02	-	40.50	11.93	33.56
RMS	13.42326G	46.32	68.20	-21.88	27.42	3	Horizontal	83	2.02	-	40.50	11.94	33.54

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 48
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.1044G	48.03	83.54	-35.51	46.21	1	Vertical	217	2.58	-	37.48	14.08	49.74
AV	20.1294G	34.52	63.54	-29.02	32.67	1	Vertical	217	2.58	-	37.50	14.10	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Y_4TX
Setting 48
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.073G	47.70	83.54	-35.84	45.92	1	Horizontal	149	1.47	-	37.46	14.05	49.73
AV	20.1356G	34.49	63.54	-29.05	32.63	1	Horizontal	149	1.47	-	37.51	14.10	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 50
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.749G	104.32	Inf	-Inf	95.96	3	Vertical	1	2.87	-	35.70	8.10	35.44
RMS	6.7526G	92.02	Inf	-Inf	83.67	3	Vertical	1	2.87	-	35.70	8.10	35.45
PK	7.1774G	63.80	88.20	-24.40	54.73	3	Vertical	1	2.87	-	36.41	8.20	35.54
RMS	7.2278G	50.40	68.20	-17.80	41.00	3	Vertical	1	2.87	-	36.67	8.28	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 50
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7706G	112.00	Inf	-Inf	103.65	3	Horizontal	58	2.40	-	35.70	8.10	35.45
RMS	6.7922G	98.89	Inf	-Inf	90.54	3	Horizontal	58	2.40	-	35.70	8.10	35.45
PK	7.1846G	63.22	88.20	-24.98	54.12	3	Horizontal	58	2.40	-	36.44	8.20	35.54
RMS	7.1702G	50.38	68.20	-17.82	41.33	3	Horizontal	58	2.40	-	36.38	8.20	35.53

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 50
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57648G	60.09	88.20	-28.11	40.89	3	Vertical	330	1.12	-	40.58	12.06	33.44
RMS	13.57822G	46.94	68.20	-21.26	27.74	3	Vertical	330	1.12	-	40.58	12.06	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 50
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5703G	60.04	88.20	-28.16	40.84	3	Horizontal	140	1.03	-	40.57	12.06	33.43
RMS	13.57798G	46.83	68.20	-21.37	27.63	3	Horizontal	140	1.03	-	40.58	12.06	33.44

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Y_4TX
Setting 50
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4028G	47.33	83.54	-36.21	45.23	1	Vertical	294	1.58	-	37.66	14.30	49.86
AV	20.4032G	34.42	63.54	-29.12	32.32	1	Vertical	294	1.58	-	37.66	14.30	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6785MHz_TnomVnom



EUT Y_4TX
Setting 50
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3492G	47.03	83.54	-36.51	44.97	1	Horizontal	53	1.60	-	37.64	14.26	49.84
AV	20.4034G	34.44	63.54	-29.10	32.34	1	Horizontal	53	1.60	-	37.66	14.30	49.86


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 50
 03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8524G	105.19	Inf	-Inf	96.62	3	Vertical	353.5	2.10	-	35.90	8.13	35.46
RMS	6.8552G	93.64	Inf	-Inf	85.08	3	Vertical	353.5	2.10	-	35.89	8.13	35.46
PK	7.2066G	63.34	88.20	-24.86	54.12	3	Vertical	353.5	2.10	-	36.54	8.22	35.54
RMS	7.1604G	50.28	68.20	-17.92	41.27	3	Vertical	353.5	2.10	-	36.34	8.20	35.53


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 50
 03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.858G	111.20	Inf	-Inf	102.65	3	Horizontal	60.6	2.41	-	35.88	8.13	35.46
RMS	6.8454G	98.88	Inf	-Inf	90.34	3	Horizontal	60.6	2.41	-	35.88	8.12	35.46
PK	7.173G	64.19	88.20	-24.01	55.13	3	Horizontal	60.6	2.41	-	36.39	8.20	35.53
RMS	7.1492G	50.45	68.20	-17.75	41.48	3	Horizontal	60.6	2.41	-	36.30	8.20	35.53


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 50
 03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72682G	63.42	88.20	-24.78	43.90	3	Vertical	119	1.81	-	40.83	12.18	33.49
RMS	13.73936G	49.63	68.20	-18.57	30.09	3	Vertical	119	1.81	-	40.84	12.19	33.49

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




23/10/2021

EUT Y_4TX
 Setting 50
 03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73072G	63.18	88.20	-25.02	43.66	3	Horizontal	162	1.87	-	40.83	12.18	33.49
RMS	13.74476G	49.67	68.20	-18.53	30.12	3	Horizontal	162	1.87	-	40.84	12.20	33.49


802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 50
 03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5612G	47.13	83.54	-36.41	44.82	1	Vertical	114	2.42	-	37.77	14.42	49.88
AV	20.5772G	34.58	63.54	-28.96	32.23	1	Vertical	114	2.42	-	37.79	14.43	49.87

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
 Setting 50
 03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6188G	48.09	83.54	-35.45	45.64	1	Horizontal	60	1.67	-	37.84	14.46	49.85
AV	20.5518G	34.59	63.54	-28.95	32.30	1	Horizontal	60	1.67	-	37.76	14.41	49.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 46
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9786G	105.61	Inf	-Inf	97.12	3	Vertical	345	2.55	-	35.79	8.19	35.49
RMS	6.975G	93.69	Inf	-Inf	85.19	3	Vertical	345	2.55	-	35.80	8.19	35.49
PK	7.1766G	63.45	88.20	-24.75	54.38	3	Vertical	345	2.55	-	36.41	8.20	35.54
RMS	7.2162G	50.40	68.20	-17.80	41.10	3	Vertical	345	2.55	-	36.60	8.25	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 46
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9438G	107.03	Inf	-Inf	98.45	3	Horizontal	45.5	1.81	-	35.89	8.17	35.48
RMS	6.9462G	95.36	Inf	-Inf	86.78	3	Horizontal	45.5	1.81	-	35.89	8.17	35.48
PK	7.1646G	63.47	88.20	-24.73	54.44	3	Horizontal	45.5	1.81	-	36.36	8.20	35.53
RMS	7.2342G	50.44	68.20	-17.76	40.98	3	Horizontal	45.5	1.81	-	36.71	8.30	35.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 46
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88904G	63.61	88.20	-24.59	43.76	3	Vertical	328	1.28	-	41.08	12.31	33.54
RMS	13.89978G	50.45	68.20	-17.75	30.58	3	Vertical	328	1.28	-	41.10	12.32	33.55

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 46
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.888G	64.33	88.20	-23.87	44.48	3	Horizontal	360	1.16	-	41.08	12.31	33.54
RMS	13.8888G	50.61	68.20	-17.59	30.76	3	Horizontal	360	1.16	-	41.08	12.31	33.54

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 46
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7856G	49.13	83.54	-34.41	46.39	1	Vertical	240	1.07	-	37.94	14.59	49.79
AV	20.788G	35.08	63.54	-28.46	32.33	1	Vertical	240	1.07	-	37.94	14.59	49.78

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Y_4TX
Setting 46
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7906G	47.72	83.54	-35.82	44.97	1	Horizontal	108	1.69	-	37.94	14.59	49.78
AV	20.7856G	34.94	63.54	-28.60	32.20	1	Horizontal	108	1.69	-	37.94	14.59	49.79

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 46
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9986G	108.85	Inf	-Inf	100.43	3	Vertical	360	2.22	-	35.71	8.20	35.49
RMS	7.0074G	92.57	Inf	-Inf	84.13	3	Vertical	360	2.22	-	35.73	8.20	35.49
PK	7.129G	64.29	88.20	-23.91	55.44	3	Vertical	360	2.22	-	36.17	8.20	35.52
RMS	7.145G	50.51	68.20	-17.69	41.57	3	Vertical	360	2.22	-	36.27	8.20	35.53

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 46
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9986G	106.18	Inf	-Inf	97.76	3	Horizontal	338.6	2.10	-	35.71	8.20	35.49
RMS	6.9874G	92.83	Inf	-Inf	84.38	3	Horizontal	338.6	2.10	-	35.75	8.19	35.49
PK	7.1466G	63.31	88.20	-24.89	54.36	3	Horizontal	338.6	2.10	-	36.28	8.20	35.53
RMS	7.125G	50.83	68.20	-17.37	42.00	3	Horizontal	338.6	2.10	-	36.15	8.20	35.52

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 46
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05564G	64.39	88.20	-23.81	44.22	3	Vertical	40	2.02	-	41.41	12.43	33.67
RMS	14.04106G	50.67	68.20	-17.53	30.51	3	Vertical	40	2.02	-	41.38	12.42	33.64

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 46
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04454G	64.22	88.20	-23.98	44.06	3	Horizontal	20	1.04	-	41.39	12.42	33.65
RMS	14.06368G	50.79	68.20	-17.41	30.61	3	Horizontal	20	1.04	-	41.43	12.43	33.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 46
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.1078G	47.63	83.54	-35.91	44.88	1	Vertical	65	1.81	-	37.60	14.83	49.68
AV	21.0266G	34.73	63.54	-28.81	32.05	1	Vertical	65	1.81	-	37.60	14.77	49.69

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Y_4TX
Setting 46
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.067G	47.92	83.54	-35.62	45.21	1	Horizontal	54	2.35	-	37.60	14.80	49.69
AV	21.0682G	34.57	63.54	-28.97	31.86	1	Horizontal	54	2.35	-	37.60	14.80	49.69

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 64
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	69.87	88.20	-18.33	63.22	3	Vertical	314	2.36	-	34.70	7.50	35.55
RMS	5.9098G	48.26	68.20	-19.94	41.62	3	Vertical	314	2.36	-	34.68	7.51	35.55
PK	5.9554G	104.45	Inf	-Inf	97.86	3	Vertical	314	2.36	-	34.61	7.56	35.58
RMS	6.0622G	91.20	Inf	-Inf	84.22	3	Vertical	314	2.36	-	34.87	7.69	35.58

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 64
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	72.77	88.20	-15.43	66.15	3	Horizontal	310.7	1.41	-	34.67	7.51	35.56
RMS	5.9194G	51.05	68.20	-17.15	44.43	3	Horizontal	310.7	1.41	-	34.66	7.52	35.56
PK	5.9626G	109.17	Inf	-Inf	102.56	3	Horizontal	310.7	1.41	-	34.63	7.56	35.58
RMS	5.9938G	96.59	Inf	-Inf	89.91	3	Horizontal	310.7	1.41	-	34.69	7.59	35.60

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 64
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04568G	56.95	74.00	-17.05	42.23	3	Vertical	360	1.80	-	39.36	10.84	35.48
AV	12.03848G	43.07	54.00	-10.93	28.34	3	Vertical	360	1.80	-	39.38	10.83	35.48

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 64
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0623G	56.97	74.00	-17.03	42.29	3	Horizontal	310	1.00	-	39.31	10.85	35.48
AV	12.0359G	43.02	54.00	-10.98	28.28	3	Horizontal	310	1.00	-	39.39	10.83	35.48

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 64
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0272G	45.22	83.54	-38.32	43.93	1	Vertical	179	1.75	-	37.68	13.90	50.29
AV	18.051G	32.28	63.54	-31.26	31.00	1	Vertical	179	1.75	-	37.66	13.90	50.28

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Y_4TX
Setting 64
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0332G	46.00	83.54	-37.54	44.72	1	Horizontal	18	1.60	-	37.67	13.90	50.29
AV	18.052G	32.26	63.54	-31.28	30.98	1	Horizontal	18	1.60	-	37.66	13.90	50.28

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 58
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.843G	59.86	88.20	-28.34	53.54	3	Vertical	2	2.42	-	34.40	7.44	35.52
RMS	5.919G	47.31	68.20	-20.89	40.69	3	Vertical	2	2.42	-	34.66	7.52	35.56
PK	6.121G	101.29	Inf	-Inf	93.96	3	Vertical	2	2.42	-	35.10	7.78	35.55
RMS	6.121G	89.21	Inf	-Inf	81.88	3	Vertical	2	2.42	-	35.10	7.78	35.55

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 58
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	62.98	88.20	-25.22	56.36	3	Horizontal	43.3	1.41	-	34.66	7.52	35.56
RMS	5.917G	47.73	68.20	-20.47	41.10	3	Horizontal	43.3	1.41	-	34.67	7.52	35.56
PK	6.233G	107.72	Inf	-Inf	100.36	3	Horizontal	43.3	1.41	-	35.00	7.87	35.51
RMS	6.231G	95.58	Inf	-Inf	88.21	3	Horizontal	43.3	1.41	-	35.01	7.87	35.51

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 58
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36292G	57.05	74.00	-16.95	42.34	3	Vertical	44	2.32	-	39.04	11.09	35.42
AV	12.37354G	43.67	54.00	-10.33	28.96	3	Vertical	44	2.32	-	39.03	11.10	35.42

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 58
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.38446G	57.17	74.00	-16.83	42.45	3	Horizontal	49	1.41	-	39.02	11.11	35.41
AV	12.38344G	43.63	54.00	-10.37	28.91	3	Horizontal	49	1.41	-	39.02	11.11	35.41

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 58
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5376G	45.92	83.54	-37.62	44.27	1	Vertical	91	1.51	-	37.78	13.93	50.06
AV	18.5816G	32.84	63.54	-30.70	31.16	1	Vertical	91	1.51	-	37.77	13.93	50.02

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Y_4TX
Setting 58
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5738G	45.86	83.54	-37.68	44.19	1	Horizontal	48	2.61	-	37.77	13.93	50.03
AV	18.5768G	32.89	63.54	-30.65	31.21	1	Horizontal	48	2.61	-	37.77	13.93	50.02

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 63
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7714G	60.42	88.20	-27.78	54.08	3	Vertical	0.9	1.29	-	34.40	7.43	35.49
RMS	5.9178G	47.24	68.20	-20.96	40.62	3	Vertical	0.9	1.29	-	34.66	7.52	35.56
PK	6.3594G	103.76	Inf	-Inf	96.58	3	Vertical	0.9	1.29	-	34.90	7.74	35.46
RMS	6.3618G	91.40	Inf	-Inf	84.22	3	Vertical	0.9	1.29	-	34.90	7.74	35.46

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 63
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9106G	60.02	88.20	-28.18	53.39	3	Horizontal	48.6	2.59	-	34.68	7.51	35.56
RMS	5.925G	47.71	68.20	-20.49	41.09	3	Horizontal	48.6	2.59	-	34.65	7.53	35.56
PK	6.3162G	110.95	Inf	-Inf	103.67	3	Horizontal	48.6	2.59	-	34.97	7.78	35.47
RMS	6.3186G	98.56	Inf	-Inf	91.29	3	Horizontal	48.6	2.59	-	34.96	7.78	35.47

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 63
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69924G	57.22	74.00	-16.78	41.69	3	Vertical	353	2.42	-	39.10	11.36	34.93
AV	12.6987G	42.84	54.00	-11.16	27.31	3	Vertical	353	2.42	-	39.10	11.36	34.93

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 63
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.67944G	56.37	74.00	-17.63	40.93	3	Horizontal	256	1.21	-	39.08	11.34	34.98
AV	12.69882G	42.87	54.00	-11.13	27.34	3	Horizontal	256	1.21	-	39.10	11.36	34.93

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Y_4TX
Setting 63
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.9964G	46.82	83.54	-36.72	44.47	1	Vertical	323	2.22	-	38.00	13.95	49.60
AV	19.0768G	33.48	63.54	-30.06	31.24	1	Vertical	323	2.22	-	37.91	13.95	49.62

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6345MHz_TnomVnom



EUT Y_4TX
Setting 63
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0692G	46.60	83.54	-36.94	44.34	1	Horizontal	151	2.72	-	37.92	13.95	49.61
AV	19.0766G	33.47	63.54	-30.07	31.23	1	Horizontal	151	2.72	-	37.91	13.95	49.62


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_V_4TX
 Setting 64
 03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9086G	60.01	88.20	-28.19	53.37	3	Vertical	41.1	1.25	-	34.68	7.51	35.55
RMS	5.9058G	47.04	68.20	-21.16	40.39	3	Vertical	41.1	1.25	-	34.69	7.51	35.55
PK	6.5246G	104.75	Inf	-Inf	97.30	3	Vertical	41.1	1.25	-	34.90	7.95	35.40
RMS	6.5274G	91.45	Inf	-Inf	83.99	3	Vertical	41.1	1.25	-	34.91	7.95	35.40
PK	7.135G	63.02	88.20	-25.18	54.14	3	Vertical	41.1	1.25	-	36.21	8.20	35.53
RMS	7.149G	50.34	68.20	-17.86	41.38	3	Vertical	41.1	1.25	-	36.29	8.20	35.53


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 64
 03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8974G	59.87	88.20	-28.33	53.24	3	Horizontal	60.6	1.23	-	34.68	7.50	35.55
RMS	5.889G	47.10	68.20	-21.10	40.52	3	Horizontal	60.6	1.23	-	34.63	7.49	35.54
PK	6.5302G	110.08	Inf	-Inf	102.61	3	Horizontal	60.6	1.23	-	34.92	7.96	35.41
RMS	6.5302G	97.53	Inf	-Inf	90.06	3	Horizontal	60.6	1.23	-	34.92	7.96	35.41
PK	7.1546G	63.12	88.20	-25.08	54.13	3	Horizontal	60.6	1.23	-	36.32	8.20	35.53
RMS	7.1518G	50.38	68.20	-17.82	41.40	3	Horizontal	60.6	1.23	-	36.31	8.20	35.53


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
 Setting 64
 03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02254G	58.55	88.20	-29.65	41.46	3	Vertical	308	2.82	-	39.67	11.62	34.20
RMS	12.99896G	45.27	68.20	-22.93	28.31	3	Vertical	308	2.82	-	39.60	11.60	34.24

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




23/10/2021

EUT Y_4TX
 Setting 64
 03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0223G	59.32	88.20	-28.88	42.23	3	Horizontal	330	2.71	-	39.67	11.62	34.20
RMS	13.00286G	45.20	68.20	-23.00	28.23	3	Horizontal	330	2.71	-	39.61	11.60	34.24

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
Setting 64
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5566G	48.48	83.54	-35.06	46.32	1	Vertical	29	2.44	-	37.88	13.98	49.70
AV	19.5614G	34.08	63.54	-29.46	31.92	1	Vertical	29	2.44	-	37.88	13.98	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 64
 03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5562G	46.94	83.54	-36.60	44.78	1	Horizontal	303	2.85	-	37.88	13.98	49.70
AV	19.5624G	34.07	63.54	-29.47	31.91	1	Horizontal	303	2.85	-	37.88	13.98	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 62
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6914G	105.51	Inf	-Inf	97.36	3	Vertical	356	1.97	-	35.48	8.10	35.43
RMS	6.687G	92.62	Inf	-Inf	84.48	3	Vertical	356	1.97	-	35.47	8.10	35.43
PK	7.1688G	63.46	88.20	-24.74	54.41	3	Vertical	356	1.97	-	36.38	8.20	35.53
RMS	7.1578G	50.44	68.20	-17.76	41.44	3	Vertical	356	1.97	-	36.33	8.20	35.53

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 62
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6342G	106.43	Inf	-Inf	98.41	3	Horizontal	299.9	1.82	-	35.34	8.10	35.42
RMS	6.7002G	94.14	Inf	-Inf	85.98	3	Horizontal	299.9	1.82	-	35.50	8.10	35.44
PK	7.1402G	62.36	88.20	-25.84	53.45	3	Horizontal	299.9	1.82	-	36.24	8.20	35.53
RMS	7.16G	50.30	68.20	-17.90	41.29	3	Horizontal	299.9	1.82	-	36.34	8.20	35.53

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 62
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.34104G	59.29	74.00	-14.71	40.71	3	Vertical	176	1.93	-	40.38	11.87	33.67
AV	13.31566G	45.84	54.00	-8.16	27.38	3	Vertical	176	1.93	-	40.33	11.85	33.72

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 62
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33186G	59.87	74.00	-14.13	41.33	3	Horizontal	190	1.43	-	40.36	11.87	33.69
AV	13.32154G	45.98	54.00	-8.02	27.49	3	Horizontal	190	1.43	-	40.34	11.86	33.71

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Y_4TX
Setting 62
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0388G	47.88	83.54	-35.66	46.14	1	Vertical	289	2.88	-	37.43	14.03	49.72
AV	20.0382G	34.18	63.54	-29.36	32.44	1	Vertical	289	2.88	-	37.43	14.03	49.72

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6665MHz_TnomVnom



EUT Y_4TX
Setting 62
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0138G	47.24	83.54	-36.30	45.53	1	Horizontal	142	1.82	-	37.41	14.01	49.71
AV	20.0428G	34.26	63.54	-29.28	32.52	1	Horizontal	142	1.82	-	37.43	14.03	49.72


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 59
 03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8026G	103.28	Inf	-Inf	94.92	3	Vertical	67.7	2.49	-	35.71	8.10	35.45
RMS	6.801G	91.34	Inf	-Inf	82.99	3	Vertical	67.7	2.49	-	35.70	8.10	35.45
PK	7.2026G	62.88	88.20	-25.32	53.69	3	Vertical	67.7	2.49	-	36.52	8.21	35.54
RMS	7.1514G	50.41	68.20	-17.79	41.43	3	Vertical	67.7	2.49	-	36.31	8.20	35.53


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 59
 03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.801G	110.55	Inf	-Inf	102.20	3	Horizontal	69.8	2.25	-	35.70	8.10	35.45
RMS	6.8058G	97.96	Inf	-Inf	89.60	3	Horizontal	69.8	2.25	-	35.72	8.10	35.46
PK	7.1274G	63.55	88.20	-24.65	54.71	3	Horizontal	69.8	2.25	-	36.16	8.20	35.52
RMS	7.1498G	50.63	68.20	-17.57	41.66	3	Horizontal	69.8	2.25	-	36.30	8.20	35.53


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_4TX
 Setting 59
 03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6356G	62.54	88.20	-25.66	43.22	3	Vertical	158	1.09	-	40.67	12.11	33.46
RMS	13.63578G	48.83	68.20	-19.37	29.51	3	Vertical	158	1.09	-	40.67	12.11	33.46

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




23/10/2021

EUT Y_4TX
 Setting 59
 03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.66422G	62.22	88.20	-25.98	42.83	3	Horizontal	141	1.43	-	40.73	12.13	33.47
RMS	13.63584G	49.09	68.20	-19.11	29.77	3	Horizontal	141	1.43	-	40.67	12.11	33.46

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 59
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4598G	47.84	83.54	-35.70	45.70	1	Vertical	8	2.58	-	37.68	14.34	49.88
AV	20.4796G	34.79	63.54	-28.75	32.63	1	Vertical	8	2.58	-	37.69	14.36	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 59
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4424G	48.04	83.54	-35.50	45.91	1	Horizontal	146	1.67	-	37.68	14.33	49.88
AV	20.4802G	34.78	63.54	-28.76	32.62	1	Horizontal	146	1.67	-	37.69	14.36	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 62
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.962G	104.76	Inf	-Inf	96.21	3	Vertical	340.2	1.27	-	35.85	8.18	35.48
RMS	6.963G	91.81	Inf	-Inf	83.26	3	Vertical	340.2	1.27	-	35.85	8.18	35.48
PK	7.172G	67.02	88.20	-21.18	57.96	3	Vertical	340.2	1.27	-	36.39	8.20	35.53
RMS	7.153G	50.87	68.20	-17.33	41.89	3	Vertical	340.2	1.27	-	36.31	8.20	35.53

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 62
03-E-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.011G	107.71	Inf	-Inf	99.26	3	Horizontal	278.1	2.36	-	35.74	8.20	35.49
RMS	7.005G	94.67	Inf	-Inf	86.24	3	Horizontal	278.1	2.36	-	35.72	8.20	35.49
PK	7.144G	74.09	88.20	-14.11	65.16	3	Horizontal	278.1	2.36	-	36.26	8.20	35.53
RMS	7.133G	52.53	68.20	-15.67	43.65	3	Horizontal	278.1	2.36	-	36.20	8.20	35.52

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 62
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98194G	63.86	88.20	-24.34	43.78	3	Vertical	131	1.87	-	41.26	12.39	33.57
RMS	13.97396G	50.41	68.20	-17.79	30.35	3	Vertical	131	1.87	-	41.25	12.38	33.57

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 62
03-E-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97594G	63.71	88.20	-24.49	43.65	3	Horizontal	74	2.70	-	41.25	12.38	33.57
RMS	13.98086G	50.50	68.20	-17.70	30.43	3	Horizontal	74	2.70	-	41.26	12.38	33.57

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Y_4TX
Setting 62
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.936G	48.03	83.54	-35.51	45.36	1	Vertical	98	1.50	-	37.70	14.70	49.73
AV	20.9836G	34.97	63.54	-28.57	32.31	1	Vertical	98	1.50	-	37.63	14.74	49.71

802.11ax HEW160-BF_Nss1,(MCS0)_4TX



6985MHz_TnomVnom



EUT Y_4TX
Setting 62
03-E-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.997G	48.78	83.54	-34.76	46.13	1	Horizontal	76	2.81	-	37.60	14.75	49.70
AV	20.974G	34.88	63.54	-28.66	32.22	1	Horizontal	76	2.81	-	37.64	14.73	49.71

For radio 3 / non beamforming mode




802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

19/10/2021




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4126G	-5.88	6.401G	-34.87	-26.94	-7.93	1
6.416G	-5.98	6.4G	-35.26	-27.02	-8.24	2
6.4113G	-5.98	6.4003G	-35.15	-28.16	-6.99	3
6.4138G	-6.30	6.3994G	-36.15	-27.21	-8.94	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

19/10/2021



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4367G	-5.23	6.4193G	-35.39	-27.18	-8.21	1
6.4337G	-5.19	6.4202G	-34.25	-25.88	-8.37	2
6.4325G	-5.83	6.4202G	-35.36	-27.54	-7.82	3
6.4339G	-5.41	6.4195G	-35.15	-27.41	-7.74	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

19/10/2021

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4721G	-4.94	6.4585G	-35.89	-28.11	-7.78	1
6.4732G	-4.78	6.4606G	-34.09	-25.51	-8.58	2
6.4709G	-5.49	6.4599G	-35.49	-26.78	-8.71	3
6.4738G	-5.11	6.4625G	-32.72	-25.32	-7.40	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

19/10/2021

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5121G	-4.81	6.5297G	-34.35	-25.07	-9.28	1
6.5136G	-4.90	6.4979G	-36.28	-28.52	-7.76	2
6.5111G	-5.56	6.5304G	-35.89	-27.43	-8.46	3
6.5136G	-5.29	6.5316G	-36.33	-27.95	-8.38	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

19/10/2021

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5373G	-4.74	6.5495G	-34.24	-25.97	-8.27	1
6.5334G	-4.97	6.5187G	-35.67	-28.07	-7.60	2
6.5374G	-5.16	6.5808G	-54.57	-45.16	-9.41	3
6.5337G	-5.01	6.5515G	-35.76	-27.66	-8.10	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

19/10/2021

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6936G	-4.33	6.678G	-35.56	-27.24	-8.32	1
6.6926G	-4.37	6.6802G	-34.17	-25.02	-9.15	2
6.691G	-4.03	6.6767G	-36.52	-28.88	-7.64	3
6.6939G	-5.03	6.6779G	-36.32	-27.26	-9.06	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

19/10/2021

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8514G	-4.03	6.8385G	-34.92	-26.98	-7.94	1
6.8526G	-3.71	6.8381G	-35.11	-27.16	-7.95	2
6.8589G	-3.44	6.8383G	-34.07	-25.55	-8.52	3
6.8563G	-4.15	6.8403G	-33.33	-25.31	-8.02	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

19/10/2021

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8737G	-5.96	6.8279G	-54.67	-45.96	-8.71	1
6.8776G	-5.44	6.923G	-54.51	-45.44	-9.07	2
6.8737G	-4.89	6.8891G	-34.22	-25.26	-8.96	3
6.8737G	-5.88	6.86G	-35.00	-26.47	-8.53	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

19/10/2021

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8914G	-4.65	6.8777G	-36.26	-27.13	-9.13	1
6.8924G	-4.21	6.8776G	-35.26	-28.54	-6.72	2
6.8936G	-3.81	6.943G	-53.31	-43.81	-9.50	3
6.8914G	-4.50	6.8803G	-33.83	-24.73	-9.10	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

19/10/2021

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.991G	-4.95	6.9822G	-32.98	-25.06	-7.92	1
6.9903G	-4.29	6.9781G	-35.38	-27.01	-8.37	2
6.9925G	-3.84	6.9553G	-52.82	-43.84	-8.98	3
6.9935G	-4.72	6.9786G	-34.82	-26.91	-7.91	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

19/10/2021

CF Freq
7.095GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0906G	-6.30	7.0809G	-35.12	-27.81	-7.31	1
7.09G	-6.37	7.0806G	-35.45	-27.03	-8.42	2
7.0961G	-5.94	7.0808G	-34.97	-27.35	-7.62	3
7.0911G	-6.35	7.0776G	-37.67	-29.85	-7.82	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

7115MHz_TnomVnom

19/10/2021

CF Freq
7.115GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.1138G	-8.56	7.0809G	-55.94	-48.45	-7.49	1
7.1104G	-8.85	7.0798G	-55.75	-48.85	-6.90	2
7.1131G	-8.22	7.1283G	-36.53	-29.18	-7.35	3
7.1135G	-8.91	7.0821G	-55.87	-48.91	-6.96	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TnomVnom

19/10/2021

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.969G	-6.64	5.999G	-39.26	-31.42	-7.84	1
5.97259G	-6.84	5.9984G	-38.82	-31.55	-7.27	2
5.97G	-6.51	5.9978G	-38.68	-30.94	-7.74	3
5.97119G	-6.76	5.9986G	-38.90	-31.14	-7.76	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6165MHz_TnomVnom

19/10/2021

CF Freq
6.165GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1612G	-6.10	6.2014G	-39.69	-32.03	-7.66	1
6.1676G	-6.15	6.1312G	-38.25	-30.54	-7.71	2
6.169G	-6.09	6.192G	-35.53	-27.70	-7.83	3
6.1602G	-6.16	6.1276G	-39.76	-32.43	-7.33	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

19/10/2021

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39701G	-6.26	6.3718G	-38.01	-30.63	-7.38	1
6.41019G	-6.78	6.3682G	-39.45	-32.85	-6.60	2
6.4014G	-6.27	6.3766G	-35.86	-28.70	-7.16	3
6.4092G	-7.25	6.37G	-39.51	-32.73	-6.78	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

19/10/2021

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4424G	-4.57	6.4234G	-31.67	-24.58	-7.09	1
6.44G	-5.09	6.414G	-35.95	-28.64	-7.31	2
6.4412G	-5.46	6.416G	-35.61	-27.52	-8.09	3
6.4412G	-5.35	6.4126G	-36.61	-28.84	-7.77	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

19/10/2021

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4824G	-4.72	6.5166G	-36.25	-28.45	-7.80	1
6.48G	-5.08	6.4508G	-37.35	-29.86	-7.49	2
6.4876G	-5.16	6.4512G	-37.24	-29.80	-7.44	3
6.4814G	-5.25	6.4542G	-35.90	-27.86	-8.04	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

19/10/2021

CF Freq
6.525GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.51741G	-4.85	6.5548G	-35.65	-27.90	-7.75	1
6.5284G	-5.10	6.5604G	-37.99	-30.50	-7.49	2
6.53119G	-5.24	6.5554G	-36.34	-28.37	-7.97	3
6.51941G	-5.35	6.488G	-39.08	-31.39	-7.69	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

19/10/2021

CF Freq
6.565GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55741G	-5.13	6.5976G	-36.47	-29.26	-7.21	1
6.57019G	-5.38	6.603G	-39.02	-31.74	-7.28	2
6.57079G	-5.20	6.5966G	-36.48	-28.76	-7.72	3
6.5686G	-5.28	6.5946G	-35.61	-28.25	-7.36	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

19/10/2021

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69059G	-4.63	6.7134G	-35.09	-26.87	-8.22	1
6.6826G	-4.61	6.7198G	-37.31	-29.69	-7.62	2
6.69239G	-4.35	6.7136G	-34.61	-26.86	-7.75	3
6.6864G	-5.40	6.7174G	-36.75	-28.97	-7.78	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

19/10/2021

CF Freq
6.845GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83161G	-4.55	6.8126G	-35.95	-28.14	-7.81	1
6.8424G	-4.28	6.8126G	-35.89	-28.28	-7.61	2
6.85099G	-3.90	6.8162G	-34.25	-26.72	-7.53	3
6.8424G	-4.63	6.8084G	-37.80	-30.47	-7.33	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

19/10/2021

CF Freq
6.885GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87141G	-5.87	6.9636G	-53.22	-45.87	-7.35	1
6.8876G	-5.61	6.852G	-37.46	-30.14	-7.32	2
6.8834G	-5.24	6.8568G	-35.18	-27.77	-7.41	3
6.882G	-5.79	6.8522G	-37.17	-30.00	-7.17	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

19/10/2021

CF Freq
6.925GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91861G	-6.19	6.9912G	-52.90	-46.19	-6.71	1
6.9226G	-5.70	6.9922G	-52.55	-45.70	-6.85	2
6.9216G	-5.50	6.9892G	-52.58	-45.50	-7.08	3
6.91841G	-5.72	6.9902G	-52.78	-45.72	-7.06	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

19/10/2021

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99881G	-5.22	6.9398G	-52.69	-45.22	-7.47	1
6.99741G	-4.88	6.943G	-51.98	-44.88	-7.10	2
6.99601G	-4.80	6.9762G	-34.74	-27.22	-7.52	3
6.99881G	-5.66	6.9404G	-52.45	-45.66	-6.79	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

19/10/2021

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07721G	-5.80	7.0512G	-37.29	-30.54	-6.75	1
7.07741G	-6.10	7.0602G	-34.70	-27.32	-7.38	2
7.09119G	-5.61	7.1078G	-33.57	-25.91	-7.66	3
7.09099G	-6.07	7.0502G	-38.75	-31.39	-7.36	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TnomVnom

19/10/2021

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99939G	-8.08	6.113G	-55.64	-48.08	-7.56	1
5.97621G	-8.04	6.111G	-54.92	-47.84	-7.08	2
5.99379G	-7.76	6.113G	-54.85	-47.76	-7.09	3
5.99979G	-8.04	6.1162G	-55.20	-48.04	-7.16	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

19/10/2021

CF Freq
6.145GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13661G	-7.51	6.2746G	-54.96	-47.51	-7.45	1
6.13341G	-7.53	6.2694G	-54.50	-47.43	-7.07	2
6.13101G	-7.56	6.1018G	-34.85	-27.63	-7.22	3
6.13221G	-7.53	6.2742G	-55.02	-47.53	-7.49	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

19/10/2021

CF Freq
6.385GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37221G	-7.43	6.2582G	-54.75	-47.40	-7.35	1
6.37141G	-7.73	6.2562G	-54.53	-47.66	-6.87	2
6.37621G	-7.33	6.2454G	-54.55	-47.33	-7.22	3
6.35423G	-7.51	6.3426G	-34.20	-27.53	-6.67	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

19/10/2021

CF Freq
6.465GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.44742G	-5.61	6.3358G	-53.38	-45.60	-7.78	1
6.45261G	-5.78	6.4222G	-32.32	-25.80	-6.52	2
6.45101G	-6.07	6.3398G	-52.55	-45.84	-6.71	3
6.45261G	-5.86	6.3394G	-52.62	-45.86	-6.76	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

19/10/2021

CF Freq
6.545GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55739G	-6.52	6.4154G	-54.26	-46.52	-7.74	1
6.53341G	-6.65	6.4182G	-53.62	-46.65	-6.97	2
6.55539G	-6.67	6.6714G	-53.43	-46.63	-6.80	3
6.53101G	-6.76	6.4178G	-53.56	-46.76	-6.80	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

19/10/2021

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.60982G	-6.02	6.7534G	-53.52	-46.02	-7.50	1
6.63379G	-5.84	6.753G	-53.29	-45.84	-7.45	2
6.65617G	-5.66	6.757G	-53.05	-45.66	-7.39	3
6.63819G	-6.43	6.4858G	-53.74	-46.43	-7.31	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

19/10/2021

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69261G	-6.09	6.5746G	-53.44	-46.09	-7.35	1
6.69221G	-6.19	6.5774G	-53.41	-46.19	-7.22	2
6.71819G	-6.00	6.8326G	-53.26	-45.84	-7.42	3
6.69181G	-6.67	6.5758G	-53.54	-46.67	-6.87	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

19/10/2021

CF Freq
6.785GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77621G	-6.47	6.959G	-53.31	-46.47	-6.84	1
6.75263G	-6.75	6.9614G	-53.01	-46.75	-6.26	2
6.79779G	-6.26	6.979G	-52.92	-46.26	-6.66	3
6.77621G	-6.89	6.9786G	-52.97	-46.89	-6.08	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

19/10/2021

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85101G	-5.67	6.9946G	-52.67	-45.67	-7.00	1
6.85261G	-5.59	6.741G	-52.34	-45.59	-6.75	2
6.85341G	-5.32	6.9946G	-52.32	-45.32	-7.00	3
6.85061G	-5.89	6.7394G	-52.60	-45.89	-6.71	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

19/10/2021

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93261G	-5.98	6.8194G	-52.28	-45.92	-6.36	1
6.93741G	-5.57	6.8202G	-52.37	-45.57	-6.80	2
6.93261G	-5.22	6.8214G	-52.23	-45.15	-7.08	3
6.93141G	-6.26	6.8166G	-52.42	-46.26	-6.16	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

19/10/2021

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99743G	-5.99	6.8994G	-52.62	-45.99	-6.63	1
6.99543G	-5.83	6.901G	-52.09	-45.62	-6.47	2
6.99623G	-5.42	6.8994G	-52.06	-45.42	-6.64	3
6.99743G	-6.42	6.8882G	-52.32	-46.42	-5.90	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TnomVnom

19/10/2021

CF Freq
6.025GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.05297G	-7.76	6.3618G	-54.34	-47.76	-6.58	1
6.00262G	-7.71	6.3378G	-53.96	-47.71	-6.25	2
6.05137G	-7.37	6.3554G	-53.82	-47.37	-6.45	3
6.05217G	-7.80	6.289G	-52.37	-47.80	-4.57	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

19/10/2021

CF Freq
6.185GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15623G	-5.86	6.4514G	-53.79	-45.86	-7.93	1
6.15623G	-5.66	6.4458G	-53.70	-45.66	-8.04	2
6.15623G	-5.50	6.4466G	-53.87	-45.50	-8.37	3
6.20978G	-5.83	5.937G	-50.97	-45.72	-5.25	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

19/10/2021

CF Freq
6.345GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31623G	-7.97	6.069G	-54.72	-47.97	-6.75	1
6.31863G	-7.52	6.0858G	-54.38	-47.52	-6.86	2
6.31783G	-7.52	6.0322G	-54.17	-47.52	-6.65	3
6.32022G	-7.91	6.097G	-54.55	-47.91	-6.64	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

19/10/2021

CF Freq
6.505GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52658G	-6.36	6.765G	-53.44	-46.36	-7.08	1
6.47863G	-6.62	6.7586G	-53.25	-46.62	-6.63	2
6.53217G	-6.71	6.7642G	-52.32	-46.71	-5.61	3
6.47623G	-6.76	6.2538G	-53.18	-46.76	-6.42	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

19/10/2021

CF Freq
6.665GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69137G	-5.82	6.9738G	-52.59	-45.82	-6.77	1
6.68738G	-5.49	6.9674G	-52.41	-45.49	-6.92	2
6.69377G	-5.07	6.9674G	-51.99	-45.07	-6.92	3
6.64262G	-6.37	6.3586G	-52.43	-46.37	-6.06	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

19/10/2021

CF Freq
6.825GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79863G	-5.52	6.5762G	-51.89	-45.52	-6.37	1
6.79863G	-5.38	6.5754G	-51.94	-45.38	-6.56	2
6.79863G	-4.94	6.5738G	-52.01	-44.94	-7.07	3
6.80262G	-5.82	6.5746G	-52.10	-45.82	-6.28	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom

19/10/2021

CF Freq
6.985GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 



Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95783G	-5.94	6.7362G	-50.58	-45.94	-4.64	1
6.96182G	-5.03	6.7346G	-50.79	-45.03	-5.76	2
6.95863G	-5.14	6.7266G	-50.33	-45.14	-5.19	3
6.95863G	-5.28	6.7386G	-49.98	-45.15	-4.83	4

For radio 3 / beamforming mode



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

25/10/2021

CF Freq
6.415GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4137G	-10.91	6.3752G	-54.40	-50.91	-3.49	1
6.4162G	-10.19	6.3774G	-54.52	-50.19	-4.33	2
6.4126G	-10.72	6.3804G	-54.41	-50.72	-3.69	3
6.4114G	-10.53	6.3701G	-54.61	-50.53	-4.08	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

25/10/2021

CF Freq
6.435GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4326G	-9.37	6.3926G	-54.27	-49.37	-4.90	1
6.4362G	-9.21	6.3885G	-53.97	-49.21	-4.76	2
6.4303G	-10.28	6.397G	-54.39	-50.28	-4.11	3
6.4361G	-9.07	6.3958G	-54.29	-49.07	-5.22	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

25/10/2021

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4737G	-8.89	6.4256G	-54.68	-48.89	-5.79	1
6.4758G	-8.27	6.4313G	-54.36	-48.27	-6.09	2
6.4724G	-9.52	6.4258G	-54.68	-49.52	-5.16	3
6.46991G	-8.71	6.4385G	-54.61	-48.67	-5.94	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

25/10/2021

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5175G	-9.40	6.4757G	-54.92	-49.40	-5.52	1
6.5175G	-9.22	6.4704G	-54.85	-49.22	-5.63	2
6.5162G	-9.98	6.4793G	-54.98	-49.98	-5.00	3
6.5162G	-9.06	6.4736G	-55.00	-49.06	-5.94	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

25/10/2021

CF Freq
6.535GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5337G	-10.01	6.4858G	-54.97	-50.01	-4.96	1
6.5332G	-10.15	6.4854G	-54.81	-50.15	-4.66	2
6.5356G	-10.71	6.4938G	-55.04	-50.71	-4.33	3
6.5362G	-9.94	6.4864G	-55.16	-49.94	-5.22	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

25/10/2021

CF Freq
6.695GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6962G	-9.87	6.7366G	-54.72	-49.87	-4.85	1
6.6925G	-9.84	6.6482G	-54.61	-49.84	-4.77	2
6.6961G	-10.10	6.7319G	-54.64	-50.10	-4.54	3
6.6999G	-10.01	6.7398G	-54.89	-50.01	-4.88	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

25/10/2021

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8538G	-10.09	6.8117G	-54.08	-50.09	-3.99	1
6.8525G	-10.25	6.8892G	-53.77	-50.25	-3.52	2
6.8512G	-10.43	6.8144G	-54.06	-50.43	-3.63	3
6.8524G	-10.30	6.8172G	-54.15	-50.26	-3.89	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz_TnomVnom

25/10/2021

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8787G	-10.31	6.8266G	-54.00	-50.31	-3.69	1
6.8725G	-10.65	6.8345G	-54.02	-50.65	-3.37	2
6.8713G	-10.81	6.8268G	-54.07	-50.81	-3.26	3
6.8724G	-10.75	6.8335G	-54.22	-50.75	-3.47	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

25/10/2021

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8939G	-9.82	6.8543G	-53.88	-49.82	-4.06	1
6.8974G	-10.01	6.8556G	-53.94	-50.01	-3.93	2
6.8936G	-9.96	6.9445G	-54.04	-49.96	-4.08	3
6.8924G	-9.77	6.8606G	-53.95	-49.77	-4.18	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

25/10/2021

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.00119G	-9.60	6.9495G	-53.83	-49.60	-4.23	1
7.00009G	-8.97	6.9561G	-53.46	-48.97	-4.49	2
7.00049G	-9.43	6.9553G	-53.72	-49.43	-4.29	3
7.00139G	-9.41	6.9605G	-53.53	-49.35	-4.18	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

25/10/2021

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0938G	-8.40	7.0808G	-38.12	-28.51	-9.61	1
7.0911G	-8.26	7.08G	-37.98	-30.41	-7.57	2
7.0907G	-7.92	7.0799G	-38.08	-29.54	-8.54	3
7.0937G	-8.49	7.0799G	-38.30	-30.70	-7.60	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

7115MHz_TnomVnom

25/10/2021

CF Freq
7.115GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.1114G	-9.18	7.1291G	-38.31	-29.23	-9.08	1
7.1112G	-8.98	7.1306G	-39.36	-30.61	-8.75	2
7.1154G	-8.74	7.0988G	-39.55	-32.07	-7.48	3
7.1119G	-9.11	7.1302G	-38.82	-29.90	-8.92	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TnomVnom

25/10/2021

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9692G	-7.77	6.036G	-53.21	-47.77	-5.44	1
5.97139G	-7.73	6.03G	-53.28	-47.73	-5.55	2
5.9698G	-8.05	6.0302G	-53.33	-48.05	-5.28	3
5.97139G	-7.62	6.0298G	-53.29	-47.62	-5.67	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6165MHz_TnomVnom

25/10/2021

CF Freq
6.165GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15881G	-8.33	6.238G	-52.44	-48.33	-4.11	1
6.1686G	-8.24	6.2296G	-52.50	-48.24	-4.26	2
6.1688G	-8.92	6.2288G	-52.54	-48.92	-3.62	3
6.15741G	-8.69	6.2334G	-52.73	-48.69	-4.04	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

25/10/2021

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39761G	-8.18	6.3332G	-52.35	-48.18	-4.17	1
6.401G	-7.95	6.3122G	-52.46	-47.95	-4.51	2
6.4002G	-8.31	6.3368G	-52.42	-48.31	-4.11	3
6.39901G	-8.29	6.3402G	-52.50	-48.29	-4.21	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

25/10/2021

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43741G	-8.06	6.3822G	-51.87	-48.06	-3.81	1
6.4412G	-7.15	6.3794G	-51.83	-47.15	-4.68	2
6.43761G	-7.76	6.3786G	-51.94	-47.76	-4.18	3
6.43901G	-7.61	6.382G	-51.98	-47.61	-4.37	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

25/10/2021

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4888G	-7.26	6.4216G	-51.98	-47.26	-4.72	1
6.4812G	-7.20	6.4002G	-51.91	-47.20	-4.71	2
6.4826G	-7.80	6.393G	-52.11	-47.80	-4.31	3
6.47881G	-7.07	6.4198G	-52.06	-47.07	-4.99	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz_TnomVnom

25/10/2021

CF Freq
6.525GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5274G	-7.80	6.45G	-52.55	-47.80	-4.75	1
6.53079G	-7.71	6.4262G	-52.33	-47.71	-4.62	2
6.5276G	-8.30	6.426G	-52.53	-48.30	-4.23	3
6.51881G	-7.47	6.425G	-52.62	-47.47	-5.15	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

25/10/2021

CF Freq
6.565GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.57239G	-7.34	6.6296G	-52.48	-47.34	-5.14	1
6.57019G	-7.32	6.6304G	-52.38	-47.32	-5.06	2
6.57119G	-7.64	6.6366G	-52.58	-47.64	-4.94	3
6.5614G	-7.55	6.4988G	-52.71	-47.55	-5.16	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

25/10/2021

CF Freq
6.685GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.67801G	-7.80	6.782G	-52.15	-47.80	-4.35	1
6.67761G	-7.77	6.7532G	-52.09	-47.77	-4.32	2
6.69G	-8.02	6.75G	-52.11	-48.02	-4.09	3
6.67901G	-8.03	6.7614G	-52.49	-48.03	-4.46	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

25/10/2021

CF Freq
6.845GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83641G	-8.88	6.9448G	-52.07	-48.88	-3.19	1
6.83741G	-8.98	6.7828G	-51.87	-48.98	-2.89	2
6.8414G	-9.30	6.7806G	-52.09	-49.30	-2.79	3
6.8412G	-9.05	6.779G	-52.28	-49.05	-3.23	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz_TnomVnom

25/10/2021

CF Freq
6.885GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.889G	-7.66	6.984G	-51.05	-47.66	-3.39	1
6.87721G	-8.26	6.9826G	-50.98	-48.26	-2.72	2
6.87861G	-8.43	6.985G	-51.00	-48.43	-2.57	3
6.8814G	-8.29	6.9802G	-51.40	-48.29	-3.11	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

25/10/2021

CF Freq
6.925GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.91881G	-7.18	6.9912G	-54.64	-47.18	-7.46	1
6.92G	-7.34	6.9896G	-54.42	-47.34	-7.08	2
6.91821G	-7.24	6.9906G	-54.40	-47.24	-7.16	3
6.91901G	-7.30	6.892G	-38.55	-31.23	-7.32	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

25/10/2021

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.001G	-9.02	6.9412G	-51.71	-49.02	-2.69	1
7.0024G	-9.55	6.9422G	-51.74	-49.55	-2.19	2
7.0012G	-9.26	6.9404G	-51.95	-49.26	-2.69	3
7.001G	-9.50	6.941G	-51.79	-49.50	-2.29	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

25/10/2021

CF Freq
7.085GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.09639G	-7.58	7.1212G	-40.92	-33.34	-7.58	1
7.07741G	-7.37	7.1124G	-37.66	-28.69	-8.97	2
7.0808G	-7.26	7.1206G	-40.48	-32.64	-7.84	3
7.09759G	-7.39	7.1176G	-39.44	-31.65	-7.79	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TnomVnom

25/10/2021

CF Freq
5.985GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99699G	-5.49	6.1762G	-51.14	-45.49	-5.65	1
5.99739G	-5.52	6.1786G	-51.15	-45.52	-5.63	2
5.97381G	-5.81	6.179G	-51.24	-45.81	-5.43	3
5.99619G	-5.42	6.1114G	-51.32	-45.42	-5.90	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

25/10/2021

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13381G	-6.07	6.0922G	-36.18	-27.73	-8.45	1
6.13141G	-6.10	6.1014G	-34.42	-26.17	-8.25	2
6.15379G	-6.32	6.0886G	-36.95	-28.56	-8.39	3
6.13221G	-6.21	6.0874G	-36.78	-28.80	-7.98	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

25/10/2021

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37221G	-5.90	6.3418G	-33.00	-25.94	-7.06	1
6.37101G	-5.73	6.3286G	-35.58	-28.33	-7.25	2
6.36982G	-5.82	6.3426G	-32.73	-25.83	-6.90	3
6.37621G	-5.55	6.3278G	-35.48	-28.18	-7.30	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

25/10/2021

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45221G	-6.69	6.3266G	-55.02	-46.64	-8.38	1
6.45581G	-5.95	6.4074G	-36.25	-28.51	-7.74	2
6.45181G	-6.66	6.3894G	-40.52	-32.88	-7.64	3
6.44982G	-6.22	6.4218G	-33.28	-26.29	-6.99	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz_TnomVnom

25/10/2021

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55859G	-5.69	6.5014G	-34.50	-25.70	-8.80	1
6.53101G	-5.59	6.4782G	-38.07	-30.02	-8.05	2
6.53061G	-6.09	6.4174G	-54.24	-46.09	-8.15	3
6.53621G	-5.49	6.4882G	-36.46	-27.88	-8.58	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

25/10/2021

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63739G	-5.00	6.567G	-35.84	-27.75	-8.09	1
6.61261G	-4.95	6.5674G	-36.06	-27.69	-8.37	2
6.63579G	-5.44	6.7526G	-53.58	-45.44	-8.14	3
6.61101G	-5.24	6.5818G	-32.91	-25.31	-7.60	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

25/10/2021

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69381G	-6.13	6.6622G	-33.34	-26.19	-7.15	1
6.71739G	-6.17	6.7474G	-32.82	-26.18	-6.64	2
6.71579G	-6.32	6.7486G	-34.39	-26.39	-8.00	3
6.69341G	-6.52	6.6478G	-37.17	-29.15	-8.02	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

25/10/2021

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77101G	-5.88	6.7282G	-36.40	-28.72	-7.68	1
6.77221G	-5.93	6.7426G	-33.11	-25.98	-7.13	2
6.77141G	-6.12	6.7418G	-34.20	-26.18	-8.02	3
6.77381G	-5.80	6.7422G	-32.94	-25.92	-7.02	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz_TnomVnom

25/10/2021

CF Freq
6.865GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.83623G	-5.93	6.8078G	-36.74	-28.64	-8.10	1
6.85101G	-6.39	6.9938G	-53.82	-46.39	-7.43	2
6.85381G	-6.61	6.9986G	-53.95	-46.61	-7.34	3
6.85261G	-6.17	6.8218G	-33.49	-26.22	-7.27	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

25/10/2021

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93661G	-6.75	6.803G	-54.47	-46.75	-7.72	1
6.93141G	-7.23	6.8178G	-53.87	-47.11	-6.76	2
6.93381G	-7.18	6.8038G	-54.55	-47.18	-7.37	3
6.91623G	-7.25	6.8178G	-53.76	-47.25	-6.51	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

25/10/2021

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99383G	-7.02	6.8986G	-53.77	-47.02	-6.75	1
6.99623G	-7.71	6.8958G	-54.65	-47.71	-6.94	2
6.99623G	-7.70	6.9014G	-54.40	-47.63	-6.77	3
6.99383G	-7.61	6.8962G	-54.10	-47.61	-6.49	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TnomVnom

25/10/2021

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99783G	-0.83	6.2898G	-48.87	-40.83	-8.04	1
6.05457G	-0.78	6.293G	-48.63	-40.78	-7.85	2
6.04898G	-1.14	6.2898G	-48.90	-41.14	-7.76	3
6.04818G	-0.70	6.2706G	-47.57	-40.45	-7.12	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

25/10/2021

CF Freq
6.185GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15863G	-2.14	6.4338G	-50.83	-42.14	-8.69	1
6.16182G	-2.24	6.4394G	-50.51	-42.24	-8.27	2
6.16022G	-2.31	5.9362G	-51.10	-42.31	-8.79	3
6.15863G	-2.25	5.9362G	-47.77	-42.25	-5.52	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

25/10/2021

CF Freq
6.345GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31783G	-1.40	6.085G	-49.44	-41.40	-8.04	1
6.31783G	-0.91	6.0914G	-48.53	-40.91	-7.62	2
6.31623G	-1.32	6.0946G	-49.04	-41.32	-7.72	3
6.31943G	-1.33	6.0906G	-48.97	-41.33	-7.64	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz_TnomVnom

25/10/2021

CF Freq
6.505GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52818G	-1.42	6.2546G	-49.61	-41.42	-8.19	1
6.47943G	-1.11	6.2506G	-48.56	-41.11	-7.45	2
6.52738G	-1.70	6.7706G	-48.27	-41.70	-6.57	3
6.47863G	-1.29	6.2554G	-48.81	-41.29	-7.52	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

25/10/2021

CF Freq
6.665GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63703G	-1.14	6.4098G	-49.12	-41.14	-7.98	1
6.69137G	-1.06	6.4154G	-48.07	-41.06	-7.01	2
6.69057G	-0.90	6.4106G	-48.41	-40.90	-7.51	3
6.63863G	-1.71	6.4018G	-49.07	-41.71	-7.36	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz_TnomVnom

25/10/2021

CF Freq
6.825GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.79863G	-2.07	6.5754G	-48.78	-42.07	-6.71	1
6.76266G	-1.81	6.5746G	-49.02	-41.81	-7.21	2
6.80102G	-2.15	6.5746G	-49.99	-42.15	-7.84	3
6.79783G	-2.10	6.5778G	-49.34	-42.03	-7.31	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom

25/10/2021



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95783G	-1.25	6.7346G	-46.47	-41.25	-5.22	1
6.95943G	-2.06	6.7306G	-47.05	-42.06	-4.99	2
6.95863G	-2.02	6.737G	-46.35	-42.01	-4.34	3
6.95703G	-1.64	6.7306G	-45.88	-41.64	-4.24	4



Contention-Based Protocol Result

Appendix F

Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-62.00	Stop Transmission	10	100	90	PASS
						-63.00	Stop & with Beacon	-			
						-68.90	Start Transmission	-			
6	101	20	6455	Center	6455	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon	-			
						-69.40	Start Transmission	-			
7	149	20	6695	Center	6695	-62.00	Stop Transmission	9	90	90	PASS
						-63.00	Stop & with Beacon	-			
						-69.40	Start Transmission	-			
8	213	20	7015	Center	7015	-62.00	Stop Transmission	10	100	90	PASS
						-63.00	Stop & with Beacon	-			
						-69.60	Start Transmission	-			

Note:

1. EUT antenna gain = UNII 5=4.9 / UNII 6=5.4 / UNII 7=5.4 / UNII 8=5.6 dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)	AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Ratio (%)	Limit (%)	Test Result	
5	47	160	6185	Low edge	6110	-66.90	Stop Transmission	9	90	90	PASS
						-67.90	Stop & with Beacon	-	-	-	-
						-71.90	Start Transmission	-	-	-	-
				Center	6185	-62.00	Stop Transmission	10	100	90	PASS
						-63.00	Stop & with Beacon	-	-	-	-
						-68.90	Start Transmission	-	-	-	-
				High edge	6260	-66.90	Stop Transmission	9	90	90	PASS
						-67.90	Stop & with Beacon	-	-	-	-
						-71.90	Start Transmission	-	-	-	-
6	111	160	6505	Low edge	6430	-67.40	Stop Transmission	9	90	90	PASS
						-68.40	Stop & with Beacon	-	-	-	-
						-72.40	Start Transmission	-	-	-	-
				Center	6505	-62.00	Stop Transmission	10	100	90	PASS
						-63.00	Stop & with Beacon	-	-	-	-
						-69.40	Start Transmission	-	-	-	-
				High edge	6580	-67.40	Stop Transmission	9	90	90	PASS
						-68.40	Stop & with Beacon	-	-	-	-
						-72.40	Start Transmission	-	-	-	-
7	143	160	6665	Low edge	6590	-67.40	Stop Transmission	10	100	90	PASS
						-68.40	Stop & with Beacon	-	-	-	-
						-72.40	Start Transmission	-	-	-	-
				Center	6665	-62.00	Stop Transmission	10	100	90	PASS
						-63.00	Stop & with Beacon	-	-	-	-
						-58.60	Start Transmission	-	-	-	-
				High edge	6740	-67.40	Stop Transmission	9	90	90	PASS
						-68.40	Stop & with Beacon	-	-	-	-
						-72.40	Start Transmission	-	-	-	-
8	207	160	6985	Low edge	6910	-67.60	Stop Transmission	9	90	90	PASS
						-68.60	Stop & with Beacon	-	-	-	-
						-72.60	Start Transmission	-	-	-	-
				Center	6985	-62.00	Stop Transmission	10	100	90	PASS
						-63.00	Stop & with Beacon	-	-	-	-
						-69.60	Start Transmission	-	-	-	-
				High edge	7060	-67.60	Stop Transmission	9	90	90	PASS
						-68.60	Stop & with Beacon	-	-	-	-
						-72.60	Start Transmission	-	-	-	-


Note:

1. EUT antenna gain = UNII 5=4.9 / UNII 6=5.4 / UNII 7=5.4 / UNII 8=5.6 dBi considered in the measurement path loss.
2. Measurement use conducted measurement at the antenna connector.

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz







Date: 27.DEC.2021 01:27:36



Frequency (MHz): 6455 MHz







Date: 27.DEC.2021 02:08:55

























Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal