


802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT V_1TX
Setting 43
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32975G	56.00	74.00	-18.00	40.76	3	Horizontal	1	1.50	-	38.56	9.15	32.47
AV	12.32978G	43.58	54.00	-10.42	28.34	3	Horizontal	1	1.50	-	38.56	9.15	32.47

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT Y_1TX
Setting 43
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49544G	45.66	83.54	-37.88	43.07	1	Vertical	7	2.70	-	37.79	14.90	50.10
AV	18.49541G	33.44	63.54	-30.10	30.85	1	Vertical	7	2.70	-	37.79	14.90	50.10

802.11ax HEW40_Nss1,(MCS0)_1TX

6165MHz_TnomVnom




EUT Y_1TX
Setting 43
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49525G	46.57	83.54	-36.97	43.98	1	Horizontal	61	2.21	-	37.79	14.90	50.10
AV	18.49539G	33.91	63.54	-29.63	31.32	1	Horizontal	61	2.21	-	37.79	14.90	50.10

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT V_1TX
Setting 41
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.865G	59.79	88.20	-28.41	51.30	3	Vertical	13	2.89	-	34.83	6.60	32.94
RMS	5.8962G	49.09	68.20	-19.11	40.54	3	Vertical	13	2.89	-	34.89	6.60	32.94
PK	6.3906G	93.94	Inf	-Inf	84.35	3	Vertical	13	2.89	-	35.54	7.00	32.95
RMS	6.417G	83.92	Inf	-Inf	74.34	3	Vertical	13	2.89	-	35.53	7.00	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT Y_1TX
Setting 41
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8794G	60.15	88.20	-28.05	51.63	3	Horizontal	354	1.67	-	34.86	6.60	32.94
RMS	5.8962G	49.27	68.20	-18.93	40.72	3	Horizontal	354	1.67	-	34.89	6.60	32.94
PK	6.4146G	109.29	Inf	-Inf	99.70	3	Horizontal	354	1.67	-	35.54	7.00	32.95
RMS	6.3978G	99.34	Inf	-Inf	89.70	3	Horizontal	354	1.67	-	35.59	7.00	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT V_1TX
Setting 41
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80971G	57.05	88.20	-31.15	40.34	3	Vertical	97	2.84	-	39.21	9.36	31.86
RMS	12.80992G	44.65	68.20	-23.55	27.94	3	Vertical	97	2.84	-	39.21	9.36	31.86

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT V_1TX
Setting 41
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81037G	57.26	88.20	-30.94	40.55	3	Horizontal	352	1.04	-	39.21	9.36	31.86
RMS	12.80982G	44.71	68.20	-23.49	28.00	3	Horizontal	352	1.04	-	39.21	9.36	31.86

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT Y_1TX
Setting 41
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21491G	45.48	83.54	-38.06	42.19	1	Vertical	16	1.14	-	37.74	15.19	49.64
AV	19.21549G	33.10	63.54	-30.44	29.81	1	Vertical	16	1.14	-	37.74	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6405MHz_TnomVnom




EUT V_1TX
Setting 41
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21531G	45.85	83.54	-37.69	42.56	1	Horizontal	318	2.50	-	37.74	15.19	49.64
AV	19.21546G	32.92	63.54	-30.62	29.63	1	Horizontal	318	2.50	-	37.74	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 43
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	59.72	88.20	-28.48	51.16	3	Vertical	15	2.93	-	34.90	6.60	32.94
RMS	5.8964G	49.08	68.20	-19.12	40.53	3	Vertical	15	2.93	-	34.89	6.60	32.94
PK	6.4554G	93.73	Inf	-Inf	84.26	3	Vertical	15	2.93	-	35.42	7.00	32.95
RMS	6.4502G	83.78	Inf	-Inf	74.33	3	Vertical	15	2.93	-	35.40	7.00	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 43
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8912G	61.33	88.20	-26.87	52.79	3	Horizontal	356	1.80	-	34.88	6.60	32.94
RMS	5.8938G	49.21	68.20	-18.99	40.66	3	Horizontal	356	1.80	-	34.89	6.60	32.94
PK	6.458G	109.62	Inf	-Inf	100.14	3	Horizontal	356	1.80	-	35.43	7.00	32.95
RMS	6.4424G	99.35	Inf	-Inf	89.87	3	Horizontal	356	1.80	-	35.43	7.00	32.95

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 43
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88986G	56.95	88.20	-31.25	40.02	3	Vertical	210	2.27	-	39.29	9.40	31.76
RMS	12.88987G	44.78	68.20	-23.42	27.85	3	Vertical	210	2.27	-	39.29	9.40	31.76

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT V_1TX
Setting 43
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88989G	57.49	88.20	-30.71	40.56	3	Horizontal	154	3.00	-	39.29	9.40	31.76
RMS	12.88988G	45.01	68.20	-23.19	28.08	3	Horizontal	154	3.00	-	39.29	9.40	31.76

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT Y_1TX
Setting 43
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33455G	46.57	83.54	-36.97	43.24	1	Vertical	22	2.72	-	37.77	15.23	49.67
AV	19.33462G	33.97	63.54	-29.57	30.64	1	Vertical	22	2.72	-	37.77	15.23	49.67

802.11ax HEW40_Nss1,(MCS0)_1TX

6445MHz_TnomVnom




EUT Y_1TX
Setting 43
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33475G	46.16	83.54	-37.38	42.83	1	Horizontal	104	1.16	-	37.77	15.23	49.67
AV	19.33495G	33.37	63.54	-30.17	30.04	1	Horizontal	104	1.16	-	37.77	15.23	49.67

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
Setting 44
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8774G	59.80	88.20	-28.40	51.29	3	Vertical	13	2.80	-	34.85	6.60	32.94
RMS	5.8942G	49.09	68.20	-19.11	40.54	3	Vertical	13	2.80	-	34.89	6.60	32.94
PK	6.4934G	95.46	Inf	-Inf	85.84	3	Vertical	13	2.80	-	35.57	7.00	32.95
RMS	6.4822G	84.62	Inf	-Inf	75.04	3	Vertical	13	2.80	-	35.53	7.00	32.95
PK	7.143G	61.55	88.20	-26.65	50.62	3	Vertical	13	2.80	-	36.84	7.23	33.14
RMS	7.1458G	51.06	68.20	-17.14	40.10	3	Vertical	13	2.80	-	36.87	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT_V_1TX
Setting 44
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	60.26	88.20	-27.94	51.60	3	Horizontal	0	1.80	-	35.00	6.60	32.94
RMS	5.9054G	49.11	68.20	-19.09	40.53	3	Horizontal	0	1.80	-	34.92	6.60	32.94
PK	6.4822G	107.76	Inf	-Inf	98.18	3	Horizontal	0	1.80	-	35.53	7.00	32.95
RMS	6.4822G	98.38	Inf	-Inf	88.80	3	Horizontal	0	1.80	-	35.53	7.00	32.95
PK	7.1626G	61.49	88.20	-26.71	50.45	3	Horizontal	0	1.80	-	36.95	7.22	33.13
RMS	7.171G	51.12	68.20	-17.08	40.06	3	Horizontal	0	1.80	-	36.98	7.21	33.13

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
Setting 44
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97025G	58.14	88.20	-30.06	40.85	3	Vertical	20	2.72	-	39.51	9.44	31.66
RMS	12.96989G	45.67	68.20	-22.53	28.38	3	Vertical	20	2.72	-	39.51	9.44	31.66

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
Setting 44
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97048G	57.53	88.20	-30.67	40.24	3	Horizontal	64	1.23	-	39.51	9.44	31.66
RMS	12.96979G	45.33	68.20	-22.87	28.04	3	Horizontal	64	1.23	-	39.51	9.44	31.66

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
Setting 44
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45549G	46.59	83.54	-36.95	43.14	1	Vertical	309	2.56	-	37.86	15.28	49.69
AV	19.4555G	33.80	63.54	-29.74	30.35	1	Vertical	309	2.56	-	37.86	15.28	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX

6485MHz_TnomVnom




EUT V_1TX
Setting 44
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45545G	47.27	83.54	-36.27	43.82	1	Horizontal	217	2.77	-	37.86	15.28	49.69
AV	19.45548G	33.28	63.54	-30.26	29.83	1	Horizontal	217	2.77	-	37.86	15.28	49.69

802.11ax HEW40_Nss1,(MCS0)_1TX


6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_V_1TX
Setting 43
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.895G	59.92	88.20	-28.28	51.37	3	Vertical	11	2.88	-	34.89	6.60	32.94
RMS	5.9062G	49.09	68.20	-19.11	40.51	3	Vertical	11	2.88	-	34.92	6.60	32.94
PK	6.5194G	94.11	Inf	-Inf	84.39	3	Vertical	11	2.88	-	35.68	7.00	32.96
RMS	6.5306G	84.96	Inf	-Inf	75.20	3	Vertical	11	2.88	-	35.72	7.00	32.96
PK	7.1382G	62.14	88.20	-26.06	51.24	3	Vertical	11	2.88	-	36.81	7.23	33.14
RMS	7.2166G	51.46	68.20	-16.74	40.25	3	Vertical	11	2.88	-	37.10	7.22	33.11

802.11ax HEW40_Nss1,(MCS0)_1TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 43
 01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	59.60	88.20	-28.60	50.96	3	Horizontal	360	1.78	-	34.98	6.60	32.94
RMS	5.9062G	49.09	68.20	-19.11	40.51	3	Horizontal	360	1.78	-	34.92	6.60	32.94
PK	6.525G	108.33	Inf	-Inf	98.59	3	Horizontal	360	1.78	-	35.70	7.00	32.96
RMS	6.5306G	98.45	Inf	-Inf	88.69	3	Horizontal	360	1.78	-	35.72	7.00	32.96
PK	7.211G	62.28	88.20	-25.92	51.08	3	Horizontal	360	1.78	-	37.10	7.21	33.11
RMS	7.2138G	51.45	68.20	-16.75	40.25	3	Horizontal	360	1.78	-	37.10	7.21	33.11

802.11ax HEW40_Nss1,(MCS0)_1TX


6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT V_1TX
Setting 43
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05019G	59.36	88.20	-28.84	41.80	3	Vertical	9	1.94	-	39.65	9.47	31.56
RMS	13.05048G	45.39	68.20	-22.81	27.83	3	Vertical	9	1.94	-	39.65	9.47	31.56

802.11ax HEW40_Nss1,(MCS0)_1TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
 Setting 43
 01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04975G	57.98	88.20	-30.22	40.42	3	Horizontal	22	2.33	-	39.65	9.47	31.56
RMS	13.0501G	45.51	68.20	-22.69	27.95	3	Horizontal	22	2.33	-	39.65	9.47	31.56

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
Setting 43
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57502G	46.15	83.54	-37.39	42.65	1	Vertical	50	1.38	-	37.87	15.33	49.70
AV	19.57548G	34.01	63.54	-29.53	30.51	1	Vertical	50	1.38	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
Setting 43
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57546G	46.96	83.54	-36.58	43.46	1	Horizontal	254	2.41	-	37.87	15.33	49.70
AV	19.57533G	34.60	63.54	-28.94	31.10	1	Horizontal	254	2.41	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT Y_1TX
Setting 43
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5602G	96.74	Inf	-Inf	86.90	3	Vertical	11	2.85	-	35.82	7.00	32.98
RMS	6.5578G	86.46	Inf	-Inf	76.62	3	Vertical	11	2.85	-	35.82	7.00	32.98
PK	7.1602G	60.89	88.20	-27.31	49.86	3	Vertical	11	2.85	-	36.94	7.22	33.13
RMS	7.1434G	50.99	68.20	-17.21	40.05	3	Vertical	11	2.85	-	36.85	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT Y_1TX
Setting 43
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5554G	109.46	Inf	-Inf	99.63	3	Horizontal	4	1.80	-	35.81	7.00	32.98
RMS	6.5578G	99.55	Inf	-Inf	89.71	3	Horizontal	4	1.80	-	35.82	7.00	32.98
PK	7.1386G	61.77	88.20	-26.43	50.87	3	Horizontal	4	1.80	-	36.81	7.23	33.14
RMS	7.1314G	51.12	68.20	-17.08	40.28	3	Horizontal	4	1.80	-	36.75	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT V_1TX
Setting 43
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13032G	58.67	88.20	-29.53	40.86	3	Vertical	69	1.05	-	39.76	9.51	31.46
RMS	13.13029G	46.24	68.20	-21.96	28.43	3	Vertical	69	1.05	-	39.76	9.51	31.46

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT V_1TX
Setting 43
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12952G	58.44	88.20	-29.76	40.63	3	Horizontal	18	1.53	-	39.76	9.51	31.46
RMS	13.12961G	45.78	68.20	-22.42	27.97	3	Horizontal	18	1.53	-	39.76	9.51	31.46

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT V_1TX
Setting 43
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69512G	46.82	83.54	-36.72	43.32	1	Vertical	269	1.61	-	37.82	15.38	49.70
AV	19.69518G	34.17	63.54	-29.37	30.67	1	Vertical	269	1.61	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6565MHz_TnomVnom




EUT V_1TX
Setting 43
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69535G	46.47	83.54	-37.07	42.97	1	Horizontal	250	2.22	-	37.82	15.38	49.70
AV	19.69519G	34.37	63.54	-29.17	30.87	1	Horizontal	250	2.22	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT Y_1TX
Setting 45
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.667G	95.42	Inf	-Inf	85.48	3	Vertical	7	3.00	-	35.97	7.00	33.03
RMS	6.671G	84.28	Inf	-Inf	74.35	3	Vertical	7	3.00	-	35.96	7.00	33.03
PK	7.177G	61.55	88.20	-26.65	50.46	3	Vertical	7	3.00	-	37.01	7.21	33.13
RMS	7.139G	51.15	68.20	-17.05	40.25	3	Vertical	7	3.00	-	36.81	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT_V_1TX
Setting 45
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.667G	109.42	Inf	-Inf	99.48	3	Horizontal	0	1.85	-	35.97	7.00	33.03
RMS	6.669G	98.96	Inf	-Inf	89.03	3	Horizontal	0	1.85	-	35.96	7.00	33.03
PK	7.175G	62.65	88.20	-25.55	51.57	3	Horizontal	0	1.85	-	37.00	7.21	33.13
RMS	7.139G	51.24	68.20	-16.96	40.34	3	Horizontal	0	1.85	-	36.81	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT V_1TX
Setting 45
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37022G	59.20	74.00	-14.80	40.59	3	Vertical	104	2.81	-	40.14	9.62	31.15
AV	13.36984G	46.42	54.00	-7.58	27.81	3	Vertical	104	2.81	-	40.14	9.62	31.15

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT V_1TX
Setting 45
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36967G	58.93	74.00	-15.07	40.32	3	Horizontal	38	1.82	-	40.14	9.62	31.15
AV	13.37006G	46.58	54.00	-7.42	27.97	3	Horizontal	38	1.82	-	40.14	9.62	31.15

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT Y_1TX
Setting 45
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05472G	45.71	83.54	-37.83	42.47	1	Vertical	226	1.92	-	37.44	15.52	49.72
AV	20.05455G	33.36	63.54	-30.18	30.12	1	Vertical	226	1.92	-	37.44	15.52	49.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6685MHz_TnomVnom




EUT Y_1TX
Setting 45
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05549G	45.88	83.54	-37.66	42.64	1	Horizontal	191	1.71	-	37.44	15.52	49.72
AV	20.05458G	33.44	63.54	-30.10	30.20	1	Horizontal	191	1.71	-	37.44	15.52	49.72

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT V_1TX
Setting 44
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8498G	87.62	Inf	-Inf	77.07	3	Vertical	343	1.70	-	36.60	7.07	33.12
RMS	6.8514G	78.15	Inf	-Inf	67.60	3	Vertical	343	1.70	-	36.59	7.08	33.12
PK	7.2146G	62.01	88.20	-26.19	50.81	3	Vertical	343	1.70	-	37.10	7.21	33.11
RMS	7.2194G	51.40	68.20	-16.80	40.19	3	Vertical	343	1.70	-	37.10	7.22	33.11

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT V_1TX
Setting 44
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8498G	109.54	Inf	-Inf	98.99	3	Horizontal	0	1.86	-	36.60	7.07	33.12
RMS	6.8482G	98.61	Inf	-Inf	88.07	3	Horizontal	0	1.86	-	36.59	7.07	33.12
PK	7.1346G	62.16	88.20	-26.04	51.29	3	Horizontal	0	1.86	-	36.78	7.23	33.14
RMS	7.2178G	51.54	68.20	-16.66	40.33	3	Horizontal	0	1.86	-	37.10	7.22	33.11

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT V_1TX
Setting 44
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69014G	61.78	88.20	-26.42	42.66	3	Vertical	199	2.55	-	40.48	9.76	31.12
RMS	13.68987G	48.95	68.20	-19.25	29.83	3	Vertical	199	2.55	-	40.48	9.76	31.12

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT V_1TX
Setting 44
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68995G	61.68	88.20	-26.52	42.56	3	Horizontal	98	1.00	-	40.48	9.76	31.12
RMS	13.68977G	48.86	68.20	-19.34	29.74	3	Horizontal	98	1.00	-	40.48	9.76	31.12

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT Y_1TX
Setting 44
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53483G	48.27	83.54	-35.27	44.68	1	Vertical	274	2.38	-	37.74	15.74	49.89
AV	20.5352G	35.20	63.54	-28.34	31.61	1	Vertical	274	2.38	-	37.74	15.74	49.89

802.11ax HEW40_Nss1,(MCS0)_1TX

6845MHz_TnomVnom




EUT V_1TX
Setting 44
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53485G	47.27	83.54	-36.27	43.68	1	Horizontal	240	1.49	-	37.74	15.74	49.89
AV	20.53505G	35.58	63.54	-27.96	31.99	1	Horizontal	240	1.49	-	37.74	15.74	49.89

802.11ax HEW40_Nss1,(MCS0)_1TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Y_1TX
Setting 46
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8822G	88.21	Inf	-Inf	77.88	3	Vertical	340	1.77	-	36.34	7.12	33.13
RMS	6.8808G	77.19	Inf	-Inf	66.85	3	Vertical	340	1.77	-	36.35	7.12	33.13
PK	7.135G	62.62	88.20	-25.58	51.75	3	Vertical	340	1.77	-	36.78	7.23	33.14
RMS	7.2168G	51.41	68.20	-16.79	40.20	3	Vertical	340	1.77	-	37.10	7.22	33.11

802.11ax HEW40_Nss1,(MCS0)_1TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
 Setting 46
 01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8822G	109.12	Inf	-Inf	98.79	3	Horizontal	0	1.80	-	36.34	7.12	33.13
RMS	6.878G	97.98	Inf	-Inf	87.61	3	Horizontal	0	1.80	-	36.38	7.12	33.13
PK	7.2168G	62.20	88.20	-26.00	50.99	3	Horizontal	0	1.80	-	37.10	7.22	33.11
RMS	7.2168G	51.59	68.20	-16.61	40.38	3	Horizontal	0	1.80	-	37.10	7.22	33.11

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
Setting 46
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77016G	62.94	88.20	-25.26	43.60	3	Vertical	96	1.86	-	40.71	9.80	31.17
RMS	13.76977G	50.10	68.20	-18.10	30.76	3	Vertical	96	1.86	-	40.71	9.80	31.17

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
Setting 46
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77041G	62.13	88.20	-26.07	42.79	3	Horizontal	135	1.47	-	40.71	9.80	31.17
RMS	13.76955G	50.18	68.20	-18.02	30.84	3	Horizontal	135	1.47	-	40.71	9.80	31.17

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
Setting 46
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65502G	47.79	83.54	-35.75	43.95	1	Vertical	47	2.69	-	37.89	15.79	49.84
AV	20.65478G	35.25	63.54	-28.29	31.41	1	Vertical	47	2.69	-	37.89	15.79	49.84

802.11ax HEW40_Nss1,(MCS0)_1TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT X_1TX
Setting 50
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65497G	47.43	83.54	-36.11	43.59	1	Horizontal	89	1.92	-	37.89	15.79	49.84
AV	20.65487G	34.79	63.54	-28.75	30.95	1	Horizontal	89	1.92	-	37.89	15.79	49.84

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT Y_1TX
Setting 43
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9358G	90.59	Inf	-Inf	80.14	3	Vertical	343	1.65	-	36.41	7.20	33.16
RMS	6.937G	80.11	Inf	-Inf	69.64	3	Vertical	343	1.65	-	36.42	7.21	33.16
PK	7.201G	62.00	88.20	-26.20	50.82	3	Vertical	343	1.65	-	37.10	7.20	33.12
RMS	7.2178G	51.40	68.20	-16.80	40.19	3	Vertical	343	1.65	-	37.10	7.22	33.11

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
Setting 43
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9298G	109.28	Inf	-Inf	98.87	3	Horizontal	0	1.80	-	36.38	7.19	33.16
RMS	6.931G	98.16	Inf	-Inf	87.73	3	Horizontal	0	1.80	-	36.39	7.20	33.16
PK	7.1902G	63.21	88.20	-24.99	52.07	3	Horizontal	0	1.80	-	37.06	7.20	33.12
RMS	7.1326G	51.62	68.20	-16.58	40.77	3	Horizontal	0	1.80	-	36.76	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
Setting 43
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84968G	63.54	88.20	-24.66	44.09	3	Vertical	241	1.65	-	40.85	9.83	31.23
RMS	13.84957G	50.95	68.20	-17.25	31.50	3	Vertical	241	1.65	-	40.85	9.83	31.23

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
Setting 43
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84982G	62.82	88.20	-25.38	43.37	3	Horizontal	181	2.58	-	40.85	9.83	31.23
RMS	13.84988G	50.55	68.20	-17.65	31.10	3	Horizontal	181	2.58	-	40.85	9.83	31.23

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
Setting 43
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7754G	48.02	83.54	-35.52	44.00	1	Vertical	241	1.52	-	37.96	15.85	49.79
AV	20.77452G	35.70	63.54	-27.84	31.68	1	Vertical	241	1.52	-	37.96	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_1TX

6925MHz_TnomVnom




EUT V_1TX
Setting 43
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77547G	48.17	83.54	-35.37	44.15	1	Horizontal	186	2.58	-	37.96	15.85	49.79
AV	20.77465G	35.96	63.54	-27.58	31.94	1	Horizontal	186	2.58	-	37.96	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT Y_1TX
Setting 44
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0234G	91.21	Inf	-Inf	80.66	3	Vertical	341	1.80	-	36.44	7.29	33.18
RMS	7.013G	80.34	Inf	-Inf	69.86	3	Vertical	341	1.80	-	36.38	7.29	33.19
PK	7.1522G	61.93	88.20	-26.27	50.94	3	Vertical	341	1.80	-	36.91	7.22	33.14
RMS	7.1926G	51.41	68.20	-16.79	40.26	3	Vertical	341	1.80	-	37.07	7.20	33.12

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT Y_1TX
Setting 44
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.001G	108.87	Inf	-Inf	98.45	3	Horizontal	360	1.80	-	36.31	7.30	33.19
RMS	7.0178G	98.58	Inf	-Inf	88.06	3	Horizontal	360	1.80	-	36.41	7.29	33.18
PK	7.1954G	62.74	88.20	-25.46	51.58	3	Horizontal	360	1.80	-	37.08	7.20	33.12
RMS	7.2002G	51.93	68.20	-16.27	40.75	3	Horizontal	360	1.80	-	37.10	7.20	33.12

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT Y_1TX
Setting 44
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00957G	62.13	88.20	-26.07	42.67	3	Vertical	61	2.43	-	40.90	9.90	31.34
RMS	14.01039G	50.14	68.20	-18.06	30.68	3	Vertical	61	2.43	-	40.90	9.90	31.34

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT V_1TX
Setting 44
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00958G	62.59	88.20	-25.61	43.13	3	Horizontal	303	2.90	-	40.90	9.90	31.34
RMS	14.0095G	50.58	68.20	-17.62	31.12	3	Horizontal	303	2.90	-	40.90	9.90	31.34

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT Y_1TX
Setting 44
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01453G	46.16	83.54	-37.38	42.30	1	Vertical	53	2.71	-	37.60	15.96	49.70
AV	21.01456G	34.21	63.54	-29.33	30.35	1	Vertical	53	2.71	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT V_1TX
Setting 44
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01459G	46.03	83.54	-37.51	42.17	1	Horizontal	63	1.10	-	37.60	15.96	49.70
AV	21.01471G	33.58	63.54	-29.96	29.72	1	Horizontal	63	1.10	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT Y_1TX
Setting 45
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1006G	91.28	Inf	-Inf	80.68	3	Vertical	342	1.76	-	36.50	7.25	33.15
RMS	7.0686G	80.24	Inf	-Inf	69.58	3	Vertical	342	1.76	-	36.56	7.27	33.17
PK	7.1266G	63.17	88.20	-25.03	52.36	3	Vertical	342	1.76	-	36.71	7.24	33.14
RMS	7.1262G	51.81	68.20	-16.39	41.00	3	Vertical	342	1.76	-	36.71	7.24	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT V_1TX
Setting 45
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0786G	109.40	Inf	-Inf	98.76	3	Horizontal	356	1.80	-	36.54	7.26	33.16
RMS	7.0774G	98.97	Inf	-Inf	88.32	3	Horizontal	356	1.80	-	36.55	7.26	33.16
PK	7.1258G	74.57	88.20	-13.63	63.76	3	Horizontal	356	1.80	-	36.71	7.24	33.14
RMS	7.125G	61.32	68.20	-6.88	50.52	3	Horizontal	356	1.80	-	36.70	7.24	33.14

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT V_1TX
Setting 45
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16993G	61.66	88.20	-26.54	42.38	3	Vertical	269	2.33	-	40.83	9.95	31.50
RMS	14.16988G	49.29	68.20	-18.91	30.01	3	Vertical	269	2.33	-	40.83	9.95	31.50

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT V_1TX
Setting 45
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17016G	62.05	88.20	-26.15	42.77	3	Horizontal	119	2.67	-	40.83	9.95	31.50
RMS	14.16997G	49.22	68.20	-18.98	29.94	3	Horizontal	119	2.67	-	40.83	9.95	31.50

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT Y_1TX
Setting 45
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25515G	47.44	83.54	-36.10	43.42	1	Vertical	333	2.97	-	37.61	16.06	49.65
AV	21.25493G	34.61	63.54	-28.93	30.59	1	Vertical	333	2.97	-	37.61	16.06	49.65

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT V_1TX
Setting 45
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25457G	47.67	83.54	-35.87	43.65	1	Horizontal	19	1.41	-	37.61	16.06	49.65
AV	21.25511G	34.73	63.54	-28.81	30.71	1	Horizontal	19	1.41	-	37.61	16.06	49.65

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT V_1TX
Setting 53
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	60.09	88.20	-28.11	51.43	3	Vertical	0	1.95	-	35.00	6.60	32.94
RMS	5.925G	50.20	68.20	-18.00	41.54	3	Vertical	0	1.95	-	35.00	6.60	32.94
PK	5.9586G	89.44	Inf	-Inf	80.66	3	Vertical	0	1.95	-	35.13	6.60	32.95
RMS	5.969G	78.70	Inf	-Inf	69.87	3	Vertical	0	1.95	-	35.18	6.60	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_V_1TX
Setting 53
01-A-K-3-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9202G	77.16	88.20	-11.04	68.52	3	Horizontal	354	1.80	-	34.98	6.60	32.94
RMS	5.925G	64.85	68.20	-3.35	56.19	3	Horizontal	354	1.80	-	35.00	6.60	32.94
PK	5.9578G	109.42	Inf	-Inf	100.64	3	Horizontal	354	1.80	-	35.13	6.60	32.95
RMS	5.9482G	99.21	Inf	-Inf	90.46	3	Horizontal	354	1.80	-	35.09	6.60	32.94

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




01/03/2022

EUT Y_1TX
Setting 53
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97016G	56.34	74.00	-17.66	41.73	3	Vertical	181	2.41	-	38.50	8.99	32.88
AV	11.96956G	43.89	54.00	-10.11	29.28	3	Vertical	181	2.41	-	38.50	8.99	32.88
PK	17.95542G	63.36	74.00	-10.64	41.07	3	Vertical	190	2.25	-	42.86	11.09	31.66
AV	17.95548G	48.19	54.00	-5.81	25.90	3	Vertical	190	2.25	-	42.86	11.09	31.66

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT V_1TX
Setting 53
01-A-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9703G	56.05	74.00	-17.95	41.44	3	Horizontal	190	2.56	-	38.50	8.99	32.88
AV	11.96967G	43.98	54.00	-10.02	29.37	3	Horizontal	190	2.56	-	38.50	8.99	32.88
PK	17.95549G	63.39	74.00	-10.61	41.10	3	Horizontal	262	2.50	-	42.86	11.09	31.66
AV	17.95548G	47.98	54.00	-6.02	25.69	3	Horizontal	262	2.50	-	42.86	11.09	31.66

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT V_1TX
Setting 52
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9026G	60.35	88.20	-27.85	51.78	3	Vertical	360	2.05	-	34.91	6.60	32.94
RMS	5.9218G	49.89	68.20	-18.31	41.24	3	Vertical	360	2.05	-	34.99	6.60	32.94
PK	6.1474G	92.41	Inf	-Inf	83.24	3	Vertical	360	2.05	-	35.30	6.82	32.95
RMS	6.1414G	82.05	Inf	-Inf	72.89	3	Vertical	360	2.05	-	35.30	6.81	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT V_1TX
Setting 52
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8846G	62.20	88.20	-26.00	53.67	3	Horizontal	0	1.46	-	34.87	6.60	32.94
RMS	5.925G	50.96	68.20	-17.24	42.30	3	Horizontal	0	1.46	-	35.00	6.60	32.94
PK	6.1474G	113.18	Inf	-Inf	104.01	3	Horizontal	0	1.46	-	35.30	6.82	32.95
RMS	6.151G	101.10	Inf	-Inf	91.92	3	Horizontal	0	1.46	-	35.30	6.83	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT V_1TX
Setting 52
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29027G	56.09	74.00	-17.91	41.00	3	Vertical	165	2.34	-	38.48	9.13	32.52
AV	12.29031G	43.78	54.00	-10.22	28.69	3	Vertical	165	2.34	-	38.48	9.13	32.52

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT V_1TX
Setting 52
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28962G	56.17	74.00	-17.83	41.08	3	Horizontal	92	1.10	-	38.48	9.13	32.52
AV	12.29039G	43.81	54.00	-10.19	28.72	3	Horizontal	92	1.10	-	38.48	9.13	32.52

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT V_1TX
Setting 52
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43474G	45.28	83.54	-38.26	42.82	1	Vertical	296	2.36	-	37.72	14.87	50.13
AV	18.43521G	33.45	63.54	-30.09	30.99	1	Vertical	296	2.36	-	37.72	14.87	50.13

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT V_1TX
Setting 52
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43507G	45.13	83.54	-38.41	42.67	1	Horizontal	259	2.63	-	37.72	14.87	50.13
AV	18.43459G	32.72	63.54	-30.82	30.26	1	Horizontal	259	2.63	-	37.72	14.87	50.13

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT Y_1TX
Setting 51
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	60.57	88.20	-27.63	51.92	3	Vertical	17	2.52	-	34.99	6.60	32.94
RMS	5.9242G	49.66	68.20	-18.54	41.00	3	Vertical	17	2.52	-	35.00	6.60	32.94
PK	6.349G	95.82	Inf	-Inf	86.50	3	Vertical	17	2.52	-	35.30	6.97	32.95
RMS	6.3562G	84.89	Inf	-Inf	75.52	3	Vertical	17	2.52	-	35.34	6.98	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
Setting 51
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	61.18	88.20	-27.02	52.52	3	Horizontal	354	1.61	-	35.00	6.60	32.94
RMS	5.9218G	50.39	68.20	-17.81	41.74	3	Horizontal	354	1.61	-	34.99	6.60	32.94
PK	6.3514G	111.85	Inf	-Inf	102.51	3	Horizontal	354	1.61	-	35.31	6.98	32.95
RMS	6.3538G	100.77	Inf	-Inf	91.42	3	Horizontal	354	1.61	-	35.32	6.98	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
Setting 51
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76979G	57.26	88.20	-30.94	40.68	3	Vertical	236	1.58	-	39.14	9.35	31.91
RMS	12.77019G	44.71	68.20	-23.49	28.13	3	Vertical	236	1.58	-	39.14	9.35	31.91

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
Setting 51
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7696G	56.97	88.20	-31.23	40.39	3	Horizontal	359	1.14	-	39.14	9.35	31.91
RMS	12.76992G	44.74	68.20	-23.46	28.16	3	Horizontal	359	1.14	-	39.14	9.35	31.91

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT Y_1TX
Setting 51
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15538G	46.00	83.54	-37.54	42.66	1	Vertical	88	2.26	-	37.81	15.16	49.63
AV	19.15455G	32.87	63.54	-30.67	29.53	1	Vertical	88	2.26	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT V_1TX
Setting 51
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15479G	46.18	83.54	-37.36	42.84	1	Horizontal	240	1.55	-	37.81	15.16	49.63
AV	19.15463G	32.55	63.54	-30.99	29.21	1	Horizontal	240	1.55	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT V_1TX
Setting 55
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.841G	60.37	88.20	-27.83	51.97	3	Vertical	13	2.94	-	34.73	6.60	32.93
RMS	5.9216G	49.65	68.20	-18.55	41.00	3	Vertical	13	2.94	-	34.99	6.60	32.94
PK	6.4702G	94.76	Inf	-Inf	85.23	3	Vertical	13	2.94	-	35.48	7.00	32.95
RMS	6.452G	85.04	Inf	-Inf	75.58	3	Vertical	13	2.94	-	35.41	7.00	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT V_1TX
Setting 55
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	61.00	88.20	-27.20	52.34	3	Horizontal	353	1.80	-	35.00	6.60	32.94
RMS	5.9164G	50.05	68.20	-18.15	41.42	3	Horizontal	353	1.80	-	34.97	6.60	32.94
PK	6.4624G	110.58	Inf	-Inf	101.08	3	Horizontal	353	1.80	-	35.45	7.00	32.95
RMS	6.4494G	100.00	Inf	-Inf	90.55	3	Horizontal	353	1.80	-	35.40	7.00	32.95

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT V_1TX
Setting 55
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92953G	57.91	88.20	-30.29	40.81	3	Vertical	30	2.81	-	39.39	9.42	31.71
RMS	12.92976G	45.09	68.20	-23.11	27.99	3	Vertical	30	2.81	-	39.39	9.42	31.71

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT V_1TX
Setting 55
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92989G	57.49	88.20	-30.71	40.39	3	Horizontal	55	2.04	-	39.39	9.42	31.71
RMS	12.92972G	45.22	68.20	-22.98	28.12	3	Horizontal	55	2.04	-	39.39	9.42	31.71

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT Y_1TX
Setting 55
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39532G	46.27	83.54	-37.27	42.87	1	Vertical	47	2.17	-	37.82	15.26	49.68
AV	19.39545G	34.08	63.54	-29.46	30.68	1	Vertical	47	2.17	-	37.82	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX


6465MHz_TnomVnom



EUT Y_1TX
Setting 55
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39503G	46.03	83.54	-37.51	42.63	1	Horizontal	323	2.06	-	37.82	15.26	49.68
AV	19.3953G	34.03	63.54	-29.51	30.63	1	Horizontal	323	2.06	-	37.82	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
 Setting 55
 01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.873G	60.45	88.20	-27.75	51.94	3	Vertical	19	2.76	-	34.85	6.60	32.94
RMS	5.925G	49.64	68.20	-18.56	40.98	3	Vertical	19	2.76	-	35.00	6.60	32.94
PK	6.5534G	93.52	Inf	-Inf	83.69	3	Vertical	19	2.76	-	35.81	7.00	32.98
RMS	6.5562G	84.01	Inf	-Inf	74.18	3	Vertical	19	2.76	-	35.81	7.00	32.98
PK	7.1414G	62.55	88.20	-25.65	51.63	3	Vertical	19	2.76	-	36.83	7.23	33.14
RMS	7.245G	52.18	68.20	-16.02	40.93	3	Vertical	19	2.76	-	37.10	7.25	33.10

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 55
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8926G	60.39	88.20	-27.81	51.84	3	Horizontal	3	1.80	-	34.89	6.60	32.94
RMS	5.9206G	49.74	68.20	-18.46	41.10	3	Horizontal	3	1.80	-	34.98	6.60	32.94
PK	6.559G	109.44	Inf	-Inf	99.60	3	Horizontal	3	1.80	-	35.82	7.00	32.98
RMS	6.5562G	100.33	Inf	-Inf	90.50	3	Horizontal	3	1.80	-	35.81	7.00	32.98
PK	7.1862G	62.26	88.20	-25.94	51.13	3	Horizontal	3	1.80	-	37.04	7.21	33.12
RMS	7.245G	52.24	68.20	-15.96	40.99	3	Horizontal	3	1.80	-	37.10	7.25	33.10

802.11ax HEW80_Nss1,(MCS0)_1TX


6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_1TX
Setting 55
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08973G	58.16	88.20	-30.04	40.49	3	Vertical	219	2.95	-	39.69	9.49	31.51
RMS	13.08968G	46.00	68.20	-22.20	28.33	3	Vertical	219	2.95	-	39.69	9.49	31.51

802.11ax HEW80_Nss1,(MCS0)_1TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
 Setting 55
 01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08951G	59.21	88.20	-28.99	41.54	3	Horizontal	88	2.32	-	39.69	9.49	31.51
RMS	13.08954G	45.76	68.20	-22.44	28.09	3	Horizontal	88	2.32	-	39.69	9.49	31.51

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_1TX
Setting 55
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63478G	47.47	83.54	-36.07	43.97	1	Vertical	324	2.58	-	37.85	15.35	49.70
AV	19.63521G	34.84	63.54	-28.70	31.34	1	Vertical	324	2.58	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_1TX
Setting 55
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63519G	46.58	83.54	-36.96	43.08	1	Horizontal	3	1.43	-	37.85	15.35	49.70
AV	19.63516G	34.45	63.54	-29.09	30.95	1	Horizontal	3	1.43	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT Y_1TX
Setting 55
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6634G	96.75	Inf	-Inf	86.81	3	Vertical	8	2.90	-	35.97	7.00	33.03
RMS	6.6394G	86.55	Inf	-Inf	76.59	3	Vertical	8	2.90	-	35.98	7.00	33.02
PK	7.1722G	62.38	88.20	-25.82	51.31	3	Vertical	8	2.90	-	36.99	7.21	33.13
RMS	7.1434G	52.09	68.20	-16.11	41.15	3	Vertical	8	2.90	-	36.85	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
Setting 55
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6514G	109.50	Inf	-Inf	99.52	3	Horizontal	360	1.80	-	36.00	7.00	33.02
RMS	6.6418G	100.01	Inf	-Inf	90.05	3	Horizontal	360	1.80	-	35.98	7.00	33.02
PK	7.1794G	63.56	88.20	-24.64	52.46	3	Horizontal	360	1.80	-	37.02	7.21	33.13
RMS	7.1434G	52.24	68.20	-15.96	41.30	3	Horizontal	360	1.80	-	36.85	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
Setting 55
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2504G	58.92	74.00	-15.08	40.71	3	Vertical	144	1.59	-	39.95	9.56	31.30
AV	13.25031G	46.28	54.00	-7.72	28.07	3	Vertical	144	1.59	-	39.95	9.56	31.30

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT V_1TX
Setting 55
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25017G	59.02	74.00	-14.98	40.81	3	Horizontal	342	2.99	-	39.95	9.56	31.30
AV	13.25077G	46.21	54.00	-7.79	28.00	3	Horizontal	342	2.99	-	39.95	9.56	31.30

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT Y_1TX
Setting 55
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87542G	46.65	83.54	-36.89	43.30	1	Vertical	118	2.87	-	37.60	15.45	49.70
AV	19.87475G	34.45	63.54	-29.09	31.10	1	Vertical	118	2.87	-	37.60	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT Y_1TX
Setting 55
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87471G	47.52	83.54	-36.02	44.17	1	Horizontal	197	2.94	-	37.60	15.45	49.70
AV	19.87499G	34.84	63.54	-28.70	31.49	1	Horizontal	197	2.94	-	37.60	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT Y_1TX
Setting 56
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.673G	93.16	Inf	-Inf	83.24	3	Vertical	44	2.53	-	35.95	7.00	33.03
RMS	6.673G	82.52	Inf	-Inf	72.60	3	Vertical	44	2.53	-	35.95	7.00	33.03
PK	7.141G	62.98	88.20	-25.22	52.06	3	Vertical	44	2.53	-	36.83	7.23	33.14
RMS	7.133G	52.07	68.20	-16.13	41.22	3	Vertical	44	2.53	-	36.76	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT Y_1TX
Setting 56
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.707G	110.14	Inf	-Inf	100.25	3	Horizontal	1	1.80	-	35.94	7.00	33.05
RMS	6.673G	99.73	Inf	-Inf	89.81	3	Horizontal	1	1.80	-	35.95	7.00	33.03
PK	7.181G	63.03	88.20	-25.17	51.92	3	Horizontal	1	1.80	-	37.02	7.21	33.12
RMS	7.139G	52.40	68.20	-15.80	41.50	3	Horizontal	1	1.80	-	36.81	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT V_1TX
Setting 56
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41022G	59.44	88.20	-28.76	40.71	3	Vertical	358	2.78	-	40.20	9.63	31.10
RMS	13.4102G	46.87	68.20	-21.33	28.14	3	Vertical	358	2.78	-	40.20	9.63	31.10

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT V_1TX
Setting 56
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40959G	59.34	88.20	-28.86	40.61	3	Horizontal	15	2.81	-	40.20	9.63	31.10
RMS	13.41008G	46.95	68.20	-21.25	28.22	3	Horizontal	15	2.81	-	40.20	9.63	31.10

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT Y_1TX
Setting 56
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11476G	47.58	83.54	-35.96	44.29	1	Vertical	162	2.14	-	37.49	15.55	49.75
AV	20.11524G	34.95	63.54	-28.59	31.66	1	Vertical	162	2.14	-	37.49	15.55	49.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT V_1TX
Setting 56
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11541G	47.06	83.54	-36.48	43.77	1	Horizontal	353	1.62	-	37.49	15.55	49.75
AV	20.11483G	35.08	63.54	-28.46	31.79	1	Horizontal	353	1.62	-	37.49	15.55	49.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT Y_1TX
Setting 58
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7706G	90.94	Inf	-Inf	80.82	3	Vertical	341	1.65	-	36.20	7.00	33.08
RMS	6.7706G	79.74	Inf	-Inf	69.62	3	Vertical	341	1.65	-	36.20	7.00	33.08
PK	7.177G	62.67	88.20	-25.53	51.58	3	Vertical	341	1.65	-	37.01	7.21	33.13
RMS	7.129G	52.18	68.20	-16.02	41.35	3	Vertical	341	1.65	-	36.73	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 58
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7594G	111.40	Inf	-Inf	101.27	3	Horizontal	0	1.80	-	36.20	7.00	33.07
RMS	6.7562G	100.80	Inf	-Inf	90.67	3	Horizontal	0	1.80	-	36.20	7.00	33.07
PK	7.1466G	63.58	88.20	-24.62	52.62	3	Horizontal	0	1.80	-	36.87	7.23	33.14
RMS	7.1386G	52.56	68.20	-15.64	41.66	3	Horizontal	0	1.80	-	36.81	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 58
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57046G	59.59	88.20	-28.61	40.65	3	Vertical	1	1.93	-	40.27	9.71	31.04
RMS	13.56967G	46.72	68.20	-21.48	27.78	3	Vertical	1	1.93	-	40.27	9.71	31.04

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 58
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57014G	59.94	88.20	-28.26	41.00	3	Horizontal	108	2.96	-	40.27	9.71	31.04
RMS	13.57026G	46.95	88.20	-41.25	28.01	3	Horizontal	108	2.96	-	40.27	9.71	31.04

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 58
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35479G	47.33	83.54	-36.21	43.87	1	Vertical	210	1.36	-	37.64	15.66	49.84
AV	20.35544G	34.72	63.54	-28.82	31.26	1	Vertical	210	1.36	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT V_1TX
Setting 58
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35531G	47.08	83.54	-36.46	43.62	1	Horizontal	211	2.71	-	37.64	15.66	49.84
AV	20.35541G	34.81	63.54	-28.73	31.35	1	Horizontal	211	2.71	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 57
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8734G	90.05	Inf	-Inf	79.66	3	Vertical	342	1.67	-	36.41	7.11	33.13
RMS	6.8524G	80.20	Inf	-Inf	69.66	3	Vertical	342	1.67	-	36.58	7.08	33.12
PK	7.187G	63.24	88.20	-24.96	52.10	3	Vertical	342	1.67	-	37.05	7.21	33.12
RMS	7.131G	52.23	68.20	-15.97	41.39	3	Vertical	342	1.67	-	36.75	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 57
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8482G	110.83	Inf	-Inf	100.29	3	Horizontal	358	1.80	-	36.59	7.07	33.12
RMS	6.8496G	100.05	Inf	-Inf	89.50	3	Horizontal	358	1.80	-	36.60	7.07	33.12
PK	7.1632G	63.48	88.20	-24.72	52.44	3	Horizontal	358	1.80	-	36.95	7.22	33.13
RMS	7.1296G	52.68	68.20	-15.52	41.84	3	Horizontal	358	1.80	-	36.74	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX


6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT V_1TX
Setting 57
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72993G	62.08	88.20	-26.12	42.86	3	Vertical	137	1.14	-	40.59	9.78	31.15
RMS	13.73016G	49.73	68.20	-18.47	30.51	3	Vertical	137	1.14	-	40.59	9.78	31.15

802.11ax HEW80_Nss1,(MCS0)_1TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
 Setting 57
 01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72964G	61.84	88.20	-26.36	42.62	3	Horizontal	56	1.49	-	40.59	9.78	31.15
RMS	13.73002G	49.88	68.20	-18.32	30.66	3	Horizontal	56	1.49	-	40.59	9.78	31.15

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
Setting 57
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5947G	47.98	83.54	-35.56	44.26	1	Vertical	324	1.21	-	37.81	15.77	49.86
AV	20.59524G	35.27	63.54	-28.27	31.55	1	Vertical	324	1.21	-	37.81	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 57
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5945G	46.87	83.54	-36.67	43.15	1	Horizontal	39	1.20	-	37.81	15.77	49.86
AV	20.59489G	34.84	63.54	-28.70	31.12	1	Horizontal	39	1.20	-	37.81	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT V_1TX
Setting 53
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9774G	91.95	Inf	-Inf	81.47	3	Vertical	342	1.73	-	36.39	7.27	33.18
RMS	6.9594G	81.69	Inf	-Inf	71.16	3	Vertical	342	1.73	-	36.46	7.24	33.17
PK	7.227G	63.89	88.20	-24.31	52.67	3	Vertical	342	1.73	-	37.10	7.23	33.11
RMS	7.245G	52.34	68.20	-15.86	41.09	3	Vertical	342	1.73	-	37.10	7.25	33.10

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT V_1TX
Setting 53
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9498G	110.35	Inf	-Inf	99.80	3	Horizontal	0	1.80	-	36.50	7.22	33.17
RMS	6.9594G	100.14	Inf	-Inf	89.61	3	Horizontal	0	1.80	-	36.46	7.24	33.17
PK	7.1658G	64.45	88.20	-23.75	53.40	3	Horizontal	0	1.80	-	36.96	7.22	33.13
RMS	7.1382G	53.08	68.20	-15.12	42.18	3	Horizontal	0	1.80	-	36.81	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT V_1TX
Setting 53
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89039G	63.69	88.20	-24.51	44.21	3	Vertical	239	1.35	-	40.89	9.85	31.26
RMS	13.8898G	50.53	68.20	-17.67	31.05	3	Vertical	239	1.35	-	40.89	9.85	31.26

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT V_1TX
Setting 53
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88984G	63.59	88.20	-24.61	44.11	3	Horizontal	295	1.13	-	40.89	9.85	31.26
RMS	13.89037G	50.95	68.20	-17.25	31.47	3	Horizontal	295	1.13	-	40.89	9.85	31.26

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT V_1TX
Setting 53
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83528G	47.44	83.54	-36.10	43.47	1	Vertical	132	1.27	-	37.86	15.88	49.77
AV	20.8346G	35.00	63.54	-28.54	31.03	1	Vertical	132	1.27	-	37.86	15.88	49.77

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT V_1TX
Setting 53
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83488G	47.06	83.54	-36.48	43.09	1	Horizontal	127	1.53	-	37.86	15.88	49.77
AV	20.83492G	35.11	63.54	-28.43	31.14	1	Horizontal	127	1.53	-	37.86	15.88	49.77

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT V_1TX
Setting 56
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0586G	92.38	Inf	-Inf	81.70	3	Vertical	341	1.80	-	36.58	7.27	33.17
RMS	7.0626G	82.28	Inf	-Inf	71.61	3	Vertical	341	1.80	-	36.57	7.27	33.17
PK	7.2154G	63.53	88.20	-24.67	52.32	3	Vertical	341	1.80	-	37.10	7.22	33.11
RMS	7.1298G	52.36	68.20	-15.84	41.52	3	Vertical	341	1.80	-	36.74	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT Y_1TX
Setting 56
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0618G	110.95	Inf	-Inf	100.27	3	Horizontal	358	1.79	-	36.58	7.27	33.17
RMS	7.0626G	101.18	Inf	-Inf	90.51	3	Horizontal	358	1.79	-	36.57	7.27	33.17
PK	7.1274G	67.19	88.20	-21.01	56.37	3	Horizontal	358	1.79	-	36.72	7.24	33.14
RMS	7.125G	55.86	68.20	-12.34	45.06	3	Horizontal	358	1.79	-	36.70	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT V_1TX
Setting 56
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05015G	62.40	88.20	-25.80	42.96	3	Vertical	296	1.42	-	40.90	9.92	31.38
RMS	14.05049G	49.83	68.20	-18.37	30.39	3	Vertical	296	1.42	-	40.90	9.92	31.38

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT V_1TX
Setting 56
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05049G	62.21	88.20	-25.99	42.77	3	Horizontal	318	2.56	-	40.90	9.92	31.38
RMS	14.04979G	49.95	68.20	-18.25	30.52	3	Horizontal	318	2.56	-	40.90	9.91	31.38

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT Y_1TX
Setting 56
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07452G	47.68	83.54	-35.86	43.79	1	Vertical	190	2.74	-	37.60	15.98	49.69
AV	21.07507G	35.55	63.54	-27.99	31.65	1	Vertical	190	2.74	-	37.60	15.98	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT Y_1TX
Setting 56
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07476G	48.45	83.54	-35.09	44.56	1	Horizontal	177	2.76	-	37.60	15.98	49.69
AV	21.07474G	35.72	63.54	-27.82	31.83	1	Horizontal	177	2.76	-	37.60	15.98	49.69

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT V_1TX
Setting 62
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	62.00	88.20	-26.20	53.40	3	Vertical	0	1.99	-	34.94	6.60	32.94
RMS	5.919G	50.60	68.20	-17.60	41.96	3	Vertical	0	1.99	-	34.98	6.60	32.94
PK	6.049G	93.35	Inf	-Inf	84.43	3	Vertical	0	1.99	-	35.20	6.67	32.95
RMS	6.05G	82.57	Inf	-Inf	73.65	3	Vertical	0	1.99	-	35.20	6.67	32.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT V_1TX
Setting 62
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	79.20	88.20	-9.00	70.54	3	Horizontal	0	2.02	-	35.00	6.60	32.94
RMS	5.925G	64.38	68.20	-3.82	55.72	3	Horizontal	0	2.02	-	35.00	6.60	32.94
PK	6.051G	111.79	Inf	-Inf	102.86	3	Horizontal	0	2.02	-	35.20	6.68	32.95
RMS	6.05G	101.44	Inf	-Inf	92.52	3	Horizontal	0	2.02	-	35.20	6.67	32.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT V_1TX
Setting 62
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.1G	56.18	74.00	-17.82	41.30	3	Vertical	266	1.80	-	38.60	9.04	32.76
AV	12.06G	44.91	54.00	-9.09	30.13	3	Vertical	266	1.80	-	38.56	9.03	32.81

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT V_1TX
Setting 62
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0766G	58.18	74.00	-15.82	43.36	3	Horizontal	62	1.80	-	38.58	9.03	32.79
AV	12.0714G	47.63	54.00	-6.37	32.82	3	Horizontal	62	1.80	-	38.57	9.03	32.79

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT V_1TX
Setting 62
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07465G	45.38	83.54	-38.16	43.28	1	Vertical	80	1.96	-	37.64	14.73	50.27
AV	18.07501G	34.87	63.54	-28.67	32.77	1	Vertical	80	1.96	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT V_1TX
Setting 62
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07545G	45.42	83.54	-38.12	43.32	1	Horizontal	301	2.22	-	37.64	14.73	50.27
AV	18.07474G	34.36	63.54	-29.18	32.26	1	Horizontal	301	2.22	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT V_1TX
Setting 62
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8618G	60.41	88.20	-27.79	51.93	3	Vertical	360	2.02	-	34.82	6.60	32.94
RMS	5.9242G	49.98	68.20	-18.22	41.32	3	Vertical	360	2.02	-	35.00	6.60	32.94
PK	6.1514G	90.66	Inf	-Inf	81.47	3	Vertical	360	2.02	-	35.31	6.83	32.95
RMS	6.153G	80.39	Inf	-Inf	71.20	3	Vertical	360	2.02	-	35.31	6.83	32.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT Y_1TX
Setting 62
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	64.64	88.20	-23.56	55.99	3	Horizontal	2	1.79	-	34.99	6.60	32.94
RMS	5.9242G	53.32	68.20	-14.88	44.66	3	Horizontal	2	1.79	-	35.00	6.60	32.94
PK	6.1594G	110.94	Inf	-Inf	101.71	3	Horizontal	2	1.79	-	35.34	6.84	32.95
RMS	6.153G	100.26	Inf	-Inf	91.07	3	Horizontal	2	1.79	-	35.31	6.83	32.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT V_1TX
Setting 62
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3902G	56.54	74.00	-17.46	41.08	3	Vertical	136	1.80	-	38.68	9.18	32.40
AV	12.3336G	45.45	54.00	-8.55	30.20	3	Vertical	136	1.80	-	38.57	9.15	32.47

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT V_1TX
Setting 62
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3894G	57.13	74.00	-16.87	41.67	3	Horizontal	58	1.66	-	38.68	9.18	32.40
AV	12.3914G	47.10	54.00	-6.90	31.63	3	Horizontal	58	1.66	-	38.68	9.18	32.39

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT V_1TX
Setting 62
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55485G	46.14	83.54	-37.40	43.49	1	Vertical	247	2.31	-	37.78	14.92	50.05
AV	18.55491G	35.30	63.54	-28.24	32.65	1	Vertical	247	2.31	-	37.78	14.92	50.05

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT V_1TX
Setting 62
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55527G	46.03	83.54	-37.51	43.37	1	Horizontal	71	2.32	-	37.78	14.92	50.04
AV	18.55478G	35.38	63.54	-28.16	32.73	1	Horizontal	71	2.32	-	37.78	14.92	50.05

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT Y_1TX
Setting 61
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.869G	60.03	88.20	-28.17	51.53	3	Vertical	17	2.52	-	34.84	6.60	32.94
RMS	5.925G	49.90	68.20	-18.30	41.24	3	Vertical	17	2.52	-	35.00	6.60	32.94
PK	6.365G	94.95	Inf	-Inf	85.53	3	Vertical	17	2.52	-	35.39	6.98	32.95
RMS	6.357G	84.60	Inf	-Inf	75.23	3	Vertical	17	2.52	-	35.34	6.98	32.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT V_1TX
Setting 61
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	62.43	88.20	-25.77	53.79	3	Horizontal	353	1.63	-	34.98	6.60	32.94
RMS	5.925G	51.79	68.20	-16.41	43.13	3	Horizontal	353	1.63	-	35.00	6.60	32.94
PK	6.359G	111.76	Inf	-Inf	102.38	3	Horizontal	353	1.63	-	35.35	6.98	32.95
RMS	6.363G	100.40	Inf	-Inf	90.99	3	Horizontal	353	1.63	-	35.38	6.98	32.95

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT V_1TX
Setting 61
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69264G	56.92	74.00	-17.08	40.64	3	Vertical	155	1.80	-	38.98	9.31	32.01
AV	12.6766G	45.91	54.00	-8.09	29.71	3	Vertical	155	1.80	-	38.93	9.30	32.03

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT V_1TX
Setting 61
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69894G	56.67	74.00	-17.33	40.37	3	Horizontal	0	1.80	-	39.00	9.31	32.01
AV	12.69588G	46.43	54.00	-7.57	30.14	3	Horizontal	0	1.80	-	38.99	9.31	32.01

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT V_1TX
Setting 61
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0351G	48.07	83.54	-35.47	44.61	1	Vertical	237	2.31	-	37.96	15.11	49.61
AV	19.03542G	36.06	63.54	-27.48	32.60	1	Vertical	237	2.31	-	37.96	15.11	49.61

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT V_1TX
Setting 61
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03523G	46.85	83.54	-36.69	43.39	1	Horizontal	216	1.48	-	37.96	15.11	49.61
AV	19.03519G	35.95	63.54	-27.59	32.49	1	Horizontal	216	1.48	-	37.96	15.11	49.61

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 64
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	60.36	88.20	-27.84	51.71	3	Vertical	13	2.88	-	34.99	6.60	32.94
RMS	5.925G	49.93	68.20	-18.27	41.27	3	Vertical	13	2.88	-	35.00	6.60	32.94
PK	6.5386G	96.30	Inf	-Inf	86.52	3	Vertical	13	2.88	-	35.75	7.00	32.97
RMS	6.5582G	86.28	Inf	-Inf	76.44	3	Vertical	13	2.88	-	35.82	7.00	32.98
PK	7.1826G	63.10	88.20	-25.10	51.98	3	Vertical	13	2.88	-	37.03	7.21	33.12
RMS	7.1434G	52.27	68.20	-15.93	41.33	3	Vertical	13	2.88	-	36.85	7.23	33.14

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_1TX
Setting 64
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8862G	60.80	88.20	-27.40	52.27	3	Horizontal	357	1.80	-	34.87	6.60	32.94
RMS	5.9226G	50.32	68.20	-17.88	41.67	3	Horizontal	357	1.80	-	34.99	6.60	32.94
PK	6.561G	109.14	Inf	-Inf	99.30	3	Horizontal	357	1.80	-	35.82	7.00	32.98
RMS	6.5302G	99.38	Inf	-Inf	89.62	3	Horizontal	357	1.80	-	35.72	7.00	32.96
PK	7.1462G	62.83	88.20	-25.37	51.87	3	Horizontal	357	1.80	-	36.87	7.23	33.14
RMS	7.1434G	52.32	68.20	-15.88	41.38	3	Horizontal	357	1.80	-	36.85	7.23	33.14

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
Setting 64
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0312G	57.31	88.20	-30.89	39.80	3	Vertical	179	1.80	-	39.63	9.46	31.58
RMS	13.0478G	47.08	68.20	-21.12	29.52	3	Vertical	179	1.80	-	39.65	9.47	31.56

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
Setting 64
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13G	57.68	88.20	-30.52	40.25	3	Horizontal	147	1.80	-	39.60	9.45	31.62
RMS	12.9888G	46.92	68.20	-21.28	29.54	3	Horizontal	147	1.80	-	39.57	9.44	31.63

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
Setting 64
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5154G	47.43	83.54	-36.11	43.93	1	Vertical	155	1.47	-	37.89	15.31	49.70
AV	19.51544G	36.10	63.54	-27.44	32.60	1	Vertical	155	1.47	-	37.89	15.31	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT V_1TX
Setting 64
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51494G	46.54	83.54	-37.00	43.04	1	Horizontal	80	2.39	-	37.89	15.31	49.70
AV	19.51471G	35.93	63.54	-27.61	32.43	1	Horizontal	80	2.39	-	37.89	15.31	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT Y_1TX
Setting 65
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6496G	93.61	Inf	-Inf	83.63	3	Vertical	43	2.54	-	36.00	7.00	33.02
RMS	6.6474G	83.57	Inf	-Inf	73.60	3	Vertical	43	2.54	-	35.99	7.00	33.02
PK	7.1644G	63.33	88.20	-24.87	52.28	3	Vertical	43	2.54	-	36.96	7.22	33.13
RMS	7.215G	52.43	68.20	-15.77	41.22	3	Vertical	43	2.54	-	37.10	7.22	33.11

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT Y_1TX
Setting 65
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6408G	111.39	Inf	-Inf	101.43	3	Horizontal	3	1.88	-	35.98	7.00	33.02
RMS	6.6474G	100.73	Inf	-Inf	90.76	3	Horizontal	3	1.88	-	35.99	7.00	33.02
PK	7.1556G	63.19	88.20	-25.01	52.18	3	Horizontal	3	1.88	-	36.92	7.22	33.13
RMS	7.1336G	52.87	68.20	-15.33	42.01	3	Horizontal	3	1.88	-	36.77	7.23	33.14

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT V_1TX
Setting 65
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2932G	58.81	74.00	-15.19	40.49	3	Vertical	0	1.80	-	39.99	9.58	31.25
AV	13.3512G	47.98	54.00	-6.02	29.45	3	Vertical	0	1.80	-	40.10	9.61	31.18

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT V_1TX
Setting 65
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3634G	58.64	74.00	-15.36	40.06	3	Horizontal	200	1.75	-	40.13	9.61	31.16
AV	13.3448G	48.36	54.00	-5.64	29.85	3	Horizontal	200	1.75	-	40.09	9.61	31.19

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT V_1TX
Setting 65
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99463G	46.16	83.54	-37.38	42.95	1	Vertical	217	1.47	-	37.41	15.50	49.70
RMS	19.99549G	34.61	83.54	-48.93	31.40	1	Vertical	217	1.47	-	37.41	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT V_1TX
Setting 65
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9955G	45.75	83.54	-37.79	42.54	1	Horizontal	328	2.19	-	37.41	15.50	49.70
AV	19.99481G	34.86	63.54	-28.68	31.65	1	Horizontal	328	2.19	-	37.41	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
Setting 65
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.849G	89.31	Inf	-Inf	78.77	3	Vertical	345	1.68	-	36.59	7.07	33.12
RMS	6.8506G	79.65	Inf	-Inf	69.09	3	Vertical	345	1.68	-	36.60	7.08	33.12
PK	7.2202G	63.54	88.20	-24.66	52.33	3	Vertical	345	1.68	-	37.10	7.22	33.11
RMS	7.225G	52.45	68.20	-15.75	41.23	3	Vertical	345	1.68	-	37.10	7.23	33.11

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_V_1TX
Setting 65
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8858G	110.37	Inf	-Inf	100.07	3	Horizontal	0	1.83	-	36.31	7.13	33.14
RMS	6.849G	99.98	Inf	-Inf	89.44	3	Horizontal	0	1.83	-	36.59	7.07	33.12
PK	7.1786G	67.22	88.20	-20.98	56.13	3	Horizontal	0	1.83	-	37.01	7.21	33.13
RMS	7.1386G	54.90	68.20	-13.30	44.00	3	Horizontal	0	1.83	-	36.81	7.23	33.14

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
Setting 65
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6222G	61.94	88.20	-26.26	42.94	3	Vertical	325	2.88	-	40.34	9.73	31.07
RMS	13.639G	50.64	68.20	-17.56	31.60	3	Vertical	325	2.88	-	40.38	9.74	31.08

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
Setting 65
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6812G	61.94	88.20	-26.26	42.83	3	Horizontal	200	1.39	-	40.46	9.76	31.11
RMS	13.6942G	50.56	68.20	-17.64	31.43	3	Horizontal	200	1.39	-	40.49	9.76	31.12

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_1TX
Setting 65
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47499G	48.67	83.54	-34.87	45.16	1	Vertical	115	2.27	-	37.69	15.71	49.89
AV	20.47541G	37.02	63.54	-26.52	33.51	1	Vertical	115	2.27	-	37.69	15.71	49.89

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT V_1TX
Setting 65
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47495G	47.57	83.54	-35.97	44.06	1	Horizontal	208	1.99	-	37.69	15.71	49.89
AV	20.47524G	36.90	63.54	-26.64	33.39	1	Horizontal	208	1.99	-	37.69	15.71	49.89

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT Y_1TX
Setting 64
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.96G	92.18	Inf	-Inf	81.65	3	Vertical	358	2.20	-	36.46	7.24	33.17
RMS	6.962G	81.32	Inf	-Inf	70.80	3	Vertical	358	2.20	-	36.45	7.24	33.17
PK	7.141G	65.12	88.20	-23.08	54.20	3	Vertical	358	2.20	-	36.83	7.23	33.14
RMS	7.135G	53.34	68.20	-14.86	42.47	3	Vertical	358	2.20	-	36.78	7.23	33.14

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT V_1TX
Setting 64
01-A-J-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.063G	111.78	Inf	-Inf	101.11	3	Horizontal	360	1.80	-	36.57	7.27	33.17
RMS	6.962G	100.36	Inf	-Inf	89.84	3	Horizontal	360	1.80	-	36.45	7.24	33.17
PK	7.132G	82.38	88.20	-5.82	71.53	3	Horizontal	360	1.80	-	36.76	7.23	33.14
RMS	7.136G	66.66	68.20	-1.54	55.78	3	Horizontal	360	1.80	-	36.79	7.23	33.14

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT V_1TX
Setting 64
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0008G	63.20	88.20	-25.00	43.73	3	Vertical	70	2.92	-	40.90	9.90	31.33
RMS	13.9936G	52.20	68.20	-16.00	32.73	3	Vertical	70	2.92	-	40.90	9.90	31.33

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT V_1TX
Setting 64
01-A-J-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.982G	62.67	88.20	-25.53	43.20	3	Horizontal	157	1.80	-	40.90	9.89	31.32
RMS	13.9676G	52.26	68.20	-15.94	32.78	3	Horizontal	157	1.80	-	40.90	9.89	31.31

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT V_1TX
Setting 64
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95501G	47.09	83.54	-36.45	43.21	1	Vertical	256	2.87	-	37.67	15.93	49.72
AV	20.9545G	36.57	63.54	-26.97	32.69	1	Vertical	256	2.87	-	37.67	15.93	49.72

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT V_1TX
Setting 64
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95461G	47.60	83.54	-35.94	43.72	1	Horizontal	62	1.80	-	37.67	15.93	49.72
AV	20.95456G	36.35	63.54	-27.19	32.47	1	Horizontal	62	1.80	-	37.67	15.93	49.72

802.11ax HEW20_Nss1,(MCS0)_1TX
5955MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6175MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6415MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6435MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6475MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6515MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6535MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6695MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6855MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom

MASK


22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6895MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6995MHz_TnomVnom

MASK

22/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7095MHz_TnomVnom

22/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TnomVnom


22/02/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6165MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6405MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6445MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6485MHz_TnomVnom

MASK

22/02/2022



802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

22/02/2022

CF Freq
6.525GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52G	-2.77	6.461G	-48.55	-42.77	-5.78	1

802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TnomVnom

22/02/2022

CF Freq
6.565GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5686G	-2.81	6.5024G	-48.44	-42.79	-5.65	1

802.11ax HEW40_Nss1,(MCS0)_1TX
6685MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6845MHz_TnomVnom

MASK

22/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

22/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6925MHz_TnomVnom

22/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7005MHz_TnomVnom

22/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7085MHz_TnomVnom

22/02/2022



802.11ax HEW80_Nss1,(MCS0)_1TX
5985MHz_TnomVnom

MASK

22/02/2022

CF Freq
5.985GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97261G	-0.02	5.8606G	-45.82	-40.02	-5.80	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6145MHz_TnomVnom

MASK

22/02/2022

CF Freq
6.145GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13181G	0.14	6.273G	-45.46	-39.86	-5.60	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6385MHz_TnomVnom

MASK

22/02/2022

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37661G	0.13	6.2602G	-44.65	-39.87	-4.78	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6465MHz_TnomVnom

MASK

22/02/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45341G	-0.04	6.3418G	-44.70	-39.75	-4.95	1

802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

22/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TnomVnom


22/02/2022



802.11ax HEW80_Nss1,(MCS0)_1TX
6705MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW80_Nss1,(MCS0)_1TX
6785MHz_TnomVnom

MASK

22/02/2022



802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

22/02/2022

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87659G	0.16	7.0054G	-44.02	-39.84	-4.18	1

802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6945MHz_TnomVnom

22/02/2022

CF Freq
6.945GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93021G	0.71	6.8174G	-43.37	-39.29	-4.08	1

802.11ax HEW80_Nss1,(MCS0)_1TX
7025MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW160_Nss1,(MCS0)_1TX
6025MHz_TnomVnom

MASK

22/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TnomVnom

22/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TnomVnom

22/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

22/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TnomVnom

22/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

22/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6985MHz_TnomVnom

22/02/2022



802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TnomVnom

19/02/2022

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9588G	-10.66	5.9921G	-56.77	-50.66	-6.11	1
5.9575G	-9.83	5.9928G	-56.63	-49.83	-6.80	2
5.9525G	-9.61	5.9058G	-56.84	-49.61	-7.23	3
5.9563G	-10.14	6G	-56.98	-50.14	-6.84	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6175MHz_TnomVnom

19/02/2022

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1775G	-12.07	6.1397G	-57.55	-52.07	-5.48	1
6.178G	-12.61	6.1357G	-57.60	-52.61	-4.99	2
6.1725G	-11.61	6.1376G	-57.50	-51.61	-5.89	3
6.1725G	-12.07	6.1369G	-57.57	-52.07	-5.50	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

19/02/2022

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4162G	-10.67	6.4556G	-57.26	-50.67	-6.59	1
6.4174G	-10.30	6.4493G	-56.93	-50.30	-6.63	2
6.4162G	-10.41	6.4537G	-57.21	-50.41	-6.80	3
6.4137G	-11.01	6.4534G	-57.22	-51.01	-6.21	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

19/02/2022

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4324G	-9.04	6.4721G	-56.63	-49.04	-7.59	1
6.44G	-8.43	6.4713G	-56.57	-48.43	-8.14	2
6.4363G	-8.43	6.4733G	-56.63	-48.43	-8.20	3
6.4338G	-9.73	6.3977G	-56.81	-49.73	-7.08	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

19/02/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4725G	-10.15	6.4407G	-56.59	-50.15	-6.44	1
6.4712G	-10.19	6.439G	-56.78	-50.19	-6.59	2
6.4726G	-9.27	6.4411G	-56.48	-49.27	-7.21	3
6.4713G	-10.98	6.4373G	-56.98	-50.98	-6.00	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

19/02/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.50881G	-9.44	6.4703G	-56.86	-49.44	-7.42	1
6.5175G	-9.59	6.4758G	-56.81	-49.59	-7.22	2
6.5113G	-8.46	6.4782G	-56.54	-48.46	-8.08	3
6.5187G	-9.63	6.4796G	-56.59	-49.63	-6.96	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

19/02/2022

CF Freq
6.535GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5375G	-8.21	6.494G	-56.53	-48.21	-8.32	1
6.5326G	-8.73	6.4994G	-56.31	-48.60	-7.71	2
6.5376G	-7.41	6.5501G	-37.61	-29.02	-8.59	3
6.5374G	-8.87	6.4999G	-56.27	-48.87	-7.40	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

19/02/2022

CF Freq
6.695GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6962G	-8.63	6.7299G	-56.08	-48.63	-7.45	1
6.6926G	-8.60	6.7391G	-56.42	-48.60	-7.82	2
6.6933G	-8.28	6.7327G	-56.32	-48.28	-8.04	3
6.6911G	-8.49	6.73G	-56.27	-48.49	-7.78	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

19/02/2022

CF Freq
6.855GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8537G	-7.61	6.8138G	-56.10	-47.61	-8.49	1
6.8524G	-8.01	6.8143G	-56.04	-48.01	-8.03	2
6.8562G	-7.93	6.8211G	-55.60	-47.93	-7.67	3
6.8513G	-8.22	6.8087G	-56.16	-48.22	-7.94	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

19/02/2022

CF Freq
6.875GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.86871G	-8.54	6.8349G	-56.14	-48.54	-7.60	1
6.8724G	-8.90	6.839G	-55.88	-48.90	-6.98	2
6.8711G	-8.31	6.9136G	-55.96	-48.31	-7.65	3
6.8737G	-9.12	6.9119G	-56.01	-49.12	-6.89	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

19/02/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8963G	-9.39	6.9319G	-55.82	-49.39	-6.43	1
6.8975G	-10.32	6.9411G	-56.20	-50.32	-5.88	2
6.8937G	-9.69	6.9296G	-55.91	-49.69	-6.22	3
6.8962G	-9.95	6.9349G	-56.10	-49.95	-6.15	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

19/02/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9937G	-11.06	6.9575G	-55.97	-51.06	-4.91	1
6.99G	-10.04	6.9598G	-55.66	-50.04	-5.62	2
6.991G	-9.71	6.9562G	-56.02	-49.71	-6.31	3
6.9914G	-10.38	6.9583G	-55.96	-50.38	-5.58	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

19/02/2022

CF Freq
7.095GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0909G	-10.79	7.0799G	-40.39	-31.86	-8.53	1
7.0912G	-9.84	7.1095G	-39.46	-30.92	-8.54	2
7.10129G	-9.40	7.111G	-40.07	-30.52	-9.55	3
7.0931G	-10.49	7.1115G	-41.32	-33.92	-7.40	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

5965MHz_TnomVnom

19/02/2022

CF Freq
5.965GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97119G	-9.00	6.0456G	-54.74	-49.00	-5.74	1
5.97019G	-8.75	6.0278G	-54.25	-48.75	-5.50	2
5.97119G	-8.55	6.0362G	-54.35	-48.55	-5.80	3
5.9616G	-8.98	6.0308G	-54.51	-48.98	-5.53	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6165MHz_TnomVnom

19/02/2022

CF Freq
6.165GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1612G	-9.70	6.0876G	-55.22	-49.70	-5.52	1
6.1624G	-9.58	6.1008G	-54.99	-49.58	-5.41	2
6.15881G	-9.06	6.0938G	-55.00	-49.06	-5.94	3
6.15741G	-9.47	6.1016G	-54.99	-49.44	-5.55	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

19/02/2022

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4014G	-9.74	6.4688G	-54.83	-49.73	-5.10	1
6.39761G	-9.31	6.4698G	-54.54	-49.31	-5.23	2
6.39241G	-9.08	6.47G	-54.59	-49.08	-5.51	3
6.39881G	-9.03	6.4814G	-55.05	-49.03	-6.02	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

19/02/2022

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4488G	-7.08	6.379G	-54.14	-47.08	-7.06	1
6.45119G	-6.98	6.5098G	-53.89	-46.98	-6.91	2
6.45G	-6.75	6.3828G	-53.52	-46.60	-6.92	3
6.45099G	-7.27	6.3778G	-54.05	-47.27	-6.78	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

19/02/2022

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47861G	-8.68	6.4154G	-54.58	-48.68	-5.90	1
6.49G	-8.78	6.4208G	-54.36	-48.78	-5.58	2
6.49259G	-8.12	6.5494G	-54.42	-48.12	-6.30	3
6.47621G	-8.77	6.422G	-54.20	-48.77	-5.43	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

19/02/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.51881G	-6.56	6.4624G	-53.59	-46.56	-7.03	1
6.52G	-7.05	6.4612G	-54.07	-47.05	-7.02	2
6.53259G	-6.00	6.4626G	-53.53	-46.00	-7.53	3
6.53119G	-6.93	6.462G	-53.64	-46.93	-6.71	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

19/02/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5612G	-7.04	6.4978G	-53.85	-47.04	-6.81	1
6.5604G	-7.29	6.4994G	-53.90	-47.29	-6.61	2
6.57119G	-6.20	6.4924G	-53.97	-46.20	-7.77	3
6.57119G	-6.78	6.5036G	-53.80	-46.78	-7.02	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

19/02/2022

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.681G	-6.34	6.7484G	-53.53	-46.34	-7.19	1
6.68G	-5.96	6.7482G	-53.24	-45.96	-7.28	2
6.67821G	-5.74	6.7504G	-53.34	-45.58	-7.76	3
6.67881G	-6.28	6.7542G	-53.92	-46.28	-7.64	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

19/02/2022

CF Freq
6.845GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.849G	-5.58	6.7822G	-52.82	-45.58	-7.24	1
6.83741G	-5.54	6.9094G	-53.33	-45.54	-7.79	2
6.83861G	-5.24	6.9096G	-52.80	-45.24	-7.56	3
6.83901G	-5.56	6.9068G	-52.97	-45.54	-7.43	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

19/02/2022

CF Freq
6.885GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8812G	-6.99	6.9568G	-53.28	-46.99	-6.29	1
6.87981G	-7.43	6.8192G	-53.56	-47.43	-6.13	2
6.8886G	-6.49	6.9484G	-53.04	-46.49	-6.55	3
6.8888G	-6.84	6.947G	-53.03	-46.84	-6.19	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

19/02/2022

CF Freq
6.925GHz


Span
200MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9206G	-4.54	6.9894G	-47.25	-44.54	-2.71	1
6.93119G	-4.66	6.9936G	-47.32	-44.66	-2.66	2
6.9208G	-4.55	6.9984G	-47.32	-44.55	-2.77	3
6.9224G	-4.58	6.9894G	-47.32	-44.58	-2.74	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

19/02/2022

CF Freq
7.005GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99121G	-8.12	6.9404G	-53.31	-48.12	-5.19	1
6.99001G	-8.44	6.9392G	-53.54	-48.44	-5.10	2
6.99881G	-7.68	6.9402G	-53.22	-47.68	-5.54	3
6.99141G	-8.36	6.9394G	-53.67	-48.36	-5.31	4

802.11ax HEW40_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

19/02/2022

CF Freq
7.085GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07641G	-8.12	7.0512G	-40.06	-32.71	-7.35	1
7.09G	-7.63	7.1224G	-41.27	-33.62	-7.65	2
7.09139G	-7.46	7.1224G	-41.35	-33.62	-7.73	3
7.0868G	-7.98	7.0538G	-39.37	-31.24	-8.13	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

5985MHz_TnomVnom

19/02/2022

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99739G	-6.06	6.1126G	-51.54	-46.06	-5.48	1
5.99259G	-6.20	6.1138G	-51.68	-46.18	-5.50	2
5.99779G	-5.63	6.1138G	-51.06	-45.63	-5.43	3
5.97661G	-6.13	6.1126G	-51.30	-46.13	-5.17	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

19/02/2022

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15619G	-5.35	6.0142G	-51.31	-45.35	-5.96	1
6.13261G	-4.90	6.0126G	-50.72	-44.90	-5.82	2
6.13261G	-5.10	6.017G	-51.22	-45.10	-6.12	3
6.13261G	-5.35	6.0158G	-51.28	-45.35	-5.93	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

19/02/2022

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37141G	-6.22	6.517G	-51.72	-46.22	-5.50	1
6.37021G	-5.76	6.2614G	-50.77	-45.69	-5.08	2
6.37061G	-5.66	6.2578G	-51.39	-45.54	-5.85	3
6.37421G	-5.72	6.2578G	-51.77	-45.72	-6.05	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

19/02/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45181G	-4.71	6.3414G	-50.71	-44.71	-6.00	1
6.45621G	-3.68	6.3338G	-50.57	-43.68	-6.89	2
6.45381G	-4.14	6.3382G	-50.31	-44.14	-6.17	3
6.45221G	-4.81	6.3378G	-50.54	-44.81	-5.73	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

19/02/2022

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53301G	-4.52	6.6702G	-50.64	-44.50	-6.14	1
6.53341G	-4.09	6.417G	-51.05	-44.09	-6.96	2
6.57617G	-3.87	6.6702G	-50.21	-43.87	-6.34	3
6.55979G	-4.55	6.4138G	-50.81	-44.50	-6.31	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

19/02/2022

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61061G	-3.69	6.4978G	-50.21	-43.69	-6.52	1
6.61261G	-3.86	6.4974G	-50.12	-43.85	-6.27	2
6.61221G	-3.52	6.7522G	-50.22	-43.52	-6.70	3
6.61381G	-3.74	6.4954G	-50.55	-43.74	-6.81	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

19/02/2022

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69621G	-3.09	6.8342G	-50.39	-43.09	-7.30	1
6.69301G	-2.87	6.5762G	-49.29	-42.87	-6.42	2
6.69261G	-2.73	6.8286G	-49.63	-42.61	-7.02	3
6.67663G	-3.32	6.579G	-49.83	-43.22	-6.61	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

19/02/2022

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77261G	-4.45	6.657G	-50.40	-44.45	-5.95	1
6.82256G	-4.18	6.9686G	-50.38	-44.18	-6.20	2
6.77341G	-4.54	6.9138G	-49.97	-44.54	-5.43	3
6.75583G	-4.63	6.6582G	-49.89	-44.63	-5.26	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

19/02/2022

CF Freq
6.865GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85101G	-3.21	6.7378G	-49.27	-43.21	-6.06	1
6.85061G	-2.99	6.9898G	-49.89	-42.99	-6.90	2
6.85181G	-3.19	6.9898G	-49.26	-43.19	-6.07	3
6.85181G	-3.24	6.9906G	-49.21	-43.23	-5.98	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

19/02/2022

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93381G	-3.60	6.8174G	-49.63	-43.60	-6.03	1
6.91583G	-3.98	6.8162G	-49.51	-43.98	-5.53	2
6.93101G	-3.43	6.8186G	-49.94	-43.43	-6.51	3
6.95659G	-4.18	6.8186G	-50.13	-44.18	-5.95	4

802.11ax HEW80_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

19/02/2022

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99423G	-4.73	6.8934G	-50.02	-44.73	-5.29	1
6.99663G	-5.33	6.8966G	-49.76	-45.33	-4.43	2
6.99583G	-4.37	6.8958G	-50.01	-44.37	-5.64	3
6.99583G	-5.11	6.8974G	-50.43	-45.11	-5.32	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6025MHz_TnomVnom

19/02/2022

CF Freq
6.025GHz


Span
800MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99863G	-7.00	5.7586G	-48.53	-47.00	-1.53	1
6.00022G	-6.82	5.7698G	-48.32	-46.82	-1.50	2
6.05297G	-6.91	5.773G	-48.44	-46.91	-1.53	3
6.05137G	-6.97	5.773G	-48.45	-46.97	-1.48	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

19/02/2022

CF Freq
6.185GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.21137G	-2.81	6.4354G	-47.65	-42.81	-4.84	1
6.21057G	-2.34	5.9354G	-47.74	-42.34	-5.40	2
6.20898G	-2.36	5.937G	-47.84	-42.36	-5.48	3
6.15863G	-2.91	5.9354G	-48.04	-42.91	-5.13	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

19/02/2022

CF Freq
6.345GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37057G	-3.00	6.0978G	-47.70	-42.98	-4.72	1
6.31943G	-2.60	6.0738G	-46.79	-42.60	-4.19	2
6.31783G	-2.25	6.0802G	-47.22	-42.25	-4.97	3
6.32182G	-2.51	6.0906G	-46.96	-42.51	-4.45	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

19/02/2022

CF Freq
6.505GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.48102G	-1.27	6.7546G	-46.04	-41.27	-4.77	1
6.53057G	-1.12	6.257G	-46.78	-41.12	-5.66	2
6.53057G	-0.82	6.7538G	-45.61	-40.82	-4.79	3
6.52978G	-1.92	6.2514G	-46.54	-41.92	-4.62	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

19/02/2022

CF Freq
6.665GHz


Span
800MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.63863G	-4.27	6.2666G	-47.99	-44.27	-3.72	1
6.63863G	-4.33	6.2714G	-47.93	-44.33	-3.60	2
6.64262G	-4.32	6.2698G	-47.99	-44.32	-3.67	3
6.63863G	-4.32	6.2666G	-47.84	-44.32	-3.52	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

19/02/2022

CF Freq
6.825GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85137G	-0.79	6.4306G	-46.37	-40.78	-5.59	1
6.85217G	-0.13	6.4306G	-47.03	-40.13	-6.90	2
6.84978G	-0.05	6.4314G	-47.33	-40.05	-7.28	3
6.84978G	-0.94	6.4338G	-46.18	-40.94	-5.24	4

802.11ax HEW160_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom

19/02/2022

CF Freq
6.985GHz


Span
800MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.96262G	-5.30	6.7354G	-45.68	-45.30	-0.38	1
6.95623G	-5.34	6.7354G	-45.63	-45.34	-0.29	2
6.96182G	-5.58	6.7354G	-45.78	-45.58	-0.20	3
6.95863G	-5.70	6.7386G	-45.80	-45.70	-0.10	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

5955MHz_TnomVnom

19/02/2022

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9562G	-10.92	5.9906G	-56.67	-50.92	-5.75	1
5.9582G	-10.20	5.9965G	-56.65	-50.20	-6.45	2
5.9537G	-9.83	5.9198G	-56.64	-49.79	-6.85	3
5.9536G	-10.57	5.9955G	-56.80	-50.57	-6.23	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6175MHz_TnomVnom

19/02/2022

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1712G	-12.15	6.1368G	-57.41	-52.15	-5.26	1
6.1775G	-11.51	6.127G	-57.39	-51.51	-5.88	2
6.171G	-11.10	6.129G	-57.28	-51.10	-6.18	3
6.1711G	-11.54	6.1369G	-57.33	-51.54	-5.79	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

19/02/2022

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4163G	-11.13	6.4561G	-57.29	-51.13	-6.16	1
6.4158G	-10.79	6.4522G	-56.82	-50.79	-6.03	2
6.4162G	-10.17	6.4567G	-57.06	-50.17	-6.89	3
6.414G	-11.28	6.4503G	-56.94	-51.28	-5.66	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

19/02/2022

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4363G	-8.42	6.4715G	-56.38	-48.42	-7.96	1
6.4356G	-8.52	6.4704G	-56.30	-48.37	-7.93	2
6.4374G	-8.27	6.3966G	-56.43	-48.27	-8.16	3
6.4336G	-9.53	6.472G	-56.52	-49.53	-6.99	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

19/02/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4763G	-10.50	6.4347G	-56.86	-50.50	-6.36	1
6.47G	-10.61	6.4279G	-56.91	-50.61	-6.30	2
6.4725G	-9.42	6.4405G	-56.49	-49.42	-7.07	3
6.4711G	-11.26	6.4314G	-56.90	-51.26	-5.64	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

19/02/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5163G	-9.61	6.4788G	-56.59	-49.61	-6.98	1
6.52G	-9.89	6.4794G	-56.61	-49.89	-6.72	2
6.5162G	-9.31	6.4689G	-56.73	-49.31	-7.42	3
6.5187G	-10.53	6.4806G	-56.51	-50.53	-5.98	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

19/02/2022

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5362G	-8.98	6.4987G	-56.33	-48.98	-7.35	1
6.54G	-9.49	6.5015G	-56.29	-49.49	-6.80	2
6.5362G	-8.24	6.4985G	-56.33	-48.24	-8.09	3
6.5375G	-9.56	6.4943G	-56.47	-49.56	-6.91	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

19/02/2022

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6912G	-9.40	6.7333G	-56.20	-49.40	-6.80	1
6.6974G	-9.28	6.7352G	-56.19	-49.28	-6.91	2
6.6963G	-9.20	6.7289G	-56.16	-49.20	-6.96	3
6.6913G	-9.50	6.7306G	-56.31	-49.50	-6.81	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

19/02/2022

CF Freq
6.855GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8536G	-8.75	6.8918G	-55.95	-48.75	-7.20	1
6.8512G	-9.16	6.809G	-56.18	-49.16	-7.02	2
6.8512G	-9.21	6.8885G	-55.82	-49.21	-6.61	3
6.8512G	-9.23	6.818G	-56.01	-49.23	-6.78	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

19/02/2022

CF Freq
6.875GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8762G	-9.57	6.9218G	-56.10	-49.57	-6.53	1
6.8726G	-10.18	6.8405G	-56.01	-50.18	-5.83	2
6.8737G	-9.63	6.9139G	-56.07	-49.61	-6.46	3
6.8712G	-10.23	6.9098G	-55.91	-50.23	-5.68	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

19/02/2022

CF Freq
6.895GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8937G	-9.50	6.9382G	-55.96	-49.50	-6.46	1
6.8925G	-9.88	6.93G	-55.89	-49.88	-6.01	2
6.8986G	-9.41	6.9294G	-55.59	-49.41	-6.18	3
6.8987G	-10.07	6.9317G	-55.99	-50.07	-5.92	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

19/02/2022

CF Freq
6.995GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9937G	-9.92	6.9529G	-55.70	-49.92	-5.78	1
6.99G	-9.61	6.9587G	-55.59	-49.61	-5.98	2
6.9962G	-8.65	6.9585G	-55.64	-48.65	-6.99	3
6.9938G	-9.83	6.9549G	-55.94	-49.83	-6.11	4

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

MASK

7095MHz_TnomVnom

19/02/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0913G	-9.93	7.0777G	-41.26	-31.37	-9.89	1
7.0962G	-9.36	7.1106G	-39.52	-31.90	-7.62	2
7.0912G	-8.64	7.1106G	-39.54	-29.92	-9.62	3
7.0913G	-9.46	7.08G	-39.73	-29.55	-10.18	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

5965MHz_TnomVnom

19/02/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97879G	-9.38	6.0304G	-54.71	-49.38	-5.33	1
5.97379G	-8.66	6.0282G	-54.19	-48.66	-5.53	2
5.97099G	-8.67	6.0284G	-54.34	-48.67	-5.67	3
5.9614G	-9.27	6.0304G	-54.58	-49.27	-5.31	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6165MHz_TnomVnom

19/02/2022

CF Freq
6.165GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15881G	-8.02	6.0978G	-55.09	-48.02	-7.07	1
6.1626G	-7.87	6.2286G	-54.53	-47.70	-6.83	2
6.15881G	-7.34	6.1022G	-54.54	-47.34	-7.20	3
6.1614G	-7.66	6.097G	-54.72	-47.66	-7.06	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6405MHz_TnomVnom

19/02/2022

CF Freq
6.405GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.39881G	-8.90	6.4742G	-54.85	-48.90	-5.95	1
6.39741G	-8.73	6.471G	-54.44	-48.73	-5.71	2
6.4G	-8.31	6.4736G	-54.60	-48.31	-6.29	3
6.39361G	-8.75	6.3354G	-54.97	-48.75	-6.22	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6445MHz_TnomVnom

19/02/2022

CF Freq
6.445GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45119G	-7.09	6.3766G	-54.20	-47.09	-7.11	1
6.45259G	-7.06	6.509G	-53.90	-47.06	-6.84	2
6.45139G	-6.82	6.38G	-53.85	-46.82	-7.03	3
6.45099G	-7.59	6.382G	-53.89	-47.49	-6.40	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6485MHz_TnomVnom

19/02/2022

CF Freq
6.485GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47861G	-6.14	6.4224G	-53.70	-46.12	-7.58	1
6.49239G	-6.20	6.5142G	-36.36	-29.00	-7.36	2
6.49119G	-5.66	6.5064G	-33.18	-25.73	-7.45	3
6.47901G	-6.43	6.4198G	-53.85	-46.43	-7.42	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

19/02/2022

CF Freq
6.525GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.51881G	-6.24	6.461G	-53.38	-45.94	-7.44	1
6.53G	-6.59	6.456G	-54.05	-46.59	-7.46	2
6.53099G	-5.61	6.5866G	-53.30	-45.58	-7.72	3
6.5288G	-6.50	6.4618G	-53.53	-46.50	-7.03	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6565MHz_TnomVnom

19/02/2022

CF Freq
6.565GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.55901G	-5.77	6.5008G	-53.37	-45.77	-7.60	1
6.5602G	-6.29	6.5352G	-36.68	-29.36	-7.32	2
6.57139G	-5.20	6.6006G	-38.61	-30.68	-7.93	3
6.57119G	-5.92	6.5946G	-36.39	-28.70	-7.69	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6685MHz_TnomVnom

19/02/2022

CF Freq
6.685GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6898G	-8.21	6.7504G	-53.97	-48.21	-5.76	1
6.67741G	-7.65	6.7484G	-53.60	-47.65	-5.95	2
6.67761G	-7.37	6.7502G	-53.79	-47.37	-6.42	3
6.67881G	-8.23	6.7482G	-53.98	-48.23	-5.75	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6845MHz_TnomVnom

19/02/2022

CF Freq
6.845GHz


Span
200MHz


RBW
500kHz


VBW
2MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8412G	-7.19	6.7802G	-53.38	-47.19	-6.19	1
6.8402G	-7.64	6.782G	-53.72	-47.64	-6.08	2
6.8486G	-6.86	6.9068G	-53.17	-46.79	-6.38	3
6.8412G	-7.51	6.7812G	-53.60	-47.51	-6.09	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

19/02/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.89119G	-6.63	6.8226G	-53.06	-46.63	-6.43	1
6.87761G	-7.30	6.822G	-53.36	-47.30	-6.06	2
6.89139G	-6.25	6.9516G	-53.12	-46.25	-6.87	3
6.89119G	-6.79	6.9488G	-52.88	-46.73	-6.15	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

6925MHz_TnomVnom

19/02/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9224G	-6.36	6.9892G	-52.89	-46.36	-6.53	1
6.91741G	-6.90	6.99G	-53.07	-46.90	-6.17	2
6.9212G	-6.45	6.989G	-52.88	-46.45	-6.43	3
6.93099G	-6.76	6.989G	-52.83	-46.76	-6.07	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7005MHz_TnomVnom

19/02/2022




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99861G	-7.23	6.9364G	-53.35	-47.23	-6.12	1
6.99121G	-7.88	6.9366G	-53.52	-47.88	-5.64	2
6.99861G	-7.32	6.9416G	-53.23	-47.32	-5.91	3
6.99861G	-7.58	6.9398G	-53.55	-47.58	-5.97	4

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

MASK

7085MHz_TnomVnom

19/02/2022



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0812G	-6.77	7.0512G	-39.07	-31.49	-7.58	1
7.09G	-6.51	7.1174G	-38.53	-30.72	-7.81	2
7.09099G	-6.40	7.1176G	-38.82	-30.66	-8.16	3
7.07881G	-6.71	7.0536G	-38.06	-30.54	-7.52	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

5985MHz_TnomVnom

19/02/2022

CF Freq
5.985GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99739G	-4.90	6.1098G	-51.22	-44.90	-6.32	1
5.99659G	-4.97	6.115G	-51.44	-44.97	-6.47	2
5.99859G	-4.72	6.1118G	-50.49	-44.72	-5.77	3
5.99539G	-5.15	6.1122G	-51.05	-45.15	-5.90	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6145MHz_TnomVnom

19/02/2022

CF Freq
6.145GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15619G	-4.28	6.0098G	-51.09	-44.28	-6.81	1
6.13381G	-3.90	6.0178G	-50.26	-43.90	-6.36	2
6.13221G	-4.07	6.0162G	-51.16	-44.05	-7.11	3
6.13021G	-4.25	6.0182G	-51.09	-44.25	-6.84	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6385MHz_TnomVnom

19/02/2022

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37341G	-3.44	6.5126G	-50.96	-43.44	-7.52	1
6.37061G	-3.22	6.2426G	-50.06	-43.22	-6.84	2
6.37101G	-2.88	6.3286G	-32.67	-25.27	-7.40	3
6.37221G	-3.36	6.3422G	-29.94	-23.43	-6.51	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6465MHz_TnomVnom

19/02/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45341G	-3.78	6.3398G	-50.72	-43.76	-6.96	1
6.45621G	-3.13	6.3402G	-50.22	-43.13	-7.09	2
6.45141G	-3.48	6.341G	-49.85	-43.48	-6.37	3
6.45221G	-4.26	6.341G	-50.25	-44.25	-6.00	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

19/02/2022

CF Freq
6.545GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.53301G	-3.25	6.4106G	-50.32	-43.25	-7.07	1
6.53261G	-2.73	6.411G	-50.86	-42.73	-8.13	2
6.55739G	-2.29	6.6726G	-49.68	-42.29	-7.39	3
6.57377G	-3.20	6.4146G	-50.42	-43.20	-7.22	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6625MHz_TnomVnom

19/02/2022

CF Freq
6.625GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.61541G	-3.57	6.5006G	-50.05	-43.57	-6.48	1
6.59663G	-3.59	6.4998G	-50.13	-43.59	-6.54	2
6.61341G	-3.16	6.7494G	-50.29	-43.16	-7.13	3
6.61221G	-3.48	6.5002G	-50.42	-43.48	-6.94	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6705MHz_TnomVnom

19/02/2022

CF Freq
6.705GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69381G	-3.45	6.5786G	-50.57	-43.45	-7.12	1
6.69261G	-3.37	6.579G	-49.41	-43.37	-6.04	2
6.69261G	-3.13	6.8362G	-50.05	-43.13	-6.92	3
6.69381G	-3.75	6.5766G	-50.22	-43.67	-6.55	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6785MHz_TnomVnom

19/02/2022

CF Freq
6.785GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.77021G	-3.64	6.6554G	-50.02	-43.64	-6.38	1
6.82216G	-3.23	6.9114G	-49.99	-43.23	-6.76	2
6.77061G	-3.69	6.915G	-49.83	-43.69	-6.14	3
6.75623G	-3.71	6.6574G	-49.49	-43.71	-5.78	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

19/02/2022

CF Freq
6.865GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.85101G	-3.20	6.7382G	-49.38	-43.20	-6.18	1
6.85061G	-3.15	6.9942G	-49.98	-43.15	-6.83	2
6.87619G	-3.34	6.991G	-49.45	-43.34	-6.11	3
6.85141G	-3.31	6.9886G	-49.19	-43.31	-5.88	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

6945MHz_TnomVnom

19/02/2022

CF Freq
6.945GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93181G	-3.11	6.8182G	-49.38	-43.11	-6.27	1
6.91623G	-3.42	6.8198G	-49.18	-43.35	-5.83	2
6.93341G	-2.97	6.8174G	-50.08	-42.96	-7.12	3
6.95779G	-3.56	6.8194G	-49.98	-43.50	-6.48	4

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

MASK

7025MHz_TnomVnom

19/02/2022

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz


VBW
3MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99623G	-3.37	6.8978G	-49.68	-43.35	-6.33	1
6.99623G	-3.73	6.8982G	-49.00	-43.73	-5.27	2
6.99623G	-3.15	6.8994G	-49.31	-43.09	-6.22	3
6.99343G	-3.80	6.8994G	-50.08	-43.80	-6.28	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6025MHz_TnomVnom

19/02/2022

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99943G	-2.33	6.273G	-47.60	-42.22	-5.38	1
5.99703G	-2.20	6.2746G	-47.60	-42.20	-5.40	2
5.99783G	-2.19	6.2746G	-47.56	-42.19	-5.37	3
6.05057G	-2.11	6.2746G	-47.66	-42.11	-5.55	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6185MHz_TnomVnom

19/02/2022

CF Freq
6.185GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.20978G	-1.05	5.9298G	-46.94	-41.05	-5.89	1
6.21057G	-0.85	5.9362G	-46.93	-40.85	-6.08	2
6.15703G	-1.64	5.9362G	-47.18	-41.64	-5.54	3
6.15863G	-1.84	5.9338G	-47.14	-41.84	-5.30	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6345MHz_TnomVnom

19/02/2022

CF Freq
6.345GHz


Span
800MHz


RBW
2MHz


VBW
10MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.36898G	-2.08	6.0962G	-46.75	-42.08	-4.67	1
6.36978G	-2.10	6.0962G	-46.91	-42.10	-4.81	2
6.37137G	-2.09	6.0954G	-46.67	-42.09	-4.58	3
6.36818G	-2.03	6.0954G	-46.86	-42.03	-4.83	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

19/02/2022

CF Freq
6.505GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52978G	-0.52	6.2498G	-45.94	-40.52	-5.42	1
6.52818G	-0.50	6.7538G	-45.92	-40.50	-5.42	2
6.47783G	-1.35	6.2562G	-45.80	-41.35	-4.45	3
6.47943G	-1.35	6.1562G	-47.08	-41.35	-5.73	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6665MHz_TnomVnom

19/02/2022

CF Freq
6.665GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.69057G	-1.13	6.417G	-45.00	-41.13	-3.87	1
6.69057G	-1.02	6.4178G	-44.91	-41.02	-3.89	2
6.64022G	-0.89	6.9138G	-44.91	-40.84	-4.07	3
6.63783G	-1.10	6.4186G	-45.36	-40.97	-4.39	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

19/02/2022

CF Freq
6.825GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.76186G	-1.98	6.5778G	-44.63	-41.81	-2.82	1
6.85217G	-1.26	6.577G	-44.68	-41.15	-3.53	2
6.85217G	-1.05	6.5778G	-44.90	-40.98	-3.92	3
6.84818G	-2.19	6.5778G	-44.01	-42.12	-1.89	4

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

MASK

6985MHz_TnomVnom

19/02/2022

CF Freq
6.985GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.95863G	-0.44	6.7394G	-41.70	-40.40	-1.30	1
6.96182G	-0.66	6.7322G	-41.79	-40.66	-1.13	2
6.95783G	-0.98	6.7378G	-44.20	-40.98	-3.22	3
6.96102G	-0.85	6.7386G	-44.33	-40.85	-3.48	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

5955MHz_TnomVnom

19/02/2022

CF Freq
5.955GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.9589G	-15.47	5.9128G	-57.17	-55.47	-1.70	1
5.9581G	-14.52	5.9972G	-57.06	-54.52	-2.54	2
5.9524G	-14.17	5.9099G	-57.01	-54.17	-2.84	3
5.9537G	-14.66	6.0016G	-57.03	-2.37	4	

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6175MHz_TnomVnom

19/02/2022

CF Freq
6.175GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.1774G	-13.85	6.1342G	-57.77	-53.85	-3.92	1
6.1776G	-13.78	6.139G	-57.47	-53.78	-3.69	2
6.1762G	-13.37	6.1361G	-57.60	-53.37	-4.23	3
6.1725G	-13.54	6.136G	-57.54	-53.54	-4.00	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6415MHz_TnomVnom

19/02/2022

CF Freq
6.415GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4139G	-13.91	6.4543G	-57.18	-53.91	-3.27	1
6.4174G	-13.69	6.4509G	-57.24	-53.69	-3.55	2
6.4113G	-13.51	6.4483G	-57.21	-53.51	-3.70	3
6.4137G	-13.73	6.4588G	-57.39	-53.73	-3.66	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6435MHz_TnomVnom

19/02/2022

CF Freq
6.435GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4326G	-14.59	6.472G	-57.11	-54.59	-2.52	1
6.44009G	-14.32	6.4722G	-57.04	-54.32	-2.72	2
6.4375G	-14.23	6.4751G	-57.02	-54.23	-2.79	3
6.4337G	-15.28	6.4839G	-57.16	-55.28	-1.88	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6475MHz_TnomVnom

19/02/2022

CF Freq
6.475GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4763G	-13.22	6.4359G	-57.14	-53.22	-3.92	1
6.4712G	-13.53	6.5104G	-57.04	-53.53	-3.51	2
6.4726G	-12.43	6.4306G	-56.91	-52.43	-4.48	3
6.4736G	-13.89	6.4385G	-56.99	-53.89	-3.10	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6515MHz_TnomVnom

19/02/2022

CF Freq
6.515GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5175G	-13.00	6.4661G	-57.09	-53.00	-4.09	1
6.5163G	-13.30	6.4763G	-56.98	-53.30	-3.68	2
6.5174G	-12.17	6.4656G	-57.03	-52.17	-4.86	3
6.5186G	-13.80	6.4687G	-56.96	-53.80	-3.16	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6535MHz_TnomVnom

19/02/2022

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5324G	-14.36	6.4928G	-56.77	-54.36	-2.41	1
6.5374G	-14.44	6.4981G	-56.80	-54.44	-2.36	2
6.5374G	-13.28	6.4977G	-56.70	-53.28	-3.42	3
6.5338G	-14.43	6.4999G	-56.92	-54.43	-2.49	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6695MHz_TnomVnom

19/02/2022

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6926G	-12.78	6.7418G	-56.70	-52.78	-3.92	1
6.6925G	-12.89	6.7347G	-56.48	-52.89	-3.59	2
6.6911G	-12.49	6.7399G	-56.63	-52.49	-4.14	3
6.6937G	-12.88	6.7358G	-56.53	-52.88	-3.65	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6855MHz_TnomVnom

19/02/2022

CF Freq
6.855GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8513G	-13.54	6.8945G	-56.51	-53.54	-2.97	1
6.8527G	-13.77	6.818G	-56.28	-53.77	-2.51	2
6.8512G	-13.53	6.8112G	-56.41	-53.53	-2.88	3
6.8513G	-13.72	6.8135G	-56.48	-53.72	-2.76	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6875MHz Straddle 6.525-6.875GHz_TnomVnom

19/02/2022

CF Freq
6.875GHz


Span
100MHz


RBW
300kHz


VBW
1MHz


Sweep Time
20ms


Detector Type
RMS



Port 1 

Port 2 

Port 3 

Port 4 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8713G	-13.40	6.9199G	-56.48	-53.40	-3.08	1
6.8724G	-13.43	6.9205G	-56.37	-53.43	-2.94	2
6.8735G	-13.53	6.9171G	-56.17	-53.53	-2.64	3
6.8738G	-13.65	6.9242G	-56.41	-53.65	-2.76	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6895MHz_TnomVnom

19/02/2022

CF Freq
6.895GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8961G	-13.10	6.9307G	-56.11	-53.10	-3.01	1
6.9G	-13.41	6.9329G	-56.36	-53.41	-2.95	2
6.8987G	-12.97	6.9425G	-56.15	-52.97	-3.18	3
6.8937G	-13.11	6.9444G	-56.31	-53.11	-3.20	4

802.11ax HEW20_Nss1,(MCS0)_4TX

MASK

6995MHz_TnomVnom

19/02/2022

CF Freq
6.995GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Port 2

Port 3

Port 4

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9913G	-13.94	6.9575G	-56.11	-53.94	-2.17	1
6.9913G	-13.60	6.9504G	-56.17	-53.60	-2.57	2
6.9936G	-12.62	6.9563G	-56.00	-52.62	-3.38	3
6.9913G	-13.80	6.9591G	-56.17	-53.80	-2.37	4