


### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT\_X\_1TX  
Setting 49  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.869G    | 61.06          | 88.20          | -27.14      | 52.56      | 3        | Vertical  | 226         | 2.06       | -       | 34.84   | 6.60    | 32.94   |
| RMS  | 5.923G    | 49.88          | 68.20          | -18.32      | 41.23      | 3        | Vertical  | 226         | 2.06       | -       | 34.99   | 6.60    | 32.94   |
| PK   | 6.481G    | 109.57         | Inf            | -Inf        | 100.00     | 3        | Vertical  | 226         | 2.06       | -       | 35.52   | 7.00    | 32.95   |
| RMS  | 6.481G    | 100.60         | Inf            | -Inf        | 91.03      | 3        | Vertical  | 226         | 2.06       | -       | 35.52   | 7.00    | 32.95   |
| PK   | 7.195G    | 63.38          | 88.20          | -24.82      | 52.22      | 3        | Vertical  | 226         | 2.06       | -       | 37.08   | 7.20    | 33.12   |
| RMS  | 7.135G    | 52.51          | 68.20          | -15.69      | 41.64      | 3        | Vertical  | 226         | 2.06       | -       | 36.78   | 7.23    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT\_X\_1TX  
Setting 49  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.911G    | 60.11          | 88.20          | -28.09      | 51.51      | 3        | Horizontal | 360         | 2.11       | -       | 34.94   | 6.60    | 32.94   |
| RMS  | 5.923G    | 49.83          | 68.20          | -18.37      | 41.18      | 3        | Horizontal | 360         | 2.11       | -       | 34.99   | 6.60    | 32.94   |
| PK   | 6.478G    | 98.15          | Inf            | -Inf        | 88.59      | 3        | Horizontal | 360         | 2.11       | -       | 35.51   | 7.00    | 32.95   |
| RMS  | 6.481G    | 89.42          | Inf            | -Inf        | 79.85      | 3        | Horizontal | 360         | 2.11       | -       | 35.52   | 7.00    | 32.95   |
| PK   | 7.18G     | 62.97          | 88.20          | -25.23      | 51.87      | 3        | Horizontal | 360         | 2.11       | -       | 37.02   | 7.21    | 33.13   |
| RMS  | 7.129G    | 52.49          | 68.20          | -15.71      | 41.66      | 3        | Horizontal | 360         | 2.11       | -       | 36.73   | 7.24    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6475MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.94184G    | 58.45             | 88.20             | -29.75         | 41.29         | 3           | Vertical  | 107            | 1.91          | -       | 39.43      | 9.42       | 31.69      |
| RMS  | 12.93572G    | 44.25             | 68.20             | -23.95         | 27.12         | 3           | Vertical  | 107            | 1.91          | -       | 39.41      | 9.42       | 31.70      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.95288G    | 57.68             | 88.20             | -30.52         | 40.47         | 3           | Horizontal | 175            | 1.06          | -       | 39.46      | 9.43       | 31.68      |
| RMS  | 12.9356G     | 44.10             | 68.20             | -24.10         | 26.97         | 3           | Horizontal | 175            | 1.06          | -       | 39.41      | 9.42       | 31.70      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.42472G | 46.55          | 83.54          | -36.99      | 43.12      | 1        | Vertical  | 283         | 1.62       | -       | 37.84   | 15.27   | 49.68   |
| AV   | 19.42458G | 32.67          | 63.54          | -30.87      | 29.24      | 1        | Vertical  | 283         | 1.62       | -       | 37.84   | 15.27   | 49.68   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6475MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.42546G | 46.72          | 83.54          | -36.82      | 43.30      | 1        | Horizontal | 103         | 1.91       | -       | 37.84   | 15.27   | 49.69   |
| AV   | 19.4245G  | 32.71          | 63.54          | -30.83      | 29.28      | 1        | Horizontal | 103         | 1.91       | -       | 37.84   | 15.27   | 49.68   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT\_X\_1TX  
Setting 49  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8458G   | 60.29          | 88.20          | -27.91      | 51.85      | 3        | Vertical  | 226         | 2.00       | -       | 34.77   | 6.60    | 32.93   |
| RMS  | 5.9214G   | 49.93          | 68.20          | -18.27      | 41.28      | 3        | Vertical  | 226         | 2.00       | -       | 34.99   | 6.60    | 32.94   |
| PK   | 6.5094G   | 109.43         | Inf            | -Inf        | 99.74      | 3        | Vertical  | 226         | 2.00       | -       | 35.64   | 7.00    | 32.95   |
| RMS  | 6.5094G   | 100.51         | Inf            | -Inf        | 90.82      | 3        | Vertical  | 226         | 2.00       | -       | 35.64   | 7.00    | 32.95   |
| PK   | 7.1786G   | 63.00          | 88.20          | -25.20      | 51.91      | 3        | Vertical  | 226         | 2.00       | -       | 37.01   | 7.21    | 33.13   |
| RMS  | 7.187G    | 52.39          | 68.20          | -15.81      | 41.25      | 3        | Vertical  | 226         | 2.00       | -       | 37.05   | 7.21    | 33.12   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT\_X\_1TX  
Setting 49  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8346G   | 60.87          | 88.20          | -27.33      | 52.52      | 3        | Horizontal | 360         | 2.18       | -       | 34.68   | 6.60    | 32.93   |
| RMS  | 5.9186G   | 49.76          | 68.20          | -18.44      | 41.13      | 3        | Horizontal | 360         | 2.18       | -       | 34.97   | 6.60    | 32.94   |
| PK   | 6.5122G   | 100.12         | Inf            | -Inf        | 90.43      | 3        | Horizontal | 360         | 2.18       | -       | 35.65   | 7.00    | 32.96   |
| RMS  | 6.5122G   | 90.08          | Inf            | -Inf        | 80.39      | 3        | Horizontal | 360         | 2.18       | -       | 35.65   | 7.00    | 32.96   |
| PK   | 7.1954G   | 62.72          | 88.20          | -25.48      | 51.56      | 3        | Horizontal | 360         | 2.18       | -       | 37.08   | 7.20    | 33.12   |
| RMS  | 7.187G    | 52.35          | 68.20          | -15.85      | 41.21      | 3        | Horizontal | 360         | 2.18       | -       | 37.05   | 7.21    | 33.12   |



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.03882G    | 57.78             | 88.20             | -30.42         | 40.24         | 3           | Vertical  | 120            | 1.41          | -       | 39.64      | 9.47       | 31.57      |
| RMS  | 13.01656G    | 44.14             | 68.20             | -24.06         | 26.66         | 3           | Vertical  | 120            | 1.41          | -       | 39.62      | 9.46       | 31.60      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.04332G    | 57.49             | 88.20             | -30.71         | 39.95         | 3           | Horizontal | 23             | 1.61          | -       | 39.64      | 9.47       | 31.57      |
| RMS  | 13.01662G    | 44.01             | 68.20             | -24.19         | 26.53         | 3           | Horizontal | 23             | 1.61          | -       | 39.62      | 9.46       | 31.60      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.54469G | 47.19          | 83.54          | -36.35      | 43.69      | 1        | Vertical  | 70          | 1.16       | -       | 37.88   | 15.32   | 49.70   |
| AV   | 19.5445G  | 32.98          | 63.54          | -30.56      | 29.48      | 1        | Vertical  | 70          | 1.16       | -       | 37.88   | 15.32   | 49.70   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.54473G | 47.49          | 83.54          | -36.05      | 43.99      | 1        | Horizontal | 178         | 1.06       | -       | 37.88   | 15.32   | 49.70   |
| AV   | 19.54454G | 32.99          | 63.54          | -30.55      | 29.49      | 1        | Horizontal | 178         | 1.06       | -       | 37.88   | 15.32   | 49.70   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.919G    | 60.66          | 88.20          | -27.54      | 52.02      | 3        | Vertical  | 225         | 1.94       | -       | 34.98   | 6.60    | 32.94   |
| RMS  | 5.9218G   | 49.85          | 68.20          | -18.35      | 41.20      | 3        | Vertical  | 225         | 1.94       | -       | 34.99   | 6.60    | 32.94   |
| PK   | 6.535G    | 109.18         | Inf            | -Inf        | 99.41      | 3        | Vertical  | 225         | 1.94       | -       | 35.74   | 7.00    | 32.97   |
| RMS  | 6.5322G   | 99.99          | Inf            | -Inf        | 90.23      | 3        | Vertical  | 225         | 1.94       | -       | 35.73   | 7.00    | 32.97   |
| PK   | 7.2098G   | 63.23          | 88.20          | -24.97      | 52.03      | 3        | Vertical  | 225         | 1.94       | -       | 37.10   | 7.21    | 33.11   |
| RMS  | 7.1258G   | 52.40          | 68.20          | -15.80      | 41.59      | 3        | Vertical  | 225         | 1.94       | -       | 36.71   | 7.24    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9022G   | 60.09          | 88.20          | -28.11      | 51.52      | 3        | Horizontal | 356         | 1.95       | -       | 34.91   | 6.60    | 32.94   |
| RMS  | 5.9022G   | 49.79          | 68.20          | -18.41      | 41.22      | 3        | Horizontal | 356         | 1.95       | -       | 34.91   | 6.60    | 32.94   |
| PK   | 6.5378G   | 98.86          | Inf            | -Inf        | 89.08      | 3        | Horizontal | 356         | 1.95       | -       | 35.75   | 7.00    | 32.97   |
| RMS  | 6.5322G   | 89.73          | Inf            | -Inf        | 79.97      | 3        | Horizontal | 356         | 1.95       | -       | 35.73   | 7.00    | 32.97   |
| PK   | 7.1902G   | 63.47          | 88.20          | -24.73      | 52.33      | 3        | Horizontal | 356         | 1.95       | -       | 37.06   | 7.20    | 33.12   |
| RMS  | 7.1258G   | 52.38          | 68.20          | -15.82      | 41.57      | 3        | Horizontal | 356         | 1.95       | -       | 36.71   | 7.24    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.06568G    | 57.64             | 88.20             | -30.56         | 40.03         | 3           | Vertical  | 273            | 1.85          | -       | 39.67      | 9.48       | 31.54      |
| RMS  | 13.06196G    | 43.93             | 68.20             | -24.27         | 26.33         | 3           | Vertical  | 273            | 1.85          | -       | 39.66      | 9.48       | 31.54      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.05662G    | 57.52             | 88.20             | -30.68         | 39.93         | 3           | Horizontal | 314            | 1.03          | -       | 39.66      | 9.48       | 31.55      |
| RMS  | 13.05614G    | 43.78             | 68.20             | -24.42         | 26.19         | 3           | Horizontal | 314            | 1.03          | -       | 39.66      | 9.48       | 31.55      |



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.60469G | 46.19          | 83.54          | -37.35      | 42.69      | 1        | Vertical  | 198         | 1.22       | -       | 37.86   | 15.34   | 49.70   |
| AV   | 19.6045G  | 32.10          | 63.54          | -31.44      | 28.60      | 1        | Vertical  | 198         | 1.22       | -       | 37.86   | 15.34   | 49.70   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.6049G  | 46.12          | 83.54          | -37.42      | 42.62      | 1        | Horizontal | 354         | 1.70       | -       | 37.86   | 15.34   | 49.70   |
| AV   | 19.60453G | 32.11          | 63.54          | -31.43      | 28.61      | 1        | Horizontal | 354         | 1.70       | -       | 37.86   | 15.34   | 49.70   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_X\_1TX  
Setting 50  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.695G    | 111.29         | Inf            | -Inf        | 101.42     | 3        | Vertical  | 227         | 1.93       | -       | 35.91   | 7.00    | 33.04   |
| RMS  | 6.6994G   | 102.06         | Inf            | -Inf        | 92.21      | 3        | Vertical  | 227         | 1.93       | -       | 35.90   | 7.00    | 33.05   |
| PK   | 7.1614G   | 63.54          | 88.20          | -24.66      | 52.50      | 3        | Vertical  | 227         | 1.93       | -       | 36.95   | 7.22    | 33.13   |
| RMS  | 7.1284G   | 52.57          | 68.20          | -15.63      | 41.74      | 3        | Vertical  | 227         | 1.93       | -       | 36.73   | 7.24    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT\_X\_1TX  
Setting 50  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.6862G   | 101.60         | Inf            | -Inf        | 91.71      | 3        | Horizontal | 358         | 2.23       | -       | 35.93   | 7.00    | 33.04   |
| RMS  | 6.6994G   | 92.48          | Inf            | -Inf        | 82.63      | 3        | Horizontal | 358         | 2.23       | -       | 35.90   | 7.00    | 33.05   |
| PK   | 7.1702G   | 62.85          | 88.20          | -25.35      | 51.79      | 3        | Horizontal | 358         | 2.23       | -       | 36.98   | 7.21    | 33.13   |
| RMS  | 7.1284G   | 52.52          | 68.20          | -15.68      | 41.69      | 3        | Horizontal | 358         | 2.23       | -       | 36.73   | 7.24    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT X\_1TX  
Setting 50  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.40218G    | 58.43             | 88.20             | -29.77         | 39.71         | 3           | Vertical  | 162            | 1.72          | -       | 40.20      | 9.63       | 31.11      |
| RMS  | 13.40494G    | 44.70             | 68.20             | -23.50         | 25.98         | 3           | Vertical  | 162            | 1.72          | -       | 40.20      | 9.63       | 31.11      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT X\_1TX  
Setting 50  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.40138G    | 57.99             | 88.20             | -30.21         | 39.27         | 3           | Horizontal | 237            | 2.79          | -       | 40.20      | 9.63       | 31.11      |
| RMS  | 13.41025G    | 44.63             | 68.20             | -23.57         | 25.90         | 3           | Horizontal | 237            | 2.79          | -       | 40.20      | 9.63       | 31.10      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT X\_1TX  
Setting 50  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.08505G    | 44.80             | 83.54             | -38.74         | 41.52         | 1           | Vertical  | 136            | 2.79          | -       | 37.47      | 15.54      | 49.73      |
| AV   | 20.0845G     | 30.65             | 63.54             | -32.89         | 27.37         | 1           | Vertical  | 136            | 2.79          | -       | 37.47      | 15.54      | 49.73      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT X\_1TX  
Setting 50  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.08479G    | 45.16             | 83.54             | -38.38         | 41.88         | 1           | Horizontal | 157            | 1.33          | -       | 37.47      | 15.54      | 49.73      |
| AV   | 20.0845G     | 30.70             | 63.54             | -32.84         | 27.42         | 1           | Horizontal | 157            | 1.33          | -       | 37.47      | 15.54      | 49.73      |



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT X\_1TX  
Setting 51  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.8592G   | 111.19         | Inf            | -Inf        | 100.69     | 3        | Vertical  | 225         | 1.80       | -       | 36.53   | 7.09    | 33.12   |
| RMS  | 6.8508G   | 99.82          | Inf            | -Inf        | 89.27      | 3        | Vertical  | 225         | 1.80       | -       | 36.59   | 7.08    | 33.12   |
| PK   | 7.1672G   | 63.30          | 88.20          | -24.90      | 52.24      | 3        | Vertical  | 225         | 1.80       | -       | 36.97   | 7.22    | 33.13   |
| RMS  | 7.1392G   | 52.74          | 68.20          | -15.46      | 41.84      | 3        | Vertical  | 225         | 1.80       | -       | 36.81   | 7.23    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT\_X\_1TX  
Setting 51  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.848G    | 96.79          | Inf            | -Inf        | 86.26      | 3        | Horizontal | 229         | 1.61       | -       | 36.58   | 7.07    | 33.12   |
| RMS  | 6.8494G   | 88.01          | Inf            | -Inf        | 77.46      | 3        | Horizontal | 229         | 1.61       | -       | 36.60   | 7.07    | 33.12   |
| PK   | 7.1504G   | 63.89          | 88.20          | -24.31      | 52.91      | 3        | Horizontal | 229         | 1.61       | -       | 36.90   | 7.22    | 33.14   |
| RMS  | 7.1378G   | 52.60          | 68.20          | -15.60      | 41.71      | 3        | Horizontal | 229         | 1.61       | -       | 36.80   | 7.23    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT X\_1TX  
Setting 51  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 13.71132G | 62.25          | 88.20          | -25.95      | 43.08      | 3        | Vertical  | 314         | 1.32       | -       | 40.53   | 9.77    | 31.13   |
| RMS  | 13.72296G | 47.91          | 68.20          | -20.29      | 28.70      | 3        | Vertical  | 314         | 1.32       | -       | 40.57   | 9.78    | 31.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT X\_1TX  
Setting 51  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.71708G    | 61.57             | 88.20             | -26.63         | 42.39         | 3           | Horizontal | 136            | 2.89          | -       | 40.55      | 9.77       | 31.14      |
| RMS  | 13.72278G    | 47.82             | 68.20             | -20.38         | 28.61         | 3           | Horizontal | 136            | 2.89          | -       | 40.57      | 9.78       | 31.14      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6855MHz\_TnomVnom




EUT X\_1TX  
Setting 51  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.56509G | 46.64          | 83.54          | -36.90      | 42.98      | 1        | Vertical  | 325         | 1.96       | -       | 37.78   | 15.75   | 49.87   |
| AV   | 20.56454G | 32.61          | 63.54          | -30.93      | 28.95      | 1        | Vertical  | 325         | 1.96       | -       | 37.78   | 15.75   | 49.87   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6855MHz\_TnomVnom




EUT X\_1TX  
Setting 51  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.5647G     | 46.60             | 83.54             | -36.94         | 42.94         | 1           | Horizontal | 1              | 2.27          | -       | 37.78      | 15.75      | 49.87      |
| AV   | 20.5645G     | 32.69             | 63.54             | -30.85         | 29.03         | 1           | Horizontal | 1              | 2.27          | -       | 37.78      | 15.75      | 49.87      |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 53  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.882G    | 111.02         | Inf            | -Inf        | 100.69     | 3        | Vertical  | 226         | 1.87       | -       | 36.34   | 7.12    | 33.13   |
| RMS  | 6.882G    | 101.07         | Inf            | -Inf        | 90.74      | 3        | Vertical  | 226         | 1.87       | -       | 36.34   | 7.12    | 33.13   |
| PK   | 7.1718G   | 63.71          | 88.20          | -24.49      | 52.64      | 3        | Vertical  | 226         | 1.87       | -       | 36.99   | 7.21    | 33.13   |
| RMS  | 7.1284G   | 52.74          | 68.20          | -15.46      | 41.91      | 3        | Vertical  | 226         | 1.87       | -       | 36.73   | 7.24    | 33.14   |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 53  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.8792G   | 99.03          | Inf            | -Inf        | 88.67      | 3        | Horizontal | 212         | 1.67       | -       | 36.37   | 7.12    | 33.13   |
| RMS  | 6.882G    | 89.97          | Inf            | -Inf        | 79.64      | 3        | Horizontal | 212         | 1.67       | -       | 36.34   | 7.12    | 33.13   |
| PK   | 7.1354G   | 63.47          | 88.20          | -24.73      | 52.60      | 3        | Horizontal | 212         | 1.67       | -       | 36.78   | 7.23    | 33.14   |
| RMS  | 7.1536G   | 52.59          | 68.20          | -15.61      | 41.59      | 3        | Horizontal | 212         | 1.67       | -       | 36.91   | 7.22    | 33.13   |



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 53  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 13.75072G | 62.36          | 88.20          | -25.84      | 43.08      | 3        | Vertical  | 242         | 1.80       | -       | 40.65   | 9.79    | 31.16   |
| RMS  | 13.76278G | 48.10          | 68.20          | -20.10      | 28.79      | 3        | Vertical  | 242         | 1.80       | -       | 40.69   | 9.79    | 31.17   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX


### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom



EUT X\_1TX  
Setting 53  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.74544G    | 61.78             | 88.20             | -26.42         | 42.51         | 3           | Horizontal | 284            | 1.80          | -       | 40.64      | 9.79       | 31.16      |
| RMS  | 13.765G      | 48.01             | 68.20             | -20.19         | 28.69         | 3           | Horizontal | 284            | 1.80          | -       | 40.70      | 9.79       | 31.17      |

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT X\_1TX  
 Setting 53  
 01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.62455G | 46.65          | 83.54          | -36.89      | 42.87      | 1        | Vertical  | 85          | 1.36       | -       | 37.85   | 15.78   | 49.85   |
| AV   | 20.6245G  | 32.71          | 63.54          | -30.83      | 28.93      | 1        | Vertical  | 85          | 1.36       | -       | 37.85   | 15.78   | 49.85   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 53  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.62491G    | 47.24             | 83.54             | -36.30         | 43.46         | 1           | Horizontal | 157            | 1.40          | -       | 37.85      | 15.78      | 49.85      |
| AV   | 20.62454G    | 32.74             | 63.54             | -30.80         | 28.96         | 1           | Horizontal | 157            | 1.40          | -       | 37.85      | 15.78      | 49.85      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT X\_1TX  
Setting 52  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.902G    | 112.28         | Inf            | -Inf        | 102.06     | 3        | Vertical  | 238         | 2.02       | -       | 36.21   | 7.15    | 33.14   |
| RMS  | 6.8992G   | 102.30         | Inf            | -Inf        | 92.08      | 3        | Vertical  | 238         | 2.02       | -       | 36.21   | 7.15    | 33.14   |
| PK   | 7.1274G   | 63.40          | 88.20          | -24.80      | 52.58      | 3        | Vertical  | 238         | 2.02       | -       | 36.72   | 7.24    | 33.14   |
| RMS  | 7.1288G   | 52.51          | 68.20          | -15.69      | 41.68      | 3        | Vertical  | 238         | 2.02       | -       | 36.73   | 7.24    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT X\_1TX  
Setting 52  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.8936G   | 100.91         | Inf            | -Inf        | 90.66      | 3        | Horizontal | 212         | 1.77       | -       | 36.25   | 7.14    | 33.14   |
| RMS  | 6.8978G   | 91.22          | Inf            | -Inf        | 80.99      | 3        | Horizontal | 212         | 1.77       | -       | 36.22   | 7.15    | 33.14   |
| PK   | 7.1596G   | 65.03          | 88.20          | -23.17      | 54.00      | 3        | Horizontal | 212         | 1.77       | -       | 36.94   | 7.22    | 33.13   |
| RMS  | 7.1316G   | 52.41          | 68.20          | -15.79      | 41.57      | 3        | Horizontal | 212         | 1.77       | -       | 36.75   | 7.23    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT X\_1TX  
Setting 52  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.78238G    | 62.12             | 88.20             | -26.08         | 42.75         | 3           | Vertical  | 147            | 1.44          | -       | 40.75      | 9.80       | 31.18      |
| RMS  | 13.78916G    | 48.29             | 68.20             | -19.91         | 28.90         | 3           | Vertical  | 147            | 1.44          | -       | 40.77      | 9.81       | 31.19      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT X\_1TX  
Setting 52  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.80206G    | 61.84             | 88.20             | -26.36         | 42.43         | 3           | Horizontal | 253            | 2.09          | -       | 40.80      | 9.81       | 31.20      |
| RMS  | 13.78058G    | 48.21             | 68.20             | -19.99         | 28.85         | 3           | Horizontal | 253            | 2.09          | -       | 40.74      | 9.80       | 31.18      |



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6895MHz\_TnomVnom




EUT X\_1TX  
Setting 52  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.68469G    | 47.65             | 83.54             | -35.89         | 43.75         | 1           | Vertical  | 113            | 2.95          | -       | 37.92      | 15.81      | 49.83      |
| AV   | 20.685G      | 33.03             | 63.54             | -30.51         | 29.13         | 1           | Vertical  | 113            | 2.95          | -       | 37.92      | 15.81      | 49.83      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT X\_1TX  
Setting 52  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.68516G    | 47.23             | 83.54             | -36.31         | 43.33         | 1           | Horizontal | 164            | 1.93          | -       | 37.92      | 15.81      | 49.83      |
| AV   | 20.68503G    | 33.00             | 63.54             | -30.54         | 29.10         | 1           | Horizontal | 164            | 1.93          | -       | 37.92      | 15.81      | 49.83      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.003G    | 112.35         | Inf            | -Inf        | 101.92     | 3        | Vertical  | 233         | 1.98       | -       | 36.32   | 7.30    | 33.19   |
| RMS  | 7.001G    | 102.23         | Inf            | -Inf        | 91.81      | 3        | Vertical  | 233         | 1.98       | -       | 36.31   | 7.30    | 33.19   |
| PK   | 7.208G    | 63.99          | 88.20          | -24.21      | 52.80      | 3        | Vertical  | 233         | 1.98       | -       | 37.10   | 7.21    | 33.12   |
| RMS  | 7.197G    | 53.22          | 68.20          | -14.98      | 42.05      | 3        | Vertical  | 233         | 1.98       | -       | 37.09   | 7.20    | 33.12   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.001G    | 101.46         | Inf            | -Inf        | 91.04      | 3        | Horizontal | 211         | 1.35       | -       | 36.31   | 7.30    | 33.19   |
| RMS  | 7.002G    | 90.90          | Inf            | -Inf        | 80.48      | 3        | Horizontal | 211         | 1.35       | -       | 36.31   | 7.30    | 33.19   |
| PK   | 7.218G    | 63.96          | 88.20          | -24.24      | 52.75      | 3        | Horizontal | 211         | 1.35       | -       | 37.10   | 7.22    | 33.11   |
| RMS  | 7.137G    | 52.55          | 68.20          | -15.65      | 41.66      | 3        | Horizontal | 211         | 1.35       | -       | 36.80   | 7.23    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.99414G    | 62.55             | 88.20             | -25.65         | 43.08         | 3           | Vertical  | 154            | 2.01          | -       | 40.90      | 9.90       | 31.33      |
| RMS  | 13.98028G    | 48.22             | 68.20             | -19.98         | 28.75         | 3           | Vertical  | 154            | 2.01          | -       | 40.90      | 9.89       | 31.32      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.98862G    | 61.96             | 88.20             | -26.24         | 42.49         | 3           | Horizontal | 118            | 2.35          | -       | 40.90      | 9.89       | 31.32      |
| RMS  | 13.98022G    | 48.21             | 68.20             | -19.99         | 28.74         | 3           | Horizontal | 118            | 2.35          | -       | 40.90      | 9.89       | 31.32      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.98486G    | 45.80             | 83.54             | -37.74         | 41.95         | 1           | Vertical  | 301            | 1.50          | -       | 37.62      | 15.94      | 49.71      |
| AV   | 20.98491G    | 31.87             | 63.54             | -31.67         | 28.02         | 1           | Vertical  | 301            | 1.50          | -       | 37.62      | 15.94      | 49.71      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.98544G    | 46.46             | 83.54             | -37.08         | 42.61         | 1           | Horizontal | 330            | 2.24          | -       | 37.62      | 15.94      | 49.71      |
| AV   | 20.98483G    | 31.92             | 63.54             | -31.62         | 28.07         | 1           | Horizontal | 330            | 2.24          | -       | 37.62      | 15.94      | 49.71      |



802.11ax HEW20\_Nss1,(MCS0)\_1TX

7095MHz\_TnomVnom




EUT X\_1TX  
Setting 52  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.1016G   | 115.42         | Inf            | -Inf        | 104.81     | 3        | Vertical  | 239         | 2.00       | -       | 36.51   | 7.25    | 33.15   |
| RMS  | 7.098G    | 104.08         | Inf            | -Inf        | 93.48      | 3        | Vertical  | 239         | 2.00       | -       | 36.50   | 7.25    | 33.15   |
| PK   | 7.125G    | 65.42          | 88.20          | -22.78      | 54.62      | 3        | Vertical  | 239         | 2.00       | -       | 36.70   | 7.24    | 33.14   |
| RMS  | 7.125G    | 54.59          | 68.20          | -13.61      | 43.79      | 3        | Vertical  | 239         | 2.00       | -       | 36.70   | 7.24    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT X\_1TX  
Setting 52  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.0992G   | 103.01         | Inf            | -Inf        | 92.41      | 3        | Horizontal | 213         | 1.51       | -       | 36.50   | 7.25    | 33.15   |
| RMS  | 7.098G    | 91.74          | Inf            | -Inf        | 81.14      | 3        | Horizontal | 213         | 1.51       | -       | 36.50   | 7.25    | 33.15   |
| PK   | 7.1376G   | 64.68          | 88.20          | -23.52      | 53.79      | 3        | Horizontal | 213         | 1.51       | -       | 36.80   | 7.23    | 33.14   |
| RMS  | 7.1268G   | 52.73          | 68.20          | -15.47      | 41.92      | 3        | Horizontal | 213         | 1.51       | -       | 36.71   | 7.24    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT X\_1TX  
Setting 52  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.18892G    | 62.85             | 88.20             | -25.35         | 43.60         | 3           | Vertical  | 244            | 1.61          | -       | 40.81      | 9.96       | 31.52      |
| RMS  | 14.18112G    | 48.36             | 68.20             | -19.84         | 29.10         | 3           | Vertical  | 244            | 1.61          | -       | 40.82      | 9.95       | 31.51      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT X\_1TX  
Setting 52  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.1783G     | 62.74             | 88.20             | -25.46         | 43.47         | 3           | Horizontal | 266            | 2.56          | -       | 40.82      | 9.95       | 31.50      |
| RMS  | 14.18394G    | 48.27             | 68.20             | -19.93         | 29.00         | 3           | Horizontal | 266            | 2.56          | -       | 40.82      | 9.96       | 31.51      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT X\_1TX  
Setting 52  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.28505G    | 47.87             | 83.54             | -35.67         | 43.79         | 1           | Vertical  | 270            | 2.84          | -       | 37.64      | 16.08      | 49.64      |
| AV   | 21.28487G    | 33.73             | 63.54             | -29.81         | 29.65         | 1           | Vertical  | 270            | 2.84          | -       | 37.64      | 16.08      | 49.64      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT X\_1TX  
Setting 52  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.28545G    | 47.91             | 83.54             | -35.63         | 43.83         | 1           | Horizontal | 21             | 1.08          | -       | 37.64      | 16.08      | 49.64      |
| AV   | 21.28483G    | 33.74             | 63.54             | -29.80         | 29.66         | 1           | Horizontal | 21             | 1.08          | -       | 37.64      | 16.08      | 49.64      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5965MHz\_TnomVnom




EUT\_X\_1TX  
Setting 58  
01-A-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.925G       | 76.72             | 88.20             | -11.48         | 68.06         | 3           | Vertical  | 239            | 2.03          | -       | 35.00      | 6.60       | 32.94      |
| RMS  | 5.925G       | 63.00             | 68.20             | -5.20          | 54.34         | 3           | Vertical  | 239            | 2.03          | -       | 35.00      | 6.60       | 32.94      |
| PK   | 5.955G       | 111.71            | Inf               | -Inf           | 102.94        | 3           | Vertical  | 239            | 2.03          | -       | 35.12      | 6.60       | 32.95      |
| RMS  | 5.972G       | 101.47            | Inf               | -Inf           | 92.63         | 3           | Vertical  | 239            | 2.03          | -       | 35.19      | 6.60       | 32.95      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5965MHz\_TnomVnom




EUT X\_1TX  
Setting 58  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.921G    | 63.73          | 88.20          | -24.47      | 55.09      | 3        | Horizontal | 26          | 2.11       | -       | 34.98   | 6.60    | 32.94   |
| RMS  | 5.925G    | 52.51          | 68.20          | -15.69      | 43.85      | 3        | Horizontal | 26          | 2.11       | -       | 35.00   | 6.60    | 32.94   |
| PK   | 5.947G    | 98.51          | Inf            | -Inf        | 89.76      | 3        | Horizontal | 26          | 2.11       | -       | 35.09   | 6.60    | 32.94   |
| RMS  | 5.97G     | 87.67          | Inf            | -Inf        | 78.84      | 3        | Horizontal | 26          | 2.11       | -       | 35.18   | 6.60    | 32.95   |



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5965MHz\_TnomVnom




EUT\_X\_1TX  
Setting 58  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 11.91866G | 56.96          | 74.00          | -17.04      | 42.35      | 3        | Vertical  | 337         | 2.76       | -       | 38.50   | 8.98    | 32.87   |
| AV   | 11.93288G | 44.28          | 54.00          | -9.72       | 29.67      | 3        | Vertical  | 337         | 2.76       | -       | 38.50   | 8.98    | 32.87   |
| PK   | 17.90718G | 66.38          | 74.00          | -7.62       | 44.18      | 3        | Vertical  | 170         | 1.52       | -       | 42.81   | 11.07   | 31.68   |
| AV   | 17.88096G | 52.02          | 54.00          | -1.98       | 29.93      | 3        | Vertical  | 170         | 1.52       | -       | 42.72   | 11.06   | 31.69   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5965MHz\_TnomVnom




EUT X\_1TX  
Setting 58  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 11.9438G  | 56.33          | 74.00          | -17.67      | 41.71      | 3        | Horizontal | 17          | 1.80       | -       | 38.50   | 8.99    | 32.87   |
| AV   | 11.91716G | 43.43          | 54.00          | -10.57      | 28.82      | 3        | Horizontal | 17          | 1.80       | -       | 38.50   | 8.98    | 32.87   |
| PK   | 17.90382G | 67.13          | 74.00          | -6.87       | 44.94      | 3        | Horizontal | 41          | 1.80       | -       | 42.80   | 11.07   | 31.68   |
| AV   | 17.9022G  | 52.20          | 54.00          | -1.80       | 30.01      | 3        | Horizontal | 41          | 1.80       | -       | 42.80   | 11.07   | 31.68   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6165MHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8902G   | 60.93          | 88.20          | -27.27      | 52.39      | 3        | Vertical  | 240         | 1.92       | -       | 34.88   | 6.60    | 32.94   |
| RMS  | 5.907G    | 50.53          | 68.20          | -17.67      | 41.94      | 3        | Vertical  | 240         | 1.92       | -       | 34.93   | 6.60    | 32.94   |
| PK   | 6.1746G   | 112.27         | Inf            | -Inf        | 102.96     | 3        | Vertical  | 240         | 1.92       | -       | 35.40   | 6.86    | 32.95   |
| RMS  | 6.1806G   | 101.50         | Inf            | -Inf        | 92.16      | 3        | Vertical  | 240         | 1.92       | -       | 35.42   | 6.87    | 32.95   |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6165MHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.913G    | 60.89          | 88.20          | -27.31      | 52.28      | 3        | Horizontal | 331         | 1.98       | -       | 34.95   | 6.60    | 32.94   |
| RMS  | 5.9238G   | 49.98          | 68.20          | -18.22      | 41.32      | 3        | Horizontal | 331         | 1.98       | -       | 35.00   | 6.60    | 32.94   |
| PK   | 6.1698G   | 98.26          | Inf            | -Inf        | 88.98      | 3        | Horizontal | 331         | 1.98       | -       | 35.38   | 6.85    | 32.95   |
| RMS  | 6.1806G   | 88.26          | Inf            | -Inf        | 78.92      | 3        | Horizontal | 331         | 1.98       | -       | 35.42   | 6.87    | 32.95   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6165MHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.32706G    | 57.59             | 74.00             | -16.41         | 42.36         | 3           | Vertical  | 167            | 2.54          | -       | 38.55      | 9.15       | 32.47      |
| AV   | 12.32334G    | 44.84             | 54.00             | -9.16          | 29.62         | 3           | Vertical  | 167            | 2.54          | -       | 38.55      | 9.15       | 32.48      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6165MHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.33552G    | 57.12             | 74.00             | -16.88         | 41.86         | 3           | Horizontal | 322            | 2.79          | -       | 38.57      | 9.15       | 32.46      |
| AV   | 12.33072G    | 45.26             | 54.00             | -8.74          | 30.02         | 3           | Horizontal | 322            | 2.79          | -       | 38.56      | 9.15       | 32.47      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6165MHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 18.49534G | 46.46          | 83.54          | -37.08      | 43.87      | 1        | Vertical  | 326         | 2.69       | -       | 37.79   | 14.90   | 50.10   |
| AV   | 18.49535G | 33.57          | 63.54          | -29.97      | 30.98      | 1        | Vertical  | 326         | 2.69       | -       | 37.79   | 14.90   | 50.10   |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6165MHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 18.49529G | 45.74          | 83.54          | -37.80      | 43.15      | 1        | Horizontal | 205         | 1.30       | -       | 37.79   | 14.90   | 50.10   |
| AV   | 18.49542G | 32.94          | 63.54          | -30.60      | 30.35      | 1        | Horizontal | 205         | 1.30       | -       | 37.79   | 14.90   | 50.10   |



802.11ax HEW40\_Nss1,(MCS0)\_1TX

6405MHz\_TnomVnom




EUT X\_1TX  
Setting 57  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.889G    | 60.89          | 88.20          | -27.31      | 52.35      | 3        | Vertical  | 243         | 1.84       | -       | 34.88   | 6.60    | 32.94   |
| RMS  | 5.9226G   | 50.32          | 68.20          | -17.88      | 41.67      | 3        | Vertical  | 243         | 1.84       | -       | 34.99   | 6.60    | 32.94   |
| PK   | 6.4002G   | 113.63         | Inf            | -Inf        | 103.98     | 3        | Vertical  | 243         | 1.84       | -       | 35.60   | 7.00    | 32.95   |
| RMS  | 6.3978G   | 102.90         | Inf            | -Inf        | 93.26      | 3        | Vertical  | 243         | 1.84       | -       | 35.59   | 7.00    | 32.95   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6405MHz\_TnomVnom




EUT X\_1TX  
Setting 57  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8842G   | 60.07          | 88.20          | -28.13      | 51.54      | 3        | Horizontal | 223         | 1.68       | -       | 34.87   | 6.60    | 32.94   |
| RMS  | 5.925G    | 49.93          | 68.20          | -18.27      | 41.27      | 3        | Horizontal | 223         | 1.68       | -       | 35.00   | 6.60    | 32.94   |
| PK   | 6.393G    | 100.50         | Inf            | -Inf        | 90.89      | 3        | Horizontal | 223         | 1.68       | -       | 35.56   | 7.00    | 32.95   |
| RMS  | 6.4122G   | 90.84          | Inf            | -Inf        | 81.24      | 3        | Horizontal | 223         | 1.68       | -       | 35.55   | 7.00    | 32.95   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6405MHz\_TnomVnom




EUT X\_1TX  
Setting 57  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.80322G    | 57.00             | 88.20             | -31.20         | 40.31         | 3           | Vertical  | 182            | 2.69          | -       | 39.20      | 9.36       | 31.87      |
| RMS  | 12.8046G     | 45.00             | 68.20             | -23.20         | 28.31         | 3           | Vertical  | 182            | 2.69          | -       | 39.20      | 9.36       | 31.87      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6405MHz\_TnomVnom




EUT X\_1TX  
Setting 57  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.80418G    | 57.35             | 88.20             | -30.85         | 40.66         | 3           | Horizontal | 228            | 1.42          | -       | 39.20      | 9.36       | 31.87      |
| RMS  | 12.79668G    | 44.90             | 68.20             | -23.30         | 28.23         | 3           | Horizontal | 228            | 1.42          | -       | 39.19      | 9.36       | 31.88      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6405MHz\_TnomVnom




EUT X\_1TX  
Setting 57  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.21546G    | 44.71             | 83.54             | -38.83         | 41.42         | 1           | Vertical  | 197            | 2.07          | -       | 37.74      | 15.19      | 49.64      |
| AV   | 19.21452G    | 32.24             | 63.54             | -31.30         | 28.95         | 1           | Vertical  | 197            | 2.07          | -       | 37.74      | 15.19      | 49.64      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6405MHz\_TnomVnom




EUT X\_1TX  
Setting 57  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.21544G | 46.34          | 83.54          | -37.20      | 43.05      | 1        | Horizontal | 223         | 1.42       | -       | 37.74   | 15.19   | 49.64   |
| AV   | 19.2155G  | 33.30          | 63.54          | -30.24      | 30.01      | 1        | Horizontal | 223         | 1.42       | -       | 37.74   | 15.19   | 49.64   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6445MHz\_TnomVnom




EUT\_X\_1TX  
Setting 60  
01-A-E-2-10

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 5.873G       | 61.10             | 88.20             | -27.10         | 52.59         | 3           | Vertical  | 227            | 1.97          | -       | 34.85      | 6.60       | 32.94      |
| RMS  | 5.9198G      | 50.23             | 68.20             | -17.97         | 41.59         | 3           | Vertical  | 227            | 1.97          | -       | 34.98      | 6.60       | 32.94      |
| PK   | 6.4476G      | 109.77            | Inf               | -Inf           | 100.31        | 3           | Vertical  | 227            | 1.97          | -       | 35.41      | 7.00       | 32.95      |
| RMS  | 6.4398G      | 99.88             | Inf               | -Inf           | 90.39         | 3           | Vertical  | 227            | 1.97          | -       | 35.44      | 7.00       | 32.95      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6445MHz\_TnomVnom




EUT\_X\_1TX  
Setting 60  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8288G   | 60.83          | 88.20          | -27.37      | 52.53      | 3        | Horizontal | 226         | 1.77       | -       | 34.63   | 6.60    | 32.93   |
| RMS  | 5.9198G   | 50.08          | 68.20          | -18.12      | 41.44      | 3        | Horizontal | 226         | 1.77       | -       | 34.98   | 6.60    | 32.94   |
| PK   | 6.4398G   | 98.93          | Inf            | -Inf        | 89.44      | 3        | Horizontal | 226         | 1.77       | -       | 35.44   | 7.00    | 32.95   |
| RMS  | 6.4424G   | 88.37          | Inf            | -Inf        | 78.89      | 3        | Horizontal | 226         | 1.77       | -       | 35.43   | 7.00    | 32.95   |



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6445MHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 12.87584G | 58.41          | 88.20          | -29.79      | 41.52      | 3        | Vertical  | 311         | 2.58       | -       | 39.28   | 9.39    | 31.78   |
| RMS  | 12.88778G | 45.97          | 68.20          | -22.23      | 29.04      | 3        | Vertical  | 311         | 2.58       | -       | 39.29   | 9.40    | 31.76   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6445MHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.90134G    | 58.45             | 88.20             | -29.75         | 41.49         | 3           | Horizontal | 139            | 2.93          | -       | 39.30      | 9.41       | 31.75      |
| RMS  | 12.89816G    | 46.25             | 68.20             | -21.95         | 29.30         | 3           | Horizontal | 139            | 2.93          | -       | 39.30      | 9.40       | 31.75      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6445MHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.33452G | 45.90          | 83.54          | -37.64      | 42.57      | 1        | Vertical  | 275         | 2.49       | -       | 37.77   | 15.23   | 49.67   |
| AV   | 19.33454G | 33.54          | 63.54          | -30.00      | 30.21      | 1        | Vertical  | 275         | 2.49       | -       | 37.77   | 15.23   | 49.67   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6445MHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.33506G | 46.39          | 83.54          | -37.15      | 43.06      | 1        | Horizontal | 231         | 2.17       | -       | 37.77   | 15.23   | 49.67   |
| AV   | 19.33469G | 33.34          | 63.54          | -30.20      | 30.01      | 1        | Horizontal | 231         | 2.17       | -       | 37.77   | 15.23   | 49.67   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6485MHz\_TnomVnom




EUT\_X\_1TX  
Setting 61  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.813G    | 60.65          | 88.20          | -27.55      | 52.48      | 3        | Vertical  | 228         | 2.04       | -       | 34.50   | 6.60    | 32.93   |
| RMS  | 5.9166G   | 50.05          | 68.20          | -18.15      | 41.42      | 3        | Vertical  | 228         | 2.04       | -       | 34.97   | 6.60    | 32.94   |
| PK   | 6.4934G   | 111.27         | Inf            | -Inf        | 101.65     | 3        | Vertical  | 228         | 2.04       | -       | 35.57   | 7.00    | 32.95   |
| RMS  | 6.4906G   | 101.56         | Inf            | -Inf        | 91.95      | 3        | Vertical  | 228         | 2.04       | -       | 35.56   | 7.00    | 32.95   |
| PK   | 7.1682G   | 63.18          | 88.20          | -25.02      | 52.12      | 3        | Vertical  | 228         | 2.04       | -       | 36.97   | 7.22    | 33.13   |
| RMS  | 7.129G    | 52.57          | 68.20          | -15.63      | 41.74      | 3        | Vertical  | 228         | 2.04       | -       | 36.73   | 7.24    | 33.14   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6485MHz\_TnomVnom




EUT\_X\_1TX  
Setting 61  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8494G   | 60.33          | 88.20          | -27.87      | 51.86      | 3        | Horizontal | 360         | 1.92       | -       | 34.80   | 6.60    | 32.93   |
| RMS  | 5.925G    | 50.05          | 68.20          | -18.15      | 41.39      | 3        | Horizontal | 360         | 1.92       | -       | 35.00   | 6.60    | 32.94   |
| PK   | 6.4934G   | 100.07         | Inf            | -Inf        | 90.45      | 3        | Horizontal | 360         | 1.92       | -       | 35.57   | 7.00    | 32.95   |
| RMS  | 6.499G    | 90.17          | Inf            | -Inf        | 80.52      | 3        | Horizontal | 360         | 1.92       | -       | 35.60   | 7.00    | 32.95   |
| PK   | 7.1262G   | 62.94          | 88.20          | -25.26      | 52.13      | 3        | Horizontal | 360         | 1.92       | -       | 36.71   | 7.24    | 33.14   |
| RMS  | 7.1262G   | 52.53          | 68.20          | -15.67      | 41.72      | 3        | Horizontal | 360         | 1.92       | -       | 36.71   | 7.24    | 33.14   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6485MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.96466G    | 58.48             | 88.20             | -29.72         | 41.23         | 3           | Vertical  | 1              | 2.85          | -       | 39.49      | 9.43       | 31.67      |
| RMS  | 12.9793G     | 45.73             | 68.20             | -22.47         | 28.40         | 3           | Vertical  | 1              | 2.85          | -       | 39.54      | 9.44       | 31.65      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6485MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.9577G     | 58.14             | 88.20             | -30.06         | 40.91         | 3           | Horizontal | 95             | 2.50          | -       | 39.47      | 9.43       | 31.67      |
| RMS  | 12.97372G    | 46.01             | 68.20             | -22.19         | 28.70         | 3           | Horizontal | 95             | 2.50          | -       | 39.52      | 9.44       | 31.65      |



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6485MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.45487G | 45.19          | 83.54          | -38.35      | 41.74      | 1        | Vertical  | 112         | 1.84       | -       | 37.86   | 15.28   | 49.69   |
| AV   | 19.4555G  | 33.17          | 63.54          | -30.37      | 29.72      | 1        | Vertical  | 112         | 1.84       | -       | 37.86   | 15.28   | 49.69   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX


### 6485MHz\_TnomVnom



EUT X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.45493G | 46.01          | 83.54          | -37.53      | 42.56      | 1        | Horizontal | 160         | 1.88       | -       | 37.86   | 15.28   | 49.69   |
| AV   | 19.45538G | 33.09          | 63.54          | -30.45      | 29.64      | 1        | Horizontal | 160         | 1.88       | -       | 37.86   | 15.28   | 49.69   |

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_X\_1TX  
 Setting 60  
 01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9118G   | 60.08          | 88.20          | -28.12      | 51.47      | 3        | Vertical  | 226         | 2.05       | -       | 34.95   | 6.60    | 32.94   |
| RMS  | 5.923G    | 50.05          | 68.20          | -18.15      | 41.40      | 3        | Vertical  | 226         | 2.05       | -       | 34.99   | 6.60    | 32.94   |
| PK   | 6.5082G   | 109.70         | Inf            | -Inf        | 100.02     | 3        | Vertical  | 226         | 2.05       | -       | 35.63   | 7.00    | 32.95   |
| RMS  | 6.5306G   | 100.35         | Inf            | -Inf        | 90.59      | 3        | Vertical  | 226         | 2.05       | -       | 35.72   | 7.00    | 32.96   |
| PK   | 7.141G    | 64.33          | 88.20          | -23.87      | 53.41      | 3        | Vertical  | 226         | 2.05       | -       | 36.83   | 7.23    | 33.14   |
| RMS  | 7.1438G   | 52.64          | 68.20          | -15.56      | 41.70      | 3        | Vertical  | 226         | 2.05       | -       | 36.85   | 7.23    | 33.14   |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_1TX  
Setting 60  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8362G   | 60.60          | 88.20          | -27.60      | 52.24      | 3        | Horizontal | 0           | 2.16       | -       | 34.69   | 6.60    | 32.93   |
| RMS  | 5.925G    | 50.07          | 68.20          | -18.13      | 41.41      | 3        | Horizontal | 0           | 2.16       | -       | 35.00   | 6.60    | 32.94   |
| PK   | 6.5362G   | 99.39          | Inf            | -Inf        | 89.62      | 3        | Horizontal | 0           | 2.16       | -       | 35.74   | 7.00    | 32.97   |
| RMS  | 6.511G    | 89.89          | Inf            | -Inf        | 80.21      | 3        | Horizontal | 0           | 2.16       | -       | 35.64   | 7.00    | 32.96   |
| PK   | 7.1298G   | 62.84          | 88.20          | -25.36      | 52.00      | 3        | Horizontal | 0           | 2.16       | -       | 36.74   | 7.24    | 33.14   |
| RMS  | 7.1438G   | 52.59          | 68.20          | -15.61      | 41.65      | 3        | Horizontal | 0           | 2.16       | -       | 36.85   | 7.23    | 33.14   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.04238G    | 58.08             | 88.20             | -30.12         | 40.54         | 3           | Vertical  | 261            | 2.99          | -       | 39.64      | 9.47       | 31.57      |
| RMS  | 13.05168G    | 45.92             | 68.20             | -22.28         | 28.35         | 3           | Vertical  | 261            | 2.99          | -       | 39.65      | 9.47       | 31.55      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.06368G    | 57.87             | 88.20             | -30.33         | 40.27         | 3           | Horizontal | 275            | 1.07          | -       | 39.66      | 9.48       | 31.54      |
| RMS  | 13.05006G    | 46.09             | 68.20             | -22.11         | 28.53         | 3           | Horizontal | 275            | 1.07          | -       | 39.65      | 9.47       | 31.56      |

802.11ax HEW40\_Nss1,(MCS0)\_1TX


6525MHz Straddle 6.425-6.525GHz\_TnomVnom



EUT X\_1TX  
Setting 60  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.5752G  | 46.40          | 83.54          | -37.14      | 42.90      | 1        | Vertical  | 69          | 1.49       | -       | 37.87   | 15.33   | 49.70   |
| AV   | 19.57547G | 34.02          | 63.54          | -29.52      | 30.52      | 1        | Vertical  | 69          | 1.49       | -       | 37.87   | 15.33   | 49.70   |

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT X\_1TX  
 Setting 60  
 01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.57459G | 46.06          | 83.54          | -37.48      | 42.56      | 1        | Horizontal | 91          | 2.02       | -       | 37.87   | 15.33   | 49.70   |
| AV   | 19.5755G  | 34.09          | 63.54          | -29.45      | 30.59      | 1        | Horizontal | 91          | 2.02       | -       | 37.87   | 15.33   | 49.70   |



802.11ax HEW40\_Nss1,(MCS0)\_1TX

6565MHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.5794G   | 110.56         | Inf            | -Inf        | 100.69     | 3        | Vertical  | 226         | 1.94       | -       | 35.86   | 7.00    | 32.99   |
| RMS  | 6.5818G   | 101.25         | Inf            | -Inf        | 91.38      | 3        | Vertical  | 226         | 1.94       | -       | 35.86   | 7.00    | 32.99   |
| PK   | 7.1386G   | 62.72          | 88.20          | -25.48      | 51.82      | 3        | Vertical  | 226         | 1.94       | -       | 36.81   | 7.23    | 33.14   |
| RMS  | 7.141G    | 52.53          | 68.20          | -15.67      | 41.61      | 3        | Vertical  | 226         | 1.94       | -       | 36.83   | 7.23    | 33.14   |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6565MHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.5578G   | 100.70         | Inf            | -Inf        | 90.86      | 3        | Horizontal | 360         | 2.13       | -       | 35.82   | 7.00    | 32.98   |
| RMS  | 6.5794G   | 91.03          | Inf            | -Inf        | 81.16      | 3        | Horizontal | 360         | 2.13       | -       | 35.86   | 7.00    | 32.99   |
| PK   | 7.1602G   | 63.34          | 88.20          | -24.86      | 52.31      | 3        | Horizontal | 360         | 2.13       | -       | 36.94   | 7.22    | 33.13   |
| RMS  | 7.129G    | 52.59          | 68.20          | -15.61      | 41.76      | 3        | Horizontal | 360         | 2.13       | -       | 36.73   | 7.24    | 33.14   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6565MHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.1318G     | 58.06             | 88.20             | -30.14         | 40.24         | 3           | Vertical  | 342            | 2.96          | -       | 39.76      | 9.51       | 31.45      |
| RMS  | 13.12052G    | 46.14             | 68.20             | -22.06         | 28.37         | 3           | Vertical  | 342            | 2.96          | -       | 39.74      | 9.50       | 31.47      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6565MHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.11998G    | 58.62             | 88.20             | -29.58         | 40.85         | 3           | Horizontal | 233            | 2.66          | -       | 39.74      | 9.50       | 31.47      |
| RMS  | 13.13474G    | 45.92             | 68.20             | -22.28         | 28.09         | 3           | Horizontal | 233            | 2.66          | -       | 39.77      | 9.51       | 31.45      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6565MHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.69543G | 46.06          | 83.54          | -37.48      | 42.56      | 1        | Vertical  | 270         | 1.65       | -       | 37.82   | 15.38   | 49.70   |
| AV   | 19.69545G | 34.08          | 63.54          | -29.46      | 30.58      | 1        | Vertical  | 270         | 1.65       | -       | 37.82   | 15.38   | 49.70   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6565MHz\_TnomVnom




EUT X\_1TX  
Setting 60  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.69544G | 46.36          | 83.54          | -37.18      | 42.86      | 1        | Horizontal | 346         | 2.87       | -       | 37.82   | 15.38   | 49.70   |
| AV   | 19.69543G | 33.82          | 63.54          | -29.72      | 30.32      | 1        | Horizontal | 346         | 2.87       | -       | 37.82   | 15.38   | 49.70   |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6685MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.691G    | 112.03         | Inf            | -Inf        | 102.15     | 3        | Vertical  | 226         | 1.90       | -       | 35.92   | 7.00    | 33.04   |
| RMS  | 6.699G    | 101.90         | Inf            | -Inf        | 92.05      | 3        | Vertical  | 226         | 1.90       | -       | 35.90   | 7.00    | 33.05   |
| PK   | 7.147G    | 63.85          | 88.20          | -24.35      | 52.88      | 3        | Vertical  | 226         | 1.90       | -       | 36.88   | 7.23    | 33.14   |
| RMS  | 7.135G    | 52.76          | 68.20          | -15.44      | 41.89      | 3        | Vertical  | 226         | 1.90       | -       | 36.78   | 7.23    | 33.14   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6685MHz\_TnomVnom




EUT\_X\_1TX  
Setting 61  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.697G    | 101.93         | Inf            | -Inf        | 92.06      | 3        | Horizontal | 359         | 2.23       | -       | 35.91   | 7.00    | 33.04   |
| RMS  | 6.699G    | 92.18          | Inf            | -Inf        | 82.33      | 3        | Horizontal | 359         | 2.23       | -       | 35.90   | 7.00    | 33.05   |
| PK   | 7.157G    | 63.50          | 88.20          | -24.70      | 52.48      | 3        | Horizontal | 359         | 2.23       | -       | 36.93   | 7.22    | 33.13   |
| RMS  | 7.137G    | 52.65          | 68.20          | -15.55      | 41.76      | 3        | Horizontal | 359         | 2.23       | -       | 36.80   | 7.23    | 33.14   |



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6685MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.36112G    | 58.41             | 74.00             | -15.59         | 39.84         | 3           | Vertical  | 348            | 1.98          | -       | 40.12      | 9.61       | 31.16      |
| AV   | 13.38464G    | 46.18             | 54.00             | -7.82          | 27.53         | 3           | Vertical  | 348            | 1.98          | -       | 40.17      | 9.62       | 31.14      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6685MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.3583G     | 58.42             | 74.00             | -15.58         | 39.86         | 3           | Horizontal | 76             | 1.15          | -       | 40.12      | 9.61       | 31.17      |
| AV   | 13.36034G    | 46.10             | 54.00             | -7.90          | 27.54         | 3           | Horizontal | 76             | 1.15          | -       | 40.12      | 9.61       | 31.17      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6685MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.0547G     | 45.53             | 83.54             | -38.01         | 42.29         | 1           | Vertical  | 30             | 2.85          | -       | 37.44      | 15.52      | 49.72      |
| AV   | 20.05451G    | 32.81             | 63.54             | -30.73         | 29.57         | 1           | Vertical  | 30             | 2.85          | -       | 37.44      | 15.52      | 49.72      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6685MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.05477G    | 44.66             | 83.54             | -38.88         | 41.42         | 1           | Horizontal | 66             | 2.32          | -       | 37.44      | 15.52      | 49.72      |
| AV   | 20.05522G    | 32.99             | 63.54             | -30.55         | 29.75         | 1           | Horizontal | 66             | 2.32          | -       | 37.44      | 15.52      | 49.72      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6845MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.8322G   | 110.34         | Inf            | -Inf        | 99.94      | 3        | Vertical  | 227         | 1.90       | -       | 36.46   | 7.05    | 33.11   |
| RMS  | 6.8482G   | 100.27         | Inf            | -Inf        | 89.73      | 3        | Vertical  | 227         | 1.90       | -       | 36.59   | 7.07    | 33.12   |
| PK   | 7.2226G   | 63.64          | 88.20          | -24.56      | 52.43      | 3        | Vertical  | 227         | 1.90       | -       | 37.10   | 7.22    | 33.11   |
| RMS  | 7.1362G   | 53.00          | 68.20          | -15.20      | 42.12      | 3        | Vertical  | 227         | 1.90       | -       | 36.79   | 7.23    | 33.14   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6845MHz\_TnomVnom




EUT\_X\_1TX  
Setting 61  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.8482G   | 99.74          | Inf            | -Inf        | 89.20      | 3        | Horizontal | 225         | 1.28       | -       | 36.59   | 7.07    | 33.12   |
| RMS  | 6.8322G   | 89.88          | Inf            | -Inf        | 79.48      | 3        | Horizontal | 225         | 1.28       | -       | 36.46   | 7.05    | 33.11   |
| PK   | 7.1682G   | 64.20          | 88.20          | -24.00      | 53.14      | 3        | Horizontal | 225         | 1.28       | -       | 36.97   | 7.22    | 33.13   |
| RMS  | 7.1362G   | 52.68          | 68.20          | -15.52      | 41.80      | 3        | Horizontal | 225         | 1.28       | -       | 36.79   | 7.23    | 33.14   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6845MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 13.69564G | 61.10          | 88.20          | -27.10      | 41.97      | 3        | Vertical  | 41          | 2.11       | -       | 40.49   | 9.76    | 31.12   |
| RMS  | 13.70362G | 49.18          | 68.20          | -19.02      | 30.03      | 3        | Vertical  | 41          | 2.11       | -       | 40.51   | 9.77    | 31.13   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6845MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.6966G     | 61.67             | 88.20             | -26.53         | 42.54         | 3           | Horizontal | 95             | 1.35          | -       | 40.49      | 9.76       | 31.12      |
| RMS  | 13.7026G     | 48.94             | 68.20             | -19.26         | 29.79         | 3           | Horizontal | 95             | 1.35          | -       | 40.51      | 9.77       | 31.13      |



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 6845MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.53504G    | 47.54             | 83.54             | -36.00         | 43.95         | 1           | Vertical  | 7              | 1.14          | -       | 37.74      | 15.74      | 49.89      |
| AV   | 20.53502G    | 35.40             | 63.54             | -28.14         | 31.81         | 1           | Vertical  | 7              | 1.14          | -       | 37.74      | 15.74      | 49.89      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6845MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.53525G | 47.66          | 83.54          | -35.88      | 44.07      | 1        | Horizontal | 209         | 2.57       | -       | 37.74   | 15.74   | 49.89   |
| AV   | 20.53539G | 35.29          | 63.54          | -28.25      | 31.70      | 1        | Horizontal | 209         | 2.57       | -       | 37.74   | 15.74   | 49.89   |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 62  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.899G    | 112.99         | Inf            | -Inf        | 102.77     | 3        | Vertical  | 238         | 2.05       | -       | 36.21   | 7.15    | 33.14   |
| RMS  | 6.899G    | 102.60         | Inf            | -Inf        | 92.38      | 3        | Vertical  | 238         | 2.05       | -       | 36.21   | 7.15    | 33.14   |
| PK   | 7.1426G   | 63.97          | 88.20          | -24.23      | 53.04      | 3        | Vertical  | 238         | 2.05       | -       | 36.84   | 7.23    | 33.14   |
| RMS  | 7.151G    | 53.01          | 68.20          | -15.19      | 42.03      | 3        | Vertical  | 238         | 2.05       | -       | 36.90   | 7.22    | 33.14   |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 62  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.8906G   | 101.41         | Inf            | -Inf        | 91.13      | 3        | Horizontal | 212         | 1.77       | -       | 36.28   | 7.14    | 33.14   |
| RMS  | 6.8976G   | 91.35          | Inf            | -Inf        | 81.12      | 3        | Horizontal | 212         | 1.77       | -       | 36.22   | 7.15    | 33.14   |
| PK   | 7.1482G   | 64.07          | 88.20          | -24.13      | 53.09      | 3        | Horizontal | 212         | 1.77       | -       | 36.89   | 7.23    | 33.14   |
| RMS  | 7.1538G   | 52.67          | 68.20          | -15.53      | 41.66      | 3        | Horizontal | 212         | 1.77       | -       | 36.92   | 7.22    | 33.13   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 62  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.76838G    | 63.55             | 88.20             | -24.65         | 44.21         | 3           | Vertical  | 238            | 2.00          | -       | 40.71      | 9.80       | 31.17      |
| RMS  | 13.7763G     | 51.00             | 68.20             | -17.20         | 31.65         | 3           | Vertical  | 238            | 2.00          | -       | 40.73      | 9.80       | 31.18      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 62  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 13.77066G | 62.64          | 88.20          | -25.56      | 43.30      | 3        | Horizontal | 228         | 2.31       | -       | 40.71   | 9.80    | 31.17   |
| RMS  | 13.7715G  | 49.84          | 68.20          | -18.36      | 30.50      | 3        | Horizontal | 228         | 2.31       | -       | 40.71   | 9.80    | 31.17   |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 62  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.65526G | 46.96          | 83.54          | -36.58      | 43.12      | 1        | Vertical  | 56          | 2.86       | -       | 37.89   | 15.79   | 49.84   |
| AV   | 20.6547G  | 34.44          | 63.54          | -29.10      | 30.60      | 1        | Vertical  | 56          | 2.86       | -       | 37.89   | 15.79   | 49.84   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.65456G | 46.71          | 83.54          | -36.83      | 42.87      | 1        | Horizontal | 346         | 1.56       | -       | 37.89   | 15.79   | 49.84   |
| AV   | 20.65493G | 34.16          | 63.54          | -29.38      | 30.32      | 1        | Horizontal | 346         | 1.56       | -       | 37.89   | 15.79   | 49.84   |



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6925MHz\_TnomVnom




EUT\_X\_1TX  
Setting 58  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.925G    | 111.16         | Inf            | -Inf        | 100.77     | 3        | Vertical  | 236         | 1.94       | -       | 36.35   | 7.19    | 33.15   |
| RMS  | 6.9118G   | 101.46         | Inf            | -Inf        | 91.17      | 3        | Vertical  | 236         | 1.94       | -       | 36.27   | 7.17    | 33.15   |
| PK   | 7.1374G   | 65.00          | 88.20          | -23.20      | 54.11      | 3        | Vertical  | 236         | 1.94       | -       | 36.80   | 7.23    | 33.14   |
| RMS  | 7.1362G   | 53.61          | 68.20          | -14.59      | 42.73      | 3        | Vertical  | 236         | 1.94       | -       | 36.79   | 7.23    | 33.14   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6925MHz\_TnomVnom




EUT X\_1TX  
Setting 58  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.9106G   | 100.38         | Inf            | -Inf        | 90.10      | 3        | Horizontal | 212         | 1.69       | -       | 36.26   | 7.17    | 33.15   |
| RMS  | 6.9082G   | 90.25          | Inf            | -Inf        | 79.99      | 3        | Horizontal | 212         | 1.69       | -       | 36.25   | 7.16    | 33.15   |
| PK   | 7.1638G   | 63.35          | 88.20          | -24.85      | 52.30      | 3        | Horizontal | 212         | 1.69       | -       | 36.96   | 7.22    | 33.13   |
| RMS  | 7.1278G   | 52.70          | 68.20          | -15.50      | 41.88      | 3        | Horizontal | 212         | 1.69       | -       | 36.72   | 7.24    | 33.14   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6925MHz\_TnomVnom




EUT X\_1TX  
Setting 58  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.8395G     | 62.18             | 88.20             | -26.02         | 42.73         | 3           | Vertical  | 99             | 1.49          | -       | 40.84      | 9.83       | 31.22      |
| RMS  | 13.83614G    | 50.11             | 68.20             | -18.09         | 30.66         | 3           | Vertical  | 99             | 1.49          | -       | 40.84      | 9.83       | 31.22      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6925MHz\_TnomVnom




EUT X\_1TX  
Setting 58  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.85372G    | 62.63             | 88.20             | -25.57         | 43.18         | 3           | Horizontal | 61             | 2.67          | -       | 40.85      | 9.83       | 31.23      |
| RMS  | 13.8473G     | 50.20             | 68.20             | -18.00         | 30.75         | 3           | Horizontal | 61             | 2.67          | -       | 40.85      | 9.83       | 31.23      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6925MHz\_TnomVnom




EUT X\_1TX  
Setting 58  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.77473G    | 46.54             | 83.54             | -37.00         | 42.52         | 1           | Vertical  | 79             | 2.18          | -       | 37.96      | 15.85      | 49.79      |
| AV   | 20.77453G    | 34.34             | 63.54             | -29.20         | 30.32         | 1           | Vertical  | 79             | 2.18          | -       | 37.96      | 15.85      | 49.79      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6925MHz\_TnomVnom




EUT X\_1TX  
Setting 58  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.77523G    | 47.23             | 83.54             | -36.31         | 43.21         | 1           | Horizontal | 58             | 2.42          | -       | 37.96      | 15.85      | 49.79      |
| AV   | 20.77489G    | 34.76             | 63.54             | -28.78         | 30.74         | 1           | Horizontal | 58             | 2.42          | -       | 37.96      | 15.85      | 49.79      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7005MHz\_TnomVnom




EUT X\_1TX  
Setting 59  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.0122G   | 113.46         | Inf            | -Inf        | 102.99     | 3        | Vertical  | 240         | 1.95       | -       | 36.37   | 7.29    | 33.19   |
| RMS  | 7.0114G   | 102.49         | Inf            | -Inf        | 92.02      | 3        | Vertical  | 240         | 1.95       | -       | 36.37   | 7.29    | 33.19   |
| PK   | 7.1594G   | 64.60          | 88.20          | -23.60      | 53.57      | 3        | Vertical  | 240         | 1.95       | -       | 36.94   | 7.22    | 33.13   |
| RMS  | 7.1994G   | 53.63          | 68.20          | -14.57      | 42.45      | 3        | Vertical  | 240         | 1.95       | -       | 37.10   | 7.20    | 33.12   |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

7005MHz\_TnomVnom




EUT X\_1TX  
Setting 59  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.0058G   | 101.56         | Inf            | -Inf        | 91.12      | 3        | Horizontal | 210         | 1.32       | -       | 36.33   | 7.30    | 33.19   |
| RMS  | 7.0114G   | 91.62          | Inf            | -Inf        | 81.15      | 3        | Horizontal | 210         | 1.32       | -       | 36.37   | 7.29    | 33.19   |
| PK   | 7.1834G   | 63.82          | 88.20          | -24.38      | 52.70      | 3        | Horizontal | 210         | 1.32       | -       | 37.03   | 7.21    | 33.12   |
| RMS  | 7.1442G   | 52.81          | 68.20          | -15.39      | 41.87      | 3        | Horizontal | 210         | 1.32       | -       | 36.85   | 7.23    | 33.14   |



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7005MHz\_TnomVnom




EUT X\_1TX  
Setting 59  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.0127G     | 62.20             | 88.20             | -26.00         | 42.74         | 3           | Vertical  | 350            | 2.52          | -       | 40.90      | 9.90       | 31.34      |
| RMS  | 14.01366G    | 50.10             | 68.20             | -18.10         | 30.64         | 3           | Vertical  | 350            | 2.52          | -       | 40.90      | 9.90       | 31.34      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7005MHz\_TnomVnom




EUT X\_1TX  
Setting 59  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 14.02284G | 62.30          | 88.20          | -25.90      | 42.84      | 3        | Horizontal | 274         | 2.75       | -       | 40.90   | 9.91    | 31.35   |
| RMS  | 14.00688G | 49.81          | 68.20          | -18.39      | 30.35      | 3        | Horizontal | 274         | 2.75       | -       | 40.90   | 9.90    | 31.34   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7005MHz\_TnomVnom




EUT X\_1TX  
Setting 59  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.01453G    | 47.49             | 83.54             | -36.05         | 43.63         | 1           | Vertical  | 39             | 1.78          | -       | 37.60      | 15.96      | 49.70      |
| AV   | 21.01492G    | 34.59             | 63.54             | -28.95         | 30.73         | 1           | Vertical  | 39             | 1.78          | -       | 37.60      | 15.96      | 49.70      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7005MHz\_TnomVnom




EUT X\_1TX  
Setting 59  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.01496G    | 47.18             | 83.54             | -36.36         | 43.32         | 1           | Horizontal | 169            | 1.99          | -       | 37.60      | 15.96      | 49.70      |
| AV   | 21.01465G    | 34.61             | 63.54             | -28.93         | 30.75         | 1           | Horizontal | 169            | 1.99          | -       | 37.60      | 15.96      | 49.70      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.0962G   | 113.73         | Inf            | -Inf        | 103.13     | 3        | Vertical  | 235         | 1.80       | -       | 36.51   | 7.25    | 33.16   |
| RMS  | 7.0986G   | 103.22         | Inf            | -Inf        | 92.62      | 3        | Vertical  | 235         | 1.80       | -       | 36.50   | 7.25    | 33.15   |
| PK   | 7.125G    | 77.31          | 88.20          | -10.89      | 66.51      | 3        | Vertical  | 235         | 1.80       | -       | 36.70   | 7.24    | 33.14   |
| RMS  | 7.1254G   | 65.00          | 68.20          | -3.20       | 54.20      | 3        | Vertical  | 235         | 1.80       | -       | 36.70   | 7.24    | 33.14   |

802.11ax HEW40\_Nss1,(MCS0)\_1TX

7085MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.0914G   | 101.80         | Inf            | -Inf        | 91.19      | 3        | Horizontal | 212         | 1.57       | -       | 36.52   | 7.25    | 33.16   |
| RMS  | 7.0974G   | 91.59          | Inf            | -Inf        | 80.98      | 3        | Horizontal | 212         | 1.57       | -       | 36.51   | 7.25    | 33.15   |
| PK   | 7.125G    | 67.11          | 88.20          | -21.09      | 56.31      | 3        | Horizontal | 212         | 1.57       | -       | 36.70   | 7.24    | 33.14   |
| RMS  | 7.125G    | 55.45          | 68.20          | -12.75      | 44.65      | 3        | Horizontal | 212         | 1.57       | -       | 36.70   | 7.24    | 33.14   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.16352G    | 62.65             | 88.20             | -25.55         | 43.35         | 3           | Vertical  | 160            | 1.18          | -       | 40.84      | 9.95       | 31.49      |
| RMS  | 14.17036G    | 50.25             | 68.20             | -17.95         | 30.97         | 3           | Vertical  | 160            | 1.18          | -       | 40.83      | 9.95       | 31.50      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.16442G    | 62.37             | 88.20             | -25.83         | 43.07         | 3           | Horizontal | 63             | 2.76          | -       | 40.84      | 9.95       | 31.49      |
| RMS  | 14.15776G    | 49.89             | 68.20             | -18.31         | 30.58         | 3           | Horizontal | 63             | 2.76          | -       | 40.84      | 9.95       | 31.48      |



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUT X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.25487G    | 47.76             | 83.54             | -35.78         | 43.74         | 1           | Vertical  | 64             | 1.56          | -       | 37.61      | 16.06      | 49.65      |
| AV   | 21.25523G    | 35.92             | 63.54             | -27.62         | 31.90         | 1           | Vertical  | 64             | 1.56          | -       | 37.61      | 16.06      | 49.65      |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 7085MHz\_TnomVnom




EUT\_X\_1TX  
Setting 61  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.25542G    | 47.94             | 83.54             | -35.60         | 43.92         | 1           | Horizontal | 67             | 1.63          | -       | 37.61      | 16.06      | 49.65      |
| AV   | 21.25459G    | 35.57             | 63.54             | -27.97         | 31.55         | 1           | Horizontal | 67             | 1.63          | -       | 37.61      | 16.06      | 49.65      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5985MHz\_TnomVnom




EUT X\_1TX  
Setting 68  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9178G   | 79.11          | 88.20          | -9.09       | 70.48      | 3        | Vertical  | 240         | 1.80       | -       | 34.97   | 6.60    | 32.94   |
| RMS  | 5.925G    | 67.70          | 68.20          | -0.50       | 59.04      | 3        | Vertical  | 240         | 1.80       | -       | 35.00   | 6.60    | 32.94   |
| PK   | 5.9978G   | 113.49         | Inf            | -Inf        | 104.55     | 3        | Vertical  | 240         | 1.80       | -       | 35.29   | 6.60    | 32.95   |
| RMS  | 5.9962G   | 102.38         | Inf            | -Inf        | 93.45      | 3        | Vertical  | 240         | 1.80       | -       | 35.28   | 6.60    | 32.95   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5985MHz\_TnomVnom




EUT X\_1TX  
Setting 68  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.921G    | 67.60          | 88.20          | -20.60      | 58.96      | 3        | Horizontal | 222         | 1.80       | -       | 34.98   | 6.60    | 32.94   |
| RMS  | 5.925G    | 54.18          | 68.20          | -14.02      | 45.52      | 3        | Horizontal | 222         | 1.80       | -       | 35.00   | 6.60    | 32.94   |
| PK   | 6.0018G   | 98.97          | Inf            | -Inf        | 90.02      | 3        | Horizontal | 222         | 1.80       | -       | 35.30   | 6.60    | 32.95   |
| RMS  | 6.0018G   | 89.25          | Inf            | -Inf        | 80.30      | 3        | Horizontal | 222         | 1.80       | -       | 35.30   | 6.60    | 32.95   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5985MHz\_TnomVnom




EUT X\_1TX  
Setting 68  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 11.95554G | 55.42          | 74.00          | -18.58      | 40.80      | 3        | Vertical  | 336         | 2.17       | -       | 38.50   | 8.99    | 32.87   |
| AV   | 11.9727G  | 43.54          | 54.00          | -10.46      | 28.93      | 3        | Vertical  | 336         | 2.17       | -       | 38.50   | 8.99    | 32.88   |
| PK   | 17.94264G | 66.23          | 74.00          | -7.77       | 43.98      | 3        | Vertical  | 93          | 1.55       | -       | 42.84   | 11.08   | 31.67   |
| AV   | 17.96784G | 51.46          | 54.00          | -2.54       | 29.15      | 3        | Vertical  | 93          | 1.55       | -       | 42.87   | 11.09   | 31.65   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5985MHz\_TnomVnom




EUT X\_1TX  
Setting 68  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 11.96586G | 55.04          | 74.00          | -18.96      | 40.43      | 3        | Horizontal | 113         | 1.66       | -       | 38.50   | 8.99    | 32.88   |
| AV   | 11.98494G | 43.10          | 54.00          | -10.90      | 28.48      | 3        | Horizontal | 113         | 1.66       | -       | 38.50   | 9.00    | 32.88   |
| PK   | 17.96082G | 66.01          | 74.00          | -7.99       | 43.72      | 3        | Horizontal | 90          | 2.17       | -       | 42.86   | 11.09   | 31.66   |
| AV   | 17.96304G | 52.15          | 54.00          | -1.85       | 29.86      | 3        | Horizontal | 90          | 2.17       | -       | 42.86   | 11.09   | 31.66   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6145MHz\_TnomVnom




EUT\_X\_1TX  
Setting 68  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.923G    | 62.79          | 88.20          | -25.41      | 54.14      | 3        | Vertical  | 235         | 2.08       | -       | 34.99   | 6.60    | 32.94   |
| RMS  | 5.9134G   | 51.83          | 68.20          | -16.37      | 43.22      | 3        | Vertical  | 235         | 2.08       | -       | 34.95   | 6.60    | 32.94   |
| PK   | 6.1126G   | 112.39         | Inf            | -Inf        | 103.27     | 3        | Vertical  | 235         | 2.08       | -       | 35.30   | 6.77    | 32.95   |
| RMS  | 6.1822G   | 101.42         | Inf            | -Inf        | 92.07      | 3        | Vertical  | 235         | 2.08       | -       | 35.43   | 6.87    | 32.95   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6145MHz\_TnomVnom




EUT X\_1TX  
Setting 68  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9182G   | 61.11          | 88.20          | -27.09      | 52.48      | 3        | Horizontal | 329         | 1.80       | -       | 34.97   | 6.60    | 32.94   |
| RMS  | 5.9206G   | 50.14          | 68.20          | -18.06      | 41.50      | 3        | Horizontal | 329         | 1.80       | -       | 34.98   | 6.60    | 32.94   |
| PK   | 6.1726G   | 96.88          | Inf            | -Inf        | 87.58      | 3        | Horizontal | 329         | 1.80       | -       | 35.39   | 6.86    | 32.95   |
| RMS  | 6.1738G   | 87.01          | Inf            | -Inf        | 77.70      | 3        | Horizontal | 329         | 1.80       | -       | 35.40   | 6.86    | 32.95   |



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6145MHz\_TnomVnom




EUT X\_1TX  
Setting 68  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.29732G    | 57.14             | 74.00             | -16.86         | 42.03         | 3           | Vertical  | 160            | 2.19          | -       | 38.49      | 9.13       | 32.51      |
| AV   | 12.28694G    | 44.94             | 54.00             | -9.06          | 29.86         | 3           | Vertical  | 160            | 2.19          | -       | 38.47      | 9.13       | 32.52      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6145MHz\_TnomVnom




EUT X\_1TX  
Setting 68  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.28592G    | 57.53             | 74.00             | -16.47         | 42.46         | 3           | Horizontal | 29             | 1.42          | -       | 38.47      | 9.13       | 32.53      |
| AV   | 12.29264G    | 44.84             | 54.00             | -9.16          | 29.74         | 3           | Horizontal | 29             | 1.42          | -       | 38.49      | 9.13       | 32.52      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6145MHz\_TnomVnom




EUT X\_1TX  
Setting 68  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 18.43525G | 45.61          | 83.54          | -37.93      | 43.15      | 1        | Vertical  | 213         | 1.29       | -       | 37.72   | 14.87   | 50.13   |
| AV   | 18.43485G | 33.46          | 63.54          | -30.08      | 31.00      | 1        | Vertical  | 213         | 1.29       | -       | 37.72   | 14.87   | 50.13   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6145MHz\_TnomVnom




EUT X\_1TX  
Setting 68  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.43489G    | 45.36             | 83.54             | -38.18         | 42.90         | 1           | Horizontal | 177            | 1.12          | -       | 37.72      | 14.87      | 50.13      |
| AV   | 18.43487G    | 33.14             | 63.54             | -30.40         | 30.68         | 1           | Horizontal | 177            | 1.12          | -       | 37.72      | 14.87      | 50.13      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6385MHz\_TnomVnom




EUT\_X\_1TX  
Setting 67  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8162G   | 60.97          | 88.20          | -27.23      | 52.77      | 3        | Vertical  | 230         | 1.95       | -       | 34.53   | 6.60    | 32.93   |
| RMS  | 5.9242G   | 50.86          | 68.20          | -17.34      | 42.20      | 3        | Vertical  | 230         | 1.95       | -       | 35.00   | 6.60    | 32.94   |
| PK   | 6.3946G   | 111.38         | Inf            | -Inf        | 101.76     | 3        | Vertical  | 230         | 1.95       | -       | 35.57   | 7.00    | 32.95   |
| RMS  | 6.3922G   | 102.13         | Inf            | -Inf        | 92.53      | 3        | Vertical  | 230         | 1.95       | -       | 35.55   | 7.00    | 32.95   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6385MHz\_TnomVnom




EUT\_X\_1TX  
Setting 67  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8114G   | 60.23          | 88.20          | -27.97      | 52.07      | 3        | Horizontal | 218         | 1.57       | -       | 34.49   | 6.60    | 32.93   |
| RMS  | 5.9194G   | 50.20          | 68.20          | -18.00      | 41.56      | 3        | Horizontal | 218         | 1.57       | -       | 34.98   | 6.60    | 32.94   |
| PK   | 6.3898G   | 100.10         | Inf            | -Inf        | 90.52      | 3        | Horizontal | 218         | 1.57       | -       | 35.54   | 6.99    | 32.95   |
| RMS  | 6.397G    | 91.03          | Inf            | -Inf        | 81.40      | 3        | Horizontal | 218         | 1.57       | -       | 35.58   | 7.00    | 32.95   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6385MHz\_TnomVnom




EUT X\_1TX  
Setting 67  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.78494G    | 57.93             | 88.20             | -30.27         | 41.31         | 3           | Vertical  | 234            | 1.07          | -       | 39.17      | 9.35       | 31.90      |
| RMS  | 12.7751G     | 45.52             | 68.20             | -22.68         | 28.93         | 3           | Vertical  | 234            | 1.07          | -       | 39.15      | 9.35       | 31.91      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6385MHz\_TnomVnom




EUT X\_1TX  
Setting 67  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.7664G     | 57.93             | 88.20             | -30.27         | 41.38         | 3           | Horizontal | 45             | 2.00          | -       | 39.13      | 9.34       | 31.92      |
| RMS  | 12.7808G     | 45.26             | 68.20             | -22.94         | 28.65         | 3           | Horizontal | 45             | 2.00          | -       | 39.16      | 9.35       | 31.90      |



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6385MHz\_TnomVnom




EUT X\_1TX  
Setting 67  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.15485G    | 45.89             | 83.54             | -37.65         | 42.55         | 1           | Vertical  | 266            | 2.26          | -       | 37.81      | 15.16      | 49.63      |
| AV   | 19.15463G    | 33.18             | 63.54             | -30.36         | 29.84         | 1           | Vertical  | 266            | 2.26          | -       | 37.81      | 15.16      | 49.63      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6385MHz\_TnomVnom




EUT X\_1TX  
Setting 67  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.15495G | 45.81          | 83.54          | -37.73      | 42.47      | 1        | Horizontal | 331         | 2.59       | -       | 37.81   | 15.16   | 49.63   |
| AV   | 19.1546G  | 33.35          | 63.54          | -30.19      | 30.01      | 1        | Horizontal | 331         | 2.59       | -       | 37.81   | 15.16   | 49.63   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6465MHz\_TnomVnom




EUT X\_1TX  
Setting 71  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.906G    | 60.38          | 88.20          | -27.82      | 51.80      | 3        | Vertical  | 227         | 2.02       | -       | 34.92   | 6.60    | 32.94   |
| RMS  | 5.9216G   | 50.41          | 68.20          | -17.79      | 41.76      | 3        | Vertical  | 227         | 2.02       | -       | 34.99   | 6.60    | 32.94   |
| PK   | 6.4806G   | 109.22         | Inf            | -Inf        | 99.65      | 3        | Vertical  | 227         | 2.02       | -       | 35.52   | 7.00    | 32.95   |
| RMS  | 6.4936G   | 100.17         | Inf            | -Inf        | 90.55      | 3        | Vertical  | 227         | 2.02       | -       | 35.57   | 7.00    | 32.95   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6465MHz\_TnomVnom




EUT X\_1TX  
Setting 71  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8904G   | 60.55          | 88.20          | -27.65      | 52.01      | 3        | Horizontal | 360         | 2.16       | -       | 34.88   | 6.60    | 32.94   |
| RMS  | 5.9242G   | 50.15          | 68.20          | -18.05      | 41.49      | 3        | Horizontal | 360         | 2.16       | -       | 35.00   | 6.60    | 32.94   |
| PK   | 6.4936G   | 98.91          | Inf            | -Inf        | 89.29      | 3        | Horizontal | 360         | 2.16       | -       | 35.57   | 7.00    | 32.95   |
| RMS  | 6.5014G   | 89.14          | Inf            | -Inf        | 79.48      | 3        | Horizontal | 360         | 2.16       | -       | 35.61   | 7.00    | 32.95   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6465MHz\_TnomVnom




EUT X\_1TX  
Setting 71  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.94332G    | 58.52             | 88.20             | -29.68         | 41.36         | 3           | Vertical  | 153            | 2.95          | -       | 39.43      | 9.42       | 31.69      |
| RMS  | 12.9261G     | 46.08             | 68.20             | -22.12         | 28.99         | 3           | Vertical  | 153            | 2.95          | -       | 39.38      | 9.42       | 31.71      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6465MHz\_TnomVnom




EUT X\_1TX  
Setting 71  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.92364G    | 59.24             | 88.20             | -28.96         | 42.17         | 3           | Horizontal | 268            | 1.28          | -       | 39.37      | 9.42       | 31.72      |
| RMS  | 12.93282G    | 46.17             | 68.20             | -22.03         | 29.06         | 3           | Horizontal | 268            | 1.28          | -       | 39.40      | 9.42       | 31.71      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6465MHz\_TnomVnom




EUT X\_1TX  
Setting 71  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.39503G    | 45.90             | 83.54             | -37.64         | 42.50         | 1           | Vertical  | 162            | 2.00          | -       | 37.82      | 15.26      | 49.68      |
| AV   | 19.39532G    | 33.99             | 63.54             | -29.55         | 30.59         | 1           | Vertical  | 162            | 2.00          | -       | 37.82      | 15.26      | 49.68      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6465MHz\_TnomVnom




EUT X\_1TX  
Setting 71  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.39535G | 46.15          | 83.54          | -37.39      | 42.75      | 1        | Horizontal | 340         | 1.60       | -       | 37.82   | 15.26   | 49.68   |
| AV   | 19.39521G | 33.60          | 63.54          | -29.94      | 30.20      | 1        | Horizontal | 340         | 1.60       | -       | 37.82   | 15.26   | 49.68   |



802.11ax HEW80\_Nss1,(MCS0)\_1TX

6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_1TX  
Setting 72  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8758G   | 60.84          | 88.20          | -27.36      | 52.33      | 3        | Vertical  | 225         | 2.00       | -       | 34.85   | 6.60    | 32.94   |
| RMS  | 5.9234G   | 50.22          | 68.20          | -17.98      | 41.57      | 3        | Vertical  | 225         | 2.00       | -       | 34.99   | 6.60    | 32.94   |
| PK   | 6.5282G   | 111.01         | Inf            | -Inf        | 101.26     | 3        | Vertical  | 225         | 2.00       | -       | 35.71   | 7.00    | 32.96   |
| RMS  | 6.5758G   | 100.18         | Inf            | -Inf        | 90.32      | 3        | Vertical  | 225         | 2.00       | -       | 35.85   | 7.00    | 32.99   |
| PK   | 7.1526G   | 63.14          | 88.20          | -25.06      | 52.15      | 3        | Vertical  | 225         | 2.00       | -       | 36.91   | 7.22    | 33.14   |
| RMS  | 7.1386G   | 52.84          | 68.20          | -15.36      | 41.94      | 3        | Vertical  | 225         | 2.00       | -       | 36.81   | 7.23    | 33.14   |

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9178G   | 61.06          | 88.20          | -27.14      | 52.43      | 3        | Horizontal | 360         | 2.13       | -       | 34.97   | 6.60    | 32.94   |
| RMS  | 5.9234G   | 50.12          | 68.20          | -18.08      | 41.47      | 3        | Horizontal | 360         | 2.13       | -       | 34.99   | 6.60    | 32.94   |
| PK   | 6.5618G   | 99.79          | Inf            | -Inf        | 89.95      | 3        | Horizontal | 360         | 2.13       | -       | 35.82   | 7.00    | 32.98   |
| RMS  | 6.5814G   | 90.11          | Inf            | -Inf        | 80.24      | 3        | Horizontal | 360         | 2.13       | -       | 35.86   | 7.00    | 32.99   |
| PK   | 7.2226G   | 63.97          | 88.20          | -24.23      | 52.76      | 3        | Horizontal | 360         | 2.13       | -       | 37.10   | 7.22    | 33.11   |
| RMS  | 7.1358G   | 52.74          | 68.20          | -15.46      | 41.86      | 3        | Horizontal | 360         | 2.13       | -       | 36.79   | 7.23    | 33.14   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.0942G     | 58.74             | 88.20             | -29.46         | 41.06         | 3           | Vertical  | 307            | 2.42          | -       | 39.69      | 9.49       | 31.50      |
| RMS  | 13.08808G    | 45.90             | 68.20             | -22.30         | 28.23         | 3           | Vertical  | 307            | 2.42          | -       | 39.69      | 9.49       | 31.51      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX


### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom



EUT X\_1TX  
Setting 72  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.1023G     | 57.99             | 88.20             | -30.21         | 40.28         | 3           | Horizontal | 141            | 1.37          | -       | 39.70      | 9.50       | 31.49      |
| RMS  | 13.09378G    | 46.13             | 68.20             | -22.07         | 28.45         | 3           | Horizontal | 141            | 1.37          | -       | 39.69      | 9.49       | 31.50      |


**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT X\_1TX  
 Setting 72  
 01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.63528G | 46.66          | 83.54          | -36.88      | 43.16      | 1        | Vertical  | 58          | 1.12       | -       | 37.85   | 15.35   | 49.70   |
| AV   | 19.63514G | 34.94          | 63.54          | -28.60      | 31.44      | 1        | Vertical  | 58          | 1.12       | -       | 37.85   | 15.35   | 49.70   |

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT X\_1TX  
 Setting 72  
 01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.63547G | 48.20          | 83.54          | -35.34      | 44.70      | 1        | Horizontal | 264         | 2.22       | -       | 37.85   | 15.35   | 49.70   |
| AV   | 19.63524G | 34.58          | 63.54          | -28.96      | 31.08      | 1        | Horizontal | 264         | 2.22       | -       | 37.85   | 15.35   | 49.70   |

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6625MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.6106G   | 111.44         | Inf            | -Inf        | 101.52     | 3        | Vertical  | 225         | 1.96       | -       | 35.92   | 7.00    | 33.00   |
| RMS  | 6.5962G   | 101.64         | Inf            | -Inf        | 91.75      | 3        | Vertical  | 225         | 1.96       | -       | 35.89   | 7.00    | 33.00   |
| PK   | 7.2154G   | 63.31          | 88.20          | -24.89      | 52.10      | 3        | Vertical  | 225         | 1.96       | -       | 37.10   | 7.22    | 33.11   |
| RMS  | 7.1458G   | 52.86          | 68.20          | -15.34      | 41.90      | 3        | Vertical  | 225         | 1.96       | -       | 36.87   | 7.23    | 33.14   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6625MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.5938G   | 102.26         | Inf            | -Inf        | 92.37      | 3        | Horizontal | 358         | 2.15       | -       | 35.89   | 7.00    | 33.00   |
| RMS  | 6.5986G   | 92.35          | Inf            | -Inf        | 82.45      | 3        | Horizontal | 358         | 2.15       | -       | 35.90   | 7.00    | 33.00   |
| PK   | 7.1602G   | 63.18          | 88.20          | -25.02      | 52.15      | 3        | Horizontal | 358         | 2.15       | -       | 36.94   | 7.22    | 33.13   |
| RMS  | 7.1434G   | 52.81          | 68.20          | -15.39      | 41.87      | 3        | Horizontal | 358         | 2.15       | -       | 36.85   | 7.23    | 33.14   |



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6625MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.2485G     | 58.54             | 88.20             | -29.66         | 40.34         | 3           | Vertical  | 169            | 1.92          | -       | 39.95      | 9.56       | 31.31      |
| RMS  | 13.2405G     | 46.06             | 68.20             | -22.14         | 27.88         | 3           | Vertical  | 169            | 1.92          | -       | 39.94      | 9.56       | 31.32      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6625MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.24904G    | 58.41             | 88.20             | -29.79         | 40.21         | 3           | Horizontal | 34             | 2.68          | -       | 39.95      | 9.56       | 31.31      |
| RMS  | 13.24592G    | 46.09             | 68.20             | -22.11         | 27.89         | 3           | Horizontal | 34             | 2.68          | -       | 39.95      | 9.56       | 31.31      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6625MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.87451G | 46.92          | 83.54          | -36.62      | 43.57      | 1        | Vertical  | 127         | 2.24       | -       | 37.60   | 15.45   | 49.70   |
| AV   | 19.87456G | 34.66          | 63.54          | -28.88      | 31.31      | 1        | Vertical  | 127         | 2.24       | -       | 37.60   | 15.45   | 49.70   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6625MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.87489G    | 46.92             | 83.54             | -36.62         | 43.57         | 1           | Horizontal | 247            | 2.37          | -       | 37.60      | 15.45      | 49.70      |
| AV   | 19.87549G    | 34.69             | 63.54             | -28.85         | 31.34         | 1           | Horizontal | 247            | 2.37          | -       | 37.60      | 15.45      | 49.70      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6705MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.695G    | 112.91         | Inf            | -Inf        | 103.04     | 3        | Vertical  | 227         | 1.99       | -       | 35.91   | 7.00    | 33.04   |
| RMS  | 6.711G    | 101.78         | Inf            | -Inf        | 91.86      | 3        | Vertical  | 227         | 1.99       | -       | 35.97   | 7.00    | 33.05   |
| PK   | 7.143G    | 63.57          | 88.20          | -24.63      | 52.64      | 3        | Vertical  | 227         | 1.99       | -       | 36.84   | 7.23    | 33.14   |
| RMS  | 7.149G    | 53.13          | 68.20          | -15.07      | 42.15      | 3        | Vertical  | 227         | 1.99       | -       | 36.89   | 7.23    | 33.14   |

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6705MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.701G    | 103.86         | Inf            | -Inf        | 94.00      | 3        | Horizontal | 358         | 2.19       | -       | 35.91   | 7.00    | 33.05   |
| RMS  | 6.711G    | 92.28          | Inf            | -Inf        | 82.36      | 3        | Horizontal | 358         | 2.19       | -       | 35.97   | 7.00    | 33.05   |
| PK   | 7.145G    | 63.36          | 88.20          | -24.84      | 52.41      | 3        | Horizontal | 358         | 2.19       | -       | 36.86   | 7.23    | 33.14   |
| RMS  | 7.137G    | 52.82          | 68.20          | -15.38      | 41.93      | 3        | Horizontal | 358         | 2.19       | -       | 36.80   | 7.23    | 33.14   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6705MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.41156G    | 58.83             | 88.20             | -29.37         | 40.09         | 3           | Vertical  | 131            | 1.12          | -       | 40.20      | 9.64       | 31.10      |
| RMS  | 13.41138G    | 46.77             | 68.20             | -21.43         | 28.03         | 3           | Vertical  | 131            | 1.12          | -       | 40.20      | 9.64       | 31.10      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6705MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.41564G    | 58.69             | 88.20             | -29.51         | 39.95         | 3           | Horizontal | 159            | 1.20          | -       | 40.20      | 9.64       | 31.10      |
| RMS  | 13.4067G     | 46.71             | 68.20             | -21.49         | 27.99         | 3           | Horizontal | 159            | 1.20          | -       | 40.20      | 9.63       | 31.11      |



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6705MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.11505G    | 47.40             | 83.54             | -36.14         | 44.11         | 1           | Vertical  | 266            | 1.01          | -       | 37.49      | 15.55      | 49.75      |
| AV   | 20.11484G    | 35.27             | 63.54             | -28.27         | 31.98         | 1           | Vertical  | 266            | 1.01          | -       | 37.49      | 15.55      | 49.75      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6705MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.11527G    | 47.47             | 83.54             | -36.07         | 44.18         | 1           | Horizontal | 99             | 1.09          | -       | 37.49      | 15.55      | 49.75      |
| AV   | 20.11472G    | 34.88             | 63.54             | -28.66         | 31.59         | 1           | Horizontal | 99             | 1.09          | -       | 37.49      | 15.55      | 49.75      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6785MHz\_TnomVnom




EUT\_X\_1TX  
Setting 74  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.809G    | 112.63         | Inf            | -Inf        | 102.45     | 3        | Vertical  | 226         | 1.80       | -       | 36.27   | 7.01    | 33.10   |
| RMS  | 6.7994G   | 102.59         | Inf            | -Inf        | 92.48      | 3        | Vertical  | 226         | 1.80       | -       | 36.20   | 7.00    | 33.09   |
| PK   | 7.177G    | 63.94          | 88.20          | -24.26      | 52.85      | 3        | Vertical  | 226         | 1.80       | -       | 37.01   | 7.21    | 33.13   |
| RMS  | 7.1338G   | 53.30          | 68.20          | -14.90      | 42.44      | 3        | Vertical  | 226         | 1.80       | -       | 36.77   | 7.23    | 33.14   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6785MHz\_TnomVnom




EUT\_X\_1TX  
Setting 74  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.7978G   | 101.66         | Inf            | -Inf        | 91.55      | 3        | Horizontal | 228         | 1.80       | -       | 36.20   | 7.00    | 33.09   |
| RMS  | 6.7994G   | 91.13          | Inf            | -Inf        | 81.02      | 3        | Horizontal | 228         | 1.80       | -       | 36.20   | 7.00    | 33.09   |
| PK   | 7.1402G   | 63.34          | 88.20          | -24.86      | 52.43      | 3        | Horizontal | 228         | 1.80       | -       | 36.82   | 7.23    | 33.14   |
| RMS  | 7.1322G   | 52.85          | 68.20          | -15.35      | 42.00      | 3        | Horizontal | 228         | 1.80       | -       | 36.76   | 7.23    | 33.14   |

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6785MHz\_TnomVnom




EUT X\_1TX  
Setting 74  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.56424G    | 59.47             | 88.20             | -28.73         | 40.54         | 3           | Vertical  | 357            | 1.80          | -       | 40.26      | 9.70       | 31.03      |
| RMS  | 13.57174G    | 46.70             | 68.20             | -21.50         | 27.76         | 3           | Vertical  | 357            | 1.80          | -       | 40.27      | 9.71       | 31.04      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6785MHz\_TnomVnom




EUT X\_1TX  
Setting 74  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.56352G    | 59.56             | 88.20             | -28.64         | 40.63         | 3           | Horizontal | 338            | 1.80          | -       | 40.26      | 9.70       | 31.03      |
| RMS  | 13.5715G     | 46.87             | 88.20             | -41.33         | 27.93         | 3           | Horizontal | 338            | 1.80          | -       | 40.27      | 9.71       | 31.04      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6785MHz\_TnomVnom




EUT X\_1TX  
Setting 74  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.35475G | 47.14          | 83.54          | -36.40      | 43.68      | 1        | Vertical  | 136         | 2.45       | -       | 37.64   | 15.66   | 49.84   |
| AV   | 20.35548G | 34.67          | 63.54          | -28.87      | 31.21      | 1        | Vertical  | 136         | 2.45       | -       | 37.64   | 15.66   | 49.84   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6785MHz\_TnomVnom




EUT X\_1TX  
Setting 74  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.35533G    | 46.85             | 83.54             | -36.69         | 43.39         | 1           | Horizontal | 133            | 1.88          | -       | 37.64      | 15.66      | 49.84      |
| AV   | 20.35549G    | 34.87             | 63.54             | -28.67         | 31.41         | 1           | Horizontal | 133            | 1.88          | -       | 37.64      | 15.66      | 49.84      |



**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_X\_1TX  
 Setting 74  
 01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.901G    | 112.35         | Inf            | -Inf        | 102.13     | 3        | Vertical  | 236         | 1.96       | -       | 36.21   | 7.15    | 33.14   |
| RMS  | 6.8962G   | 102.33         | Inf            | -Inf        | 92.10      | 3        | Vertical  | 236         | 1.96       | -       | 36.23   | 7.14    | 33.14   |
| PK   | 7.1494G   | 64.19          | 88.20          | -24.01      | 53.20      | 3        | Vertical  | 236         | 1.96       | -       | 36.90   | 7.23    | 33.14   |
| RMS  | 7.1506G   | 53.59          | 68.20          | -14.61      | 42.61      | 3        | Vertical  | 236         | 1.96       | -       | 36.90   | 7.22    | 33.14   |

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 74  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.9022G   | 102.18         | Inf            | -Inf        | 91.96      | 3        | Horizontal | 212         | 1.67       | -       | 36.21   | 7.15    | 33.14   |
| RMS  | 6.8962G   | 91.36          | Inf            | -Inf        | 81.13      | 3        | Horizontal | 212         | 1.67       | -       | 36.23   | 7.14    | 33.14   |
| PK   | 7.1638G   | 63.14          | 88.20          | -25.06      | 52.09      | 3        | Horizontal | 212         | 1.67       | -       | 36.96   | 7.22    | 33.13   |
| RMS  | 7.1506G   | 52.97          | 68.20          | -15.23      | 41.99      | 3        | Horizontal | 212         | 1.67       | -       | 36.90   | 7.22    | 33.14   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX


### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom



EUT X\_1TX  
Setting 74  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.73942G    | 62.22             | 88.20             | -25.98         | 42.97         | 3           | Vertical  | 133            | 2.97          | -       | 40.62      | 9.78       | 31.15      |
| RMS  | 13.72748G    | 49.59             | 68.20             | -18.61         | 30.37         | 3           | Vertical  | 133            | 2.97          | -       | 40.58      | 9.78       | 31.14      |


**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT X\_1TX  
 Setting 74  
 01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.73786G    | 61.76             | 88.20             | -26.44         | 42.52         | 3           | Horizontal | 26             | 2.30          | -       | 40.61      | 9.78       | 31.15      |
| RMS  | 13.73726G    | 49.56             | 68.20             | -18.64         | 30.32         | 3           | Horizontal | 26             | 2.30          | -       | 40.61      | 9.78       | 31.15      |

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT X\_1TX  
 Setting 74  
 01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.59495G | 46.89          | 83.54          | -36.65      | 43.17      | 1        | Vertical  | 220         | 2.20       | -       | 37.81   | 15.77   | 49.86   |
| AV   | 20.5945G  | 35.02          | 63.54          | -28.52      | 31.30      | 1        | Vertical  | 220         | 2.20       | -       | 37.81   | 15.77   | 49.86   |

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 74  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.59483G    | 47.36             | 83.54             | -36.18         | 43.64         | 1           | Horizontal | 81             | 2.00          | -       | 37.81      | 15.77      | 49.86      |
| AV   | 20.59497G    | 35.19             | 63.54             | -28.35         | 31.47         | 1           | Horizontal | 81             | 2.00          | -       | 37.81      | 15.77      | 49.86      |

802.11ax HEW80\_Nss1,(MCS0)\_1TX

6945MHz\_TnomVnom




EUT X\_1TX  
Setting 69  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.9822G   | 112.37         | Inf            | -Inf        | 101.91     | 3        | Vertical  | 234         | 1.91       | -       | 36.37   | 7.27    | 33.18   |
| RMS  | 6.9822G   | 101.16         | Inf            | -Inf        | 90.70      | 3        | Vertical  | 234         | 1.91       | -       | 36.37   | 7.27    | 33.18   |
| PK   | 7.1586G   | 65.06          | 88.20          | -23.14      | 54.04      | 3        | Vertical  | 234         | 1.91       | -       | 36.93   | 7.22    | 33.13   |
| RMS  | 7.1262G   | 54.45          | 68.20          | -13.75      | 43.64      | 3        | Vertical  | 234         | 1.91       | -       | 36.71   | 7.24    | 33.14   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT X\_1TX  
Setting 69  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.9354G   | 99.08          | Inf            | -Inf        | 88.63      | 3        | Horizontal | 213         | 1.78       | -       | 36.41   | 7.20    | 33.16   |
| RMS  | 6.9078G   | 89.81          | Inf            | -Inf        | 79.55      | 3        | Horizontal | 213         | 1.78       | -       | 36.25   | 7.16    | 33.15   |
| PK   | 7.1382G   | 64.53          | 88.20          | -23.67      | 53.63      | 3        | Horizontal | 213         | 1.78       | -       | 36.81   | 7.23    | 33.14   |
| RMS  | 7.1358G   | 52.98          | 68.20          | -15.22      | 42.10      | 3        | Horizontal | 213         | 1.78       | -       | 36.79   | 7.23    | 33.14   |



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 6945MHz\_TnomVnom




EUT X\_1TX  
Setting 69  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.8912G     | 62.12             | 88.20             | -26.08         | 42.64         | 3           | Vertical  | 333            | 2.07          | -       | 40.89      | 9.85       | 31.26      |
| RMS  | 13.88586G    | 49.88             | 68.20             | -18.32         | 30.39         | 3           | Vertical  | 333            | 2.07          | -       | 40.89      | 9.85       | 31.25      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6945MHz\_TnomVnom




EUT X\_1TX  
Setting 69  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.8819G     | 62.50             | 88.20             | -25.70         | 43.02         | 3           | Horizontal | 24             | 1.17          | -       | 40.88      | 9.85       | 31.25      |
| RMS  | 13.90254G    | 49.90             | 68.20             | -18.30         | 30.40         | 3           | Horizontal | 24             | 1.17          | -       | 40.90      | 9.86       | 31.26      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6945MHz\_TnomVnom




EUT X\_1TX  
Setting 69  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.83458G    | 47.13             | 83.54             | -36.41         | 43.16         | 1           | Vertical  | 195            | 2.98          | -       | 37.86      | 15.88      | 49.77      |
| AV   | 20.83451G    | 34.94             | 63.54             | -28.60         | 30.97         | 1           | Vertical  | 195            | 2.98          | -       | 37.86      | 15.88      | 49.77      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 6945MHz\_TnomVnom




EUT X\_1TX  
Setting 69  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.83486G    | 47.26             | 83.54             | -36.28         | 43.29         | 1           | Horizontal | 44             | 2.59          | -       | 37.86      | 15.88      | 49.77      |
| AV   | 20.83462G    | 35.05             | 63.54             | -28.49         | 31.08         | 1           | Horizontal | 44             | 2.59          | -       | 37.86      | 15.88      | 49.77      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.0026G   | 113.33         | Inf            | -Inf        | 102.90     | 3        | Vertical  | 239         | 1.90       | -       | 36.32   | 7.30    | 33.19   |
| RMS  | 7.0114G   | 102.80         | Inf            | -Inf        | 92.33      | 3        | Vertical  | 239         | 1.90       | -       | 36.37   | 7.29    | 33.19   |
| PK   | 7.1266G   | 76.57          | 88.20          | -11.63      | 65.76      | 3        | Vertical  | 239         | 1.90       | -       | 36.71   | 7.24    | 33.14   |
| RMS  | 7.125G    | 65.22          | 68.20          | -2.98       | 54.42      | 3        | Vertical  | 239         | 1.90       | -       | 36.70   | 7.24    | 33.14   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.0154G   | 101.83         | Inf            | -Inf        | 91.33      | 3        | Horizontal | 209         | 1.32       | -       | 36.39   | 7.29    | 33.18   |
| RMS  | 7.0122G   | 91.96          | Inf            | -Inf        | 81.49      | 3        | Horizontal | 209         | 1.32       | -       | 36.37   | 7.29    | 33.19   |
| PK   | 7.1298G   | 67.55          | 88.20          | -20.65      | 56.71      | 3        | Horizontal | 209         | 1.32       | -       | 36.74   | 7.24    | 33.14   |
| RMS  | 7.125G    | 56.36          | 68.20          | -11.84      | 45.56      | 3        | Horizontal | 209         | 1.32       | -       | 36.70   | 7.24    | 33.14   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 7025MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.03578G    | 62.60             | 88.20             | -25.60         | 43.16         | 3           | Vertical  | 303            | 1.98          | -       | 40.90      | 9.91       | 31.37      |
| RMS  | 14.04652G    | 49.85             | 68.20             | -18.35         | 30.42         | 3           | Vertical  | 303            | 1.98          | -       | 40.90      | 9.91       | 31.38      |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.04466G    | 62.54             | 88.20             | -25.66         | 43.10         | 3           | Horizontal | 68             | 2.70          | -       | 40.90      | 9.91       | 31.37      |
| RMS  | 14.0608G     | 50.10             | 68.20             | -18.10         | 30.67         | 3           | Horizontal | 68             | 2.70          | -       | 40.90      | 9.92       | 31.39      |



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 7025MHz\_TnomVnom




EUTX\_1TX  
Setting 72  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 21.07499G | 46.18          | 83.54          | -37.36      | 42.29      | 1        | Vertical  | 54          | 2.83       | -       | 37.60   | 15.98   | 49.69   |
| AV   | 21.07471G | 33.58          | 63.54          | -29.96      | 29.69      | 1        | Vertical  | 54          | 2.83       | -       | 37.60   | 15.98   | 49.69   |

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

#### 7025MHz\_TnomVnom




EUT X\_1TX  
Setting 72  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.07461G    | 46.45             | 83.54             | -37.09         | 42.56         | 1           | Horizontal | 284            | 2.17          | -       | 37.60      | 15.98      | 49.69      |
| AV   | 21.07541G    | 33.47             | 63.54             | -30.07         | 29.57         | 1           | Horizontal | 284            | 2.17          | -       | 37.60      | 15.98      | 49.68      |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT\_X\_1TX  
Setting 68  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.909G    | 83.13          | 88.20          | -5.07       | 74.53      | 3        | Vertical  | 241         | 1.98       | -       | 34.94   | 6.60    | 32.94   |
| RMS  | 5.911G    | 67.80          | 68.20          | -0.40       | 59.20      | 3        | Vertical  | 241         | 1.98       | -       | 34.94   | 6.60    | 32.94   |
| PK   | 5.997G    | 108.40         | Inf            | -Inf        | 99.46      | 3        | Vertical  | 241         | 1.98       | -       | 35.29   | 6.60    | 32.95   |
| RMS  | 5.997G    | 99.31          | Inf            | -Inf        | 90.37      | 3        | Vertical  | 241         | 1.98       | -       | 35.29   | 6.60    | 32.95   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT X\_1TX  
Setting 68  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.911G    | 68.63          | 88.20          | -19.57      | 60.03      | 3        | Horizontal | 219         | 1.55       | -       | 34.94   | 6.60    | 32.94   |
| RMS  | 5.911G    | 54.19          | 68.20          | -14.01      | 45.59      | 3        | Horizontal | 219         | 1.55       | -       | 34.94   | 6.60    | 32.94   |
| PK   | 5.999G    | 95.63          | Inf            | -Inf        | 86.68      | 3        | Horizontal | 219         | 1.55       | -       | 35.30   | 6.60    | 32.95   |
| RMS  | 5.997G    | 85.58          | Inf            | -Inf        | 76.64      | 3        | Horizontal | 219         | 1.55       | -       | 35.29   | 6.60    | 32.95   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT X\_1TX  
Setting 68  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.05366G    | 55.79             | 74.00             | -18.21         | 41.03         | 3           | Vertical  | 146            | 2.59          | -       | 38.55      | 9.02       | 32.81      |
| AV   | 12.05048G    | 45.21             | 54.00             | -8.79          | 30.46         | 3           | Vertical  | 146            | 2.59          | -       | 38.55      | 9.02       | 32.82      |

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6025MHz\_TnomVnom




EUT X\_1TX  
Setting 68  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 12.04724G | 55.58          | 74.00          | -18.42      | 40.83      | 3        | Horizontal | 190         | 1.20       | -       | 38.55   | 9.02    | 32.82   |
| AV   | 12.06362G | 45.71          | 54.00          | -8.29       | 30.92      | 3        | Horizontal | 190         | 1.20       | -       | 38.56   | 9.03    | 32.80   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT X\_1TX  
Setting 68  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 18.07465G | 45.04          | 83.54          | -38.50      | 42.94      | 1        | Vertical  | 246         | 1.01       | -       | 37.64   | 14.73   | 50.27   |
| AV   | 18.07527G | 34.16          | 63.54          | -29.38      | 32.06      | 1        | Vertical  | 246         | 1.01       | -       | 37.64   | 14.73   | 50.27   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6025MHz\_TnomVnom




EUT X\_1TX  
Setting 68  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.07477G    | 44.64             | 83.54             | -38.90         | 42.54         | 1           | Horizontal | 117            | 2.47          | -       | 37.64      | 14.73      | 50.27      |
| AV   | 18.07459G    | 34.36             | 63.54             | -29.18         | 32.26         | 1           | Horizontal | 117            | 2.47          | -       | 37.64      | 14.73      | 50.27      |



### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT X\_1TX  
Setting 78  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9234G   | 70.57          | 88.20          | -17.63      | 61.92      | 3        | Vertical  | 233         | 2.02       | -       | 34.99   | 6.60    | 32.94   |
| RMS  | 5.925G    | 60.12          | 68.20          | -8.08       | 51.46      | 3        | Vertical  | 233         | 2.02       | -       | 35.00   | 6.60    | 32.94   |
| PK   | 6.1946G   | 113.69         | Inf            | -Inf        | 104.27     | 3        | Vertical  | 233         | 2.02       | -       | 35.48   | 6.89    | 32.95   |
| RMS  | 6.1994G   | 102.11         | Inf            | -Inf        | 92.66      | 3        | Vertical  | 233         | 2.02       | -       | 35.50   | 6.90    | 32.95   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT X\_1TX  
Setting 78  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9186G   | 62.30          | 88.20          | -25.90      | 53.67      | 3        | Horizontal | 290         | 1.99       | -       | 34.97   | 6.60    | 32.94   |
| RMS  | 5.9018G   | 50.92          | 68.20          | -17.28      | 42.35      | 3        | Horizontal | 290         | 1.99       | -       | 34.91   | 6.60    | 32.94   |
| PK   | 6.1874G   | 98.47          | Inf            | -Inf        | 89.09      | 3        | Horizontal | 290         | 1.99       | -       | 35.45   | 6.88    | 32.95   |
| RMS  | 6.2018G   | 89.17          | Inf            | -Inf        | 79.73      | 3        | Horizontal | 290         | 1.99       | -       | 35.49   | 6.90    | 32.95   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6185MHz\_TnomVnom




EUT X\_1TX  
Setting 78  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 12.37744G | 57.21          | 74.00          | -16.79      | 41.80      | 3        | Vertical  | 289         | 1.02       | -       | 38.65   | 9.17    | 32.41   |
| AV   | 12.37354G | 46.56          | 54.00          | -7.44       | 31.16      | 3        | Vertical  | 289         | 1.02       | -       | 38.65   | 9.17    | 32.42   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6185MHz\_TnomVnom




EUT X\_1TX  
Setting 78  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.36682G    | 57.31             | 74.00             | -16.69         | 41.94         | 3           | Horizontal | 323            | 2.29          | -       | 38.63      | 9.17       | 32.43      |
| AV   | 12.37126G    | 46.64             | 54.00             | -7.36          | 31.25         | 3           | Horizontal | 323            | 2.29          | -       | 38.64      | 9.17       | 32.42      |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6185MHz\_TnomVnom




EUT X\_1TX  
Setting 78  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 18.55506G | 46.57          | 83.54          | -36.97      | 43.91      | 1        | Vertical  | 30          | 2.75       | -       | 37.78   | 14.92   | 50.04   |
| AV   | 18.55513G | 35.10          | 63.54          | -28.44      | 32.44      | 1        | Vertical  | 30          | 2.75       | -       | 37.78   | 14.92   | 50.04   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6185MHz\_TnomVnom




EUT X\_1TX  
Setting 78  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 18.55524G    | 46.01             | 83.54             | -37.53         | 43.35         | 1           | Horizontal | 266            | 1.39          | -       | 37.78      | 14.92      | 50.04      |
| AV   | 18.55506G    | 35.04             | 63.54             | -28.50         | 32.38         | 1           | Horizontal | 266            | 1.39          | -       | 37.78      | 14.92      | 50.04      |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT\_X\_1TX  
Setting 76  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.919G    | 63.27          | 88.20          | -24.93      | 54.63      | 3        | Vertical  | 237         | 2.13       | -       | 34.98   | 6.60    | 32.94   |
| RMS  | 5.923G    | 52.28          | 68.20          | -15.92      | 43.63      | 3        | Vertical  | 237         | 2.13       | -       | 34.99   | 6.60    | 32.94   |
| PK   | 6.335G    | 109.20         | Inf            | -Inf        | 99.88      | 3        | Vertical  | 237         | 2.13       | -       | 35.30   | 6.97    | 32.95   |
| RMS  | 6.289G    | 98.51          | Inf            | -Inf        | 89.26      | 3        | Vertical  | 237         | 2.13       | -       | 35.26   | 6.94    | 32.95   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT X\_1TX  
Setting 76  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.911G    | 60.91          | 88.20          | -27.29      | 52.31      | 3        | Horizontal | 223         | 1.75       | -       | 34.94   | 6.60    | 32.94   |
| RMS  | 5.921G    | 50.40          | 68.20          | -17.80      | 41.76      | 3        | Horizontal | 223         | 1.75       | -       | 34.98   | 6.60    | 32.94   |
| PK   | 6.397G    | 96.79          | Inf            | -Inf        | 87.16      | 3        | Horizontal | 223         | 1.75       | -       | 35.58   | 7.00    | 32.95   |
| RMS  | 6.401G    | 86.87          | Inf            | -Inf        | 77.22      | 3        | Horizontal | 223         | 1.75       | -       | 35.60   | 7.00    | 32.95   |



### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT X\_1TX  
Setting 76  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 12.68154G | 57.22          | 74.00          | -16.78      | 41.00      | 3        | Vertical  | 61          | 1.34       | -       | 38.94   | 9.31    | 32.03   |
| AV   | 12.69858G | 46.50          | 54.00          | -7.50       | 30.20      | 3        | Vertical  | 61          | 1.34       | -       | 39.00   | 9.31    | 32.01   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6345MHz\_TnomVnom




EUT X\_1TX  
Setting 76  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.6972G     | 57.62             | 74.00             | -16.38         | 41.33         | 3           | Horizontal | 53             | 1.20          | -       | 38.99      | 9.31       | 32.01      |
| AV   | 12.69408G    | 46.43             | 54.00             | -7.57          | 30.15         | 3           | Horizontal | 53             | 1.20          | -       | 38.98      | 9.31       | 32.01      |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT X\_1TX  
Setting 76  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.0351G  | 45.98          | 83.54          | -37.56      | 42.52      | 1        | Vertical  | 210         | 1.71       | -       | 37.96   | 15.11   | 49.61   |
| AV   | 19.0352G  | 35.14          | 63.54          | -28.40      | 31.68      | 1        | Vertical  | 210         | 1.71       | -       | 37.96   | 15.11   | 49.61   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6345MHz\_TnomVnom




EUT X\_1TX  
Setting 76  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.03507G | 45.51          | 83.54          | -38.03      | 42.05      | 1        | Horizontal | 146         | 2.30       | -       | 37.96   | 15.11   | 49.61   |
| AV   | 19.03542G | 35.12          | 63.54          | -28.42      | 31.66      | 1        | Horizontal | 146         | 2.30       | -       | 37.96   | 15.11   | 49.61   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT X\_1TX  
Setting 79  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8862G   | 60.42          | 88.20          | -27.78      | 51.89      | 3        | Vertical  | 228         | 2.03       | -       | 34.87   | 6.60    | 32.94   |
| RMS  | 5.925G    | 50.80          | 68.20          | -17.40      | 42.14      | 3        | Vertical  | 228         | 2.03       | -       | 35.00   | 6.60    | 32.94   |
| PK   | 6.4798G   | 109.18         | Inf            | -Inf        | 99.61      | 3        | Vertical  | 228         | 2.03       | -       | 35.52   | 7.00    | 32.95   |
| RMS  | 6.491G    | 98.77          | Inf            | -Inf        | 89.16      | 3        | Vertical  | 228         | 2.03       | -       | 35.56   | 7.00    | 32.95   |
| PK   | 7.1798G   | 63.46          | 88.20          | -24.74      | 52.36      | 3        | Vertical  | 228         | 2.03       | -       | 37.02   | 7.21    | 33.13   |
| RMS  | 7.1434G   | 53.12          | 68.20          | -15.08      | 42.18      | 3        | Vertical  | 228         | 2.03       | -       | 36.85   | 7.23    | 33.14   |

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_X\_1TX  
Setting 79  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9226G   | 60.76          | 88.20          | -27.44      | 52.11      | 3        | Horizontal | 360         | 2.16       | -       | 34.99   | 6.60    | 32.94   |
| RMS  | 5.9226G   | 50.33          | 68.20          | -17.87      | 41.68      | 3        | Horizontal | 360         | 2.16       | -       | 34.99   | 6.60    | 32.94   |
| PK   | 6.5358G   | 97.73          | Inf            | -Inf        | 87.96      | 3        | Horizontal | 360         | 2.16       | -       | 35.74   | 7.00    | 32.97   |
| RMS  | 6.4994G   | 87.99          | Inf            | -Inf        | 78.34      | 3        | Horizontal | 360         | 2.16       | -       | 35.60   | 7.00    | 32.95   |
| PK   | 7.1518G   | 63.01          | 88.20          | -25.19      | 52.02      | 3        | Horizontal | 360         | 2.16       | -       | 36.91   | 7.22    | 33.14   |
| RMS  | 7.1434G   | 53.14          | 68.20          | -15.06      | 42.20      | 3        | Horizontal | 360         | 2.16       | -       | 36.85   | 7.23    | 33.14   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT X\_1TX  
Setting 79  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.00904G    | 59.01             | 88.20             | -29.19         | 41.56         | 3           | Vertical  | 124            | 1.45          | -       | 39.61      | 9.45       | 31.61      |
| RMS  | 13.0205G     | 47.45             | 68.20             | -20.75         | 29.96         | 3           | Vertical  | 124            | 1.45          | -       | 39.62      | 9.46       | 31.59      |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT X\_1TX  
Setting 79  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.00058G    | 58.31             | 88.20             | -29.89         | 40.88         | 3           | Horizontal | 340            | 2.12          | -       | 39.60      | 9.45       | 31.62      |
| RMS  | 13.0205G     | 47.17             | 68.20             | -21.03         | 29.68         | 3           | Horizontal | 340            | 2.12          | -       | 39.62      | 9.46       | 31.59      |



### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT X\_1TX  
Setting 79  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.51455G    | 45.81             | 83.54             | -37.73         | 42.31         | 1           | Vertical  | 307            | 1.45          | -       | 37.89      | 15.31      | 49.70      |
| AV   | 19.51466G    | 34.99             | 63.54             | -28.55         | 31.49         | 1           | Vertical  | 307            | 1.45          | -       | 37.89      | 15.31      | 49.70      |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT X\_1TX  
Setting 79  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.51484G    | 45.64             | 83.54             | -37.90         | 42.14         | 1           | Horizontal | 157            | 1.93          | -       | 37.89      | 15.31      | 49.70      |
| AV   | 19.51465G    | 35.22             | 63.54             | -28.32         | 31.72         | 1           | Horizontal | 157            | 1.93          | -       | 37.89      | 15.31      | 49.70      |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT X\_1TX  
Setting 83  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.72G     | 110.58         | Inf            | -Inf        | 100.62     | 3        | Vertical  | 227         | 1.99       | -       | 36.02   | 7.00    | 33.06   |
| RMS  | 6.6012G   | 101.44         | Inf            | -Inf        | 91.54      | 3        | Vertical  | 227         | 1.99       | -       | 35.90   | 7.00    | 33.00   |
| PK   | 7.1292G   | 67.97          | 88.20          | -20.23      | 57.14      | 3        | Vertical  | 227         | 1.99       | -       | 36.73   | 7.24    | 33.14   |
| RMS  | 7.1292G   | 56.85          | 68.20          | -11.35      | 46.02      | 3        | Vertical  | 227         | 1.99       | -       | 36.73   | 7.24    | 33.14   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT X\_1TX  
Setting 83  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.6012G   | 102.06         | Inf            | -Inf        | 92.16      | 3        | Horizontal | 357         | 2.13       | -       | 35.90   | 7.00    | 33.00   |
| RMS  | 6.6012G   | 92.39          | Inf            | -Inf        | 82.49      | 3        | Horizontal | 357         | 2.13       | -       | 35.90   | 7.00    | 33.00   |
| PK   | 7.1468G   | 63.64          | 88.20          | -24.56      | 52.68      | 3        | Horizontal | 357         | 2.13       | -       | 36.87   | 7.23    | 33.14   |
| RMS  | 7.138G    | 53.03          | 68.20          | -15.17      | 42.14      | 3        | Horizontal | 357         | 2.13       | -       | 36.80   | 7.23    | 33.14   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT X\_1TX  
Setting 83  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 13.33084G | 58.25          | 74.00          | -15.75      | 39.79      | 3        | Vertical  | 269         | 1.80       | -       | 40.06   | 9.60    | 31.20   |
| AV   | 13.33768G | 47.47          | 54.00          | -6.53       | 28.98      | 3        | Vertical  | 269         | 1.80       | -       | 40.08   | 9.60    | 31.19   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT\_X\_1TX  
Setting 83  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.33846G    | 58.07             | 74.00             | -15.93         | 39.58         | 3           | Horizontal | 57             | 1.80          | -       | 40.08      | 9.60       | 31.19      |
| AV   | 13.34428G    | 47.85             | 54.00             | -6.15          | 29.35         | 3           | Horizontal | 57             | 1.80          | -       | 40.09      | 9.60       | 31.19      |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT X\_1TX  
Setting 83  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.99451G | 44.34          | 83.54          | -39.20      | 41.13      | 1        | Vertical  | 176         | 2.93       | -       | 37.41   | 15.50   | 49.70   |
| AV   | 19.99463G | 34.08          | 63.54          | -29.46      | 30.87      | 1        | Vertical  | 176         | 2.93       | -       | 37.41   | 15.50   | 49.70   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6665MHz\_TnomVnom




EUT X\_1TX  
Setting 83  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.99451G    | 44.50             | 83.54             | -39.04         | 41.29         | 1           | Horizontal | 9              | 2.02          | -       | 37.41      | 15.50      | 49.70      |
| AV   | 19.99486G    | 34.13             | 63.54             | -29.41         | 30.92         | 1           | Horizontal | 9              | 2.02          | -       | 37.41      | 15.50      | 49.70      |



### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_1TX  
Setting 83  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.801G    | 112.94         | Inf            | -Inf        | 102.82     | 3        | Vertical  | 226         | 1.89       | -       | 36.21   | 7.00    | 33.09   |
| RMS  | 6.801G    | 101.76         | Inf            | -Inf        | 91.64      | 3        | Vertical  | 226         | 1.89       | -       | 36.21   | 7.00    | 33.09   |
| PK   | 7.1258G   | 75.38          | 88.20          | -12.82      | 64.57      | 3        | Vertical  | 226         | 1.89       | -       | 36.71   | 7.24    | 33.14   |
| RMS  | 7.1258G   | 63.55          | 68.20          | -4.65       | 52.74      | 3        | Vertical  | 226         | 1.89       | -       | 36.71   | 7.24    | 33.14   |

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_X\_1TX  
Setting 83  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.7994G   | 101.93         | Inf            | -Inf        | 91.82      | 3        | Horizontal | 228         | 1.80       | -       | 36.20   | 7.00    | 33.09   |
| RMS  | 6.801G    | 92.00          | Inf            | -Inf        | 81.88      | 3        | Horizontal | 228         | 1.80       | -       | 36.21   | 7.00    | 33.09   |
| PK   | 7.1962G   | 65.85          | 88.20          | -22.35      | 54.69      | 3        | Horizontal | 228         | 1.80       | -       | 37.08   | 7.20    | 33.12   |
| RMS  | 7.2042G   | 54.35          | 68.20          | -13.85      | 43.17      | 3        | Horizontal | 228         | 1.80       | -       | 37.10   | 7.20    | 33.12   |

802.11ax HEW160\_Nss1,(MCS0)\_1TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT X\_1TX  
Setting 83  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 13.65756G | 61.37          | 88.20          | -26.83      | 42.30      | 3        | Vertical  | 177         | 3.00       | -       | 40.42   | 9.75    | 31.10   |
| RMS  | 13.64502G | 51.09          | 68.20          | -17.11      | 32.05      | 3        | Vertical  | 177         | 3.00       | -       | 40.39   | 9.74    | 31.09   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX


### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom



EUT X\_1TX  
Setting 83  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.65054G    | 61.24             | 88.20             | -26.96         | 42.19         | 3           | Horizontal | 201            | 1.89          | -       | 40.40      | 9.74       | 31.09      |
| RMS  | 13.65882G    | 51.23             | 68.20             | -16.97         | 32.16         | 3           | Horizontal | 201            | 1.89          | -       | 40.42      | 9.75       | 31.10      |


**802.11ax HEW160\_Nss1,(MCS0)\_1TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT X\_1TX  
 Setting 83  
 01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.47484G | 46.36          | 83.54          | -37.18      | 42.85      | 1        | Vertical  | 344         | 2.92       | -       | 37.69   | 15.71   | 49.89   |
| AV   | 20.475G   | 35.56          | 63.54          | -27.98      | 32.05      | 1        | Vertical  | 344         | 2.92       | -       | 37.69   | 15.71   | 49.89   |

**802.11ax HEW160\_Nss1,(MCS0)\_1TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT X\_1TX  
 Setting 83  
 01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.47516G | 46.41          | 83.54          | -37.13      | 42.90      | 1        | Horizontal | 153         | 1.74       | -       | 37.69   | 15.71   | 49.89   |
| AV   | 20.47493G | 35.42          | 63.54          | -28.12      | 31.91      | 1        | Horizontal | 153         | 1.74       | -       | 37.69   | 15.71   | 49.89   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUT X\_1TX  
Setting 67  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.999G    | 110.28         | Inf            | -Inf        | 99.87      | 3        | Vertical  | 234         | 1.98       | -       | 36.30   | 7.30    | 33.19   |
| RMS  | 7.014G    | 99.38          | Inf            | -Inf        | 88.89      | 3        | Vertical  | 234         | 1.98       | -       | 36.38   | 7.29    | 33.18   |
| PK   | 7.136G    | 82.69          | 88.20          | -5.51       | 71.81      | 3        | Vertical  | 234         | 1.98       | -       | 36.79   | 7.23    | 33.14   |
| RMS  | 7.136G    | 67.49          | 68.20          | -0.71       | 56.61      | 3        | Vertical  | 234         | 1.98       | -       | 36.79   | 7.23    | 33.14   |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUT X\_1TX  
Setting 67  
01-A-E-2-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.01G     | 98.98          | Inf            | -Inf        | 88.52      | 3        | Horizontal | 211         | 1.36       | -       | 36.36   | 7.29    | 33.19   |
| RMS  | 7.014G    | 88.37          | Inf            | -Inf        | 77.88      | 3        | Horizontal | 211         | 1.36       | -       | 36.38   | 7.29    | 33.18   |
| PK   | 7.125G    | 72.10          | 88.20          | -16.10      | 61.30      | 3        | Horizontal | 211         | 1.36       | -       | 36.70   | 7.24    | 33.14   |
| RMS  | 7.127G    | 57.82          | 68.20          | -10.38      | 47.00      | 3        | Horizontal | 211         | 1.36       | -       | 36.72   | 7.24    | 33.14   |



### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUT X\_1TX  
Setting 67  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.98344G    | 62.15             | 88.20             | -26.05         | 42.68         | 3           | Vertical  | 43             | 1.29          | -       | 40.90      | 9.89       | 31.32      |
| RMS  | 13.98326G    | 51.48             | 68.20             | -16.72         | 32.01         | 3           | Vertical  | 43             | 1.29          | -       | 40.90      | 9.89       | 31.32      |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom




EUT X\_1TX  
Setting 67  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.98338G    | 62.19             | 88.20             | -26.01         | 42.72         | 3           | Horizontal | 50             | 2.68          | -       | 40.90      | 9.89       | 31.32      |
| RMS  | 13.9625G     | 51.77             | 68.20             | -16.43         | 32.29         | 3           | Horizontal | 50             | 2.68          | -       | 40.90      | 9.88       | 31.30      |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

#### 6985MHz\_TnomVnom




EUT X\_1TX  
Setting 67  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.95505G    | 47.08             | 83.54             | -36.46         | 43.20         | 1           | Vertical  | 301            | 2.67          | -       | 37.67      | 15.93      | 49.72      |
| AV   | 20.95516G    | 36.25             | 63.54             | -27.29         | 32.37         | 1           | Vertical  | 301            | 2.67          | -       | 37.67      | 15.93      | 49.72      |

### 802.11ax HEW160\_Nss1,(MCS0)\_1TX

### 6985MHz\_TnomVnom



EUT X\_1TX  
Setting 67  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.95472G | 47.27          | 83.54          | -36.27      | 43.39      | 1        | Horizontal | 357         | 1.65       | -       | 37.67   | 15.93   | 49.72   |
| AV   | 20.95504G | 36.33          | 63.54          | -27.21      | 32.45      | 1        | Horizontal | 357         | 1.65       | -       | 37.67   | 15.93   | 49.72   |




Summary

| Mode                            | Result | Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comments |
|---------------------------------|--------|------|-----------|----------------|----------------|-------------|----------|------------|-------------|------------|----------|
| 6.875-7.125GHz                  | -      | -    | -         | -              | -              | -           | -        | -          | -           | -          | -        |
| 802.11ax HEW160_Nss1,(MCS0)_1TX | Pass   | RMS  | 7.136G    | 66.66          | 68.20          | -1.54       | 3        | Horizontal | 360         | 1.80       | -        |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT Y\_1TX  
Setting 34  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8978G   | 61.10          | 88.20          | -27.10      | 52.54      | 3        | Vertical  | 2           | 1.94       | -       | 34.90   | 6.60    | 32.94   |
| RMS  | 5.909G    | 49.37          | 68.20          | -18.83      | 40.77      | 3        | Vertical  | 2           | 1.94       | -       | 34.94   | 6.60    | 32.94   |
| PK   | 5.9534G   | 90.98          | Inf            | -Inf        | 82.22      | 3        | Vertical  | 2           | 1.94       | -       | 35.11   | 6.60    | 32.95   |
| RMS  | 5.9478G   | 79.77          | Inf            | -Inf        | 71.02      | 3        | Vertical  | 2           | 1.94       | -       | 35.09   | 6.60    | 32.94   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT V\_1TX  
Setting 34  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9234G   | 62.06          | 88.20          | -26.14      | 53.41      | 3        | Horizontal | 360         | 1.97       | -       | 34.99   | 6.60    | 32.94   |
| RMS  | 5.925G    | 51.51          | 68.20          | -16.69      | 42.85      | 3        | Horizontal | 360         | 1.97       | -       | 35.00   | 6.60    | 32.94   |
| PK   | 5.9494G   | 111.43         | Inf            | -Inf        | 102.67     | 3        | Horizontal | 360         | 1.97       | -       | 35.10   | 6.60    | 32.94   |
| RMS  | 5.951G    | 100.71         | Inf            | -Inf        | 91.96      | 3        | Horizontal | 360         | 1.97       | -       | 35.10   | 6.60    | 32.95   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT Y\_1TX  
Setting 34  
01-A-K-3

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 11.91018G | 55.59          | 74.00          | -18.41      | 40.98      | 3        | Vertical  | 99          | 2.30       | -       | 38.50   | 8.98    | 32.87   |
| AV   | 11.9105G  | 41.53          | 54.00          | -12.47      | 26.92      | 3        | Vertical  | 99          | 2.30       | -       | 38.50   | 8.98    | 32.87   |
| PK   | 17.8648G  | 63.89          | 74.00          | -10.11      | 41.87      | 3        | Vertical  | 76          | 1.79       | -       | 42.66   | 11.06   | 31.70   |
| AV   | 17.86503G | 48.00          | 54.00          | -6.00       | 25.98      | 3        | Vertical  | 76          | 1.79       | -       | 42.66   | 11.06   | 31.70   |



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT Y\_1TX  
Setting 34  
01-A-K-3

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 11.90988G | 55.19          | 74.00          | -18.81      | 40.58      | 3        | Horizontal | 289         | 1.29       | -       | 38.50   | 8.98    | 32.87   |
| AV   | 11.91037G | 41.49          | 54.00          | -12.51      | 26.88      | 3        | Horizontal | 289         | 1.29       | -       | 38.50   | 8.98    | 32.87   |
| PK   | 17.86464G | 63.16          | 74.00          | -10.84      | 41.14      | 3        | Horizontal | 179         | 2.44       | -       | 42.66   | 11.06   | 31.70   |
| AV   | 17.86453G | 47.90          | 54.00          | -6.10       | 25.88      | 3        | Horizontal | 179         | 2.44       | -       | 42.66   | 11.06   | 31.70   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6175MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9026G   | 60.79          | 88.20          | -27.41      | 52.22      | 3        | Vertical  | 357         | 1.98       | -       | 34.91   | 6.60    | 32.94   |
| RMS  | 5.9074G   | 49.25          | 68.20          | -18.95      | 40.66      | 3        | Vertical  | 357         | 1.98       | -       | 34.93   | 6.60    | 32.94   |
| PK   | 6.1702G   | 89.36          | Inf            | -Inf        | 80.07      | 3        | Vertical  | 357         | 1.98       | -       | 35.38   | 6.86    | 32.95   |
| RMS  | 6.1702G   | 79.63          | Inf            | -Inf        | 70.34      | 3        | Vertical  | 357         | 1.98       | -       | 35.38   | 6.86    | 32.95   |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6175MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9218G   | 60.32          | 88.20          | -27.88      | 51.67      | 3        | Horizontal | 0           | 2.39       | -       | 34.99   | 6.60    | 32.94   |
| RMS  | 5.9074G   | 49.42          | 68.20          | -18.78      | 40.83      | 3        | Horizontal | 0           | 2.39       | -       | 34.93   | 6.60    | 32.94   |
| PK   | 6.1666G   | 109.48         | Inf            | -Inf        | 100.21     | 3        | Horizontal | 0           | 2.39       | -       | 35.37   | 6.85    | 32.95   |
| RMS  | 6.1678G   | 99.84          | Inf            | -Inf        | 90.57      | 3        | Horizontal | 0           | 2.39       | -       | 35.37   | 6.85    | 32.95   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6175MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.35003G    | 55.72             | 74.00             | -18.28         | 40.41         | 3           | Vertical  | 146            | 1.17          | -       | 38.60      | 9.16       | 32.45      |
| AV   | 12.35G       | 41.92             | 54.00             | -12.08         | 26.61         | 3           | Vertical  | 146            | 1.17          | -       | 38.60      | 9.16       | 32.45      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6175MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.35034G    | 56.12             | 74.00             | -17.88         | 40.81         | 3           | Horizontal | 84             | 1.05          | -       | 38.60      | 9.16       | 32.45      |
| AV   | 12.3505G     | 41.91             | 54.00             | -12.09         | 26.60         | 3           | Horizontal | 84             | 1.05          | -       | 38.60      | 9.16       | 32.45      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6175MHz\_TnomVnom




EUT Y\_1TX  
Setting 33  
01-A-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 18.52535G | 46.48          | 83.54          | -37.06      | 43.85      | 1        | Vertical  | 54          | 2.70       | -       | 37.79   | 14.91   | 50.07   |
| AV   | 18.52507G | 32.54          | 63.54          | -31.00      | 29.91      | 1        | Vertical  | 54          | 2.70       | -       | 37.79   | 14.91   | 50.07   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6175MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 18.52535G | 46.62          | 83.54          | -36.92      | 43.99      | 1        | Horizontal | 42          | 1.25       | -       | 37.79   | 14.91   | 50.07   |
| AV   | 18.52483G | 32.48          | 63.54          | -31.06      | 29.86      | 1        | Horizontal | 42          | 1.25       | -       | 37.79   | 14.91   | 50.08   |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6415MHz\_TnomVnom




EUT Y\_1TX  
Setting 31  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8798G   | 60.14          | 88.20          | -28.06      | 51.62      | 3        | Vertical  | 14          | 3.00       | -       | 34.86   | 6.60    | 32.94   |
| RMS  | 5.899G    | 49.27          | 68.20          | -18.93      | 40.71      | 3        | Vertical  | 14          | 3.00       | -       | 34.90   | 6.60    | 32.94   |
| PK   | 6.4198G   | 93.72          | Inf            | -Inf        | 84.15      | 3        | Vertical  | 14          | 3.00       | -       | 35.52   | 7.00    | 32.95   |
| RMS  | 6.4174G   | 83.96          | Inf            | -Inf        | 74.38      | 3        | Vertical  | 14          | 3.00       | -       | 35.53   | 7.00    | 32.95   |



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT V\_1TX  
Setting 31  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8918G   | 59.68          | 88.20          | -28.52      | 51.14      | 3        | Horizontal | 354         | 1.84       | -       | 34.88   | 6.60    | 32.94   |
| RMS  | 5.899G    | 49.39          | 68.20          | -18.81      | 40.83      | 3        | Horizontal | 354         | 1.84       | -       | 34.90   | 6.60    | 32.94   |
| PK   | 6.4198G   | 110.04         | Inf            | -Inf        | 100.47     | 3        | Horizontal | 354         | 1.84       | -       | 35.52   | 7.00    | 32.95   |
| RMS  | 6.4174G   | 100.01         | Inf            | -Inf        | 90.43      | 3        | Horizontal | 354         | 1.84       | -       | 35.53   | 7.00    | 32.95   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT V\_1TX  
Setting 31  
01-A-B-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.82974G    | 57.69             | 88.20             | -30.51         | 40.93         | 3           | Vertical  | 283            | 2.93          | -       | 39.23      | 9.37       | 31.84      |
| RMS  | 12.82985G    | 43.01             | 68.20             | -25.19         | 26.25         | 3           | Vertical  | 283            | 2.93          | -       | 39.23      | 9.37       | 31.84      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT V\_1TX  
Setting 31  
01-A-B-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.82951G    | 57.32             | 88.20             | -30.88         | 40.56         | 3           | Horizontal | 357            | 2.31          | -       | 39.23      | 9.37       | 31.84      |
| RMS  | 12.82962G    | 43.24             | 68.20             | -24.96         | 26.48         | 3           | Horizontal | 357            | 2.31          | -       | 39.23      | 9.37       | 31.84      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT V\_1TX  
Setting 31  
01-A-B-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.24463G | 47.49          | 83.54          | -36.05      | 44.23      | 1        | Vertical  | 31          | 1.22       | -       | 37.71   | 15.20   | 49.65   |
| AV   | 19.24473G | 32.66          | 63.54          | -30.88      | 29.40      | 1        | Vertical  | 31          | 1.22       | -       | 37.71   | 15.20   | 49.65   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT Y\_1TX  
Setting 31  
01-A-B-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.24543G    | 46.78             | 83.54             | -36.76         | 43.52         | 1           | Horizontal | 141            | 1.52          | -       | 37.71      | 15.20      | 49.65      |
| AV   | 19.24493G    | 32.70             | 63.54             | -30.84         | 29.44         | 1           | Horizontal | 141            | 1.52          | -       | 37.71      | 15.20      | 49.65      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8994G   | 59.80          | 88.20          | -28.40      | 51.24      | 3        | Vertical  | 15          | 2.88       | -       | 34.90   | 6.60    | 32.94   |
| RMS  | 5.915G    | 49.20          | 68.20          | -19.00      | 40.58      | 3        | Vertical  | 15          | 2.88       | -       | 34.96   | 6.60    | 32.94   |
| PK   | 6.4324G   | 94.09          | Inf            | -Inf        | 84.57      | 3        | Vertical  | 15          | 2.88       | -       | 35.47   | 7.00    | 32.95   |
| RMS  | 6.4428G   | 84.33          | Inf            | -Inf        | 74.85      | 3        | Vertical  | 15          | 2.88       | -       | 35.43   | 7.00    | 32.95   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8968G   | 59.65          | 88.20          | -28.55      | 51.10      | 3        | Horizontal | 353         | 1.80       | -       | 34.89   | 6.60    | 32.94   |
| RMS  | 5.8942G   | 49.25          | 68.20          | -18.95      | 40.70      | 3        | Horizontal | 353         | 1.80       | -       | 34.89   | 6.60    | 32.94   |
| PK   | 6.4376G   | 109.50         | Inf            | -Inf        | 100.00     | 3        | Horizontal | 353         | 1.80       | -       | 35.45   | 7.00    | 32.95   |
| RMS  | 6.4402G   | 99.62          | Inf            | -Inf        | 90.13      | 3        | Horizontal | 353         | 1.80       | -       | 35.44   | 7.00    | 32.95   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 12.86975G | 56.96          | 88.20          | -31.24      | 40.09      | 3        | Vertical  | 123         | 2.32       | -       | 39.27   | 9.39    | 31.79   |
| RMS  | 12.86993G | 42.86          | 68.20          | -25.34      | 25.99      | 3        | Vertical  | 123         | 2.32       | -       | 39.27   | 9.39    | 31.79   |



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.87029G    | 57.02             | 88.20             | -31.18         | 40.15         | 3           | Horizontal | 195            | 1.66          | -       | 39.27      | 9.39       | 31.79      |
| RMS  | 12.86993G    | 42.84             | 68.20             | -25.36         | 25.97         | 3           | Horizontal | 195            | 1.66          | -       | 39.27      | 9.39       | 31.79      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.3053G  | 46.98          | 83.54          | -36.56      | 43.68      | 1        | Vertical  | 226         | 2.05       | -       | 37.74   | 15.22   | 49.66   |
| AV   | 19.3047G  | 32.71          | 63.54          | -30.83      | 29.41      | 1        | Vertical  | 226         | 2.05       | -       | 37.74   | 15.22   | 49.66   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.30547G    | 46.62             | 83.54             | -36.92         | 43.32         | 1           | Horizontal | 185            | 1.93          | -       | 37.74      | 15.22      | 49.66      |
| AV   | 19.3048G     | 32.73             | 63.54             | -30.81         | 29.43         | 1           | Horizontal | 185            | 1.93          | -       | 37.74      | 15.22      | 49.66      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT\_V\_1TX  
Setting 33  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8422G   | 59.92          | 88.20          | -28.28      | 51.51      | 3        | Vertical  | 14          | 2.94       | -       | 34.74   | 6.60    | 32.93   |
| RMS  | 5.8954G   | 49.17          | 68.20          | -19.03      | 40.62      | 3        | Vertical  | 14          | 2.94       | -       | 34.89   | 6.60    | 32.94   |
| PK   | 6.4834G   | 92.58          | Inf            | -Inf        | 83.00      | 3        | Vertical  | 14          | 2.94       | -       | 35.53   | 7.00    | 32.95   |
| RMS  | 6.4778G   | 83.93          | Inf            | -Inf        | 74.37      | 3        | Vertical  | 14          | 2.94       | -       | 35.51   | 7.00    | 32.95   |
| PK   | 7.1694G   | 61.35          | 88.20          | -26.85      | 50.28      | 3        | Vertical  | 14          | 2.94       | -       | 36.98   | 7.22    | 33.13   |
| RMS  | 7.1442G   | 51.33          | 68.20          | -16.87      | 40.39      | 3        | Vertical  | 14          | 2.94       | -       | 36.85   | 7.23    | 33.14   |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6475MHz\_TnomVnom




EUT\_V\_1TX  
Setting 33  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8954G   | 59.82          | 88.20          | -28.38      | 51.27      | 3        | Horizontal | 352         | 1.91       | -       | 34.89   | 6.60    | 32.94   |
| RMS  | 5.9038G   | 49.18          | 68.20          | -19.02      | 40.60      | 3        | Horizontal | 352         | 1.91       | -       | 34.92   | 6.60    | 32.94   |
| PK   | 6.4722G   | 108.15         | Inf            | -Inf        | 98.61      | 3        | Horizontal | 352         | 1.91       | -       | 35.49   | 7.00    | 32.95   |
| RMS  | 6.4694G   | 98.61          | Inf            | -Inf        | 89.08      | 3        | Horizontal | 352         | 1.91       | -       | 35.48   | 7.00    | 32.95   |
| PK   | 7.1498G   | 62.49          | 88.20          | -25.71      | 51.50      | 3        | Horizontal | 352         | 1.91       | -       | 36.90   | 7.23    | 33.14   |
| RMS  | 7.1442G   | 51.29          | 68.20          | -16.91      | 40.35      | 3        | Horizontal | 352         | 1.91       | -       | 36.85   | 7.23    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 12.95037G    | 57.65             | 88.20             | -30.55         | 40.45         | 3           | Vertical  | 237            | 2.03          | -       | 39.45      | 9.43       | 31.68      |
| RMS  | 12.95008G    | 43.65             | 68.20             | -24.55         | 26.45         | 3           | Vertical  | 237            | 2.03          | -       | 39.45      | 9.43       | 31.68      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6475MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 12.94971G | 57.94          | 88.20          | -30.26      | 40.74      | 3        | Horizontal | 323         | 1.92       | -       | 39.45   | 9.43    | 31.68   |
| RMS  | 12.95026G | 43.74          | 68.20          | -24.46      | 26.54      | 3        | Horizontal | 323         | 1.92       | -       | 39.45   | 9.43    | 31.68   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.42527G | 47.67          | 83.54          | -35.87      | 44.25      | 1        | Vertical  | 341         | 1.12       | -       | 37.84   | 15.27   | 49.69   |
| AV   | 19.42543G | 33.49          | 63.54          | -30.05      | 30.07      | 1        | Vertical  | 341         | 1.12       | -       | 37.84   | 15.27   | 49.69   |



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6475MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.42502G | 47.17          | 83.54          | -36.37      | 43.75      | 1        | Horizontal | 347         | 2.50       | -       | 37.84   | 15.27   | 49.69   |
| AV   | 19.42456G | 33.35          | 63.54          | -30.19      | 29.92      | 1        | Horizontal | 347         | 2.50       | -       | 37.84   | 15.27   | 49.68   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT\_V\_1TX  
Setting 33  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9046G   | 60.13          | 88.20          | -28.07      | 51.55      | 3        | Vertical  | 13          | 2.90       | -       | 34.92   | 6.60    | 32.94   |
| RMS  | 5.8962G   | 49.22          | 68.20          | -18.98      | 40.67      | 3        | Vertical  | 13          | 2.90       | -       | 34.89   | 6.60    | 32.94   |
| PK   | 6.5178G   | 93.40          | Inf            | -Inf        | 83.69      | 3        | Vertical  | 13          | 2.90       | -       | 35.67   | 7.00    | 32.96   |
| RMS  | 6.5178G   | 84.67          | Inf            | -Inf        | 74.96      | 3        | Vertical  | 13          | 2.90       | -       | 35.67   | 7.00    | 32.96   |
| PK   | 7.173G    | 62.26          | 88.20          | -25.94      | 51.19      | 3        | Vertical  | 13          | 2.90       | -       | 36.99   | 7.21    | 33.13   |
| RMS  | 7.2022G   | 51.55          | 68.20          | -16.65      | 40.37      | 3        | Vertical  | 13          | 2.90       | -       | 37.10   | 7.20    | 33.12   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT\_V\_1TX  
Setting 33  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9018G   | 59.79          | 88.20          | -28.41      | 51.22      | 3        | Horizontal | 353         | 1.80       | -       | 34.91   | 6.60    | 32.94   |
| RMS  | 5.8962G   | 49.22          | 68.20          | -18.98      | 40.67      | 3        | Horizontal | 353         | 1.80       | -       | 34.89   | 6.60    | 32.94   |
| PK   | 6.5094G   | 107.52         | Inf            | -Inf        | 97.83      | 3        | Horizontal | 353         | 1.80       | -       | 35.64   | 7.00    | 32.95   |
| RMS  | 6.5178G   | 98.00          | Inf            | -Inf        | 88.29      | 3        | Horizontal | 353         | 1.80       | -       | 35.67   | 7.00    | 32.96   |
| PK   | 7.1506G   | 62.29          | 88.20          | -25.91      | 51.31      | 3        | Horizontal | 353         | 1.80       | -       | 36.90   | 7.22    | 33.14   |
| RMS  | 7.2022G   | 51.56          | 68.20          | -16.64      | 40.38      | 3        | Horizontal | 353         | 1.80       | -       | 37.10   | 7.20    | 33.12   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6515MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.02997G    | 57.47             | 88.20             | -30.73         | 39.96         | 3           | Vertical  | 103            | 1.39          | -       | 39.63      | 9.46       | 31.58      |
| RMS  | 13.03039G    | 43.73             | 68.20             | -24.47         | 26.22         | 3           | Vertical  | 103            | 1.39          | -       | 39.63      | 9.46       | 31.58      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.02957G    | 58.03             | 88.20             | -30.17         | 40.52         | 3           | Horizontal | 337            | 2.73          | -       | 39.63      | 9.46       | 31.58      |
| RMS  | 13.03038G    | 43.67             | 68.20             | -24.53         | 26.16         | 3           | Horizontal | 337            | 2.73          | -       | 39.63      | 9.46       | 31.58      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.545G      | 47.69             | 83.54             | -35.85         | 44.19         | 1           | Vertical  | 318            | 1.70          | -       | 37.88      | 15.32      | 49.70      |
| AV   | 19.54467G    | 33.63             | 63.54             | -29.91         | 30.13         | 1           | Vertical  | 318            | 1.70          | -       | 37.88      | 15.32      | 49.70      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6515MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.54517G | 47.58          | 83.54          | -35.96      | 44.08      | 1        | Horizontal | 237         | 2.30       | -       | 37.88   | 15.32   | 49.70   |
| AV   | 19.54477G | 33.46          | 63.54          | -30.08      | 29.96      | 1        | Horizontal | 237         | 2.30       | -       | 37.88   | 15.32   | 49.70   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT\_V\_1TX  
Setting 33  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.85G     | 59.96          | 88.20          | -28.24      | 51.50      | 3        | Vertical  | 14          | 2.88       | -       | 34.80   | 6.60    | 32.94   |
| RMS  | 5.905G    | 49.21          | 68.20          | -18.99      | 40.63      | 3        | Vertical  | 14          | 2.88       | -       | 34.92   | 6.60    | 32.94   |
| PK   | 6.5294G   | 95.31          | Inf            | -Inf        | 85.55      | 3        | Vertical  | 14          | 2.88       | -       | 35.72   | 7.00    | 32.96   |
| RMS  | 6.5322G   | 85.46          | Inf            | -Inf        | 75.70      | 3        | Vertical  | 14          | 2.88       | -       | 35.73   | 7.00    | 32.97   |
| PK   | 7.1874G   | 62.72          | 88.20          | -25.48      | 51.58      | 3        | Vertical  | 14          | 2.88       | -       | 37.05   | 7.21    | 33.12   |
| RMS  | 7.2232G   | 51.58          | 68.20          | -16.62      | 40.37      | 3        | Vertical  | 14          | 2.88       | -       | 37.10   | 7.22    | 33.11   |



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT\_V\_1TX  
Setting 33  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8686G   | 60.32          | 88.20          | -27.88      | 51.82      | 3        | Horizontal | 357         | 1.92       | -       | 34.84   | 6.60    | 32.94   |
| RMS  | 5.9106G   | 49.18          | 68.20          | -19.02      | 40.58      | 3        | Horizontal | 357         | 1.92       | -       | 34.94   | 6.60    | 32.94   |
| PK   | 6.5322G   | 108.20         | Inf            | -Inf        | 98.44      | 3        | Horizontal | 357         | 1.92       | -       | 35.73   | 7.00    | 32.97   |
| RMS  | 6.5322G   | 99.34          | Inf            | -Inf        | 89.58      | 3        | Horizontal | 357         | 1.92       | -       | 35.73   | 7.00    | 32.97   |
| PK   | 7.1902G   | 62.58          | 88.20          | -25.62      | 51.44      | 3        | Horizontal | 357         | 1.92       | -       | 37.06   | 7.20    | 33.12   |
| RMS  | 7.2154G   | 51.57          | 68.20          | -16.63      | 40.36      | 3        | Horizontal | 357         | 1.92       | -       | 37.10   | 7.22    | 33.11   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.07009G    | 58.73             | 88.20             | -29.47         | 41.11         | 3           | Vertical  | 195            | 1.19          | -       | 39.67      | 9.48       | 31.53      |
| RMS  | 13.07027G    | 43.99             | 68.20             | -24.21         | 26.37         | 3           | Vertical  | 195            | 1.19          | -       | 39.67      | 9.48       | 31.53      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 13.06956G | 58.70          | 88.20          | -29.50      | 41.08      | 3        | Horizontal | 61          | 2.78       | -       | 39.67   | 9.48    | 31.53   |
| RMS  | 13.07041G | 43.98          | 68.20          | -24.22      | 26.36      | 3        | Horizontal | 61          | 2.78       | -       | 39.67   | 9.48    | 31.53   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 19.60465G | 47.29          | 83.54          | -36.25      | 43.79      | 1        | Vertical  | 39          | 1.84       | -       | 37.86   | 15.34   | 49.70   |
| AV   | 19.60451G | 33.10          | 63.54          | -30.44      | 29.60      | 1        | Vertical  | 39          | 1.84       | -       | 37.86   | 15.34   | 49.70   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6535MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 19.60475G    | 47.17             | 83.54             | -36.37         | 43.67         | 1           | Horizontal | 79             | 2.20          | -       | 37.86      | 15.34      | 49.70      |
| AV   | 19.60469G    | 33.11             | 63.54             | -30.43         | 29.61         | 1           | Horizontal | 79             | 2.20          | -       | 37.86      | 15.34      | 49.70      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT V\_1TX  
Setting 35  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.695G    | 93.52          | Inf            | -Inf        | 83.65      | 3        | Vertical  | 6           | 2.97       | -       | 35.91   | 7.00    | 33.04   |
| RMS  | 6.6906G   | 83.21          | Inf            | -Inf        | 73.33      | 3        | Vertical  | 6           | 2.97       | -       | 35.92   | 7.00    | 33.04   |
| PK   | 7.223G    | 62.67          | 88.20          | -25.53      | 51.46      | 3        | Vertical  | 6           | 2.97       | -       | 37.10   | 7.22    | 33.11   |
| RMS  | 7.2208G   | 51.53          | 68.20          | -16.67      | 40.32      | 3        | Vertical  | 6           | 2.97       | -       | 37.10   | 7.22    | 33.11   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT V\_1TX  
Setting 35  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.6972G   | 109.18         | Inf            | -Inf        | 99.31      | 3        | Horizontal | 2           | 1.80       | -       | 35.91   | 7.00    | 33.04   |
| RMS  | 6.6928G   | 98.21          | Inf            | -Inf        | 88.34      | 3        | Horizontal | 2           | 1.80       | -       | 35.91   | 7.00    | 33.04   |
| PK   | 7.2208G   | 62.22          | 88.20          | -25.98      | 51.01      | 3        | Horizontal | 2           | 1.80       | -       | 37.10   | 7.22    | 33.11   |
| RMS  | 7.2208G   | 51.52          | 68.20          | -16.68      | 40.31      | 3        | Horizontal | 2           | 1.80       | -       | 37.10   | 7.22    | 33.11   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6695MHz\_TnomVnom




EUT Y\_1TX  
Setting 35  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.38986G    | 59.07             | 74.00             | -14.93         | 40.39         | 3           | Vertical  | 303            | 1.95          | -       | 40.18      | 9.63       | 31.13      |
| AV   | 13.39021G    | 44.95             | 54.00             | -9.05          | 26.27         | 3           | Vertical  | 303            | 1.95          | -       | 40.18      | 9.63       | 31.13      |



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT V\_1TX  
Setting 35  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.39034G    | 59.62             | 74.00             | -14.38         | 40.94         | 3           | Horizontal | 359            | 1.56          | -       | 40.18      | 9.63       | 31.13      |
| AV   | 13.39018G    | 44.91             | 54.00             | -9.09          | 26.23         | 3           | Horizontal | 359            | 1.56          | -       | 40.18      | 9.63       | 31.13      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT Y\_1TX  
Setting 35  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.08538G    | 46.08             | 83.54             | -37.46         | 42.80         | 1           | Vertical  | 139            | 1.62          | -       | 37.47      | 15.54      | 49.73      |
| AV   | 20.08456G    | 32.46             | 63.54             | -31.08         | 29.18         | 1           | Vertical  | 139            | 1.62          | -       | 37.47      | 15.54      | 49.73      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6695MHz\_TnomVnom




EUT V\_1TX  
Setting 35  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.08493G    | 46.82             | 83.54             | -36.72         | 43.54         | 1           | Horizontal | 91             | 1.10          | -       | 37.47      | 15.54      | 49.73      |
| AV   | 20.08454G    | 32.61             | 63.54             | -30.93         | 29.33         | 1           | Horizontal | 91             | 1.10          | -       | 37.47      | 15.54      | 49.73      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT Y\_1TX  
Setting 36  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.8522G   | 91.94          | Inf            | -Inf        | 81.40      | 3        | Vertical  | 15          | 2.13       | -       | 36.58   | 7.08    | 33.12   |
| RMS  | 6.8508G   | 81.45          | Inf            | -Inf        | 70.90      | 3        | Vertical  | 15          | 2.13       | -       | 36.59   | 7.08    | 33.12   |
| PK   | 7.1882G   | 62.57          | 88.20          | -25.63      | 51.43      | 3        | Vertical  | 15          | 2.13       | -       | 37.05   | 7.21    | 33.12   |
| RMS  | 7.195G    | 51.47          | 68.20          | -16.73      | 40.31      | 3        | Vertical  | 15          | 2.13       | -       | 37.08   | 7.20    | 33.12   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT Y\_1TX  
Setting 36  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.8564G   | 109.62         | Inf            | -Inf        | 99.11      | 3        | Horizontal | 360         | 1.80       | -       | 36.55   | 7.08    | 33.12   |
| RMS  | 6.8592G   | 99.16          | Inf            | -Inf        | 88.66      | 3        | Horizontal | 360         | 1.80       | -       | 36.53   | 7.09    | 33.12   |
| PK   | 7.1322G   | 62.38          | 88.20          | -25.82      | 51.53      | 3        | Horizontal | 360         | 1.80       | -       | 36.76   | 7.23    | 33.14   |
| RMS  | 7.1936G   | 51.64          | 68.20          | -16.56      | 40.49      | 3        | Horizontal | 360         | 1.80       | -       | 37.07   | 7.20    | 33.12   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT V\_1TX  
Setting 36  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.71008G    | 61.84             | 88.20             | -26.36         | 42.67         | 3           | Vertical  | 141            | 2.49          | -       | 40.53      | 9.77       | 31.13      |
| RMS  | 13.71037G    | 47.70             | 68.20             | -20.50         | 28.53         | 3           | Vertical  | 141            | 2.49          | -       | 40.53      | 9.77       | 31.13      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT V\_1TX  
Setting 36  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.70997G    | 62.13             | 88.20             | -26.07         | 42.96         | 3           | Horizontal | 280            | 1.35          | -       | 40.53      | 9.77       | 31.13      |
| RMS  | 13.71006G    | 47.70             | 68.20             | -20.50         | 28.53         | 3           | Horizontal | 280            | 1.35          | -       | 40.53      | 9.77       | 31.13      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6855MHz\_TnomVnom




EUT V\_1TX  
Setting 36  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.56471G    | 49.30             | 83.54             | -34.24         | 45.64         | 1           | Vertical  | 227            | 2.12          | -       | 37.78      | 15.75      | 49.87      |
| AV   | 20.56457G    | 34.72             | 63.54             | -28.82         | 31.06         | 1           | Vertical  | 227            | 2.12          | -       | 37.78      | 15.75      | 49.87      |



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6855MHz\_TnomVnom




EUT V\_1TX  
Setting 36  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.56544G    | 48.94             | 83.54             | -34.60         | 45.28         | 1           | Horizontal | 204            | 2.86          | -       | 37.78      | 15.75      | 49.87      |
| AV   | 20.56453G    | 34.47             | 63.54             | -29.07         | 30.81         | 1           | Horizontal | 204            | 2.86          | -       | 37.78      | 15.75      | 49.87      |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_1TX  
Setting 36  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.8726G   | 93.31          | Inf            | -Inf        | 82.91      | 3        | Vertical  | 15          | 2.95       | -       | 36.42   | 7.11    | 33.13   |
| RMS  | 6.8702G   | 83.48          | Inf            | -Inf        | 73.06      | 3        | Vertical  | 15          | 2.95       | -       | 36.44   | 7.11    | 33.13   |
| PK   | 7.1426G   | 62.79          | 88.20          | -25.41      | 51.86      | 3        | Vertical  | 15          | 2.95       | -       | 36.84   | 7.23    | 33.14   |
| RMS  | 7.1294G   | 51.58          | 68.20          | -16.62      | 40.74      | 3        | Vertical  | 15          | 2.95       | -       | 36.74   | 7.24    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_1TX  
Setting 36  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.8702G   | 108.95         | Inf            | -Inf        | 98.53      | 3        | Horizontal | 360         | 1.80       | -       | 36.44   | 7.11    | 33.13   |
| RMS  | 6.869G    | 98.97          | Inf            | -Inf        | 88.55      | 3        | Horizontal | 360         | 1.80       | -       | 36.45   | 7.10    | 33.13   |
| PK   | 7.1258G   | 62.45          | 88.20          | -25.75      | 51.64      | 3        | Horizontal | 360         | 1.80       | -       | 36.71   | 7.24    | 33.14   |
| RMS  | 7.1294G   | 51.53          | 68.20          | -16.67      | 40.69      | 3        | Horizontal | 360         | 1.80       | -       | 36.74   | 7.24    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_1TX  
Setting 36  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.74994G    | 62.21             | 88.20             | -25.99         | 42.93         | 3           | Vertical  | 331            | 1.33          | -       | 40.65      | 9.79       | 31.16      |
| RMS  | 13.74953G    | 48.19             | 68.20             | -20.01         | 28.91         | 3           | Vertical  | 331            | 1.33          | -       | 40.65      | 9.79       | 31.16      |

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT V\_1TX  
Setting 36  
01-A-K-3

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 13.75041G | 62.42          | 88.20          | -25.78      | 43.14      | 3        | Horizontal | 207         | 2.63       | -       | 40.65   | 9.79    | 31.16   |
| RMS  | 13.74951G | 48.23          | 68.20          | -19.97      | 28.95      | 3        | Horizontal | 207         | 2.63       | -       | 40.65   | 9.79    | 31.16   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_1TX  
Setting 36  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.62494G | 48.43          | 83.54          | -35.11      | 44.65      | 1        | Vertical  | 248         | 1.46       | -       | 37.85   | 15.78   | 49.85   |
| AV   | 20.62452G | 33.65          | 63.54          | -29.89      | 29.87      | 1        | Vertical  | 248         | 1.46       | -       | 37.85   | 15.78   | 49.85   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6875MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT Y\_1TX  
Setting 36  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.62522G | 47.64          | 83.54          | -35.90      | 43.86      | 1        | Horizontal | 162         | 1.50       | -       | 37.85   | 15.78   | 49.85   |
| AV   | 20.62451G | 33.39          | 63.54          | -30.15      | 29.61      | 1        | Horizontal | 162         | 1.50       | -       | 37.85   | 15.78   | 49.85   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT V\_1TX  
Setting 36  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.8926G   | 90.74          | Inf            | -Inf        | 80.48      | 3        | Vertical  | 14          | 2.19       | -       | 36.26   | 7.14    | 33.14   |
| RMS  | 6.8926G   | 81.25          | Inf            | -Inf        | 70.99      | 3        | Vertical  | 14          | 2.19       | -       | 36.26   | 7.14    | 33.14   |
| PK   | 7.1278G   | 62.10          | 88.20          | -26.10      | 51.28      | 3        | Vertical  | 14          | 2.19       | -       | 36.72   | 7.24    | 33.14   |
| RMS  | 7.1266G   | 51.39          | 68.20          | -16.81      | 40.58      | 3        | Vertical  | 14          | 2.19       | -       | 36.71   | 7.24    | 33.14   |



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT Y\_1TX  
Setting 36  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.8974G   | 108.64         | Inf            | -Inf        | 98.41      | 3        | Horizontal | 359         | 1.80       | -       | 36.22   | 7.15    | 33.14   |
| RMS  | 6.8914G   | 98.38          | Inf            | -Inf        | 88.11      | 3        | Horizontal | 359         | 1.80       | -       | 36.27   | 7.14    | 33.14   |
| PK   | 7.1314G   | 62.64          | 88.20          | -25.56      | 51.80      | 3        | Horizontal | 359         | 1.80       | -       | 36.75   | 7.23    | 33.14   |
| RMS  | 7.1738G   | 51.55          | 68.20          | -16.65      | 40.47      | 3        | Horizontal | 359         | 1.80       | -       | 37.00   | 7.21    | 33.13   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT V\_1TX  
Setting 36  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.78985G    | 63.13             | 88.20             | -25.07         | 43.74         | 3           | Vertical  | 123            | 2.57          | -       | 40.77      | 9.81       | 31.19      |
| RMS  | 13.7905G     | 48.73             | 68.20             | -19.47         | 29.34         | 3           | Vertical  | 123            | 2.57          | -       | 40.77      | 9.81       | 31.19      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT V\_1TX  
Setting 36  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.79008G    | 62.39             | 88.20             | -25.81         | 43.00         | 3           | Horizontal | 11             | 1.09          | -       | 40.77      | 9.81       | 31.19      |
| RMS  | 13.79005G    | 48.71             | 68.20             | -19.49         | 29.32         | 3           | Horizontal | 11             | 1.09          | -       | 40.77      | 9.81       | 31.19      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT V\_1TX  
Setting 36  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.68528G    | 46.02             | 83.54             | -37.52         | 42.12         | 1           | Vertical  | 349            | 2.87          | -       | 37.92      | 15.81      | 49.83      |
| AV   | 20.68513G    | 32.35             | 63.54             | -31.19         | 28.45         | 1           | Vertical  | 349            | 2.87          | -       | 37.92      | 15.81      | 49.83      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6895MHz\_TnomVnom




EUT Y\_1TX  
Setting 36  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.68486G    | 46.09             | 83.54             | -37.45         | 42.19         | 1           | Horizontal | 126            | 1.52          | -       | 37.92      | 15.81      | 49.83      |
| AV   | 20.68498G    | 32.37             | 63.54             | -31.17         | 28.47         | 1           | Horizontal | 126            | 1.52          | -       | 37.92      | 15.81      | 49.83      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.9902G   | 90.83          | Inf            | -Inf        | 80.39      | 3        | Vertical  | 342         | 1.78       | -       | 36.34   | 7.29    | 33.19   |
| RMS  | 7.0006G   | 80.21          | Inf            | -Inf        | 69.80      | 3        | Vertical  | 342         | 1.78       | -       | 36.30   | 7.30    | 33.19   |
| PK   | 7.1842G   | 62.43          | 88.20          | -25.77      | 51.30      | 3        | Vertical  | 342         | 1.78       | -       | 37.04   | 7.21    | 33.12   |
| RMS  | 7.1894G   | 51.42          | 68.20          | -16.78      | 40.27      | 3        | Vertical  | 342         | 1.78       | -       | 37.06   | 7.21    | 33.12   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 6.9974G   | 109.48         | Inf            | -Inf        | 99.06      | 3        | Horizontal | 358         | 1.80       | -       | 36.31   | 7.30    | 33.19   |
| RMS  | 7.0006G   | 98.21          | Inf            | -Inf        | 87.80      | 3        | Horizontal | 358         | 1.80       | -       | 36.30   | 7.30    | 33.19   |
| PK   | 7.1902G   | 62.88          | 88.20          | -25.32      | 51.74      | 3        | Horizontal | 358         | 1.80       | -       | 37.06   | 7.20    | 33.12   |
| RMS  | 7.1842G   | 51.85          | 68.20          | -16.35      | 40.72      | 3        | Horizontal | 358         | 1.80       | -       | 37.04   | 7.21    | 33.12   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.98985G    | 62.54             | 88.20             | -25.66         | 43.06         | 3           | Vertical  | 153            | 1.49          | -       | 40.90      | 9.90       | 31.32      |
| RMS  | 13.98953G    | 48.32             | 68.20             | -19.88         | 28.84         | 3           | Vertical  | 153            | 1.49          | -       | 40.90      | 9.90       | 31.32      |



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6995MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 13.99012G    | 62.84             | 88.20             | -25.36         | 43.36         | 3           | Horizontal | 154            | 2.90          | -       | 40.90      | 9.90       | 31.32      |
| RMS  | 13.98971G    | 48.27             | 68.20             | -19.93         | 28.79         | 3           | Horizontal | 154            | 2.90          | -       | 40.90      | 9.90       | 31.32      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6995MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 20.98509G    | 46.28             | 83.54             | -37.26         | 42.43         | 1           | Vertical  | 278            | 2.47          | -       | 37.62      | 15.94      | 49.71      |
| AV   | 20.98482G    | 32.17             | 63.54             | -31.37         | 28.32         | 1           | Vertical  | 278            | 2.47          | -       | 37.62      | 15.94      | 49.71      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 6995MHz\_TnomVnom




EUT V\_1TX  
Setting 33  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 20.98472G | 46.96          | 83.54          | -36.58      | 43.11      | 1        | Horizontal | 155         | 1.80       | -       | 37.62   | 15.94   | 49.71   |
| AV   | 20.98482G | 32.64          | 63.54          | -30.90      | 28.79      | 1        | Horizontal | 155         | 1.80       | -       | 37.62   | 15.94   | 49.71   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT V\_1TX  
Setting 37  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.0922G   | 91.98          | Inf            | -Inf        | 81.37      | 3        | Vertical  | 342         | 1.74       | -       | 36.52   | 7.25    | 33.16   |
| RMS  | 7.0942G   | 81.28          | Inf            | -Inf        | 70.68      | 3        | Vertical  | 342         | 1.74       | -       | 36.51   | 7.25    | 33.16   |
| PK   | 7.189G    | 62.55          | 88.20          | -25.65      | 51.40      | 3        | Vertical  | 342         | 1.74       | -       | 37.06   | 7.21    | 33.12   |
| RMS  | 7.1262G   | 51.53          | 68.20          | -16.67      | 40.72      | 3        | Vertical  | 342         | 1.74       | -       | 36.71   | 7.24    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT V\_1TX  
Setting 37  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 7.0942G   | 110.22         | Inf            | -Inf        | 99.62      | 3        | Horizontal | 360         | 1.84       | -       | 36.51   | 7.25    | 33.16   |
| RMS  | 7.0914G   | 99.99          | Inf            | -Inf        | 89.38      | 3        | Horizontal | 360         | 1.84       | -       | 36.52   | 7.25    | 33.16   |
| PK   | 7.131G    | 63.29          | 88.20          | -24.91      | 52.45      | 3        | Horizontal | 360         | 1.84       | -       | 36.75   | 7.23    | 33.14   |
| RMS  | 7.1262G   | 52.65          | 68.20          | -15.55      | 41.84      | 3        | Horizontal | 360         | 1.84       | -       | 36.71   | 7.24    | 33.14   |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT V\_1TX  
Setting 37  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.19032G    | 61.88             | 88.20             | -26.32         | 42.63         | 3           | Vertical  | 161            | 1.33          | -       | 40.81      | 9.96       | 31.52      |
| RMS  | 14.18956G    | 47.39             | 68.20             | -20.81         | 28.14         | 3           | Vertical  | 161            | 1.33          | -       | 40.81      | 9.96       | 31.52      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT V\_1TX  
Setting 37  
01-A-K-3

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition  | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|------------|----------------|---------------|---------|------------|------------|------------|
| PK   | 14.18959G    | 62.31             | 88.20             | -25.89         | 43.06         | 3           | Horizontal | 88             | 1.25          | -       | 40.81      | 9.96       | 31.52      |
| RMS  | 14.18954G    | 47.39             | 68.20             | -20.81         | 28.14         | 3           | Horizontal | 88             | 1.25          | -       | 40.81      | 9.96       | 31.52      |

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

#### 7095MHz\_TnomVnom




EUT V\_1TX  
Setting 37  
01-A-E-2

| Type | Freq<br>(Hz) | Level<br>(dBuV/m) | Limit<br>(dBuV/m) | Margin<br>(dB) | Raw<br>(dBuV) | Dist<br>(m) | Condition | Azimuth<br>(°) | Height<br>(m) | Comment | AF<br>(dB) | CL<br>(dB) | PA<br>(dB) |
|------|--------------|-------------------|-------------------|----------------|---------------|-------------|-----------|----------------|---------------|---------|------------|------------|------------|
| PK   | 21.28485G    | 47.85             | 83.54             | -35.69         | 43.77         | 1           | Vertical  | 322            | 1.47          | -       | 37.64      | 16.08      | 49.64      |
| AV   | 21.2849G     | 34.04             | 63.54             | -29.50         | 29.96         | 1           | Vertical  | 322            | 1.47          | -       | 37.64      | 16.08      | 49.64      |



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 7095MHz\_TnomVnom




EUT Y\_1TX  
Setting 37  
01-A-E-2

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 21.28545G | 48.36          | 83.54          | -35.18      | 44.28      | 1        | Horizontal | 350         | 2.85       | -       | 37.64   | 16.08   | 49.64   |
| AV   | 21.28491G | 34.28          | 63.54          | -29.26      | 30.20      | 1        | Horizontal | 350         | 2.85       | -       | 37.64   | 16.08   | 49.64   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5965MHz\_TnomVnom




EUT Y\_1TX  
Setting 42  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.909G    | 61.12          | 88.20          | -27.08      | 52.52      | 3        | Vertical  | 0           | 1.91       | -       | 34.94   | 6.60    | 32.94   |
| RMS  | 5.925G    | 49.63          | 68.20          | -18.57      | 40.97      | 3        | Vertical  | 0           | 1.91       | -       | 35.00   | 6.60    | 32.94   |
| PK   | 5.9622G   | 90.88          | Inf            | -Inf        | 82.08      | 3        | Vertical  | 0           | 1.91       | -       | 35.15   | 6.60    | 32.95   |
| RMS  | 5.9626G   | 79.75          | Inf            | -Inf        | 70.95      | 3        | Vertical  | 0           | 1.91       | -       | 35.15   | 6.60    | 32.95   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5965MHz\_TnomVnom




EUT V\_1TX  
Setting 42  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.9246G   | 74.54          | 88.20          | -13.66      | 65.88      | 3        | Horizontal | 353         | 1.72       | -       | 35.00   | 6.60    | 32.94   |
| RMS  | 5.925G    | 62.10          | 68.20          | -6.10       | 53.44      | 3        | Horizontal | 353         | 1.72       | -       | 35.00   | 6.60    | 32.94   |
| PK   | 5.9678G   | 110.75         | Inf            | -Inf        | 101.93     | 3        | Horizontal | 353         | 1.72       | -       | 35.17   | 6.60    | 32.95   |
| RMS  | 5.9514G   | 99.79          | Inf            | -Inf        | 91.03      | 3        | Horizontal | 353         | 1.72       | -       | 35.11   | 6.60    | 32.95   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5965MHz\_TnomVnom




EUT Y\_1TX  
Setting 42  
01-A-K-3

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 11.93012G | 55.28          | 74.00          | -18.72      | 40.67      | 3        | Vertical  | 235         | 1.82       | -       | 38.50   | 8.98    | 32.87   |
| AV   | 11.93006G | 43.34          | 54.00          | -10.66      | 28.73      | 3        | Vertical  | 235         | 1.82       | -       | 38.50   | 8.98    | 32.87   |
| PK   | 17.89497G | 63.71          | 74.00          | -10.29      | 41.55      | 3        | Vertical  | 60          | 1.49       | -       | 42.78   | 11.07   | 31.69   |
| AV   | 17.89485G | 47.72          | 54.00          | -6.28       | 25.56      | 3        | Vertical  | 60          | 1.49       | -       | 42.78   | 11.07   | 31.69   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5965MHz\_TnomVnom




EUT Y\_1TX  
Setting 42  
01-A-K-3

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 11.93028G | 56.14          | 74.00          | -17.86      | 41.53      | 3        | Horizontal | 90          | 1.08       | -       | 38.50   | 8.98    | 32.87   |
| AV   | 11.93005G | 43.10          | 54.00          | -10.90      | 28.49      | 3        | Horizontal | 90          | 1.08       | -       | 38.50   | 8.98    | 32.87   |
| PK   | 17.89512G | 63.85          | 74.00          | -10.15      | 41.69      | 3        | Horizontal | 131         | 2.60       | -       | 42.78   | 11.07   | 31.69   |
| AV   | 17.8951G  | 48.09          | 54.00          | -5.91       | 25.93      | 3        | Horizontal | 131         | 2.60       | -       | 42.78   | 11.07   | 31.69   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6165MHz\_TnomVnom




EUT V\_1TX  
Setting 43  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8914G   | 60.04          | 88.20          | -28.16      | 51.50      | 3        | Vertical  | 360         | 2.01       | -       | 34.88   | 6.60    | 32.94   |
| RMS  | 5.9022G   | 49.17          | 68.20          | -19.03      | 40.60      | 3        | Vertical  | 360         | 2.01       | -       | 34.91   | 6.60    | 32.94   |
| PK   | 6.1542G   | 90.53          | Inf            | -Inf        | 81.33      | 3        | Vertical  | 360         | 2.01       | -       | 35.32   | 6.83    | 32.95   |
| RMS  | 6.1506G   | 80.36          | Inf            | -Inf        | 71.18      | 3        | Vertical  | 360         | 2.01       | -       | 35.30   | 6.83    | 32.95   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6165MHz\_TnomVnom




EUT V\_1TX  
Setting 43  
01-A-K-3-10

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition  | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|------------|-------------|------------|---------|---------|---------|---------|
| PK   | 5.8818G   | 60.65          | 88.20          | -27.55      | 52.13      | 3        | Horizontal | 0           | 1.80       | -       | 34.86   | 6.60    | 32.94   |
| RMS  | 5.8914G   | 49.46          | 68.20          | -18.74      | 40.92      | 3        | Horizontal | 0           | 1.80       | -       | 34.88   | 6.60    | 32.94   |
| PK   | 6.1566G   | 110.48         | Inf            | -Inf        | 101.27     | 3        | Horizontal | 0           | 1.80       | -       | 35.33   | 6.83    | 32.95   |
| RMS  | 6.153G    | 100.06         | Inf            | -Inf        | 90.87      | 3        | Horizontal | 0           | 1.80       | -       | 35.31   | 6.83    | 32.95   |

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 6165MHz\_TnomVnom



EUT V\_1TX  
Setting 43  
01-A-K-3

| Type | Freq (Hz) | Level (dBuV/m) | Limit (dBuV/m) | Margin (dB) | Raw (dBuV) | Dist (m) | Condition | Azimuth (°) | Height (m) | Comment | AF (dB) | CL (dB) | PA (dB) |
|------|-----------|----------------|----------------|-------------|------------|----------|-----------|-------------|------------|---------|---------|---------|---------|
| PK   | 12.32988G | 55.86          | 74.00          | -18.14      | 40.62      | 3        | Vertical  | 108         | 1.43       | -       | 38.56   | 9.15    | 32.47   |
| AV   | 12.32951G | 43.64          | 54.00          | -10.36      | 28.40      | 3        | Vertical  | 108         | 1.43       | -       | 38.56   | 9.15    | 32.47   |