


802.11ax HEW160\_Nss1,(MCS0)\_4TX

6185MHz\_TnomVnom




EUT Z\_4TX  
Setting 40  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	60.91	88.20	-27.29	52.31	3	Vertical	357	1.35	-	34.94	6.60	32.94
RMS	5.925G	50.56	68.20	-17.64	41.90	3	Vertical	357	1.35	-	35.00	6.60	32.94
PK	6.163G	107.30	Inf	-Inf	98.06	3	Vertical	357	1.35	-	35.35	6.84	32.95
RMS	6.157G	98.85	Inf	-Inf	89.63	3	Vertical	357	1.35	-	35.33	6.84	32.95

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6185MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	60.77	88.20	-27.43	52.16	3	Horizontal	0	1.80	-	34.95	6.60	32.94
RMS	5.925G	50.51	68.20	-17.69	41.85	3	Horizontal	0	1.80	-	35.00	6.60	32.94
PK	6.127G	107.06	Inf	-Inf	97.92	3	Horizontal	0	1.80	-	35.30	6.79	32.95
RMS	6.151G	96.76	Inf	-Inf	87.58	3	Horizontal	0	1.80	-	35.30	6.83	32.95

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6185MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37003G	55.89	74.00	-18.11	40.50	3	Vertical	44	1.05	-	38.64	9.17	32.42
AV	12.37016G	45.78	54.00	-8.22	30.39	3	Vertical	44	1.05	-	38.64	9.17	32.42

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6185MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36961G	56.99	74.00	-17.01	41.60	3	Horizontal	101	2.44	-	38.64	9.17	32.42
AV	12.37009G	45.37	54.00	-8.63	29.98	3	Horizontal	101	2.44	-	38.64	9.17	32.42

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6185MHz\_TnomVnom




EUT Z\_4TX  
Setting 40  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55224G	46.84	83.54	-36.70	44.19	1	Vertical	137	1.65	-	37.78	14.92	50.05
AV	18.561G	36.03	63.54	-27.51	33.37	1	Vertical	137	1.65	-	37.78	14.92	50.04

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6185MHz\_TnomVnom




EUT Z\_4TX  
Setting 40  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.54426G	47.81	83.54	-35.73	45.17	1	Horizontal	223	2.61	-	37.78	14.92	50.06
AV	18.5586G	35.96	63.54	-27.58	33.30	1	Horizontal	223	2.61	-	37.78	14.92	50.04

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6345MHz\_TnomVnom




EUT Z\_4TX  
Setting 41  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.891G	60.54	88.20	-27.66	52.00	3	Vertical	360	1.80	-	34.88	6.60	32.94
RMS	5.925G	50.59	68.20	-17.61	41.93	3	Vertical	360	1.80	-	35.00	6.60	32.94
PK	6.351G	109.61	Inf	-Inf	100.27	3	Vertical	360	1.80	-	35.31	6.98	32.95
RMS	6.361G	98.32	Inf	-Inf	88.92	3	Vertical	360	1.80	-	35.37	6.98	32.95

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6345MHz\_TnomVnom




EUT Z\_4TX  
Setting 41  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.905G	60.01	88.20	-28.19	51.43	3	Horizontal	0	1.80	-	34.92	6.60	32.94
RMS	5.923G	50.56	68.20	-17.64	41.91	3	Horizontal	0	1.80	-	34.99	6.60	32.94
PK	6.339G	107.80	Inf	-Inf	98.48	3	Horizontal	0	1.80	-	35.30	6.97	32.95
RMS	6.337G	96.94	Inf	-Inf	87.62	3	Horizontal	0	1.80	-	35.30	6.97	32.95



### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6345MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69038G	56.07	74.00	-17.93	39.81	3	Vertical	302	2.30	-	38.97	9.31	32.02
AV	12.68993G	45.95	54.00	-8.05	29.69	3	Vertical	302	2.30	-	38.97	9.31	32.02

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6345MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69009G	57.36	74.00	-16.64	41.10	3	Horizontal	22	1.88	-	38.97	9.31	32.02
AV	12.69046G	45.97	54.00	-8.03	29.71	3	Horizontal	22	1.88	-	38.97	9.31	32.02

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6345MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04214G	48.30	83.54	-35.24	44.84	1	Vertical	18	1.49	-	37.95	15.12	49.61
AV	19.03884G	36.68	63.54	-26.86	33.22	1	Vertical	18	1.49	-	37.95	15.12	49.61

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6345MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.04184G	48.34	83.54	-35.20	44.88	1	Horizontal	255	1.76	-	37.95	15.12	49.61
AV	19.03806G	37.06	63.54	-26.48	33.60	1	Horizontal	255	1.76	-	37.95	15.12	49.61

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	59.57	88.20	-28.63	50.92	3	Vertical	358	1.97	-	34.99	6.60	32.94
RMS	5.9226G	49.80	68.20	-18.40	41.15	3	Vertical	358	1.97	-	34.99	6.60	32.94
PK	6.5302G	107.89	Inf	-Inf	98.13	3	Vertical	358	1.97	-	35.72	7.00	32.96
RMS	6.5414G	97.25	Inf	-Inf	87.45	3	Vertical	358	1.97	-	35.77	7.00	32.97
PK	7.149G	62.21	88.20	-25.99	51.23	3	Vertical	358	1.97	-	36.89	7.23	33.14
RMS	7.1462G	52.50	68.20	-15.70	41.54	3	Vertical	358	1.97	-	36.87	7.23	33.14

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.847G	60.27	88.20	-27.93	51.82	3	Horizontal	356	1.80	-	34.78	6.60	32.93
RMS	5.9226G	49.71	68.20	-18.49	41.06	3	Horizontal	356	1.80	-	34.99	6.60	32.94
PK	6.5302G	105.49	Inf	-Inf	95.73	3	Horizontal	356	1.80	-	35.72	7.00	32.96
RMS	6.533G	95.45	Inf	-Inf	85.69	3	Horizontal	356	1.80	-	35.73	7.00	32.97
PK	7.2022G	62.57	88.20	-25.63	51.39	3	Horizontal	356	1.80	-	37.10	7.20	33.12
RMS	7.1742G	52.56	68.20	-15.64	41.48	3	Horizontal	356	1.80	-	37.00	7.21	33.13

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01005G	58.68	88.20	-29.52	41.23	3	Vertical	332	2.46	-	39.61	9.45	31.61
RMS	13.01001G	47.40	68.20	-20.80	29.95	3	Vertical	332	2.46	-	39.61	9.45	31.61

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 40  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01022G	58.38	88.20	-29.82	40.93	3	Horizontal	234	1.36	-	39.61	9.45	31.61
RMS	13.0096G	47.78	68.20	-20.42	30.33	3	Horizontal	234	1.36	-	39.61	9.45	31.61



### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT Z\_4TX  
Setting 40  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51332G	48.58	83.54	-34.96	45.08	1	Vertical	138	2.58	-	37.89	15.31	49.70
AV	19.51992G	37.56	63.54	-25.98	34.06	1	Vertical	138	2.58	-	37.89	15.31	49.70

802.11ax HEW160\_Nss1,(MCS0)\_4TX

6505MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT Z\_4TX  
Setting 40  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.50576G	47.92	83.54	-35.62	44.42	1	Horizontal	131	1.21	-	37.90	15.30	49.70
AV	19.52442G	37.25	63.54	-26.29	33.75	1	Horizontal	131	1.21	-	37.89	15.31	49.70

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6665MHz\_TnomVnom




EUT Z\_4TX  
Setting 39  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6562G	107.40	Inf	-Inf	97.43	3	Vertical	360	1.80	-	35.99	7.00	33.02
RMS	6.6364G	97.37	Inf	-Inf	87.42	3	Vertical	360	1.80	-	35.97	7.00	33.02
PK	7.1556G	62.50	88.20	-25.70	51.49	3	Vertical	360	1.80	-	36.92	7.22	33.13
RMS	7.1974G	52.74	68.20	-15.46	41.57	3	Vertical	360	1.80	-	37.09	7.20	33.12

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6665MHz\_TnomVnom




EUT Z\_4TX  
Setting 39  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6408G	106.41	Inf	-Inf	96.45	3	Horizontal	360	1.80	-	35.98	7.00	33.02
RMS	6.6364G	95.38	Inf	-Inf	85.43	3	Horizontal	360	1.80	-	35.97	7.00	33.02
PK	7.1732G	62.46	88.20	-25.74	51.39	3	Horizontal	360	1.80	-	36.99	7.21	33.13
RMS	7.1974G	52.63	68.20	-15.57	41.46	3	Horizontal	360	1.80	-	37.09	7.20	33.12

802.11ax HEW160\_Nss1,(MCS0)\_4TX

6665MHz\_TnomVnom




EUT Z\_4TX  
Setting 39  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33039G	58.26	74.00	-15.74	39.80	3	Vertical	2	2.43	-	40.06	9.60	31.20
AV	13.3297G	47.91	54.00	-6.09	29.45	3	Vertical	2	2.43	-	40.06	9.60	31.20

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6665MHz\_TnomVnom




EUT Z\_4TX  
Setting 39  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32959G	58.58	74.00	-15.42	40.12	3	Horizontal	48	2.20	-	40.06	9.60	31.20
AV	13.33045G	48.15	54.00	-5.85	29.69	3	Horizontal	48	2.20	-	40.06	9.60	31.20

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6665MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 39  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.00448G	48.24	83.54	-35.30	45.04	1	Vertical	142	1.63	-	37.40	15.50	49.70
AV	19.98642G	37.17	63.54	-26.37	33.96	1	Vertical	142	1.63	-	37.42	15.49	49.70

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6665MHz\_TnomVnom




EUT Z\_4TX  
Setting 39  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99596G	48.06	83.54	-35.48	44.85	1	Horizontal	106	2.76	-	37.41	15.50	49.70
AV	20.00442G	37.27	63.54	-26.27	34.07	1	Horizontal	106	2.76	-	37.40	15.50	49.70



802.11ax HEW160\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.857G	109.14	Inf	-Inf	98.63	3	Vertical	357	1.80	-	36.54	7.09	33.12
RMS	6.8522G	99.11	Inf	-Inf	88.57	3	Vertical	357	1.80	-	36.58	7.08	33.12
PK	7.1674G	63.16	88.20	-25.04	52.10	3	Vertical	357	1.80	-	36.97	7.22	33.13
RMS	7.1434G	53.00	68.20	-15.20	42.06	3	Vertical	357	1.80	-	36.85	7.23	33.14

802.11ax HEW160\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8474G	107.61	Inf	-Inf	97.08	3	Horizontal	2	1.48	-	36.58	7.07	33.12
RMS	6.8474G	97.34	Inf	-Inf	86.81	3	Horizontal	2	1.48	-	36.58	7.07	33.12
PK	7.2026G	63.19	88.20	-25.01	52.01	3	Horizontal	2	1.48	-	37.10	7.20	33.12
RMS	7.1434G	52.90	68.20	-15.30	41.96	3	Horizontal	2	1.48	-	36.85	7.23	33.14

**802.11ax HEW160\_Nss1,(MCS0)\_4TX**

**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
Setting 41  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64996G	61.65	88.20	-26.55	42.60	3	Vertical	212	2.75	-	40.40	9.74	31.09
RMS	13.65043G	50.74	68.20	-17.46	31.69	3	Vertical	212	2.75	-	40.40	9.74	31.09

802.11ax HEW160\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




09/02/2022

EUT\_Z\_4TX  
Setting 41  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65032G	61.04	88.20	-27.16	41.99	3	Horizontal	204	2.64	-	40.40	9.74	31.09
RMS	13.65041G	50.72	68.20	-17.48	31.67	3	Horizontal	204	2.64	-	40.40	9.74	31.09

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.48196G	48.56	83.54	-34.98	45.04	1	Vertical	66	2.02	-	37.69	15.72	49.89
AV	20.46768G	37.40	63.54	-26.14	33.89	1	Vertical	66	2.02	-	37.69	15.71	49.89

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6825MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47242G	48.36	83.54	-35.18	44.85	1	Horizontal	275	1.75	-	37.69	15.71	49.89
AV	20.48106G	37.81	63.54	-25.73	34.29	1	Horizontal	275	1.75	-	37.69	15.72	49.89

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.967G	109.09	Inf	-Inf	98.58	3	Vertical	357	1.52	-	36.43	7.25	33.17
RMS	6.957G	98.72	Inf	-Inf	88.18	3	Vertical	357	1.52	-	36.47	7.24	33.17
PK	7.128G	64.66	88.20	-23.54	53.84	3	Vertical	357	1.52	-	36.72	7.24	33.14
RMS	7.142G	53.59	68.20	-14.61	42.66	3	Vertical	357	1.52	-	36.84	7.23	33.14

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.949G	107.16	Inf	-Inf	96.62	3	Horizontal	355	1.80	-	36.49	7.22	33.17
RMS	6.96G	96.42	Inf	-Inf	85.89	3	Horizontal	355	1.80	-	36.46	7.24	33.17
PK	7.157G	68.59	88.20	-19.61	57.57	3	Horizontal	355	1.80	-	36.93	7.22	33.13
RMS	7.149G	53.00	68.20	-15.20	42.02	3	Horizontal	355	1.80	-	36.89	7.23	33.14



### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97022G	61.46	88.20	-26.74	41.98	3	Vertical	52	2.81	-	40.90	9.89	31.31
RMS	13.97031G	51.39	68.20	-16.81	31.91	3	Vertical	52	2.81	-	40.90	9.89	31.31

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

#### 6985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96974G	61.41	88.20	-26.79	41.93	3	Horizontal	46	1.16	-	40.90	9.89	31.31
RMS	13.96962G	51.06	68.20	-17.14	31.58	3	Horizontal	46	1.16	-	40.90	9.89	31.31

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9442G	47.40	83.54	-36.14	43.51	1	Vertical	44	2.07	-	37.69	15.92	49.72
AV	20.94534G	37.17	63.54	-26.37	33.27	1	Vertical	44	2.07	-	37.69	15.93	49.72

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 6985MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 41  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.94312G	47.97	83.54	-35.57	44.08	1	Horizontal	48	1.99	-	37.69	15.92	49.72
AV	20.96682G	37.30	63.54	-26.24	33.42	1	Horizontal	48	1.99	-	37.65	15.94	49.71




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	17.8659G	52.85	54.00	-1.15	3	Vertical	32	1.33	-

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5955MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 3  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	60.84	88.20	-27.36	52.19	3	Vertical	79	1.80	-	34.99	6.60	32.94
RMS	5.925G	48.11	68.20	-20.09	39.45	3	Vertical	79	1.80	-	35.00	6.60	32.94
PK	5.9506G	106.70	Inf	-Inf	97.95	3	Vertical	79	1.80	-	35.10	6.60	32.95
RMS	5.9514G	95.19	Inf	-Inf	86.43	3	Vertical	79	1.80	-	35.11	6.60	32.95

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5955MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 3  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9126G	59.78	88.20	-28.42	51.17	3	Horizontal	87	1.37	-	34.95	6.60	32.94
RMS	5.9222G	48.19	68.20	-20.01	39.54	3	Horizontal	87	1.37	-	34.99	6.60	32.94
PK	5.9466G	108.82	Inf	-Inf	100.07	3	Horizontal	87	1.37	-	35.09	6.60	32.94
RMS	5.9462G	97.68	Inf	-Inf	88.94	3	Horizontal	87	1.37	-	35.08	6.60	32.94

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5955MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 3  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9116G	55.36	74.00	-18.64	40.75	3	Vertical	352	2.32	-	38.50	8.98	32.87
AV	11.91462G	42.22	54.00	-11.78	27.61	3	Vertical	352	2.32	-	38.50	8.98	32.87
PK	17.86196G	64.19	74.00	-9.81	42.18	3	Vertical	32	1.33	-	42.65	11.06	31.70
AV	17.8659G	52.85	54.00	-1.15	30.83	3	Vertical	32	1.33	-	42.66	11.06	31.70



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 5955MHz\_TnomVnom




EUT Z\_4TX  
Setting 3  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9051G	56.25	74.00	-17.75	41.64	3	Horizontal	360	2.10	-	38.50	8.98	32.87
AV	11.9092G	42.32	54.00	-11.68	27.71	3	Horizontal	360	2.10	-	38.50	8.98	32.87
PK	17.86814G	65.36	74.00	-8.64	43.33	3	Horizontal	354	2.30	-	42.67	11.06	31.70
AV	17.86062G	52.79	54.00	-1.21	30.79	3	Horizontal	354	2.30	-	42.64	11.06	31.70

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6175MHz\_TnomVnom




EUT Z\_4TX  
Setting 2  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9026G	59.82	88.20	-28.38	51.25	3	Vertical	87	1.40	-	34.91	6.60	32.94
RMS	5.923G	49.28	68.20	-18.92	40.63	3	Vertical	87	1.40	-	34.99	6.60	32.94
PK	6.1702G	106.87	Inf	-Inf	97.58	3	Vertical	87	1.40	-	35.38	6.86	32.95
RMS	6.1702G	97.75	Inf	-Inf	88.46	3	Vertical	87	1.40	-	35.38	6.86	32.95

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6175MHz\_TnomVnom




EUT Z\_4TX  
Setting 2  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8882G	59.62	88.20	-28.58	51.08	3	Horizontal	89	1.56	-	34.88	6.60	32.94
RMS	5.9194G	49.31	68.20	-18.89	40.67	3	Horizontal	89	1.56	-	34.98	6.60	32.94
PK	6.1834G	108.30	Inf	-Inf	98.94	3	Horizontal	89	1.56	-	35.43	6.88	32.95
RMS	6.1834G	98.96	Inf	-Inf	89.60	3	Horizontal	89	1.56	-	35.43	6.88	32.95

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6175MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 2  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34656G	56.14	74.00	-17.86	40.84	3	Vertical	59	2.31	-	38.59	9.16	32.45
AV	12.3513G	42.54	54.00	-11.46	27.22	3	Vertical	59	2.31	-	38.60	9.16	32.44

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6175MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 2  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34888G	55.55	74.00	-18.45	40.24	3	Horizontal	36	2.63	-	38.60	9.16	32.45
AV	12.3505G	42.49	54.00	-11.51	27.18	3	Horizontal	36	2.63	-	38.60	9.16	32.45

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6175MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 2  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52465G	47.36	83.54	-36.18	44.74	1	Vertical	162	2.46	-	37.79	14.91	50.08
AV	18.52461G	33.60	63.54	-29.94	30.98	1	Vertical	162	2.46	-	37.79	14.91	50.08

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6175MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 2  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52453G	46.10	83.54	-37.44	43.48	1	Horizontal	184	2.53	-	37.79	14.91	50.08
AV	18.52503G	33.31	63.54	-30.23	30.68	1	Horizontal	184	2.53	-	37.79	14.91	50.07

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8174G	59.72	88.20	-28.48	51.51	3	Vertical	84	1.54	-	34.54	6.60	32.93
RMS	5.9182G	49.35	68.20	-18.85	40.72	3	Vertical	84	1.54	-	34.97	6.60	32.94
PK	6.4102G	105.90	Inf	-Inf	96.29	3	Vertical	84	1.54	-	35.56	7.00	32.95
RMS	6.4102G	95.86	Inf	-Inf	86.25	3	Vertical	84	1.54	-	35.56	7.00	32.95



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.85G	59.84	88.20	-28.36	51.37	3	Horizontal	83	2.05	-	34.80	6.60	32.93
RMS	5.9158G	49.24	68.20	-18.96	40.62	3	Horizontal	83	2.05	-	34.96	6.60	32.94
PK	6.4174G	107.25	Inf	-Inf	97.67	3	Horizontal	83	2.05	-	35.53	7.00	32.95
RMS	6.4174G	97.63	Inf	-Inf	88.05	3	Horizontal	83	2.05	-	35.53	7.00	32.95

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83448G	57.12	88.20	-31.08	40.34	3	Vertical	252	1.63	-	39.23	9.38	31.83
RMS	12.8275G	43.27	68.20	-24.93	26.51	3	Vertical	252	1.63	-	39.23	9.37	31.84

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6415MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82872G	56.21	88.20	-31.99	39.45	3	Horizontal	306	1.51	-	39.23	9.37	31.84
RMS	12.8338G	43.21	68.20	-24.99	26.43	3	Horizontal	306	1.51	-	39.23	9.38	31.83

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24508G	45.72	83.54	-37.82	42.46	1	Vertical	10	2.94	-	37.71	15.20	49.65
AV	19.24476G	32.23	63.54	-31.31	28.97	1	Vertical	10	2.94	-	37.71	15.20	49.65

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6415MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24452G	46.12	83.54	-37.42	42.86	1	Horizontal	61	1.05	-	37.71	15.20	49.65
AV	19.24476G	31.99	63.54	-31.55	28.73	1	Horizontal	61	1.05	-	37.71	15.20	49.65

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6435MHz\_TnomVnom




EUT Z\_4TX  
Setting -3  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8318G	60.34	88.20	-27.86	52.02	3	Vertical	85	1.80	-	34.65	6.60	32.93
RMS	5.7876G	51.24	68.20	-16.96	43.17	3	Vertical	85	1.80	-	34.40	6.60	32.93
PK	6.4324G	103.82	Inf	-Inf	94.30	3	Vertical	85	1.80	-	35.47	7.00	32.95
RMS	6.4298G	95.34	Inf	-Inf	85.81	3	Vertical	85	1.80	-	35.48	7.00	32.95

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6435MHz\_TnomVnom




EUT Z\_4TX  
Setting -3  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.889G	59.53	88.20	-28.67	50.99	3	Horizontal	99	1.59	-	34.88	6.60	32.94
RMS	5.785G	49.23	68.20	-18.97	41.16	3	Horizontal	99	1.59	-	34.40	6.60	32.93
PK	6.4454G	104.37	Inf	-Inf	94.90	3	Horizontal	99	1.59	-	35.42	7.00	32.95
RMS	6.4428G	95.28	Inf	-Inf	85.80	3	Horizontal	99	1.59	-	35.43	7.00	32.95

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6435MHz\_TnomVnom




EUT\_Z\_4TX  
Setting -3  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86624G	57.50	88.20	-30.70	40.63	3	Vertical	176	2.54	-	39.27	9.39	31.79
RMS	12.8652G	43.54	68.20	-24.66	26.67	3	Vertical	176	2.54	-	39.27	9.39	31.79



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6435MHz\_TnomVnom




EUT\_Z\_4TX  
Setting -3  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86558G	56.76	88.20	-31.44	39.89	3	Horizontal	86	2.38	-	39.27	9.39	31.79
RMS	12.86968G	43.51	68.20	-24.69	26.64	3	Horizontal	86	2.38	-	39.27	9.39	31.79

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6435MHz\_TnomVnom




EUT Z\_4TX  
Setting -3  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30523G	43.71	83.54	-39.83	40.41	1	Vertical	194	1.01	-	37.74	15.22	49.66
AV	19.30481G	30.94	63.54	-32.60	27.64	1	Vertical	194	1.01	-	37.74	15.22	49.66

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6435MHz\_TnomVnom




EUT Z\_4TX  
Setting -3  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30477G	43.98	83.54	-39.56	40.68	1	Horizontal	278	1.48	-	37.74	15.22	49.66
AV	19.30475G	30.63	63.54	-32.91	27.33	1	Horizontal	278	1.48	-	37.74	15.22	49.66

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6475MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 2  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.764G	59.20	88.20	-29.00	51.13	3	Vertical	87	1.86	-	34.40	6.60	32.93
RMS	5.764G	52.58	68.20	-15.62	44.51	3	Vertical	87	1.86	-	34.40	6.60	32.93
PK	6.475G	105.35	Inf	-Inf	95.80	3	Vertical	87	1.86	-	35.50	7.00	32.95
RMS	6.472G	96.38	Inf	-Inf	86.84	3	Vertical	87	1.86	-	35.49	7.00	32.95
PK	7.144G	62.45	88.20	-25.75	51.51	3	Vertical	87	1.86	-	36.85	7.23	33.14
RMS	7.198G	52.14	68.20	-16.06	40.97	3	Vertical	87	1.86	-	37.09	7.20	33.12

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6475MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 2  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.761G	64.67	88.20	-23.53	56.60	3	Horizontal	94	1.60	-	34.40	6.60	32.93
RMS	5.764G	50.14	68.20	-18.06	42.07	3	Horizontal	94	1.60	-	34.40	6.60	32.93
PK	6.472G	103.68	Inf	-Inf	94.14	3	Horizontal	94	1.60	-	35.49	7.00	32.95
RMS	6.472G	94.58	Inf	-Inf	85.04	3	Horizontal	94	1.60	-	35.49	7.00	32.95
PK	7.204G	62.38	88.20	-25.82	51.20	3	Horizontal	94	1.60	-	37.10	7.20	33.12
RMS	7.201G	52.15	68.20	-16.05	40.97	3	Horizontal	94	1.60	-	37.10	7.20	33.12

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6475MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 2  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94846G	56.82	88.20	-31.38	39.63	3	Vertical	172	1.67	-	39.45	9.43	31.69
RMS	12.95222G	43.94	68.20	-24.26	26.73	3	Vertical	172	1.67	-	39.46	9.43	31.68

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6475MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 2  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9505G	56.87	88.20	-31.33	39.67	3	Horizontal	218	1.71	-	39.45	9.43	31.68
RMS	12.95228G	43.87	68.20	-24.33	26.66	3	Horizontal	218	1.71	-	39.46	9.43	31.68

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6475MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 2  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42491G	44.78	83.54	-38.76	41.35	1	Vertical	103	2.17	-	37.84	15.27	49.68
AV	19.42458G	31.36	63.54	-32.18	27.93	1	Vertical	103	2.17	-	37.84	15.27	49.68



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6475MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 2  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42537G	44.91	83.54	-38.63	41.49	1	Horizontal	282	1.47	-	37.84	15.27	49.69
AV	19.42466G	31.25	63.54	-32.29	27.82	1	Horizontal	282	1.47	-	37.84	15.27	49.68

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	59.67	88.20	-28.53	51.02	3	Vertical	86	1.46	-	34.99	6.60	32.94
RMS	5.9242G	49.22	68.20	-18.98	40.56	3	Vertical	86	1.46	-	35.00	6.60	32.94
PK	6.5122G	109.42	Inf	-Inf	99.73	3	Vertical	86	1.46	-	35.65	7.00	32.96
RMS	6.5234G	95.09	Inf	-Inf	85.36	3	Vertical	86	1.46	-	35.69	7.00	32.96
PK	7.2094G	62.67	88.20	-25.53	51.47	3	Vertical	86	1.46	-	37.10	7.21	33.11
RMS	7.1954G	52.24	68.20	-15.96	41.08	3	Vertical	86	1.46	-	37.08	7.20	33.12

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.871G	59.50	88.20	-28.70	51.00	3	Horizontal	97	1.22	-	34.84	6.60	32.94
RMS	5.9074G	49.19	68.20	-19.01	40.60	3	Horizontal	97	1.22	-	34.93	6.60	32.94
PK	6.5234G	108.02	Inf	-Inf	98.29	3	Horizontal	97	1.22	-	35.69	7.00	32.96
RMS	6.5234G	97.60	Inf	-Inf	87.87	3	Horizontal	97	1.22	-	35.69	7.00	32.96
PK	7.1954G	63.14	88.20	-25.06	51.98	3	Horizontal	97	1.22	-	37.08	7.20	33.12
RMS	7.1954G	52.21	68.20	-15.99	41.05	3	Horizontal	97	1.22	-	37.08	7.20	33.12

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03158G	57.92	88.20	-30.28	40.41	3	Vertical	205	1.06	-	39.63	9.46	31.58
RMS	13.0321G	45.00	68.20	-23.20	27.49	3	Vertical	205	1.06	-	39.63	9.46	31.58

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02538G	57.82	88.20	-30.38	40.32	3	Horizontal	318	2.30	-	39.63	9.46	31.59
RMS	13.03062G	44.85	68.20	-23.35	27.34	3	Horizontal	318	2.30	-	39.63	9.46	31.58

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42452G	43.93	83.54	-39.61	40.50	1	Vertical	128	2.78	-	37.84	15.27	49.68
AV	19.4245G	30.73	63.54	-32.81	27.30	1	Vertical	128	2.78	-	37.84	15.27	49.68

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6515MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42471G	44.57	83.54	-38.97	41.14	1	Horizontal	65	1.00	-	37.84	15.27	49.68
AV	19.42465G	30.85	63.54	-32.69	27.42	1	Horizontal	65	1.00	-	37.84	15.27	49.68

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6535MHz\_TnomVnom




EUT\_Z\_4TX  
Setting -1  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9134G	59.78	88.20	-28.42	51.17	3	Vertical	87	1.80	-	34.95	6.60	32.94
RMS	5.919G	49.24	68.20	-18.96	40.60	3	Vertical	87	1.80	-	34.98	6.60	32.94
PK	6.5266G	106.01	Inf	-Inf	96.26	3	Vertical	87	1.80	-	35.71	7.00	32.96
RMS	6.5266G	96.58	Inf	-Inf	86.83	3	Vertical	87	1.80	-	35.71	7.00	32.96
PK	7.193G	62.68	88.20	-25.52	51.53	3	Vertical	87	1.80	-	37.07	7.20	33.12
RMS	7.1958G	52.20	68.20	-16.00	41.04	3	Vertical	87	1.80	-	37.08	7.20	33.12



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6535MHz\_TnomVnom




EUT\_Z\_4TX  
Setting -1  
01-A-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	59.48	88.20	-28.72	50.86	3	Horizontal	89	1.14	-	34.96	6.60	32.94
RMS	5.919G	49.26	68.20	-18.94	40.62	3	Horizontal	89	1.14	-	34.98	6.60	32.94
PK	6.5378G	105.79	Inf	-Inf	96.01	3	Horizontal	89	1.14	-	35.75	7.00	32.97
RMS	6.5322G	95.58	Inf	-Inf	85.82	3	Horizontal	89	1.14	-	35.73	7.00	32.97
PK	7.2014G	62.66	88.20	-25.54	51.48	3	Horizontal	89	1.14	-	37.10	7.20	33.12
RMS	7.1986G	52.17	68.20	-16.03	41.00	3	Horizontal	89	1.14	-	37.09	7.20	33.12

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6535MHz\_TnomVnom




EUT\_Z\_4TX  
Setting -1  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06802G	58.33	88.20	-29.87	40.71	3	Vertical	295	2.44	-	39.67	9.48	31.53
RMS	13.07128G	44.83	68.20	-23.37	27.21	3	Vertical	295	2.44	-	39.67	9.48	31.53

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6535MHz\_TnomVnom




EUT\_Z\_4TX  
Setting -1  
01-A-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07144G	58.55	88.20	-29.65	40.93	3	Horizontal	170	1.16	-	39.67	9.48	31.53
RMS	13.0736G	44.80	68.20	-23.40	27.18	3	Horizontal	170	1.16	-	39.67	9.48	31.53

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6535MHz\_TnomVnom




EUT Z\_4TX  
Setting -1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60482G	46.91	83.54	-36.63	43.41	1	Vertical	179	2.80	-	37.86	15.34	49.70
AV	19.6053G	34.74	63.54	-28.80	31.24	1	Vertical	179	2.80	-	37.86	15.34	49.70

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6535MHz\_TnomVnom




EUT Z\_4TX  
Setting -1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60497G	46.46	83.54	-37.08	42.96	1	Horizontal	9	2.79	-	37.86	15.34	49.70
AV	19.60542G	34.46	63.54	-29.08	30.96	1	Horizontal	9	2.79	-	37.86	15.34	49.70

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting -5  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6884G	103.00	Inf	-Inf	93.12	3	Vertical	78	1.44	-	35.92	7.00	33.04
RMS	6.6884G	93.48	Inf	-Inf	83.60	3	Vertical	78	1.44	-	35.92	7.00	33.04
PK	7.2406G	62.82	88.20	-25.38	51.58	3	Vertical	78	1.44	-	37.10	7.24	33.10
RMS	7.2164G	52.16	68.20	-16.04	40.95	3	Vertical	78	1.44	-	37.10	7.22	33.11

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting -5  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6862G	102.57	Inf	-Inf	92.68	3	Horizontal	92	1.54	-	35.93	7.00	33.04
RMS	6.6862G	92.59	Inf	-Inf	82.70	3	Horizontal	92	1.54	-	35.93	7.00	33.04
PK	7.2032G	62.97	88.20	-25.23	51.79	3	Horizontal	92	1.54	-	37.10	7.20	33.12
RMS	7.1966G	52.19	68.20	-16.01	41.02	3	Horizontal	92	1.54	-	37.09	7.20	33.12

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting -5  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3926G	58.58	74.00	-15.42	39.89	3	Vertical	157	1.91	-	40.19	9.63	31.13
AV	13.39344G	45.31	54.00	-8.69	26.61	3	Vertical	157	1.91	-	40.19	9.63	31.12



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting -5  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39376G	58.84	74.00	-15.16	40.14	3	Horizontal	245	1.28	-	40.19	9.63	31.12
AV	13.39272G	45.48	54.00	-8.52	26.79	3	Horizontal	245	1.28	-	40.19	9.63	31.13

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6695MHz\_TnomVnom




EUT Z\_4TX  
Setting -5  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08483G	45.82	83.54	-37.72	42.54	1	Vertical	130	1.13	-	37.47	15.54	49.73
AV	20.08537G	34.01	63.54	-29.53	30.73	1	Vertical	130	1.13	-	37.47	15.54	49.73

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6695MHz\_TnomVnom




EUT\_Z\_4TX  
Setting -5  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.085G	45.71	83.54	-37.83	42.43	1	Horizontal	99	1.95	-	37.47	15.54	49.73
AV	20.08492G	33.95	63.54	-29.59	30.67	1	Horizontal	99	1.95	-	37.47	15.54	49.73

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6855MHz\_TnomVnom




EUT Z\_4TX  
Setting 1  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8592G	106.91	Inf	-Inf	96.41	3	Vertical	84	1.96	-	36.53	7.09	33.12
RMS	6.8606G	97.54	Inf	-Inf	87.05	3	Vertical	84	1.96	-	36.52	7.09	33.12
PK	7.2036G	63.09	88.20	-25.11	51.91	3	Vertical	84	1.96	-	37.10	7.20	33.12
RMS	7.1952G	52.29	68.20	-15.91	41.13	3	Vertical	84	1.96	-	37.08	7.20	33.12

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6855MHz\_TnomVnom




EUT Z\_4TX  
Setting 1  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8452G	108.28	Inf	-Inf	97.77	3	Horizontal	84	1.52	-	36.56	7.07	33.12
RMS	6.8466G	99.83	Inf	-Inf	89.31	3	Horizontal	84	1.52	-	36.57	7.07	33.12
PK	7.1924G	63.20	88.20	-25.00	52.05	3	Horizontal	84	1.52	-	37.07	7.20	33.12
RMS	7.2022G	52.27	68.20	-15.93	41.09	3	Horizontal	84	1.52	-	37.10	7.20	33.12

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6855MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7058G	61.38	88.20	-26.82	42.22	3	Vertical	293	1.43	-	40.52	9.77	31.13
RMS	13.71366G	48.21	68.20	-19.99	29.04	3	Vertical	293	1.43	-	40.54	9.77	31.14

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6855MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70834G	61.62	88.20	-26.58	42.45	3	Horizontal	216	1.48	-	40.53	9.77	31.13
RMS	13.71056G	48.15	68.20	-20.05	28.98	3	Horizontal	216	1.48	-	40.53	9.77	31.13

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6855MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56455G	45.95	83.54	-37.59	42.29	1	Vertical	90	2.07	-	37.78	15.75	49.87
AV	20.56472G	34.29	63.54	-29.25	30.63	1	Vertical	90	2.07	-	37.78	15.75	49.87



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX


### 6855MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56538G	46.08	83.54	-37.46	42.42	1	Horizontal	158	2.89	-	37.78	15.75	49.87
AV	20.56544G	34.54	63.54	-29.00	30.88	1	Horizontal	158	2.89	-	37.78	15.75	49.87


**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting -3  
 01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8702G	103.53	Inf	-Inf	93.11	3	Vertical	86	1.80	-	36.44	7.11	33.13
RMS	6.869G	94.87	Inf	-Inf	84.45	3	Vertical	86	1.80	-	36.45	7.10	33.13
PK	7.1642G	62.33	88.20	-25.87	51.28	3	Vertical	86	1.80	-	36.96	7.22	33.13
RMS	7.151G	52.13	68.20	-16.07	41.15	3	Vertical	86	1.80	-	36.90	7.22	33.14


**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT Z\_4TX  
 Setting -3  
 01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8678G	105.31	Inf	-Inf	94.88	3	Horizontal	88	1.56	-	36.46	7.10	33.13
RMS	6.8678G	96.11	Inf	-Inf	85.68	3	Horizontal	88	1.56	-	36.46	7.10	33.13
PK	7.1642G	63.00	88.20	-25.20	51.95	3	Horizontal	88	1.56	-	36.96	7.22	33.13
RMS	7.163G	52.11	68.20	-16.09	41.07	3	Horizontal	88	1.56	-	36.95	7.22	33.13


**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting -3  
 01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75382G	61.48	88.20	-26.72	42.19	3	Vertical	207	2.24	-	40.66	9.79	31.16
RMS	13.74732G	48.10	68.20	-20.10	28.83	3	Vertical	207	2.24	-	40.64	9.79	31.16


**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting -3  
 01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7458G	60.98	88.20	-27.22	41.71	3	Horizontal	315	2.01	-	40.64	9.79	31.16
RMS	13.74912G	48.00	68.20	-20.20	28.72	3	Horizontal	315	2.01	-	40.65	9.79	31.16


**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT Z\_4TX  
 Setting -3  
 01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62484G	46.90	83.54	-36.64	43.12	1	Vertical	106	1.81	-	37.85	15.78	49.85
AV	20.62491G	34.51	63.54	-29.03	30.73	1	Vertical	106	1.81	-	37.85	15.78	49.85

**802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX**  
**6875MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting -3  
 01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62488G	46.15	83.54	-37.39	42.37	1	Horizontal	291	1.43	-	37.85	15.78	49.85
AV	20.62487G	34.38	63.54	-29.16	30.60	1	Horizontal	291	1.43	-	37.85	15.78	49.85

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8878G	103.59	Inf	-Inf	93.30	3	Vertical	85	1.89	-	36.30	7.13	33.14
RMS	6.8866G	94.33	Inf	-Inf	84.03	3	Vertical	85	1.89	-	36.31	7.13	33.14
PK	7.1494G	63.02	88.20	-25.18	52.03	3	Vertical	85	1.89	-	36.90	7.23	33.14
RMS	7.1926G	52.23	68.20	-15.97	41.08	3	Vertical	85	1.89	-	37.07	7.20	33.12



802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8878G	104.42	Inf	-Inf	94.13	3	Horizontal	81	1.42	-	36.30	7.13	33.14
RMS	6.8866G	95.40	Inf	-Inf	85.10	3	Horizontal	81	1.42	-	36.31	7.13	33.14
PK	7.135G	63.55	88.20	-24.65	52.68	3	Horizontal	81	1.42	-	36.78	7.23	33.14
RMS	7.1938G	52.26	68.20	-15.94	41.10	3	Horizontal	81	1.42	-	37.08	7.20	33.12

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.787G	61.37	88.20	-26.83	42.00	3	Vertical	224	1.47	-	40.76	9.80	31.19
RMS	13.79306G	47.75	68.20	-20.45	28.35	3	Vertical	224	1.47	-	40.78	9.81	31.19

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79256G	60.75	88.20	-27.45	41.35	3	Horizontal	55	1.03	-	40.78	9.81	31.19
RMS	13.78522G	47.83	68.20	-20.37	28.45	3	Horizontal	55	1.03	-	40.76	9.80	31.18

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68476G	46.59	83.54	-36.95	42.69	1	Vertical	249	1.09	-	37.92	15.81	49.83
AV	20.68458G	34.07	63.54	-29.47	30.17	1	Vertical	249	1.09	-	37.92	15.81	49.83

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6895MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 1  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68461G	45.84	83.54	-37.70	41.94	1	Horizontal	307	1.62	-	37.92	15.81	49.83
AV	20.68486G	34.00	63.54	-29.54	30.10	1	Horizontal	307	1.62	-	37.92	15.81	49.83

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6995MHz\_TnomVnom




EUT Z\_4TX  
Setting 10  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9878G	108.52	Inf	-Inf	98.07	3	Vertical	75	1.32	-	36.35	7.28	33.18
RMS	6.9886G	98.58	Inf	-Inf	88.13	3	Vertical	75	1.32	-	36.35	7.28	33.18
PK	7.1686G	63.88	88.20	-24.32	52.82	3	Vertical	75	1.32	-	36.97	7.22	33.13
RMS	7.1886G	52.34	68.20	-15.86	41.20	3	Vertical	75	1.32	-	37.05	7.21	33.12

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6995MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9862G	110.86	Inf	-Inf	100.40	3	Horizontal	83	1.54	-	36.36	7.28	33.18
RMS	6.987G	100.60	Inf	-Inf	90.15	3	Horizontal	83	1.54	-	36.35	7.28	33.18
PK	7.1502G	63.10	88.20	-25.10	52.12	3	Horizontal	83	1.54	-	36.90	7.22	33.14
RMS	7.187G	52.35	68.20	-15.85	41.21	3	Horizontal	83	1.54	-	37.05	7.21	33.12

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

#### 6995MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99498G	62.90	88.20	-25.30	43.43	3	Vertical	278	1.25	-	40.90	9.90	31.33
RMS	13.99154G	49.04	68.20	-19.16	29.56	3	Vertical	278	1.25	-	40.90	9.90	31.32



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6995MHz\_TnomVnom




EUT Z\_4TX  
Setting 10  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99042G	62.29	88.20	-25.91	42.81	3	Horizontal	253	2.35	-	40.90	9.90	31.32
RMS	13.98972G	49.09	68.20	-19.11	29.61	3	Horizontal	253	2.35	-	40.90	9.90	31.32

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6995MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98482G	46.08	83.54	-37.46	42.23	1	Vertical	242	2.66	-	37.62	15.94	49.71
AV	20.98514G	33.87	63.54	-29.67	30.02	1	Vertical	242	2.66	-	37.62	15.94	49.71

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 6995MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98534G	46.10	83.54	-37.44	42.25	1	Horizontal	130	1.36	-	37.62	15.94	49.71
AV	20.9846G	33.87	63.54	-29.67	30.02	1	Horizontal	130	1.36	-	37.62	15.94	49.71

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 7095MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1026G	109.14	Inf	-Inf	98.52	3	Vertical	92	1.77	-	36.52	7.25	33.15
RMS	7.1038G	98.84	Inf	-Inf	88.21	3	Vertical	92	1.77	-	36.53	7.25	33.15
PK	7.1674G	63.06	88.20	-25.14	52.00	3	Vertical	92	1.77	-	36.97	7.22	33.13
RMS	7.1258G	52.36	68.20	-15.84	41.55	3	Vertical	92	1.77	-	36.71	7.24	33.14

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 7095MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1014G	110.14	Inf	-Inf	99.53	3	Horizontal	84	1.47	-	36.51	7.25	33.15
RMS	7.0998G	100.39	Inf	-Inf	89.79	3	Horizontal	84	1.47	-	36.50	7.25	33.15
PK	7.1926G	63.25	88.20	-24.95	52.10	3	Horizontal	84	1.47	-	37.07	7.20	33.12
RMS	7.1826G	52.36	68.20	-15.84	41.24	3	Horizontal	84	1.47	-	37.03	7.21	33.12

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 7095MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1883G	62.18	88.20	-26.02	42.92	3	Vertical	222	1.09	-	40.81	9.96	31.51
RMS	14.18604G	48.96	68.20	-19.24	29.70	3	Vertical	222	1.09	-	40.81	9.96	31.51

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 7095MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19174G	62.31	88.20	-25.89	43.06	3	Horizontal	103	1.85	-	40.81	9.96	31.52
RMS	14.18506G	49.01	68.20	-19.19	29.75	3	Horizontal	103	1.85	-	40.81	9.96	31.51

### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 7095MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28455G	46.13	83.54	-37.41	42.05	1	Vertical	200	1.56	-	37.64	16.08	49.64
AV	21.28548G	34.20	63.54	-29.34	30.12	1	Vertical	200	1.56	-	37.64	16.08	49.64



### 802.11ax HEW20-BF\_Nss1,(MCS0)\_4TX

### 7095MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28516G	46.15	83.54	-37.39	42.07	1	Horizontal	284	1.17	-	37.64	16.08	49.64
AV	21.28483G	34.20	63.54	-29.34	30.12	1	Horizontal	284	1.17	-	37.64	16.08	49.64

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5965MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	72.80	88.20	-15.40	64.14	3	Vertical	84	1.59	-	35.00	6.60	32.94
RMS	5.925G	58.98	68.20	-9.22	50.32	3	Vertical	84	1.59	-	35.00	6.60	32.94
PK	5.9618G	107.26	Inf	-Inf	98.46	3	Vertical	84	1.59	-	35.15	6.60	32.95
RMS	5.9522G	96.63	Inf	-Inf	87.87	3	Vertical	84	1.59	-	35.11	6.60	32.95

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5965MHz\_TnomVnom




EUT Z\_4TX  
Setting 9  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	73.37	88.20	-14.83	64.72	3	Horizontal	91	2.40	-	34.99	6.60	32.94
RMS	5.925G	60.10	68.20	-8.10	51.44	3	Horizontal	91	2.40	-	35.00	6.60	32.94
PK	5.9482G	110.21	Inf	-Inf	101.46	3	Horizontal	91	2.40	-	35.09	6.60	32.94
RMS	5.9466G	99.19	Inf	-Inf	90.44	3	Horizontal	91	2.40	-	35.09	6.60	32.94

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5965MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91794G	56.56	74.00	-17.44	41.95	3	Vertical	102	1.95	-	38.50	8.98	32.87
AV	11.94434G	42.56	54.00	-11.44	27.94	3	Vertical	102	1.95	-	38.50	8.99	32.87
PK	17.89826G	64.52	74.00	-9.48	42.35	3	Vertical	131	2.15	-	42.79	11.07	31.69
AV	17.89252G	51.98	54.00	-2.02	29.83	3	Vertical	131	2.15	-	42.77	11.07	31.69

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 5965MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.94296G	56.41	74.00	-17.59	41.79	3	Horizontal	224	1.03	-	38.50	8.99	32.87
AV	11.93894G	42.54	54.00	-11.46	27.93	3	Horizontal	224	1.03	-	38.50	8.98	32.87
PK	17.89316G	63.86	74.00	-10.14	41.71	3	Horizontal	327	2.34	-	42.77	11.07	31.69
AV	17.8922G	51.92	54.00	-2.08	29.77	3	Horizontal	327	2.34	-	42.77	11.07	31.69

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6165MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8786G	60.75	88.20	-27.45	52.23	3	Vertical	86	1.55	-	34.86	6.60	32.94
RMS	5.9202G	49.98	68.20	-18.22	41.34	3	Vertical	86	1.55	-	34.98	6.60	32.94
PK	6.1554G	107.97	Inf	-Inf	98.77	3	Vertical	86	1.55	-	35.32	6.83	32.95
RMS	6.157G	96.47	Inf	-Inf	87.25	3	Vertical	86	1.55	-	35.33	6.84	32.95

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6165MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8898G	60.79	88.20	-27.41	52.25	3	Horizontal	92	1.59	-	34.88	6.60	32.94
RMS	5.9186G	49.94	68.20	-18.26	41.31	3	Horizontal	92	1.59	-	34.97	6.60	32.94
PK	6.1826G	111.50	Inf	-Inf	102.15	3	Horizontal	92	1.59	-	35.43	6.87	32.95
RMS	6.1826G	101.86	Inf	-Inf	92.51	3	Horizontal	92	1.59	-	35.43	6.87	32.95

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6165MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32216G	56.79	74.00	-17.21	41.59	3	Vertical	240	1.07	-	38.54	9.14	32.48
AV	12.33308G	43.03	54.00	-10.97	27.78	3	Vertical	240	1.07	-	38.57	9.15	32.47



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6165MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32264G	57.58	74.00	-16.42	42.36	3	Horizontal	47	2.55	-	38.55	9.15	32.48
AV	12.3386G	43.06	54.00	-10.94	27.79	3	Horizontal	47	2.55	-	38.58	9.15	32.46

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6165MHz\_TnomVnom




EUT Z\_4TX  
Setting 9  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49493G	46.21	83.54	-37.33	43.62	1	Vertical	359	1.65	-	37.79	14.90	50.10
AV	18.49477G	33.42	63.54	-30.12	30.83	1	Vertical	359	1.65	-	37.79	14.90	50.10

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6165MHz\_TnomVnom




EUT Z\_4TX  
Setting 9  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4946G	46.54	83.54	-37.00	43.95	1	Horizontal	353	1.28	-	37.79	14.90	50.10
AV	18.49514G	33.42	63.54	-30.12	30.83	1	Horizontal	353	1.28	-	37.79	14.90	50.10

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6405MHz\_TnomVnom




EUT Z\_4TX  
Setting 7  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8794G	59.95	88.20	-28.25	51.43	3	Vertical	91	1.10	-	34.86	6.60	32.94
RMS	5.9202G	49.89	68.20	-18.31	41.25	3	Vertical	91	1.10	-	34.98	6.60	32.94
PK	6.4218G	104.61	Inf	-Inf	95.05	3	Vertical	91	1.10	-	35.51	7.00	32.95
RMS	6.4218G	95.27	Inf	-Inf	85.71	3	Vertical	91	1.10	-	35.51	7.00	32.95

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6405MHz\_TnomVnom




EUT Z\_4TX  
Setting 7  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8938G	60.11	88.20	-28.09	51.56	3	Horizontal	82	2.12	-	34.89	6.60	32.94
RMS	5.9178G	49.87	68.20	-18.33	41.24	3	Horizontal	82	2.12	-	34.97	6.60	32.94
PK	6.4146G	105.46	Inf	-Inf	95.87	3	Horizontal	82	2.12	-	35.54	7.00	32.95
RMS	6.4146G	96.51	Inf	-Inf	86.92	3	Horizontal	82	2.12	-	35.54	7.00	32.95

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6405MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 7  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80968G	57.36	88.20	-30.84	40.65	3	Vertical	238	2.32	-	39.21	9.36	31.86
RMS	12.81992G	43.61	68.20	-24.59	26.87	3	Vertical	238	2.32	-	39.22	9.37	31.85

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6405MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 7  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80728G	56.82	88.20	-31.38	40.12	3	Horizontal	305	1.48	-	39.21	9.36	31.87
RMS	12.81816G	43.58	68.20	-24.62	26.84	3	Horizontal	305	1.48	-	39.22	9.37	31.85

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6405MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 7  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.215G	46.46	83.54	-37.08	43.17	1	Vertical	37	1.13	-	37.74	15.19	49.64
AV	19.2152G	34.04	63.54	-29.50	30.75	1	Vertical	37	1.13	-	37.74	15.19	49.64



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6405MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 7  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21539G	46.26	83.54	-37.28	42.97	1	Horizontal	34	2.59	-	37.74	15.19	49.64
AV	19.21466G	34.09	63.54	-29.45	30.80	1	Horizontal	34	2.59	-	37.74	15.19	49.64

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6445MHz\_TnomVnom




EUT Z\_4TX  
Setting 8  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9068G	60.88	88.20	-27.32	52.29	3	Vertical	85	1.80	-	34.93	6.60	32.94
RMS	5.9172G	49.95	68.20	-18.25	41.32	3	Vertical	85	1.80	-	34.97	6.60	32.94
PK	6.458G	106.79	Inf	-Inf	97.31	3	Vertical	85	1.80	-	35.43	7.00	32.95
RMS	6.4476G	95.42	Inf	-Inf	85.96	3	Vertical	85	1.80	-	35.41	7.00	32.95

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6445MHz\_TnomVnom




EUT Z\_4TX  
Setting 8  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8236G	60.47	88.20	-27.73	52.21	3	Horizontal	87	1.31	-	34.59	6.60	32.93
RMS	5.925G	49.90	68.20	-18.30	41.24	3	Horizontal	87	1.31	-	35.00	6.60	32.94
PK	6.4424G	106.61	Inf	-Inf	97.13	3	Horizontal	87	1.31	-	35.43	7.00	32.95
RMS	6.4424G	97.11	Inf	-Inf	87.63	3	Horizontal	87	1.31	-	35.43	7.00	32.95

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 8  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8916G	58.36	88.20	-29.84	41.43	3	Vertical	149	1.91	-	39.29	9.40	31.76
RMS	12.8922G	43.97	68.20	-24.23	27.04	3	Vertical	149	1.91	-	39.29	9.40	31.76

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 8  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89136G	57.37	88.20	-30.83	40.44	3	Horizontal	185	1.46	-	39.29	9.40	31.76
RMS	12.88308G	43.94	68.20	-24.26	27.03	3	Horizontal	185	1.46	-	39.28	9.40	31.77

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 8  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33548G	47.68	83.54	-35.86	44.35	1	Vertical	324	2.73	-	37.77	15.23	49.67
AV	19.33477G	34.11	63.54	-29.43	30.78	1	Vertical	324	2.73	-	37.77	15.23	49.67

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6445MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 8  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33475G	46.45	83.54	-37.09	43.12	1	Horizontal	167	1.64	-	37.77	15.23	49.67
AV	19.33525G	34.11	63.54	-29.43	30.78	1	Horizontal	167	1.64	-	37.77	15.23	49.67

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 15  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	60.97	88.20	-27.23	52.32	3	Vertical	85	1.80	-	34.99	6.60	32.94
RMS	5.9222G	49.83	68.20	-18.37	41.18	3	Vertical	85	1.80	-	34.99	6.60	32.94
PK	6.4682G	107.14	Inf	-Inf	97.62	3	Vertical	85	1.80	-	35.47	7.00	32.95
RMS	6.471G	98.44	Inf	-Inf	88.91	3	Vertical	85	1.80	-	35.48	7.00	32.95
PK	7.157G	63.56	88.20	-24.64	52.54	3	Vertical	85	1.80	-	36.93	7.22	33.13
RMS	7.1542G	52.75	68.20	-15.45	41.74	3	Vertical	85	1.80	-	36.92	7.22	33.13



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 15  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8858G	60.61	88.20	-27.59	52.08	3	Horizontal	92	1.30	-	34.87	6.60	32.94
RMS	5.9082G	49.81	68.20	-18.39	41.22	3	Horizontal	92	1.30	-	34.93	6.60	32.94
PK	6.499G	108.98	Inf	-Inf	99.33	3	Horizontal	92	1.30	-	35.60	7.00	32.95
RMS	6.499G	99.73	Inf	-Inf	90.08	3	Horizontal	92	1.30	-	35.60	7.00	32.95
PK	7.157G	62.49	88.20	-25.71	51.47	3	Horizontal	92	1.30	-	36.93	7.22	33.13
RMS	7.185G	52.73	68.20	-15.47	41.60	3	Horizontal	92	1.30	-	37.04	7.21	33.12

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 15  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97116G	57.74	88.20	-30.46	40.45	3	Vertical	100	1.80	-	39.51	9.44	31.66
RMS	12.97444G	44.00	68.20	-24.20	26.69	3	Vertical	100	1.80	-	39.52	9.44	31.65

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 15  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96532G	56.94	88.20	-31.26	39.67	3	Horizontal	163	2.90	-	39.50	9.43	31.66
RMS	12.97808G	43.97	68.20	-24.23	26.65	3	Horizontal	163	2.90	-	39.53	9.44	31.65

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6485MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 15  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45465G	46.04	83.54	-37.50	42.59	1	Vertical	148	2.40	-	37.86	15.28	49.69
AV	19.45485G	33.66	63.54	-29.88	30.21	1	Vertical	148	2.40	-	37.86	15.28	49.69

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 6485MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 15  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45538G	45.96	83.54	-37.58	42.51	1	Horizontal	194	2.14	-	37.86	15.28	49.69
AV	19.45454G	33.60	63.54	-29.94	30.15	1	Horizontal	194	2.14	-	37.86	15.28	49.69


**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 13  
 01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	60.55	88.20	-27.65	51.90	3	Vertical	86	1.83	-	34.99	6.60	32.94
RMS	5.925G	49.84	68.20	-18.36	41.18	3	Vertical	86	1.83	-	35.00	6.60	32.94
PK	6.5222G	106.08	Inf	-Inf	96.35	3	Vertical	86	1.83	-	35.69	7.00	32.96
RMS	6.5362G	96.71	Inf	-Inf	86.94	3	Vertical	86	1.83	-	35.74	7.00	32.97
PK	7.2054G	62.71	88.20	-25.49	51.52	3	Vertical	86	1.83	-	37.10	7.21	33.12
RMS	7.2054G	52.82	68.20	-15.38	41.63	3	Vertical	86	1.83	-	37.10	7.21	33.12

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 13  
 01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8838G	60.65	88.20	-27.55	52.12	3	Horizontal	89	1.29	-	34.87	6.60	32.94
RMS	5.923G	49.85	68.20	-18.35	41.20	3	Horizontal	89	1.29	-	34.99	6.60	32.94
PK	6.5082G	109.49	Inf	-Inf	99.81	3	Horizontal	89	1.29	-	35.63	7.00	32.95
RMS	6.5082G	100.78	Inf	-Inf	91.10	3	Horizontal	89	1.29	-	35.63	7.00	32.95
PK	7.2222G	63.02	88.20	-25.18	51.81	3	Horizontal	89	1.29	-	37.10	7.22	33.11
RMS	7.2082G	52.78	68.20	-15.42	41.59	3	Horizontal	89	1.29	-	37.10	7.21	33.12

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6525MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 13  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04964G	58.36	88.20	-29.84	40.80	3	Vertical	104	2.38	-	39.65	9.47	31.56
RMS	13.04748G	45.07	68.20	-23.13	27.51	3	Vertical	104	2.38	-	39.65	9.47	31.56




**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 13  
 01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05672G	58.40	88.20	-29.80	40.81	3	Horizontal	298	3.00	-	39.66	9.48	31.55
RMS	13.04772G	45.14	68.20	-23.06	27.58	3	Horizontal	298	3.00	-	39.65	9.47	31.56


**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 13  
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57516G	45.84	83.54	-37.70	42.34	1	Vertical	287	2.72	-	37.87	15.33	49.70
AV	19.57454G	33.59	63.54	-29.95	30.09	1	Vertical	287	2.72	-	37.87	15.33	49.70

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**6525MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 13  
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57495G	46.42	83.54	-37.12	42.92	1	Horizontal	199	1.57	-	37.87	15.33	49.70
AV	19.57534G	33.61	63.54	-29.93	30.11	1	Horizontal	199	1.57	-	37.87	15.33	49.70

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 8  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5482G	109.99	Inf	-Inf	100.17	3	Vertical	86	1.69	-	35.79	7.00	32.97
RMS	6.5482G	99.82	Inf	-Inf	90.00	3	Vertical	86	1.69	-	35.79	7.00	32.97
PK	7.1434G	63.16	88.20	-25.04	52.22	3	Vertical	86	1.69	-	36.85	7.23	33.14
RMS	7.1458G	52.77	68.20	-15.43	41.81	3	Vertical	86	1.69	-	36.87	7.23	33.14

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6565MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 8  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5698G	108.18	Inf	-Inf	98.32	3	Horizontal	89	1.69	-	35.84	7.00	32.98
RMS	6.5722G	98.66	Inf	-Inf	88.80	3	Horizontal	89	1.69	-	35.84	7.00	32.98
PK	7.1506G	62.90	88.20	-25.30	51.92	3	Horizontal	89	1.69	-	36.90	7.22	33.14
RMS	7.1458G	52.80	68.20	-15.40	41.84	3	Horizontal	89	1.69	-	36.87	7.23	33.14

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6565MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 8  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12732G	58.19	88.20	-30.01	40.39	3	Vertical	124	1.60	-	39.75	9.51	31.46
RMS	13.13996G	45.15	68.20	-23.05	27.30	3	Vertical	124	1.60	-	39.78	9.51	31.44

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6565MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 8  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1226G	58.76	88.20	-29.44	40.97	3	Horizontal	12	2.86	-	39.75	9.51	31.47
RMS	13.12548G	45.05	68.20	-23.15	27.25	3	Horizontal	12	2.86	-	39.75	9.51	31.46

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6565MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 8  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69544G	46.28	83.54	-37.26	42.78	1	Vertical	36	1.87	-	37.82	15.38	49.70
AV	19.69536G	34.05	63.54	-29.49	30.55	1	Vertical	36	1.87	-	37.82	15.38	49.70



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6565MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 8  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69519G	47.21	83.54	-36.33	43.71	1	Horizontal	254	2.11	-	37.82	15.38	49.70
AV	19.69492G	33.98	63.54	-29.56	30.48	1	Horizontal	254	2.11	-	37.82	15.38	49.70

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6685MHz\_TnomVnom




EUT Z\_4TX  
Setting 9  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.673G	107.43	Inf	-Inf	97.51	3	Vertical	88	1.80	-	35.95	7.00	33.03
RMS	6.671G	98.49	Inf	-Inf	88.56	3	Vertical	88	1.80	-	35.96	7.00	33.03
PK	7.147G	63.47	88.20	-24.73	52.50	3	Vertical	88	1.80	-	36.88	7.23	33.14
RMS	7.183G	52.77	68.20	-15.43	41.65	3	Vertical	88	1.80	-	37.03	7.21	33.12

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6685MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.671G	105.56	Inf	-Inf	95.63	3	Horizontal	81	1.61	-	35.96	7.00	33.03
RMS	6.667G	96.73	Inf	-Inf	86.79	3	Horizontal	81	1.61	-	35.97	7.00	33.03
PK	7.153G	63.63	88.20	-24.57	52.63	3	Horizontal	81	1.61	-	36.91	7.22	33.13
RMS	7.155G	52.75	68.20	-15.45	41.74	3	Horizontal	81	1.61	-	36.92	7.22	33.13

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6685MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37128G	59.99	74.00	-14.01	41.38	3	Vertical	221	2.02	-	40.14	9.62	31.15
AV	13.37756G	45.81	54.00	-8.19	27.17	3	Vertical	221	2.02	-	40.16	9.62	31.14

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6685MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37444G	59.10	74.00	-14.90	40.48	3	Horizontal	283	2.52	-	40.15	9.62	31.15
AV	13.37468G	45.78	54.00	-8.22	27.16	3	Horizontal	283	2.52	-	40.15	9.62	31.15

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6685MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05501G	45.11	83.54	-38.43	41.87	1	Vertical	360	2.42	-	37.44	15.52	49.72
AV	20.05512G	32.89	63.54	-30.65	29.65	1	Vertical	360	2.42	-	37.44	15.52	49.72

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6685MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05546G	44.90	83.54	-38.64	41.66	1	Horizontal	6	2.70	-	37.44	15.52	49.72
AV	20.05481G	32.82	63.54	-30.72	29.58	1	Horizontal	6	2.70	-	37.44	15.52	49.72

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6845MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	108.78	Inf	-Inf	98.26	3	Vertical	84	1.80	-	36.57	7.07	33.12
RMS	6.8626G	97.75	Inf	-Inf	87.28	3	Vertical	84	1.80	-	36.50	7.09	33.12
PK	7.2322G	64.65	88.20	-23.55	53.43	3	Vertical	84	1.80	-	37.10	7.23	33.11
RMS	7.2034G	52.94	68.20	-15.26	41.76	3	Vertical	84	1.80	-	37.10	7.20	33.12



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6845MHz\_TnomVnom




EUT Z\_4TX  
Setting 10  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8626G	109.98	Inf	-Inf	99.51	3	Horizontal	80	1.52	-	36.50	7.09	33.12
RMS	6.8626G	100.95	Inf	-Inf	90.48	3	Horizontal	80	1.52	-	36.50	7.09	33.12
PK	7.197G	63.66	88.20	-24.54	52.49	3	Horizontal	80	1.52	-	37.09	7.20	33.12
RMS	7.2066G	52.90	68.20	-15.30	41.71	3	Horizontal	80	1.52	-	37.10	7.21	33.12

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6845MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68416G	61.69	88.20	-26.51	42.58	3	Vertical	61	1.40	-	40.47	9.76	31.12
RMS	13.68188G	48.66	68.20	-19.54	29.55	3	Vertical	61	1.40	-	40.46	9.76	31.11

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6845MHz\_TnomVnom




EUT Z\_4TX  
Setting 10  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69732G	62.31	88.20	-25.89	43.18	3	Horizontal	353	1.89	-	40.49	9.76	31.12
RMS	13.6838G	48.64	68.20	-19.56	29.52	3	Horizontal	353	1.89	-	40.47	9.76	31.11

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6845MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53467G	45.89	83.54	-37.65	42.30	1	Vertical	354	2.09	-	37.74	15.74	49.89
AV	20.53488G	33.52	63.54	-30.02	29.93	1	Vertical	354	2.09	-	37.74	15.74	49.89

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


### 6845MHz\_TnomVnom



EUT\_Z\_4TX  
Setting 10  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53484G	45.62	83.54	-37.92	42.03	1	Horizontal	291	2.28	-	37.74	15.74	49.89
AV	20.5346G	33.38	63.54	-30.16	29.79	1	Horizontal	291	2.28	-	37.74	15.74	49.89


**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 2  
 01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8724G	107.32	Inf	-Inf	96.92	3	Vertical	81	1.80	-	36.42	7.11	33.13
RMS	6.8682G	97.91	Inf	-Inf	87.49	3	Vertical	81	1.80	-	36.45	7.10	33.13
PK	7.165G	63.95	88.20	-24.25	52.90	3	Vertical	81	1.80	-	36.96	7.22	33.13
RMS	7.1986G	52.94	68.20	-15.26	41.77	3	Vertical	81	1.80	-	37.09	7.20	33.12

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT Z\_4TX  
 Setting 2  
 01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8738G	108.01	Inf	-Inf	97.62	3	Horizontal	79	1.54	-	36.41	7.11	33.13
RMS	6.8738G	98.72	Inf	-Inf	88.33	3	Horizontal	79	1.54	-	36.41	7.11	33.13
PK	7.2182G	63.54	88.20	-24.66	52.33	3	Horizontal	79	1.54	-	37.10	7.22	33.11
RMS	7.2G	52.94	68.20	-15.26	41.76	3	Horizontal	79	1.54	-	37.10	7.20	33.12

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6885MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 2  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76984G	61.41	88.20	-26.79	42.07	3	Vertical	212	1.18	-	40.71	9.80	31.17
RMS	13.76052G	48.19	68.20	-20.01	28.89	3	Vertical	212	1.18	-	40.68	9.79	31.17



802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX


6885MHz Straddle 6.525-6.875GHz\_TnomVnom



EUT\_Z\_4TX  
Setting 2  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76144G	61.61	88.20	-26.59	42.31	3	Horizontal	268	2.97	-	40.68	9.79	31.17
RMS	13.76588G	48.21	68.20	-19.99	28.89	3	Horizontal	268	2.97	-	40.70	9.79	31.17


**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 2  
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65521G	46.72	83.54	-36.82	42.88	1	Vertical	107	2.91	-	37.89	15.79	49.84
AV	20.65478G	33.61	63.54	-29.93	29.77	1	Vertical	107	2.91	-	37.89	15.79	49.84

**802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX**  
**6885MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 2  
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6554G	46.15	83.54	-37.39	42.31	1	Horizontal	281	1.47	-	37.89	15.79	49.84
AV	20.65482G	33.54	63.54	-30.00	29.70	1	Horizontal	281	1.47	-	37.89	15.79	49.84

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6925MHz\_TnomVnom




EUT Z\_4TX  
Setting 10  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9406G	108.28	Inf	-Inf	97.79	3	Vertical	84	1.81	-	36.44	7.21	33.16
RMS	6.943G	97.75	Inf	-Inf	87.24	3	Vertical	84	1.81	-	36.46	7.21	33.16
PK	7.1278G	64.42	88.20	-23.78	53.60	3	Vertical	84	1.81	-	36.72	7.24	33.14
RMS	7.1998G	53.27	68.20	-14.93	42.09	3	Vertical	84	1.81	-	37.10	7.20	33.12

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

6925MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9166G	108.27	Inf	-Inf	97.95	3	Horizontal	86	1.51	-	36.30	7.17	33.15
RMS	6.9178G	98.93	Inf	-Inf	88.59	3	Horizontal	86	1.51	-	36.31	7.18	33.15
PK	7.2142G	63.63	88.20	-24.57	52.43	3	Horizontal	86	1.51	-	37.10	7.21	33.11
RMS	7.1998G	53.17	68.20	-15.03	41.99	3	Horizontal	86	1.51	-	37.10	7.20	33.12

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 6925MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84448G	62.00	88.20	-26.20	42.55	3	Vertical	82	2.72	-	40.84	9.83	31.22
RMS	13.85916G	48.29	68.20	-19.91	28.82	3	Vertical	82	2.72	-	40.86	9.84	31.23

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6925MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84628G	61.83	88.20	-26.37	42.38	3	Horizontal	111	2.48	-	40.85	9.83	31.23
RMS	13.85812G	48.22	68.20	-19.98	28.75	3	Horizontal	111	2.48	-	40.86	9.84	31.23

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6925MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77547G	45.07	83.54	-38.47	41.05	1	Vertical	26	1.92	-	37.96	15.85	49.79
AV	20.77496G	33.10	63.54	-30.44	29.08	1	Vertical	26	1.92	-	37.96	15.85	49.79



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 6925MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77493G	46.49	83.54	-37.05	42.47	1	Horizontal	164	1.62	-	37.96	15.85	49.79
AV	20.77483G	33.10	63.54	-30.44	29.08	1	Horizontal	164	1.62	-	37.96	15.85	49.79

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 7005MHz\_TnomVnom




EUT Z\_4TX  
Setting 9  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9874G	105.24	Inf	-Inf	94.79	3	Vertical	88	1.91	-	36.35	7.28	33.18
RMS	6.9938G	95.39	Inf	-Inf	84.97	3	Vertical	88	1.91	-	36.32	7.29	33.19
PK	7.1594G	64.10	88.20	-24.10	53.07	3	Vertical	88	1.91	-	36.94	7.22	33.13
RMS	7.1962G	53.14	68.20	-15.06	41.98	3	Vertical	88	1.91	-	37.08	7.20	33.12

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

7005MHz\_TnomVnom




EUT Z\_4TX  
Setting 9  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9866G	110.04	Inf	-Inf	99.59	3	Horizontal	89	1.55	-	36.35	7.28	33.18
RMS	6.9874G	100.55	Inf	-Inf	90.10	3	Horizontal	89	1.55	-	36.35	7.28	33.18
PK	7.2018G	64.91	88.20	-23.29	53.73	3	Horizontal	89	1.55	-	37.10	7.20	33.12
RMS	7.2026G	53.17	68.20	-15.03	41.99	3	Horizontal	89	1.55	-	37.10	7.20	33.12

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 7005MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.02G	64.32	88.20	-23.88	44.86	3	Vertical	139	1.90	-	40.90	9.91	31.35
RMS	14.0196G	49.51	68.20	-18.69	30.05	3	Vertical	139	1.90	-	40.90	9.91	31.35

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 7005MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01G	63.60	88.20	-24.60	44.14	3	Horizontal	346	2.71	-	40.90	9.90	31.34
RMS	14.01G	49.50	68.20	-18.70	30.04	3	Horizontal	346	2.71	-	40.90	9.90	31.34

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 7005MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01516G	44.91	83.54	-38.63	41.05	1	Vertical	136	1.11	-	37.60	15.96	49.70
AV	21.01495G	32.94	63.54	-30.60	29.08	1	Vertical	136	1.11	-	37.60	15.96	49.70

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 7005MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01522G	45.28	83.54	-38.26	41.42	1	Horizontal	204	2.84	-	37.60	15.96	49.70
AV	21.01487G	32.87	63.54	-30.67	29.01	1	Horizontal	204	2.84	-	37.60	15.96	49.70

802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

7085MHz\_TnomVnom




EUT Z\_4TX  
Setting 17  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.067G	113.31	Inf	-Inf	102.64	3	Vertical	92	1.71	-	36.57	7.27	33.17
AV	7.0674G	102.57	Inf	-Inf	91.90	3	Vertical	92	1.71	-	36.57	7.27	33.17
PK	7.1266G	75.60	88.20	-12.60	64.79	3	Vertical	92	1.71	-	36.71	7.24	33.14
AV	7.125G	62.36	68.20	-5.84	51.56	3	Vertical	92	1.71	-	36.70	7.24	33.14



### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 7085MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 17  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0846G	109.69	Inf	-Inf	99.06	3	Horizontal	78	1.24	-	36.53	7.26	33.16
AV	7.0826G	99.79	Inf	-Inf	89.16	3	Horizontal	78	1.24	-	36.53	7.26	33.16
PK	7.127G	67.43	88.20	-20.77	56.61	3	Horizontal	78	1.24	-	36.72	7.24	33.14
AV	7.125G	55.38	68.20	-12.82	44.58	3	Horizontal	78	1.24	-	36.70	7.24	33.14

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 7085MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 17  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17318G	63.15	88.20	-25.05	43.87	3	Vertical	49	1.79	-	40.83	9.95	31.50
RMS	14.16022G	49.90	68.20	-18.30	30.60	3	Vertical	49	1.79	-	40.84	9.95	31.49

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 7085MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 17  
01-A-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.15596G	63.33	88.20	-24.87	44.02	3	Horizontal	11	1.80	-	40.84	9.95	31.48
RMS	14.15704G	50.02	68.20	-18.18	30.71	3	Horizontal	11	1.80	-	40.84	9.95	31.48

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

#### 7085MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 17  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25461G	45.05	83.54	-38.49	41.03	1	Vertical	38	2.71	-	37.61	16.06	49.65
AV	21.2546G	33.06	63.54	-30.48	29.04	1	Vertical	38	2.71	-	37.61	16.06	49.65

### 802.11ax HEW40-BF\_Nss1,(MCS0)\_4TX

### 7085MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 17  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25529G	45.01	83.54	-38.53	40.99	1	Horizontal	53	2.06	-	37.61	16.06	49.65
AV	21.25455G	33.21	63.54	-30.33	29.19	1	Horizontal	53	2.06	-	37.61	16.06	49.65

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5985MHz\_TnomVnom




EUT Z\_4TX  
Setting 9  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	71.58	88.20	-16.62	62.93	3	Vertical	90	1.41	-	34.99	6.60	32.94
RMS	5.925G	60.66	68.20	-7.54	52.00	3	Vertical	90	1.41	-	35.00	6.60	32.94
PK	5.9618G	103.62	Inf	-Inf	94.82	3	Vertical	90	1.41	-	35.15	6.60	32.95
RMS	5.9562G	93.55	Inf	-Inf	84.78	3	Vertical	90	1.41	-	35.12	6.60	32.95

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	66.03	88.20	-22.17	57.38	3	Horizontal	94	1.63	-	34.99	6.60	32.94
RMS	5.925G	54.50	68.20	-13.70	45.84	3	Horizontal	94	1.63	-	35.00	6.60	32.94
PK	6.0194G	107.89	Inf	-Inf	98.95	3	Horizontal	94	1.63	-	35.26	6.63	32.95
RMS	6.0178G	97.02	Inf	-Inf	88.08	3	Horizontal	94	1.63	-	35.26	6.63	32.95

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 9  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96988G	55.93	74.00	-18.07	41.32	3	Vertical	71	1.43	-	38.50	8.99	32.88
AV	11.9704G	42.59	54.00	-11.41	27.98	3	Vertical	71	1.43	-	38.50	8.99	32.88
PK	17.95551G	63.12	74.00	-10.88	40.83	3	Vertical	145	2.78	-	42.86	11.09	31.66
AV	17.95518G	47.79	54.00	-6.21	25.50	3	Vertical	145	2.78	-	42.86	11.09	31.66



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 5985MHz\_TnomVnom




EUT Z\_4TX  
Setting 9  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97034G	56.05	74.00	-17.95	41.44	3	Horizontal	213	1.18	-	38.50	8.99	32.88
AV	11.97047G	42.71	54.00	-11.29	28.10	3	Horizontal	213	1.18	-	38.50	8.99	32.88
PK	17.95525G	63.56	74.00	-10.44	41.27	3	Horizontal	222	2.81	-	42.86	11.09	31.66
AV	17.95561G	47.65	54.00	-6.35	25.36	3	Horizontal	222	2.81	-	42.86	11.09	31.66

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6145MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 16  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8762G	60.91	88.20	-27.29	52.40	3	Vertical	86	1.48	-	34.85	6.60	32.94
RMS	5.9194G	50.02	68.20	-18.18	41.38	3	Vertical	86	1.48	-	34.98	6.60	32.94
PK	6.1378G	105.31	Inf	-Inf	96.15	3	Vertical	86	1.48	-	35.30	6.81	32.95
RMS	6.1402G	94.75	Inf	-Inf	85.59	3	Vertical	86	1.48	-	35.30	6.81	32.95

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6145MHz\_TnomVnom




EUT Z\_4TX  
Setting 16  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	60.72	88.20	-27.48	52.10	3	Horizontal	79	1.63	-	34.96	6.60	32.94
RMS	5.9194G	50.02	68.20	-18.18	41.38	3	Horizontal	79	1.63	-	34.98	6.60	32.94
PK	6.1102G	104.91	Inf	-Inf	95.79	3	Horizontal	79	1.63	-	35.30	6.77	32.95
RMS	6.109G	95.38	Inf	-Inf	86.27	3	Horizontal	79	1.63	-	35.30	6.76	32.95

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6145MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 16  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29029G	56.15	74.00	-17.85	41.06	3	Vertical	74	2.94	-	38.48	9.13	32.52
AV	12.29048G	43.07	54.00	-10.93	27.98	3	Vertical	74	2.94	-	38.48	9.13	32.52

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6145MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 16  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28967G	56.20	74.00	-17.80	41.11	3	Horizontal	202	1.36	-	38.48	9.13	32.52
AV	12.28984G	43.00	54.00	-11.00	27.91	3	Horizontal	202	1.36	-	38.48	9.13	32.52

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6145MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 16  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43509G	44.21	83.54	-39.33	41.75	1	Vertical	120	2.32	-	37.72	14.87	50.13
AV	18.4349G	31.95	63.54	-31.59	29.49	1	Vertical	120	2.32	-	37.72	14.87	50.13

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6145MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 16  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43456G	44.45	83.54	-39.09	41.99	1	Horizontal	84	1.76	-	37.72	14.87	50.13
AV	18.43484G	32.02	63.54	-31.52	29.56	1	Horizontal	84	1.76	-	37.72	14.87	50.13

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6385MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	60.78	88.20	-27.42	52.18	3	Vertical	86	1.77	-	34.94	6.60	32.94
RMS	5.9122G	49.87	68.20	-18.33	41.26	3	Vertical	86	1.77	-	34.95	6.60	32.94
PK	6.3634G	107.08	Inf	-Inf	97.67	3	Vertical	86	1.77	-	35.38	6.98	32.95
RMS	6.3562G	97.06	Inf	-Inf	87.69	3	Vertical	86	1.77	-	35.34	6.98	32.95



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6385MHz\_TnomVnom




EUT Z\_4TX  
Setting 10  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.845G	61.49	88.20	-26.71	53.06	3	Horizontal	92	1.37	-	34.76	6.60	32.93
RMS	5.9242G	49.87	68.20	-18.33	41.21	3	Horizontal	92	1.37	-	35.00	6.60	32.94
PK	6.3754G	108.28	Inf	-Inf	98.79	3	Horizontal	92	1.37	-	35.45	6.99	32.95
RMS	6.3754G	98.01	Inf	-Inf	88.52	3	Horizontal	92	1.37	-	35.45	6.99	32.95

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6385MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77025G	56.97	88.20	-31.23	40.39	3	Vertical	31	2.22	-	39.14	9.35	31.91
RMS	12.77032G	43.45	68.20	-24.75	26.87	3	Vertical	31	2.22	-	39.14	9.35	31.91

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6385MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76952G	57.36	88.20	-30.84	40.79	3	Horizontal	350	2.17	-	39.14	9.35	31.92
RMS	12.77047G	43.59	68.20	-24.61	27.01	3	Horizontal	350	2.17	-	39.14	9.35	31.91

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6385MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15489G	45.37	83.54	-38.17	42.03	1	Vertical	241	2.90	-	37.81	15.16	49.63
AV	19.15476G	33.31	63.54	-30.23	29.97	1	Vertical	241	2.90	-	37.81	15.16	49.63

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6385MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 10  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15468G	45.17	83.54	-38.37	41.83	1	Horizontal	17	2.70	-	37.81	15.16	49.63
AV	19.15491G	33.31	63.54	-30.23	29.97	1	Horizontal	17	2.70	-	37.81	15.16	49.63

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6465MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 25  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8852G	61.06	88.20	-27.14	52.53	3	Vertical	74	1.80	-	34.87	6.60	32.94
RMS	5.919G	48.56	68.20	-19.64	39.92	3	Vertical	74	1.80	-	34.98	6.60	32.94
PK	6.4442G	108.82	Inf	-Inf	99.35	3	Vertical	74	1.80	-	35.42	7.00	32.95
RMS	6.4416G	96.35	Inf	-Inf	86.87	3	Vertical	74	1.80	-	35.43	7.00	32.95

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6465MHz\_TnomVnom




EUT Z\_4TX  
Setting 25  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9086G	60.27	88.20	-27.93	51.68	3	Horizontal	80	1.24	-	34.93	6.60	32.94
RMS	5.9216G	49.93	68.20	-18.27	41.28	3	Horizontal	80	1.24	-	34.99	6.60	32.94
PK	6.4806G	108.30	Inf	-Inf	98.73	3	Horizontal	80	1.24	-	35.52	7.00	32.95
RMS	6.4806G	98.15	Inf	-Inf	88.58	3	Horizontal	80	1.24	-	35.52	7.00	32.95

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6465MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 25  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93016G	57.10	88.20	-31.10	40.00	3	Vertical	30	2.87	-	39.39	9.42	31.71
RMS	12.93047G	43.72	68.20	-24.48	26.62	3	Vertical	30	2.87	-	39.39	9.42	31.71



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6465MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 25  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92955G	57.08	88.20	-31.12	39.98	3	Horizontal	82	1.01	-	39.39	9.42	31.71
RMS	12.92954G	43.78	68.20	-24.42	26.68	3	Horizontal	82	1.01	-	39.39	9.42	31.71

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6465MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 25  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39457G	45.08	83.54	-38.46	41.68	1	Vertical	185	1.93	-	37.82	15.26	49.68
AV	19.39545G	33.20	63.54	-30.34	29.80	1	Vertical	185	1.93	-	37.82	15.26	49.68

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 6465MHz\_TnomVnom



EUT Z\_4TX  
Setting 25  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39539G	45.49	83.54	-38.05	42.09	1	Horizontal	352	2.60	-	37.82	15.26	49.68
AV	19.39455G	33.21	63.54	-30.33	29.81	1	Horizontal	352	2.60	-	37.82	15.26	49.68


**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 17  
 01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	60.28	88.20	-27.92	51.75	3	Vertical	73	1.80	-	34.87	6.60	32.94
RMS	5.9094G	49.86	68.20	-18.34	41.26	3	Vertical	73	1.80	-	34.94	6.60	32.94
PK	6.5478G	105.01	Inf	-Inf	95.19	3	Vertical	73	1.80	-	35.79	7.00	32.97
RMS	6.5338G	95.43	Inf	-Inf	85.66	3	Vertical	73	1.80	-	35.74	7.00	32.97
PK	7.1498G	62.91	88.20	-25.29	51.92	3	Vertical	73	1.80	-	36.90	7.23	33.14
RMS	7.1974G	52.85	68.20	-15.35	41.68	3	Vertical	73	1.80	-	37.09	7.20	33.12

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 17  
 01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8954G	60.33	88.20	-27.87	51.78	3	Horizontal	83	2.11	-	34.89	6.60	32.94
RMS	5.9206G	49.89	68.20	-18.31	41.25	3	Horizontal	83	2.11	-	34.98	6.60	32.94
PK	6.5646G	108.50	Inf	-Inf	98.65	3	Horizontal	83	2.11	-	35.83	7.00	32.98
RMS	6.5646G	97.18	Inf	-Inf	87.33	3	Horizontal	83	2.11	-	35.83	7.00	32.98
PK	7.133G	63.69	88.20	-24.51	52.84	3	Horizontal	83	2.11	-	36.76	7.23	33.14
RMS	7.2058G	52.82	68.20	-15.38	41.63	3	Horizontal	83	2.11	-	37.10	7.21	33.12

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom



EUT\_Z\_4TX  
Setting 17  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08982G	59.00	88.20	-29.20	41.33	3	Vertical	263	1.61	-	39.69	9.49	31.51
RMS	13.09049G	45.03	68.20	-23.17	27.36	3	Vertical	263	1.61	-	39.69	9.49	31.51

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 17  
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08966G	58.62	88.20	-29.58	40.95	3	Horizontal	175	1.52	-	39.69	9.49	31.51
RMS	13.09018G	44.93	68.20	-23.27	27.26	3	Horizontal	175	1.52	-	39.69	9.49	31.51

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6545MHz Straddle 6.425-6.525GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 17  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63524G	45.70	83.54	-37.84	42.20	1	Vertical	191	2.71	-	37.85	15.35	49.70
AV	19.63542G	33.60	63.54	-29.94	30.10	1	Vertical	191	2.71	-	37.85	15.35	49.70



**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**6545MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 17  
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63542G	46.00	83.54	-37.54	42.50	1	Horizontal	195	1.92	-	37.85	15.35	49.70
AV	19.63512G	33.53	63.54	-30.01	30.03	1	Horizontal	195	1.92	-	37.85	15.35	49.70

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6625MHz\_TnomVnom




EUT Z\_4TX  
Setting 14  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.649G	106.10	Inf	-Inf	96.12	3	Vertical	87	1.30	-	36.00	7.00	33.02
RMS	6.6394G	96.43	Inf	-Inf	86.47	3	Vertical	87	1.30	-	35.98	7.00	33.02
PK	7.1842G	63.92	88.20	-24.28	52.79	3	Vertical	87	1.30	-	37.04	7.21	33.12
RMS	7.1986G	52.85	68.20	-15.35	41.68	3	Vertical	87	1.30	-	37.09	7.20	33.12

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6625MHz\_TnomVnom




EUT Z\_4TX  
Setting 14  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5986G	108.29	Inf	-Inf	98.39	3	Horizontal	88	1.59	-	35.90	7.00	33.00
RMS	6.661G	97.10	Inf	-Inf	87.15	3	Horizontal	88	1.59	-	35.98	7.00	33.03
PK	7.1866G	63.50	88.20	-24.70	52.36	3	Horizontal	88	1.59	-	37.05	7.21	33.12
RMS	7.2058G	52.89	68.20	-15.31	41.70	3	Horizontal	88	1.59	-	37.10	7.21	33.12

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6625MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 14  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25014G	59.46	74.00	-14.54	41.25	3	Vertical	0	1.50	-	39.95	9.56	31.30
AV	13.25048G	45.17	54.00	-8.83	26.96	3	Vertical	0	1.50	-	39.95	9.56	31.30

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6625MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 14  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25044G	58.42	74.00	-15.58	40.21	3	Horizontal	113	1.51	-	39.95	9.56	31.30
AV	13.2504G	45.21	54.00	-8.79	27.00	3	Horizontal	113	1.51	-	39.95	9.56	31.30

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6625MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 14  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87535G	46.51	83.54	-37.03	43.16	1	Vertical	207	1.24	-	37.60	15.45	49.70
AV	19.8745G	33.68	63.54	-29.86	30.33	1	Vertical	207	1.24	-	37.60	15.45	49.70

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6625MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 14  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87472G	46.16	83.54	-37.38	42.81	1	Horizontal	197	2.60	-	37.60	15.45	49.70
AV	19.87486G	33.79	63.54	-29.75	30.44	1	Horizontal	197	2.60	-	37.60	15.45	49.70

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6705MHz\_TnomVnom




EUT Z\_4TX  
Setting 29  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.669G	113.78	Inf	-Inf	103.85	3	Vertical	84	1.52	-	35.96	7.00	33.03
RMS	6.695G	98.89	Inf	-Inf	89.02	3	Vertical	84	1.52	-	35.91	7.00	33.04
PK	7.139G	63.05	88.20	-25.15	52.15	3	Vertical	84	1.52	-	36.81	7.23	33.14
RMS	7.195G	52.89	68.20	-15.31	41.73	3	Vertical	84	1.52	-	37.08	7.20	33.12



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6705MHz\_TnomVnom




EUT Z\_4TX  
Setting 29  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.683G	112.53	Inf	-Inf	102.64	3	Horizontal	91	1.68	-	35.93	7.00	33.04
RMS	6.691G	99.72	Inf	-Inf	89.84	3	Horizontal	91	1.68	-	35.92	7.00	33.04
PK	7.195G	63.93	88.20	-24.27	52.77	3	Horizontal	91	1.68	-	37.08	7.20	33.12
RMS	7.195G	52.91	68.20	-15.29	41.75	3	Horizontal	91	1.68	-	37.08	7.20	33.12

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6705MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 29  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40976G	60.19	88.20	-28.01	41.46	3	Vertical	65	1.40	-	40.20	9.63	31.10
AV	13.40975G	45.92	68.20	-22.28	27.19	3	Vertical	65	1.40	-	40.20	9.63	31.10

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6705MHz\_TnomVnom




EUT Z\_4TX  
Setting 29  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40954G	59.46	88.20	-28.74	40.73	3	Horizontal	120	2.33	-	40.20	9.63	31.10
AV	13.40961G	45.85	68.20	-22.35	27.12	3	Horizontal	120	2.33	-	40.20	9.63	31.10

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6705MHz\_TnomVnom




EUT Z\_4TX  
Setting 29  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11529G	45.92	83.54	-37.62	42.63	1	Vertical	92	2.29	-	37.49	15.55	49.75
AV	20.11509G	33.39	63.54	-30.15	30.10	1	Vertical	92	2.29	-	37.49	15.55	49.75

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6705MHz\_TnomVnom




EUT Z\_4TX  
Setting 29  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11467G	45.65	83.54	-37.89	42.36	1	Horizontal	145	2.41	-	37.49	15.55	49.75
AV	20.11483G	33.52	63.54	-30.02	30.23	1	Horizontal	145	2.41	-	37.49	15.55	49.75

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6785MHz\_TnomVnom




EUT Z\_4TX  
Setting 27  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.753G	111.02	Inf	-Inf	100.89	3	Vertical	86	1.61	-	36.20	7.00	33.07
RMS	6.7546G	100.70	Inf	-Inf	90.57	3	Vertical	86	1.61	-	36.20	7.00	33.07
PK	7.1834G	63.91	88.20	-24.29	52.79	3	Vertical	86	1.61	-	37.03	7.21	33.12
RMS	7.1498G	52.85	68.20	-15.35	41.86	3	Vertical	86	1.61	-	36.90	7.23	33.14

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6785MHz\_TnomVnom




EUT Z\_4TX  
Setting 27  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7802G	106.03	Inf	-Inf	95.91	3	Horizontal	74	1.80	-	36.20	7.00	33.08
RMS	6.7754G	96.69	Inf	-Inf	86.57	3	Horizontal	74	1.80	-	36.20	7.00	33.08
PK	7.1818G	62.82	88.20	-25.38	51.70	3	Horizontal	74	1.80	-	37.03	7.21	33.12
RMS	7.145G	52.77	68.20	-15.43	41.82	3	Horizontal	74	1.80	-	36.86	7.23	33.14

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6785MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 27  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57026G	59.61	88.20	-28.59	40.67	3	Vertical	321	1.45	-	40.27	9.71	31.04
RMS	13.57035G	45.91	68.20	-22.29	26.97	3	Vertical	321	1.45	-	40.27	9.71	31.04



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6785MHz\_TnomVnom




EUT Z\_4TX  
Setting 27  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5697G	59.48	88.20	-28.72	40.54	3	Horizontal	201	2.84	-	40.27	9.71	31.04
RMS	13.57G	45.88	68.20	-22.32	26.94	3	Horizontal	201	2.84	-	40.27	9.71	31.04

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6785MHz\_TnomVnom




EUT Z\_4TX  
Setting 27  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35463G	45.86	83.54	-37.68	42.40	1	Vertical	262	1.92	-	37.64	15.66	49.84
AV	20.3546G	33.17	63.54	-30.37	29.71	1	Vertical	262	1.92	-	37.64	15.66	49.84

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


#### 6785MHz\_TnomVnom



EUT Z\_4TX  
Setting 27  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35485G	45.40	83.54	-38.14	41.94	1	Horizontal	320	1.40	-	37.64	15.66	49.84
AV	20.3545G	33.17	63.54	-30.37	29.71	1	Horizontal	320	1.40	-	37.64	15.66	49.84


**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT Z\_4TX  
 Setting 29  
 01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8638G	111.08	Inf	-Inf	100.61	3	Vertical	78	1.80	-	36.49	7.10	33.12
RMS	6.8626G	100.25	Inf	-Inf	89.78	3	Vertical	78	1.80	-	36.50	7.09	33.12
PK	7.1458G	62.90	88.20	-25.30	51.94	3	Vertical	78	1.80	-	36.87	7.23	33.14
RMS	7.1494G	52.90	68.20	-15.30	41.91	3	Vertical	78	1.80	-	36.90	7.23	33.14

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT Z\_4TX  
 Setting 29  
 01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.859G	112.79	Inf	-Inf	102.29	3	Horizontal	84	1.54	-	36.53	7.09	33.12
RMS	6.8602G	101.91	Inf	-Inf	91.42	3	Horizontal	84	1.54	-	36.52	7.09	33.12
PK	7.147G	63.65	88.20	-24.55	52.68	3	Horizontal	84	1.54	-	36.88	7.23	33.14
RMS	7.1566G	52.82	68.20	-15.38	41.80	3	Horizontal	84	1.54	-	36.93	7.22	33.13

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX


6865MHz Straddle 6.525-6.875GHz\_TnomVnom



EUT\_Z\_4TX  
Setting 29  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73039G	62.29	88.20	-25.91	43.07	3	Vertical	238	1.04	-	40.59	9.78	31.15
RMS	13.72956G	48.42	68.20	-19.78	29.20	3	Vertical	238	1.04	-	40.59	9.78	31.15

**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 29  
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73043G	61.97	88.20	-26.23	42.75	3	Horizontal	287	2.19	-	40.59	9.78	31.15
RMS	13.72978G	48.47	68.20	-19.73	29.25	3	Horizontal	287	2.19	-	40.59	9.78	31.15

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6865MHz Straddle 6.525-6.875GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 29  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59511G	46.18	83.54	-37.36	42.46	1	Vertical	132	2.06	-	37.81	15.77	49.86
AV	20.59453G	33.63	63.54	-29.91	29.91	1	Vertical	132	2.06	-	37.81	15.77	49.86



**802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX**  
**6865MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 29  
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59458G	45.76	83.54	-37.78	42.04	1	Horizontal	249	1.22	-	37.81	15.77	49.86
AV	20.59487G	33.63	63.54	-29.91	29.91	1	Horizontal	249	1.22	-	37.81	15.77	49.86

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 6945MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 15  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9486G	107.18	Inf	-Inf	96.64	3	Vertical	86	1.57	-	36.49	7.22	33.17
RMS	6.951G	97.46	Inf	-Inf	86.90	3	Vertical	86	1.57	-	36.50	7.23	33.17
PK	7.137G	63.74	88.20	-24.46	52.85	3	Vertical	86	1.57	-	36.80	7.23	33.14
RMS	7.1994G	52.89	68.20	-15.31	41.71	3	Vertical	86	1.57	-	37.10	7.20	33.12

802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

6945MHz\_TnomVnom




EUT Z\_4TX  
Setting 15  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9678G	108.03	Inf	-Inf	97.52	3	Horizontal	86	1.49	-	36.43	7.25	33.17
RMS	6.969G	97.19	Inf	-Inf	86.70	3	Horizontal	86	1.49	-	36.42	7.25	33.18
PK	7.2186G	63.88	88.20	-24.32	52.67	3	Horizontal	86	1.49	-	37.10	7.22	33.11
RMS	7.2006G	52.94	68.20	-15.26	41.76	3	Horizontal	86	1.49	-	37.10	7.20	33.12

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6945MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 15  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88974G	62.64	88.20	-25.56	43.16	3	Vertical	109	2.50	-	40.89	9.85	31.26
RMS	13.89037G	48.32	68.20	-19.88	28.84	3	Vertical	109	2.50	-	40.89	9.85	31.26

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6945MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 15  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88954G	62.15	88.20	-26.05	42.66	3	Horizontal	83	2.88	-	40.89	9.85	31.25
RMS	13.8895G	48.37	68.20	-19.83	28.88	3	Horizontal	83	2.88	-	40.89	9.85	31.25

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6945MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 15  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83547G	46.20	83.54	-37.34	42.23	1	Vertical	285	2.51	-	37.86	15.88	49.77
AV	20.83524G	33.35	63.54	-30.19	29.38	1	Vertical	285	2.51	-	37.86	15.88	49.77

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

#### 6945MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 15  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.8353G	45.49	83.54	-38.05	41.52	1	Horizontal	311	2.09	-	37.86	15.88	49.77
AV	20.83526G	33.28	63.54	-30.26	29.31	1	Horizontal	311	2.09	-	37.86	15.88	49.77

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 7025MHz\_TnomVnom




EUT Z\_4TX  
Setting 35  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0546G	111.80	Inf	-Inf	101.11	3	Vertical	86	1.81	-	36.59	7.27	33.17
RMS	7.0578G	101.90	Inf	-Inf	91.22	3	Vertical	86	1.81	-	36.58	7.27	33.17
PK	7.1258G	67.84	88.20	-20.36	57.03	3	Vertical	86	1.81	-	36.71	7.24	33.14
RMS	7.125G	56.55	68.20	-11.65	45.75	3	Vertical	86	1.81	-	36.70	7.24	33.14



### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 7025MHz\_TnomVnom




EUT Z\_4TX  
Setting 35  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9882G	113.78	Inf	-Inf	103.33	3	Horizontal	91	1.57	-	36.35	7.28	33.18
RMS	6.9874G	102.47	Inf	-Inf	92.02	3	Horizontal	91	1.57	-	36.35	7.28	33.18
PK	7.125G	65.41	88.20	-22.79	54.61	3	Horizontal	91	1.57	-	36.70	7.24	33.14
RMS	7.125G	54.21	68.20	-13.99	43.41	3	Horizontal	91	1.57	-	36.70	7.24	33.14

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 7025MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 35  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05003G	63.29	88.20	-24.91	43.85	3	Vertical	171	2.06	-	40.90	9.92	31.38
AV	14.05032G	49.61	68.20	-18.59	30.17	3	Vertical	171	2.06	-	40.90	9.92	31.38

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 7025MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 35  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04967G	62.75	88.20	-25.45	43.32	3	Horizontal	210	1.02	-	40.90	9.91	31.38
AV	14.05044G	49.56	68.20	-18.64	30.12	3	Horizontal	210	1.02	-	40.90	9.92	31.38

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 7025MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 35  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07468G	45.60	83.54	-37.94	41.71	1	Vertical	232	1.97	-	37.60	15.98	49.69
AV	21.0749G	33.34	63.54	-30.20	29.45	1	Vertical	232	1.97	-	37.60	15.98	49.69

### 802.11ax HEW80-BF\_Nss1,(MCS0)\_4TX

### 7025MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 35  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07502G	45.28	83.54	-38.26	41.38	1	Horizontal	211	2.80	-	37.60	15.98	49.68
AV	21.07473G	33.34	63.54	-30.20	29.45	1	Horizontal	211	2.80	-	37.60	15.98	49.69

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6025MHz\_TnomVnom




EUT Z\_4TX  
Setting 39  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.906G	63.63	88.20	-24.57	55.05	3	Vertical	77	1.80	-	34.92	6.60	32.94
RMS	5.925G	52.23	68.20	-15.97	43.57	3	Vertical	77	1.80	-	35.00	6.60	32.94
PK	6.067G	109.51	Inf	-Inf	100.53	3	Vertical	77	1.80	-	35.23	6.70	32.95
RMS	6.055G	98.58	Inf	-Inf	89.64	3	Vertical	77	1.80	-	35.21	6.68	32.95

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6025MHz\_TnomVnom




EUT Z\_4TX  
Setting 39  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.914G	69.57	88.20	-18.63	60.95	3	Horizontal	90	1.30	-	34.96	6.60	32.94
RMS	5.925G	53.44	68.20	-14.76	44.78	3	Horizontal	90	1.30	-	35.00	6.60	32.94
PK	6.01G	113.78	Inf	-Inf	104.83	3	Horizontal	90	1.30	-	35.28	6.62	32.95
RMS	6.011G	102.82	Inf	-Inf	93.87	3	Horizontal	90	1.30	-	35.28	6.62	32.95

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6025MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 39  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05039G	55.61	74.00	-18.39	40.86	3	Vertical	302	1.67	-	38.55	9.02	32.82
AV	12.04963G	42.52	54.00	-11.48	27.77	3	Vertical	302	1.67	-	38.55	9.02	32.82



### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6025MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 39  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05015G	56.62	74.00	-17.38	41.87	3	Horizontal	90	2.97	-	38.55	9.02	32.82
AV	12.04953G	42.60	54.00	-11.40	27.85	3	Horizontal	90	2.97	-	38.55	9.02	32.82

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6025MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 39  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07489G	45.12	83.54	-38.42	43.02	1	Vertical	271	1.00	-	37.64	14.73	50.27
AV	18.07484G	32.72	63.54	-30.82	30.62	1	Vertical	271	1.00	-	37.64	14.73	50.27

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6025MHz\_TnomVnom




EUT Z\_4TX  
Setting 39  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0753G	45.04	83.54	-38.50	42.94	1	Horizontal	353	2.53	-	37.64	14.73	50.27
AV	18.07515G	32.65	63.54	-30.89	30.55	1	Horizontal	353	2.53	-	37.64	14.73	50.27

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6185MHz\_TnomVnom




EUT Z\_4TX  
Setting 26  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9002G	61.15	88.20	-27.05	52.59	3	Vertical	75	1.64	-	34.90	6.60	32.94
RMS	5.921G	50.14	68.20	-18.06	41.50	3	Vertical	75	1.64	-	34.98	6.60	32.94
PK	6.169G	106.12	Inf	-Inf	96.84	3	Vertical	75	1.64	-	35.38	6.85	32.95
RMS	6.2122G	95.24	Inf	-Inf	85.88	3	Vertical	75	1.64	-	35.40	6.91	32.95

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6185MHz\_TnomVnom




EUT Z\_4TX  
Setting 26  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	61.62	88.20	-26.58	52.98	3	Horizontal	98	1.49	-	34.98	6.60	32.94
RMS	5.921G	50.11	68.20	-18.09	41.47	3	Horizontal	98	1.49	-	34.98	6.60	32.94
PK	6.1386G	107.21	Inf	-Inf	98.05	3	Horizontal	98	1.49	-	35.30	6.81	32.95
RMS	6.137G	96.50	Inf	-Inf	87.34	3	Horizontal	98	1.49	-	35.30	6.81	32.95

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6185MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 26  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37001G	57.45	74.00	-16.55	42.06	3	Vertical	317	1.93	-	38.64	9.17	32.42
AV	12.37003G	43.14	54.00	-10.86	27.75	3	Vertical	317	1.93	-	38.64	9.17	32.42

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6185MHz\_TnomVnom




EUT Z\_4TX  
Setting 26  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36969G	56.88	74.00	-17.12	41.49	3	Horizontal	186	1.54	-	38.64	9.17	32.42
AV	12.37047G	43.13	54.00	-10.87	27.74	3	Horizontal	186	1.54	-	38.64	9.17	32.42

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6185MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 26  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55542G	44.02	83.54	-39.52	41.36	1	Vertical	95	2.81	-	37.78	14.92	50.04
AV	18.55511G	32.01	63.54	-31.53	29.35	1	Vertical	95	2.81	-	37.78	14.92	50.04



### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6185MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 26  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55546G	44.64	83.54	-38.90	41.98	1	Horizontal	106	1.14	-	37.78	14.92	50.04
AV	18.55527G	31.95	63.54	-31.59	29.29	1	Horizontal	106	1.14	-	37.78	14.92	50.04

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6345MHz\_TnomVnom




EUT Z\_4TX  
Setting 26  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.903G	60.23	88.20	-27.97	51.66	3	Vertical	88	1.80	-	34.91	6.60	32.94
RMS	5.925G	50.39	68.20	-17.81	41.73	3	Vertical	88	1.80	-	35.00	6.60	32.94
PK	6.353G	108.23	Inf	-Inf	98.88	3	Vertical	88	1.80	-	35.32	6.98	32.95
RMS	6.365G	98.42	Inf	-Inf	89.00	3	Vertical	88	1.80	-	35.39	6.98	32.95

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6345MHz\_TnomVnom




EUT Z\_4TX  
Setting 26  
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.885G	61.21	88.20	-26.99	52.68	3	Horizontal	92	1.24	-	34.87	6.60	32.94
RMS	5.923G	50.33	68.20	-17.87	41.68	3	Horizontal	92	1.24	-	34.99	6.60	32.94
PK	6.391G	109.70	Inf	-Inf	100.10	3	Horizontal	92	1.24	-	35.55	7.00	32.95
RMS	6.291G	100.23	Inf	-Inf	90.97	3	Horizontal	92	1.24	-	35.26	6.95	32.95

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6345MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 26  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69042G	57.60	74.00	-16.40	41.34	3	Vertical	317	2.66	-	38.97	9.31	32.02
AV	12.68962G	43.62	54.00	-10.38	27.36	3	Vertical	317	2.66	-	38.97	9.31	32.02

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6345MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 26  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68983G	57.22	74.00	-16.78	40.96	3	Horizontal	48	1.92	-	38.97	9.31	32.02
AV	12.69G	43.47	54.00	-10.53	27.21	3	Horizontal	48	1.92	-	38.97	9.31	32.02

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6345MHz\_TnomVnom




EUT Z\_4TX  
Setting 26  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03468G	45.47	83.54	-38.07	42.01	1	Vertical	165	1.73	-	37.96	15.11	49.61
AV	19.03524G	32.74	63.54	-30.80	29.28	1	Vertical	165	1.73	-	37.96	15.11	49.61

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


### 6345MHz\_TnomVnom



EUT Z\_4TX  
Setting 26  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03523G	45.10	83.54	-38.44	41.64	1	Horizontal	345	2.00	-	37.96	15.11	49.61
AV	19.03484G	32.74	63.54	-30.80	29.28	1	Horizontal	345	2.00	-	37.96	15.11	49.61

**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 30  
 01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9086G	60.33	88.20	-27.87	51.74	3	Vertical	80	1.50	-	34.93	6.60	32.94
RMS	5.9226G	49.94	68.20	-18.26	41.29	3	Vertical	80	1.50	-	34.99	6.60	32.94
PK	6.5778G	106.31	Inf	-Inf	96.44	3	Vertical	80	1.50	-	35.86	7.00	32.99
RMS	6.5358G	96.15	Inf	-Inf	86.38	3	Vertical	80	1.50	-	35.74	7.00	32.97
PK	7.1938G	63.52	88.20	-24.68	52.36	3	Vertical	80	1.50	-	37.08	7.20	33.12
RMS	7.1966G	52.79	68.20	-15.41	41.62	3	Vertical	80	1.50	-	37.09	7.20	33.12




**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 30  
 01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8974G	60.07	88.20	-28.13	51.52	3	Horizontal	84	1.39	-	34.89	6.60	32.94
RMS	5.925G	49.86	68.20	-18.34	41.20	3	Horizontal	84	1.39	-	35.00	6.60	32.94
PK	6.5526G	104.99	Inf	-Inf	95.16	3	Horizontal	84	1.39	-	35.81	7.00	32.98
RMS	6.5526G	94.72	Inf	-Inf	84.89	3	Horizontal	84	1.39	-	35.81	7.00	32.98
PK	7.1938G	63.16	88.20	-25.04	52.00	3	Horizontal	84	1.39	-	37.08	7.20	33.12
RMS	7.1966G	52.84	68.20	-15.36	41.67	3	Horizontal	84	1.39	-	37.09	7.20	33.12


**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT\_Z\_4TX  
 Setting 30  
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00955G	58.40	88.20	-29.80	40.95	3	Vertical	311	1.89	-	39.61	9.45	31.61
RMS	13.0105G	44.77	68.20	-23.43	27.32	3	Vertical	311	1.89	-	39.61	9.45	31.61


**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT Z\_4TX  
 Setting 30  
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.00969G	58.26	88.20	-29.94	40.81	3	Horizontal	32	1.39	-	39.61	9.45	31.61
RMS	13.01026G	44.77	68.20	-23.43	27.32	3	Horizontal	32	1.39	-	39.61	9.45	31.61


**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**



EUT Z\_4TX  
 Setting 30  
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51479G	45.40	83.54	-38.14	41.90	1	Vertical	82	2.57	-	37.89	15.31	49.70
AV	19.51507G	32.81	63.54	-30.73	29.31	1	Vertical	82	2.57	-	37.89	15.31	49.70

**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6505MHz Straddle 6.425-6.525GHz\_TnomVnom**




EUT Z\_4TX  
 Setting 30  
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5151G	45.33	83.54	-38.21	41.83	1	Horizontal	129	2.41	-	37.89	15.31	49.70
AV	19.51497G	32.75	63.54	-30.79	29.25	1	Horizontal	129	2.41	-	37.89	15.31	49.70

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6665MHz\_TnomVnom




EUT Z\_4TX  
Setting 43  
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6694G	111.91	Inf	-Inf	101.98	3	Vertical	85	1.80	-	35.96	7.00	33.03
RMS	6.6716G	101.89	Inf	-Inf	91.96	3	Vertical	85	1.80	-	35.96	7.00	33.03
PK	7.1314G	64.19	88.20	-24.01	53.35	3	Vertical	85	1.80	-	36.75	7.23	33.14
RMS	7.1446G	53.27	68.20	-14.93	42.32	3	Vertical	85	1.80	-	36.86	7.23	33.14

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6665MHz\_TnomVnom




EUT Z\_4TX  
Setting 43  
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6584G	113.31	Inf	-Inf	103.36	3	Horizontal	93	1.54	-	35.98	7.00	33.03
RMS	6.6584G	102.66	Inf	-Inf	92.71	3	Horizontal	93	1.54	-	35.98	7.00	33.03
PK	7.1468G	63.88	88.20	-24.32	52.92	3	Horizontal	93	1.54	-	36.87	7.23	33.14
RMS	7.1996G	53.13	68.20	-15.07	41.95	3	Horizontal	93	1.54	-	37.10	7.20	33.12

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6665MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 43  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33G	59.59	74.00	-14.41	41.13	3	Vertical	312	1.46	-	40.06	9.60	31.20
AV	13.3295G	45.55	54.00	-8.45	27.09	3	Vertical	312	1.46	-	40.06	9.60	31.20



### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6665MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 43  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.32967G	59.75	74.00	-14.25	41.29	3	Horizontal	324	1.38	-	40.06	9.60	31.20
AV	13.32991G	45.47	54.00	-8.53	27.01	3	Horizontal	324	1.38	-	40.06	9.60	31.20

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6665MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 43  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9946G	45.24	83.54	-38.30	42.03	1	Vertical	131	1.38	-	37.41	15.50	49.70
AV	19.99548G	32.98	63.54	-30.56	29.77	1	Vertical	131	1.38	-	37.41	15.50	49.70

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX


### 6665MHz\_TnomVnom



EUT Z\_4TX  
Setting 43  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9952G	45.61	83.54	-37.93	42.40	1	Horizontal	274	1.01	-	37.41	15.50	49.70
AV	19.99546G	32.98	63.54	-30.56	29.77	1	Horizontal	274	1.01	-	37.41	15.50	49.70


**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT Z\_4TX  
 Setting 33  
 01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8474G	109.99	Inf	-Inf	99.46	3	Vertical	87	1.80	-	36.58	7.07	33.12
RMS	6.7498G	99.35	Inf	-Inf	89.22	3	Vertical	87	1.80	-	36.20	7.00	33.07
PK	7.1482G	63.93	88.20	-24.27	52.95	3	Vertical	87	1.80	-	36.89	7.23	33.14
RMS	7.1546G	53.27	68.20	-14.93	42.26	3	Vertical	87	1.80	-	36.92	7.22	33.13


**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**



EUT Z\_4TX  
 Setting 33  
 01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7626G	109.80	Inf	-Inf	99.68	3	Horizontal	99	1.52	-	36.20	7.00	33.08
RMS	6.7594G	100.02	Inf	-Inf	89.89	3	Horizontal	99	1.52	-	36.20	7.00	33.07
PK	7.1578G	64.03	88.20	-24.17	53.01	3	Horizontal	99	1.52	-	36.93	7.22	33.13
RMS	7.201G	53.12	68.20	-15.08	41.94	3	Horizontal	99	1.52	-	37.10	7.20	33.12

**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 33  
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65017G	61.69	88.20	-26.51	42.64	3	Vertical	35	1.87	-	40.40	9.74	31.09
RMS	13.65043G	48.50	68.20	-19.70	29.45	3	Vertical	35	1.87	-	40.40	9.74	31.09

802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

6825MHz Straddle 6.525-6.875GHz\_TnomVnom




11/02/2022

EUT\_Z\_4TX  
Setting 33  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65024G	61.98	88.20	-26.22	42.93	3	Horizontal	234	1.57	-	40.40	9.74	31.09
RMS	13.65002G	48.50	68.20	-19.70	29.45	3	Horizontal	234	1.57	-	40.40	9.74	31.09

**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT Z\_4TX  
 Setting 33  
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47496G	45.58	83.54	-37.96	42.07	1	Vertical	101	1.56	-	37.69	15.71	49.89
AV	20.47482G	33.53	63.54	-30.01	30.02	1	Vertical	101	1.56	-	37.69	15.71	49.89



**802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX**  
**6825MHz Straddle 6.525-6.875GHz\_TnomVnom**




EUT\_Z\_4TX  
 Setting 33  
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47508G	45.47	83.54	-38.07	41.96	1	Horizontal	141	1.90	-	37.69	15.71	49.89
AV	20.47455G	33.40	63.54	-30.14	29.89	1	Horizontal	141	1.90	-	37.69	15.71	49.89

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6985MHz\_TnomVnom




EUT Z\_4TX  
Setting 41  
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.956G	111.16	Inf	-Inf	100.62	3	Vertical	88	1.75	-	36.48	7.23	33.17
RMS	6.951G	100.47	Inf	-Inf	89.91	3	Vertical	88	1.75	-	36.50	7.23	33.17
PK	7.125G	72.54	88.20	-15.66	61.74	3	Vertical	88	1.75	-	36.70	7.24	33.14
RMS	7.139G	54.20	68.20	-14.00	43.30	3	Vertical	88	1.75	-	36.81	7.23	33.14

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.981G	112.93	Inf	-Inf	102.46	3	Horizontal	82	1.36	-	36.38	7.27	33.18
RMS	6.981G	102.21	Inf	-Inf	91.74	3	Horizontal	82	1.36	-	36.38	7.27	33.18
PK	7.183G	68.82	88.20	-19.38	57.70	3	Horizontal	82	1.36	-	37.03	7.21	33.12
RMS	7.182G	53.50	68.20	-14.70	42.38	3	Horizontal	82	1.36	-	37.03	7.21	33.12

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97031G	62.65	88.20	-25.55	43.17	3	Vertical	37	2.49	-	40.90	9.89	31.31
AV	13.96997G	48.71	68.20	-19.49	29.23	3	Vertical	37	2.49	-	40.90	9.89	31.31

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

### 6985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9699G	63.57	88.20	-24.63	44.09	3	Horizontal	117	1.15	-	40.90	9.89	31.31
AV	13.97011G	48.84	68.20	-19.36	29.36	3	Horizontal	117	1.15	-	40.90	9.89	31.31

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6985MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 41  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95474G	46.14	83.54	-37.40	42.26	1	Vertical	308	2.37	-	37.67	15.93	49.72
AV	20.95483G	33.31	63.54	-30.23	29.43	1	Vertical	308	2.37	-	37.67	15.93	49.72

### 802.11ax HEW160-BF\_Nss1,(MCS0)\_4TX

#### 6985MHz\_TnomVnom



EUT Z\_4TX  
Setting 41  
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95455G	45.74	83.54	-37.80	41.86	1	Horizontal	305	1.34	-	37.67	15.93	49.72
AV	20.95546G	33.45	63.54	-30.09	29.57	1	Horizontal	305	1.34	-	37.67	15.93	49.72




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	RMS	5.911G	67.80	68.20	-0.40	3	Vertical	241	1.98	-



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT X\_1TX  
Setting 50  
01-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	64.07	88.20	-24.13	55.41	3	Vertical	240	1.84	-	35.00	6.60	32.94
RMS	5.9246G	52.73	68.20	-15.47	44.07	3	Vertical	240	1.84	-	35.00	6.60	32.94
PK	5.9562G	111.08	Inf	-Inf	102.31	3	Vertical	240	1.84	-	35.12	6.60	32.95
RMS	5.9538G	100.67	Inf	-Inf	91.90	3	Vertical	240	1.84	-	35.12	6.60	32.95

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT X\_1TX  
Setting 50  
01-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8906G	61.46	88.20	-26.74	52.92	3	Horizontal	27	2.08	-	34.88	6.60	32.94
RMS	5.9246G	49.99	68.20	-18.21	41.33	3	Horizontal	27	2.08	-	35.00	6.60	32.94
PK	5.9538G	98.09	Inf	-Inf	89.32	3	Horizontal	27	2.08	-	35.12	6.60	32.95
RMS	5.9614G	87.41	Inf	-Inf	78.61	3	Horizontal	27	2.08	-	35.15	6.60	32.95

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT X\_1TX  
Setting 50  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9172G	55.45	74.00	-18.55	40.84	3	Vertical	57	2.06	-	38.50	8.98	32.87
AV	11.895G	41.40	54.00	-12.60	26.80	3	Vertical	57	2.06	-	38.50	8.97	32.87
PK	17.87238G	66.01	74.00	-7.99	43.96	3	Vertical	122	2.57	-	42.69	11.06	31.70
AV	17.86674G	52.22	54.00	-1.78	30.19	3	Vertical	122	2.57	-	42.67	11.06	31.70

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5955MHz\_TnomVnom




EUT\_X\_1TX  
Setting 50  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9157G	55.14	74.00	-18.86	40.53	3	Horizontal	250	1.80	-	38.50	8.98	32.87
AV	11.895G	41.41	54.00	-12.59	26.81	3	Horizontal	250	1.80	-	38.50	8.97	32.87
PK	17.85822G	66.76	74.00	-7.24	44.78	3	Horizontal	188	1.80	-	42.63	11.06	31.71
AV	17.87514G	52.15	54.00	-1.85	30.09	3	Horizontal	188	1.80	-	42.70	11.06	31.70

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6175MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	60.75	88.20	-27.45	52.15	3	Vertical	240	1.86	-	34.94	6.60	32.94
RMS	5.919G	49.92	68.20	-18.28	41.28	3	Vertical	240	1.86	-	34.98	6.60	32.94
PK	6.1702G	110.64	Inf	-Inf	101.35	3	Vertical	240	1.86	-	35.38	6.86	32.95
RMS	6.1734G	101.33	Inf	-Inf	92.03	3	Vertical	240	1.86	-	35.39	6.86	32.95

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6175MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	60.92	88.20	-27.28	52.32	3	Horizontal	329	1.80	-	34.94	6.60	32.94
RMS	5.925G	49.68	68.20	-18.52	41.02	3	Horizontal	329	1.80	-	35.00	6.60	32.94
PK	6.1782G	97.59	Inf	-Inf	88.26	3	Horizontal	329	1.80	-	35.41	6.87	32.95
RMS	6.1734G	87.24	Inf	-Inf	77.94	3	Horizontal	329	1.80	-	35.39	6.86	32.95

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6175MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35168G	55.73	74.00	-18.27	40.41	3	Vertical	85	1.80	-	38.60	9.16	32.44
AV	12.33716G	42.27	54.00	-11.73	27.01	3	Vertical	85	1.80	-	38.57	9.15	32.46

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6175MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36422G	55.84	74.00	-18.16	40.48	3	Horizontal	244	2.51	-	38.63	9.16	32.43
AV	12.33698G	42.30	54.00	-11.70	27.04	3	Horizontal	244	2.51	-	38.57	9.15	32.46



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6175MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52549G	46.31	83.54	-37.23	43.68	1	Vertical	354	1.75	-	37.79	14.91	50.07
AV	18.52458G	31.88	63.54	-31.66	29.26	1	Vertical	354	1.75	-	37.79	14.91	50.08

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6175MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52471G	45.68	83.54	-37.86	43.06	1	Horizontal	326	2.64	-	37.79	14.91	50.08
AV	18.52451G	31.92	63.54	-31.62	29.30	1	Horizontal	326	2.64	-	37.79	14.91	50.08

802.11ax HEW20\_Nss1,(MCS0)\_1TX

6415MHz\_TnomVnom




EUT X\_1TX  
Setting 46  
01-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9062G	61.03	88.20	-27.17	52.45	3	Vertical	241	1.83	-	34.92	6.60	32.94
RMS	5.925G	49.86	68.20	-18.34	41.20	3	Vertical	241	1.83	-	35.00	6.60	32.94
PK	6.415G	110.76	Inf	-Inf	101.17	3	Vertical	241	1.83	-	35.54	7.00	32.95
RMS	6.4126G	101.37	Inf	-Inf	91.77	3	Vertical	241	1.83	-	35.55	7.00	32.95

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT X\_1TX  
Setting 46  
01-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8942G	60.75	88.20	-27.45	52.20	3	Horizontal	224	1.71	-	34.89	6.60	32.94
RMS	5.923G	49.78	68.20	-18.42	41.13	3	Horizontal	224	1.71	-	34.99	6.60	32.94
PK	6.4174G	100.06	Inf	-Inf	90.48	3	Horizontal	224	1.71	-	35.53	7.00	32.95
RMS	6.4126G	91.06	Inf	-Inf	81.46	3	Horizontal	224	1.71	-	35.55	7.00	32.95

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT X\_1TX  
Setting 46  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83858G	57.36	88.20	-30.84	40.57	3	Vertical	142	2.27	-	39.24	9.38	31.83
RMS	12.8384G	43.35	68.20	-24.85	26.56	3	Vertical	142	2.27	-	39.24	9.38	31.83

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT X\_1TX  
Setting 46  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.833G	57.27	88.20	-30.93	40.50	3	Horizontal	168	2.86	-	39.23	9.37	31.83
RMS	12.842G	43.64	68.20	-24.56	26.84	3	Horizontal	168	2.86	-	39.24	9.38	31.82

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT X\_1TX  
Setting 46  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24471G	45.83	83.54	-37.71	42.57	1	Vertical	318	1.97	-	37.71	15.20	49.65
AV	19.2445G	31.78	63.54	-31.76	28.52	1	Vertical	318	1.97	-	37.71	15.20	49.65

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6415MHz\_TnomVnom




EUT X\_1TX  
Setting 46  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24456G	45.86	83.54	-37.68	42.60	1	Horizontal	25	2.34	-	37.71	15.20	49.65
AV	19.24457G	31.82	63.54	-31.72	28.56	1	Horizontal	25	2.34	-	37.71	15.20	49.65



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.853G	60.96	88.20	-27.24	52.49	3	Vertical	242	1.80	-	34.81	6.60	32.94
RMS	5.925G	49.94	68.20	-18.26	41.28	3	Vertical	242	1.80	-	35.00	6.60	32.94
PK	6.444G	109.52	Inf	-Inf	100.05	3	Vertical	242	1.80	-	35.42	7.00	32.95
RMS	6.438G	98.99	Inf	-Inf	89.49	3	Vertical	242	1.80	-	35.45	7.00	32.95
PK	7.161G	62.33	88.20	-25.87	51.30	3	Vertical	242	1.80	-	36.94	7.22	33.13
RMS	7.164G	52.34	68.20	-15.86	41.29	3	Vertical	242	1.80	-	36.96	7.22	33.13

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT\_X\_1TX  
Setting 49  
01-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.877G	60.59	88.20	-27.61	52.08	3	Horizontal	224	1.63	-	34.85	6.60	32.94
RMS	5.922G	49.81	68.20	-18.39	41.16	3	Horizontal	224	1.63	-	34.99	6.60	32.94
PK	6.432G	99.09	Inf	-Inf	89.57	3	Horizontal	224	1.63	-	35.47	7.00	32.95
RMS	6.432G	89.11	Inf	-Inf	79.59	3	Horizontal	224	1.63	-	35.47	7.00	32.95
PK	7.161G	62.89	88.20	-25.31	51.86	3	Horizontal	224	1.63	-	36.94	7.22	33.13
RMS	7.161G	52.36	68.20	-15.84	41.33	3	Horizontal	224	1.63	-	36.94	7.22	33.13

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86142G	58.37	88.20	-29.83	41.52	3	Vertical	37	2.20	-	39.26	9.39	31.80
RMS	12.87306G	43.96	68.20	-24.24	27.08	3	Vertical	37	2.20	-	39.27	9.39	31.78

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87168G	58.83	88.20	-29.37	41.95	3	Horizontal	205	2.39	-	39.27	9.39	31.78
RMS	12.85842G	43.95	68.20	-24.25	27.10	3	Horizontal	205	2.39	-	39.26	9.39	31.80

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom




EUT X\_1TX  
Setting 49  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30517G	45.14	83.54	-38.40	41.84	1	Vertical	219	1.38	-	37.74	15.22	49.66
AV	19.3052G	31.62	63.54	-31.92	28.32	1	Vertical	219	1.38	-	37.74	15.22	49.66

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 6435MHz\_TnomVnom



EUT X\_1TX  
Setting 49  
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.305G	45.61	83.54	-37.93	42.31	1	Horizontal	327	1.32	-	37.74	15.22	49.66
AV	19.30514G	31.60	63.54	-31.94	28.30	1	Horizontal	327	1.32	-	37.74	15.22	49.66