


802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Z_4TX
Setting 53
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7494G	60.16	88.20	-28.04	52.08	3	Horizontal	305	1.80	-	34.40	6.60	32.92
RMS	5.925G	47.95	68.20	-20.25	39.29	3	Horizontal	305	1.80	-	35.00	6.60	32.94
PK	6.357G	105.18	Inf	-Inf	95.81	3	Horizontal	305	1.80	-	35.34	6.98	32.95
RMS	6.3542G	88.77	Inf	-Inf	79.41	3	Horizontal	305	1.80	-	35.33	6.98	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 53
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76988G	56.58	88.20	-31.62	40.00	3	Vertical	117	2.55	-	39.14	9.35	31.91
RMS	12.76995G	43.05	68.20	-25.15	26.47	3	Vertical	117	2.55	-	39.14	9.35	31.91

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Z_4TX
Setting 53
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77033G	56.77	88.20	-31.43	40.19	3	Horizontal	200	1.06	-	39.14	9.35	31.91
RMS	12.76995G	42.96	68.20	-25.24	26.38	3	Horizontal	200	1.06	-	39.14	9.35	31.91

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Z_4TX
Setting 53
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1551G	46.63	83.54	-36.91	43.29	1	Vertical	296	1.96	-	37.81	15.16	49.63
AV	19.15453G	33.45	63.54	-30.09	30.11	1	Vertical	296	1.96	-	37.81	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 53
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15464G	45.64	83.54	-37.90	42.30	1	Horizontal	229	2.99	-	37.81	15.16	49.63
AV	19.15452G	33.55	63.54	-29.99	30.21	1	Horizontal	229	2.99	-	37.81	15.16	49.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.835G	61.05	88.20	-27.15	52.70	3	Vertical	334	1.78	-	34.68	6.60	32.93
RMS	5.922G	48.11	68.20	-20.09	39.46	3	Vertical	334	1.78	-	34.99	6.60	32.94
PK	6.498G	109.94	Inf	-Inf	100.30	3	Vertical	334	1.78	-	35.59	7.00	32.95
RMS	6.492G	98.12	Inf	-Inf	88.50	3	Vertical	334	1.78	-	35.57	7.00	32.95
PK	7.185G	62.73	88.20	-25.47	51.60	3	Vertical	334	1.78	-	37.04	7.21	33.12
RMS	7.128G	50.30	68.20	-17.90	39.48	3	Vertical	334	1.78	-	36.72	7.24	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.862G	59.80	88.20	-28.40	51.32	3	Horizontal	252	2.06	-	34.82	6.60	32.94
RMS	5.925G	47.87	68.20	-20.33	39.21	3	Horizontal	252	2.06	-	35.00	6.60	32.94
PK	6.435G	98.01	Inf	-Inf	88.50	3	Horizontal	252	2.06	-	35.46	7.00	32.95
RMS	6.435G	87.25	Inf	-Inf	77.74	3	Horizontal	252	2.06	-	35.46	7.00	32.95
PK	7.191G	63.09	88.20	-25.11	51.95	3	Horizontal	252	2.06	-	37.06	7.20	33.12
RMS	7.131G	50.51	68.20	-17.69	39.67	3	Horizontal	252	2.06	-	36.75	7.23	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93013G	56.84	88.20	-31.36	39.74	3	Vertical	107	2.33	-	39.39	9.42	31.71
RMS	12.92967G	43.53	68.20	-24.67	26.43	3	Vertical	107	2.33	-	39.39	9.42	31.71

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93001G	56.88	88.20	-31.32	39.78	3	Horizontal	329	1.82	-	39.39	9.42	31.71
RMS	12.92951G	43.45	68.20	-24.75	26.35	3	Horizontal	329	1.82	-	39.39	9.42	31.71

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39529G	45.85	83.54	-37.69	42.45	1	Vertical	309	2.83	-	37.82	15.26	49.68
AV	19.39464G	33.35	63.54	-30.19	29.95	1	Vertical	309	2.83	-	37.82	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39543G	45.84	83.54	-37.70	42.44	1	Horizontal	219	1.79	-	37.82	15.26	49.68
AV	19.39511G	33.29	63.54	-30.25	29.89	1	Horizontal	219	1.79	-	37.82	15.26	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
Setting 58
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8786G	60.14	88.20	-28.06	51.62	3	Vertical	323	1.80	-	34.86	6.60	32.94
RMS	5.9206G	47.95	68.20	-20.25	39.31	3	Vertical	323	1.80	-	34.98	6.60	32.94
PK	6.5814G	110.22	Inf	-Inf	100.35	3	Vertical	323	1.80	-	35.86	7.00	32.99
RMS	6.5814G	98.35	Inf	-Inf	88.48	3	Vertical	323	1.80	-	35.86	7.00	32.99
PK	7.2058G	63.54	88.20	-24.66	52.35	3	Vertical	323	1.80	-	37.10	7.21	33.12
RMS	7.2254G	50.50	68.20	-17.70	39.28	3	Vertical	323	1.80	-	37.10	7.23	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
 Setting 58
 01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9094G	59.75	88.20	-28.45	51.15	3	Horizontal	151	2.17	-	34.94	6.60	32.94
RMS	5.925G	47.85	68.20	-20.35	39.19	3	Horizontal	151	2.17	-	35.00	6.60	32.94
PK	6.5842G	96.96	Inf	-Inf	87.08	3	Horizontal	151	2.17	-	35.87	7.00	32.99
RMS	6.5114G	85.60	Inf	-Inf	75.91	3	Horizontal	151	2.17	-	35.65	7.00	32.96
PK	7.133G	62.75	88.20	-25.45	51.90	3	Horizontal	151	2.17	-	36.76	7.23	33.14
RMS	7.2366G	50.44	68.20	-17.76	39.20	3	Horizontal	151	2.17	-	37.10	7.24	33.10

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 58
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0897G	57.21	88.20	-30.99	39.54	3	Vertical	44	2.98	-	39.69	9.49	31.51
RMS	13.09008G	43.83	68.20	-24.37	26.16	3	Vertical	44	2.98	-	39.69	9.49	31.51

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 58
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08951G	57.52	88.20	-30.68	39.85	3	Horizontal	332	1.38	-	39.69	9.49	31.51
RMS	13.08957G	43.74	68.20	-24.46	26.07	3	Horizontal	332	1.38	-	39.69	9.49	31.51

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
Setting 58
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63544G	46.25	83.54	-37.29	42.75	1	Vertical	17	2.00	-	37.85	15.35	49.70
AV	19.63452G	34.08	63.54	-29.46	30.58	1	Vertical	17	2.00	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
 Setting 58
 01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63533G	46.40	83.54	-37.14	42.90	1	Horizontal	239	1.27	-	37.85	15.35	49.70
AV	19.63496G	34.08	63.54	-29.46	30.58	1	Horizontal	239	1.27	-	37.85	15.35	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 52
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5914G	109.55	Inf	-Inf	99.66	3	Vertical	242	1.80	-	35.88	7.00	32.99
RMS	6.5962G	97.60	Inf	-Inf	87.71	3	Vertical	242	1.80	-	35.89	7.00	33.00
PK	7.1962G	62.73	88.20	-25.47	51.57	3	Vertical	242	1.80	-	37.08	7.20	33.12
RMS	7.2178G	50.43	68.20	-17.77	39.22	3	Vertical	242	1.80	-	37.10	7.22	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 52
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5962G	99.33	Inf	-Inf	89.44	3	Horizontal	133	2.93	-	35.89	7.00	33.00
RMS	6.5938G	87.74	Inf	-Inf	77.85	3	Horizontal	133	2.93	-	35.89	7.00	33.00
PK	7.1794G	62.61	88.20	-25.59	51.51	3	Horizontal	133	2.93	-	37.02	7.21	33.13
RMS	7.2034G	50.28	68.20	-17.92	39.10	3	Horizontal	133	2.93	-	37.10	7.20	33.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 52
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25012G	57.63	74.00	-16.37	39.42	3	Vertical	108	1.45	-	39.95	9.56	31.30
AV	13.2505G	44.29	54.00	-9.71	26.08	3	Vertical	108	1.45	-	39.95	9.56	31.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_Z_4TX
Setting 52
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25027G	57.46	74.00	-16.54	39.25	3	Horizontal	241	2.19	-	39.95	9.56	31.30
AV	13.2502G	44.16	54.00	-9.84	25.95	3	Horizontal	241	2.19	-	39.95	9.56	31.30

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 52
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87523G	45.77	83.54	-37.77	42.42	1	Vertical	301	1.15	-	37.60	15.45	49.70
AV	19.87453G	33.77	63.54	-29.77	30.42	1	Vertical	301	1.15	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 52
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8755G	46.17	83.54	-37.37	42.82	1	Horizontal	289	2.18	-	37.60	15.45	49.70
AV	19.87487G	33.83	63.54	-29.71	30.48	1	Horizontal	289	2.18	-	37.60	15.45	49.70

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Z_4TX
Setting 54
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.699G	109.99	Inf	-Inf	100.14	3	Vertical	321	1.80	-	35.90	7.00	33.05
RMS	6.699G	98.41	Inf	-Inf	88.56	3	Vertical	321	1.80	-	35.90	7.00	33.05
PK	7.171G	62.41	88.20	-25.79	51.35	3	Vertical	321	1.80	-	36.98	7.21	33.13
RMS	7.137G	50.35	68.20	-17.85	39.46	3	Vertical	321	1.80	-	36.80	7.23	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Z_4TX
Setting 54
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.691G	101.63	Inf	-Inf	91.75	3	Horizontal	202	2.69	-	35.92	7.00	33.04
RMS	6.689G	90.56	Inf	-Inf	80.68	3	Horizontal	202	2.69	-	35.92	7.00	33.04
PK	7.127G	63.02	88.20	-25.18	52.20	3	Horizontal	202	2.69	-	36.72	7.24	33.14
RMS	7.125G	50.36	68.20	-17.84	39.56	3	Horizontal	202	2.69	-	36.70	7.24	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 54
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41043G	58.94	88.20	-29.26	40.21	3	Vertical	307	1.65	-	40.20	9.63	31.10
RMS	13.41042G	45.19	68.20	-23.01	26.46	3	Vertical	307	1.65	-	40.20	9.63	31.10

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 54
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4103G	58.67	88.20	-29.53	39.94	3	Horizontal	164	1.82	-	40.20	9.63	31.10
RMS	13.41047G	45.15	68.20	-23.05	26.42	3	Horizontal	164	1.82	-	40.20	9.63	31.10

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 54
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11486G	45.73	83.54	-37.81	42.44	1	Vertical	344	1.79	-	37.49	15.55	49.75
AV	20.11533G	33.42	63.54	-30.12	30.13	1	Vertical	344	1.79	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 54
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11464G	46.05	83.54	-37.49	42.76	1	Horizontal	352	1.59	-	37.49	15.55	49.75
AV	20.11536G	33.42	63.54	-30.12	30.13	1	Horizontal	352	1.59	-	37.49	15.55	49.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Z_4TX
Setting 56
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7976G	109.83	Inf	-Inf	99.72	3	Vertical	266	1.80	-	36.20	7.00	33.09
RMS	6.8012G	98.45	Inf	-Inf	88.33	3	Vertical	266	1.80	-	36.21	7.00	33.09
PK	7.1936G	63.23	88.20	-24.97	52.08	3	Vertical	266	1.80	-	37.07	7.20	33.12
RMS	7.2062G	50.47	68.20	-17.73	39.28	3	Vertical	266	1.80	-	37.10	7.21	33.12

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Z_4TX
Setting 56
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.821G	99.60	Inf	-Inf	89.30	3	Horizontal	197	1.80	-	36.37	7.03	33.10
RMS	6.8228G	88.28	Inf	-Inf	77.97	3	Horizontal	197	1.80	-	36.38	7.03	33.10
PK	7.1288G	63.11	88.20	-25.09	52.28	3	Horizontal	197	1.80	-	36.73	7.24	33.14
RMS	7.136G	50.30	68.20	-17.90	39.42	3	Horizontal	197	1.80	-	36.79	7.23	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 56
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56994G	58.01	88.20	-30.19	39.07	3	Vertical	95	1.34	-	40.27	9.71	31.04
RMS	13.57039G	44.67	68.20	-23.53	25.73	3	Vertical	95	1.34	-	40.27	9.71	31.04

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 56
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57039G	58.45	88.20	-29.75	39.51	3	Horizontal	60	2.60	-	40.27	9.71	31.04
RMS	13.57047G	44.71	68.20	-23.49	25.77	3	Horizontal	60	2.60	-	40.27	9.71	31.04

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 56
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35485G	45.75	83.54	-37.79	42.29	1	Vertical	20	1.46	-	37.64	15.66	49.84
AV	20.35461G	33.33	63.54	-30.21	29.87	1	Vertical	20	1.46	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 56
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35482G	45.59	83.54	-37.95	42.13	1	Horizontal	75	1.35	-	37.64	15.66	49.84
AV	20.35484G	33.33	63.54	-30.21	29.87	1	Horizontal	75	1.35	-	37.64	15.66	49.84

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
Setting 56
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.893G	109.36	Inf	-Inf	99.10	3	Vertical	308	1.80	-	36.26	7.14	33.14
RMS	6.8958G	98.03	Inf	-Inf	87.80	3	Vertical	308	1.80	-	36.23	7.14	33.14
PK	7.1632G	63.21	88.20	-24.99	52.17	3	Vertical	308	1.80	-	36.95	7.22	33.13
RMS	7.138G	50.40	68.20	-17.80	39.51	3	Vertical	308	1.80	-	36.80	7.23	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 56
 01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9042G	99.32	Inf	-Inf	89.07	3	Horizontal	200	2.81	-	36.23	7.16	33.14
RMS	6.9028G	88.74	Inf	-Inf	78.51	3	Horizontal	200	2.81	-	36.22	7.15	33.14
PK	7.1352G	63.15	88.20	-25.05	52.28	3	Horizontal	200	2.81	-	36.78	7.23	33.14
RMS	7.2108G	50.30	68.20	-17.90	39.10	3	Horizontal	200	2.81	-	37.10	7.21	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 56
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72995G	61.80	88.20	-26.40	42.58	3	Vertical	174	1.25	-	40.59	9.78	31.15
RMS	13.7303G	47.86	68.20	-20.34	28.64	3	Vertical	174	1.25	-	40.59	9.78	31.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 56
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73047G	61.31	88.20	-26.89	42.09	3	Horizontal	137	2.43	-	40.59	9.78	31.15
RMS	13.72971G	48.01	68.20	-20.19	28.79	3	Horizontal	137	2.43	-	40.59	9.78	31.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 56
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59527G	45.80	83.54	-37.74	42.08	1	Vertical	219	1.66	-	37.81	15.77	49.86
AV	20.59508G	33.72	63.54	-29.82	30.00	1	Vertical	219	1.66	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 56
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59492G	46.11	83.54	-37.43	42.39	1	Horizontal	25	1.76	-	37.81	15.77	49.86
AV	20.59492G	33.66	63.54	-29.88	29.94	1	Horizontal	25	1.76	-	37.81	15.77	49.86

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9366G	109.72	Inf	-Inf	99.26	3	Vertical	305	1.80	-	36.42	7.20	33.16
RMS	6.9126G	98.08	Inf	-Inf	87.78	3	Vertical	305	1.80	-	36.28	7.17	33.15
PK	7.2222G	64.05	88.20	-24.15	52.84	3	Vertical	305	1.80	-	37.10	7.22	33.11
RMS	7.1262G	50.81	68.20	-17.39	40.00	3	Vertical	305	1.80	-	36.71	7.24	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9162G	101.11	Inf	-Inf	90.79	3	Horizontal	200	2.79	-	36.30	7.17	33.15
RMS	6.9078G	91.03	Inf	-Inf	80.77	3	Horizontal	200	2.79	-	36.25	7.16	33.15
PK	7.1982G	63.88	88.20	-24.32	52.71	3	Horizontal	200	2.79	-	37.09	7.20	33.12
RMS	7.2342G	50.41	68.20	-17.79	39.19	3	Horizontal	200	2.79	-	37.10	7.23	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88987G	62.32	88.20	-25.88	42.84	3	Vertical	264	2.38	-	40.89	9.85	31.26
RMS	13.8905G	48.70	68.20	-19.50	29.22	3	Vertical	264	2.38	-	40.89	9.85	31.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8897G	61.95	88.20	-26.25	42.46	3	Horizontal	161	1.29	-	40.89	9.85	31.25
RMS	13.89015G	48.70	68.20	-19.50	29.22	3	Horizontal	161	1.29	-	40.89	9.85	31.26

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83507G	45.16	83.54	-38.38	41.19	1	Vertical	45	1.90	-	37.86	15.88	49.77
AV	20.83471G	33.51	63.54	-30.03	29.54	1	Vertical	45	1.90	-	37.86	15.88	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83516G	45.68	83.54	-37.86	41.71	1	Horizontal	19	2.74	-	37.86	15.88	49.77
AV	20.83465G	33.51	63.54	-30.03	29.54	1	Horizontal	19	2.74	-	37.86	15.88	49.77

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 53
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0114G	114.01	Inf	-Inf	103.54	3	Vertical	333	1.80	-	36.37	7.29	33.19
RMS	7.0122G	100.00	Inf	-Inf	89.53	3	Vertical	333	1.80	-	36.37	7.29	33.19
PK	7.1258G	66.76	88.20	-21.44	55.95	3	Vertical	333	1.80	-	36.71	7.24	33.14
RMS	7.125G	53.84	68.20	-14.36	43.04	3	Vertical	333	1.80	-	36.70	7.24	33.14

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 53
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0026G	101.33	Inf	-Inf	90.90	3	Horizontal	222	1.73	-	36.32	7.30	33.19
RMS	7.001G	84.41	Inf	-Inf	73.99	3	Horizontal	222	1.73	-	36.31	7.30	33.19
PK	7.1794G	63.47	88.20	-24.73	52.37	3	Horizontal	222	1.73	-	37.02	7.21	33.13
RMS	7.2194G	50.42	68.20	-17.78	39.21	3	Horizontal	222	1.73	-	37.10	7.22	33.11

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 53
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04966G	62.64	88.20	-25.56	43.21	3	Vertical	242	2.80	-	40.90	9.91	31.38
RMS	14.05007G	48.58	68.20	-19.62	29.14	3	Vertical	242	2.80	-	40.90	9.92	31.38

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 53
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05022G	62.43	88.20	-25.77	42.99	3	Horizontal	194	1.96	-	40.90	9.92	31.38
RMS	14.05016G	48.60	68.20	-19.60	29.16	3	Horizontal	194	1.96	-	40.90	9.92	31.38

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 53
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07494G	44.89	83.54	-38.65	41.00	1	Vertical	139	1.03	-	37.60	15.98	49.69
AV	21.07513G	32.79	63.54	-30.75	28.89	1	Vertical	139	1.03	-	37.60	15.98	49.68

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 53
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07519G	44.76	83.54	-38.78	40.86	1	Horizontal	55	1.68	-	37.60	15.98	49.68
AV	21.07506G	32.79	63.54	-30.75	28.89	1	Horizontal	55	1.68	-	37.60	15.98	49.68

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Z_4TX
Setting 61
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	76.31	88.20	-11.89	67.72	3	Vertical	280	2.00	-	34.93	6.60	32.94
RMS	5.9242G	61.33	68.20	-6.87	52.67	3	Vertical	280	2.00	-	35.00	6.60	32.94
PK	6.0746G	111.38	Inf	-Inf	102.37	3	Vertical	280	2.00	-	35.25	6.71	32.95
RMS	6.1018G	99.18	Inf	-Inf	90.08	3	Vertical	280	2.00	-	35.30	6.75	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Z_4TX
Setting 61
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	70.96	88.20	-17.24	62.37	3	Horizontal	240	1.80	-	34.93	6.60	32.94
RMS	5.9194G	50.03	68.20	-18.17	41.39	3	Horizontal	240	1.80	-	34.98	6.60	32.94
PK	6.001G	97.49	Inf	-Inf	88.54	3	Horizontal	240	1.80	-	35.30	6.60	32.95
RMS	5.9994G	85.49	Inf	-Inf	76.54	3	Horizontal	240	1.80	-	35.30	6.60	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_Z_4TX
Setting 61
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05016G	55.43	74.00	-18.57	40.68	3	Vertical	342	2.63	-	38.55	9.02	32.82
AV	12.05048G	41.52	54.00	-12.48	26.77	3	Vertical	342	2.63	-	38.55	9.02	32.82

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_Z_4TX
Setting 61
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0503G	54.96	74.00	-19.04	40.21	3	Horizontal	36	2.57	-	38.55	9.02	32.82
AV	12.05041G	41.59	54.00	-12.41	26.84	3	Horizontal	36	2.57	-	38.55	9.02	32.82

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_Z_4TX
Setting 61
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07536G	43.99	83.54	-39.55	41.89	1	Vertical	157	2.24	-	37.64	14.73	50.27
AV	18.0748G	32.30	63.54	-31.24	30.20	1	Vertical	157	2.24	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_Z_4TX
Setting 61
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07518G	44.32	83.54	-39.22	42.22	1	Horizontal	261	2.27	-	37.64	14.73	50.27
AV	18.07465G	32.30	63.54	-31.24	30.20	1	Horizontal	261	2.27	-	37.64	14.73	50.27

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Z_4TX
Setting 63
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	62.68	88.20	-25.52	54.12	3	Vertical	214	2.30	-	34.90	6.60	32.94
RMS	5.921G	49.47	68.20	-18.73	40.83	3	Vertical	214	2.30	-	34.98	6.60	32.94
PK	6.201G	111.58	Inf	-Inf	102.14	3	Vertical	214	2.30	-	35.49	6.90	32.95
RMS	6.195G	99.91	Inf	-Inf	90.49	3	Vertical	214	2.30	-	35.48	6.89	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Z_4TX
Setting 63
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.819G	60.78	88.20	-27.42	52.56	3	Horizontal	261	2.02	-	34.55	6.60	32.93
RMS	5.909G	47.89	68.20	-20.31	39.29	3	Horizontal	261	2.02	-	34.94	6.60	32.94
PK	6.149G	98.59	Inf	-Inf	89.42	3	Horizontal	261	2.02	-	35.30	6.82	32.95
RMS	6.149G	86.92	Inf	-Inf	77.75	3	Horizontal	261	2.02	-	35.30	6.82	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 63
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37019G	55.81	74.00	-18.19	40.42	3	Vertical	271	2.77	-	38.64	9.17	32.42
AV	12.3701G	41.95	54.00	-12.05	26.56	3	Vertical	271	2.77	-	38.64	9.17	32.42

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 63
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.36997G	56.09	74.00	-17.91	40.70	3	Horizontal	287	2.72	-	38.64	9.17	32.42
AV	12.37036G	42.19	54.00	-11.81	26.80	3	Horizontal	287	2.72	-	38.64	9.17	32.42

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Z_4TX
Setting 63
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55487G	45.86	83.54	-37.68	43.21	1	Vertical	27	1.31	-	37.78	14.92	50.05
AV	18.55489G	32.90	63.54	-30.64	30.25	1	Vertical	27	1.31	-	37.78	14.92	50.05

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Z_4TX
Setting 63
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55532G	44.94	83.54	-38.60	42.28	1	Horizontal	54	1.51	-	37.78	14.92	50.04
AV	18.55539G	32.91	63.54	-30.63	30.25	1	Horizontal	54	1.51	-	37.78	14.92	50.04

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Z_4TX
Setting 61
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.916G	61.37	88.20	-26.83	52.75	3	Vertical	342	1.80	-	34.96	6.60	32.94
RMS	5.925G	48.89	68.20	-19.31	40.23	3	Vertical	342	1.80	-	35.00	6.60	32.94
PK	6.285G	111.96	Inf	-Inf	102.73	3	Vertical	342	1.80	-	35.24	6.94	32.95
RMS	6.285G	98.95	Inf	-Inf	89.72	3	Vertical	342	1.80	-	35.24	6.94	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Z_4TX
Setting 61
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.793G	61.28	88.20	-26.92	53.21	3	Horizontal	253	1.78	-	34.40	6.60	32.93
RMS	5.916G	47.79	68.20	-20.41	39.17	3	Horizontal	253	1.78	-	34.96	6.60	32.94
PK	6.36G	99.84	Inf	-Inf	90.45	3	Horizontal	253	1.78	-	35.36	6.98	32.95
RMS	6.36G	88.50	Inf	-Inf	79.11	3	Horizontal	253	1.78	-	35.36	6.98	32.95

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Z_4TX
Setting 61
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68957G	55.95	74.00	-18.05	39.69	3	Vertical	328	1.86	-	38.97	9.31	32.02
AV	12.69014G	42.53	54.00	-11.47	26.27	3	Vertical	328	1.86	-	38.97	9.31	32.02

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Z_4TX
Setting 61
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69019G	56.42	74.00	-17.58	40.16	3	Horizontal	291	2.39	-	38.97	9.31	32.02
AV	12.6897G	42.50	54.00	-11.50	26.24	3	Horizontal	291	2.39	-	38.97	9.31	32.02

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Z_4TX
Setting 61
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03516G	45.94	83.54	-37.60	42.48	1	Vertical	251	1.30	-	37.96	15.11	49.61
AV	19.03488G	33.39	63.54	-30.15	29.93	1	Vertical	251	1.30	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Z_4TX
Setting 61
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0353G	45.43	83.54	-38.11	41.97	1	Horizontal	167	1.72	-	37.96	15.11	49.61
AV	19.03467G	33.39	63.54	-30.15	29.93	1	Horizontal	167	1.72	-	37.96	15.11	49.61

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 65
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8554G	60.61	88.20	-27.59	52.14	3	Vertical	270	2.26	-	34.81	6.60	32.94
RMS	5.925G	48.36	68.20	-19.84	39.70	3	Vertical	270	2.26	-	35.00	6.60	32.94
PK	6.4994G	111.61	Inf	-Inf	101.96	3	Vertical	270	2.26	-	35.60	7.00	32.95
RMS	6.4994G	99.07	Inf	-Inf	89.42	3	Vertical	270	2.26	-	35.60	7.00	32.95
PK	7.1322G	63.61	88.20	-24.59	52.76	3	Vertical	270	2.26	-	36.76	7.23	33.14
RMS	7.1518G	50.42	68.20	-17.78	39.43	3	Vertical	270	2.26	-	36.91	7.22	33.14

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
Setting 65
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8498G	60.52	88.20	-27.68	52.05	3	Horizontal	173	3.00	-	34.80	6.60	32.93
RMS	5.917G	48.02	68.20	-20.18	39.39	3	Horizontal	173	3.00	-	34.97	6.60	32.94
PK	6.4826G	102.64	Inf	-Inf	93.06	3	Horizontal	173	3.00	-	35.53	7.00	32.95
RMS	6.4826G	90.88	Inf	-Inf	81.30	3	Horizontal	173	3.00	-	35.53	7.00	32.95
PK	7.1882G	63.11	88.20	-25.09	51.97	3	Horizontal	173	3.00	-	37.05	7.21	33.12
RMS	7.1658G	50.37	68.20	-17.83	39.32	3	Horizontal	173	3.00	-	36.96	7.22	33.13


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
 Setting 65
 01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01007G	57.25	88.20	-30.95	39.80	3	Vertical	334	1.68	-	39.61	9.45	31.61
AV	13.01031G	43.52	68.20	-24.68	26.07	3	Vertical	334	1.68	-	39.61	9.45	31.61


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
 Setting 65
 01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.01049G	57.12	88.20	-31.08	39.67	3	Horizontal	103	2.42	-	39.61	9.45	31.61
RMS	13.00991G	43.56	68.20	-24.64	26.11	3	Horizontal	103	2.42	-	39.61	9.45	31.61


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
 Setting 65
 01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51529G	46.17	83.54	-37.37	42.67	1	Vertical	199	2.30	-	37.89	15.31	49.70
AV	19.51478G	33.70	63.54	-29.84	30.20	1	Vertical	199	2.30	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
 Setting 65
 01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51546G	46.03	83.54	-37.51	42.53	1	Horizontal	291	1.00	-	37.89	15.31	49.70
AV	19.51502G	33.59	63.54	-29.95	30.09	1	Horizontal	291	1.00	-	37.89	15.31	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Z_4TX
Setting 65
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6012G	110.93	Inf	-Inf	101.03	3	Vertical	227	2.01	-	35.90	7.00	33.00
RMS	6.6012G	99.68	Inf	-Inf	89.78	3	Vertical	227	2.01	-	35.90	7.00	33.00
PK	7.204G	63.16	88.20	-25.04	51.98	3	Vertical	227	2.01	-	37.10	7.20	33.12
RMS	7.1292G	50.45	68.20	-17.75	39.62	3	Vertical	227	2.01	-	36.73	7.24	33.14

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Z_4TX
Setting 65
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6034G	102.03	Inf	-Inf	92.12	3	Horizontal	31	2.98	-	35.91	7.00	33.00
RMS	6.6034G	90.87	Inf	-Inf	80.96	3	Horizontal	31	2.98	-	35.91	7.00	33.00
PK	7.1754G	63.34	88.20	-24.86	52.26	3	Horizontal	31	2.98	-	37.00	7.21	33.13
RMS	7.2062G	50.40	68.20	-17.80	39.21	3	Horizontal	31	2.98	-	37.10	7.21	33.12

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 65
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33045G	58.18	74.00	-15.82	39.72	3	Vertical	291	2.23	-	40.06	9.60	31.20
AV	13.33022G	44.93	54.00	-9.07	26.47	3	Vertical	291	2.23	-	40.06	9.60	31.20

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 65
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33033G	58.46	74.00	-15.54	40.00	3	Horizontal	304	2.00	-	40.06	9.60	31.20
AV	13.33024G	44.79	54.00	-9.21	26.33	3	Horizontal	304	2.00	-	40.06	9.60	31.20

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 65
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99475G	45.65	83.54	-37.89	42.44	1	Vertical	0	2.59	-	37.41	15.50	49.70
AV	19.99458G	33.42	63.54	-30.12	30.21	1	Vertical	0	2.59	-	37.41	15.50	49.70

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6665MHz_TnomVnom



EUT_Z_4TX
Setting 65
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9951G	46.00	83.54	-37.54	42.79	1	Horizontal	3	2.09	-	37.41	15.50	49.70
AV	19.99488G	33.35	63.54	-30.19	30.14	1	Horizontal	3	2.09	-	37.41	15.50	49.70


802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Z_4TX
 Setting 63
 01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8058G	110.36	Inf	-Inf	100.20	3	Vertical	268	1.80	-	36.25	7.01	33.10
RMS	6.7978G	98.23	Inf	-Inf	88.12	3	Vertical	268	1.80	-	36.20	7.00	33.09
PK	7.1434G	64.59	88.20	-23.61	53.65	3	Vertical	268	1.80	-	36.85	7.23	33.14
RMS	7.1258G	51.40	68.20	-16.80	40.59	3	Vertical	268	1.80	-	36.71	7.24	33.14

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Z_4TX
 Setting 63
 01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8234G	99.90	Inf	-Inf	89.58	3	Horizontal	197	1.79	-	36.39	7.04	33.11
RMS	6.8218G	86.89	Inf	-Inf	76.59	3	Horizontal	197	1.79	-	36.37	7.03	33.10
PK	7.2026G	64.45	88.20	-23.75	53.27	3	Horizontal	197	1.79	-	37.10	7.20	33.12
RMS	7.1482G	50.49	68.20	-17.71	39.51	3	Horizontal	197	1.79	-	36.89	7.23	33.14

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
Setting 63
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65038G	60.78	88.20	-27.42	41.73	3	Vertical	291	1.83	-	40.40	9.74	31.09
RMS	13.65015G	47.53	68.20	-20.67	28.48	3	Vertical	291	1.83	-	40.40	9.74	31.09

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Z_4TX
 Setting 63
 01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64971G	61.22	88.20	-26.98	42.17	3	Horizontal	84	2.75	-	40.40	9.74	31.09
RMS	13.64974G	47.31	68.20	-20.89	28.26	3	Horizontal	84	2.75	-	40.40	9.74	31.09

802.11ax HEW160-BF_Nss1,(MCS0)_4TX


6825MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Z_4TX
Setting 63
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47518G	44.83	83.54	-38.71	41.32	1	Vertical	295	2.46	-	37.69	15.71	49.89
AV	20.47474G	32.75	63.54	-30.79	29.24	1	Vertical	295	2.46	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX
6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Z_4TX
 Setting 63
 01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47494G	46.09	83.54	-37.45	42.58	1	Horizontal	161	1.50	-	37.69	15.71	49.89
AV	20.47463G	32.62	63.54	-30.92	29.11	1	Horizontal	161	1.50	-	37.69	15.71	49.89

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Z_4TX
Setting 66
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.97G	110.60	Inf	-Inf	100.11	3	Vertical	269	1.80	-	36.42	7.25	33.18
RMS	7.003G	98.90	Inf	-Inf	88.47	3	Vertical	269	1.80	-	36.32	7.30	33.19
PK	7.132G	83.05	88.20	-5.15	72.20	3	Vertical	269	1.80	-	36.76	7.23	33.14
RMS	7.132G	62.27	68.20	-5.93	51.42	3	Vertical	269	1.80	-	36.76	7.23	33.14
PK	7.25G	57.64	74.00	-16.36	46.39	3	Vertical	269	1.80	-	37.10	7.25	33.10
RMS	7.252G	44.87	54.00	-9.13	33.61	3	Vertical	269	1.80	-	37.11	7.25	33.10

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Z_4TX
Setting 66
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.907G	101.21	Inf	-Inf	90.96	3	Horizontal	200	2.79	-	36.24	7.16	33.15
RMS	6.907G	89.01	Inf	-Inf	78.76	3	Horizontal	200	2.79	-	36.24	7.16	33.15
PK	7.135G	70.61	88.20	-17.59	59.74	3	Horizontal	200	2.79	-	36.78	7.23	33.14
RMS	7.129G	46.41	68.20	-21.79	35.58	3	Horizontal	200	2.79	-	36.73	7.24	33.14
PK	7.648G	53.97	74.00	-20.03	42.38	3	Horizontal	200	2.79	-	37.30	7.35	33.06
RMS	7.252G	41.06	54.00	-12.94	29.80	3	Horizontal	200	2.79	-	37.11	7.25	33.10

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Z_4TX
Setting 66
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96958G	62.70	88.20	-25.50	43.22	3	Vertical	278	1.81	-	40.90	9.89	31.31
RMS	13.97025G	49.05	68.20	-19.15	29.57	3	Vertical	278	1.81	-	40.90	9.89	31.31

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Z_4TX
Setting 66
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.97038G	62.63	88.20	-25.57	43.15	3	Horizontal	307	2.34	-	40.90	9.89	31.31
RMS	13.97008G	49.01	68.20	-19.19	29.53	3	Horizontal	307	2.34	-	40.90	9.89	31.31

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Z_4TX
Setting 66
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95539G	45.46	83.54	-38.08	41.58	1	Vertical	242	2.98	-	37.67	15.93	49.72
AV	20.95527G	33.35	63.54	-30.19	29.47	1	Vertical	242	2.98	-	37.67	15.93	49.72

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT_Z_4TX
Setting 66
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95483G	45.68	83.54	-37.86	41.80	1	Horizontal	43	2.77	-	37.67	15.93	49.72
AV	20.9546G	33.35	63.54	-30.19	29.47	1	Horizontal	43	2.77	-	37.67	15.93	49.72




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	RMS	5.9226G	64.76	68.20	-3.44	3	Horizontal	359	1.80	-

802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT Z_4TX
Setting 8
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9246G	62.32	88.20	-25.88	53.66	3	Vertical	360	1.56	-	35.00	6.60	32.94
RMS	5.925G	48.94	68.20	-19.26	40.28	3	Vertical	360	1.56	-	35.00	6.60	32.94
PK	5.951G	109.18	Inf	-Inf	100.43	3	Vertical	360	1.56	-	35.10	6.60	32.95
RMS	5.9506G	96.77	Inf	-Inf	88.02	3	Vertical	360	1.56	-	35.10	6.60	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_Z_4TX
Setting 8
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	60.98	88.20	-27.22	52.33	3	Horizontal	360	1.80	-	34.99	6.60	32.94
RMS	5.9246G	48.78	68.20	-19.42	40.12	3	Horizontal	360	1.80	-	35.00	6.60	32.94
PK	5.951G	108.13	Inf	-Inf	99.38	3	Horizontal	360	1.80	-	35.10	6.60	32.95
RMS	5.953G	95.12	Inf	-Inf	86.36	3	Horizontal	360	1.80	-	35.11	6.60	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_Z_4TX
Setting 8
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90995G	56.18	74.00	-17.82	41.57	3	Vertical	222	1.80	-	38.50	8.98	32.87
AV	11.91036G	41.97	54.00	-12.03	27.36	3	Vertical	222	1.80	-	38.50	8.98	32.87
PK	17.86498G	63.26	74.00	-10.74	41.24	3	Vertical	199	2.17	-	42.66	11.06	31.70
AV	17.86452G	47.80	54.00	-6.20	25.78	3	Vertical	199	2.17	-	42.66	11.06	31.70

802.11ax HEW20_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_Z_4TX
Setting 8
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.91031G	56.13	74.00	-17.87	41.52	3	Horizontal	98	1.80	-	38.50	8.98	32.87
AV	11.91003G	42.08	54.00	-11.92	27.47	3	Horizontal	98	1.80	-	38.50	8.98	32.87
PK	17.86472G	63.72	74.00	-10.28	41.70	3	Horizontal	75	2.66	-	42.66	11.06	31.70
AV	17.86451G	47.79	54.00	-6.21	25.77	3	Horizontal	75	2.66	-	42.66	11.06	31.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Z_4TX
Setting 12
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8886G	61.76	88.20	-26.44	53.22	3	Vertical	3	1.52	-	34.88	6.60	32.94
RMS	5.925G	48.00	68.20	-20.20	39.34	3	Vertical	3	1.52	-	35.00	6.60	32.94
PK	6.1702G	110.56	Inf	-Inf	101.27	3	Vertical	3	1.52	-	35.38	6.86	32.95
RMS	6.1702G	97.54	Inf	-Inf	88.25	3	Vertical	3	1.52	-	35.38	6.86	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Z_4TX
Setting 12
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8934G	60.81	88.20	-27.39	52.26	3	Horizontal	6	1.63	-	34.89	6.60	32.94
RMS	5.9158G	48.03	68.20	-20.17	39.41	3	Horizontal	6	1.63	-	34.96	6.60	32.94
PK	6.1814G	107.75	Inf	-Inf	98.40	3	Horizontal	6	1.63	-	35.43	6.87	32.95
RMS	6.1702G	95.82	Inf	-Inf	86.53	3	Horizontal	6	1.63	-	35.38	6.86	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_Z_4TX
Setting 12
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34983G	56.16	74.00	-17.84	40.85	3	Vertical	143	1.51	-	38.60	9.16	32.45
AV	12.34987G	42.28	54.00	-11.72	26.97	3	Vertical	143	1.51	-	38.60	9.16	32.45

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_Z_4TX
Setting 12
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34974G	56.01	74.00	-17.99	40.70	3	Horizontal	335	1.62	-	38.60	9.16	32.45
AV	12.34987G	42.31	54.00	-11.69	27.00	3	Horizontal	335	1.62	-	38.60	9.16	32.45

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Z_4TX
Setting 12
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.51012G	46.68	83.54	-36.86	44.07	1	Vertical	114	2.30	-	37.80	14.90	50.09
AV	18.5118G	33.84	63.54	-29.70	31.23	1	Vertical	114	2.30	-	37.80	14.90	50.09

802.11ax HEW20_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Z_4TX
Setting 12
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52842G	48.05	83.54	-35.49	45.42	1	Horizontal	261	1.39	-	37.79	14.91	50.07
AV	18.51948G	33.71	63.54	-29.83	31.09	1	Horizontal	261	1.39	-	37.79	14.91	50.08

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Z_4TX
Setting 9
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9182G	60.64	88.20	-27.56	52.01	3	Vertical	360	1.80	-	34.97	6.60	32.94
RMS	5.9182G	48.01	68.20	-20.19	39.38	3	Vertical	360	1.80	-	34.97	6.60	32.94
PK	6.4126G	109.09	Inf	-Inf	99.49	3	Vertical	360	1.80	-	35.55	7.00	32.95
RMS	6.4174G	96.69	Inf	-Inf	87.11	3	Vertical	360	1.80	-	35.53	7.00	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_Z_4TX
Setting 9
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.911G	60.64	88.20	-27.56	52.04	3	Horizontal	356	1.80	-	34.94	6.60	32.94
RMS	5.9182G	47.82	68.20	-20.38	39.19	3	Horizontal	356	1.80	-	34.97	6.60	32.94
PK	6.4174G	105.36	Inf	-Inf	95.78	3	Horizontal	356	1.80	-	35.53	7.00	32.95
RMS	6.415G	94.33	Inf	-Inf	84.74	3	Horizontal	356	1.80	-	35.54	7.00	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_Z_4TX
Setting 9
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82998G	56.39	88.20	-31.81	39.63	3	Vertical	143	2.08	-	39.23	9.37	31.84
RMS	12.83039G	43.10	68.20	-25.10	26.34	3	Vertical	143	2.08	-	39.23	9.37	31.84

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_Z_4TX
Setting 9
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83G	56.69	88.20	-31.51	39.93	3	Horizontal	346	2.50	-	39.23	9.37	31.84
RMS	12.83046G	43.09	68.20	-25.11	26.33	3	Horizontal	346	2.50	-	39.23	9.37	31.84

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_Z_4TX
Setting 9
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24212G	47.01	83.54	-36.53	43.75	1	Vertical	230	1.49	-	37.71	15.20	49.65
AV	19.25424G	33.61	63.54	-29.93	30.36	1	Vertical	230	1.49	-	37.70	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_Z_4TX
Setting 9
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.25154G	48.61	83.54	-34.93	45.36	1	Horizontal	190	2.98	-	37.70	15.20	49.65
AV	19.24248G	33.66	63.54	-29.88	30.40	1	Horizontal	190	2.98	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Z_4TX
Setting 9
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.876G	60.92	88.20	-27.28	52.41	3	Vertical	2	1.55	-	34.85	6.60	32.94
RMS	5.9202G	47.98	68.20	-20.22	39.34	3	Vertical	2	1.55	-	34.98	6.60	32.94
PK	6.4376G	107.25	Inf	-Inf	97.75	3	Vertical	2	1.55	-	35.45	7.00	32.95
RMS	6.4402G	95.32	Inf	-Inf	85.83	3	Vertical	2	1.55	-	35.44	7.00	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Z_4TX
Setting 9
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9228G	61.21	88.20	-26.99	52.56	3	Horizontal	357	1.80	-	34.99	6.60	32.94
RMS	5.925G	47.88	68.20	-20.32	39.22	3	Horizontal	357	1.80	-	35.00	6.60	32.94
PK	6.4298G	105.84	Inf	-Inf	96.31	3	Horizontal	357	1.80	-	35.48	7.00	32.95
RMS	6.435G	93.97	Inf	-Inf	84.46	3	Horizontal	357	1.80	-	35.46	7.00	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_Z_4TX
Setting 9
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86987G	57.00	88.20	-31.20	40.13	3	Vertical	143	1.45	-	39.27	9.39	31.79
RMS	12.86963G	43.25	68.20	-24.95	26.38	3	Vertical	143	1.45	-	39.27	9.39	31.79

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_Z_4TX
Setting 9
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87011G	57.07	88.20	-31.13	40.20	3	Horizontal	187	2.76	-	39.27	9.39	31.79
RMS	12.87003G	43.27	68.20	-24.93	26.40	3	Horizontal	187	2.76	-	39.27	9.39	31.79

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_Z_4TX
Setting 9
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2945G	47.65	83.54	-35.89	44.35	1	Vertical	66	2.70	-	37.74	15.22	49.66
AV	19.31466G	34.01	63.54	-29.53	30.69	1	Vertical	66	2.70	-	37.75	15.23	49.66

802.11ax HEW20_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Z_4TX
Setting 9
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.29702G	48.66	83.54	-34.88	45.36	1	Horizontal	23	1.37	-	37.74	15.22	49.66
AV	19.31964G	34.01	63.54	-29.53	30.68	1	Horizontal	23	1.37	-	37.76	15.23	49.66

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_Z_4TX
Setting 13
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.845G	60.54	88.20	-27.66	52.11	3	Vertical	357	1.80	-	34.76	6.60	32.93
RMS	5.9178G	47.85	68.20	-20.35	39.22	3	Vertical	357	1.80	-	34.97	6.60	32.94
PK	6.4834G	107.53	Inf	-Inf	97.95	3	Vertical	357	1.80	-	35.53	7.00	32.95
RMS	6.4722G	96.42	Inf	-Inf	86.88	3	Vertical	357	1.80	-	35.49	7.00	32.95
PK	7.175G	63.03	88.20	-25.17	51.95	3	Vertical	357	1.80	-	37.00	7.21	33.13
RMS	7.1554G	50.65	68.20	-17.55	39.64	3	Vertical	357	1.80	-	36.92	7.22	33.13

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_Z_4TX
Setting 13
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	60.87	88.20	-27.33	52.24	3	Horizontal	5	1.80	-	34.97	6.60	32.94
RMS	5.9122G	47.82	68.20	-20.38	39.21	3	Horizontal	5	1.80	-	34.95	6.60	32.94
PK	6.4722G	105.60	Inf	-Inf	96.06	3	Horizontal	5	1.80	-	35.49	7.00	32.95
RMS	6.4694G	94.32	Inf	-Inf	84.79	3	Horizontal	5	1.80	-	35.48	7.00	32.95
PK	7.1694G	62.38	88.20	-25.82	51.31	3	Horizontal	5	1.80	-	36.98	7.22	33.13
RMS	7.1498G	50.66	68.20	-17.54	39.67	3	Horizontal	5	1.80	-	36.90	7.23	33.14

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_Z_4TX
Setting 13
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95031G	56.70	88.20	-31.50	39.50	3	Vertical	61	2.92	-	39.45	9.43	31.68
RMS	12.95028G	43.31	68.20	-24.89	26.11	3	Vertical	61	2.92	-	39.45	9.43	31.68

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_Z_4TX
Setting 13
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94956G	57.35	88.20	-30.85	40.15	3	Horizontal	63	2.14	-	39.45	9.43	31.68
RMS	12.9495G	43.36	68.20	-24.84	26.16	3	Horizontal	63	2.14	-	39.45	9.43	31.68

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_Z_4TX
Setting 13
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.41762G	48.24	83.54	-35.30	44.82	1	Vertical	260	2.95	-	37.83	15.27	49.68
AV	19.43316G	34.76	63.54	-28.78	31.33	1	Vertical	260	2.95	-	37.85	15.27	49.69

802.11ax HEW20_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_Z_4TX
Setting 13
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.41234G	48.18	83.54	-35.36	44.77	1	Horizontal	184	1.42	-	37.83	15.26	49.68
AV	19.43154G	34.76	63.54	-28.78	31.33	1	Horizontal	184	1.42	-	37.85	15.27	49.69

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_Z_4TX
Setting 15
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9214G	60.06	88.20	-28.14	51.41	3	Vertical	357	1.95	-	34.99	6.60	32.94
RMS	5.9214G	47.77	68.20	-20.43	39.12	3	Vertical	357	1.95	-	34.99	6.60	32.94
PK	6.5206G	108.73	Inf	-Inf	99.01	3	Vertical	357	1.95	-	35.68	7.00	32.96
RMS	6.5122G	96.82	Inf	-Inf	87.13	3	Vertical	357	1.95	-	35.65	7.00	32.96
PK	7.1646G	62.71	88.20	-25.49	51.66	3	Vertical	357	1.95	-	36.96	7.22	33.13
RMS	7.201G	50.83	68.20	-17.37	39.65	3	Vertical	357	1.95	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_Z_4TX
Setting 15
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8962G	60.21	88.20	-27.99	51.66	3	Horizontal	360	1.95	-	34.89	6.60	32.94
RMS	5.9158G	47.79	68.20	-20.41	39.17	3	Horizontal	360	1.95	-	34.96	6.60	32.94
PK	6.5094G	106.71	Inf	-Inf	97.02	3	Horizontal	360	1.95	-	35.64	7.00	32.95
RMS	6.5206G	94.65	Inf	-Inf	84.93	3	Horizontal	360	1.95	-	35.68	7.00	32.96
PK	7.201G	63.93	88.20	-24.27	52.75	3	Horizontal	360	1.95	-	37.10	7.20	33.12
RMS	7.2094G	50.77	68.20	-17.43	39.57	3	Horizontal	360	1.95	-	37.10	7.21	33.11

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_Z_4TX
Setting 15
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02992G	58.20	88.20	-30.00	40.69	3	Vertical	256	2.43	-	39.63	9.46	31.58
RMS	13.02952G	44.59	68.20	-23.61	27.08	3	Vertical	256	2.43	-	39.63	9.46	31.58

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_Z_4TX
Setting 15
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03G	57.93	88.20	-30.27	40.42	3	Horizontal	118	1.61	-	39.63	9.46	31.58
RMS	13.03036G	44.53	68.20	-23.67	27.02	3	Horizontal	118	1.61	-	39.63	9.46	31.58

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_Z_4TX
Setting 15
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.55382G	49.06	83.54	-34.48	45.56	1	Vertical	163	2.61	-	37.88	15.32	49.70
AV	19.5423G	34.91	63.54	-28.63	31.41	1	Vertical	163	2.61	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Z_4TX
Setting 15
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.53342G	48.36	83.54	-35.18	44.86	1	Horizontal	43	2.01	-	37.89	15.31	49.70
AV	19.5435G	34.88	63.54	-28.66	31.38	1	Horizontal	43	2.01	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 9
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	59.65	88.20	-28.55	51.03	3	Vertical	356	1.80	-	34.96	6.60	32.94
RMS	5.9218G	47.83	68.20	-20.37	39.18	3	Vertical	356	1.80	-	34.99	6.60	32.94
PK	6.5378G	107.60	Inf	-Inf	97.82	3	Vertical	356	1.80	-	35.75	7.00	32.97
RMS	6.5322G	96.19	Inf	-Inf	86.43	3	Vertical	356	1.80	-	35.73	7.00	32.97
PK	7.2014G	63.11	88.20	-25.09	51.93	3	Vertical	356	1.80	-	37.10	7.20	33.12
RMS	7.1958G	50.79	68.20	-17.41	39.63	3	Vertical	356	1.80	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 9
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8658G	60.33	88.20	-27.87	51.84	3	Horizontal	0	1.94	-	34.83	6.60	32.94
RMS	5.9218G	47.83	68.20	-20.37	39.18	3	Horizontal	0	1.94	-	34.99	6.60	32.94
PK	6.5378G	106.27	Inf	-Inf	96.49	3	Horizontal	0	1.94	-	35.75	7.00	32.97
RMS	6.5322G	94.73	Inf	-Inf	84.97	3	Horizontal	0	1.94	-	35.73	7.00	32.97
PK	7.2126G	63.26	88.20	-24.94	52.06	3	Horizontal	0	1.94	-	37.10	7.21	33.11
RMS	7.2042G	50.83	68.20	-17.37	39.65	3	Horizontal	0	1.94	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 9
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06979G	58.59	88.20	-29.61	40.97	3	Vertical	37	1.59	-	39.67	9.48	31.53
RMS	13.06955G	44.45	68.20	-23.75	26.83	3	Vertical	37	1.59	-	39.67	9.48	31.53

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 9
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07024G	58.55	88.20	-29.65	40.93	3	Horizontal	126	1.89	-	39.67	9.48	31.53
RMS	13.06961G	44.50	68.20	-23.70	26.88	3	Horizontal	126	1.89	-	39.67	9.48	31.53

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 9
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6062G	48.20	83.54	-35.34	44.70	1	Vertical	309	1.32	-	37.86	15.34	49.70
AV	19.6188G	34.64	63.54	-28.90	31.14	1	Vertical	309	1.32	-	37.85	15.35	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 9
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.61808G	48.87	83.54	-34.67	45.37	1	Horizontal	171	1.78	-	37.85	15.35	49.70
AV	19.5993G	34.69	63.54	-28.85	31.19	1	Horizontal	171	1.78	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_Z_4TX
Setting 13
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6862G	107.20	Inf	-Inf	97.31	3	Vertical	357	1.80	-	35.93	7.00	33.04
RMS	6.6928G	95.76	Inf	-Inf	85.89	3	Vertical	357	1.80	-	35.91	7.00	33.04
PK	7.1834G	63.29	88.20	-24.91	52.17	3	Vertical	357	1.80	-	37.03	7.21	33.12
RMS	7.2054G	50.88	68.20	-17.32	39.69	3	Vertical	357	1.80	-	37.10	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_Z_4TX
Setting 13
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7016G	107.19	Inf	-Inf	97.33	3	Horizontal	360	1.80	-	35.91	7.00	33.05
RMS	6.7016G	94.50	Inf	-Inf	84.64	3	Horizontal	360	1.80	-	35.91	7.00	33.05
PK	7.2054G	65.09	88.20	-23.11	53.90	3	Horizontal	360	1.80	-	37.10	7.21	33.12
RMS	7.1966G	50.87	68.20	-17.33	39.70	3	Horizontal	360	1.80	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_Z_4TX
Setting 13
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38987G	58.98	74.00	-15.02	40.30	3	Vertical	292	1.75	-	40.18	9.63	31.13
AV	13.38954G	44.95	54.00	-9.05	26.27	3	Vertical	292	1.75	-	40.18	9.63	31.13

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_Z_4TX
Setting 13
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38959G	59.26	74.00	-14.74	40.58	3	Horizontal	4	2.00	-	40.18	9.63	31.13
AV	13.38972G	44.96	54.00	-9.04	26.28	3	Horizontal	4	2.00	-	40.18	9.63	31.13

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_Z_4TX
Setting 13
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07324G	47.97	83.54	-35.57	44.71	1	Vertical	218	2.00	-	37.46	15.53	49.73
AV	20.07078G	34.82	63.54	-28.72	31.56	1	Vertical	218	2.00	-	37.46	15.53	49.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT_Z_4TX
Setting 13
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07558G	48.27	83.54	-35.27	45.01	1	Horizontal	208	1.82	-	37.46	15.53	49.73
AV	20.07918G	34.84	63.54	-28.70	31.57	1	Horizontal	208	1.82	-	37.46	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_Z_4TX
Setting 10
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	109.00	Inf	-Inf	98.47	3	Vertical	357	1.80	-	36.58	7.07	33.12
RMS	6.8522G	96.92	Inf	-Inf	86.38	3	Vertical	357	1.80	-	36.58	7.08	33.12
PK	7.1756G	63.36	88.20	-24.84	52.28	3	Vertical	357	1.80	-	37.00	7.21	33.13
RMS	7.1966G	50.90	68.20	-17.30	39.73	3	Vertical	357	1.80	-	37.09	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Z_4TX
Setting 10
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8508G	108.07	Inf	-Inf	97.52	3	Horizontal	357	1.53	-	36.59	7.08	33.12
RMS	6.8508G	96.51	Inf	-Inf	85.96	3	Horizontal	357	1.53	-	36.59	7.08	33.12
PK	7.1966G	64.95	88.20	-23.25	53.78	3	Horizontal	357	1.53	-	37.09	7.20	33.12
RMS	7.2022G	50.88	68.20	-17.32	39.70	3	Horizontal	357	1.53	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_Z_4TX
Setting 10
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71021G	61.33	88.20	-26.87	42.16	3	Vertical	311	2.28	-	40.53	9.77	31.13
RMS	13.7095G	47.81	68.20	-20.39	28.64	3	Vertical	311	2.28	-	40.53	9.77	31.13

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Z_4TX
Setting 10
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70983G	61.23	88.20	-26.97	42.06	3	Horizontal	274	1.18	-	40.53	9.77	31.13
RMS	13.71007G	47.77	68.20	-20.43	28.60	3	Horizontal	274	1.18	-	40.53	9.77	31.13

802.11ax HEW20_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_Z_4TX
Setting 10
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.57346G	51.18	83.54	-32.36	47.50	1	Vertical	228	2.64	-	37.79	15.76	49.87
AV	20.57004G	36.23	63.54	-27.31	32.56	1	Vertical	228	2.64	-	37.78	15.76	49.87

802.11ax HEW20_Nss1,(MCS0)_4TX


6855MHz_TnomVnom



EUT_Z_4TX
Setting 10
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5716G	50.03	83.54	-33.51	46.35	1	Horizontal	208	2.37	-	37.79	15.76	49.87
AV	20.5716G	36.26	63.54	-27.28	32.58	1	Horizontal	208	2.37	-	37.79	15.76	49.87


802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 12
 01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8722G	109.21	Inf	-Inf	98.81	3	Vertical	357	1.80	-	36.42	7.11	33.13
RMS	6.8722G	96.97	Inf	-Inf	86.57	3	Vertical	357	1.80	-	36.42	7.11	33.13
PK	7.2068G	63.75	88.20	-24.45	52.56	3	Vertical	357	1.80	-	37.10	7.21	33.12
RMS	7.2054G	50.95	68.20	-17.25	39.76	3	Vertical	357	1.80	-	37.10	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Z_4TX
 Setting 12
 01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8694G	107.88	Inf	-Inf	97.47	3	Horizontal	354	1.80	-	36.44	7.10	33.13
RMS	6.868G	96.03	Inf	-Inf	85.60	3	Horizontal	354	1.80	-	36.46	7.10	33.13
PK	7.127G	63.64	88.20	-24.56	52.82	3	Horizontal	354	1.80	-	36.72	7.24	33.14
RMS	7.2054G	50.90	68.20	-17.30	39.71	3	Horizontal	354	1.80	-	37.10	7.21	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 12
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75021G	61.43	88.20	-26.77	42.15	3	Vertical	174	2.91	-	40.65	9.79	31.16
RMS	13.7496G	47.77	68.20	-20.43	28.49	3	Vertical	174	2.91	-	40.65	9.79	31.16

802.11ax HEW20_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 12
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74977G	61.44	88.20	-26.76	42.16	3	Horizontal	223	2.77	-	40.65	9.79	31.16
RMS	13.75025G	47.82	68.20	-20.38	28.54	3	Horizontal	223	2.77	-	40.65	9.79	31.16

802.11ax HEW20_Nss1,(MCS0)_4TX


6875MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
Setting 12
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.6361G	50.30	83.54	-33.24	46.50	1	Vertical	215	2.93	-	37.86	15.79	49.85
AV	20.62404G	36.46	63.54	-27.08	32.68	1	Vertical	215	2.93	-	37.85	15.78	49.85

802.11ax HEW20_Nss1,(MCS0)_4TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 12
 01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.63796G	50.28	83.54	-33.26	46.46	1	Horizontal	254	1.10	-	37.87	15.79	49.84
AV	20.61024G	36.46	63.54	-27.08	32.72	1	Horizontal	254	1.10	-	37.83	15.77	49.86

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Z_4TX
Setting 14
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8922G	107.69	Inf	-Inf	97.43	3	Vertical	356	1.80	-	36.26	7.14	33.14
RMS	6.8922G	96.39	Inf	-Inf	86.13	3	Vertical	356	1.80	-	36.26	7.14	33.14
PK	7.2184G	63.64	88.20	-24.56	52.43	3	Vertical	356	1.80	-	37.10	7.22	33.11
RMS	7.2002G	50.84	68.20	-17.36	39.66	3	Vertical	356	1.80	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Z_4TX
Setting 14
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8936G	107.67	Inf	-Inf	97.42	3	Horizontal	354	1.80	-	36.25	7.14	33.14
RMS	6.8936G	95.58	Inf	-Inf	85.33	3	Horizontal	354	1.80	-	36.25	7.14	33.14
PK	7.2212G	63.98	88.20	-24.22	52.77	3	Horizontal	354	1.80	-	37.10	7.22	33.11
RMS	7.1946G	50.91	68.20	-17.29	39.75	3	Horizontal	354	1.80	-	37.08	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_Z_4TX
Setting 14
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78976G	61.98	88.20	-26.22	42.59	3	Vertical	252	1.20	-	40.77	9.81	31.19
RMS	13.7899G	47.51	68.20	-20.69	28.12	3	Vertical	252	1.20	-	40.77	9.81	31.19

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_Z_4TX
Setting 14
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78973G	61.68	88.20	-26.52	42.29	3	Horizontal	77	1.43	-	40.77	9.81	31.19
RMS	13.79035G	47.46	68.20	-20.74	28.07	3	Horizontal	77	1.43	-	40.77	9.81	31.19

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_Z_4TX
Setting 14
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.67018G	49.67	83.54	-33.87	45.80	1	Vertical	68	2.18	-	37.90	15.80	49.83
AV	20.67G	36.01	63.54	-27.53	32.14	1	Vertical	68	2.18	-	37.90	15.80	49.83

802.11ax HEW20_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_Z_4TX
Setting 14
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.67444G	49.95	83.54	-33.59	46.07	1	Horizontal	225	2.00	-	37.91	15.80	49.83
AV	20.67282G	36.08	63.54	-27.46	32.20	1	Horizontal	225	2.00	-	37.91	15.80	49.83

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_Z_4TX
Setting 11
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.993G	108.88	Inf	-Inf	98.45	3	Vertical	353	1.80	-	36.33	7.29	33.19
RMS	6.988G	95.57	Inf	-Inf	85.12	3	Vertical	353	1.80	-	36.35	7.28	33.18
PK	7.133G	64.25	88.20	-23.95	53.40	3	Vertical	353	1.80	-	36.76	7.23	33.14
RMS	7.202G	51.00	68.20	-17.20	39.82	3	Vertical	353	1.80	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_Z_4TX
Setting 11
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.986G	105.83	Inf	-Inf	95.37	3	Horizontal	360	1.67	-	36.36	7.28	33.18
RMS	6.996G	94.08	Inf	-Inf	83.66	3	Horizontal	360	1.67	-	36.32	7.29	33.19
PK	7.216G	63.77	88.20	-24.43	52.56	3	Horizontal	360	1.67	-	37.10	7.22	33.11
RMS	7.202G	50.92	68.20	-17.28	39.74	3	Horizontal	360	1.67	-	37.10	7.20	33.12

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_Z_4TX
Setting 11
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98958G	62.68	88.20	-25.52	43.20	3	Vertical	212	2.21	-	40.90	9.90	31.32
RMS	13.98954G	48.64	68.20	-19.56	29.16	3	Vertical	212	2.21	-	40.90	9.90	31.32

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_Z_4TX
Setting 11
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99021G	62.42	88.20	-25.78	42.94	3	Horizontal	250	1.74	-	40.90	9.90	31.32
RMS	13.99027G	48.65	68.20	-19.55	29.17	3	Horizontal	250	1.74	-	40.90	9.90	31.32

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_Z_4TX
Setting 11
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9811G	48.78	83.54	-34.76	44.92	1	Vertical	1	2.68	-	37.63	15.94	49.71
AV	20.99916G	34.38	63.54	-29.16	30.53	1	Vertical	1	2.68	-	37.60	15.95	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_Z_4TX
Setting 11
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9958G	47.79	83.54	-35.75	43.93	1	Horizontal	5	2.46	-	37.61	15.95	49.70
AV	20.99868G	34.40	63.54	-29.14	30.55	1	Horizontal	5	2.46	-	37.60	15.95	49.70

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Z_4TX
Setting 17
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1014G	111.39	Inf	-Inf	100.78	3	Vertical	358	1.80	-	36.51	7.25	33.15
RMS	7.0914G	97.85	Inf	-Inf	87.24	3	Vertical	358	1.80	-	36.52	7.25	33.16
PK	7.1638G	63.95	88.20	-24.25	52.90	3	Vertical	358	1.80	-	36.96	7.22	33.13
RMS	7.1262G	51.62	68.20	-16.58	40.81	3	Vertical	358	1.80	-	36.71	7.24	33.14

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Z_4TX
Setting 17
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0918G	109.53	Inf	-Inf	98.92	3	Horizontal	0	2.24	-	36.52	7.25	33.16
RMS	7.0918G	96.83	Inf	-Inf	86.22	3	Horizontal	0	2.24	-	36.52	7.25	33.16
PK	7.161G	64.40	88.20	-23.80	53.37	3	Horizontal	0	2.24	-	36.94	7.22	33.13
RMS	7.127G	51.09	68.20	-17.11	40.27	3	Horizontal	0	2.24	-	36.72	7.24	33.14

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_Z_4TX
Setting 17
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19038G	63.21	88.20	-24.99	43.96	3	Vertical	87	1.75	-	40.81	9.96	31.52
RMS	14.18961G	48.71	68.20	-19.49	29.46	3	Vertical	87	1.75	-	40.81	9.96	31.52

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_Z_4TX
Setting 17
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18974G	62.81	88.20	-25.39	43.56	3	Horizontal	60	1.74	-	40.81	9.96	31.52
RMS	14.19046G	48.70	68.20	-19.50	29.45	3	Horizontal	60	1.74	-	40.81	9.96	31.52

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_Z_4TX
Setting 17
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.29922G	50.29	83.54	-33.25	46.19	1	Vertical	222	2.02	-	37.66	16.08	49.64
AV	21.29382G	36.41	63.54	-27.13	32.32	1	Vertical	222	2.02	-	37.65	16.08	49.64

802.11ax HEW20_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_Z_4TX
Setting 17
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.27114G	50.18	83.54	-33.36	46.13	1	Horizontal	255	2.11	-	37.63	16.07	49.65
AV	21.28776G	36.39	63.54	-27.15	32.30	1	Horizontal	255	2.11	-	37.65	16.08	49.64

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Z_4TX
Setting 21
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	72.13	88.20	-16.07	63.48	3	Vertical	353	1.80	-	34.99	6.60	32.94
RMS	5.9222G	58.20	68.20	-10.00	49.55	3	Vertical	353	1.80	-	34.99	6.60	32.94
PK	5.9514G	109.11	Inf	-Inf	100.35	3	Vertical	353	1.80	-	35.11	6.60	32.95
RMS	5.9474G	97.18	Inf	-Inf	88.43	3	Vertical	353	1.80	-	35.09	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Z_4TX
Setting 21
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9238G	71.57	88.20	-16.63	62.91	3	Horizontal	360	1.47	-	35.00	6.60	32.94
RMS	5.9242G	58.40	68.20	-9.80	49.74	3	Horizontal	360	1.47	-	35.00	6.60	32.94
PK	5.9526G	108.43	Inf	-Inf	99.67	3	Horizontal	360	1.47	-	35.11	6.60	32.95
RMS	5.9522G	96.69	Inf	-Inf	87.93	3	Horizontal	360	1.47	-	35.11	6.60	32.95

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_Z_4TX
Setting 21
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92963G	55.65	74.00	-18.35	41.04	3	Vertical	34	2.05	-	38.50	8.98	32.87
AV	11.93015G	43.38	54.00	-10.62	28.77	3	Vertical	34	2.05	-	38.50	8.98	32.87
PK	17.8945G	62.80	74.00	-11.20	40.64	3	Vertical	225	1.11	-	42.78	11.07	31.69
AV	17.89543G	47.58	54.00	-6.42	25.42	3	Vertical	225	1.11	-	42.78	11.07	31.69

802.11ax HEW40_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_Z_4TX
Setting 21
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92996G	55.49	74.00	-18.51	40.88	3	Horizontal	292	2.07	-	38.50	8.98	32.87
AV	11.9301G	43.41	54.00	-10.59	28.80	3	Horizontal	292	2.07	-	38.50	8.98	32.87
PK	17.89474G	62.67	74.00	-11.33	40.51	3	Horizontal	352	2.65	-	42.78	11.07	31.69
AV	17.89546G	47.80	54.00	-6.20	25.64	3	Horizontal	352	2.65	-	42.78	11.07	31.69

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_Z_4TX
Setting 17
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8674G	60.72	88.20	-27.48	52.23	3	Vertical	0	1.80	-	34.83	6.60	32.94
RMS	5.8978G	49.14	68.20	-19.06	40.58	3	Vertical	0	1.80	-	34.90	6.60	32.94
PK	6.157G	107.86	Inf	-Inf	98.64	3	Vertical	0	1.80	-	35.33	6.84	32.95
RMS	6.1602G	96.77	Inf	-Inf	87.54	3	Vertical	0	1.80	-	35.34	6.84	32.95

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Z_4TX
Setting 17
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8898G	60.79	88.20	-27.41	52.25	3	Horizontal	360	1.48	-	34.88	6.60	32.94
RMS	5.9122G	49.15	68.20	-19.05	40.54	3	Horizontal	360	1.48	-	34.95	6.60	32.94
PK	6.1634G	107.73	Inf	-Inf	98.48	3	Horizontal	360	1.48	-	35.35	6.85	32.95
RMS	6.157G	96.23	Inf	-Inf	87.01	3	Horizontal	360	1.48	-	35.33	6.84	32.95

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_Z_4TX
Setting 17
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32963G	55.78	74.00	-18.22	40.54	3	Vertical	296	2.20	-	38.56	9.15	32.47
AV	12.33024G	43.81	54.00	-10.19	28.57	3	Vertical	296	2.20	-	38.56	9.15	32.47

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_Z_4TX
Setting 17
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32994G	55.59	74.00	-18.41	40.35	3	Horizontal	181	1.99	-	38.56	9.15	32.47
AV	12.33043G	43.92	54.00	-10.08	28.68	3	Horizontal	181	1.99	-	38.56	9.15	32.47

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_Z_4TX
Setting 17
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49284G	47.21	83.54	-36.33	44.62	1	Vertical	36	1.33	-	37.79	14.90	50.10
AV	18.48G	34.57	63.54	-28.97	32.01	1	Vertical	36	1.33	-	37.78	14.89	50.11

802.11ax HEW40_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_Z_4TX
Setting 17
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.48306G	46.96	83.54	-36.58	44.40	1	Horizontal	108	2.00	-	37.78	14.89	50.11
AV	18.4866G	34.42	63.54	-29.12	31.86	1	Horizontal	108	2.00	-	37.78	14.89	50.11

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Z_4TX
Setting 21
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8818G	60.52	88.20	-27.68	52.00	3	Vertical	358	1.80	-	34.86	6.60	32.94
RMS	5.9202G	49.21	68.20	-18.99	40.57	3	Vertical	358	1.80	-	34.98	6.60	32.94
PK	6.4026G	108.10	Inf	-Inf	98.46	3	Vertical	358	1.80	-	35.59	7.00	32.95
RMS	6.4218G	97.33	Inf	-Inf	87.77	3	Vertical	358	1.80	-	35.51	7.00	32.95

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Z_4TX
Setting 21
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8986G	59.80	88.20	-28.40	51.24	3	Horizontal	0	1.80	-	34.90	6.60	32.94
RMS	5.8962G	49.01	68.20	-19.19	40.46	3	Horizontal	0	1.80	-	34.89	6.60	32.94
PK	6.4122G	106.94	Inf	-Inf	97.34	3	Horizontal	0	1.80	-	35.55	7.00	32.95
RMS	6.4122G	96.56	Inf	-Inf	86.96	3	Horizontal	0	1.80	-	35.55	7.00	32.95

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_Z_4TX
Setting 21
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81009G	56.39	88.20	-31.81	39.68	3	Vertical	249	1.37	-	39.21	9.36	31.86
RMS	12.81G	44.45	68.20	-23.75	27.74	3	Vertical	249	1.37	-	39.21	9.36	31.86

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_Z_4TX
Setting 21
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80981G	56.77	88.20	-31.43	40.06	3	Horizontal	148	2.65	-	39.21	9.36	31.86
RMS	12.81012G	44.35	68.20	-23.85	27.64	3	Horizontal	148	2.65	-	39.21	9.36	31.86

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_Z_4TX
Setting 21
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.20828G	48.32	83.54	-35.22	45.03	1	Vertical	203	1.06	-	37.75	15.18	49.64
AV	19.2177G	34.66	63.54	-28.88	31.37	1	Vertical	203	1.06	-	37.74	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_Z_4TX
Setting 21
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.22748G	47.52	83.54	-36.02	44.25	1	Horizontal	297	1.60	-	37.73	15.19	49.65
AV	19.2216G	34.81	63.54	-28.73	31.53	1	Horizontal	297	1.60	-	37.73	15.19	49.64

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Z_4TX
Setting 21
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8444G	59.97	88.20	-28.23	51.54	3	Vertical	358	1.80	-	34.76	6.60	32.93
RMS	5.8912G	49.19	68.20	-19.01	40.65	3	Vertical	358	1.80	-	34.88	6.60	32.94
PK	6.4372G	107.40	Inf	-Inf	97.90	3	Vertical	358	1.80	-	35.45	7.00	32.95
RMS	6.4476G	97.39	Inf	-Inf	87.93	3	Vertical	358	1.80	-	35.41	7.00	32.95

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Z_4TX
Setting 21
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8886G	60.98	88.20	-27.22	52.44	3	Horizontal	359	1.80	-	34.88	6.60	32.94
RMS	5.9172G	48.92	68.20	-19.28	40.29	3	Horizontal	359	1.80	-	34.97	6.60	32.94
PK	6.445G	105.96	Inf	-Inf	96.49	3	Horizontal	359	1.80	-	35.42	7.00	32.95
RMS	6.4372G	95.86	Inf	-Inf	86.36	3	Horizontal	359	1.80	-	35.45	7.00	32.95

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_Z_4TX
Setting 21
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.89004G	57.09	88.20	-31.11	40.16	3	Vertical	74	2.33	-	39.29	9.40	31.76
RMS	12.89019G	44.73	68.20	-23.47	27.80	3	Vertical	74	2.33	-	39.29	9.40	31.76

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_Z_4TX
Setting 21
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88958G	56.96	88.20	-31.24	40.03	3	Horizontal	116	2.57	-	39.29	9.40	31.76
RMS	12.88956G	44.73	68.20	-23.47	27.80	3	Horizontal	116	2.57	-	39.29	9.40	31.76

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_Z_4TX
Setting 21
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.32936G	47.65	83.54	-35.89	44.33	1	Vertical	118	2.03	-	37.76	15.23	49.67
AV	19.33578G	35.27	63.54	-28.27	31.94	1	Vertical	118	2.03	-	37.77	15.23	49.67

802.11ax HEW40_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_Z_4TX
Setting 21
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.34724G	47.65	83.54	-35.89	44.30	1	Horizontal	155	2.30	-	37.78	15.24	49.67
AV	19.3347G	35.56	63.54	-27.98	32.23	1	Horizontal	155	2.30	-	37.77	15.23	49.67

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_Z_4TX
Setting 27
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	60.65	88.20	-27.55	52.00	3	Vertical	360	1.80	-	34.99	6.60	32.94
RMS	5.9082G	49.01	68.20	-19.19	40.42	3	Vertical	360	1.80	-	34.93	6.60	32.94
PK	6.4878G	107.41	Inf	-Inf	97.81	3	Vertical	360	1.80	-	35.55	7.00	32.95
RMS	6.4766G	96.79	Inf	-Inf	87.23	3	Vertical	360	1.80	-	35.51	7.00	32.95
PK	7.1598G	63.29	88.20	-24.91	52.26	3	Vertical	360	1.80	-	36.94	7.22	33.13
RMS	7.1318G	51.96	68.20	-16.24	41.12	3	Vertical	360	1.80	-	36.75	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_Z_4TX
Setting 27
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8942G	59.85	88.20	-28.35	51.30	3	Horizontal	4	1.56	-	34.89	6.60	32.94
RMS	5.8942G	49.22	68.20	-18.98	40.67	3	Horizontal	4	1.56	-	34.89	6.60	32.94
PK	6.499G	106.78	Inf	-Inf	97.13	3	Horizontal	4	1.56	-	35.60	7.00	32.95
RMS	6.4794G	96.53	Inf	-Inf	86.96	3	Horizontal	4	1.56	-	35.52	7.00	32.95
PK	7.1682G	63.35	88.20	-24.85	52.29	3	Horizontal	4	1.56	-	36.97	7.22	33.13
RMS	7.1822G	51.77	68.20	-16.43	40.65	3	Horizontal	4	1.56	-	37.03	7.21	33.12

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97034G	57.26	88.20	-30.94	39.97	3	Vertical	102	2.32	-	39.51	9.44	31.66
RMS	12.97029G	44.77	68.20	-23.43	27.48	3	Vertical	102	2.32	-	39.51	9.44	31.66

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96973G	57.17	88.20	-31.03	39.88	3	Horizontal	126	2.32	-	39.51	9.44	31.66
RMS	12.97001G	44.85	68.20	-23.35	27.56	3	Horizontal	126	2.32	-	39.51	9.44	31.66

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45662G	48.30	83.54	-35.24	44.84	1	Vertical	294	1.67	-	37.87	15.28	49.69
AV	19.45506G	35.91	63.54	-27.63	32.46	1	Vertical	294	1.67	-	37.86	15.28	49.69

802.11ax HEW40_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.46982G	49.12	83.54	-34.42	45.64	1	Horizontal	156	1.11	-	37.88	15.29	49.69
AV	19.4451G	35.88	63.54	-27.66	32.43	1	Horizontal	156	1.11	-	37.86	15.28	49.69

802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Z_4TX
Setting 21
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8558G	61.12	88.20	-27.08	52.65	3	Vertical	358	1.80	-	34.81	6.60	32.94
RMS	5.9118G	49.33	68.20	-18.87	40.72	3	Vertical	358	1.80	-	34.95	6.60	32.94
PK	6.5418G	108.54	Inf	-Inf	98.74	3	Vertical	358	1.80	-	35.77	7.00	32.97
RMS	6.5306G	97.80	Inf	-Inf	88.04	3	Vertical	358	1.80	-	35.72	7.00	32.96
PK	7.1942G	63.35	88.20	-24.85	52.19	3	Vertical	358	1.80	-	37.08	7.20	33.12
RMS	7.2082G	52.26	68.20	-15.94	41.07	3	Vertical	358	1.80	-	37.10	7.21	33.12

802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
 Setting 21
 01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9006G	60.01	88.20	-28.19	51.45	3	Horizontal	0	1.80	-	34.90	6.60	32.94
RMS	5.9034G	49.33	68.20	-18.87	40.76	3	Horizontal	0	1.80	-	34.91	6.60	32.94
PK	6.5334G	106.72	Inf	-Inf	96.96	3	Horizontal	0	1.80	-	35.73	7.00	32.97
RMS	6.5306G	96.29	Inf	-Inf	86.53	3	Horizontal	0	1.80	-	35.72	7.00	32.96
PK	7.225G	63.24	88.20	-24.96	52.02	3	Horizontal	0	1.80	-	37.10	7.23	33.11
RMS	7.1466G	52.18	68.20	-16.02	41.22	3	Horizontal	0	1.80	-	36.87	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
Setting 21
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05033G	58.94	88.20	-29.26	41.38	3	Vertical	232	2.77	-	39.65	9.47	31.56
RMS	13.04968G	46.20	68.20	-22.00	28.64	3	Vertical	232	2.77	-	39.65	9.47	31.56

802.11ax HEW40_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
 Setting 21
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.04988G	58.35	88.20	-29.85	40.79	3	Horizontal	162	2.03	-	39.65	9.47	31.56
RMS	13.05028G	46.30	68.20	-21.90	28.74	3	Horizontal	162	2.03	-	39.65	9.47	31.56

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 21
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.56246G	48.31	83.54	-35.23	44.81	1	Vertical	50	2.72	-	37.88	15.32	49.70
AV	19.58736G	36.11	63.54	-27.43	32.61	1	Vertical	50	2.72	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 21
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.56198G	48.54	83.54	-35.00	45.04	1	Horizontal	46	1.36	-	37.88	15.32	49.70
AV	19.5798G	36.17	63.54	-27.37	32.67	1	Horizontal	46	1.36	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 22
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5578G	110.10	Inf	-Inf	100.26	3	Vertical	356	1.97	-	35.82	7.00	32.98
RMS	6.553G	98.93	Inf	-Inf	89.10	3	Vertical	356	1.97	-	35.81	7.00	32.98
PK	7.1458G	62.71	88.20	-25.49	51.75	3	Vertical	356	1.97	-	36.87	7.23	33.14
RMS	7.153G	51.99	68.20	-16.21	40.99	3	Vertical	356	1.97	-	36.91	7.22	33.13

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 22
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.553G	106.76	Inf	-Inf	96.93	3	Horizontal	357	1.80	-	35.81	7.00	32.98
RMS	6.5506G	96.68	Inf	-Inf	86.85	3	Horizontal	357	1.80	-	35.80	7.00	32.97
PK	7.1506G	62.65	88.20	-25.55	51.67	3	Horizontal	357	1.80	-	36.90	7.22	33.14
RMS	7.153G	52.17	68.20	-16.03	41.17	3	Horizontal	357	1.80	-	36.91	7.22	33.13

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 22
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13017G	58.46	88.20	-29.74	40.65	3	Vertical	187	1.95	-	39.76	9.51	31.46
RMS	13.12978G	46.22	68.20	-21.98	28.41	3	Vertical	187	1.95	-	39.76	9.51	31.46

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 22
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13048G	58.44	88.20	-29.76	40.63	3	Horizontal	166	1.68	-	39.76	9.51	31.46
RMS	13.12988G	46.27	68.20	-21.93	28.46	3	Horizontal	166	1.68	-	39.76	9.51	31.46

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 22
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69302G	48.53	83.54	-35.01	45.03	1	Vertical	224	2.82	-	37.82	15.38	49.70
AV	19.70316G	36.03	63.54	-27.51	32.53	1	Vertical	224	2.82	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Z_4TX
Setting 22
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69002G	48.24	83.54	-35.30	44.74	1	Horizontal	231	1.30	-	37.82	15.38	49.70
AV	19.69032G	36.24	63.54	-27.30	32.74	1	Horizontal	231	1.30	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 19
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.667G	108.23	Inf	-Inf	98.29	3	Vertical	360	1.97	-	35.97	7.00	33.03
RMS	6.667G	97.37	Inf	-Inf	87.43	3	Vertical	360	1.97	-	35.97	7.00	33.03
PK	7.177G	62.71	88.20	-25.49	51.62	3	Vertical	360	1.97	-	37.01	7.21	33.13
RMS	7.151G	52.03	68.20	-16.17	41.05	3	Vertical	360	1.97	-	36.90	7.22	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 19
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.677G	106.49	Inf	-Inf	96.57	3	Horizontal	0	1.94	-	35.95	7.00	33.03
RMS	6.671G	95.57	Inf	-Inf	85.64	3	Horizontal	0	1.94	-	35.96	7.00	33.03
PK	7.163G	64.01	88.20	-24.19	52.97	3	Horizontal	0	1.94	-	36.95	7.22	33.13
RMS	7.145G	51.88	68.20	-16.32	40.93	3	Horizontal	0	1.94	-	36.86	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 19
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36972G	58.72	74.00	-15.28	40.11	3	Vertical	77	1.98	-	40.14	9.62	31.15
AV	13.37029G	46.50	54.00	-7.50	27.89	3	Vertical	77	1.98	-	40.14	9.62	31.15

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 19
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37003G	58.92	74.00	-15.08	40.31	3	Horizontal	133	1.23	-	40.14	9.62	31.15
AV	13.36981G	46.74	54.00	-7.26	28.13	3	Horizontal	133	1.23	-	40.14	9.62	31.15

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 19
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05116G	47.96	83.54	-35.58	44.72	1	Vertical	283	2.58	-	37.44	15.52	49.72
AV	20.05338G	36.13	63.54	-27.41	32.89	1	Vertical	283	2.58	-	37.44	15.52	49.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 19
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.06652G	47.89	83.54	-35.65	44.64	1	Horizontal	284	2.91	-	37.45	15.53	49.73
AV	20.05896G	35.79	63.54	-27.75	32.53	1	Horizontal	284	2.91	-	37.45	15.53	49.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Z_4TX
Setting 19
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8514G	109.14	Inf	-Inf	98.59	3	Vertical	360	1.80	-	36.59	7.08	33.12
RMS	6.8466G	97.70	Inf	-Inf	87.18	3	Vertical	360	1.80	-	36.57	7.07	33.12
PK	7.1346G	63.59	88.20	-24.61	52.72	3	Vertical	360	1.80	-	36.78	7.23	33.14
RMS	7.1842G	52.48	68.20	-15.72	41.35	3	Vertical	360	1.80	-	37.04	7.21	33.12

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 19
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8562G	107.07	Inf	-Inf	96.56	3	Horizontal	0	1.93	-	36.55	7.08	33.12
RMS	6.8514G	96.97	Inf	-Inf	86.42	3	Horizontal	0	1.93	-	36.59	7.08	33.12
PK	7.1618G	63.65	88.20	-24.55	52.61	3	Horizontal	0	1.93	-	36.95	7.22	33.13
RMS	7.1554G	52.72	68.20	-15.48	41.71	3	Horizontal	0	1.93	-	36.92	7.22	33.13

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 19
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6898G	61.33	88.20	-26.87	42.21	3	Vertical	118	1.08	-	40.48	9.76	31.12
RMS	13.69029G	49.39	68.20	-18.81	30.27	3	Vertical	118	1.08	-	40.48	9.76	31.12

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Z_4TX
Setting 19
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69044G	61.66	88.20	-26.54	42.54	3	Horizontal	42	1.31	-	40.48	9.76	31.12
RMS	13.69026G	49.18	68.20	-19.02	30.06	3	Horizontal	42	1.31	-	40.48	9.76	31.12

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 19
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.54712G	49.76	83.54	-33.78	46.13	1	Vertical	36	2.88	-	37.76	15.75	49.88
AV	20.5356G	37.30	63.54	-26.24	33.71	1	Vertical	36	2.88	-	37.74	15.74	49.89

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 19
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.54088G	49.17	83.54	-34.37	45.56	1	Horizontal	346	1.24	-	37.75	15.74	49.88
AV	20.54976G	37.26	63.54	-26.28	33.63	1	Horizontal	346	1.24	-	37.76	15.75	49.88

802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Z_4TX
Setting 25
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8682G	108.83	Inf	-Inf	98.41	3	Vertical	353	1.80	-	36.45	7.10	33.13
RMS	6.8724G	98.00	Inf	-Inf	87.60	3	Vertical	353	1.80	-	36.42	7.11	33.13
PK	7.2168G	63.48	88.20	-24.72	52.27	3	Vertical	353	1.80	-	37.10	7.22	33.11
RMS	7.2182G	52.42	68.20	-15.78	41.21	3	Vertical	353	1.80	-	37.10	7.22	33.11

802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 25
 01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8836G	106.82	Inf	-Inf	96.49	3	Horizontal	353	1.80	-	36.33	7.13	33.13
RMS	6.8682G	97.04	Inf	-Inf	86.62	3	Horizontal	353	1.80	-	36.45	7.10	33.13
PK	7.2112G	63.36	88.20	-24.84	52.16	3	Horizontal	353	1.80	-	37.10	7.21	33.11
RMS	7.1986G	52.18	68.20	-16.02	41.01	3	Horizontal	353	1.80	-	37.09	7.20	33.12

802.11ax HEW40_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
Setting 25
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77044G	61.49	88.20	-26.71	42.15	3	Vertical	353	2.80	-	40.71	9.80	31.17
RMS	13.77027G	48.85	68.20	-19.35	29.51	3	Vertical	353	2.80	-	40.71	9.80	31.17

802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 25
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77029G	61.07	88.20	-27.13	41.73	3	Horizontal	191	2.38	-	40.71	9.80	31.17
RMS	13.76987G	48.95	68.20	-19.25	29.61	3	Horizontal	191	2.38	-	40.71	9.80	31.17

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 25
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65116G	49.37	83.54	-34.17	45.54	1	Vertical	353	2.45	-	37.88	15.79	49.84
AV	20.65014G	37.15	63.54	-26.39	33.32	1	Vertical	353	2.45	-	37.88	15.79	49.84

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 25
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65056G	49.39	83.54	-34.15	45.56	1	Horizontal	12	1.89	-	37.88	15.79	49.84
AV	20.64768G	37.30	63.54	-26.24	33.47	1	Horizontal	12	1.89	-	37.88	15.79	49.84

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9322G	109.40	Inf	-Inf	98.97	3	Vertical	357	1.52	-	36.39	7.20	33.16
RMS	6.937G	99.02	Inf	-Inf	88.55	3	Vertical	357	1.52	-	36.42	7.21	33.16
PK	7.159G	63.41	88.20	-24.79	52.38	3	Vertical	357	1.52	-	36.94	7.22	33.13
RMS	7.1338G	52.28	68.20	-15.92	41.42	3	Vertical	357	1.52	-	36.77	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9262G	108.75	Inf	-Inf	98.35	3	Horizontal	360	1.80	-	36.36	7.19	33.15
RMS	6.931G	97.89	Inf	-Inf	87.46	3	Horizontal	360	1.80	-	36.39	7.20	33.16
PK	7.1458G	63.70	88.20	-24.50	52.74	3	Horizontal	360	1.80	-	36.87	7.23	33.14
RMS	7.1518G	52.15	68.20	-16.05	41.16	3	Horizontal	360	1.80	-	36.91	7.22	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84989G	60.85	88.20	-27.35	41.40	3	Vertical	212	2.70	-	40.85	9.83	31.23
RMS	13.84951G	48.95	68.20	-19.25	29.50	3	Vertical	212	2.70	-	40.85	9.83	31.23

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84966G	61.50	88.20	-26.70	42.05	3	Horizontal	237	2.41	-	40.85	9.83	31.23
RMS	13.84993G	48.96	68.20	-19.24	29.51	3	Horizontal	237	2.41	-	40.85	9.83	31.23

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77374G	50.09	83.54	-33.45	46.07	1	Vertical	62	1.20	-	37.96	15.85	49.79
AV	20.76606G	36.88	63.54	-26.66	32.86	1	Vertical	62	1.20	-	37.97	15.84	49.79

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7633G	49.24	83.54	-34.30	45.21	1	Horizontal	4	2.84	-	37.98	15.84	49.79
AV	20.76546G	37.12	63.54	-26.42	33.09	1	Horizontal	4	2.84	-	37.98	15.84	49.79

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0018G	109.59	Inf	-Inf	99.17	3	Vertical	355	1.80	-	36.31	7.30	33.19
RMS	6.9874G	98.06	Inf	-Inf	87.61	3	Vertical	355	1.80	-	36.35	7.28	33.18
PK	7.177G	63.80	88.20	-24.40	52.71	3	Vertical	355	1.80	-	37.01	7.21	33.13
RMS	7.2026G	52.54	68.20	-15.66	41.36	3	Vertical	355	1.80	-	37.10	7.20	33.12

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9922G	107.40	Inf	-Inf	96.97	3	Horizontal	360	1.80	-	36.33	7.29	33.19
RMS	7.021G	96.54	Inf	-Inf	86.00	3	Horizontal	360	1.80	-	36.43	7.29	33.18
PK	7.1738G	63.69	88.20	-24.51	52.61	3	Horizontal	360	1.80	-	37.00	7.21	33.13
RMS	7.2018G	52.43	68.20	-15.77	41.25	3	Horizontal	360	1.80	-	37.10	7.20	33.12

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01G	62.77	88.20	-25.43	43.31	3	Vertical	128	1.93	-	40.90	9.90	31.34
RMS	14.00967G	50.63	68.20	-17.57	31.17	3	Vertical	128	1.93	-	40.90	9.90	31.34

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01004G	62.72	88.20	-25.48	43.26	3	Horizontal	156	1.70	-	40.90	9.90	31.34
RMS	14.01033G	50.27	68.20	-17.93	30.81	3	Horizontal	156	1.70	-	40.90	9.90	31.34

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.01806G	48.58	83.54	-34.96	44.72	1	Vertical	257	2.94	-	37.60	15.96	49.70
AV	21.02808G	36.13	63.54	-27.41	32.26	1	Vertical	257	2.94	-	37.60	15.96	49.69

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.02442G	48.74	83.54	-34.80	44.88	1	Horizontal	158	1.35	-	37.60	15.96	49.70
AV	21.018G	36.18	63.54	-27.36	32.32	1	Horizontal	158	1.35	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Z_4TX
Setting 25
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0714G	110.59	Inf	-Inf	99.93	3	Vertical	358	1.80	-	36.56	7.26	33.16
RMS	7.067G	98.45	Inf	-Inf	87.78	3	Vertical	358	1.80	-	36.57	7.27	33.17
PK	7.127G	74.84	88.20	-13.36	64.02	3	Vertical	358	1.80	-	36.72	7.24	33.14
RMS	7.1262G	60.88	68.20	-7.32	50.07	3	Vertical	358	1.80	-	36.71	7.24	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Z_4TX
Setting 25
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0754G	109.60	Inf	-Inf	98.95	3	Horizontal	0	1.53	-	36.55	7.26	33.16
RMS	7.067G	98.44	Inf	-Inf	87.77	3	Horizontal	0	1.53	-	36.57	7.27	33.17
PK	7.1254G	72.47	88.20	-15.73	61.67	3	Horizontal	0	1.53	-	36.70	7.24	33.14
RMS	7.1254G	60.90	68.20	-7.30	50.10	3	Horizontal	0	1.53	-	36.70	7.24	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_Z_4TX
Setting 25
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16974G	62.79	88.20	-25.41	43.51	3	Vertical	143	2.29	-	40.83	9.95	31.50
RMS	14.16997G	50.26	68.20	-17.94	30.98	3	Vertical	143	2.29	-	40.83	9.95	31.50

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_Z_4TX
Setting 25
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17024G	63.79	88.20	-24.41	44.51	3	Horizontal	133	2.27	-	40.83	9.95	31.50
RMS	14.16963G	50.30	68.20	-17.90	31.02	3	Horizontal	133	2.27	-	40.83	9.95	31.50

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_Z_4TX
Setting 25
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.26886G	49.64	83.54	-33.90	45.60	1	Vertical	18	1.95	-	37.62	16.07	49.65
AV	21.24726G	37.66	63.54	-25.88	33.65	1	Vertical	18	1.95	-	37.60	16.06	49.65

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_Z_4TX
Setting 25
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.24954G	49.82	83.54	-33.72	45.81	1	Horizontal	63	1.39	-	37.60	16.06	49.65
AV	21.24156G	37.57	63.54	-25.97	33.56	1	Horizontal	63	1.39	-	37.60	16.06	49.65

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Z_4TX
Setting 35
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	76.35	88.20	-11.85	67.70	3	Vertical	356	1.80	-	34.99	6.60	32.94
RMS	5.9218G	64.63	68.20	-3.57	55.98	3	Vertical	356	1.80	-	34.99	6.60	32.94
PK	6.0162G	108.85	Inf	-Inf	99.91	3	Vertical	356	1.80	-	35.27	6.62	32.95
RMS	6.0226G	98.40	Inf	-Inf	89.47	3	Vertical	356	1.80	-	35.25	6.63	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Z_4TX
Setting 35
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	75.53	88.20	-12.67	66.87	3	Horizontal	359	1.80	-	35.00	6.60	32.94
RMS	5.9226G	64.76	68.20	-3.44	56.11	3	Horizontal	359	1.80	-	34.99	6.60	32.94
PK	5.969G	107.40	Inf	-Inf	98.57	3	Horizontal	359	1.80	-	35.18	6.60	32.95
RMS	6.0162G	97.76	Inf	-Inf	88.82	3	Horizontal	359	1.80	-	35.27	6.62	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_Z_4TX
Setting 35
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96961G	55.57	74.00	-18.43	40.96	3	Vertical	107	2.00	-	38.50	8.99	32.88
AV	11.96969G	43.41	54.00	-10.59	28.80	3	Vertical	107	2.00	-	38.50	8.99	32.88
PK	17.95152G	64.85	74.00	-9.15	42.57	3	Vertical	54	2.36	-	42.85	11.09	31.66
AV	17.94498G	47.91	54.00	-6.09	25.66	3	Vertical	54	2.36	-	42.84	11.08	31.67

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




17/02/2022

EUT_Z_4TX
Setting 35
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96953G	55.29	74.00	-18.71	40.68	3	Horizontal	7	1.22	-	38.50	8.99	32.88
AV	11.96962G	43.32	54.00	-10.68	28.71	3	Horizontal	7	1.22	-	38.50	8.99	32.88
PK	17.96976G	62.66	74.00	-11.34	40.35	3	Horizontal	116	2.82	-	42.87	11.09	31.65
AV	17.96682G	46.74	54.00	-7.26	24.44	3	Horizontal	116	2.82	-	42.87	11.09	31.66

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 29
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	60.24	88.20	-27.96	51.64	3	Vertical	347	1.80	-	34.94	6.60	32.94
RMS	5.923G	50.05	68.20	-18.15	41.40	3	Vertical	347	1.80	-	34.99	6.60	32.94
PK	6.1642G	109.18	Inf	-Inf	99.92	3	Vertical	347	1.80	-	35.36	6.85	32.95
RMS	6.1486G	98.18	Inf	-Inf	89.01	3	Vertical	347	1.80	-	35.30	6.82	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 29
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8798G	60.19	88.20	-28.01	51.67	3	Horizontal	0	1.80	-	34.86	6.60	32.94
RMS	5.925G	50.04	68.20	-18.16	41.38	3	Horizontal	0	1.80	-	35.00	6.60	32.94
PK	6.1378G	106.79	Inf	-Inf	97.63	3	Horizontal	0	1.80	-	35.30	6.81	32.95
RMS	6.1378G	96.27	Inf	-Inf	87.11	3	Horizontal	0	1.80	-	35.30	6.81	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 29
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29008G	55.72	74.00	-18.28	40.63	3	Vertical	241	1.04	-	38.48	9.13	32.52
AV	12.2898G	43.17	54.00	-10.83	28.08	3	Vertical	241	1.04	-	38.48	9.13	32.52

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 29
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28997G	55.50	74.00	-18.50	40.41	3	Horizontal	114	1.80	-	38.48	9.13	32.52
AV	12.28985G	43.20	54.00	-10.80	28.11	3	Horizontal	114	1.80	-	38.48	9.13	32.52

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 29
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.42276G	46.69	83.54	-36.85	44.24	1	Vertical	316	1.63	-	37.71	14.87	50.13
AV	18.4431G	34.53	63.54	-29.01	32.04	1	Vertical	316	1.63	-	37.73	14.88	50.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 29
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4347G	46.71	83.54	-36.83	44.25	1	Horizontal	91	2.04	-	37.72	14.87	50.13
AV	18.4212G	34.51	63.54	-29.03	32.06	1	Horizontal	91	2.04	-	37.71	14.87	50.13

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 26
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.821G	60.35	88.20	-27.85	52.11	3	Vertical	3	1.48	-	34.57	6.60	32.93
RMS	5.9242G	49.99	68.20	-18.21	41.33	3	Vertical	3	1.48	-	35.00	6.60	32.94
PK	6.3706G	108.42	Inf	-Inf	98.96	3	Vertical	3	1.48	-	35.42	6.99	32.95
RMS	6.3562G	97.75	Inf	-Inf	88.38	3	Vertical	3	1.48	-	35.34	6.98	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Z_4TX
Setting 26
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8642G	60.68	88.20	-27.52	52.19	3	Horizontal	360	1.80	-	34.83	6.60	32.94
RMS	5.9242G	49.97	68.20	-18.23	41.31	3	Horizontal	360	1.80	-	35.00	6.60	32.94
PK	6.373G	107.24	Inf	-Inf	97.76	3	Horizontal	360	1.80	-	35.44	6.99	32.95
RMS	6.3706G	95.95	Inf	-Inf	86.49	3	Horizontal	360	1.80	-	35.42	6.99	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 26
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76958G	55.90	88.20	-32.30	39.32	3	Vertical	144	1.39	-	39.14	9.35	31.91
RMS	12.77001G	44.25	68.20	-23.95	27.67	3	Vertical	144	1.39	-	39.14	9.35	31.91

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Z_4TX
Setting 26
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77026G	56.04	88.20	-32.16	39.46	3	Horizontal	348	1.19	-	39.14	9.35	31.91
RMS	12.76965G	44.13	68.20	-24.07	27.55	3	Horizontal	348	1.19	-	39.14	9.35	31.91

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 26
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15998G	47.07	83.54	-36.47	43.73	1	Vertical	329	1.17	-	37.81	15.16	49.63
AV	19.1583G	34.63	63.54	-28.91	31.29	1	Vertical	329	1.17	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 26
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.14744G	47.29	83.54	-36.25	43.94	1	Horizontal	37	2.06	-	37.82	15.16	49.63
AV	19.15056G	34.71	63.54	-28.83	31.36	1	Horizontal	37	2.06	-	37.82	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Z_4TX
Setting 33
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9218G	60.31	88.20	-27.89	51.66	3	Vertical	359	1.80	-	34.99	6.60	32.94
RMS	5.9246G	49.96	68.20	-18.24	41.30	3	Vertical	359	1.80	-	35.00	6.60	32.94
PK	6.437G	106.82	Inf	-Inf	97.32	3	Vertical	359	1.80	-	35.45	7.00	32.95
RMS	6.4622G	97.52	Inf	-Inf	88.02	3	Vertical	359	1.80	-	35.45	7.00	32.95
PK	7.1398G	62.52	88.20	-25.68	51.61	3	Vertical	359	1.80	-	36.82	7.23	33.14
RMS	7.1454G	52.57	68.20	-15.63	41.62	3	Vertical	359	1.80	-	36.86	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 33
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8546G	61.31	88.20	-26.89	52.84	3	Horizontal	359	1.80	-	34.81	6.60	32.94
RMS	5.9218G	49.94	68.20	-18.26	41.29	3	Horizontal	359	1.80	-	34.99	6.60	32.94
PK	6.4622G	106.68	Inf	-Inf	97.18	3	Horizontal	359	1.80	-	35.45	7.00	32.95
RMS	6.4622G	95.45	Inf	-Inf	85.95	3	Horizontal	359	1.80	-	35.45	7.00	32.95
PK	7.1342G	63.78	88.20	-24.42	52.92	3	Horizontal	359	1.80	-	36.77	7.23	33.14
RMS	7.1454G	52.55	68.20	-15.65	41.60	3	Horizontal	359	1.80	-	36.86	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 33
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76996G	56.89	88.20	-31.31	40.31	3	Vertical	164	1.03	-	39.14	9.35	31.91
RMS	12.76973G	44.39	68.20	-23.81	27.81	3	Vertical	164	1.03	-	39.14	9.35	31.91

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Z_4TX
Setting 33
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7701G	57.20	88.20	-31.00	40.62	3	Horizontal	222	1.80	-	39.14	9.35	31.91
RMS	12.76965G	44.31	68.20	-23.89	27.73	3	Horizontal	222	1.80	-	39.14	9.35	31.91

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 33
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39842G	47.56	83.54	-35.98	44.16	1	Vertical	97	1.18	-	37.82	15.26	49.68
AV	19.3875G	35.53	63.54	-28.01	32.14	1	Vertical	97	1.18	-	37.81	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TnomVnom



EUT_Z_4TX
Setting 33
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.40544G	47.79	83.54	-35.75	44.39	1	Horizontal	5	1.27	-	37.82	15.26	49.68
AV	19.40826G	35.55	63.54	-27.99	32.14	1	Horizontal	5	1.27	-	37.83	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
 Setting 29
 01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.901G	59.80	88.20	-28.40	51.24	3	Vertical	358	1.80	-	34.90	6.60	32.94
RMS	5.925G	49.78	68.20	-18.42	41.12	3	Vertical	358	1.80	-	35.00	6.60	32.94
PK	6.5506G	108.26	Inf	-Inf	98.43	3	Vertical	358	1.80	-	35.80	7.00	32.97
RMS	6.5618G	96.99	Inf	-Inf	87.15	3	Vertical	358	1.80	-	35.82	7.00	32.98
PK	7.1638G	62.59	88.20	-25.61	51.54	3	Vertical	358	1.80	-	36.96	7.22	33.13
RMS	7.1498G	52.60	68.20	-15.60	41.61	3	Vertical	358	1.80	-	36.90	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_4TX


6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
Setting 29
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.915G	61.27	88.20	-26.93	52.65	3	Horizontal	0	1.80	-	34.96	6.60	32.94
RMS	5.9206G	49.74	68.20	-18.46	41.10	3	Horizontal	0	1.80	-	34.98	6.60	32.94
PK	6.5618G	105.89	Inf	-Inf	96.05	3	Horizontal	0	1.80	-	35.82	7.00	32.98
RMS	6.5506G	95.14	Inf	-Inf	85.31	3	Horizontal	0	1.80	-	35.80	7.00	32.97
PK	7.1414G	64.30	88.20	-23.90	53.38	3	Horizontal	0	1.80	-	36.83	7.23	33.14
RMS	7.2338G	52.64	68.20	-15.56	41.42	3	Horizontal	0	1.80	-	37.10	7.23	33.11


802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
 Setting 29
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08984G	58.36	88.20	-29.84	40.69	3	Vertical	227	1.80	-	39.69	9.49	31.51
RMS	13.08971G	45.92	68.20	-22.28	28.25	3	Vertical	227	1.80	-	39.69	9.49	31.51

802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
 Setting 29
 01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08951G	58.72	88.20	-29.48	41.05	3	Horizontal	75	2.20	-	39.69	9.49	31.51
RMS	13.09048G	46.28	68.20	-21.92	28.61	3	Horizontal	75	2.20	-	39.69	9.49	31.51

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Z_4TX
Setting 29
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.62918G	48.69	83.54	-34.85	45.19	1	Vertical	242	1.05	-	37.85	15.35	49.70
AV	19.64166G	35.96	63.54	-27.58	32.46	1	Vertical	242	1.05	-	37.84	15.36	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Z_4TX
Setting 29
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63242G	48.26	83.54	-35.28	44.76	1	Horizontal	122	1.76	-	37.85	15.35	49.70
AV	19.62486G	35.87	63.54	-27.67	32.37	1	Horizontal	122	1.76	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 33
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6466G	108.61	Inf	-Inf	98.64	3	Vertical	357	1.80	-	35.99	7.00	33.02
RMS	6.637G	98.76	Inf	-Inf	88.81	3	Vertical	357	1.80	-	35.97	7.00	33.02
PK	7.201G	63.48	88.20	-24.72	52.30	3	Vertical	357	1.80	-	37.10	7.20	33.12
RMS	7.141G	52.65	68.20	-15.55	41.73	3	Vertical	357	1.80	-	36.83	7.23	33.14

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 33
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.649G	107.80	Inf	-Inf	97.82	3	Horizontal	4	1.80	-	36.00	7.00	33.02
RMS	6.6394G	97.21	Inf	-Inf	87.25	3	Horizontal	4	1.80	-	35.98	7.00	33.02
PK	7.2154G	63.00	88.20	-25.20	51.79	3	Horizontal	4	1.80	-	37.10	7.22	33.11
RMS	7.2034G	52.74	68.20	-15.46	41.56	3	Horizontal	4	1.80	-	37.10	7.20	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_Z_4TX
Setting 33
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25026G	58.38	74.00	-15.62	40.17	3	Vertical	162	2.50	-	39.95	9.56	31.30
AV	13.25021G	45.81	54.00	-8.19	27.60	3	Vertical	162	2.50	-	39.95	9.56	31.30

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_Z_4TX
Setting 33
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25048G	58.19	74.00	-15.81	39.98	3	Horizontal	136	2.11	-	39.95	9.56	31.30
AV	13.25018G	45.95	54.00	-8.05	27.74	3	Horizontal	136	2.11	-	39.95	9.56	31.30

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 33
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.88808G	48.20	83.54	-35.34	44.86	1	Vertical	128	1.33	-	37.58	15.46	49.70
AV	19.87302G	35.55	63.54	-27.99	32.20	1	Vertical	128	1.33	-	37.60	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 33
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8744G	49.08	83.54	-34.46	45.73	1	Horizontal	273	1.17	-	37.60	15.45	49.70
AV	19.88562G	35.65	63.54	-27.89	32.32	1	Horizontal	273	1.17	-	37.58	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Z_4TX
Setting 33
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.683G	108.31	Inf	-Inf	98.42	3	Vertical	358	1.80	-	35.93	7.00	33.04
RMS	6.677G	98.31	Inf	-Inf	88.39	3	Vertical	358	1.80	-	35.95	7.00	33.03
PK	7.193G	64.03	88.20	-24.17	52.88	3	Vertical	358	1.80	-	37.07	7.20	33.12
RMS	7.195G	52.77	68.20	-15.43	41.61	3	Vertical	358	1.80	-	37.08	7.20	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Z_4TX
Setting 33
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.693G	107.41	Inf	-Inf	97.54	3	Horizontal	4	1.46	-	35.91	7.00	33.04
RMS	6.677G	96.23	Inf	-Inf	86.31	3	Horizontal	4	1.46	-	35.95	7.00	33.03
PK	7.177G	63.61	88.20	-24.59	52.52	3	Horizontal	4	1.46	-	37.01	7.21	33.13
RMS	7.203G	52.81	68.20	-15.39	41.63	3	Horizontal	4	1.46	-	37.10	7.20	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 33
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40989G	58.83	88.20	-29.37	40.10	3	Vertical	356	2.10	-	40.20	9.63	31.10
RMS	13.41038G	46.60	68.20	-21.60	27.87	3	Vertical	356	2.10	-	40.20	9.63	31.10

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Z_4TX
Setting 33
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40995G	58.96	88.20	-29.24	40.23	3	Horizontal	133	1.14	-	40.20	9.63	31.10
RMS	13.40952G	46.61	68.20	-21.59	27.88	3	Horizontal	133	1.14	-	40.20	9.63	31.10

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 33
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10066G	48.98	83.54	-34.56	45.69	1	Vertical	55	1.00	-	37.48	15.55	49.74
AV	20.12694G	36.83	63.54	-26.71	33.52	1	Vertical	55	1.00	-	37.50	15.56	49.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 33
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.10936G	48.96	83.54	-34.58	45.66	1	Horizontal	297	2.83	-	37.49	15.55	49.74
AV	20.12568G	36.92	63.54	-26.62	33.61	1	Horizontal	297	2.83	-	37.50	15.56	49.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Z_4TX
Setting 31
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7482G	107.22	Inf	-Inf	97.10	3	Vertical	357	1.80	-	36.19	7.00	33.07
RMS	6.7722G	98.05	Inf	-Inf	87.93	3	Vertical	357	1.80	-	36.20	7.00	33.08
PK	7.1386G	63.05	88.20	-25.15	52.15	3	Vertical	357	1.80	-	36.81	7.23	33.14
RMS	7.1514G	52.74	68.20	-15.46	41.75	3	Vertical	357	1.80	-	36.91	7.22	33.14

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 31
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7706G	106.67	Inf	-Inf	96.55	3	Horizontal	360	1.96	-	36.20	7.00	33.08
RMS	6.7514G	96.59	Inf	-Inf	86.46	3	Horizontal	360	1.96	-	36.20	7.00	33.07
PK	7.1562G	63.01	88.20	-25.19	52.00	3	Horizontal	360	1.96	-	36.92	7.22	33.13
RMS	7.1834G	52.67	68.20	-15.53	41.55	3	Horizontal	360	1.96	-	37.03	7.21	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 31
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.57002G	59.33	88.20	-28.87	40.39	3	Vertical	157	2.66	-	40.27	9.71	31.04
RMS	13.56991G	46.71	68.20	-21.49	27.77	3	Vertical	157	2.66	-	40.27	9.71	31.04

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 31
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56975G	59.30	88.20	-28.90	40.36	3	Horizontal	323	2.60	-	40.27	9.71	31.04
RMS	13.57026G	46.76	68.20	-21.44	27.82	3	Horizontal	323	2.60	-	40.27	9.71	31.04

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 31
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.36208G	48.05	83.54	-35.49	44.59	1	Vertical	59	1.88	-	37.64	15.66	49.84
AV	20.35986G	35.97	63.54	-27.57	32.51	1	Vertical	59	1.88	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 31
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.358G	48.97	83.54	-34.57	45.51	1	Horizontal	239	2.05	-	37.64	15.66	49.84
AV	20.3421G	36.11	63.54	-27.43	32.66	1	Horizontal	239	2.05	-	37.64	15.65	49.84

802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Z_4TX
Setting 35
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.851G	108.89	Inf	-Inf	98.34	3	Vertical	360	1.80	-	36.59	7.08	33.12
RMS	6.8468G	99.01	Inf	-Inf	88.49	3	Vertical	360	1.80	-	36.57	7.07	33.12
PK	7.1338G	64.01	88.20	-24.19	53.15	3	Vertical	360	1.80	-	36.77	7.23	33.14
RMS	7.2038G	52.86	68.20	-15.34	41.68	3	Vertical	360	1.80	-	37.10	7.20	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 35
 01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8468G	107.96	Inf	-Inf	97.44	3	Horizontal	0	1.96	-	36.57	7.07	33.12
RMS	6.8566G	97.63	Inf	-Inf	87.12	3	Horizontal	0	1.96	-	36.55	7.08	33.12
PK	7.1982G	63.24	88.20	-24.96	52.07	3	Horizontal	0	1.96	-	37.09	7.20	33.12
RMS	7.2066G	52.88	68.20	-15.32	41.69	3	Horizontal	0	1.96	-	37.10	7.21	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 35
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72967G	61.45	88.20	-26.75	42.23	3	Vertical	264	1.86	-	40.59	9.78	31.15
RMS	13.73002G	49.14	68.20	-19.06	29.92	3	Vertical	264	1.86	-	40.59	9.78	31.15

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 35
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73021G	61.53	88.20	-26.67	42.31	3	Horizontal	51	1.00	-	40.59	9.78	31.15
RMS	13.73037G	49.26	68.20	-18.94	30.04	3	Horizontal	51	1.00	-	40.59	9.78	31.15

802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
Setting 35
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58786G	50.48	83.54	-33.06	46.77	1	Vertical	169	1.71	-	37.81	15.76	49.86
AV	20.59446G	37.40	63.54	-26.14	33.68	1	Vertical	169	1.71	-	37.81	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Z_4TX
 Setting 35
 01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.58846G	49.67	83.54	-33.87	45.96	1	Horizontal	0	2.54	-	37.81	15.76	49.86
AV	20.59884G	37.52	63.54	-26.02	33.79	1	Horizontal	0	2.54	-	37.82	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Z_4TX
Setting 37
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9306G	108.26	Inf	-Inf	97.84	3	Vertical	358	1.80	-	36.38	7.20	33.16
RMS	6.951G	98.34	Inf	-Inf	87.78	3	Vertical	358	1.80	-	36.50	7.23	33.17
PK	7.1538G	63.53	88.20	-24.67	52.52	3	Vertical	358	1.80	-	36.92	7.22	33.13
RMS	7.1994G	52.97	68.20	-15.23	41.79	3	Vertical	358	1.80	-	37.10	7.20	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Z_4TX
Setting 37
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9366G	108.65	Inf	-Inf	98.19	3	Horizontal	355	1.80	-	36.42	7.20	33.16
RMS	6.9402G	97.79	Inf	-Inf	87.30	3	Horizontal	355	1.80	-	36.44	7.21	33.16
PK	7.215G	63.43	88.20	-24.77	52.22	3	Horizontal	355	1.80	-	37.10	7.22	33.11
RMS	7.1934G	52.90	68.20	-15.30	41.75	3	Horizontal	355	1.80	-	37.07	7.20	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Z_4TX
Setting 37
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8898G	62.07	88.20	-26.13	42.59	3	Vertical	197	1.86	-	40.89	9.85	31.26
RMS	13.8899G	49.25	68.20	-18.95	29.77	3	Vertical	197	1.86	-	40.89	9.85	31.26

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Z_4TX
Setting 37
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88962G	61.01	88.20	-27.19	41.52	3	Horizontal	50	2.45	-	40.89	9.85	31.25
RMS	13.89001G	49.23	68.20	-18.97	29.75	3	Horizontal	50	2.45	-	40.89	9.85	31.26

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Z_4TX
Setting 37
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.82216G	49.15	83.54	-34.39	45.17	1	Vertical	345	2.23	-	37.88	15.87	49.77
AV	20.84766G	36.91	63.54	-26.63	32.95	1	Vertical	345	2.23	-	37.84	15.88	49.76

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Z_4TX
Setting 37
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.82042G	48.54	83.54	-35.00	44.55	1	Horizontal	50	1.70	-	37.89	15.87	49.77
AV	20.8407G	36.92	63.54	-26.62	32.95	1	Horizontal	50	1.70	-	37.85	15.88	49.76

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 34
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0138G	108.07	Inf	-Inf	97.59	3	Vertical	0	1.49	-	36.38	7.29	33.19
RMS	7.0522G	97.15	Inf	-Inf	86.45	3	Vertical	0	1.49	-	36.60	7.27	33.17
PK	7.165G	64.13	88.20	-24.07	53.08	3	Vertical	0	1.49	-	36.96	7.22	33.13
RMS	7.1274G	54.20	68.20	-14.00	43.38	3	Vertical	0	1.49	-	36.72	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 34
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0162G	107.03	Inf	-Inf	96.52	3	Horizontal	360	1.80	-	36.40	7.29	33.18
RMS	7.0162G	96.74	Inf	-Inf	86.23	3	Horizontal	360	1.80	-	36.40	7.29	33.18
PK	7.1314G	63.93	88.20	-24.27	53.09	3	Horizontal	360	1.80	-	36.75	7.23	33.14
RMS	7.1258G	54.02	68.20	-14.18	43.21	3	Horizontal	360	1.80	-	36.71	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 34
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05027G	62.88	88.20	-25.32	43.44	3	Vertical	22	2.63	-	40.90	9.92	31.38
RMS	14.05045G	50.38	68.20	-17.82	30.94	3	Vertical	22	2.63	-	40.90	9.92	31.38

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 34
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04972G	63.21	88.20	-24.99	43.78	3	Horizontal	258	2.99	-	40.90	9.91	31.38
RMS	14.04969G	50.42	68.20	-17.78	30.99	3	Horizontal	258	2.99	-	40.90	9.91	31.38

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 34
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0816G	48.57	83.54	-34.97	44.66	1	Vertical	140	1.67	-	37.60	15.99	49.68
AV	21.08586G	36.66	63.54	-26.88	32.75	1	Vertical	140	1.67	-	37.60	15.99	49.68

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 34
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07782G	49.30	83.54	-34.24	45.39	1	Horizontal	48	2.58	-	37.60	15.99	49.68
AV	21.08808G	36.57	63.54	-26.97	32.66	1	Horizontal	48	2.58	-	37.60	15.99	49.68

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Z_4TX
Setting 40
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9134G	62.89	88.20	-25.31	54.28	3	Vertical	350	1.80	-	34.95	6.60	32.94
RMS	5.923G	52.47	68.20	-15.73	43.82	3	Vertical	350	1.80	-	34.99	6.60	32.94
PK	6.0442G	109.68	Inf	-Inf	100.75	3	Vertical	350	1.80	-	35.21	6.67	32.95
RMS	6.0538G	98.60	Inf	-Inf	89.66	3	Vertical	350	1.80	-	35.21	6.68	32.95

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	71.01	88.20	-17.19	62.39	3	Horizontal	360	1.53	-	34.96	6.60	32.94
RMS	5.923G	53.57	68.20	-14.63	44.92	3	Horizontal	360	1.53	-	34.99	6.60	32.94
PK	6.0466G	108.25	Inf	-Inf	99.32	3	Horizontal	360	1.53	-	35.21	6.67	32.95
RMS	6.0478G	98.47	Inf	-Inf	89.55	3	Horizontal	360	1.53	-	35.20	6.67	32.95

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04975G	55.76	74.00	-18.24	41.01	3	Vertical	206	1.42	-	38.55	9.02	32.82
AV	12.04952G	45.21	54.00	-8.79	30.46	3	Vertical	206	1.42	-	38.55	9.02	32.82

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05021G	55.39	74.00	-18.61	40.64	3	Horizontal	253	1.59	-	38.55	9.02	32.82
AV	12.05031G	45.36	54.00	-8.64	30.61	3	Horizontal	253	1.59	-	38.55	9.02	32.82

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Z_4TX
Setting 40
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.06618G	45.67	83.54	-37.87	43.56	1	Vertical	20	1.49	-	37.65	14.73	50.27
AV	18.0834G	35.33	63.54	-28.21	33.24	1	Vertical	20	1.49	-	37.63	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom



EUT Z_4TX
Setting 40
01-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.08178G	45.80	83.54	-37.74	43.71	1	Horizontal	335	2.04	-	37.63	14.73	50.27
AV	18.0669G	35.06	63.54	-28.48	32.95	1	Horizontal	335	2.04	-	37.65	14.73	50.27