


802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 42
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.052G	58.28	88.20	-29.92	40.71	3	Vertical	115	2.06	-	39.65	9.47	31.55
RMS	13.0521G	45.75	68.20	-22.45	28.18	3	Vertical	115	2.06	-	39.65	9.47	31.55

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 42
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05836G	58.27	88.20	-29.93	40.68	3	Horizontal	274	2.03	-	39.66	9.48	31.55
RMS	13.05844G	45.85	68.20	-22.35	28.26	3	Horizontal	274	2.03	-	39.66	9.48	31.55

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 42
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57804G	47.12	83.54	-36.42	43.62	1	Vertical	23	1.55	-	37.87	15.33	49.70
AV	19.57424G	35.04	63.54	-28.50	31.54	1	Vertical	23	1.55	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 42
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5778G	47.44	83.54	-36.10	43.94	1	Horizontal	265	1.53	-	37.87	15.33	49.70
AV	19.57244G	35.16	63.54	-28.38	31.66	1	Horizontal	265	1.53	-	37.87	15.33	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.565G	107.91	Inf	-Inf	98.06	3	Vertical	129	1.97	-	35.83	7.00	32.98
RMS	6.565G	97.56	Inf	-Inf	87.71	3	Vertical	129	1.97	-	35.83	7.00	32.98
PK	7.1314G	62.63	88.20	-25.57	51.79	3	Vertical	129	1.97	-	36.75	7.23	33.14
RMS	7.129G	51.50	68.20	-16.70	40.67	3	Vertical	129	1.97	-	36.73	7.24	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5722G	97.02	Inf	-Inf	87.16	3	Horizontal	241	2.02	-	35.84	7.00	32.98
RMS	6.5818G	87.35	Inf	-Inf	77.48	3	Horizontal	241	2.02	-	35.86	7.00	32.99
PK	7.153G	62.26	88.20	-25.94	51.26	3	Horizontal	241	2.02	-	36.91	7.22	33.13
RMS	7.1482G	51.66	68.20	-16.54	40.68	3	Horizontal	241	2.02	-	36.89	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12644G	58.68	88.20	-29.52	40.88	3	Vertical	236	1.47	-	39.75	9.51	31.46
RMS	13.1342G	46.13	68.20	-22.07	28.30	3	Vertical	236	1.47	-	39.77	9.51	31.45

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13336G	58.20	88.20	-30.00	40.37	3	Horizontal	283	2.54	-	39.77	9.51	31.45
RMS	13.1228G	46.29	68.20	-21.91	28.50	3	Horizontal	283	2.54	-	39.75	9.51	31.47

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6902G	47.78	83.54	-35.76	44.28	1	Vertical	167	1.51	-	37.82	15.38	49.70
AV	19.69478G	34.98	63.54	-28.56	31.48	1	Vertical	167	1.51	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69668G	47.26	83.54	-36.28	43.76	1	Horizontal	256	1.52	-	37.82	15.38	49.70
AV	19.69536G	34.74	63.54	-28.80	31.24	1	Horizontal	256	1.52	-	37.82	15.38	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 43
01-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.697G	108.51	Inf	-Inf	98.64	3	Vertical	288	1.80	-	35.91	7.00	33.04
RMS	6.703G	97.73	Inf	-Inf	87.86	3	Vertical	288	1.80	-	35.92	7.00	33.05
PK	7.159G	62.21	88.20	-25.99	51.18	3	Vertical	288	1.80	-	36.94	7.22	33.13
RMS	7.127G	51.74	68.20	-16.46	40.92	3	Vertical	288	1.80	-	36.72	7.24	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 43
01-F-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.673G	101.33	Inf	-Inf	91.41	3	Horizontal	200	2.86	-	35.95	7.00	33.03
RMS	6.693G	91.56	Inf	-Inf	81.69	3	Horizontal	200	2.86	-	35.91	7.00	33.04
PK	7.133G	62.62	88.20	-25.58	51.77	3	Horizontal	200	2.86	-	36.76	7.23	33.14
RMS	7.131G	51.66	68.20	-16.54	40.82	3	Horizontal	200	2.86	-	36.75	7.23	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 43
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37584G	58.65	74.00	-15.35	40.03	3	Vertical	347	1.66	-	40.15	9.62	31.15
AV	13.37456G	46.63	54.00	-7.37	28.01	3	Vertical	347	1.66	-	40.15	9.62	31.15

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 43
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36036G	58.78	74.00	-15.22	40.22	3	Horizontal	132	1.71	-	40.12	9.61	31.17
AV	13.36808G	46.32	54.00	-7.68	27.72	3	Horizontal	132	1.71	-	40.14	9.62	31.16

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 43
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0599G	46.05	83.54	-37.49	42.79	1	Vertical	164	1.51	-	37.45	15.53	49.72
AV	20.05744G	34.05	63.54	-29.49	30.79	1	Vertical	164	1.51	-	37.45	15.53	49.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 43
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0554G	45.80	83.54	-37.74	42.56	1	Horizontal	283	1.53	-	37.44	15.52	49.72
AV	20.05912G	34.11	63.54	-29.43	30.85	1	Horizontal	283	1.53	-	37.45	15.53	49.72

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Z_4TX
Setting 45
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8434G	107.90	Inf	-Inf	97.39	3	Vertical	289	1.94	-	36.55	7.07	33.11
RMS	6.8626G	97.79	Inf	-Inf	87.32	3	Vertical	289	1.94	-	36.50	7.09	33.12
PK	7.1842G	63.03	88.20	-25.17	51.90	3	Vertical	289	1.94	-	37.04	7.21	33.12
RMS	7.1922G	51.88	68.20	-16.32	40.73	3	Vertical	289	1.94	-	37.07	7.20	33.12

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 45
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8626G	103.33	Inf	-Inf	92.86	3	Horizontal	204	2.88	-	36.50	7.09	33.12
RMS	6.8626G	91.77	Inf	-Inf	81.30	3	Horizontal	204	2.88	-	36.50	7.09	33.12
PK	7.2194G	64.29	88.20	-23.91	53.08	3	Horizontal	204	2.88	-	37.10	7.22	33.11
RMS	7.2226G	51.89	68.20	-16.31	40.68	3	Horizontal	204	2.88	-	37.10	7.22	33.11

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 45
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6908G	60.61	88.20	-27.59	41.49	3	Vertical	288	2.96	-	40.48	9.76	31.12
RMS	13.6902G	48.14	68.20	-20.06	29.02	3	Vertical	288	2.96	-	40.48	9.76	31.12

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 45
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.695G	61.18	88.20	-27.02	42.05	3	Horizontal	358	1.95	-	40.49	9.76	31.12
RMS	13.69656G	48.42	68.20	-19.78	29.29	3	Horizontal	358	1.95	-	40.49	9.76	31.12

802.11ax HEW40_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 45
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53326G	46.70	83.54	-36.84	43.11	1	Vertical	352	1.55	-	37.74	15.74	49.89
AV	20.5301G	34.45	63.54	-29.09	30.86	1	Vertical	352	1.55	-	37.74	15.74	49.89

802.11ax HEW40_Nss1,(MCS0)_4TX


6845MHz_TnomVnom



EUT_Z_4TX
Setting 45
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53456G	46.97	83.54	-36.57	43.38	1	Horizontal	124	1.55	-	37.74	15.74	49.89
AV	20.53796G	34.54	63.54	-29.00	30.93	1	Horizontal	124	1.55	-	37.75	15.74	49.88


802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 40
 01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8934G	109.31	Inf	-Inf	99.06	3	Vertical	290	1.80	-	36.25	7.14	33.14
RMS	6.8878G	99.00	Inf	-Inf	88.71	3	Vertical	290	1.80	-	36.30	7.13	33.14
PK	7.2266G	63.78	88.20	-24.42	52.56	3	Vertical	290	1.80	-	37.10	7.23	33.11
RMS	7.2G	52.47	68.20	-15.73	41.29	3	Vertical	290	1.80	-	37.10	7.20	33.12

802.11ax HEW40_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 40
 01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8934G	101.14	Inf	-Inf	90.89	3	Horizontal	198	2.97	-	36.25	7.14	33.14
RMS	6.8878G	90.70	Inf	-Inf	80.41	3	Horizontal	198	2.97	-	36.30	7.13	33.14
PK	7.1496G	63.82	88.20	-24.38	52.83	3	Horizontal	198	2.97	-	36.90	7.23	33.14
RMS	7.2266G	52.46	68.20	-15.74	41.24	3	Horizontal	198	2.97	-	37.10	7.23	33.11

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 40
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76736G	60.88	88.20	-27.32	41.55	3	Vertical	267	1.43	-	40.70	9.80	31.17
RMS	13.77104G	48.53	68.20	-19.67	29.19	3	Vertical	267	1.43	-	40.71	9.80	31.17

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 40
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76716G	60.89	88.20	-27.31	41.56	3	Horizontal	276	1.61	-	40.70	9.80	31.17
RMS	13.76896G	48.74	68.20	-19.46	29.40	3	Horizontal	276	1.61	-	40.71	9.80	31.17

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 40
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65776G	46.87	83.54	-36.67	43.02	1	Vertical	1	1.58	-	37.89	15.80	49.84
AV	20.65556G	34.84	63.54	-28.70	30.99	1	Vertical	1	1.58	-	37.89	15.80	49.84

802.11ax HEW40_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 40
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65716G	47.42	83.54	-36.12	43.57	1	Horizontal	60	1.55	-	37.89	15.80	49.84
AV	20.65862G	34.81	63.54	-28.73	30.96	1	Horizontal	60	1.55	-	37.89	15.80	49.84

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Z_4TX
Setting 42
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9322G	109.20	Inf	-Inf	98.77	3	Vertical	290	1.79	-	36.39	7.20	33.16
RMS	6.9322G	98.75	Inf	-Inf	88.32	3	Vertical	290	1.79	-	36.39	7.20	33.16
PK	7.1914G	63.10	88.20	-25.10	51.95	3	Vertical	290	1.79	-	37.07	7.20	33.12
RMS	7.1998G	52.46	68.20	-15.74	41.28	3	Vertical	290	1.79	-	37.10	7.20	33.12

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 42
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9082G	100.90	Inf	-Inf	90.64	3	Horizontal	196	1.78	-	36.25	7.16	33.15
RMS	6.913G	90.65	Inf	-Inf	80.35	3	Horizontal	196	1.78	-	36.28	7.17	33.15
PK	7.1626G	63.50	88.20	-24.70	52.46	3	Horizontal	196	1.78	-	36.95	7.22	33.13
RMS	7.2118G	52.44	68.20	-15.76	41.24	3	Horizontal	196	1.78	-	37.10	7.21	33.11

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 42
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.854G	61.57	88.20	-26.63	42.12	3	Vertical	294	2.21	-	40.85	9.83	31.23
RMS	13.85948G	48.47	68.20	-19.73	29.00	3	Vertical	294	2.21	-	40.86	9.84	31.23

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 42
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8406G	60.55	88.20	-27.65	41.10	3	Horizontal	340	1.29	-	40.84	9.83	31.22
RMS	13.85896G	48.73	68.20	-19.47	29.26	3	Horizontal	340	1.29	-	40.86	9.84	31.23

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 42
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7767G	46.86	83.54	-36.68	42.84	1	Vertical	49	1.56	-	37.96	15.85	49.79
AV	20.7721G	35.07	63.54	-28.47	31.05	1	Vertical	49	1.56	-	37.96	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 42
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7744G	47.61	83.54	-35.93	43.59	1	Horizontal	60	1.52	-	37.96	15.85	49.79
AV	20.77764G	34.85	63.54	-28.69	30.83	1	Horizontal	60	1.52	-	37.96	15.85	49.79

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Z_4TX
 Setting 37
 01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0026G	108.18	Inf	-Inf	97.75	3	Vertical	217	2.05	-	36.32	7.30	33.19
RMS	7.0026G	98.09	Inf	-Inf	87.66	3	Vertical	217	2.05	-	36.32	7.30	33.19
PK	7.1946G	63.34	88.20	-24.86	52.18	3	Vertical	217	2.05	-	37.08	7.20	33.12
RMS	7.1994G	52.41	68.20	-15.79	41.23	3	Vertical	217	2.05	-	37.10	7.20	33.12

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Z_4TX
Setting 37
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9978G	101.14	Inf	-Inf	90.72	3	Horizontal	201	2.81	-	36.31	7.30	33.19
RMS	7.0026G	90.65	Inf	-Inf	80.22	3	Horizontal	201	2.81	-	36.32	7.30	33.19
PK	7.1666G	63.92	88.20	-24.28	52.86	3	Horizontal	201	2.81	-	36.97	7.22	33.13
RMS	7.1994G	52.37	68.20	-15.83	41.19	3	Horizontal	201	2.81	-	37.10	7.20	33.12

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Z_4TX
Setting 37
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00992G	62.35	88.20	-25.85	42.89	3	Vertical	244	1.68	-	40.90	9.90	31.34
RMS	14.00408G	49.44	68.20	-18.76	29.97	3	Vertical	244	1.68	-	40.90	9.90	31.33

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Z_4TX
Setting 37
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01192G	62.39	88.20	-25.81	42.93	3	Horizontal	120	1.55	-	40.90	9.90	31.34
RMS	14.01184G	49.45	68.20	-18.75	29.99	3	Horizontal	120	1.55	-	40.90	9.90	31.34

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 37
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0135G	46.55	83.54	-36.99	42.69	1	Vertical	349	1.50	-	37.60	15.96	49.70
AV	21.01872G	34.68	63.54	-28.86	30.82	1	Vertical	349	1.50	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Z_4TX
Setting 37
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0107G	47.07	83.54	-36.47	43.22	1	Horizontal	308	1.58	-	37.60	15.95	49.70
AV	21.01802G	34.41	63.54	-29.13	30.55	1	Horizontal	308	1.58	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Z_4TX
Setting 39
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0962G	109.46	Inf	-Inf	98.86	3	Vertical	197	1.80	-	36.51	7.25	33.16
AV	7.0958G	98.43	Inf	-Inf	87.83	3	Vertical	197	1.80	-	36.51	7.25	33.16
PK	7.1258G	74.15	88.20	-14.05	63.34	3	Vertical	197	1.80	-	36.71	7.24	33.14
AV	7.1258G	60.40	68.20	-7.80	49.59	3	Vertical	197	1.80	-	36.71	7.24	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Z_4TX
Setting 39
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0918G	99.90	Inf	-Inf	89.29	3	Horizontal	196	1.68	-	36.52	7.25	33.16
AV	7.0974G	89.89	Inf	-Inf	79.28	3	Horizontal	196	1.68	-	36.51	7.25	33.15
PK	7.127G	67.07	88.20	-21.13	56.25	3	Horizontal	196	1.68	-	36.72	7.24	33.14
AV	7.127G	54.07	68.20	-14.13	43.25	3	Horizontal	196	1.68	-	36.72	7.24	33.14

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Z_4TX
Setting 39
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16664G	61.92	88.20	-26.28	42.63	3	Vertical	37	1.81	-	40.83	9.95	31.49
RMS	14.17052G	49.61	68.20	-18.59	30.33	3	Vertical	37	1.81	-	40.83	9.95	31.50

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_Z_4TX
Setting 39
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16168G	61.63	88.20	-26.57	42.33	3	Horizontal	295	1.36	-	40.84	9.95	31.49
RMS	14.1634G	49.42	68.20	-18.78	30.12	3	Horizontal	295	1.36	-	40.84	9.95	31.49

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Z_4TX
Setting 39
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25826G	47.33	83.54	-36.21	43.30	1	Vertical	332	1.54	-	37.61	16.07	49.65
AV	21.2596G	34.92	63.54	-28.62	30.89	1	Vertical	332	1.54	-	37.61	16.07	49.65

802.11ax HEW40_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Z_4TX
Setting 39
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25488G	47.33	83.54	-36.21	43.31	1	Horizontal	168	1.54	-	37.61	16.06	49.65
AV	21.25796G	35.12	63.54	-28.42	31.09	1	Horizontal	168	1.54	-	37.61	16.07	49.65

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Z_4TX
Setting 44
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9194G	73.41	88.20	-14.79	64.77	3	Vertical	119	1.80	-	34.98	6.60	32.94
RMS	5.9218G	61.78	68.20	-6.42	53.13	3	Vertical	119	1.80	-	34.99	6.60	32.94
PK	5.9914G	108.68	Inf	-Inf	99.76	3	Vertical	119	1.80	-	35.27	6.60	32.95
RMS	6.0018G	97.51	Inf	-Inf	88.56	3	Vertical	119	1.80	-	35.30	6.60	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Z_4TX
Setting 44
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	66.06	88.20	-22.14	57.42	3	Horizontal	210	2.05	-	34.98	6.60	32.94
RMS	5.921G	54.05	68.20	-14.15	45.41	3	Horizontal	210	2.05	-	34.98	6.60	32.94
PK	6.0058G	97.87	Inf	-Inf	88.92	3	Horizontal	210	2.05	-	35.29	6.61	32.95
RMS	5.9962G	88.12	Inf	-Inf	79.19	3	Horizontal	210	2.05	-	35.28	6.60	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_Z_4TX
Setting 44
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97284G	56.27	74.00	-17.73	41.66	3	Vertical	239	1.72	-	38.50	8.99	32.88
AV	11.97284G	43.61	54.00	-10.39	29.00	3	Vertical	239	1.72	-	38.50	8.99	32.88
PK	17.95584G	61.35	74.00	-12.65	39.06	3	Vertical	258	1.32	-	42.86	11.09	31.66
AV	17.9557G	49.79	54.00	-4.21	27.50	3	Vertical	258	1.32	-	42.86	11.09	31.66

802.11ax HEW80_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_Z_4TX
Setting 44
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.96416G	56.02	74.00	-17.98	41.40	3	Horizontal	122	2.29	-	38.50	8.99	32.87
AV	11.9634G	43.79	54.00	-10.21	29.17	3	Horizontal	122	2.29	-	38.50	8.99	32.87
PK	17.95188G	61.69	74.00	-12.31	39.41	3	Horizontal	292	1.72	-	42.85	11.09	31.66
AV	17.95446G	49.47	54.00	-4.53	27.19	3	Horizontal	292	1.72	-	42.85	11.09	31.66

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 47
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	60.42	88.20	-27.78	51.76	3	Vertical	121	1.98	-	35.00	6.60	32.94
RMS	5.9158G	49.66	68.20	-18.54	41.04	3	Vertical	121	1.98	-	34.96	6.60	32.94
PK	6.1762G	109.68	Inf	-Inf	100.37	3	Vertical	121	1.98	-	35.40	6.86	32.95
RMS	6.1762G	98.50	Inf	-Inf	89.19	3	Vertical	121	1.98	-	35.40	6.86	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 47
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	60.48	88.20	-27.72	51.95	3	Horizontal	210	2.04	-	34.87	6.60	32.94
RMS	5.8762G	49.49	68.20	-18.71	40.98	3	Horizontal	210	2.04	-	34.85	6.60	32.94
PK	6.1558G	99.25	Inf	-Inf	90.05	3	Horizontal	210	2.04	-	35.32	6.83	32.95
RMS	6.1762G	88.65	Inf	-Inf	79.34	3	Horizontal	210	2.04	-	35.40	6.86	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 47
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29176G	55.79	74.00	-18.21	40.70	3	Vertical	110	2.25	-	38.48	9.13	32.52
AV	12.29112G	43.55	54.00	-10.45	28.46	3	Vertical	110	2.25	-	38.48	9.13	32.52

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 47
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29064G	55.07	74.00	-18.93	39.98	3	Horizontal	19	1.96	-	38.48	9.13	32.52
AV	12.28532G	43.46	54.00	-10.54	28.39	3	Horizontal	19	1.96	-	38.47	9.13	32.53

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 47
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43332G	46.58	83.54	-36.96	44.12	1	Vertical	279	1.50	-	37.72	14.87	50.13
AV	18.433G	34.27	63.54	-29.27	31.81	1	Vertical	279	1.50	-	37.72	14.87	50.13

802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 47
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43518G	46.70	83.54	-36.84	44.24	1	Horizontal	60	1.51	-	37.72	14.87	50.13
AV	18.43542G	34.15	63.54	-29.39	31.69	1	Horizontal	60	1.51	-	37.72	14.87	50.13

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Z_4TX
Setting 41
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9098G	60.17	88.20	-28.03	51.57	3	Vertical	127	2.05	-	34.94	6.60	32.94
RMS	5.9122G	49.54	68.20	-18.66	40.93	3	Vertical	127	2.05	-	34.95	6.60	32.94
PK	6.4018G	109.55	Inf	-Inf	99.91	3	Vertical	127	2.05	-	35.59	7.00	32.95
RMS	6.3754G	97.06	Inf	-Inf	87.57	3	Vertical	127	2.05	-	35.45	6.99	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Z_4TX
Setting 41
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8666G	60.02	88.20	-28.18	51.53	3	Horizontal	210	1.98	-	34.83	6.60	32.94
RMS	5.8666G	49.44	68.20	-18.76	40.95	3	Horizontal	210	1.98	-	34.83	6.60	32.94
PK	6.3754G	99.52	Inf	-Inf	90.03	3	Horizontal	210	1.98	-	35.45	6.99	32.95
RMS	6.3898G	88.02	Inf	-Inf	78.44	3	Horizontal	210	1.98	-	35.54	6.99	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 41
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7656G	56.30	88.20	-31.90	39.75	3	Vertical	185	1.43	-	39.13	9.34	31.92
RMS	12.76352G	44.43	68.20	-23.77	27.88	3	Vertical	185	1.43	-	39.13	9.34	31.92

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 41
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76644G	56.23	88.20	-31.97	39.68	3	Horizontal	15	1.28	-	39.13	9.34	31.92
RMS	12.76336G	44.59	68.20	-23.61	28.04	3	Horizontal	15	1.28	-	39.13	9.34	31.92

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 41
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15138G	46.68	83.54	-36.86	43.33	1	Vertical	198	1.56	-	37.82	15.16	49.63
AV	19.15854G	34.68	63.54	-28.86	31.34	1	Vertical	198	1.56	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT_Z_4TX
Setting 41
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15088G	47.14	83.54	-36.40	43.79	1	Horizontal	54	1.53	-	37.82	15.16	49.63
AV	19.15596G	34.59	63.54	-28.95	31.25	1	Horizontal	54	1.53	-	37.81	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Z_4TX
Setting 52
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8956G	60.11	88.20	-28.09	51.56	3	Vertical	126	2.10	-	34.89	6.60	32.94
RMS	5.919G	49.51	68.20	-18.69	40.87	3	Vertical	126	2.10	-	34.98	6.60	32.94
PK	6.4806G	109.15	Inf	-Inf	99.58	3	Vertical	126	2.10	-	35.52	7.00	32.95
RMS	6.4962G	97.68	Inf	-Inf	88.05	3	Vertical	126	2.10	-	35.58	7.00	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Z_4TX
Setting 52
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8566G	60.10	88.20	-28.10	51.63	3	Horizontal	199	1.80	-	34.81	6.60	32.94
RMS	5.8722G	49.44	68.20	-18.76	40.94	3	Horizontal	199	1.80	-	34.84	6.60	32.94
PK	6.504G	98.19	Inf	-Inf	88.52	3	Horizontal	199	1.80	-	35.62	7.00	32.95
RMS	6.4936G	86.70	Inf	-Inf	77.08	3	Horizontal	199	1.80	-	35.57	7.00	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 52
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93984G	57.84	88.20	-30.36	40.70	3	Vertical	51	2.32	-	39.42	9.42	31.70
RMS	12.93112G	45.40	68.20	-22.80	28.30	3	Vertical	51	2.32	-	39.39	9.42	31.71

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 52
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93176G	58.32	88.20	-29.88	41.21	3	Horizontal	115	1.69	-	39.40	9.42	31.71
RMS	12.93404G	45.33	68.20	-22.87	28.21	3	Horizontal	115	1.69	-	39.40	9.42	31.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT_Z_4TX
Setting 52
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3901G	47.06	83.54	-36.48	43.67	1	Vertical	355	1.53	-	37.81	15.26	49.68
AV	19.39656G	34.82	63.54	-28.72	31.42	1	Vertical	355	1.53	-	37.82	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_4TX


6465MHz_TnomVnom



EUT_Z_4TX
Setting 52
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39846G	46.57	83.54	-36.97	43.17	1	Horizontal	31	1.58	-	37.82	15.26	49.68
AV	19.39472G	34.56	63.54	-28.98	31.16	1	Horizontal	31	1.58	-	37.82	15.26	49.68


802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
 Setting 52
 01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.908G	59.41	88.20	-28.79	50.82	3	Vertical	277	2.04	-	34.93	6.60	32.94
RMS	5.9184G	49.43	68.20	-18.77	40.80	3	Vertical	277	2.04	-	34.97	6.60	32.94
PK	6.5788G	108.17	Inf	-Inf	98.30	3	Vertical	277	2.04	-	35.86	7.00	32.99
RMS	6.5788G	95.74	Inf	-Inf	85.87	3	Vertical	277	2.04	-	35.86	7.00	32.99
PK	7.1664G	62.75	88.20	-25.45	51.69	3	Vertical	277	2.04	-	36.97	7.22	33.13
RMS	7.1872G	52.37	68.20	-15.83	41.23	3	Vertical	277	2.04	-	37.05	7.21	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
 Setting 52
 01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9158G	59.86	88.20	-28.34	51.24	3	Horizontal	198	2.11	-	34.96	6.60	32.94
RMS	5.9184G	49.39	68.20	-18.81	40.76	3	Horizontal	198	2.11	-	34.97	6.60	32.94
PK	6.5528G	99.93	Inf	-Inf	90.10	3	Horizontal	198	2.11	-	35.81	7.00	32.98
RMS	6.5684G	87.92	Inf	-Inf	78.06	3	Horizontal	198	2.11	-	35.84	7.00	32.98
PK	7.1352G	62.68	88.20	-25.52	51.81	3	Horizontal	198	2.11	-	36.78	7.23	33.14
RMS	7.1898G	52.44	68.20	-15.76	41.29	3	Horizontal	198	2.11	-	37.06	7.21	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 52
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08232G	58.13	88.20	-30.07	40.48	3	Vertical	331	2.74	-	39.68	9.49	31.52
RMS	13.09716G	46.14	68.20	-22.06	28.45	3	Vertical	331	2.74	-	39.70	9.49	31.50

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 52
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08788G	58.05	88.20	-30.15	40.38	3	Horizontal	40	1.41	-	39.69	9.49	31.51
RMS	13.08848G	46.00	68.20	-22.20	28.33	3	Horizontal	40	1.41	-	39.69	9.49	31.51

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 52
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63566G	47.32	83.54	-36.22	43.82	1	Vertical	264	1.57	-	37.85	15.35	49.70
AV	19.63506G	35.59	63.54	-27.95	32.09	1	Vertical	264	1.57	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 52
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63638G	47.86	83.54	-35.68	44.36	1	Horizontal	168	1.50	-	37.85	15.35	49.70
AV	19.63802G	35.43	63.54	-28.11	31.93	1	Horizontal	168	1.50	-	37.84	15.36	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 51
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6058G	108.45	Inf	-Inf	98.54	3	Vertical	128	1.96	-	35.91	7.00	33.00
RMS	6.5962G	97.40	Inf	-Inf	87.51	3	Vertical	128	1.96	-	35.89	7.00	33.00
PK	7.2034G	62.78	88.20	-25.42	51.60	3	Vertical	128	1.96	-	37.10	7.20	33.12
RMS	7.2082G	52.58	68.20	-15.62	41.39	3	Vertical	128	1.96	-	37.10	7.21	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT Z_4TX
Setting 51
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6082G	99.42	Inf	-Inf	89.50	3	Horizontal	198	1.98	-	35.92	7.00	33.00
RMS	6.5986G	89.03	Inf	-Inf	79.13	3	Horizontal	198	1.98	-	35.90	7.00	33.00
PK	7.2106G	63.53	88.20	-24.67	52.33	3	Horizontal	198	1.98	-	37.10	7.21	33.11
RMS	7.2202G	52.52	68.20	-15.68	41.31	3	Horizontal	198	1.98	-	37.10	7.22	33.11

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_Z_4TX
Setting 51
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25052G	58.59	74.00	-15.41	40.38	3	Vertical	163	1.02	-	39.95	9.56	31.30
AV	13.25012G	46.11	54.00	-7.89	27.90	3	Vertical	163	1.02	-	39.95	9.56	31.30

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_Z_4TX
Setting 51
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.25236G	57.70	74.00	-16.30	39.49	3	Horizontal	158	1.45	-	39.95	9.56	31.30
AV	13.25228G	46.21	54.00	-7.79	28.00	3	Horizontal	158	1.45	-	39.95	9.56	31.30

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_Z_4TX
Setting 51
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.8774G	47.40	83.54	-36.14	44.05	1	Vertical	136	1.51	-	37.60	15.45	49.70
AV	19.87656G	34.58	63.54	-28.96	31.23	1	Vertical	136	1.51	-	37.60	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TnomVnom




EUT_Z_4TX
Setting 51
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87818G	47.15	83.54	-36.39	43.81	1	Horizontal	152	1.56	-	37.59	15.45	49.70
AV	19.87258G	34.60	63.54	-28.94	31.25	1	Horizontal	152	1.56	-	37.60	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 56
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.693G	109.45	Inf	-Inf	99.58	3	Vertical	209	2.01	-	35.91	7.00	33.04
RMS	6.693G	98.80	Inf	-Inf	88.93	3	Vertical	209	2.01	-	35.91	7.00	33.04
PK	7.175G	62.72	88.20	-25.48	51.64	3	Vertical	209	2.01	-	37.00	7.21	33.13
RMS	7.205G	52.50	68.20	-15.70	41.31	3	Vertical	209	2.01	-	37.10	7.21	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Z_4TX
Setting 56
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.709G	103.18	Inf	-Inf	93.28	3	Horizontal	200	2.87	-	35.95	7.00	33.05
RMS	6.693G	91.28	Inf	-Inf	81.41	3	Horizontal	200	2.87	-	35.91	7.00	33.04
PK	7.205G	63.89	88.20	-24.31	52.70	3	Horizontal	200	2.87	-	37.10	7.21	33.12
RMS	7.205G	52.47	68.20	-15.73	41.28	3	Horizontal	200	2.87	-	37.10	7.21	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 56
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40424G	58.74	88.20	-29.46	40.02	3	Vertical	193	1.01	-	40.20	9.63	31.11
RMS	13.4166G	46.50	68.20	-21.70	27.76	3	Vertical	193	1.01	-	40.20	9.64	31.10

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT Z_4TX
Setting 56
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41412G	59.13	88.20	-29.07	40.39	3	Horizontal	217	2.20	-	40.20	9.64	31.10
RMS	13.40168G	46.44	68.20	-21.76	27.72	3	Horizontal	217	2.20	-	40.20	9.63	31.11

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 56
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11954G	47.25	83.54	-36.29	43.95	1	Vertical	349	1.55	-	37.50	15.55	49.75
AV	20.11938G	35.15	63.54	-28.39	31.85	1	Vertical	349	1.55	-	37.50	15.55	49.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TnomVnom




EUT_Z_4TX
Setting 56
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11378G	46.87	83.54	-36.67	43.58	1	Horizontal	216	1.57	-	37.49	15.55	49.75
AV	20.11512G	35.12	63.54	-28.42	31.83	1	Horizontal	216	1.57	-	37.49	15.55	49.75

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Z_4TX
Setting 52
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7978G	109.57	Inf	-Inf	99.46	3	Vertical	218	1.88	-	36.20	7.00	33.09
RMS	6.793G	99.57	Inf	-Inf	89.46	3	Vertical	218	1.88	-	36.20	7.00	33.09
PK	7.177G	63.76	88.20	-24.44	52.67	3	Vertical	218	1.88	-	37.01	7.21	33.13
RMS	7.1834G	52.67	68.20	-15.53	41.55	3	Vertical	218	1.88	-	37.03	7.21	33.12

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT Z_4TX
Setting 52
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8026G	101.45	Inf	-Inf	91.33	3	Horizontal	196	1.94	-	36.22	7.00	33.10
RMS	6.793G	91.61	Inf	-Inf	81.50	3	Horizontal	196	1.94	-	36.20	7.00	33.09
PK	7.1466G	63.45	88.20	-24.75	52.49	3	Horizontal	196	1.94	-	36.87	7.23	33.14
RMS	7.1802G	52.53	68.20	-15.67	41.43	3	Horizontal	196	1.94	-	37.02	7.21	33.13

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 52
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56804G	59.34	88.20	-28.86	40.40	3	Vertical	257	2.57	-	40.27	9.71	31.04
RMS	13.56856G	46.83	68.20	-21.37	27.89	3	Vertical	257	2.57	-	40.27	9.71	31.04

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 52
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56092G	59.42	88.20	-28.78	40.49	3	Horizontal	265	1.84	-	40.26	9.70	31.03
RMS	13.5634G	46.67	68.20	-21.53	27.74	3	Horizontal	265	1.84	-	40.26	9.70	31.03

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 52
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35214G	48.14	83.54	-35.40	44.68	1	Vertical	90	1.57	-	37.64	15.66	49.84
AV	20.35882G	35.78	63.54	-27.76	32.32	1	Vertical	90	1.57	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TnomVnom




EUT_Z_4TX
Setting 52
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35762G	48.09	83.54	-35.45	44.63	1	Horizontal	160	1.55	-	37.64	15.66	49.84
AV	20.35564G	35.91	63.54	-27.63	32.45	1	Horizontal	160	1.55	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_4TX


6865MHz Straddle 6.525-6.875GHz_TnomVnom



EUT Z_4TX
Setting 57
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8878G	110.31	Inf	-Inf	100.02	3	Vertical	288	2.01	-	36.30	7.13	33.14
RMS	6.8926G	100.21	Inf	-Inf	89.95	3	Vertical	288	2.01	-	36.26	7.14	33.14
PK	7.1566G	63.27	88.20	-24.93	52.25	3	Vertical	288	2.01	-	36.93	7.22	33.13
RMS	7.153G	52.45	68.20	-15.75	41.45	3	Vertical	288	2.01	-	36.91	7.22	33.13

802.11ax HEW80_Nss1,(MCS0)_4TX
6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Z_4TX
 Setting 57
 01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9022G	101.47	Inf	-Inf	91.25	3	Horizontal	196	1.80	-	36.21	7.15	33.14
RMS	6.8926G	91.49	Inf	-Inf	81.23	3	Horizontal	196	1.80	-	36.26	7.14	33.14
PK	7.1446G	63.37	88.20	-24.83	52.42	3	Horizontal	196	1.80	-	36.86	7.23	33.14
RMS	7.1506G	52.33	68.20	-15.87	41.35	3	Horizontal	196	1.80	-	36.90	7.22	33.14

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 57
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72332G	60.85	88.20	-27.35	41.64	3	Vertical	248	1.73	-	40.57	9.78	31.14
RMS	13.7294G	48.93	68.20	-19.27	29.71	3	Vertical	248	1.73	-	40.59	9.78	31.15

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 57
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73672G	60.75	88.20	-27.45	41.51	3	Horizontal	289	2.62	-	40.61	9.78	31.15
RMS	13.73892G	48.65	68.20	-19.55	29.40	3	Horizontal	289	2.62	-	40.62	9.78	31.15

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 57
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59416G	46.96	83.54	-36.58	43.24	1	Vertical	209	1.55	-	37.81	15.77	49.86
AV	20.59538G	34.47	63.54	-29.07	30.75	1	Vertical	209	1.55	-	37.81	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 57
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59294G	46.74	83.54	-36.80	43.02	1	Horizontal	350	1.56	-	37.81	15.77	49.86
AV	20.59828G	34.37	63.54	-29.17	30.64	1	Horizontal	350	1.56	-	37.82	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Z_4TX
Setting 52
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9474G	109.74	Inf	-Inf	99.20	3	Vertical	288	1.96	-	36.48	7.22	33.16
RMS	6.9474G	98.30	Inf	-Inf	87.76	3	Vertical	288	1.96	-	36.48	7.22	33.16
PK	7.2102G	63.54	88.20	-24.66	52.34	3	Vertical	288	1.96	-	37.10	7.21	33.11
RMS	7.2378G	52.70	68.20	-15.50	41.46	3	Vertical	288	1.96	-	37.10	7.24	33.10

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Z_4TX
Setting 52
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.933G	100.94	Inf	-Inf	90.50	3	Horizontal	198	1.91	-	36.40	7.20	33.16
RMS	6.933G	90.89	Inf	-Inf	80.45	3	Horizontal	198	1.91	-	36.40	7.20	33.16
PK	7.1826G	64.41	88.20	-23.79	53.29	3	Horizontal	198	1.91	-	37.03	7.21	33.12
RMS	7.2414G	52.65	68.20	-15.55	41.41	3	Horizontal	198	1.91	-	37.10	7.24	33.10

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT Z_4TX
Setting 52
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88884G	61.83	88.20	-26.37	42.34	3	Vertical	345	1.95	-	40.89	9.85	31.25
RMS	13.89632G	48.80	68.20	-19.40	29.31	3	Vertical	345	1.95	-	40.90	9.85	31.26

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 52
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.893G	61.15	88.20	-27.05	41.67	3	Horizontal	1	2.27	-	40.89	9.85	31.26
RMS	13.89284G	48.73	68.20	-19.47	29.25	3	Horizontal	1	2.27	-	40.89	9.85	31.26

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 52
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83092G	47.36	83.54	-36.18	43.39	1	Vertical	313	1.50	-	37.87	15.87	49.77
AV	20.83034G	35.28	63.54	-28.26	31.31	1	Vertical	313	1.50	-	37.87	15.87	49.77

802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TnomVnom




EUT_Z_4TX
Setting 52
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83006G	47.49	83.54	-36.05	43.52	1	Horizontal	329	1.58	-	37.87	15.87	49.77
AV	20.83G	35.24	63.54	-28.30	31.27	1	Horizontal	329	1.58	-	37.87	15.87	49.77

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 47
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0178G	109.00	Inf	-Inf	98.48	3	Vertical	218	1.80	-	36.41	7.29	33.18
RMS	7.013G	98.70	Inf	-Inf	88.22	3	Vertical	218	1.80	-	36.38	7.29	33.19
PK	7.1274G	66.04	88.20	-22.16	55.22	3	Vertical	218	1.80	-	36.72	7.24	33.14
RMS	7.1274G	54.44	68.20	-13.76	43.62	3	Vertical	218	1.80	-	36.72	7.24	33.14

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 47
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9874G	100.27	Inf	-Inf	89.82	3	Horizontal	198	2.06	-	36.35	7.28	33.18
RMS	7.013G	90.50	Inf	-Inf	80.02	3	Horizontal	198	2.06	-	36.38	7.29	33.19
PK	7.1842G	63.69	88.20	-24.51	52.56	3	Horizontal	198	2.06	-	37.04	7.21	33.12
RMS	7.2226G	52.58	68.20	-15.62	41.37	3	Horizontal	198	2.06	-	37.10	7.22	33.11

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT_Z_4TX
Setting 47
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0584G	61.68	88.20	-26.52	42.25	3	Vertical	149	2.11	-	40.90	9.92	31.39
RMS	14.05028G	49.59	68.20	-18.61	30.15	3	Vertical	149	2.11	-	40.90	9.92	31.38

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 47
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04504G	61.73	88.20	-26.47	42.29	3	Horizontal	177	1.67	-	40.90	9.91	31.37
RMS	14.0504G	49.70	68.20	-18.50	30.26	3	Horizontal	177	1.67	-	40.90	9.92	31.38

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 47
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07584G	47.08	83.54	-36.46	43.18	1	Vertical	352	1.51	-	37.60	15.98	49.68
AV	21.0751G	34.64	63.54	-28.90	30.74	1	Vertical	352	1.51	-	37.60	15.98	49.68

802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TnomVnom




EUT Z_4TX
Setting 47
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07866G	46.74	83.54	-36.80	42.83	1	Horizontal	326	1.52	-	37.60	15.99	49.68
AV	21.0758G	34.64	63.54	-28.90	30.74	1	Horizontal	326	1.52	-	37.60	15.98	49.68

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Z_4TX
Setting 58
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	80.63	88.20	-7.57	72.02	3	Vertical	178	2.07	-	34.95	6.60	32.94
RMS	5.9114G	62.42	68.20	-5.78	53.81	3	Vertical	178	2.07	-	34.95	6.60	32.94
PK	6.0042G	108.99	Inf	-Inf	100.04	3	Vertical	178	2.07	-	35.29	6.61	32.95
RMS	6.009G	98.39	Inf	-Inf	89.45	3	Vertical	178	2.07	-	35.28	6.61	32.95

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Z_4TX
Setting 58
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	67.86	88.20	-20.34	59.23	3	Horizontal	210	1.90	-	34.97	6.60	32.94
RMS	5.9178G	51.70	68.20	-16.50	43.07	3	Horizontal	210	1.90	-	34.97	6.60	32.94
PK	6.001G	99.08	Inf	-Inf	90.13	3	Horizontal	210	1.90	-	35.30	6.60	32.95
RMS	5.9962G	88.24	Inf	-Inf	79.31	3	Horizontal	210	1.90	-	35.28	6.60	32.95

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_Z_4TX
Setting 58
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0422G	55.52	74.00	-18.48	40.79	3	Vertical	55	2.23	-	38.54	9.02	32.83
AV	12.05928G	45.22	54.00	-8.78	30.44	3	Vertical	55	2.23	-	38.56	9.03	32.81

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT_Z_4TX
Setting 58
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.0504G	56.09	74.00	-17.91	41.34	3	Horizontal	161	1.55	-	38.55	9.02	32.82
AV	12.05996G	45.37	54.00	-8.63	30.59	3	Horizontal	161	1.55	-	38.56	9.03	32.81

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Z_4TX
Setting 58
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07126G	45.52	83.54	-38.02	43.42	1	Vertical	341	1.55	-	37.64	14.73	50.27
AV	18.07772G	35.20	63.54	-28.34	33.10	1	Vertical	341	1.55	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_4TX

6025MHz_TnomVnom




EUT Z_4TX
Setting 58
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07702G	46.07	83.54	-37.47	43.97	1	Horizontal	149	1.58	-	37.64	14.73	50.27
AV	18.0706G	35.44	63.54	-28.10	33.34	1	Horizontal	149	1.58	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Z_4TX
Setting 56
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9162G	61.15	88.20	-27.05	52.53	3	Vertical	122	2.08	-	34.96	6.60	32.94
RMS	5.9162G	50.63	68.20	-17.57	42.01	3	Vertical	122	2.08	-	34.96	6.60	32.94
PK	6.217G	109.29	Inf	-Inf	99.97	3	Vertical	122	2.08	-	35.36	6.91	32.95
RMS	6.1962G	98.60	Inf	-Inf	89.18	3	Vertical	122	2.08	-	35.48	6.89	32.95

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 56
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8394G	60.32	88.20	-27.88	51.93	3	Horizontal	209	2.05	-	34.72	6.60	32.93
RMS	5.9242G	49.68	68.20	-18.52	41.02	3	Horizontal	209	2.05	-	35.00	6.60	32.94
PK	6.201G	99.74	Inf	-Inf	90.30	3	Horizontal	209	2.05	-	35.49	6.90	32.95
RMS	6.201G	88.70	Inf	-Inf	79.26	3	Horizontal	209	2.05	-	35.49	6.90	32.95

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 56
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37208G	56.45	74.00	-17.55	41.06	3	Vertical	15	2.69	-	38.64	9.17	32.42
AV	12.37544G	45.62	54.00	-8.38	30.21	3	Vertical	15	2.69	-	38.65	9.17	32.41

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 56
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37536G	56.37	74.00	-17.63	40.96	3	Horizontal	331	2.06	-	38.65	9.17	32.41
AV	12.36588G	45.59	54.00	-8.41	30.23	3	Horizontal	331	2.06	-	38.63	9.16	32.43

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT Z_4TX
Setting 56
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55228G	46.31	83.54	-37.23	43.66	1	Vertical	136	1.56	-	37.78	14.92	50.05
AV	18.55558G	35.89	63.54	-27.65	33.23	1	Vertical	136	1.56	-	37.78	14.92	50.04

802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TnomVnom




EUT_Z_4TX
Setting 56
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55796G	46.53	83.54	-37.01	43.87	1	Horizontal	180	1.55	-	37.78	14.92	50.04
AV	18.55804G	35.88	63.54	-27.66	33.22	1	Horizontal	180	1.55	-	37.78	14.92	50.04

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Z_4TX
Setting 55
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.921G	61.08	88.20	-27.12	52.44	3	Vertical	119	1.80	-	34.98	6.60	32.94
RMS	5.925G	50.18	68.20	-18.02	41.52	3	Vertical	119	1.80	-	35.00	6.60	32.94
PK	6.303G	107.04	Inf	-Inf	97.74	3	Vertical	119	1.80	-	35.30	6.95	32.95
RMS	6.377G	96.52	Inf	-Inf	87.02	3	Vertical	119	1.80	-	35.46	6.99	32.95

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Z_4TX
Setting 55
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.865G	60.50	88.20	-27.70	52.01	3	Horizontal	209	2.02	-	34.83	6.60	32.94
RMS	5.915G	49.67	68.20	-18.53	41.05	3	Horizontal	209	2.02	-	34.96	6.60	32.94
PK	6.311G	100.15	Inf	-Inf	90.84	3	Horizontal	209	2.02	-	35.30	6.96	32.95
RMS	6.291G	88.62	Inf	-Inf	79.36	3	Horizontal	209	2.02	-	35.26	6.95	32.95

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6854G	56.80	74.00	-17.20	40.55	3	Vertical	303	1.67	-	38.96	9.31	32.02
AV	12.69504G	45.85	54.00	-8.15	29.56	3	Vertical	303	1.67	-	38.99	9.31	32.01

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT_Z_4TX
Setting 55
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68304G	56.14	74.00	-17.86	39.91	3	Horizontal	51	2.44	-	38.95	9.31	32.03
AV	12.68276G	45.73	54.00	-8.27	29.50	3	Horizontal	51	2.44	-	38.95	9.31	32.03

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Z_4TX
Setting 55
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03622G	46.88	83.54	-36.66	43.42	1	Vertical	152	1.56	-	37.96	15.11	49.61
AV	19.03618G	36.51	63.54	-27.03	33.05	1	Vertical	152	1.56	-	37.96	15.11	49.61

802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TnomVnom




EUT Z_4TX
Setting 55
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.0373G	47.21	83.54	-36.33	43.75	1	Horizontal	233	1.53	-	37.96	15.11	49.61
AV	19.03896G	36.69	63.54	-26.85	33.23	1	Horizontal	233	1.53	-	37.95	15.12	49.61

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Z_4TX
Setting 62
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9086G	60.14	88.20	-28.06	51.55	3	Vertical	125	1.80	-	34.93	6.60	32.94
RMS	5.889G	49.65	68.20	-18.55	41.11	3	Vertical	125	1.80	-	34.88	6.60	32.94
PK	6.491G	107.14	Inf	-Inf	97.53	3	Vertical	125	1.80	-	35.56	7.00	32.95
RMS	6.4966G	96.42	Inf	-Inf	86.78	3	Vertical	125	1.80	-	35.59	7.00	32.95
PK	7.1854G	63.21	88.20	-24.99	52.08	3	Vertical	125	1.80	-	37.04	7.21	33.12
RMS	7.1994G	52.67	68.20	-15.53	41.49	3	Vertical	125	1.80	-	37.10	7.20	33.12

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 62
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8162G	59.99	88.20	-28.21	51.79	3	Horizontal	197	2.19	-	34.53	6.60	32.93
RMS	5.8694G	49.61	68.20	-18.59	41.11	3	Horizontal	197	2.19	-	34.84	6.60	32.94
PK	6.4826G	100.44	Inf	-Inf	90.86	3	Horizontal	197	2.19	-	35.53	7.00	32.95
RMS	6.4882G	89.46	Inf	-Inf	79.86	3	Horizontal	197	2.19	-	35.55	7.00	32.95
PK	7.1546G	63.31	88.20	-24.89	52.30	3	Horizontal	197	2.19	-	36.92	7.22	33.13
RMS	7.2022G	52.70	68.20	-15.50	41.52	3	Horizontal	197	2.19	-	37.10	7.20	33.12

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 62
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0144G	57.66	88.20	-30.54	40.19	3	Vertical	309	2.30	-	39.61	9.46	31.60
RMS	13.0106G	46.89	68.20	-21.31	29.44	3	Vertical	309	2.30	-	39.61	9.45	31.61

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 62
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0098G	57.72	88.20	-30.48	40.27	3	Horizontal	219	2.94	-	39.61	9.45	31.61
RMS	13.00848G	47.26	68.20	-20.94	29.81	3	Horizontal	219	2.94	-	39.61	9.45	31.61

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Z_4TX
Setting 62
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51578G	46.93	83.54	-36.61	43.43	1	Vertical	357	1.58	-	37.89	15.31	49.70
AV	19.51492G	36.67	63.54	-26.87	33.17	1	Vertical	357	1.58	-	37.89	15.31	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 62
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51738G	47.65	83.54	-35.89	44.15	1	Horizontal	134	1.51	-	37.89	15.31	49.70
AV	19.51816G	36.55	63.54	-26.99	33.05	1	Horizontal	134	1.51	-	37.89	15.31	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Z_4TX
Setting 67
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6012G	108.92	Inf	-Inf	99.02	3	Vertical	128	1.80	-	35.90	7.00	33.00
RMS	6.6012G	96.99	Inf	-Inf	87.09	3	Vertical	128	1.80	-	35.90	7.00	33.00
PK	7.182G	63.79	88.20	-24.41	52.67	3	Vertical	128	1.80	-	37.03	7.21	33.12
RMS	7.2062G	52.85	68.20	-15.35	41.66	3	Vertical	128	1.80	-	37.10	7.21	33.12

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT Z_4TX
Setting 67
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6936G	100.51	Inf	-Inf	90.64	3	Horizontal	197	2.03	-	35.91	7.00	33.04
RMS	6.588G	90.46	Inf	-Inf	80.57	3	Horizontal	197	2.03	-	35.88	7.00	32.99
PK	7.215G	63.22	88.20	-24.98	52.01	3	Horizontal	197	2.03	-	37.10	7.22	33.11
RMS	7.2018G	52.72	68.20	-15.48	41.54	3	Horizontal	197	2.03	-	37.10	7.20	33.12

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 67
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3376G	59.16	74.00	-14.84	40.67	3	Vertical	285	1.30	-	40.08	9.60	31.19
AV	13.33876G	48.08	54.00	-5.92	29.59	3	Vertical	285	1.30	-	40.08	9.60	31.19

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 67
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.33372G	58.58	74.00	-15.42	40.11	3	Horizontal	30	1.93	-	40.07	9.60	31.20
AV	13.32688G	48.36	54.00	-5.64	29.92	3	Horizontal	30	1.93	-	40.05	9.60	31.21

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 67
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99002G	47.44	83.54	-36.10	44.22	1	Vertical	51	1.55	-	37.42	15.50	49.70
AV	19.99098G	35.99	63.54	-27.55	32.78	1	Vertical	51	1.55	-	37.41	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TnomVnom




EUT_Z_4TX
Setting 67
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9923G	46.10	83.54	-37.44	42.89	1	Horizontal	25	1.57	-	37.41	15.50	49.70
AV	19.99372G	35.94	63.54	-27.60	32.73	1	Horizontal	25	1.57	-	37.41	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Z_4TX
Setting 67
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.801G	108.90	Inf	-Inf	98.78	3	Vertical	270	1.80	-	36.21	7.00	33.09
RMS	6.7962G	99.21	Inf	-Inf	89.10	3	Vertical	270	1.80	-	36.20	7.00	33.09
PK	7.1962G	66.32	88.20	-21.88	55.16	3	Vertical	270	1.80	-	37.08	7.20	33.12
RMS	7.137G	53.92	68.20	-14.28	43.03	3	Vertical	270	1.80	-	36.80	7.23	33.14

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Z_4TX
Setting 67
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7978G	102.13	Inf	-Inf	92.02	3	Horizontal	196	1.94	-	36.20	7.00	33.09
RMS	6.793G	91.68	Inf	-Inf	81.57	3	Horizontal	196	1.94	-	36.20	7.00	33.09
PK	7.2106G	63.04	88.20	-25.16	51.84	3	Horizontal	196	1.94	-	37.10	7.21	33.11
RMS	7.225G	52.80	68.20	-15.40	41.58	3	Horizontal	196	1.94	-	37.10	7.23	33.11

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 67
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.66002G	60.87	88.20	-27.33	41.80	3	Vertical	190	2.04	-	40.42	9.75	31.10
RMS	13.65264G	49.82	68.20	-18.38	30.76	3	Vertical	190	2.04	-	40.41	9.74	31.09

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 67
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6572G	60.94	88.20	-27.26	41.88	3	Horizontal	22	2.85	-	40.41	9.75	31.10
RMS	13.64504G	50.17	68.20	-18.03	31.13	3	Horizontal	22	2.85	-	40.39	9.74	31.09

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 67
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47G	46.81	83.54	-36.73	43.30	1	Vertical	49	1.51	-	37.69	15.71	49.89
AV	20.47562G	36.35	63.54	-27.19	32.84	1	Vertical	49	1.51	-	37.69	15.71	49.89

802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 67
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47892G	47.36	83.54	-36.18	43.84	1	Horizontal	54	1.57	-	37.69	15.72	49.89
AV	20.47478G	36.73	63.54	-26.81	33.22	1	Horizontal	54	1.57	-	37.69	15.71	49.89

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Z_4TX
Setting 62
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.978G	109.20	Inf	-Inf	98.72	3	Vertical	217	2.09	-	36.39	7.27	33.18
RMS	7.013G	98.49	Inf	-Inf	88.01	3	Vertical	217	2.09	-	36.38	7.29	33.19
PK	7.132G	80.39	88.20	-7.81	69.54	3	Vertical	217	2.09	-	36.76	7.23	33.14
RMS	7.133G	62.92	68.20	-5.28	52.07	3	Vertical	217	2.09	-	36.76	7.23	33.14

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Z_4TX
Setting 62
01-F-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.953G	100.59	Inf	-Inf	90.04	3	Horizontal	198	2.01	-	36.49	7.23	33.17
RMS	6.953G	89.79	Inf	-Inf	79.24	3	Horizontal	198	2.01	-	36.49	7.23	33.17
PK	7.132G	71.32	88.20	-16.88	60.47	3	Horizontal	198	2.01	-	36.76	7.23	33.14
RMS	7.132G	54.18	68.20	-14.02	43.33	3	Horizontal	198	2.01	-	36.76	7.23	33.14

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Z_4TX
Setting 62
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96136G	61.59	88.20	-26.61	42.11	3	Vertical	254	2.99	-	40.90	9.88	31.30
RMS	13.98368G	51.11	68.20	-17.09	31.64	3	Vertical	254	2.99	-	40.90	9.89	31.32

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT Z_4TX
Setting 62
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98242G	61.48	88.20	-26.72	42.01	3	Horizontal	120	1.20	-	40.90	9.89	31.32
RMS	13.95842G	51.17	68.20	-17.03	31.69	3	Horizontal	120	1.20	-	40.90	9.88	31.30

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom




EUT_Z_4TX
Setting 62
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9588G	47.34	83.54	-36.20	43.46	1	Vertical	266	1.56	-	37.67	15.93	49.72
AV	20.95666G	36.14	63.54	-27.40	32.26	1	Vertical	266	1.56	-	37.67	15.93	49.72

802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TnomVnom



EUT_Z_4TX
Setting 62
01-F-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95004G	46.49	83.54	-37.05	42.60	1	Horizontal	152	1.51	-	37.68	15.93	49.72
AV	20.95916G	36.28	63.54	-27.26	32.40	1	Horizontal	152	1.51	-	37.67	15.93	49.72




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.925-6.425GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	17.86469G	47.18	54.00	-6.82	3	Vertical	333	1.99	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	RMS	5.925G	62.80	68.20	-5.40	3	Vertical	267	1.96	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	RMS	5.925G	64.77	68.20	-3.43	3	Vertical	333	1.80	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	RMS	5.9242G	61.33	68.20	-6.87	3	Vertical	280	2.00	-
6.425-6.525GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1442G	52.25	68.20	-15.95	3	Vertical	212	2.15	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1438G	52.14	68.20	-16.06	3	Horizontal	162	2.07	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.131G	50.51	68.20	-17.69	3	Horizontal	252	2.06	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1518G	50.42	68.20	-17.78	3	Vertical	270	2.26	-
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	AV	13.3901G	45.16	54.00	-8.84	3	Vertical	186	1.93	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	13.37032G	44.63	54.00	-9.37	3	Horizontal	83	1.04	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	AV	13.2505G	44.29	54.00	-9.71	3	Vertical	108	1.45	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	AV	13.33022G	44.93	54.00	-9.07	3	Vertical	291	2.23	-
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1262G	53.29	68.20	-14.91	3	Vertical	332	1.80	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1252G	60.08	68.20	-8.12	3	Vertical	263	1.80	-
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.125G	53.84	68.20	-14.36	3	Vertical	333	1.80	-
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	Pass	PK	7.132G	83.05	88.20	-5.15	3	Vertical	269	1.80	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT Z_4TX
Setting 25
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	61.92	88.20	-26.28	53.26	3	Vertical	266	1.92	-	35.00	6.60	32.94
RMS	5.925G	51.03	68.20	-17.17	42.37	3	Vertical	266	1.92	-	35.00	6.60	32.94
PK	5.9506G	111.59	Inf	-Inf	102.84	3	Vertical	266	1.92	-	35.10	6.60	32.95
RMS	5.947G	101.03	Inf	-Inf	92.28	3	Vertical	266	1.92	-	35.09	6.60	32.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT Z_4TX
Setting 25
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8978G	60.83	88.20	-27.37	52.27	3	Horizontal	160	1.93	-	34.90	6.60	32.94
RMS	5.9202G	49.98	68.20	-18.22	41.34	3	Horizontal	160	1.93	-	34.98	6.60	32.94
PK	5.9466G	95.39	Inf	-Inf	86.64	3	Horizontal	160	1.93	-	35.09	6.60	32.94
RMS	5.9462G	85.64	Inf	-Inf	76.90	3	Horizontal	160	1.93	-	35.08	6.60	32.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT_Z_4TX
Setting 25
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9096G	56.44	74.00	-17.56	41.83	3	Vertical	240	2.21	-	38.50	8.98	32.87
AV	11.91039G	43.13	54.00	-10.87	28.52	3	Vertical	240	2.21	-	38.50	8.98	32.87
PK	17.86509G	62.79	74.00	-11.21	40.77	3	Vertical	333	1.99	-	42.66	11.06	31.70
AV	17.86469G	47.18	54.00	-6.82	25.16	3	Vertical	333	1.99	-	42.66	11.06	31.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5955MHz_TnomVnom




EUT Z_4TX
Setting 25
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90961G	56.22	74.00	-17.78	41.61	3	Horizontal	230	1.74	-	38.50	8.98	32.87
AV	11.91001G	43.25	54.00	-10.75	28.64	3	Horizontal	230	1.74	-	38.50	8.98	32.87
PK	17.8646G	63.05	74.00	-10.95	41.03	3	Horizontal	296	2.79	-	42.66	11.06	31.70
AV	17.86477G	47.13	54.00	-6.87	25.11	3	Horizontal	296	2.79	-	42.66	11.06	31.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Z_4TX
Setting 21
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.85G	60.53	88.20	-27.67	52.06	3	Vertical	265	1.99	-	34.80	6.60	32.93
RMS	5.925G	49.85	68.20	-18.35	41.19	3	Vertical	265	1.99	-	35.00	6.60	32.94
PK	6.1734G	110.52	Inf	-Inf	101.22	3	Vertical	265	1.99	-	35.39	6.86	32.95
RMS	6.1718G	100.41	Inf	-Inf	91.11	3	Vertical	265	1.99	-	35.39	6.86	32.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Z_4TX
Setting 21
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.871G	60.48	88.20	-27.72	51.98	3	Horizontal	238	1.87	-	34.84	6.60	32.94
RMS	5.9158G	49.84	68.20	-18.36	41.22	3	Horizontal	238	1.87	-	34.96	6.60	32.94
PK	6.1702G	95.52	Inf	-Inf	86.23	3	Horizontal	238	1.87	-	35.38	6.86	32.95
RMS	6.1718G	85.67	Inf	-Inf	76.37	3	Horizontal	238	1.87	-	35.39	6.86	32.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_Z_4TX
Setting 21
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35G	56.61	74.00	-17.39	41.30	3	Vertical	306	1.69	-	38.60	9.16	32.45
AV	12.34974G	42.94	54.00	-11.06	27.63	3	Vertical	306	1.69	-	38.60	9.16	32.45

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_Z_4TX
Setting 21
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35036G	56.40	74.00	-17.60	41.09	3	Horizontal	270	2.79	-	38.60	9.16	32.45
AV	12.35026G	42.76	54.00	-11.24	27.45	3	Horizontal	270	2.79	-	38.60	9.16	32.45

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT_Z_4TX
Setting 21
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.525G	48.22	83.54	-35.32	45.60	1	Vertical	100	1.56	-	37.79	14.91	50.08
AV	18.52492G	34.71	63.54	-28.83	32.09	1	Vertical	100	1.56	-	37.79	14.91	50.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6175MHz_TnomVnom




EUT Z_4TX
Setting 21
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.52477G	47.95	83.54	-35.59	45.33	1	Horizontal	250	2.00	-	37.79	14.91	50.08
AV	18.52494G	34.73	63.54	-28.81	32.11	1	Horizontal	250	2.00	-	37.79	14.91	50.08

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Z_4TX
Setting 19
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8894G	60.89	88.20	-27.31	52.35	3	Vertical	272	2.10	-	34.88	6.60	32.94
RMS	5.9086G	49.92	68.20	-18.28	41.33	3	Vertical	272	2.10	-	34.93	6.60	32.94
PK	6.4126G	110.01	Inf	-Inf	100.41	3	Vertical	272	2.10	-	35.55	7.00	32.95
RMS	6.4102G	100.61	Inf	-Inf	91.00	3	Vertical	272	2.10	-	35.56	7.00	32.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Z_4TX
Setting 19
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.875G	59.91	88.20	-28.29	51.40	3	Horizontal	32	2.63	-	34.85	6.60	32.94
RMS	5.923G	49.86	68.20	-18.34	41.21	3	Horizontal	32	2.63	-	34.99	6.60	32.94
PK	6.4246G	95.72	Inf	-Inf	86.17	3	Horizontal	32	2.63	-	35.50	7.00	32.95
RMS	6.4222G	85.98	Inf	-Inf	76.42	3	Horizontal	32	2.63	-	35.51	7.00	32.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_Z_4TX
Setting 19
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8297G	56.60	88.20	-31.60	39.84	3	Vertical	309	1.02	-	39.23	9.37	31.84
RMS	12.82962G	43.80	68.20	-24.40	27.04	3	Vertical	309	1.02	-	39.23	9.37	31.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_Z_4TX
Setting 19
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82956G	57.11	88.20	-31.09	40.35	3	Horizontal	338	2.52	-	39.23	9.37	31.84
RMS	12.82964G	43.68	68.20	-24.52	26.92	3	Horizontal	338	2.52	-	39.23	9.37	31.84

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_Z_4TX
Setting 19
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24539G	47.61	83.54	-35.93	44.35	1	Vertical	136	1.82	-	37.71	15.20	49.65
AV	19.2449G	33.94	63.54	-29.60	30.68	1	Vertical	136	1.82	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT_Z_4TX
Setting 19
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.24489G	46.97	83.54	-36.57	43.71	1	Horizontal	159	2.04	-	37.71	15.20	49.65
AV	19.24498G	34.14	63.54	-29.40	30.88	1	Horizontal	159	2.04	-	37.71	15.20	49.65

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Z_4TX
Setting 33
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8032G	60.46	88.20	-27.74	52.36	3	Vertical	331	2.35	-	34.43	6.60	32.93
RMS	5.925G	49.92	68.20	-18.28	41.26	3	Vertical	331	2.35	-	35.00	6.60	32.94
PK	6.4402G	110.03	Inf	-Inf	100.54	3	Vertical	331	2.35	-	35.44	7.00	32.95
RMS	6.4298G	100.78	Inf	-Inf	91.25	3	Vertical	331	2.35	-	35.48	7.00	32.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Z_4TX
Setting 33
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8214G	59.92	88.20	-28.28	51.68	3	Horizontal	152	2.12	-	34.57	6.60	32.93
RMS	5.9176G	49.86	68.20	-18.34	41.23	3	Horizontal	152	2.12	-	34.97	6.60	32.94
PK	6.4402G	99.97	Inf	-Inf	90.48	3	Horizontal	152	2.12	-	35.44	7.00	32.95
RMS	6.4402G	90.98	Inf	-Inf	81.49	3	Horizontal	152	2.12	-	35.44	7.00	32.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_Z_4TX
Setting 33
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8695G	57.14	88.20	-31.06	40.27	3	Vertical	74	2.28	-	39.27	9.39	31.79
RMS	12.87029G	43.36	68.20	-24.84	26.49	3	Vertical	74	2.28	-	39.27	9.39	31.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT_Z_4TX
Setting 33
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87032G	56.44	88.20	-31.76	39.57	3	Horizontal	257	2.35	-	39.27	9.39	31.79
RMS	12.86968G	43.53	68.20	-24.67	26.66	3	Horizontal	257	2.35	-	39.27	9.39	31.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Z_4TX
Setting 33
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30497G	47.85	83.54	-35.69	44.55	1	Vertical	145	1.95	-	37.74	15.22	49.66
AV	19.30541G	34.41	63.54	-29.13	31.11	1	Vertical	145	1.95	-	37.74	15.22	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Z_4TX
Setting 33
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.30513G	47.82	83.54	-35.72	44.52	1	Horizontal	21	1.98	-	37.74	15.22	49.66
AV	19.30457G	34.42	63.54	-29.12	31.12	1	Horizontal	21	1.98	-	37.74	15.22	49.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_Z_4TX
Setting 25
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8954G	60.63	88.20	-27.57	52.08	3	Vertical	212	2.15	-	34.89	6.60	32.94
RMS	5.9094G	49.81	68.20	-18.39	41.21	3	Vertical	212	2.15	-	34.94	6.60	32.94
PK	6.4806G	109.36	Inf	-Inf	99.79	3	Vertical	212	2.15	-	35.52	7.00	32.95
RMS	6.4834G	99.47	Inf	-Inf	89.89	3	Vertical	212	2.15	-	35.53	7.00	32.95
PK	7.1358G	63.40	88.20	-24.80	52.52	3	Vertical	212	2.15	-	36.79	7.23	33.14
RMS	7.1442G	52.25	68.20	-15.95	41.31	3	Vertical	212	2.15	-	36.85	7.23	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_Z_4TX
Setting 25
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8702G	61.52	88.20	-26.68	53.02	3	Horizontal	161	1.96	-	34.84	6.60	32.94
RMS	5.9234G	49.77	68.20	-18.43	41.12	3	Horizontal	161	1.96	-	34.99	6.60	32.94
PK	6.4778G	96.50	Inf	-Inf	86.94	3	Horizontal	161	1.96	-	35.51	7.00	32.95
RMS	6.4834G	87.49	Inf	-Inf	77.91	3	Horizontal	161	1.96	-	35.53	7.00	32.95
PK	7.1666G	61.58	88.20	-26.62	50.52	3	Horizontal	161	1.96	-	36.97	7.22	33.13
RMS	7.1442G	52.17	68.20	-16.03	41.23	3	Horizontal	161	1.96	-	36.85	7.23	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_Z_4TX
Setting 25
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94957G	57.66	88.20	-30.54	40.46	3	Vertical	95	1.46	-	39.45	9.43	31.68
RMS	12.9499G	44.37	68.20	-23.83	27.17	3	Vertical	95	1.46	-	39.45	9.43	31.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_Z_4TX
Setting 25
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94974G	57.37	88.20	-30.83	40.17	3	Horizontal	58	1.06	-	39.45	9.43	31.68
RMS	12.94993G	44.08	68.20	-24.12	26.88	3	Horizontal	58	1.06	-	39.45	9.43	31.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_Z_4TX
Setting 25
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42457G	48.32	83.54	-35.22	44.89	1	Vertical	166	2.70	-	37.84	15.27	49.68
AV	19.42497G	35.06	63.54	-28.48	31.63	1	Vertical	166	2.70	-	37.84	15.27	49.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Z_4TX
Setting 25
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.42482G	48.14	83.54	-35.40	44.71	1	Horizontal	69	2.43	-	37.84	15.27	49.68
AV	19.42455G	35.01	63.54	-28.53	31.58	1	Horizontal	69	2.43	-	37.84	15.27	49.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_Z_4TX
Setting 27
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.85G	60.24	88.20	-27.96	51.77	3	Vertical	211	2.13	-	34.80	6.60	32.93
RMS	5.9186G	49.70	68.20	-18.50	41.07	3	Vertical	211	2.13	-	34.97	6.60	32.94
PK	6.5178G	108.38	Inf	-Inf	98.67	3	Vertical	211	2.13	-	35.67	7.00	32.96
RMS	6.5094G	99.58	Inf	-Inf	89.89	3	Vertical	211	2.13	-	35.64	7.00	32.95
PK	7.1702G	62.74	88.20	-25.46	51.68	3	Vertical	211	2.13	-	36.98	7.21	33.13
RMS	7.215G	52.12	68.20	-16.08	40.91	3	Vertical	211	2.13	-	37.10	7.22	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_Z_4TX
Setting 27
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9018G	60.30	88.20	-27.90	51.73	3	Horizontal	161	2.05	-	34.91	6.60	32.94
RMS	5.9214G	49.73	68.20	-18.47	41.08	3	Horizontal	161	2.05	-	34.99	6.60	32.94
PK	6.5122G	98.26	Inf	-Inf	88.57	3	Horizontal	161	2.05	-	35.65	7.00	32.96
RMS	6.5122G	88.94	Inf	-Inf	79.25	3	Horizontal	161	2.05	-	35.65	7.00	32.96
PK	7.1982G	63.07	88.20	-25.13	51.90	3	Horizontal	161	2.05	-	37.09	7.20	33.12
RMS	7.131G	52.13	68.20	-16.07	41.29	3	Horizontal	161	2.05	-	36.75	7.23	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02976G	57.14	88.20	-31.06	39.63	3	Vertical	260	2.11	-	39.63	9.46	31.58
RMS	13.02959G	44.00	68.20	-24.20	26.49	3	Vertical	260	2.11	-	39.63	9.46	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT_Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03029G	57.96	88.20	-30.24	40.45	3	Horizontal	78	1.44	-	39.63	9.46	31.58
RMS	13.02988G	43.99	68.20	-24.21	26.48	3	Horizontal	78	1.44	-	39.63	9.46	31.58

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54544G	48.28	83.54	-35.26	44.78	1	Vertical	251	2.07	-	37.88	15.32	49.70
AV	19.54489G	35.47	63.54	-28.07	31.97	1	Vertical	251	2.07	-	37.88	15.32	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5451G	48.61	83.54	-34.93	45.11	1	Horizontal	357	2.09	-	37.88	15.32	49.70
AV	19.54499G	35.60	63.54	-27.94	32.10	1	Horizontal	357	2.09	-	37.88	15.32	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.891G	60.67	88.20	-27.53	52.13	3	Vertical	229	1.86	-	34.88	6.60	32.94
RMS	5.8882G	49.65	68.20	-18.55	41.11	3	Vertical	229	1.86	-	34.88	6.60	32.94
PK	6.5294G	108.39	Inf	-Inf	98.63	3	Vertical	229	1.86	-	35.72	7.00	32.96
RMS	6.5294G	98.77	Inf	-Inf	89.01	3	Vertical	229	1.86	-	35.72	7.00	32.96
PK	7.1538G	62.44	88.20	-25.76	51.43	3	Vertical	229	1.86	-	36.92	7.22	33.13
RMS	7.2322G	52.23	68.20	-15.97	41.01	3	Vertical	229	1.86	-	37.10	7.23	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8406G	60.40	88.20	-27.80	52.01	3	Horizontal	200	2.71	-	34.72	6.60	32.93
RMS	5.9162G	49.64	68.20	-18.56	41.02	3	Horizontal	200	2.71	-	34.96	6.60	32.94
PK	6.5378G	97.77	Inf	-Inf	87.99	3	Horizontal	200	2.71	-	35.75	7.00	32.97
RMS	6.5406G	89.29	Inf	-Inf	79.50	3	Horizontal	200	2.71	-	35.76	7.00	32.97
PK	7.1706G	62.73	88.20	-25.47	51.67	3	Horizontal	200	2.71	-	36.98	7.21	33.13
RMS	7.2322G	52.24	68.20	-15.96	41.02	3	Horizontal	200	2.71	-	37.10	7.23	33.11

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06963G	57.15	88.20	-31.05	39.53	3	Vertical	233	1.31	-	39.67	9.48	31.53
RMS	13.07013G	44.03	68.20	-24.17	26.41	3	Vertical	233	1.31	-	39.67	9.48	31.53

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06997G	56.61	88.20	-31.59	38.99	3	Horizontal	33	1.77	-	39.67	9.48	31.53
RMS	13.07019G	43.97	68.20	-24.23	26.35	3	Horizontal	33	1.77	-	39.67	9.48	31.53

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6051G	48.75	83.54	-34.79	45.25	1	Vertical	128	1.85	-	37.86	15.34	49.70
AV	19.60484G	34.89	63.54	-28.65	31.39	1	Vertical	128	1.85	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.60532G	48.04	83.54	-35.50	44.54	1	Horizontal	134	1.54	-	37.86	15.34	49.70
AV	19.60485G	34.78	63.54	-28.76	31.28	1	Horizontal	134	1.54	-	37.86	15.34	49.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6884G	108.02	Inf	-Inf	98.14	3	Vertical	309	1.80	-	35.92	7.00	33.04
RMS	6.6906G	99.37	Inf	-Inf	89.49	3	Vertical	309	1.80	-	35.92	7.00	33.04
PK	7.2186G	62.55	88.20	-25.65	51.34	3	Vertical	309	1.80	-	37.10	7.22	33.11
RMS	7.245G	52.33	68.20	-15.87	41.08	3	Vertical	309	1.80	-	37.10	7.25	33.10

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6906G	96.95	Inf	-Inf	87.07	3	Horizontal	127	2.23	-	35.92	7.00	33.04
RMS	6.6906G	87.99	Inf	-Inf	78.11	3	Horizontal	127	2.23	-	35.92	7.00	33.04
PK	7.1856G	62.90	88.20	-25.30	51.77	3	Horizontal	127	2.23	-	37.04	7.21	33.12
RMS	7.245G	52.33	68.20	-15.87	41.08	3	Horizontal	127	2.23	-	37.10	7.25	33.10

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38987G	59.19	74.00	-14.81	40.51	3	Vertical	186	1.93	-	40.18	9.63	31.13
AV	13.3901G	45.16	54.00	-8.84	26.48	3	Vertical	186	1.93	-	40.18	9.63	31.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38986G	58.39	74.00	-15.61	39.71	3	Horizontal	73	1.20	-	40.18	9.63	31.13
AV	13.39032G	45.09	54.00	-8.91	26.41	3	Horizontal	73	1.20	-	40.18	9.63	31.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08471G	48.42	83.54	-35.12	45.14	1	Vertical	262	1.23	-	37.47	15.54	49.73
AV	20.08482G	35.14	63.54	-28.40	31.86	1	Vertical	262	1.23	-	37.47	15.54	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.08484G	48.91	83.54	-34.63	45.63	1	Horizontal	218	1.82	-	37.47	15.54	49.73
AV	20.08498G	35.23	63.54	-28.31	31.95	1	Horizontal	218	1.82	-	37.47	15.54	49.73

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Z_4TX
Setting 28
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8606G	108.08	Inf	-Inf	97.59	3	Vertical	326	2.01	-	36.52	7.09	33.12
RMS	6.8634G	98.67	Inf	-Inf	88.20	3	Vertical	326	2.01	-	36.49	7.10	33.12
PK	7.142G	63.28	88.20	-24.92	52.35	3	Vertical	326	2.01	-	36.84	7.23	33.14
RMS	7.1252G	52.20	68.20	-16.00	41.40	3	Vertical	326	2.01	-	36.70	7.24	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8634G	98.99	Inf	-Inf	88.52	3	Horizontal	164	3.00	-	36.49	7.10	33.12
RMS	6.8634G	90.21	Inf	-Inf	79.74	3	Horizontal	164	3.00	-	36.49	7.10	33.12
PK	7.1336G	62.92	88.20	-25.28	52.06	3	Horizontal	164	3.00	-	36.77	7.23	33.14
RMS	7.1266G	52.21	68.20	-15.99	41.40	3	Horizontal	164	3.00	-	36.71	7.24	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.71036G	61.76	88.20	-26.44	42.59	3	Vertical	119	2.42	-	40.53	9.77	31.13
RMS	13.7097G	48.19	68.20	-20.01	29.02	3	Vertical	119	2.42	-	40.53	9.77	31.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70997G	60.98	88.20	-27.22	41.81	3	Horizontal	281	1.82	-	40.53	9.77	31.13
RMS	13.70987G	48.12	68.20	-20.08	28.95	3	Horizontal	281	1.82	-	40.53	9.77	31.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.56527G	48.62	83.54	-34.92	44.96	1	Vertical	324	2.22	-	37.78	15.75	49.87
AV	20.56487G	35.34	63.54	-28.20	31.68	1	Vertical	324	2.22	-	37.78	15.75	49.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5654G	48.76	83.54	-34.78	45.10	1	Horizontal	137	2.41	-	37.78	15.75	49.87
AV	20.56527G	35.39	63.54	-28.15	31.73	1	Horizontal	137	2.41	-	37.78	15.75	49.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Z_4TX
Setting 28
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8786G	109.51	Inf	-Inf	99.15	3	Vertical	248	1.76	-	36.37	7.12	33.13
RMS	6.8798G	99.01	Inf	-Inf	88.66	3	Vertical	248	1.76	-	36.36	7.12	33.13
PK	7.145G	63.88	88.20	-24.32	52.93	3	Vertical	248	1.76	-	36.86	7.23	33.14
RMS	7.1294G	52.52	68.20	-15.68	41.68	3	Vertical	248	1.76	-	36.74	7.24	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8798G	98.75	Inf	-Inf	88.40	3	Horizontal	205	2.80	-	36.36	7.12	33.13
RMS	6.881G	88.02	Inf	-Inf	77.68	3	Horizontal	205	2.80	-	36.35	7.12	33.13
PK	7.1366G	62.61	88.20	-25.59	51.73	3	Horizontal	205	2.80	-	36.79	7.23	33.14
RMS	7.1294G	52.20	68.20	-16.00	41.36	3	Horizontal	205	2.80	-	36.74	7.24	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75013G	61.88	88.20	-26.32	42.60	3	Vertical	183	1.39	-	40.65	9.79	31.16
RMS	13.75006G	48.79	68.20	-19.41	29.51	3	Vertical	183	1.39	-	40.65	9.79	31.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.75032G	62.51	88.20	-25.69	43.23	3	Horizontal	86	2.21	-	40.65	9.79	31.16
RMS	13.7505G	48.77	68.20	-19.43	29.49	3	Horizontal	86	2.21	-	40.65	9.79	31.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62513G	49.24	83.54	-34.30	45.46	1	Vertical	36	2.47	-	37.85	15.78	49.85
AV	20.6245G	35.69	63.54	-27.85	31.91	1	Vertical	36	2.47	-	37.85	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.62534G	49.00	83.54	-34.54	45.22	1	Horizontal	130	1.75	-	37.85	15.78	49.85
AV	20.62525G	35.82	63.54	-27.72	32.04	1	Horizontal	130	1.75	-	37.85	15.78	49.85

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Z_4TX
Setting 28
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8962G	110.16	Inf	-Inf	99.93	3	Vertical	328	1.84	-	36.23	7.14	33.14
RMS	6.8986G	100.58	Inf	-Inf	90.36	3	Vertical	328	1.84	-	36.21	7.15	33.14
PK	7.1626G	63.08	88.20	-25.12	52.04	3	Vertical	328	1.84	-	36.95	7.22	33.13
RMS	7.147G	52.50	68.20	-15.70	41.53	3	Vertical	328	1.84	-	36.88	7.23	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Z_4TX
Setting 28
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8998G	100.39	Inf	-Inf	90.18	3	Horizontal	200	1.68	-	36.20	7.15	33.14
RMS	6.901G	90.07	Inf	-Inf	79.85	3	Horizontal	200	1.68	-	36.21	7.15	33.14
PK	7.1506G	62.94	88.20	-25.26	51.96	3	Horizontal	200	1.68	-	36.90	7.22	33.14
RMS	7.1278G	52.47	68.20	-15.73	41.65	3	Horizontal	200	1.68	-	36.72	7.24	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78966G	62.90	88.20	-25.30	43.51	3	Vertical	338	1.47	-	40.77	9.81	31.19
RMS	13.79028G	49.31	68.20	-18.89	29.92	3	Vertical	338	1.47	-	40.77	9.81	31.19

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78996G	62.55	88.20	-25.65	43.16	3	Horizontal	151	2.81	-	40.77	9.81	31.19
RMS	13.79036G	49.28	68.20	-18.92	29.89	3	Horizontal	151	2.81	-	40.77	9.81	31.19

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68498G	48.78	83.54	-34.76	44.88	1	Vertical	316	1.06	-	37.92	15.81	49.83
AV	20.68463G	35.90	63.54	-27.64	32.00	1	Vertical	316	1.06	-	37.92	15.81	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.68542G	48.87	83.54	-34.67	44.97	1	Horizontal	302	2.09	-	37.92	15.81	49.83
AV	20.68496G	35.68	63.54	-27.86	31.78	1	Horizontal	302	2.09	-	37.92	15.81	49.83

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.003G	111.34	Inf	-Inf	100.91	3	Vertical	268	1.80	-	36.32	7.30	33.19
RMS	7.0014G	101.49	Inf	-Inf	91.07	3	Vertical	268	1.80	-	36.31	7.30	33.19
PK	7.1462G	63.71	88.20	-24.49	52.75	3	Vertical	268	1.80	-	36.87	7.23	33.14
RMS	7.1414G	52.54	68.20	-15.66	41.62	3	Vertical	268	1.80	-	36.83	7.23	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0006G	100.61	Inf	-Inf	90.20	3	Horizontal	204	2.57	-	36.30	7.30	33.19
RMS	7.0006G	91.23	Inf	-Inf	80.82	3	Horizontal	204	2.57	-	36.30	7.30	33.19
PK	7.1654G	62.98	88.20	-25.22	51.93	3	Horizontal	204	2.57	-	36.96	7.22	33.13
RMS	7.1446G	52.49	68.20	-15.71	41.54	3	Horizontal	204	2.57	-	36.86	7.23	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99036G	63.14	88.20	-25.06	43.66	3	Vertical	214	2.08	-	40.90	9.90	31.32
RMS	13.99009G	49.53	68.20	-18.67	30.05	3	Vertical	214	2.08	-	40.90	9.90	31.32

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9902G	63.30	88.20	-24.90	43.82	3	Horizontal	335	1.64	-	40.90	9.90	31.32
RMS	13.98955G	49.60	68.20	-18.60	30.12	3	Horizontal	335	1.64	-	40.90	9.90	31.32

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT_Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98474G	47.44	83.54	-36.10	43.59	1	Vertical	147	1.00	-	37.62	15.94	49.71
AV	20.98511G	33.66	63.54	-29.88	29.81	1	Vertical	147	1.00	-	37.62	15.94	49.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Z_4TX
Setting 27
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.98483G	47.16	83.54	-36.38	43.31	1	Horizontal	48	2.85	-	37.62	15.94	49.71
AV	20.98513G	33.67	63.54	-29.87	29.82	1	Horizontal	48	2.85	-	37.62	15.94	49.71

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Z_4TX
Setting 28
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0982G	112.02	Inf	-Inf	101.42	3	Vertical	332	1.80	-	36.50	7.25	33.15
RMS	7.0974G	101.93	Inf	-Inf	91.32	3	Vertical	332	1.80	-	36.51	7.25	33.15
PK	7.1606G	63.46	88.20	-24.74	52.43	3	Vertical	332	1.80	-	36.94	7.22	33.13
RMS	7.1262G	53.29	68.20	-14.91	42.48	3	Vertical	332	1.80	-	36.71	7.24	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Z_4TX
Setting 28
01-A-B-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0894G	100.24	Inf	-Inf	89.62	3	Horizontal	24	1.67	-	36.52	7.26	33.16
RMS	7.089G	89.67	Inf	-Inf	79.05	3	Horizontal	24	1.67	-	36.52	7.26	33.16
PK	7.1802G	63.80	88.20	-24.40	52.70	3	Horizontal	24	1.67	-	37.02	7.21	33.13
RMS	7.1262G	52.56	68.20	-15.64	41.75	3	Horizontal	24	1.67	-	36.71	7.24	33.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19009G	62.04	88.20	-26.16	42.79	3	Vertical	56	1.95	-	40.81	9.96	31.52
RMS	14.18985G	48.81	68.20	-19.39	29.56	3	Vertical	56	1.95	-	40.81	9.96	31.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18996G	62.03	88.20	-26.17	42.78	3	Horizontal	257	1.30	-	40.81	9.96	31.52
RMS	14.19009G	48.68	68.20	-19.52	29.43	3	Horizontal	257	1.30	-	40.81	9.96	31.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28496G	49.04	83.54	-34.50	44.96	1	Vertical	279	1.98	-	37.64	16.08	49.64
AV	21.28461G	36.10	63.54	-27.44	32.02	1	Vertical	279	1.98	-	37.64	16.08	49.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT_Z_4TX
Setting 28
01-A-B-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.28454G	49.93	83.54	-33.61	45.85	1	Horizontal	319	2.45	-	37.64	16.08	49.64
AV	21.28484G	36.05	63.54	-27.49	31.97	1	Horizontal	319	2.45	-	37.64	16.08	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Z_4TX
Setting 35
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9222G	76.74	88.20	-11.46	68.09	3	Vertical	267	1.96	-	34.99	6.60	32.94
RMS	5.925G	62.80	68.20	-5.40	54.14	3	Vertical	267	1.96	-	35.00	6.60	32.94
PK	5.9714G	111.88	Inf	-Inf	103.04	3	Vertical	267	1.96	-	35.19	6.60	32.95
RMS	5.979G	101.25	Inf	-Inf	92.38	3	Vertical	267	1.96	-	35.22	6.60	32.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT Z_4TX
Setting 35
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	60.96	88.20	-27.24	52.30	3	Horizontal	18	2.12	-	35.00	6.60	32.94
RMS	5.925G	50.36	68.20	-17.84	41.70	3	Horizontal	18	2.12	-	35.00	6.60	32.94
PK	5.981G	96.86	Inf	-Inf	87.99	3	Horizontal	18	2.12	-	35.22	6.60	32.95
RMS	5.9802G	87.09	Inf	-Inf	78.22	3	Horizontal	18	2.12	-	35.22	6.60	32.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_Z_4TX
Setting 35
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.92997G	55.22	74.00	-18.78	40.61	3	Vertical	188	2.99	-	38.50	8.98	32.87
AV	11.93013G	41.68	54.00	-12.32	27.07	3	Vertical	188	2.99	-	38.50	8.98	32.87
PK	17.89503G	63.33	74.00	-10.67	41.17	3	Vertical	216	2.72	-	42.78	11.07	31.69
AV	17.89548G	47.69	54.00	-6.31	25.53	3	Vertical	216	2.72	-	42.78	11.07	31.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5965MHz_TnomVnom




EUT_Z_4TX
Setting 35
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.93046G	56.38	74.00	-17.62	41.77	3	Horizontal	243	1.86	-	38.50	8.98	32.87
AV	11.92995G	41.80	54.00	-12.20	27.19	3	Horizontal	243	1.86	-	38.50	8.98	32.87
PK	17.89465G	63.58	74.00	-10.42	41.42	3	Horizontal	278	2.95	-	42.78	11.07	31.69
AV	17.89526G	47.72	54.00	-6.28	25.56	3	Horizontal	278	2.95	-	42.78	11.07	31.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Z_4TX
Setting 38
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.907G	61.18	88.20	-27.02	52.59	3	Vertical	326	1.96	-	34.93	6.60	32.94
RMS	5.9226G	49.95	68.20	-18.25	41.30	3	Vertical	326	1.96	-	34.99	6.60	32.94
PK	6.1722G	112.34	Inf	-Inf	103.04	3	Vertical	326	1.96	-	35.39	6.86	32.95
RMS	6.171G	102.25	Inf	-Inf	92.96	3	Vertical	326	1.96	-	35.38	6.86	32.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Z_4TX
Setting 38
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8806G	60.38	88.20	-27.82	51.86	3	Horizontal	20	2.68	-	34.86	6.60	32.94
RMS	5.9226G	49.72	68.20	-18.48	41.07	3	Horizontal	20	2.68	-	34.99	6.60	32.94
PK	6.165G	96.80	Inf	-Inf	87.54	3	Horizontal	20	2.68	-	35.36	6.85	32.95
RMS	6.159G	87.93	Inf	-Inf	78.70	3	Horizontal	20	2.68	-	35.34	6.84	32.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_Z_4TX
Setting 38
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.32964G	56.22	74.00	-17.78	40.98	3	Vertical	25	2.91	-	38.56	9.15	32.47
AV	12.33048G	42.57	54.00	-11.43	27.33	3	Vertical	25	2.91	-	38.56	9.15	32.47

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT_Z_4TX
Setting 38
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3305G	55.72	74.00	-18.28	40.48	3	Horizontal	180	2.71	-	38.56	9.15	32.47
AV	12.33029G	42.37	54.00	-11.63	27.13	3	Horizontal	180	2.71	-	38.56	9.15	32.47

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Z_4TX
Setting 38
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49461G	49.02	83.54	-34.52	46.43	1	Vertical	70	1.23	-	37.79	14.90	50.10
AV	18.49492G	34.40	63.54	-29.14	31.81	1	Vertical	70	1.23	-	37.79	14.90	50.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6165MHz_TnomVnom




EUT Z_4TX
Setting 38
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.49501G	48.63	83.54	-34.91	46.04	1	Horizontal	292	2.13	-	37.79	14.90	50.10
AV	18.49487G	34.38	63.54	-29.16	31.79	1	Horizontal	292	2.13	-	37.79	14.90	50.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Z_4TX
Setting 33
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	60.36	88.20	-27.84	51.71	3	Vertical	331	2.06	-	34.99	6.60	32.94
RMS	5.9226G	49.77	68.20	-18.43	41.12	3	Vertical	331	2.06	-	34.99	6.60	32.94
PK	6.393G	112.79	Inf	-Inf	103.18	3	Vertical	331	2.06	-	35.56	7.00	32.95
RMS	6.3954G	102.00	Inf	-Inf	92.38	3	Vertical	331	2.06	-	35.57	7.00	32.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Z_4TX
Setting 33
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8746G	61.15	88.20	-27.05	52.64	3	Horizontal	324	1.78	-	34.85	6.60	32.94
RMS	5.9226G	49.70	68.20	-18.50	41.05	3	Horizontal	324	1.78	-	34.99	6.60	32.94
PK	6.393G	99.50	Inf	-Inf	89.89	3	Horizontal	324	1.78	-	35.56	7.00	32.95
RMS	6.393G	89.65	Inf	-Inf	80.04	3	Horizontal	324	1.78	-	35.56	7.00	32.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_Z_4TX
Setting 33
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.81005G	58.25	88.20	-29.95	41.54	3	Vertical	305	1.59	-	39.21	9.36	31.86
RMS	12.80955G	42.99	68.20	-25.21	26.28	3	Vertical	305	1.59	-	39.21	9.36	31.86

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_Z_4TX
Setting 33
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80983G	57.08	88.20	-31.12	40.37	3	Horizontal	254	1.32	-	39.21	9.36	31.86
RMS	12.80962G	43.07	68.20	-25.13	26.36	3	Horizontal	254	1.32	-	39.21	9.36	31.86

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_Z_4TX
Setting 33
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21513G	47.52	83.54	-36.02	44.23	1	Vertical	98	1.30	-	37.74	15.19	49.64
AV	19.21523G	33.96	63.54	-29.58	30.67	1	Vertical	98	1.30	-	37.74	15.19	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT_Z_4TX
Setting 33
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.21514G	47.68	83.54	-35.86	44.39	1	Horizontal	235	1.84	-	37.74	15.19	49.64
AV	19.21537G	33.93	63.54	-29.61	30.64	1	Horizontal	235	1.84	-	37.74	15.19	49.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8288G	60.37	88.20	-27.83	52.07	3	Vertical	211	2.28	-	34.63	6.60	32.93
RMS	5.9172G	49.71	68.20	-18.49	41.08	3	Vertical	211	2.28	-	34.97	6.60	32.94
PK	6.4268G	109.56	Inf	-Inf	100.02	3	Vertical	211	2.28	-	35.49	7.00	32.95
RMS	6.4294G	100.24	Inf	-Inf	90.71	3	Vertical	211	2.28	-	35.48	7.00	32.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9224G	59.98	88.20	-28.22	51.33	3	Horizontal	152	2.13	-	34.99	6.60	32.94
RMS	5.9172G	49.59	68.20	-18.61	40.96	3	Horizontal	152	2.13	-	34.97	6.60	32.94
PK	6.4372G	98.32	Inf	-Inf	88.82	3	Horizontal	152	2.13	-	35.45	7.00	32.95
RMS	6.4398G	89.46	Inf	-Inf	79.97	3	Horizontal	152	2.13	-	35.44	7.00	32.95

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88994G	57.31	88.20	-30.89	40.38	3	Vertical	328	1.34	-	39.29	9.40	31.76
RMS	12.89029G	43.03	68.20	-25.17	26.10	3	Vertical	328	1.34	-	39.29	9.40	31.76

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8897G	56.67	88.20	-31.53	39.74	3	Horizontal	221	2.05	-	39.29	9.40	31.76
RMS	12.88999G	42.99	68.20	-25.21	26.06	3	Horizontal	221	2.05	-	39.29	9.40	31.76

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33456G	47.47	83.54	-36.07	44.14	1	Vertical	351	1.91	-	37.77	15.23	49.67
AV	19.33527G	33.77	63.54	-29.77	30.44	1	Vertical	351	1.91	-	37.77	15.23	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.33513G	46.25	83.54	-37.29	42.92	1	Horizontal	280	1.86	-	37.77	15.23	49.67
AV	19.33458G	33.88	63.54	-29.66	30.55	1	Horizontal	280	1.86	-	37.77	15.23	49.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_Z_4TX
Setting 44
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7934G	60.35	88.20	-27.85	52.28	3	Vertical	325	2.09	-	34.40	6.60	32.93
RMS	5.8998G	49.65	68.20	-18.55	41.09	3	Vertical	325	2.09	-	34.90	6.60	32.94
PK	6.4906G	112.60	Inf	-Inf	102.99	3	Vertical	325	2.09	-	35.56	7.00	32.95
RMS	6.4906G	102.44	Inf	-Inf	92.83	3	Vertical	325	2.09	-	35.56	7.00	32.95
PK	7.1766G	62.17	88.20	-26.03	51.08	3	Vertical	325	2.09	-	37.01	7.21	33.13
RMS	7.143G	52.06	68.20	-16.14	41.13	3	Vertical	325	2.09	-	36.84	7.23	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_Z_4TX
Setting 44
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.827G	60.50	88.20	-27.70	52.21	3	Horizontal	161	2.02	-	34.62	6.60	32.93
RMS	5.9054G	49.63	68.20	-18.57	41.05	3	Horizontal	161	2.02	-	34.92	6.60	32.94
PK	6.4906G	99.38	Inf	-Inf	89.77	3	Horizontal	161	2.02	-	35.56	7.00	32.95
RMS	6.4906G	90.33	Inf	-Inf	80.72	3	Horizontal	161	2.02	-	35.56	7.00	32.95
PK	7.1794G	62.88	88.20	-25.32	51.78	3	Horizontal	161	2.02	-	37.02	7.21	33.13
RMS	7.1514G	52.10	68.20	-16.10	41.11	3	Horizontal	161	2.02	-	36.91	7.22	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_Z_4TX
Setting 44
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96955G	57.80	88.20	-30.40	40.51	3	Vertical	292	2.87	-	39.51	9.44	31.66
RMS	12.96971G	43.74	68.20	-24.46	26.45	3	Vertical	292	2.87	-	39.51	9.44	31.66

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_Z_4TX
Setting 44
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.96998G	57.82	88.20	-30.38	40.53	3	Horizontal	60	2.36	-	39.51	9.44	31.66
RMS	12.96995G	43.72	68.20	-24.48	26.43	3	Horizontal	60	2.36	-	39.51	9.44	31.66

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT_Z_4TX
Setting 44
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45475G	46.34	83.54	-37.20	42.89	1	Vertical	308	1.65	-	37.86	15.28	49.69
AV	19.4545G	34.06	63.54	-29.48	30.61	1	Vertical	308	1.65	-	37.86	15.28	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6485MHz_TnomVnom



EUT_Z_4TX
Setting 44
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.45479G	46.97	83.54	-36.57	43.52	1	Horizontal	152	2.15	-	37.86	15.28	49.69
AV	19.45471G	34.10	63.54	-29.44	30.65	1	Horizontal	152	2.15	-	37.86	15.28	49.69

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
 Setting 43
 01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9174G	60.46	88.20	-27.74	51.83	3	Vertical	210	2.23	-	34.97	6.60	32.94
RMS	5.925G	49.71	68.20	-18.49	41.05	3	Vertical	210	2.23	-	35.00	6.60	32.94
PK	6.5082G	109.84	Inf	-Inf	100.16	3	Vertical	210	2.23	-	35.63	7.00	32.95
RMS	6.511G	100.49	Inf	-Inf	90.81	3	Vertical	210	2.23	-	35.64	7.00	32.96
PK	7.2082G	63.52	88.20	-24.68	52.33	3	Vertical	210	2.23	-	37.10	7.21	33.12
RMS	7.2194G	52.09	68.20	-16.11	40.88	3	Vertical	210	2.23	-	37.10	7.22	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 43
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.825G	59.88	88.20	-28.32	51.61	3	Horizontal	162	2.07	-	34.60	6.60	32.93
RMS	5.923G	49.70	68.20	-18.50	41.05	3	Horizontal	162	2.07	-	34.99	6.60	32.94
PK	6.5166G	99.57	Inf	-Inf	89.86	3	Horizontal	162	2.07	-	35.67	7.00	32.96
RMS	6.5138G	91.10	Inf	-Inf	81.40	3	Horizontal	162	2.07	-	35.66	7.00	32.96
PK	7.1774G	62.57	88.20	-25.63	51.48	3	Horizontal	162	2.07	-	37.01	7.21	33.13
RMS	7.1438G	52.14	68.20	-16.06	41.20	3	Horizontal	162	2.07	-	36.85	7.23	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
Setting 43
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05028G	57.49	88.20	-30.71	39.93	3	Vertical	21	1.36	-	39.65	9.47	31.56
RMS	13.05014G	43.45	68.20	-24.75	25.89	3	Vertical	21	1.36	-	39.65	9.47	31.56


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT_Z_4TX
 Setting 43
 01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05026G	57.56	88.20	-30.64	40.00	3	Horizontal	213	1.58	-	39.65	9.47	31.56
RMS	13.05013G	43.48	68.20	-24.72	25.92	3	Horizontal	213	1.58	-	39.65	9.47	31.56

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
 Setting 44
 01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5746G	46.81	83.54	-36.73	43.31	1	Vertical	310	2.89	-	37.87	15.33	49.70
AV	19.57489G	34.35	63.54	-29.19	30.85	1	Vertical	310	2.89	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_Z_4TX
Setting 44
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.57511G	46.91	83.54	-36.63	43.41	1	Horizontal	4	1.82	-	37.87	15.33	49.70
AV	19.57464G	34.48	63.54	-29.06	30.98	1	Horizontal	4	1.82	-	37.87	15.33	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 44
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5506G	110.18	Inf	-Inf	100.35	3	Vertical	227	1.80	-	35.80	7.00	32.97
RMS	6.5818G	101.20	Inf	-Inf	91.33	3	Vertical	227	1.80	-	35.86	7.00	32.99
PK	7.1458G	62.46	88.20	-25.74	51.50	3	Vertical	227	1.80	-	36.87	7.23	33.14
RMS	7.1434G	52.17	68.20	-16.03	41.23	3	Vertical	227	1.80	-	36.85	7.23	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Z_4TX
Setting 44
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5818G	99.88	Inf	-Inf	90.01	3	Horizontal	202	1.80	-	35.86	7.00	32.99
RMS	6.5818G	89.39	Inf	-Inf	79.52	3	Horizontal	202	1.80	-	35.86	7.00	32.99
PK	7.1506G	62.45	88.20	-25.75	51.47	3	Horizontal	202	1.80	-	36.90	7.22	33.14
RMS	7.1482G	52.19	68.20	-16.01	41.21	3	Horizontal	202	1.80	-	36.89	7.23	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 44
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12987G	57.92	88.20	-30.28	40.11	3	Vertical	103	2.60	-	39.76	9.51	31.46
RMS	13.12972G	43.93	68.20	-24.27	26.12	3	Vertical	103	2.60	-	39.76	9.51	31.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 44
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.12991G	57.47	88.20	-30.73	39.66	3	Horizontal	156	1.90	-	39.76	9.51	31.46
RMS	13.12997G	43.80	68.20	-24.40	25.99	3	Horizontal	156	1.90	-	39.76	9.51	31.46

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 44
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69498G	46.43	83.54	-37.11	42.93	1	Vertical	3	1.62	-	37.82	15.38	49.70
AV	19.69535G	33.85	63.54	-29.69	30.35	1	Vertical	3	1.62	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT_Z_4TX
Setting 44
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.69469G	46.18	83.54	-37.36	42.68	1	Horizontal	239	2.22	-	37.82	15.38	49.70
AV	19.69452G	33.90	63.54	-29.64	30.40	1	Horizontal	239	2.22	-	37.82	15.38	49.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 36
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6938G	109.06	Inf	-Inf	99.19	3	Vertical	322	1.80	-	35.91	7.00	33.04
RMS	6.6982G	98.88	Inf	-Inf	89.03	3	Vertical	322	1.80	-	35.90	7.00	33.05
PK	7.2196G	63.03	88.20	-25.17	51.82	3	Vertical	322	1.80	-	37.10	7.22	33.11
RMS	7.2328G	52.22	68.20	-15.98	41.00	3	Vertical	322	1.80	-	37.10	7.23	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 36
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6916G	95.41	Inf	-Inf	85.53	3	Horizontal	128	2.13	-	35.92	7.00	33.04
RMS	6.6916G	86.59	Inf	-Inf	76.71	3	Horizontal	128	2.13	-	35.92	7.00	33.04
PK	7.18G	63.42	88.20	-24.78	52.32	3	Horizontal	128	2.13	-	37.02	7.21	33.13
RMS	7.2262G	52.19	68.20	-16.01	40.97	3	Horizontal	128	2.13	-	37.10	7.23	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 36
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.37G	58.04	74.00	-15.96	39.43	3	Vertical	231	1.73	-	40.14	9.62	31.15
AV	13.36998G	44.55	54.00	-9.45	25.94	3	Vertical	231	1.73	-	40.14	9.62	31.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 36
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.36963G	58.84	74.00	-15.16	40.23	3	Horizontal	83	1.04	-	40.14	9.62	31.15
AV	13.37032G	44.63	54.00	-9.37	26.02	3	Horizontal	83	1.04	-	40.14	9.62	31.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 36
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05522G	45.47	83.54	-38.07	42.23	1	Vertical	136	2.19	-	37.44	15.52	49.72
AV	20.05506G	33.01	63.54	-30.53	29.77	1	Vertical	136	2.19	-	37.44	15.52	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6685MHz_TnomVnom




EUT_Z_4TX
Setting 36
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.05458G	45.58	83.54	-37.96	42.34	1	Horizontal	217	1.24	-	37.44	15.52	49.72
AV	20.05501G	33.19	63.54	-30.35	29.95	1	Horizontal	217	1.24	-	37.44	15.52	49.72

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Z_4TX
Setting 38
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.861G	107.98	Inf	-Inf	97.50	3	Vertical	326	1.80	-	36.51	7.09	33.12
RMS	6.8626G	98.58	Inf	-Inf	88.11	3	Vertical	326	1.80	-	36.50	7.09	33.12
PK	7.197G	63.85	88.20	-24.35	52.68	3	Vertical	326	1.80	-	37.09	7.20	33.12
RMS	7.245G	52.37	68.20	-15.83	41.12	3	Vertical	326	1.80	-	37.10	7.25	33.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Z_4TX
Setting 38
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8626G	96.86	Inf	-Inf	86.39	3	Horizontal	165	3.00	-	36.50	7.09	33.12
RMS	6.8626G	86.71	Inf	-Inf	76.24	3	Horizontal	165	3.00	-	36.50	7.09	33.12
PK	7.1986G	63.64	88.20	-24.56	52.47	3	Horizontal	165	3.00	-	37.09	7.20	33.12
RMS	7.2402G	52.34	68.20	-15.86	41.10	3	Horizontal	165	3.00	-	37.10	7.24	33.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 38
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69029G	62.21	88.20	-25.99	43.09	3	Vertical	316	1.16	-	40.48	9.76	31.12
RMS	13.6904G	47.48	68.20	-20.72	28.36	3	Vertical	316	1.16	-	40.48	9.76	31.12

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 38
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.68951G	61.55	88.20	-26.65	42.43	3	Horizontal	213	2.74	-	40.48	9.76	31.12
RMS	13.6903G	47.46	68.20	-20.74	28.34	3	Horizontal	213	2.74	-	40.48	9.76	31.12

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 38
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53458G	45.42	83.54	-38.12	41.83	1	Vertical	182	1.74	-	37.74	15.74	49.89
AV	20.53466G	33.23	63.54	-30.31	29.64	1	Vertical	182	1.74	-	37.74	15.74	49.89

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT_Z_4TX
Setting 38
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.53457G	45.78	83.54	-37.76	42.19	1	Horizontal	358	2.27	-	37.74	15.74	49.89
AV	20.53462G	33.23	63.54	-30.31	29.64	1	Horizontal	358	2.27	-	37.74	15.74	49.89

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
Setting 40
01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.892G	111.53	Inf	-Inf	101.27	3	Vertical	272	1.93	-	36.26	7.14	33.14
RMS	6.892G	100.92	Inf	-Inf	90.66	3	Vertical	272	1.93	-	36.26	7.14	33.14
PK	7.1496G	63.23	88.20	-24.97	52.24	3	Vertical	272	1.93	-	36.90	7.23	33.14
RMS	7.1426G	52.38	68.20	-15.82	41.45	3	Vertical	272	1.93	-	36.84	7.23	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 40
 01-R-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8934G	99.40	Inf	-Inf	89.15	3	Horizontal	200	3.00	-	36.25	7.14	33.14
RMS	6.9018G	87.51	Inf	-Inf	77.29	3	Horizontal	200	3.00	-	36.21	7.15	33.14
PK	7.2084G	63.02	88.20	-25.18	51.82	3	Horizontal	200	3.00	-	37.10	7.21	33.11
RMS	7.2322G	52.39	68.20	-15.81	41.17	3	Horizontal	200	3.00	-	37.10	7.23	33.11

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76983G	63.09	88.20	-25.11	43.75	3	Vertical	212	1.90	-	40.71	9.80	31.17
RMS	13.77042G	48.44	68.20	-19.76	29.10	3	Vertical	212	1.90	-	40.71	9.80	31.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
Setting 40
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.76959G	62.75	88.20	-25.45	43.41	3	Horizontal	15	2.95	-	40.71	9.80	31.17
RMS	13.76986G	48.53	68.20	-19.67	29.19	3	Horizontal	15	2.95	-	40.71	9.80	31.17


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom



EUT_Z_4TX
 Setting 40
 01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65543G	45.97	83.54	-37.57	42.13	1	Vertical	295	2.89	-	37.89	15.79	49.84
AV	20.65504G	33.39	63.54	-30.15	29.55	1	Vertical	295	2.89	-	37.89	15.79	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_Z_4TX
 Setting 40
 01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.65524G	46.44	83.54	-37.10	42.60	1	Horizontal	335	1.78	-	37.89	15.79	49.84
AV	20.65519G	33.45	63.54	-30.09	29.61	1	Horizontal	335	1.78	-	37.89	15.79	49.84

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9286G	111.25	Inf	-Inf	100.85	3	Vertical	326	1.78	-	36.37	7.19	33.16
RMS	6.9094G	98.94	Inf	-Inf	88.67	3	Vertical	326	1.78	-	36.26	7.16	33.15
PK	7.1278G	63.18	88.20	-25.02	52.36	3	Vertical	326	1.78	-	36.72	7.24	33.14
RMS	7.1386G	50.83	68.20	-17.37	39.93	3	Vertical	326	1.78	-	36.81	7.23	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9106G	99.31	Inf	-Inf	89.03	3	Horizontal	200	2.76	-	36.26	7.17	33.15
RMS	6.9142G	88.66	Inf	-Inf	78.35	3	Horizontal	200	2.76	-	36.29	7.17	33.15
PK	7.2178G	63.21	88.20	-24.99	52.00	3	Horizontal	200	2.76	-	37.10	7.22	33.11
RMS	7.1266G	50.60	68.20	-17.60	39.79	3	Horizontal	200	2.76	-	36.71	7.24	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.85026G	62.77	88.20	-25.43	43.32	3	Vertical	180	1.54	-	40.85	9.83	31.23
RMS	13.85005G	48.70	68.20	-19.50	29.25	3	Vertical	180	1.54	-	40.85	9.83	31.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8501G	62.07	88.20	-26.13	42.62	3	Horizontal	52	2.31	-	40.85	9.83	31.23
RMS	13.84955G	48.69	68.20	-19.51	29.24	3	Horizontal	52	2.31	-	40.85	9.83	31.23

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.7753G	44.91	83.54	-38.63	40.89	1	Vertical	228	1.55	-	37.96	15.85	49.79
AV	20.77485G	32.83	63.54	-30.71	28.81	1	Vertical	228	1.55	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77462G	45.16	83.54	-38.38	41.14	1	Horizontal	330	2.46	-	37.96	15.85	49.79
AV	20.77457G	32.83	63.54	-30.71	28.81	1	Horizontal	330	2.46	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Z_4TX
Setting 39
01-R-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.997G	112.05	Inf	-Inf	101.63	3	Vertical	269	1.77	-	36.31	7.30	33.19
RMS	7.0034G	100.10	Inf	-Inf	89.67	3	Vertical	269	1.77	-	36.32	7.30	33.19
PK	7.125G	64.59	88.20	-23.61	53.79	3	Vertical	269	1.77	-	36.70	7.24	33.14
RMS	7.1338G	50.84	68.20	-17.36	39.98	3	Vertical	269	1.77	-	36.77	7.23	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Z_4TX
Setting 39
01-R-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.009G	100.35	Inf	-Inf	89.89	3	Horizontal	239	2.76	-	36.35	7.30	33.19
RMS	7.009G	89.06	Inf	-Inf	78.60	3	Horizontal	239	2.76	-	36.35	7.30	33.19
PK	7.153G	63.14	88.20	-25.06	52.14	3	Horizontal	239	2.76	-	36.91	7.22	33.13
RMS	7.1586G	50.53	68.20	-17.67	39.51	3	Horizontal	239	2.76	-	36.93	7.22	33.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 39
01-R-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00956G	62.81	88.20	-25.39	43.35	3	Vertical	114	1.79	-	40.90	9.90	31.34
RMS	14.0104G	48.75	68.20	-19.45	29.29	3	Vertical	114	1.79	-	40.90	9.90	31.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 39
01-R-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01036G	61.96	88.20	-26.24	42.50	3	Horizontal	271	1.49	-	40.90	9.90	31.34
RMS	14.0105G	48.73	68.20	-19.47	29.27	3	Horizontal	271	1.49	-	40.90	9.90	31.34

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT_Z_4TX
Setting 39
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77499G	46.12	83.54	-37.42	42.10	1	Vertical	298	2.10	-	37.96	15.85	49.79
AV	20.77478G	32.90	63.54	-30.64	28.88	1	Vertical	298	2.10	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Z_4TX
Setting 39
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.77497G	45.30	83.54	-38.24	41.28	1	Horizontal	161	1.75	-	37.96	15.85	49.79
AV	20.77491G	32.83	63.54	-30.71	28.81	1	Horizontal	161	1.75	-	37.96	15.85	49.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Z_4TX
Setting 40
01-R-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0904G	112.83	Inf	-Inf	102.22	3	Vertical	263	1.80	-	36.52	7.25	33.16
RMS	7.0922G	100.54	Inf	-Inf	89.93	3	Vertical	263	1.80	-	36.52	7.25	33.16
PK	7.127G	76.24	88.20	-11.96	65.42	3	Vertical	263	1.80	-	36.72	7.24	33.14
RMS	7.1252G	60.08	68.20	-8.12	49.28	3	Vertical	263	1.80	-	36.70	7.24	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Z_4TX
Setting 40
01-R-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0916G	98.10	Inf	-Inf	87.49	3	Horizontal	22	1.80	-	36.52	7.25	33.16
RMS	7.088G	86.00	Inf	-Inf	75.38	3	Horizontal	22	1.80	-	36.52	7.26	33.16
PK	7.1882G	63.79	88.20	-24.41	52.65	3	Horizontal	22	1.80	-	37.05	7.21	33.12
RMS	7.1252G	51.12	68.20	-17.08	40.32	3	Horizontal	22	1.80	-	36.70	7.24	33.14

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17024G	61.71	88.20	-26.49	42.43	3	Vertical	112	1.51	-	40.83	9.95	31.50
RMS	14.17G	48.13	68.20	-20.07	28.85	3	Vertical	112	1.51	-	40.83	9.95	31.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.16986G	61.63	88.20	-26.57	42.35	3	Horizontal	325	2.04	-	40.83	9.95	31.50
RMS	14.1696G	48.07	68.20	-20.13	28.79	3	Horizontal	325	2.04	-	40.83	9.95	31.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25522G	46.00	83.54	-37.54	41.98	1	Vertical	172	1.35	-	37.61	16.06	49.65
AV	21.25534G	33.46	63.54	-30.08	29.44	1	Vertical	172	1.35	-	37.61	16.06	49.65

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT_Z_4TX
Setting 40
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.2555G	46.52	83.54	-37.02	42.50	1	Horizontal	236	2.63	-	37.61	16.06	49.65
AV	21.25496G	33.52	63.54	-30.02	29.50	1	Horizontal	236	2.63	-	37.61	16.06	49.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT Z_4TX
Setting 49
01-R-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9242G	79.20	88.20	-9.00	70.54	3	Vertical	333	1.80	-	35.00	6.60	32.94
RMS	5.925G	64.77	68.20	-3.43	56.11	3	Vertical	333	1.80	-	35.00	6.60	32.94
PK	5.9954G	112.79	Inf	-Inf	103.86	3	Vertical	333	1.80	-	35.28	6.60	32.95
RMS	5.9978G	100.45	Inf	-Inf	91.51	3	Vertical	333	1.80	-	35.29	6.60	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_Z_4TX
Setting 49
01-R-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	63.33	88.20	-24.87	54.67	3	Horizontal	319	1.80	-	35.00	6.60	32.94
RMS	5.925G	50.11	68.20	-18.09	41.45	3	Horizontal	319	1.80	-	35.00	6.60	32.94
PK	5.9986G	96.86	Inf	-Inf	87.92	3	Horizontal	319	1.80	-	35.29	6.60	32.95
RMS	6.0002G	84.55	Inf	-Inf	75.60	3	Horizontal	319	1.80	-	35.30	6.60	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_Z_4TX
Setting 49
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97039G	55.49	74.00	-18.51	40.88	3	Vertical	321	1.10	-	38.50	8.99	32.88
AV	11.9702G	41.47	54.00	-12.53	26.86	3	Vertical	321	1.10	-	38.50	8.99	32.88
PK	17.95469G	64.13	74.00	-9.87	41.85	3	Vertical	26	1.57	-	42.85	11.09	31.66
AV	17.95488G	47.60	54.00	-6.40	25.32	3	Vertical	26	1.57	-	42.85	11.09	31.66

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5985MHz_TnomVnom




EUT_Z_4TX
Setting 49
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97008G	56.27	74.00	-17.73	41.66	3	Horizontal	247	2.27	-	38.50	8.99	32.88
AV	11.96992G	41.68	54.00	-12.32	27.07	3	Horizontal	247	2.27	-	38.50	8.99	32.88
PK	17.95499G	63.66	74.00	-10.34	41.38	3	Horizontal	38	1.94	-	42.85	11.09	31.66
AV	17.95455G	47.54	54.00	-6.46	25.26	3	Horizontal	38	1.94	-	42.85	11.09	31.66

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 52
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.917G	60.81	88.20	-27.39	52.18	3	Vertical	327	2.34	-	34.97	6.60	32.94
RMS	5.925G	48.38	68.20	-19.82	39.72	3	Vertical	327	2.34	-	35.00	6.60	32.94
PK	6.171G	112.19	Inf	-Inf	102.90	3	Vertical	327	2.34	-	35.38	6.86	32.95
RMS	6.173G	99.86	Inf	-Inf	90.56	3	Vertical	327	2.34	-	35.39	6.86	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 52
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.863G	60.80	88.20	-27.40	52.31	3	Horizontal	159	1.99	-	34.83	6.60	32.94
RMS	5.919G	47.93	68.20	-20.27	39.29	3	Horizontal	159	1.99	-	34.98	6.60	32.94
PK	6.143G	98.28	Inf	-Inf	89.12	3	Horizontal	159	1.99	-	35.30	6.81	32.95
RMS	6.143G	86.35	Inf	-Inf	77.19	3	Horizontal	159	1.99	-	35.30	6.81	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT_Z_4TX
Setting 52
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29046G	56.04	74.00	-17.96	40.95	3	Vertical	132	2.52	-	38.48	9.13	32.52
AV	12.29019G	42.15	54.00	-11.85	27.06	3	Vertical	132	2.52	-	38.48	9.13	32.52

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 52
01-A-P-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.2896G	56.36	74.00	-17.64	41.27	3	Horizontal	219	1.72	-	38.48	9.13	32.52
AV	12.2905G	42.46	54.00	-11.54	27.37	3	Horizontal	219	1.72	-	38.48	9.13	32.52

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 52
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43474G	44.29	83.54	-39.25	41.83	1	Vertical	245	2.21	-	37.72	14.87	50.13
AV	18.43523G	32.23	63.54	-31.31	29.77	1	Vertical	245	2.21	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Z_4TX
Setting 52
01-R-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43477G	44.27	83.54	-39.27	41.81	1	Horizontal	193	2.09	-	37.72	14.87	50.13
AV	18.43516G	32.35	63.54	-31.19	29.89	1	Horizontal	193	2.09	-	37.72	14.87	50.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom



EUT Z_4TX
Setting 53
01-A-P-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9174G	60.15	88.20	-28.05	51.52	3	Vertical	213	2.09	-	34.97	6.60	32.94
RMS	5.923G	48.12	68.20	-20.08	39.47	3	Vertical	213	2.09	-	34.99	6.60	32.94
PK	6.3962G	114.69	Inf	-Inf	105.06	3	Vertical	213	2.09	-	35.58	7.00	32.95
RMS	6.3962G	102.61	Inf	-Inf	92.98	3	Vertical	213	2.09	-	35.58	7.00	32.95