





Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	13.35	0.02163	19.35	0.08610
802.11ax HEW40_Nss1,(MCS0)_1TX	16.15	0.04121	22.15	0.16406
802.11ax HEW80_Nss1,(MCS0)_1TX	17.94	0.06223	23.94	0.24774
802.11ax HEW160_Nss1,(MCS0)_1TX	17.93	0.06209	23.93	0.24717
6.425-6.525GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	13.16	0.02070	19.16	0.08241
802.11ax HEW40_Nss1,(MCS0)_1TX	16.24	0.04207	22.24	0.16749
802.11ax HEW80_Nss1,(MCS0)_1TX	17.89	0.06152	23.89	0.24491
802.11ax HEW160_Nss1,(MCS0)_1TX	17.89	0.06152	23.89	0.24491
6.525-6.875GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	13.36	0.02168	19.36	0.08630
802.11ax HEW40_Nss1,(MCS0)_1TX	16.22	0.04188	22.22	0.16672
802.11ax HEW80_Nss1,(MCS0)_1TX	17.94	0.06223	23.94	0.24774
802.11ax HEW160_Nss1,(MCS0)_1TX	17.90	0.06166	23.90	0.24547
6.875-7.125GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	13.28	0.02128	19.28	0.08472
802.11ax HEW40_Nss1,(MCS0)_1TX	16.30	0.04266	22.30	0.16982
802.11ax HEW80_Nss1,(MCS0)_1TX	17.86	0.06109	23.86	0.24322
802.11ax HEW160_Nss1,(MCS0)_1TX	17.83	0.06067	23.83	0.24155



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	6.00	13.20	13.20	19.20	30.00
6175MHz	Pass	6.00	13.35	13.35	19.35	30.00
6415MHz	Pass	6.00	13.19	13.19	19.19	30.00
6435MHz	Pass	6.00	13.16	13.16	19.16	30.00
6475MHz	Pass	6.00	13.00	13.00	19.00	30.00
6515MHz	Pass	6.00	13.16	13.16	19.16	30.00
6535MHz	Pass	6.00	13.26	13.26	19.26	30.00
6695MHz	Pass	6.00	13.13	13.13	19.13	30.00
6855MHz	Pass	6.00	13.24	13.24	19.24	30.00
6875MHz Straddle 6.525-6.875GHz	Pass	6.00	13.36	13.36	19.36	30.00
6895MHz	Pass	6.00	13.28	13.28	19.28	30.00
6995MHz	Pass	6.00	13.27	13.27	19.27	30.00
7095MHz	Pass	6.00	13.10	13.10	19.10	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5965MHz	Pass	6.00	15.73	15.73	21.73	30.00
6165MHz	Pass	6.00	16.08	16.08	22.08	30.00
6405MHz	Pass	6.00	16.15	16.15	22.15	30.00
6445MHz	Pass	6.00	15.99	15.99	21.99	30.00
6485MHz	Pass	6.00	16.24	16.24	22.24	30.00
6525MHz Straddle 6.425-6.525GHz	Pass	6.00	16.13	16.13	22.13	30.00
6565MHz	Pass	6.00	16.22	16.22	22.22	30.00
6685MHz	Pass	6.00	15.88	15.88	21.88	30.00
6845MHz	Pass	6.00	15.89	15.89	21.89	30.00
6885MHz Straddle 6.525-6.875GHz	Pass	6.00	15.99	15.99	21.99	30.00
6925MHz	Pass	6.00	16.30	16.30	22.30	30.00
7005MHz	Pass	6.00	16.09	16.09	22.09	30.00
7085MHz	Pass	6.00	16.09	16.09	22.09	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5985MHz	Pass	6.00	17.90	17.90	23.90	30.00
6145MHz	Pass	6.00	17.94	17.94	23.94	30.00
6385MHz	Pass	6.00	17.85	17.85	23.85	30.00
6465MHz	Pass	6.00	17.87	17.87	23.87	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	6.00	17.89	17.89	23.89	30.00
6625MHz	Pass	6.00	17.94	17.94	23.94	30.00
6705MHz	Pass	6.00	17.91	17.91	23.91	30.00
6785MHz	Pass	6.00	17.89	17.89	23.89	30.00
6865MHz Straddle 6.525-6.875GHz	Pass	6.00	17.88	17.88	23.88	30.00
6945MHz	Pass	6.00	17.86	17.86	23.86	30.00
7025MHz	Pass	6.00	17.86	17.86	23.86	30.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6025MHz	Pass	6.00	17.83	17.83	23.83	30.00
6185MHz	Pass	6.00	17.93	17.93	23.93	30.00
6345MHz	Pass	6.00	17.89	17.89	23.89	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	6.00	17.89	17.89	23.89	30.00
6665MHz	Pass	6.00	17.90	17.90	23.90	30.00
6825MHz Straddle 6.525-6.875GHz	Pass	6.00	17.79	17.79	23.79	30.00
6985MHz	Pass	6.00	17.83	17.83	23.83	30.00

DG = Directional Gain; Port X = Port X output power

Summary

Mode	Total Power (dBm)	Total Power (W)	EIRP (dBm)	EIRP (W)
5.925-6.425GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	9.20	0.00832	19.20	0.08318
802.11ax HEW40_Nss1,(MCS0)_1TX	12.28	0.01690	22.28	0.16904
802.11ax HEW80_Nss1,(MCS0)_1TX	13.91	0.02460	23.91	0.24604
802.11ax HEW160_Nss1,(MCS0)_1TX	13.94	0.02477	23.94	0.24774
6.425-6.525GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	9.11	0.00815	19.11	0.08147
802.11ax HEW40_Nss1,(MCS0)_1TX	12.03	0.01596	22.03	0.15959
802.11ax HEW80_Nss1,(MCS0)_1TX	13.89	0.02449	23.89	0.24491
802.11ax HEW160_Nss1,(MCS0)_1TX	13.83	0.02415	23.83	0.24155
6.525-6.875GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	9.34	0.00859	19.34	0.08590
802.11ax HEW40_Nss1,(MCS0)_1TX	12.43	0.01750	22.43	0.17498
802.11ax HEW80_Nss1,(MCS0)_1TX	13.92	0.02466	23.92	0.24660
802.11ax HEW160_Nss1,(MCS0)_1TX	13.88	0.02443	23.88	0.24434
6.875-7.125GHz	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	9.36	0.00863	19.36	0.08630
802.11ax HEW40_Nss1,(MCS0)_1TX	12.35	0.01718	22.35	0.17179
802.11ax HEW80_Nss1,(MCS0)_1TX	13.94	0.02477	23.94	0.24774
802.11ax HEW160_Nss1,(MCS0)_1TX	13.85	0.02427	23.85	0.24266



Result

Mode	Result	DG (dBi)	Port 1 (dBm)	Total Power (dBm)	EIRP (dBm)	EIRP Limit (dBm)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	10.00	9.20	9.20	19.20	30.00
6175MHz	Pass	10.00	9.03	9.03	19.03	30.00
6415MHz	Pass	10.00	9.09	9.09	19.09	30.00
6435MHz	Pass	10.00	9.02	9.02	19.02	30.00
6475MHz	Pass	10.00	9.01	9.01	19.01	30.00
6515MHz	Pass	10.00	9.11	9.11	19.11	30.00
6535MHz	Pass	10.00	9.15	9.15	19.15	30.00
6695MHz	Pass	10.00	9.26	9.26	19.26	30.00
6855MHz	Pass	10.00	9.34	9.34	19.34	30.00
6875MHz Straddle 6.525-6.875GHz	Pass	10.00	9.05	9.05	19.05	30.00
6895MHz	Pass	10.00	9.31	9.31	19.31	30.00
6995MHz	Pass	10.00	9.00	9.00	19.00	30.00
7095MHz	Pass	10.00	9.36	9.36	19.36	30.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5965MHz	Pass	10.00	12.28	12.28	22.28	30.00
6165MHz	Pass	10.00	12.04	12.04	22.04	30.00
6405MHz	Pass	10.00	12.10	12.10	22.10	30.00
6445MHz	Pass	10.00	12.01	12.01	22.01	30.00
6485MHz	Pass	10.00	12.03	12.03	22.03	30.00
6525MHz Straddle 6.425-6.525GHz	Pass	10.00	11.95	11.95	21.95	30.00
6565MHz	Pass	10.00	12.01	12.01	22.01	30.00
6685MHz	Pass	10.00	12.43	12.43	22.43	30.00
6845MHz	Pass	10.00	12.12	12.12	22.12	30.00
6885MHz Straddle 6.525-6.875GHz	Pass	10.00	12.13	12.13	22.13	30.00
6925MHz	Pass	10.00	12.35	12.35	22.35	30.00
7005MHz	Pass	10.00	12.20	12.20	22.20	30.00
7085MHz	Pass	10.00	12.31	12.31	22.31	30.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5985MHz	Pass	10.00	13.77	13.77	23.77	30.00
6145MHz	Pass	10.00	13.83	13.83	23.83	30.00
6385MHz	Pass	10.00	13.91	13.91	23.91	30.00
6465MHz	Pass	10.00	13.88	13.88	23.88	30.00
6545MHz Straddle 6.425-6.525GHz	Pass	10.00	13.89	13.89	23.89	30.00
6625MHz	Pass	10.00	13.87	13.87	23.87	30.00
6705MHz	Pass	10.00	13.88	13.88	23.88	30.00
6785MHz	Pass	10.00	13.92	13.92	23.92	30.00
6865MHz Straddle 6.525-6.875GHz	Pass	10.00	13.92	13.92	23.92	30.00
6945MHz	Pass	10.00	13.94	13.94	23.94	30.00
7025MHz	Pass	10.00	13.85	13.85	23.85	30.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6025MHz	Pass	10.00	13.87	13.87	23.87	30.00
6185MHz	Pass	10.00	13.94	13.94	23.94	30.00
6345MHz	Pass	10.00	13.86	13.86	23.86	30.00
6505MHz Straddle 6.425-6.525GHz	Pass	10.00	13.83	13.83	23.83	30.00
6665MHz	Pass	10.00	13.88	13.88	23.88	30.00
6825MHz Straddle 6.525-6.875GHz	Pass	10.00	13.82	13.82	23.82	30.00
6985MHz	Pass	10.00	13.85	13.85	23.85	30.00

DG = Directional Gain; Port X = Port X output power

Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.99
802.11ax HEW40_Nss1,(MCS0)_1TX	4.96
802.11ax HEW80_Nss1,(MCS0)_1TX	4.84
802.11ax HEW160_Nss1,(MCS0)_1TX	4.95
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.83
802.11ax HEW40_Nss1,(MCS0)_1TX	4.95
802.11ax HEW80_Nss1,(MCS0)_1TX	4.86
802.11ax HEW160_Nss1,(MCS0)_1TX	4.90
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.93
802.11ax HEW40_Nss1,(MCS0)_1TX	4.97
802.11ax HEW80_Nss1,(MCS0)_1TX	4.90
802.11ax HEW160_Nss1,(MCS0)_1TX	4.96
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.97
802.11ax HEW40_Nss1,(MCS0)_1TX	4.89
802.11ax HEW80_Nss1,(MCS0)_1TX	4.86
802.11ax HEW160_Nss1,(MCS0)_1TX	2.25

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5955MHz	Pass	4.70	0.27	4.97	5.00
6175MHz	Pass	4.70	0.29	4.99	5.00
6415MHz	Pass	4.70	0.12	4.82	5.00
6435MHz	Pass	4.80	0.03	4.83	5.00
6475MHz	Pass	4.80	-0.04	4.76	5.00
6515MHz	Pass	4.80	0.03	4.83	5.00
6535MHz	Pass	4.80	-0.01	4.79	5.00
6695MHz	Pass	4.80	0.04	4.84	5.00
6855MHz	Pass	4.80	0.13	4.93	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.80	0.13	4.93	5.00
6895MHz	Pass	4.10	0.76	4.86	5.00
6995MHz	Pass	4.10	0.87	4.97	5.00
7095MHz	Pass	4.10	0.85	4.95	5.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5965MHz	Pass	4.70	0.26	4.96	5.00
6165MHz	Pass	4.70	0.20	4.90	5.00
6405MHz	Pass	4.70	0.07	4.77	5.00
6445MHz	Pass	4.80	0.12	4.92	5.00
6485MHz	Pass	4.80	0.11	4.91	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.80	0.15	4.95	5.00
6565MHz	Pass	4.80	0.14	4.94	5.00
6685MHz	Pass	4.80	0.16	4.96	5.00
6845MHz	Pass	4.80	0.17	4.97	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.80	0.14	4.94	5.00
6925MHz	Pass	4.10	0.68	4.78	5.00
7005MHz	Pass	4.10	0.79	4.89	5.00
7085MHz	Pass	4.10	0.76	4.86	5.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5985MHz	Pass	4.70	0.09	4.79	5.00
6145MHz	Pass	4.70	0.11	4.81	5.00
6385MHz	Pass	4.70	0.14	4.84	5.00
6465MHz	Pass	4.80	-0.00	4.80	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.80	0.06	4.86	5.00
6625MHz	Pass	4.80	0.10	4.90	5.00
6705MHz	Pass	4.80	0.04	4.84	5.00
6785MHz	Pass	4.80	-0.03	4.77	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.80	0.06	4.86	5.00
6945MHz	Pass	4.10	0.76	4.86	5.00
7025MHz	Pass	4.10	0.71	4.81	5.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-
6025MHz	Pass	4.70	-0.28	4.42	5.00
6185MHz	Pass	4.70	0.25	4.95	5.00
6345MHz	Pass	4.70	0.05	4.75	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.80	0.10	4.90	5.00
6665MHz	Pass	4.80	0.16	4.96	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.80	0.10	4.90	5.00
6985MHz	Pass	4.10	-1.85	2.25	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5955MHz

22/02/2022

CF
5.955GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.27	0.27	0.27


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6175MHz

22/02/2022

CF
6.175GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.29	0.29	0.29


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6415MHz

22/02/2022

CF
6.415GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.12	0.12	0.12


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6435MHz

22/02/2022

CF
6.435GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.03	0.03	0.03

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6475MHz

22/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.04	-0.04	-0.04

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6515MHz

22/02/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.03	0.03	0.03


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6535MHz

22/02/2022

CF
6.535GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.01	-0.01	-0.01


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6695MHz

22/02/2022

CF
6.695GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.04	0.04	0.04

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6855MHz

22/02/2022

CF
6.855GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.13	0.13	0.13

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6875MHz Straddle 6.525-6.875GHz

22/02/2022

CF
6.875GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.13	0.13	0.13

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6895MHz

22/02/2022

CF
6.895GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.76	0.76	0.76

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6995MHz

22/02/2022

CF
6.995GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.87	0.87	0.87

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

7095MHz

22/02/2022

CF
7.095GHz


Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.85	0.85	0.85

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5965MHz

22/02/2022

CF
5.965GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.26	0.26	0.26


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6165MHz

22/02/2022

CF
6.165GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.20	0.20	0.20


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6405MHz

22/02/2022

CF
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.07	0.07	0.07

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6445MHz

22/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.12	0.12	0.12

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6485MHz

22/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.11	0.11	0.11

802.11ax HEW40_Nss1,(MCS0)_1TX
6525MHz Straddle 6.425-6.525GHz

PSD

22/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.15	0.15	0.15

802.11ax HEW40_Nss1,(MCS0)_1TX
6565MHz

PSD

22/02/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.14	0.14	0.14


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6685MHz

22/02/2022

CF
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.16	0.16	0.16


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6845MHz

22/02/2022

CF
6.845GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS




Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.17	0.17	0.17

802.11ax HEW40_Nss1,(MCS0)_1TX
6885MHz Straddle 6.525-6.875GHz

PSD

22/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.14	0.14	0.14

802.11ax HEW40_Nss1,(MCS0)_1TX
6925MHz

PSD

22/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.68	0.68	0.68

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

7005MHz

22/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.79	0.79	0.79

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

7085MHz

22/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.76	0.76	0.76

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

5985MHz

22/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.09	0.09	0.09

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6145MHz

22/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.11	0.11	0.11

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6385MHz

22/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.14	0.14	0.14

802.11ax HEW80_Nss1,(MCS0)_1TX



PSD

6465MHz

22/02/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.00	0.00	-0.00




802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6705MHz

22/02/2022






802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6785MHz

22/02/2022





802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

7025MHz

22/02/2022

CF
7.025GHz


Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.71	0.71	0.71

802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6025MHz

22/02/2022

CF
6.025GHz


Span
240MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.28	-0.28	-0.28

802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6185MHz

22/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.25	0.25	0.25

802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6345MHz

22/02/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.05	0.05	0.05


802.11ax HEW160_Nss1,(MCS0)_1TX


PSD

6505MHz Straddle 6.425-6.525GHz

22/02/2022

CF
6.505GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.10	0.10	0.10


802.11ax HEW160_Nss1,(MCS0)_1TX


PSD

6665MHz



22/02/2022

CF
6.665GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.16	0.16	0.16



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.98
802.11ax HEW40_Nss1,(MCS0)_4TX	4.91
802.11ax HEW80_Nss1,(MCS0)_4TX	4.97
802.11ax HEW160_Nss1,(MCS0)_4TX	4.97
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.96
802.11ax HEW40_Nss1,(MCS0)_4TX	4.88
802.11ax HEW80_Nss1,(MCS0)_4TX	4.94
802.11ax HEW160_Nss1,(MCS0)_4TX	4.92
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.91
802.11ax HEW40_Nss1,(MCS0)_4TX	4.95
802.11ax HEW80_Nss1,(MCS0)_4TX	4.98
802.11ax HEW160_Nss1,(MCS0)_4TX	4.94
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.93
802.11ax HEW40_Nss1,(MCS0)_4TX	4.95
802.11ax HEW80_Nss1,(MCS0)_4TX	4.97
802.11ax HEW160_Nss1,(MCS0)_4TX	4.93

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;




Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.98	5.00
6175MHz	Pass	4.79	5.00
6415MHz	Pass	4.98	5.00
6435MHz	Pass	4.96	5.00
6475MHz	Pass	4.82	5.00
6515MHz	Pass	4.88	5.00
6535MHz	Pass	4.91	5.00
6695MHz	Pass	4.91	5.00
6855MHz	Pass	4.64	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.76	5.00
6895MHz	Pass	4.82	5.00
6995MHz	Pass	4.93	5.00
7095MHz	Pass	4.89	5.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.91	5.00
6165MHz	Pass	4.75	5.00
6405MHz	Pass	4.85	5.00
6445MHz	Pass	4.88	5.00
6485MHz	Pass	4.82	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.82	5.00
6565MHz	Pass	4.87	5.00
6685MHz	Pass	4.75	5.00
6845MHz	Pass	4.77	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.95	5.00
6925MHz	Pass	4.95	5.00
7005MHz	Pass	4.93	5.00
7085MHz	Pass	4.54	5.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.97	5.00
6145MHz	Pass	4.92	5.00
6385MHz	Pass	4.94	5.00
6465MHz	Pass	4.94	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.80	5.00
6625MHz	Pass	4.98	5.00
6705MHz	Pass	4.89	5.00
6785MHz	Pass	4.98	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.86	5.00
6945MHz	Pass	4.86	5.00
7025MHz	Pass	4.97	5.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.97	5.00
6185MHz	Pass	4.94	5.00
6345MHz	Pass	4.87	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.92	5.00
6665MHz	Pass	4.83	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.44	5.00
6985MHz	Pass	4.93	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 The test result used radiated measurement.


























































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.75
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.97
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.87
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	1.95
6.425-6.525GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.98
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.98
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.40
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	3.35
6.525-6.875GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.86
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.98
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.89
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	3.29
6.875-7.125GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.94
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.94
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.93
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	2.71


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;





Result

Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.75	5.00
6175MHz	Pass	4.72	5.00
6415MHz	Pass	4.75	5.00
6435MHz	Pass	4.92	5.00
6475MHz	Pass	4.96	5.00
6515MHz	Pass	4.98	5.00
6535MHz	Pass	4.84	5.00
6695MHz	Pass	4.84	5.00
6855MHz	Pass	4.86	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.71	5.00
6895MHz	Pass	4.82	5.00
6995MHz	Pass	4.70	5.00
7095MHz	Pass	4.94	5.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.97	5.00
6165MHz	Pass	4.96	5.00
6405MHz	Pass	4.89	5.00
6445MHz	Pass	4.87	5.00
6485MHz	Pass	4.91	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.98	5.00
6565MHz	Pass	4.98	5.00
6685MHz	Pass	4.70	5.00
6845MHz	Pass	4.98	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.84	5.00
6925MHz	Pass	4.89	5.00
7005MHz	Pass	4.72	5.00
7085MHz	Pass	4.94	5.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	3.31	5.00
6145MHz	Pass	4.87	5.00
6385MHz	Pass	3.89	5.00
6465MHz	Pass	3.88	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.40	5.00
6625MHz	Pass	3.92	5.00
6705MHz	Pass	4.89	5.00
6785MHz	Pass	4.85	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.74	5.00
6945MHz	Pass	4.93	5.00
7025MHz	Pass	4.88	5.00
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	1.89	5.00
6185MHz	Pass	1.31	5.00
6345MHz	Pass	1.95	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	3.35	5.00
6665MHz	Pass	3.29	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	2.40	5.00
6985MHz	Pass	2.71	5.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;


























































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.98
802.11ax HEW40_Nss1,(MCS0)_4TX	4.87
802.11ax HEW80_Nss1,(MCS0)_4TX	4.94
802.11ax HEW160_Nss1,(MCS0)_4TX	4.99
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.99
802.11ax HEW40_Nss1,(MCS0)_4TX	4.92
802.11ax HEW80_Nss1,(MCS0)_4TX	4.98
802.11ax HEW160_Nss1,(MCS0)_4TX	4.87
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.98
802.11ax HEW40_Nss1,(MCS0)_4TX	4.99
802.11ax HEW80_Nss1,(MCS0)_4TX	4.96
802.11ax HEW160_Nss1,(MCS0)_4TX	4.85
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_4TX	4.88
802.11ax HEW40_Nss1,(MCS0)_4TX	4.99
802.11ax HEW80_Nss1,(MCS0)_4TX	4.98
802.11ax HEW160_Nss1,(MCS0)_4TX	4.77


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:





Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.98	5.00
6175MHz	Pass	4.93	5.00
6415MHz	Pass	4.72	5.00
6435MHz	Pass	4.99	5.00
6475MHz	Pass	4.79	5.00
6515MHz	Pass	4.90	5.00
6535MHz	Pass	4.84	5.00
6695MHz	Pass	4.68	5.00
6855MHz	Pass	4.95	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.98	5.00
6895MHz	Pass	4.81	5.00
6995MHz	Pass	4.88	5.00
7095MHz	Pass	4.87	5.00
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.77	5.00
6165MHz	Pass	4.69	5.00
6405MHz	Pass	4.87	5.00
6445MHz	Pass	4.92	5.00
6485MHz	Pass	4.54	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.70	5.00
6565MHz	Pass	4.99	5.00
6685MHz	Pass	4.60	5.00
6845MHz	Pass	4.78	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.85	5.00
6925MHz	Pass	4.99	5.00
7005MHz	Pass	4.82	5.00
7085MHz	Pass	4.95	5.00
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.83	5.00
6145MHz	Pass	4.92	5.00
6385MHz	Pass	4.94	5.00
6465MHz	Pass	4.98	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.67	5.00
6625MHz	Pass	4.96	5.00
6705MHz	Pass	4.71	5.00
6785MHz	Pass	4.82	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.95	5.00
6945MHz	Pass	4.98	5.00
7025MHz	Pass	4.87	5.00
802.11ax HEW160_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	4.99	5.00
6185MHz	Pass	4.90	5.00
6345MHz	Pass	4.91	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.87	5.00
6665MHz	Pass	4.85	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.81	5.00
6985MHz	Pass	4.77	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
 The test result used radiated measurement.































































Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.82
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.97
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.94
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	4.99
6.425-6.525GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.95
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.96
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.91
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	4.98
6.525-6.875GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.92
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.94
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.98
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	4.86
6.875-7.125GHz	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	4.99
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	4.88
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	4.94
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	3.40

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;




Result


Mode	Result	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	-	-	-
5955MHz	Pass	4.77	5.00
6175MHz	Pass	4.81	5.00
6415MHz	Pass	4.82	5.00
6435MHz	Pass	4.67	5.00
6475MHz	Pass	4.95	5.00
6515MHz	Pass	4.81	5.00
6535MHz	Pass	4.92	5.00
6695MHz	Pass	4.75	5.00
6855MHz	Pass	4.91	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	4.90	5.00
6895MHz	Pass	4.55	5.00
6995MHz	Pass	4.99	5.00
7095MHz	Pass	4.83	5.00
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	-	-	-
5965MHz	Pass	4.97	5.00
6165MHz	Pass	4.66	5.00
6405MHz	Pass	4.71	5.00
6445MHz	Pass	4.96	5.00
6485MHz	Pass	4.91	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	4.84	5.00
6565MHz	Pass	4.85	5.00
6685MHz	Pass	4.82	5.00
6845MHz	Pass	4.83	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	4.94	5.00
6925MHz	Pass	4.84	5.00
7005MHz	Pass	4.88	5.00
7085MHz	Pass	4.80	5.00
802.11ax HEW80-BF_Nss1,(MCS0)_4TX	-	-	-
5985MHz	Pass	4.76	5.00
6145MHz	Pass	4.94	5.00
6385MHz	Pass	4.90	5.00
6465MHz	Pass	4.77	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	4.91	5.00
6625MHz	Pass	4.98	5.00
6705MHz	Pass	4.97	5.00
6785MHz	Pass	4.95	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	4.84	5.00
6945MHz	Pass	4.84	5.00
7025MHz	Pass	4.94	5.00
802.11ax HEW160-BF_Nss1,(MCS0)_4TX	-	-	-
6025MHz	Pass	3.95	5.00
6185MHz	Pass	4.99	5.00
6345MHz	Pass	4.92	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	4.98	5.00
6665MHz	Pass	2.38	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	4.86	5.00
6985MHz	Pass	3.40	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;
























































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.925-6.425GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.03	4.97
802.11ax HEW40_Nss1,(MCS0)_1TX	-1.03	4.97
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.01	4.99
802.11ax HEW160_Nss1,(MCS0)_1TX	-1.02	4.98
6.425-6.525GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.06	4.94
802.11ax HEW40_Nss1,(MCS0)_1TX	-1.04	4.96
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.15	4.85
802.11ax HEW160_Nss1,(MCS0)_1TX	-1.23	4.77
6.525-6.875GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.01	4.99
802.11ax HEW40_Nss1,(MCS0)_1TX	-1.02	4.98
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.02	4.98
802.11ax HEW160_Nss1,(MCS0)_1TX	-1.06	4.94
6.875-7.125GHz	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	-1.03	4.97
802.11ax HEW40_Nss1,(MCS0)_1TX	-1.01	4.99
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.06	4.94
802.11ax HEW160_Nss1,(MCS0)_1TX	-4.22	1.78

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5955MHz	Pass	6.00	-1.07	-1.07	4.93	5.00
6175MHz	Pass	6.00	-1.03	-1.03	4.97	5.00
6415MHz	Pass	6.00	-1.08	-1.08	4.92	5.00
6435MHz	Pass	6.00	-1.13	-1.13	4.87	5.00
6475MHz	Pass	6.00	-1.22	-1.22	4.78	5.00
6515MHz	Pass	6.00	-1.06	-1.06	4.94	5.00
6535MHz	Pass	6.00	-1.04	-1.04	4.96	5.00
6695MHz	Pass	6.00	-1.18	-1.18	4.82	5.00
6855MHz	Pass	6.00	-1.01	-1.01	4.99	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	6.00	-1.05	-1.05	4.95	5.00
6895MHz	Pass	6.00	-1.15	-1.15	4.85	5.00
6995MHz	Pass	6.00	-1.03	-1.03	4.97	5.00
7095MHz	Pass	6.00	-1.14	-1.14	4.86	5.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5965MHz	Pass	6.00	-1.18	-1.18	4.82	5.00
6165MHz	Pass	6.00	-1.03	-1.03	4.97	5.00
6405MHz	Pass	6.00	-1.07	-1.07	4.93	5.00
6445MHz	Pass	6.00	-1.14	-1.14	4.86	5.00
6485MHz	Pass	6.00	-1.04	-1.04	4.96	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	6.00	-1.04	-1.04	4.96	5.00
6565MHz	Pass	6.00	-1.06	-1.06	4.94	5.00
6685MHz	Pass	6.00	-1.15	-1.15	4.85	5.00
6845MHz	Pass	6.00	-1.02	-1.02	4.98	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	6.00	-1.25	-1.25	4.75	5.00
6925MHz	Pass	6.00	-1.08	-1.08	4.92	5.00
7005MHz	Pass	6.00	-1.11	-1.11	4.89	5.00
7085MHz	Pass	6.00	-1.01	-1.01	4.99	5.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-
5985MHz	Pass	6.00	-1.11	-1.11	4.89	5.00
6145MHz	Pass	6.00	-1.02	-1.02	4.98	5.00
6385MHz	Pass	6.00	-1.01	-1.01	4.99	5.00
6465MHz	Pass	6.00	-1.23	-1.23	4.77	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	6.00	-1.15	-1.15	4.85	5.00
6625MHz	Pass	6.00	-1.13	-1.13	4.87	5.00
6705MHz	Pass	6.00	-1.18	-1.18	4.82	5.00
6785MHz	Pass	6.00	-1.22	-1.22	4.78	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	6.00	-1.02	-1.02	4.98	5.00
6945MHz	Pass	6.00	-1.06	-1.06	4.94	5.00
7025MHz	Pass	6.00	-1.06	-1.06	4.94	5.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-	-
6025MHz	Pass	6.00	-3.48	-3.48	2.52	5.00
6185MHz	Pass	6.00	-1.02	-1.02	4.98	5.00
6345MHz	Pass	6.00	-1.16	-1.16	4.84	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	6.00	-1.23	-1.23	4.77	5.00
6665MHz	Pass	6.00	-1.20	-1.20	4.80	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	6.00	-1.06	-1.06	4.94	5.00
6985MHz	Pass	6.00	-4.22	-4.22	1.78	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5955MHz

26/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.07	-1.07	-1.07

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6175MHz

26/02/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.03	-1.03	-1.03


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6415MHz

26/02/2022

CF
6.415GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.08	-1.08	-1.08


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6435MHz

26/02/2022

CF
6.435GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.13	-1.13	-1.13

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6475MHz

26/02/2022

CF
6.475GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.22	-1.22	-1.22

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6515MHz

26/02/2022

CF
6.515GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.06	-1.06	-1.06


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6535MHz

26/02/2022

CF
6.535GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.04	-1.04	-1.04


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6695MHz

26/02/2022

CF
6.695GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.18	-1.18	-1.18

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6855MHz

26/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6875MHz Straddle 6.525-6.875GHz

26/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6895MHz

26/02/2022

CF
6.895GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.15	-1.15	-1.15


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6995MHz

26/02/2022

CF
6.995GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.03	-1.03	-1.03

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

7095MHz

26/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.14	-1.14	-1.14

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5965MHz

26/02/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.18	-1.18	-1.18


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6165MHz

26/02/2022

CF
6.165GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.03	-1.03	-1.03


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6405MHz

26/02/2022

CF
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.07	-1.07	-1.07


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6445MHz

26/02/2022

CF
6.445GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.14	-1.14	-1.14


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6485MHz

26/02/2022

CF
6.485GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.04	-1.04	-1.04

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6525MHz Straddle 6.425-6.525GHz

26/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6565MHz

26/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6685MHz

26/02/2022

CF
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.15	-1.15	-1.15


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6845MHz

26/02/2022

CF
6.845GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.02	-1.02	-1.02


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6885MHz Straddle 6.525-6.875GHz

26/02/2022

CF
6.885GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.25	-1.25	-1.25


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6925MHz

26/02/2022

CF
6.925GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.08	-1.08	-1.08

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

7005MHz

26/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.11	-1.11	-1.11

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

7085MHz

26/02/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.01	-1.01	-1.01


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

5985MHz

26/02/2022

CF
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.11	-1.11	-1.11


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

6145MHz

26/02/2022

CF
6.145GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.02	-1.02	-1.02


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

6385MHz

26/02/2022

CF
6.385GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.01	-1.01	-1.01


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

6465MHz

26/02/2022

CF
6.465GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.23	-1.23	-1.23

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6545MHz Straddle 6.425-6.525GHz

26/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.15	-1.15	-1.15

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6625MHz

26/02/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.13	-1.13	-1.13


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

6705MHz

26/02/2022

CF
6.705GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.18	-1.18	-1.18


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

6785MHz

26/02/2022

CF
6.785GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.22	-1.22	-1.22


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

6865MHz Straddle 6.525-6.875GHz

26/02/2022

CF
6.865GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.02	-1.02	-1.02


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

6945MHz

26/02/2022

CF
6.945GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.06	-1.06	-1.06

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

7025MHz

26/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.06	-1.06	-1.06

802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6025MHz

02/03/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.48	-3.48	-3.48


802.11ax HEW160_Nss1,(MCS0)_1TX


PSD

6185MHz

26/02/2022

CF
6.185GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.02	-1.02	-1.02


802.11ax HEW160_Nss1,(MCS0)_1TX


PSD

6345MHz

02/03/2022

CF
6.345GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.16	-1.16	-1.16


802.11ax HEW160_Nss1,(MCS0)_1TX


PSD

6505MHz Straddle 6.425-6.525GHz

02/03/2022

CF
6.505GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.23	-1.23	-1.23


802.11ax HEW160_Nss1,(MCS0)_1TX


PSD

6665MHz

26/02/2022

CF
6.665GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.20	-1.20	-1.20

802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6825MHz Straddle 6.525-6.875GHz

26/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.06	-1.06	-1.06

802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6985MHz

02/03/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-4.22	-4.22	-4.22



Summary

Mode	EIRP PD (dBm/RBW)
5.925-6.425GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.99
802.11ax HEW40_Nss1,(MCS0)_1TX	4.98
802.11ax HEW80_Nss1,(MCS0)_1TX	4.96
802.11ax HEW160_Nss1,(MCS0)_1TX	4.97
6.425-6.525GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.91
802.11ax HEW40_Nss1,(MCS0)_1TX	4.81
802.11ax HEW80_Nss1,(MCS0)_1TX	4.89
802.11ax HEW160_Nss1,(MCS0)_1TX	4.89
6.525-6.875GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.99
802.11ax HEW40_Nss1,(MCS0)_1TX	4.97
802.11ax HEW80_Nss1,(MCS0)_1TX	4.98
802.11ax HEW160_Nss1,(MCS0)_1TX	4.77
6.875-7.125GHz	-
802.11ax HEW20_Nss1,(MCS0)_1TX	4.97
802.11ax HEW40_Nss1,(MCS0)_1TX	4.99
802.11ax HEW80_Nss1,(MCS0)_1TX	4.91
802.11ax HEW160_Nss1,(MCS0)_1TX	4.95

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:



Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5955MHz	Pass	10.00	-5.01	4.99	5.00
6175MHz	Pass	10.00	-5.03	4.97	5.00
6415MHz	Pass	10.00	-5.16	4.84	5.00
6435MHz	Pass	10.00	-5.20	4.80	5.00
6475MHz	Pass	10.00	-5.22	4.78	5.00
6515MHz	Pass	10.00	-5.09	4.91	5.00
6535MHz	Pass	10.00	-5.02	4.98	5.00
6695MHz	Pass	10.00	-5.01	4.99	5.00
6855MHz	Pass	10.00	-5.02	4.98	5.00
6875MHz Straddle 6.525-6.875GHz	Pass	10.00	-5.19	4.81	5.00
6895MHz	Pass	10.00	-5.07	4.93	5.00
6995MHz	Pass	10.00	-5.21	4.79	5.00
7095MHz	Pass	10.00	-5.03	4.97	5.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5965MHz	Pass	10.00	-5.02	4.98	5.00
6165MHz	Pass	10.00	-5.16	4.84	5.00
6405MHz	Pass	10.00	-5.23	4.77	5.00
6445MHz	Pass	10.00	-5.22	4.78	5.00
6485MHz	Pass	10.00	-5.19	4.81	5.00
6525MHz Straddle 6.425-6.525GHz	Pass	10.00	-5.21	4.79	5.00
6565MHz	Pass	10.00	-5.17	4.83	5.00
6685MHz	Pass	10.00	-5.03	4.97	5.00
6845MHz	Pass	10.00	-5.12	4.88	5.00
6885MHz Straddle 6.525-6.875GHz	Pass	10.00	-5.23	4.77	5.00
6925MHz	Pass	10.00	-5.05	4.95	5.00
7005MHz	Pass	10.00	-5.05	4.95	5.00
7085MHz	Pass	10.00	-5.01	4.99	5.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5985MHz	Pass	10.00	-5.04	4.96	5.00
6145MHz	Pass	10.00	-5.07	4.93	5.00
6385MHz	Pass	10.00	-5.11	4.89	5.00
6465MHz	Pass	10.00	-5.11	4.89	5.00
6545MHz Straddle 6.425-6.525GHz	Pass	10.00	-5.23	4.77	5.00
6625MHz	Pass	10.00	-5.11	4.89	5.00
6705MHz	Pass	10.00	-5.05	4.95	5.00
6785MHz	Pass	10.00	-5.12	4.88	5.00
6865MHz Straddle 6.525-6.875GHz	Pass	10.00	-5.02	4.98	5.00
6945MHz	Pass	10.00	-5.09	4.91	5.00
7025MHz	Pass	10.00	-5.16	4.84	5.00
802.11ax HEW160_Nss1,(MCS0)_1TX	-	-	-	-	-
6025MHz	Pass	10.00	-5.13	4.87	5.00
6185MHz	Pass	10.00	-5.24	4.76	5.00
6345MHz	Pass	10.00	-5.03	4.97	5.00
6505MHz Straddle 6.425-6.525GHz	Pass	10.00	-5.11	4.89	5.00
6665MHz	Pass	10.00	-5.23	4.77	5.00
6825MHz Straddle 6.525-6.875GHz	Pass	10.00	-5.23	4.77	5.00
6985MHz	Pass	10.00	-5.05	4.95	5.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

5955MHz

26/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.01	-5.01	-5.01

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6175MHz

26/02/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.03	-5.03	-5.03


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6415MHz

26/02/2022

CF
6.415GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.16	-5.16	-5.16


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6435MHz

26/02/2022

CF
6.435GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.20	-5.20	-5.20


802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6475MHz

26/02/2022

CF
6.475GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.22	-5.22	-5.22


802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

6515MHz

26/02/2022

CF
6.515GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.09	-5.09	-5.09


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6535MHz

26/02/2022

CF
6.535GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.02	-5.02	-5.02


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6695MHz

26/02/2022

CF
6.695GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.01	-5.01	-5.01


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6855MHz

26/02/2022

CF
6.855GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.02	-5.02	-5.02


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6875MHz Straddle 6.525-6.875GHz

26/02/2022

CF
6.875GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.19	-5.19	-5.19


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6895MHz

26/02/2022

CF
6.895GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.07	-5.07	-5.07


802.11ax HEW20_Nss1,(MCS0)_1TX


PSD

6995MHz

26/02/2022

CF
6.995GHz
Span
30MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.21	-5.21	-5.21

802.11ax HEW20_Nss1,(MCS0)_1TX

PSD

7095MHz

26/02/2022

CF
7.095GHz


Span
30MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.03	-5.03	-5.03

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

5965MHz

26/02/2022

CF
5.965GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.02	-5.02	-5.02


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6165MHz

26/02/2022

CF
6.165GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.16	-5.16	-5.16


802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6405MHz

26/02/2022

CF
6.405GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.23	-5.23	-5.23


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6445MHz

26/02/2022

CF
6.445GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.22	-5.22	-5.22


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6485MHz

26/02/2022

CF
6.485GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.19	-5.19	-5.19

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6525MHz Straddle 6.425-6.525GHz

26/02/2022

CF
6.525GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.21	-5.21	-5.21

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

6565MHz

26/02/2022

CF
6.565GHz


Span
60MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.17	-5.17	-5.17


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6685MHz

26/02/2022

CF
6.685GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.03	-5.03	-5.03


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6845MHz

26/02/2022

CF
6.845GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.12	-5.12	-5.12


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6885MHz Straddle 6.525-6.875GHz

26/02/2022

CF
6.885GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.23	-5.23	-5.23


802.11ax HEW40_Nss1,(MCS0)_1TX


PSD

6925MHz

26/02/2022

CF
6.925GHz
Span
60MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.05	-5.05	-5.05

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

7005MHz

26/02/2022

CF
7.005GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.05	-5.05	-5.05

802.11ax HEW40_Nss1,(MCS0)_1TX

PSD

7085MHz

26/02/2022

CF
7.085GHz


Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.01	-5.01	-5.01


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

5985MHz

26/02/2022

CF
5.985GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.04	-5.04	-5.04


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

6145MHz

26/02/2022

CF
6.145GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.07	-5.07	-5.07


802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6385MHz

26/02/2022

CF
6.385GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.11	-5.11	-5.11


802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6465MHz

26/02/2022

CF
6.465GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.11	-5.11	-5.11


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

6545MHz Straddle 6.425-6.525GHz

26/02/2022

CF
6.545GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.23	-5.23	-5.23


802.11ax HEW80_Nss1,(MCS0)_1TX


PSD

6625MHz

26/02/2022

CF
6.625GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.11	-5.11	-5.11


802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6705MHz

26/02/2022

CF
6.705GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.05	-5.05	-5.05


802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6785MHz

26/02/2022

CF
6.785GHz
Span
120MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.12	-5.12	-5.12

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6865MHz Straddle 6.525-6.875GHz

26/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.02	-5.02	-5.02

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

6945MHz

26/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.09	-5.09	-5.09

802.11ax HEW80_Nss1,(MCS0)_1TX

PSD

7025MHz

26/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6025MHz

26/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX


PSD

6185MHz

26/02/2022

CF
6.185GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.24	-5.24	-5.24


802.11ax HEW160_Nss1,(MCS0)_1TX


PSD

6345MHz

26/02/2022

CF
6.345GHz
Span
240MHz
RBW
1MHz
VBW
3MHz
Sweep Time
20ms
Detector Type
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.03	-5.03	-5.03

802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6505MHz Straddle 6.425-6.525GHz

26/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.11	-5.11	-5.11

802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6665MHz

26/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.23	-5.23	-5.23

802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6825MHz Straddle 6.525-6.875GHz

26/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.23	-5.23	-5.23

802.11ax HEW160_Nss1,(MCS0)_1TX

PSD

6985MHz

26/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-5.05	-5.05	-5.05



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	58.13M	36.74	40.00	-3.26	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	30M	32.26	40.00	-7.74	-2.07	3	Vertical	115	2.00	-	34.33	25.20	1.20	28.47
QP	58.13M	36.74	40.00	-3.26	-14.76	3	Vertical	360	1.00	"Worst"	51.50	12.31	1.43	28.50
PK	72.68M	31.47	40.00	-8.53	-14.60	3	Vertical	175	1.25	-	46.07	12.49	1.45	28.54
PK	99.84M	34.49	43.50	-9.01	-10.45	3	Vertical	148	1.00	-	44.94	16.38	1.60	28.43
PK	432.55M	37.92	46.00	-8.08	-3.53	3	Vertical	33	2.00	-	41.45	22.32	2.93	28.78
PK	744.89M	35.81	46.00	-10.19	0.26	3	Vertical	265	1.50	-	35.55	25.60	3.69	29.03

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	30.97M	32.59	40.00	-7.41	-2.75	3	Horizontal	146	3.00	"Worst"	35.34	24.50	1.22	28.47
PK	729.37M	35.10	46.00	-10.90	-0.21	3	Horizontal	24	1.00	-	35.31	25.21	3.66	29.08
PK	735.19M	35.41	46.00	-10.59	-0.01	3	Horizontal	0	1.25	-	35.42	25.38	3.67	29.06
PK	800.18M	37.62	46.00	-8.38	0.61	3	Horizontal	242	1.25	-	37.01	25.85	3.80	29.04
PK	900.09M	36.70	46.00	-9.30	1.75	3	Horizontal	193	1.50	-	34.95	26.39	4.00	28.64
PK	951.5M	34.39	46.00	-11.61	2.27	3	Horizontal	347	1.50	-	32.12	26.74	4.10	28.57




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.525-6.875GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW160_Nss1,(MCS0)_1TX	Pass	RMS	7.1274G	68.07	68.20	-0.13	3	Horizontal	58	1.58	-

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUTX_1TX
Setting 94
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9232G	74.64	88.20	-13.56	67.59	3	Vertical	359	1.76	-	35.04	5.36	33.35
RMS	5.925G	62.68	68.20	-5.52	55.62	3	Vertical	359	1.76	-	35.05	5.36	33.35
PK	5.9582G	114.64	Inf	-Inf	107.39	3	Vertical	359	1.76	-	35.23	5.38	33.36
RMS	5.9578G	104.39	Inf	-Inf	97.14	3	Vertical	359	1.76	-	35.23	5.38	33.36

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUTX_1TX
Setting 94
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.924G	78.73	88.20	-9.47	71.68	3	Horizontal	55	2.81	-	35.04	5.36	33.35
RMS	5.925G	67.71	68.20	-0.49	60.65	3	Horizontal	55	2.81	-	35.05	5.36	33.35
PK	5.9512G	119.39	Inf	-Inf	112.17	3	Horizontal	55	2.81	-	35.20	5.38	33.36
RMS	5.9538G	108.91	Inf	-Inf	101.67	3	Horizontal	55	2.81	-	35.22	5.38	33.36

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUTX_1TX
Setting 94
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.9G	66.79	74.00	-7.21	53.57	3	Vertical	40	1.77	-	39.20	8.93	34.91
AV	11.91064G	52.65	54.00	-1.35	39.46	3	Vertical	40	1.77	-	39.17	8.94	34.92
PK	17.85852G	63.18	74.00	-10.82	46.30	3	Vertical	357	2.56	-	41.88	9.75	34.75
AV	17.86492G	48.68	54.00	-5.32	31.79	3	Vertical	357	2.56	-	41.89	9.75	34.75

802.11ax HEW20_Nss1,(MCS0)_1TX

5955MHz_TnomVnom




EUTX_1TX
Setting 94
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.90976G	65.26	74.00	-8.74	52.07	3	Horizontal	42	1.74	-	39.17	8.94	34.92
AV	11.90904G	51.55	54.00	-2.45	38.36	3	Horizontal	42	1.74	-	39.17	8.94	34.92
PK	17.86148G	62.93	74.00	-11.07	46.05	3	Horizontal	58	1.80	-	41.88	9.75	34.75
AV	17.8626G	48.71	54.00	-5.29	31.82	3	Horizontal	58	1.80	-	41.89	9.75	34.75

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	60.37	88.20	-27.83	53.34	3	Vertical	30	1.60	-	35.02	5.36	33.35
RMS	5.925G	49.14	68.20	-19.06	42.08	3	Vertical	30	1.60	-	35.05	5.36	33.35
PK	6.1714G	115.22	Inf	-Inf	107.38	3	Vertical	30	1.60	-	35.53	5.57	33.26
RMS	6.1762G	106.25	Inf	-Inf	98.37	3	Vertical	30	1.60	-	35.56	5.58	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9182G	59.91	88.20	-28.29	52.89	3	Horizontal	56	2.72	-	35.01	5.36	33.35
RMS	5.9194G	49.56	68.20	-18.64	42.53	3	Horizontal	56	2.72	-	35.02	5.36	33.35
PK	6.1786G	121.19	Inf	-Inf	113.30	3	Horizontal	56	2.72	-	35.57	5.58	33.26
RMS	6.1762G	111.91	Inf	-Inf	104.03	3	Horizontal	56	2.72	-	35.56	5.58	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.34656G	59.85	74.00	-14.15	46.93	3	Vertical	42	1.80	-	38.84	8.93	34.85
AV	12.35152G	45.59	54.00	-8.41	32.65	3	Vertical	42	1.80	-	38.85	8.93	34.84

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.35008G	60.56	74.00	-13.44	47.62	3	Horizontal	60	1.80	-	38.85	8.93	34.84
AV	12.35144G	45.58	54.00	-8.42	32.64	3	Horizontal	60	1.80	-	38.85	8.93	34.84

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5344G	65.53	83.54	-18.01	62.90	1	Vertical	353.8	1.68	-	37.79	14.91	50.07
AV	18.5264G	45.90	63.54	-17.64	43.27	1	Vertical	353.8	1.68	-	37.79	14.91	50.07

802.11ax HEW20_Nss1,(MCS0)_1TX

6175MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5218G	65.39	83.54	-18.15	62.77	1	Horizontal	349	1.52	-	37.79	14.91	50.08
AV	18.524G	46.38	63.54	-17.16	43.76	1	Horizontal	349	1.52	-	37.79	14.91	50.08

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9112G	59.37	88.20	-28.83	52.38	3	Vertical	39	2.11	-	34.97	5.36	33.34
RMS	5.9222G	48.45	68.20	-19.75	41.41	3	Vertical	39	2.11	-	35.03	5.36	33.35
PK	6.4062G	115.72	Inf	-Inf	107.43	3	Vertical	39	2.11	-	35.69	5.70	33.10
RMS	6.4106G	105.90	Inf	-Inf	97.62	3	Vertical	39	2.11	-	35.68	5.70	33.10

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	59.53	88.20	-28.67	52.57	3	Horizontal	57	1.55	-	34.95	5.35	33.34
RMS	5.9244G	48.68	68.20	-19.52	41.62	3	Horizontal	57	1.55	-	35.05	5.36	33.35
PK	6.4216G	121.27	Inf	-Inf	113.00	3	Horizontal	57	1.55	-	35.66	5.70	33.09
RMS	6.4194G	111.98	Inf	-Inf	103.71	3	Horizontal	57	1.55	-	35.66	5.70	33.09

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.8308G	59.06	88.20	-29.14	45.53	3	Vertical	51	1.65	-	39.43	8.83	34.73
RMS	12.82976G	45.25	68.20	-22.95	31.72	3	Vertical	51	1.65	-	39.43	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.83392G	59.51	88.20	-28.69	45.98	3	Horizontal	60	1.71	-	39.43	8.83	34.73
RMS	12.82984G	45.25	68.20	-22.95	31.72	3	Horizontal	60	1.71	-	39.43	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT X_1TX
 Setting 108
 04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2402G	56.35	83.54	-27.19	53.09	1	Vertical	345	1.40	-	37.71	15.20	49.65
AV	19.245G	43.24	63.54	-20.30	39.98	1	Vertical	345	1.40	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6415MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.2466G	56.61	83.54	-26.93	53.36	1	Horizontal	57	1.47	-	37.70	15.20	49.65
AV	19.24532G	43.56	63.54	-19.98	40.30	1	Horizontal	57	1.47	-	37.71	15.20	49.65

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8446G	59.61	88.20	-28.59	52.84	3	Vertical	37	2.10	-	34.77	5.32	33.32
RMS	5.925G	48.48	68.20	-19.72	41.42	3	Vertical	37	2.10	-	35.05	5.36	33.35
PK	6.4302G	116.07	Inf	-Inf	107.82	3	Vertical	37	2.10	-	35.64	5.70	33.09
RMS	6.4374G	105.22	Inf	-Inf	96.97	3	Vertical	37	2.10	-	35.63	5.70	33.08

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8686G	59.59	88.20	-28.61	52.75	3	Horizontal	58	1.78	-	34.84	5.33	33.33
RMS	5.9214G	48.64	68.20	-19.56	41.60	3	Horizontal	58	1.78	-	35.03	5.36	33.35
PK	6.4326G	121.44	Inf	-Inf	113.20	3	Horizontal	58	1.78	-	35.63	5.70	33.09
RMS	6.4374G	111.46	Inf	-Inf	103.21	3	Horizontal	58	1.78	-	35.63	5.70	33.08

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86784G	58.84	88.20	-29.36	45.27	3	Vertical	50	1.62	-	39.47	8.83	34.73
RMS	12.87128G	44.91	68.20	-23.29	31.34	3	Vertical	50	1.62	-	39.47	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86768G	58.13	88.20	-30.07	44.56	3	Horizontal	70	2.45	-	39.47	8.83	34.73
RMS	12.86808G	44.47	68.20	-23.73	30.90	3	Horizontal	70	2.45	-	39.47	8.83	34.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUTX_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.31188G	54.34	83.54	-29.20	51.03	1	Vertical	31	1.40	-	37.75	15.22	49.66
AV	19.30372G	41.48	63.54	-22.06	38.18	1	Vertical	31	1.40	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6435MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.3122G	57.66	83.54	-25.88	54.35	1	Horizontal	353	1.49	-	37.75	15.22	49.66
AV	19.30372G	45.35	63.54	-18.19	42.05	1	Horizontal	353	1.49	-	37.74	15.22	49.66

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	60.57	88.20	-27.63	53.66	3	Vertical	39	1.91	-	34.90	5.35	33.34
RMS	5.9206G	48.43	68.20	-19.77	41.40	3	Vertical	39	1.91	-	35.02	5.36	33.35
PK	6.4726G	115.58	Inf	-Inf	107.25	3	Vertical	39	1.91	-	35.69	5.70	33.06
RMS	6.4726G	105.08	Inf	-Inf	96.75	3	Vertical	39	1.91	-	35.69	5.70	33.06

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.887G	59.19	88.20	-29.01	52.31	3	Horizontal	56	1.73	-	34.87	5.34	33.33
RMS	5.9206G	48.60	68.20	-19.60	41.57	3	Horizontal	56	1.73	-	35.02	5.36	33.35
PK	6.4822G	122.48	Inf	-Inf	114.10	3	Horizontal	56	1.73	-	35.73	5.70	33.05
RMS	6.4726G	112.26	Inf	-Inf	103.93	3	Horizontal	56	1.73	-	35.69	5.70	33.06

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9568G	58.06	88.20	-30.14	44.35	3	Vertical	53	1.74	-	39.61	8.81	34.71
RMS	12.9468G	47.34	68.20	-20.86	33.65	3	Vertical	53	1.74	-	39.59	8.81	34.71

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.95008G	59.17	88.20	-29.03	45.47	3	Horizontal	50	2.19	-	39.60	8.81	34.71
RMS	12.94872G	44.53	68.20	-23.67	30.83	3	Horizontal	50	2.19	-	39.60	8.81	34.71

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.4298G	56.17	83.54	-27.37	52.75	1	Vertical	41	1.60	-	37.84	15.27	49.69
AV	19.42372G	42.41	63.54	-21.13	38.98	1	Vertical	41	1.60	-	37.84	15.27	49.68

802.11ax HEW20_Nss1,(MCS0)_1TX

6475MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.41284G	56.51	83.54	-27.03	53.09	1	Horizontal	319	1.60	-	37.83	15.27	49.68
AV	19.42356G	42.97	63.54	-20.57	39.54	1	Horizontal	319	1.60	-	37.84	15.27	49.68

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8682G	58.79	88.20	-29.41	51.95	3	Vertical	37	1.98	-	34.84	5.33	33.33
RMS	5.9186G	48.41	68.20	-19.79	41.39	3	Vertical	37	1.98	-	35.01	5.36	33.35
PK	6.5234G	114.87	Inf	-Inf	106.33	3	Vertical	37	1.98	-	35.89	5.70	33.05
RMS	6.5094G	105.35	Inf	-Inf	96.85	3	Vertical	37	1.98	-	35.84	5.70	33.04
PK	7.1366G	62.13	88.20	-26.07	52.62	3	Vertical	37	1.98	-	36.99	5.97	33.45
RMS	7.1954G	51.68	68.20	-16.52	41.92	3	Vertical	37	1.98	-	37.28	6.00	33.52

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8654G	58.92	88.20	-29.28	52.09	3	Horizontal	58	2.62	-	34.83	5.33	33.33
RMS	5.9214G	48.38	68.20	-19.82	41.34	3	Horizontal	58	2.62	-	35.03	5.36	33.35
PK	6.5178G	122.98	Inf	-Inf	114.46	3	Horizontal	58	2.62	-	35.87	5.70	33.05
RMS	6.5122G	112.41	Inf	-Inf	103.91	3	Horizontal	58	2.62	-	35.85	5.70	33.05
PK	7.1338G	61.87	88.20	-26.33	52.38	3	Horizontal	58	2.62	-	36.97	5.97	33.45
RMS	7.1982G	51.78	68.20	-16.42	42.02	3	Horizontal	58	2.62	-	37.29	6.00	33.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03408G	59.02	88.20	-29.18	45.23	3	Vertical	44	1.37	-	39.70	8.79	34.70
RMS	13.0312G	45.55	68.20	-22.65	31.76	3	Vertical	44	1.37	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03416G	58.98	88.20	-29.22	45.19	3	Horizontal	52	2.19	-	39.70	8.79	34.70
RMS	13.03104G	45.42	68.20	-22.78	31.63	3	Horizontal	52	2.19	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.54228G	56.71	83.54	-26.83	53.21	1	Vertical	9	1.60	-	37.88	15.32	49.70
AV	19.54292G	43.07	63.54	-20.47	39.57	1	Vertical	9	1.60	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6515MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.53572G	57.84	83.54	-25.70	54.34	1	Horizontal	318	1.60	-	37.89	15.31	49.70
AV	19.54308G	43.51	63.54	-20.03	40.01	1	Horizontal	318	1.60	-	37.88	15.32	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8714G	59.52	88.20	-28.68	52.67	3	Vertical	38	2.01	-	34.84	5.34	33.33
RMS	5.9218G	48.40	68.20	-19.80	41.36	3	Vertical	38	2.01	-	35.03	5.36	33.35
PK	6.5434G	115.41	Inf	-Inf	106.80	3	Vertical	38	2.01	-	35.97	5.70	33.06
RMS	6.5378G	105.92	Inf	-Inf	97.33	3	Vertical	38	2.01	-	35.95	5.70	33.06
PK	7.193G	61.96	88.20	-26.24	52.21	3	Vertical	38	2.01	-	37.27	6.00	33.52
RMS	7.2014G	51.79	68.20	-16.41	42.02	3	Vertical	38	2.01	-	37.30	6.00	33.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8742G	58.58	88.20	-29.62	51.72	3	Horizontal	57	1.61	-	34.85	5.34	33.33
RMS	5.919G	48.55	68.20	-19.65	41.53	3	Horizontal	57	1.61	-	35.01	5.36	33.35
PK	6.5322G	121.72	Inf	-Inf	113.15	3	Horizontal	57	1.61	-	35.93	5.70	33.06
RMS	6.5322G	112.73	Inf	-Inf	104.16	3	Horizontal	57	1.61	-	35.93	5.70	33.06
PK	7.2322G	62.36	88.20	-25.84	52.55	3	Horizontal	57	1.61	-	37.36	6.02	33.57
RMS	7.1958G	51.95	68.20	-16.25	42.19	3	Horizontal	57	1.61	-	37.28	6.00	33.52

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0704G	59.45	88.20	-28.75	45.66	3	Vertical	44	1.35	-	39.70	8.79	34.70
RMS	13.07136G	49.36	68.20	-18.84	35.57	3	Vertical	44	1.35	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.07072G	59.94	88.20	-28.26	46.15	3	Horizontal	49	2.17	-	39.70	8.79	34.70
RMS	13.07024G	49.13	68.20	-19.07	35.34	3	Horizontal	49	2.17	-	39.70	8.79	34.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.6042G	56.38	83.54	-27.16	52.88	1	Vertical	32	1.60	-	37.86	15.34	49.70
AV	19.60116G	43.35	63.54	-20.19	39.85	1	Vertical	32	1.60	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6535MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.59876G	56.38	83.54	-27.16	52.88	1	Horizontal	5	1.60	-	37.86	15.34	49.70
AV	19.601G	43.01	63.54	-20.53	39.51	1	Horizontal	5	1.60	-	37.86	15.34	49.70

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6906G	116.04	Inf	-Inf	107.28	3	Vertical	40	1.94	-	36.20	5.70	33.14
RMS	6.6928G	105.90	Inf	-Inf	97.14	3	Vertical	40	1.94	-	36.20	5.70	33.14
PK	7.223G	62.69	88.20	-25.51	52.89	3	Vertical	40	1.94	-	37.35	6.01	33.56
RMS	7.2032G	51.56	68.20	-16.64	41.78	3	Vertical	40	1.94	-	37.31	6.00	33.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6928G	123.34	Inf	-Inf	114.58	3	Horizontal	56	2.22	-	36.20	5.70	33.14
RMS	6.6972G	112.85	Inf	-Inf	104.09	3	Horizontal	56	2.22	-	36.20	5.70	33.14
PK	7.2032G	62.74	88.20	-25.46	52.96	3	Horizontal	56	2.22	-	37.31	6.00	33.53
RMS	7.2032G	51.64	68.20	-16.56	41.86	3	Horizontal	56	2.22	-	37.31	6.00	33.53

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUTX_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.39552G	60.12	74.00	-13.88	45.93	3	Vertical	40	1.05	-	40.19	8.72	34.72
AV	13.38872G	46.13	54.00	-7.87	31.95	3	Vertical	40	1.05	-	40.18	8.72	34.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38744G	60.31	74.00	-13.69	46.14	3	Horizontal	69	2.71	-	40.17	8.72	34.72
AV	13.38864G	46.93	54.00	-7.07	32.75	3	Horizontal	69	2.71	-	40.18	8.72	34.72

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.07588G	58.42	83.54	-25.12	55.16	1	Vertical	352	1.60	-	37.46	15.53	49.73
AV	20.08468G	45.13	63.54	-18.41	41.85	1	Vertical	352	1.60	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6695MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.0882G	59.15	83.54	-24.39	55.88	1	Horizontal	36	1.60	-	37.47	15.54	49.74
AV	20.08484G	44.97	63.54	-18.57	41.69	1	Horizontal	36	1.60	-	37.47	15.54	49.73

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom




EUTX_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	114.84	Inf	-Inf	105.72	3	Vertical	84	1.80	-	36.58	5.75	33.21
RMS	6.8536G	104.49	Inf	-Inf	95.37	3	Vertical	84	1.80	-	36.59	5.75	33.22
PK	7.2022G	62.38	88.20	-25.82	52.61	3	Vertical	84	1.80	-	37.30	6.00	33.53
RMS	7.205G	51.69	68.20	-16.51	41.92	3	Vertical	84	1.80	-	37.31	6.00	33.54

802.11ax HEW20_Nss1,(MCS0)_1TX

6855MHz_TnomVnom



EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.848G	123.06	Inf	-Inf	113.93	3	Horizontal	60	1.54	-	36.59	5.75	33.21
RMS	6.8564G	111.17	Inf	-Inf	102.06	3	Horizontal	60	1.54	-	36.57	5.76	33.22
PK	7.1812G	63.44	88.20	-24.76	53.74	3	Horizontal	60	1.54	-	37.22	5.99	33.51
RMS	7.1252G	52.12	68.20	-16.08	42.70	3	Horizontal	60	1.54	-	36.90	5.96	33.44