

802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5785MHz

16/02/2022

CF  
5.785GHz


Span  
30MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.70	7.70	7.70

802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5825MHz

16/02/2022

CF  
5.825GHz


Span  
30MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.92	6.92	6.92


802.11ax HEW40\_Nss1,(MCS0)\_1TX


PSD

5190MHz

16/02/2022

CF  
5.19GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.16	-0.16	-0.16


802.11ax HEW40\_Nss1,(MCS0)\_1TX


PSD

5230MHz

16/02/2022

CF  
5.23GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.07	2.07	2.07

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5270MHz

16/02/2022

CF  
5.27GHz


Span  
60MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.25	2.25	2.25

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5310MHz

16/02/2022

CF  
5.31GHz


Span  
60MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.23	0.23	0.23


802.11ax HEW40\_Nss1,(MCS0)\_1TX


PSD

5510MHz

16/02/2022

CF  
5.51GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.16	-1.16	-1.16


802.11ax HEW40\_Nss1,(MCS0)\_1TX


PSD

5550MHz

16/02/2022

CF  
5.55GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.64	1.64	1.64


802.11ax HEW40\_Nss1,(MCS0)\_1TX


PSD

5670MHz

16/02/2022

CF  
5.67GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.50	-1.50	-1.50


802.11ax HEW40\_Nss1,(MCS0)\_1TX


PSD

5710MHz Straddle 5.47-5.725GHz

16/02/2022

CF  
5.69GHz  
Span  
140MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.39	2.39	2.39

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5710MHz Straddle 5.725-5.85GHz

16/02/2022

CF  
5.735GHz


Span  
40MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.39	0.39	0.39

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5755MHz

16/02/2022

CF  
5.755GHz


Span  
60MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.26	2.26	2.26

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5795MHz

16/02/2022

CF  
5.795GHz


Span  
60MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.36	3.36	3.36

802.11ax HEW80\_Nss1,(MCS0)\_1TX

PSD

5210MHz

16/02/2022

CF  
5.21GHz


Span  
120MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.03	-2.03	-2.03

802.11ax HEW80\_Nss1,(MCS0)\_1TX

PSD

5290MHz

16/02/2022

CF  
5.29GHz


Span  
120MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.47	-2.47	-2.47

802.11ax HEW80\_Nss1,(MCS0)\_1TX

PSD

5530MHz

16/02/2022

CF  
5.53GHz


Span  
120MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.28	-3.28	-3.28




802.11ax HEW80\_Nss1,(MCS0)\_1TX


PSD

5610MHz

16/02/2022

CF  
5.61GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.69	-2.69	-2.69


802.11ax HEW80\_Nss1,(MCS0)\_1TX


PSD

5690MHz Straddle 5.47-5.725GHz

16/02/2022

CF  
5.65GHz  
Span  
300MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.24	-1.24	-1.24


802.11ax HEW80\_Nss1,(MCS0)\_1TX

PSD

5690MHz Straddle 5.725-5.85GHz

16/02/2022

CF  
5.735GHz  
Span  
40MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.07	-3.07	-3.07


802.11ax HEW80\_Nss1,(MCS0)\_1TX


PSD

5775MHz

16/02/2022

CF  
5.775GHz  
Span  
120MHz  
RBW  
500kHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.68	-1.68	-1.68



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	58.13M	36.74	40.00	-3.26	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	30M	32.26	40.00	-7.74	-2.07	3	Vertical	115	2.00	-	34.33	25.20	1.20	28.47
QP	58.13M	36.74	40.00	-3.26	-14.76	3	Vertical	360	1.00	"Worst"	51.50	12.31	1.43	28.50
PK	72.68M	31.47	40.00	-8.53	-14.60	3	Vertical	175	1.25	-	46.07	12.49	1.45	28.54
PK	99.84M	34.49	43.50	-9.01	-10.45	3	Vertical	148	1.00	-	44.94	16.38	1.60	28.43
PK	432.55M	37.92	46.00	-8.08	-3.53	3	Vertical	33	2.00	-	41.45	22.32	2.93	28.78
PK	744.89M	35.81	46.00	-10.19	0.26	3	Vertical	265	1.50	-	35.55	25.60	3.69	29.03

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	30.97M	32.59	40.00	-7.41	-2.75	3	Horizontal	146	3.00	"Worst"	35.34	24.50	1.22	28.47
PK	729.37M	35.10	46.00	-10.90	-0.21	3	Horizontal	24	1.00	-	35.31	25.21	3.66	29.08
PK	735.19M	35.41	46.00	-10.59	-0.01	3	Horizontal	0	1.25	-	35.42	25.38	3.67	29.06
PK	800.18M	37.62	46.00	-8.38	0.61	3	Horizontal	242	1.25	-	37.01	25.85	3.80	29.04
PK	900.09M	36.70	46.00	-9.30	1.75	3	Horizontal	193	1.50	-	34.95	26.39	4.00	28.64
PK	951.5M	34.39	46.00	-11.61	2.27	3	Horizontal	347	1.50	-	32.12	26.74	4.10	28.57




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.35G	53.98	54.00	-0.02	3	Horizontal	55	1.61	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_V\_4TX  
Setting 90  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	61.53	74.00	-12.47	54.93	3	Vertical	359	2.70	-	33.50	5.25	32.15
AV	5.1448G	47.75	54.00	-6.25	41.16	3	Vertical	359	2.70	-	33.50	5.24	32.15
PK	5.2672G	120.97	Inf	-Inf	114.15	3	Vertical	359	2.70	-	33.63	5.33	32.14
AV	5.2648G	110.33	Inf	-Inf	103.51	3	Vertical	359	2.70	-	33.63	5.33	32.14
PK	5.3566G	64.78	74.00	-9.22	57.83	3	Vertical	359	2.70	-	33.71	5.38	32.14
AV	5.356G	50.31	54.00	-3.69	43.36	3	Vertical	359	2.70	-	33.71	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_V\_4TX  
Setting 90  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	63.30	74.00	-10.70	56.70	3	Horizontal	55	1.61	-	33.50	5.25	32.15
AV	5.1496G	48.71	54.00	-5.29	42.11	3	Horizontal	55	1.61	-	33.50	5.25	32.15
PK	5.2588G	123.22	Inf	-Inf	116.41	3	Horizontal	55	1.61	-	33.62	5.33	32.14
AV	5.2582G	112.66	Inf	-Inf	105.85	3	Horizontal	55	1.61	-	33.62	5.33	32.14
PK	5.35G	67.95	74.00	-6.05	61.01	3	Horizontal	55	1.61	-	33.70	5.38	32.14
AV	5.35G	53.98	54.00	-0.02	47.04	3	Horizontal	55	1.61	-	33.70	5.38	32.14



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
Setting 90  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78424G	55.37	74.00	-18.63	41.56	3	Vertical	234	1.32	-	37.40	9.90	33.49
AV	15.77152G	42.80	54.00	-11.20	28.97	3	Vertical	234	1.32	-	37.40	9.90	33.47

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
Setting 90  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7846G	55.34	74.00	-18.66	41.53	3	Horizontal	58	1.07	-	37.40	9.90	33.49
AV	15.77032G	42.88	54.00	-11.12	29.05	3	Horizontal	58	1.07	-	37.40	9.90	33.47

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 81  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	118.68	Inf	-Inf	111.77	3	Vertical	355	2.93	-	33.70	5.35	32.14
AV	5.3072G	109.33	Inf	-Inf	102.42	3	Vertical	355	2.93	-	33.70	5.35	32.14
PK	5.3688G	63.48	74.00	-10.52	56.50	3	Vertical	355	2.93	-	33.74	5.38	32.14
AV	5.35G	50.44	54.00	-3.56	43.50	3	Vertical	355	2.93	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 81  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	120.34	Inf	-Inf	113.43	3	Horizontal	53	1.70	-	33.70	5.35	32.14
AV	5.2988G	110.70	Inf	-Inf	103.79	3	Horizontal	53	1.70	-	33.70	5.35	32.14
PK	5.3596G	69.79	74.00	-4.21	62.83	3	Horizontal	53	1.70	-	33.72	5.38	32.14
AV	5.3508G	52.91	54.00	-1.09	45.97	3	Horizontal	53	1.70	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 81  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60588G	52.39	74.00	-21.61	39.46	3	Vertical	235	2.16	-	38.49	7.54	33.10
AV	10.601G	39.25	54.00	-14.75	26.30	3	Vertical	235	2.16	-	38.50	7.54	33.09
PK	15.89412G	56.51	74.00	-17.49	42.69	3	Vertical	15	2.55	-	37.49	9.95	33.62
AV	15.90728G	42.76	54.00	-11.24	28.94	3	Vertical	15	2.55	-	37.49	9.96	33.63

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 81  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60752G	51.96	74.00	-22.04	39.03	3	Horizontal	288	1.15	-	38.49	7.54	33.10
AV	10.60292G	39.14	54.00	-14.86	26.20	3	Horizontal	288	1.15	-	38.50	7.54	33.10
PK	15.90696G	56.96	74.00	-17.04	43.14	3	Horizontal	29	1.72	-	37.49	9.96	33.63
AV	15.90476G	42.73	54.00	-11.27	28.90	3	Horizontal	29	1.72	-	37.50	9.96	33.63

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3274G	116.09	Inf	-Inf	109.17	3	Vertical	356	2.80	-	33.70	5.36	32.14
AV	5.3272G	106.43	Inf	-Inf	99.51	3	Vertical	356	2.80	-	33.70	5.36	32.14
PK	5.35G	66.04	74.00	-7.96	59.10	3	Vertical	356	2.80	-	33.70	5.38	32.14
AV	5.35G	52.01	54.00	-1.99	45.07	3	Vertical	356	2.80	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT\_V\_4TX  
Setting 77  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	118.27	Inf	-Inf	111.35	3	Horizontal	49	1.80	-	33.70	5.36	32.14
AV	5.321G	108.49	Inf	-Inf	101.57	3	Horizontal	49	1.80	-	33.70	5.36	32.14
PK	5.3578G	68.19	74.00	-5.81	61.23	3	Horizontal	49	1.80	-	33.72	5.38	32.14
AV	5.3524G	52.09	54.00	-1.91	45.15	3	Horizontal	49	1.80	-	33.70	5.38	32.14



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64164G	52.04	74.00	-21.96	39.13	3	Vertical	311	1.88	-	38.46	7.56	33.11
AV	10.635G	39.03	54.00	-14.97	26.12	3	Vertical	311	1.88	-	38.47	7.55	33.11
PK	15.96352G	55.68	74.00	-18.32	41.96	3	Vertical	327	2.53	-	37.44	9.98	33.70
AV	15.9676G	42.97	54.00	-11.03	29.25	3	Vertical	327	2.53	-	37.43	9.99	33.70

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64108G	51.80	74.00	-22.20	38.89	3	Horizontal	239	2.84	-	38.46	7.56	33.11
AV	10.64008G	38.72	54.00	-15.28	25.81	3	Horizontal	239	2.84	-	38.46	7.56	33.11
PK	15.9642G	55.88	74.00	-18.12	42.16	3	Horizontal	247	1.88	-	37.44	9.98	33.70
AV	15.96648G	42.82	54.00	-11.18	29.11	3	Horizontal	247	1.88	-	37.43	9.98	33.70

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT\_V\_4TX  
Setting 72  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	61.94	74.00	-12.06	54.71	3	Vertical	12	2.89	-	33.90	5.46	32.13
AV	5.4592G	49.22	54.00	-4.78	41.99	3	Vertical	12	2.89	-	33.90	5.46	32.13
PK	5.47G	67.56	68.20	-0.64	60.32	3	Vertical	12	2.89	-	33.90	5.47	32.13
PK	5.5G	115.97	Inf	-Inf	108.70	3	Vertical	12	2.89	-	33.90	5.50	32.13
AV	5.5008G	105.63	Inf	-Inf	98.36	3	Vertical	12	2.89	-	33.90	5.50	32.13

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT\_V\_4TX  
Setting 72  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.77	74.00	-8.23	58.54	3	Horizontal	47	1.80	-	33.90	5.46	32.13
AV	5.46G	50.96	54.00	-3.04	43.73	3	Horizontal	47	1.80	-	33.90	5.46	32.13
PK	5.462G	67.84	68.20	-0.36	60.61	3	Horizontal	47	1.80	-	33.90	5.46	32.13
PK	5.5012G	117.23	Inf	-Inf	109.96	3	Horizontal	47	1.80	-	33.90	5.50	32.13
AV	5.5012G	107.68	Inf	-Inf	100.41	3	Horizontal	47	1.80	-	33.90	5.50	32.13

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 72  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00792G	52.20	74.00	-21.80	39.26	3	Vertical	278	1.12	-	38.51	7.70	33.27
AV	11.00376G	39.00	54.00	-15.00	26.07	3	Vertical	278	1.12	-	38.50	7.70	33.27

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 72  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99096G	52.31	74.00	-21.69	39.39	3	Horizontal	38	1.97	-	38.49	7.70	33.27
AV	11.0078G	39.11	54.00	-14.89	26.17	3	Horizontal	38	1.97	-	38.51	7.70	33.27

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT\_V\_4TX  
Setting 95  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	61.45	74.00	-12.55	54.22	3	Vertical	-0	2.95	-	33.90	5.46	32.13
AV	5.4536G	48.34	54.00	-5.66	41.12	3	Vertical	-0	2.95	-	33.90	5.45	32.13
PK	5.4688G	61.58	68.20	-6.62	54.34	3	Vertical	-0	2.95	-	33.90	5.47	32.13
PK	5.5736G	121.62	Inf	-Inf	114.28	3	Vertical	-0	2.95	-	33.90	5.57	32.13
AV	5.5744G	110.87	Inf	-Inf	103.53	3	Vertical	-0	2.95	-	33.90	5.57	32.13
PK	5.7264G	60.35	68.20	-7.85	53.14	3	Vertical	-0	2.95	-	33.75	5.60	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT\_V\_4TX  
Setting 95  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	63.04	74.00	-10.96	55.82	3	Horizontal	307	2.07	-	33.90	5.45	32.13
AV	5.4512G	49.03	54.00	-4.97	41.81	3	Horizontal	307	2.07	-	33.90	5.45	32.13
PK	5.4648G	65.06	68.20	-3.14	57.83	3	Horizontal	307	2.07	-	33.90	5.46	32.13
PK	5.5728G	122.85	Inf	-Inf	115.51	3	Horizontal	307	2.07	-	33.90	5.57	32.13
AV	5.5728G	111.90	Inf	-Inf	104.56	3	Horizontal	307	2.07	-	33.90	5.57	32.13
PK	5.7528G	61.98	68.20	-6.22	54.74	3	Horizontal	307	2.07	-	33.79	5.60	32.15



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
Setting 95  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16144G	52.73	74.00	-21.27	39.56	3	Vertical	357	1.04	-	38.66	7.76	33.25
AV	11.15472G	39.10	54.00	-14.90	25.94	3	Vertical	357	1.04	-	38.65	7.76	33.25

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
Setting 95  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15896G	51.56	74.00	-22.44	38.39	3	Horizontal	285	2.04	-	38.66	7.76	33.25
AV	11.1626G	39.11	54.00	-14.89	25.93	3	Horizontal	285	2.04	-	38.66	7.77	33.25

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 56  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7034G	110.60	Inf	-Inf	103.43	3	Vertical	15	2.83	-	33.71	5.60	32.14
AV	5.7018G	101.40	Inf	-Inf	94.24	3	Vertical	15	2.83	-	33.70	5.60	32.14
PK	5.7254G	66.53	68.20	-1.67	59.32	3	Vertical	15	2.83	-	33.75	5.60	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 56  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.693G	112.94	Inf	-Inf	105.77	3	Horizontal	304	1.92	-	33.71	5.60	32.14
AV	5.6928G	103.54	Inf	-Inf	96.37	3	Horizontal	304	1.92	-	33.71	5.60	32.14
PK	5.7266G	67.88	68.20	-0.32	60.67	3	Horizontal	304	1.92	-	33.75	5.60	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 56  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4072G	53.26	74.00	-20.74	39.82	3	Vertical	295	1.18	-	38.81	7.86	33.23
AV	11.39208G	40.04	54.00	-13.96	26.62	3	Vertical	295	1.18	-	38.79	7.86	33.23

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 56  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39044G	53.05	74.00	-20.95	39.63	3	Horizontal	56	1.75	-	38.79	7.86	33.23
AV	11.40484G	40.14	54.00	-13.86	26.70	3	Horizontal	56	1.75	-	38.81	7.86	33.23

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
Setting 95  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4344G	59.12	74.00	-14.88	51.95	3	Vertical	12	2.68	-	33.87	5.43	32.13
PK	5.4666G	59.63	68.20	-8.57	52.39	3	Vertical	12	2.68	-	33.90	5.47	32.13
AV	5.4554G	46.44	54.00	-7.56	39.21	3	Vertical	12	2.68	-	33.90	5.46	32.13
PK	5.7186G	117.41	Inf	-Inf	110.21	3	Vertical	12	2.68	-	33.74	5.60	32.14
AV	5.7186G	107.71	Inf	-Inf	100.51	3	Vertical	12	2.68	-	33.74	5.60	32.14
PK	5.8516G	59.04	68.20	-9.16	51.73	3	Vertical	12	2.68	-	33.81	5.65	32.15

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_V\_4TX  
Setting 95  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4106G	58.98	74.00	-15.02	51.89	3	Horizontal	304	1.99	-	33.82	5.41	32.14
PK	5.461G	59.67	68.20	-8.53	52.44	3	Horizontal	304	1.99	-	33.90	5.46	32.13
AV	5.4568G	46.83	54.00	-7.17	39.60	3	Horizontal	304	1.99	-	33.90	5.46	32.13
PK	5.713G	120.21	Inf	-Inf	113.02	3	Horizontal	304	1.99	-	33.73	5.60	32.14
AV	5.713G	110.90	Inf	-Inf	103.71	3	Horizontal	304	1.99	-	33.73	5.60	32.14
PK	5.85G	59.38	68.20	-8.82	52.08	3	Horizontal	304	1.99	-	33.80	5.65	32.15



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
Setting 95  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43376G	53.69	74.00	-20.31	40.18	3	Vertical	265	2.98	-	38.87	7.87	33.23
AV	11.44496G	40.18	54.00	-13.82	26.64	3	Vertical	265	2.98	-	38.89	7.88	33.23

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
Setting 95  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43972G	53.41	74.00	-20.59	39.88	3	Horizontal	108	1.80	-	38.88	7.88	33.23
AV	11.44284G	40.09	54.00	-13.91	26.55	3	Horizontal	108	1.80	-	38.89	7.88	33.23

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT V\_4TX  
Setting 89  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	60.91	74.00	-13.09	54.31	3	Vertical	12	2.84	-	33.50	5.25	32.15
AV	5.1484G	47.08	54.00	-6.92	40.48	3	Vertical	12	2.84	-	33.50	5.25	32.15
PK	5.2546G	121.25	Inf	-Inf	114.45	3	Vertical	12	2.84	-	33.61	5.33	32.14
AV	5.2546G	108.09	Inf	-Inf	101.29	3	Vertical	12	2.84	-	33.61	5.33	32.14
PK	5.3542G	64.17	74.00	-9.83	57.22	3	Vertical	12	2.84	-	33.71	5.38	32.14
AV	5.3542G	49.44	54.00	-4.56	42.49	3	Vertical	12	2.84	-	33.71	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_V\_4TX  
Setting 89  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	61.10	74.00	-12.90	54.51	3	Horizontal	51	1.91	-	33.50	5.24	32.15
AV	5.1496G	47.90	54.00	-6.10	41.30	3	Horizontal	51	1.91	-	33.50	5.25	32.15
PK	5.2552G	121.34	Inf	-Inf	114.54	3	Horizontal	51	1.91	-	33.61	5.33	32.14
AV	5.2552G	108.91	Inf	-Inf	102.11	3	Horizontal	51	1.91	-	33.61	5.33	32.14
PK	5.3518G	67.21	74.00	-6.79	60.27	3	Horizontal	51	1.91	-	33.70	5.38	32.14
AV	5.3518G	52.65	54.00	-1.35	45.71	3	Horizontal	51	1.91	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
Setting 89  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78316G	58.83	74.00	-15.17	45.01	3	Vertical	40	1.83	-	37.40	9.90	33.48
AV	15.7832G	43.97	54.00	-10.03	30.15	3	Vertical	40	1.83	-	37.40	9.90	33.48

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
Setting 89  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77304G	58.00	74.00	-16.00	44.17	3	Horizontal	45	1.71	-	37.40	9.90	33.47
AV	15.78264G	44.19	54.00	-9.81	30.37	3	Horizontal	45	1.71	-	37.40	9.90	33.48

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	118.15	Inf	-Inf	111.24	3	Vertical	13	2.92	-	33.70	5.35	32.14
AV	5.2992G	106.15	Inf	-Inf	99.24	3	Vertical	13	2.92	-	33.70	5.35	32.14
PK	5.35G	67.84	74.00	-6.16	60.90	3	Vertical	13	2.92	-	33.70	5.38	32.14
AV	5.35G	50.53	54.00	-3.47	43.59	3	Vertical	13	2.92	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2952G	120.08	Inf	-Inf	113.18	3	Horizontal	53	1.86	-	33.69	5.35	32.14
AV	5.3052G	106.86	Inf	-Inf	99.95	3	Horizontal	53	1.86	-	33.70	5.35	32.14
PK	5.3552G	71.27	74.00	-2.73	64.32	3	Horizontal	53	1.86	-	33.71	5.38	32.14
AV	5.35G	53.18	54.00	-0.82	46.24	3	Horizontal	53	1.86	-	33.70	5.38	32.14



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6086G	53.06	74.00	-20.94	40.13	3	Vertical	304	1.17	-	38.49	7.54	33.10
AV	10.60828G	38.51	54.00	-15.49	25.58	3	Vertical	304	1.17	-	38.49	7.54	33.10
PK	15.8934G	55.84	74.00	-18.16	42.01	3	Vertical	188	1.72	-	37.49	9.95	33.61
AV	15.89752G	42.02	54.00	-11.98	28.19	3	Vertical	188	1.72	-	37.50	9.95	33.62

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6012G	52.06	74.00	-21.94	39.11	3	Horizontal	246	2.44	-	38.50	7.54	33.09
AV	10.60472G	38.54	54.00	-15.46	25.60	3	Horizontal	246	2.44	-	38.50	7.54	33.10
PK	15.89192G	55.87	74.00	-18.13	42.04	3	Horizontal	178	2.56	-	37.49	9.95	33.61
AV	15.90072G	42.06	54.00	-11.94	28.22	3	Horizontal	178	2.56	-	37.50	9.96	33.62

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 73  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	116.93	Inf	-Inf	110.01	3	Vertical	10	2.92	-	33.70	5.36	32.14
AV	5.3194G	104.17	Inf	-Inf	97.25	3	Vertical	10	2.92	-	33.70	5.36	32.14
PK	5.3502G	64.14	74.00	-9.86	57.20	3	Vertical	10	2.92	-	33.70	5.38	32.14
AV	5.35G	50.61	54.00	-3.39	43.67	3	Vertical	10	2.92	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 73  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3146G	118.35	Inf	-Inf	111.43	3	Horizontal	52	1.68	-	33.70	5.36	32.14
AV	5.325G	105.29	Inf	-Inf	98.37	3	Horizontal	52	1.68	-	33.70	5.36	32.14
PK	5.355G	69.63	74.00	-4.37	62.68	3	Horizontal	52	1.68	-	33.71	5.38	32.14
AV	5.35G	53.55	54.00	-0.45	46.62	3	Horizontal	52	1.68	-	33.70	5.37	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 73  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6418G	52.48	74.00	-21.52	39.57	3	Vertical	197	1.85	-	38.46	7.56	33.11
AV	10.63024G	38.16	54.00	-15.84	25.25	3	Vertical	197	1.85	-	38.47	7.55	33.11
PK	15.96692G	55.72	74.00	-18.28	42.00	3	Vertical	317	2.54	-	37.43	9.99	33.70
AV	15.96592G	42.13	54.00	-11.87	28.42	3	Vertical	317	2.54	-	37.43	9.98	33.70

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 73  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6366G	51.45	74.00	-22.55	38.55	3	Horizontal	96	2.08	-	38.46	7.55	33.11
AV	10.64368G	38.13	54.00	-15.87	25.22	3	Horizontal	96	2.08	-	38.46	7.56	33.11
PK	15.96516G	56.64	74.00	-17.36	42.93	3	Horizontal	24	2.21	-	37.43	9.98	33.70
AV	15.96252G	42.10	54.00	-11.90	28.38	3	Horizontal	24	2.21	-	37.44	9.98	33.70

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 69  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	60.37	74.00	-13.63	53.14	3	Vertical	1	3.00	-	33.90	5.46	32.13
AV	5.4596G	47.32	54.00	-6.68	40.09	3	Vertical	1	3.00	-	33.90	5.46	32.13
PK	5.4668G	63.96	68.20	-4.24	56.72	3	Vertical	1	3.00	-	33.90	5.47	32.13
PK	5.5064G	117.78	Inf	-Inf	110.50	3	Vertical	1	3.00	-	33.90	5.51	32.13
AV	5.4968G	105.08	Inf	-Inf	97.81	3	Vertical	1	3.00	-	33.90	5.50	32.13

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 69  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.63	74.00	-8.37	58.40	3	Horizontal	51	1.80	-	33.90	5.46	32.13
AV	5.46G	50.38	54.00	-3.62	43.15	3	Horizontal	51	1.80	-	33.90	5.46	32.13
PK	5.47G	67.82	68.20	-0.38	60.58	3	Horizontal	51	1.80	-	33.90	5.47	32.13
PK	5.4956G	116.61	Inf	-Inf	109.34	3	Horizontal	51	1.80	-	33.90	5.50	32.13
AV	5.4948G	105.08	Inf	-Inf	97.82	3	Horizontal	51	1.80	-	33.90	5.49	32.13



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 69  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0048G	51.92	74.00	-22.08	38.99	3	Vertical	143	1.26	-	38.50	7.70	33.27
AV	11.008G	38.59	54.00	-15.41	25.65	3	Vertical	143	1.26	-	38.51	7.70	33.27

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 69  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99016G	51.80	74.00	-22.20	38.88	3	Horizontal	130	1.34	-	38.49	7.70	33.27
AV	11.0068G	38.48	54.00	-15.52	25.54	3	Horizontal	130	1.34	-	38.51	7.70	33.27

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_V\_4TX  
Setting 91  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.81	74.00	-12.19	54.58	3	Vertical	346	2.93	-	33.90	5.46	32.13
AV	5.46G	49.28	54.00	-4.72	42.05	3	Vertical	346	2.93	-	33.90	5.46	32.13
PK	5.4672G	64.98	68.20	-3.22	57.74	3	Vertical	346	2.93	-	33.90	5.47	32.13
PK	5.5856G	120.75	Inf	-Inf	113.40	3	Vertical	346	2.93	-	33.90	5.59	32.14
AV	5.5808G	108.74	Inf	-Inf	101.39	3	Vertical	346	2.93	-	33.90	5.58	32.13
PK	5.7344G	61.07	68.20	-7.13	53.84	3	Vertical	346	2.93	-	33.77	5.60	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_V\_4TX  
Setting 91  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	66.58	74.00	-7.42	59.35	3	Horizontal	305	1.79	-	33.90	5.46	32.13
AV	5.456G	50.29	54.00	-3.71	43.06	3	Horizontal	305	1.79	-	33.90	5.46	32.13
PK	5.4632G	67.30	68.20	-0.90	60.07	3	Horizontal	305	1.79	-	33.90	5.46	32.13
PK	5.576G	122.15	Inf	-Inf	114.80	3	Horizontal	305	1.79	-	33.90	5.58	32.13
AV	5.5712G	109.69	Inf	-Inf	102.35	3	Horizontal	305	1.79	-	33.90	5.57	32.13
PK	5.7264G	64.71	68.20	-3.49	57.50	3	Horizontal	305	1.79	-	33.75	5.60	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
Setting 91  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15696G	51.66	74.00	-22.34	38.49	3	Vertical	146	2.34	-	38.66	7.76	33.25
AV	11.15904G	38.33	54.00	-15.67	25.16	3	Vertical	146	2.34	-	38.66	7.76	33.25

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
Setting 91  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15496G	52.65	74.00	-21.35	39.49	3	Horizontal	268	1.38	-	38.65	7.76	33.25
AV	11.1534G	38.29	54.00	-15.71	25.13	3	Horizontal	268	1.38	-	38.65	7.76	33.25

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 49  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.695G	109.93	Inf	-Inf	102.76	3	Vertical	9	2.82	-	33.71	5.60	32.14
AV	5.6948G	96.93	Inf	-Inf	89.76	3	Vertical	9	2.82	-	33.71	5.60	32.14
PK	5.725G	66.02	68.20	-2.18	58.81	3	Vertical	9	2.82	-	33.75	5.60	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 49  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6964G	113.26	Inf	-Inf	106.09	3	Horizontal	305	1.82	-	33.71	5.60	32.14
AV	5.6964G	100.28	Inf	-Inf	93.11	3	Horizontal	305	1.82	-	33.71	5.60	32.14
PK	5.7268G	67.96	68.20	-0.24	60.75	3	Horizontal	305	1.82	-	33.75	5.60	32.14



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 49  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40408G	52.69	74.00	-21.31	39.25	3	Vertical	129	1.46	-	38.81	7.86	33.23
AV	11.40068G	39.39	54.00	-14.61	25.96	3	Vertical	129	1.46	-	38.80	7.86	33.23

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5700MHz\_TnomVnom



EUT Y\_4TX  
Setting 49  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4008G	52.61	74.00	-21.39	39.18	3	Horizontal	352	1.82	-	38.80	7.86	33.23
AV	11.40788G	39.38	54.00	-14.62	25.93	3	Horizontal	352	1.82	-	38.82	7.86	33.23


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_V\_4TX  
 Setting 95  
 02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44G	58.44	74.00	-15.56	51.25	3	Vertical	336	2.66	-	33.88	5.44	32.13
PK	5.4638G	58.00	68.20	-10.20	50.77	3	Vertical	336	2.66	-	33.90	5.46	32.13
AV	5.4596G	45.98	54.00	-8.02	38.75	3	Vertical	336	2.66	-	33.90	5.46	32.13
PK	5.7256G	116.83	Inf	-Inf	109.62	3	Vertical	336	2.66	-	33.75	5.60	32.14
AV	5.7242G	105.37	Inf	-Inf	98.16	3	Vertical	336	2.66	-	33.75	5.60	32.14
PK	5.85G	62.43	68.20	-5.77	55.13	3	Vertical	336	2.66	-	33.80	5.65	32.15


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_V\_4TX  
 Setting 95  
 02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	59.29	74.00	-14.71	52.06	3	Horizontal	302	1.83	-	33.90	5.46	32.13
AV	5.4526G	46.73	54.00	-7.27	39.51	3	Horizontal	302	1.83	-	33.90	5.45	32.13
PK	5.4638G	58.25	68.20	-9.95	51.02	3	Horizontal	302	1.83	-	33.90	5.46	32.13
PK	5.7172G	120.62	Inf	-Inf	113.43	3	Horizontal	302	1.83	-	33.73	5.60	32.14
AV	5.727G	108.76	Inf	-Inf	101.55	3	Horizontal	302	1.83	-	33.75	5.60	32.14
PK	5.85G	60.74	68.20	-7.46	53.44	3	Horizontal	302	1.83	-	33.80	5.65	32.15


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 Setting 95  
 02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43204G	53.08	74.00	-20.92	39.58	3	Vertical	27	1.80	-	38.86	7.87	33.23
AV	11.44248G	39.28	54.00	-14.72	25.75	3	Vertical	27	1.80	-	38.88	7.88	33.23

**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 Setting 95  
 02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44492G	53.28	74.00	-20.72	39.74	3	Horizontal	50	1.81	-	38.89	7.88	33.23
AV	11.44472G	39.55	54.00	-14.45	26.01	3	Horizontal	50	1.81	-	38.89	7.88	33.23

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_V\_4TX  
Setting 71  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	58.49	74.00	-15.51	51.90	3	Vertical	12	2.95	-	33.50	5.24	32.15
AV	5.1434G	46.99	54.00	-7.01	40.40	3	Vertical	12	2.95	-	33.50	5.24	32.15
PK	5.285G	115.29	Inf	-Inf	108.42	3	Vertical	12	2.95	-	33.67	5.34	32.14
AV	5.2748G	104.44	Inf	-Inf	97.59	3	Vertical	12	2.95	-	33.65	5.34	32.14
PK	5.3642G	60.51	74.00	-13.49	53.54	3	Vertical	12	2.95	-	33.73	5.38	32.14
AV	5.354G	49.28	54.00	-4.72	42.33	3	Vertical	12	2.95	-	33.71	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_V\_4TX  
Setting 71  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1302G	58.51	74.00	-15.49	51.93	3	Horizontal	54	1.80	-	33.50	5.23	32.15
AV	5.1494G	47.44	54.00	-6.56	40.84	3	Horizontal	54	1.80	-	33.50	5.25	32.15
PK	5.2754G	115.20	Inf	-Inf	108.35	3	Horizontal	54	1.80	-	33.65	5.34	32.14
AV	5.2748G	103.63	Inf	-Inf	96.78	3	Horizontal	54	1.80	-	33.65	5.34	32.14
PK	5.35G	66.26	74.00	-7.74	59.32	3	Horizontal	54	1.80	-	33.70	5.38	32.14
AV	5.35G	53.26	54.00	-0.74	46.32	3	Horizontal	54	1.80	-	33.70	5.38	32.14



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
Setting 71  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81344G	55.70	74.00	-18.30	41.89	3	Vertical	279	2.67	-	37.41	9.92	33.52
AV	15.80312G	43.56	54.00	-10.44	29.76	3	Vertical	279	2.67	-	37.40	9.91	33.51

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
Setting 71  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8058G	55.82	74.00	-18.18	42.01	3	Horizontal	5	1.86	-	37.41	9.91	33.51
AV	15.81212G	43.55	54.00	-10.45	29.74	3	Horizontal	5	1.86	-	37.41	9.92	33.52

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	113.27	Inf	-Inf	106.36	3	Vertical	14	2.92	-	33.70	5.35	32.14
AV	5.3044G	102.35	Inf	-Inf	95.44	3	Vertical	14	2.92	-	33.70	5.35	32.14
PK	5.352G	61.02	74.00	-12.98	54.08	3	Vertical	14	2.92	-	33.70	5.38	32.14
AV	5.35G	50.29	54.00	-3.71	43.35	3	Vertical	14	2.92	-	33.70	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3052G	114.86	Inf	-Inf	107.95	3	Horizontal	50	1.87	-	33.70	5.35	32.14
AV	5.3052G	103.04	Inf	-Inf	96.13	3	Horizontal	50	1.87	-	33.70	5.35	32.14
PK	5.35G	64.26	74.00	-9.74	57.32	3	Horizontal	50	1.87	-	33.70	5.38	32.14
AV	5.3504G	52.88	54.00	-1.12	45.94	3	Horizontal	50	1.87	-	33.70	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61048G	52.37	74.00	-21.63	39.44	3	Vertical	333	2.53	-	38.49	7.54	33.10
AV	10.61152G	40.03	54.00	-13.97	27.10	3	Vertical	333	2.53	-	38.49	7.54	33.10
PK	15.92496G	56.15	74.00	-17.85	42.35	3	Vertical	300	1.08	-	37.48	9.97	33.65
AV	15.93108G	43.78	54.00	-10.22	30.00	3	Vertical	300	1.08	-	37.47	9.97	33.66

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61076G	51.54	74.00	-22.46	38.61	3	Horizontal	304	1.13	-	38.49	7.54	33.10
AV	10.61904G	39.67	54.00	-14.33	26.74	3	Horizontal	304	1.13	-	38.48	7.55	33.10
PK	15.92868G	55.91	74.00	-18.09	42.13	3	Horizontal	7	1.26	-	37.47	9.97	33.66
AV	15.9258G	44.01	54.00	-9.99	30.22	3	Horizontal	7	1.26	-	37.47	9.97	33.65

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.29	74.00	-13.71	53.06	3	Vertical	4	3.00	-	33.90	5.46	32.13
AV	5.46G	48.82	54.00	-5.18	41.59	3	Vertical	4	3.00	-	33.90	5.46	32.13
PK	5.47G	63.82	68.20	-4.38	56.58	3	Vertical	4	3.00	-	33.90	5.47	32.13
PK	5.5068G	115.76	Inf	-Inf	108.48	3	Vertical	4	3.00	-	33.90	5.51	32.13
AV	5.4968G	103.13	Inf	-Inf	95.86	3	Vertical	4	3.00	-	33.90	5.50	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	62.13	74.00	-11.87	54.90	3	Horizontal	302	1.89	-	33.90	5.46	32.13
AV	5.4564G	50.42	54.00	-3.58	43.19	3	Horizontal	302	1.89	-	33.90	5.46	32.13
PK	5.466G	65.90	68.20	-2.30	58.66	3	Horizontal	302	1.89	-	33.90	5.47	32.13
PK	5.4964G	114.75	Inf	-Inf	107.48	3	Horizontal	302	1.89	-	33.90	5.50	32.13
AV	5.5116G	103.41	Inf	-Inf	96.13	3	Horizontal	302	1.89	-	33.90	5.51	32.13



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02052G	52.24	74.00	-21.76	39.28	3	Vertical	171	2.42	-	38.52	7.71	33.27
AV	11.01296G	40.09	54.00	-13.91	27.14	3	Vertical	171	2.42	-	38.51	7.71	33.27

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01476G	52.16	74.00	-21.84	39.21	3	Horizontal	245	1.96	-	38.51	7.71	33.27
AV	11.019G	39.95	54.00	-14.05	26.99	3	Horizontal	245	1.96	-	38.52	7.71	33.27

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_V\_4TX  
Setting 71  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	62.22	74.00	-11.78	54.99	3	Vertical	0	2.96	-	33.90	5.46	32.13
AV	5.4468G	50.35	54.00	-3.65	43.14	3	Vertical	0	2.96	-	33.89	5.45	32.13
PK	5.4636G	62.72	68.20	-5.48	55.49	3	Vertical	0	2.96	-	33.90	5.46	32.13
PK	5.562G	115.35	Inf	-Inf	108.02	3	Vertical	0	2.96	-	33.90	5.56	32.13
AV	5.5468G	104.75	Inf	-Inf	97.43	3	Vertical	0	2.96	-	33.90	5.55	32.13
PK	5.7348G	59.31	68.20	-8.89	52.08	3	Vertical	0	2.96	-	33.77	5.60	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_V\_4TX  
Setting 71  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	66.61	74.00	-7.39	59.39	3	Horizontal	304	1.80	-	33.90	5.45	32.13
AV	5.4564G	52.37	54.00	-1.63	45.14	3	Horizontal	304	1.80	-	33.90	5.46	32.13
PK	5.466G	67.52	68.20	-0.68	60.28	3	Horizontal	304	1.80	-	33.90	5.47	32.13
PK	5.566G	116.03	Inf	-Inf	108.69	3	Horizontal	304	1.80	-	33.90	5.57	32.13
AV	5.546G	105.05	Inf	-Inf	97.73	3	Horizontal	304	1.80	-	33.90	5.55	32.13
PK	5.726G	59.05	68.20	-9.15	51.84	3	Horizontal	304	1.80	-	33.75	5.60	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
Setting 71  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09696G	52.66	74.00	-21.34	39.58	3	Vertical	172	2.14	-	38.60	7.74	33.26
AV	11.1018G	40.05	54.00	-13.95	26.97	3	Vertical	172	2.14	-	38.60	7.74	33.26

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
Setting 71  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10692G	52.41	74.00	-21.59	39.32	3	Horizontal	107	3.00	-	38.61	7.74	33.26
AV	11.09344G	39.93	54.00	-14.07	26.86	3	Horizontal	107	3.00	-	38.59	7.74	33.26

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 56  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66G	109.04	Inf	-Inf	101.80	3	Vertical	11	2.85	-	33.78	5.60	32.14
AV	5.6652G	97.15	Inf	-Inf	89.92	3	Vertical	11	2.85	-	33.77	5.60	32.14
PK	5.7344G	61.04	68.20	-7.16	53.81	3	Vertical	11	2.85	-	33.77	5.60	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 56  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6712G	111.87	Inf	-Inf	104.65	3	Horizontal	305	1.76	-	33.76	5.60	32.14
AV	5.6564G	99.66	Inf	-Inf	92.41	3	Horizontal	305	1.76	-	33.79	5.60	32.14
PK	5.7268G	67.46	68.20	-0.74	60.25	3	Horizontal	305	1.76	-	33.75	5.60	32.14



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 56  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34472G	52.53	74.00	-21.47	39.19	3	Vertical	265	2.88	-	38.74	7.84	33.24
AV	11.34636G	40.49	54.00	-13.51	27.14	3	Vertical	265	2.88	-	38.75	7.84	33.24

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5670MHz\_TnomVnom



EUT Y\_4TX  
Setting 56  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3434G	53.38	74.00	-20.62	40.04	3	Horizontal	2	1.90	-	38.74	7.84	33.24
AV	11.34284G	40.36	54.00	-13.64	27.02	3	Horizontal	2	1.90	-	38.74	7.84	33.24


**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_V\_4TX  
 Setting 88  
 02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4146G	58.79	74.00	-15.21	51.69	3	Vertical	350	2.68	-	33.83	5.41	32.14
PK	5.4608G	59.59	68.20	-8.61	52.36	3	Vertical	350	2.68	-	33.90	5.46	32.13
AV	5.451G	48.52	54.00	-5.48	41.30	3	Vertical	350	2.68	-	33.90	5.45	32.13
PK	5.7254G	114.34	Inf	-Inf	107.13	3	Vertical	350	2.68	-	33.75	5.60	32.14
AV	5.7254G	103.89	Inf	-Inf	96.68	3	Vertical	350	2.68	-	33.75	5.60	32.14
PK	5.8514G	63.13	68.20	-5.07	55.82	3	Vertical	350	2.68	-	33.81	5.65	32.15

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_V\_4TX  
 Setting 88  
 02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4216G	61.53	74.00	-12.47	54.40	3	Horizontal	301	1.82	-	33.84	5.42	32.13
PK	5.47G	63.20	68.20	-5.00	55.96	3	Horizontal	301	1.82	-	33.90	5.47	32.13
AV	5.4566G	49.17	54.00	-4.83	41.94	3	Horizontal	301	1.82	-	33.90	5.46	32.13
PK	5.7114G	117.96	Inf	-Inf	110.78	3	Horizontal	301	1.82	-	33.72	5.60	32.14
AV	5.7072G	106.55	Inf	-Inf	99.38	3	Horizontal	301	1.82	-	33.71	5.60	32.14
PK	5.8514G	67.79	68.20	-0.41	60.48	3	Horizontal	301	1.82	-	33.81	5.65	32.15

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**


**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
Setting 88  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.425G	53.51	74.00	-20.49	40.02	3	Vertical	360	2.56	-	38.85	7.87	33.23
AV	11.4224G	40.74	54.00	-13.26	27.26	3	Vertical	360	2.56	-	38.84	7.87	33.23

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 Setting 88  
 02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42404G	52.42	74.00	-21.58	38.93	3	Horizontal	61	2.29	-	38.85	7.87	33.23
AV	11.4108G	40.43	54.00	-13.57	26.98	3	Horizontal	61	2.29	-	38.82	7.86	33.23

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_V\_4TX  
Setting 65  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.133G	60.71	74.00	-13.29	54.13	3	Vertical	353	2.82	-	33.50	5.23	32.15
AV	5.132G	47.49	54.00	-6.51	40.91	3	Vertical	353	2.82	-	33.50	5.23	32.15
PK	5.308G	108.72	Inf	-Inf	101.81	3	Vertical	353	2.82	-	33.70	5.35	32.14
AV	5.299G	98.33	Inf	-Inf	91.42	3	Vertical	353	2.82	-	33.70	5.35	32.14
PK	5.368G	62.11	74.00	-11.89	55.13	3	Vertical	353	2.82	-	33.74	5.38	32.14
AV	5.388G	49.39	54.00	-4.61	42.36	3	Vertical	353	2.82	-	33.78	5.39	32.14
PK	5.538G	58.66	68.20	-9.54	51.35	3	Vertical	353	2.82	-	33.90	5.54	32.13

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_V\_4TX  
Setting 65  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	59.07	74.00	-14.93	52.48	3	Horizontal	55	1.80	-	33.50	5.24	32.15
AV	5.14G	47.77	54.00	-6.23	41.18	3	Horizontal	55	1.80	-	33.50	5.24	32.15
PK	5.27G	110.30	Inf	-Inf	103.47	3	Horizontal	55	1.80	-	33.64	5.33	32.14
AV	5.28G	99.25	Inf	-Inf	92.39	3	Horizontal	55	1.80	-	33.66	5.34	32.14
PK	5.351G	63.31	74.00	-10.69	56.37	3	Horizontal	55	1.80	-	33.70	5.38	32.14
AV	5.35G	52.93	54.00	-1.07	45.99	3	Horizontal	55	1.80	-	33.70	5.38	32.14
PK	5.467G	59.32	68.20	-8.88	52.08	3	Horizontal	55	1.80	-	33.90	5.47	32.13



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86748G	55.25	74.00	-18.75	41.42	3	Vertical	71	2.09	-	37.47	9.94	33.58
AV	15.87652G	43.77	54.00	-10.23	29.94	3	Vertical	71	2.09	-	37.48	9.94	33.59

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86624G	55.88	74.00	-18.12	42.05	3	Horizontal	221	2.34	-	37.47	9.94	33.58
AV	15.87868G	43.45	54.00	-10.55	29.62	3	Horizontal	221	2.34	-	37.48	9.95	33.60

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_V\_4TX  
Setting 66  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	58.35	68.20	-9.85	51.42	3	Vertical	2	3.00	-	33.70	5.37	32.14
PK	5.457G	62.27	74.00	-11.73	55.04	3	Vertical	2	3.00	-	33.90	5.46	32.13
AV	5.457G	51.42	54.00	-2.58	44.19	3	Vertical	2	3.00	-	33.90	5.46	32.13
PK	5.467G	64.74	68.20	-3.46	57.50	3	Vertical	2	3.00	-	33.90	5.47	32.13
PK	5.512G	111.18	Inf	-Inf	103.90	3	Vertical	2	3.00	-	33.90	5.51	32.13
AV	5.517G	100.06	Inf	-Inf	92.77	3	Vertical	2	3.00	-	33.90	5.52	32.13
PK	5.757G	58.05	68.20	-10.15	50.81	3	Vertical	2	3.00	-	33.79	5.60	32.15

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_V\_4TX  
Setting 66  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.324G	58.94	68.20	-9.26	52.02	3	Horizontal	305	1.80	-	33.70	5.36	32.14
PK	5.456G	64.77	74.00	-9.23	57.54	3	Horizontal	305	1.80	-	33.90	5.46	32.13
AV	5.456G	53.26	54.00	-0.74	46.03	3	Horizontal	305	1.80	-	33.90	5.46	32.13
PK	5.466G	65.99	68.20	-2.21	58.75	3	Horizontal	305	1.80	-	33.90	5.47	32.13
PK	5.531G	112.59	Inf	-Inf	105.29	3	Horizontal	305	1.80	-	33.90	5.53	32.13
AV	5.547G	100.50	Inf	-Inf	93.18	3	Horizontal	305	1.80	-	33.90	5.55	32.13
PK	5.727G	59.45	68.20	-8.75	52.24	3	Horizontal	305	1.80	-	33.75	5.60	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Y\_4TX  
Setting 66  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06856G	52.49	74.00	-21.51	39.45	3	Vertical	193	1.15	-	38.57	7.73	33.26
AV	11.06192G	40.18	54.00	-13.82	27.16	3	Vertical	193	1.15	-	38.56	7.72	33.26

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Y\_4TX  
Setting 66  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06012G	52.64	74.00	-21.36	39.62	3	Horizontal	63	2.41	-	38.56	7.72	33.26
AV	11.05652G	40.08	54.00	-13.92	27.06	3	Horizontal	63	2.41	-	38.56	7.72	33.26

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	60.84	74.00	-13.16	53.62	3	Vertical	345	2.94	-	33.90	5.45	32.13
PK	5.465G	62.62	68.20	-5.58	55.39	3	Vertical	345	2.94	-	33.90	5.46	32.13
AV	5.46G	50.17	54.00	-3.83	42.94	3	Vertical	345	2.94	-	33.90	5.46	32.13
PK	5.581G	111.32	Inf	-Inf	103.97	3	Vertical	345	2.94	-	33.90	5.58	32.13
AV	5.581G	98.71	Inf	-Inf	91.36	3	Vertical	345	2.94	-	33.90	5.58	32.13
PK	5.727G	64.84	68.20	-3.36	57.63	3	Vertical	345	2.94	-	33.75	5.60	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	62.78	74.00	-11.22	55.55	3	Horizontal	306	1.95	-	33.90	5.46	32.13
AV	5.456G	50.56	54.00	-3.44	43.33	3	Horizontal	306	1.95	-	33.90	5.46	32.13
PK	5.466G	64.77	68.20	-3.43	57.53	3	Horizontal	306	1.95	-	33.90	5.47	32.13
PK	5.581G	112.21	Inf	-Inf	104.86	3	Horizontal	306	1.95	-	33.90	5.58	32.13
AV	5.616G	99.84	Inf	-Inf	92.51	3	Horizontal	306	1.95	-	33.87	5.60	32.14
PK	5.727G	66.67	68.20	-1.53	59.46	3	Horizontal	306	1.95	-	33.75	5.60	32.14



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22196G	52.17	74.00	-21.83	38.93	3	Vertical	325	1.63	-	38.70	7.79	33.25
AV	11.22152G	40.05	54.00	-13.95	26.81	3	Vertical	325	1.63	-	38.70	7.79	33.25

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5610MHz\_TnomVnom



EUT Y\_4TX  
Setting 65  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2104G	52.25	74.00	-21.75	39.02	3	Horizontal	173	2.28	-	38.70	7.78	33.25
AV	11.21644G	39.89	54.00	-14.11	26.65	3	Horizontal	173	2.28	-	38.70	7.79	33.25


**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 Setting 76  
 02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	60.16	74.00	-13.84	52.94	3	Vertical	23	2.84	-	33.90	5.45	32.13
AV	5.45G	48.84	54.00	-5.16	41.62	3	Vertical	23	2.84	-	33.90	5.45	32.13
PK	5.4608G	59.54	68.20	-8.66	52.31	3	Vertical	23	2.84	-	33.90	5.46	32.13
PK	5.696G	110.04	Inf	-Inf	102.87	3	Vertical	23	2.84	-	33.71	5.60	32.14
AV	5.6804G	98.48	Inf	-Inf	91.28	3	Vertical	23	2.84	-	33.74	5.60	32.14
PK	5.8508G	64.40	68.20	-3.80	57.10	3	Vertical	23	2.84	-	33.80	5.65	32.15

**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_V\_4TX  
 Setting 76  
 02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	63.19	74.00	-10.81	55.97	3	Horizontal	306	1.81	-	33.90	5.45	32.13
AV	5.456G	51.21	54.00	-2.79	43.98	3	Horizontal	306	1.81	-	33.90	5.46	32.13
PK	5.47G	64.42	68.20	-3.78	57.18	3	Horizontal	306	1.81	-	33.90	5.47	32.13
PK	5.6564G	112.34	Inf	-Inf	105.09	3	Horizontal	306	1.81	-	33.79	5.60	32.14
AV	5.696G	101.29	Inf	-Inf	94.12	3	Horizontal	306	1.81	-	33.71	5.60	32.14
PK	5.852G	67.03	68.20	-1.17	59.72	3	Horizontal	306	1.81	-	33.81	5.65	32.15

**802.11ax HEW80\_Nss1,(MCS0)\_4TX**

**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
Setting 76  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37072G	52.63	74.00	-21.37	39.24	3	Vertical	162	1.80	-	38.77	7.85	33.23
AV	11.37064G	40.46	54.00	-13.54	27.07	3	Vertical	162	1.80	-	38.77	7.85	33.23

**802.11ax HEW80\_Nss1,(MCS0)\_4TX**

**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
Setting 76  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38784G	53.30	74.00	-20.70	39.88	3	Horizontal	262	1.80	-	38.79	7.86	33.23
AV	11.37904G	40.89	54.00	-13.11	27.49	3	Horizontal	262	1.80	-	38.78	7.85	33.23




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.3574G	53.92	54.00	-0.08	3	Horizontal	318	2.45	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 106  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	58.70	74.00	-15.30	52.11	3	Vertical	265	2.83	-	33.50	5.24	32.15
AV	5.1112G	45.69	54.00	-8.31	39.13	3	Vertical	265	2.83	-	33.50	5.21	32.15
PK	5.2576G	112.19	Inf	-Inf	105.38	3	Vertical	265	2.83	-	33.62	5.33	32.14
AV	5.2576G	101.59	Inf	-Inf	94.78	3	Vertical	265	2.83	-	33.62	5.33	32.14
PK	5.3806G	59.70	74.00	-14.30	52.69	3	Vertical	265	2.83	-	33.76	5.39	32.14
AV	5.3578G	46.47	54.00	-7.53	39.51	3	Vertical	265	2.83	-	33.72	5.38	32.14



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 106  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.155G	66.29	74.00	-7.71	59.69	3	Horizontal	318	2.44	-	33.50	5.25	32.15
AV	5.146G	49.33	54.00	-4.67	42.73	3	Horizontal	318	2.44	-	33.50	5.25	32.15
PK	5.257G	126.24	Inf	-Inf	119.44	3	Horizontal	318	2.44	-	33.61	5.33	32.14
AV	5.2576G	115.38	Inf	-Inf	108.57	3	Horizontal	318	2.44	-	33.62	5.33	32.14
PK	5.3584G	70.13	74.00	-3.87	63.17	3	Horizontal	318	2.44	-	33.72	5.38	32.14
AV	5.359G	52.68	54.00	-1.32	45.72	3	Horizontal	318	2.44	-	33.72	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT Z\_4TX  
Setting 106  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52486G	56.35	68.20	-11.85	43.48	3	Vertical	143	2.08	-	38.42	7.51	33.06
PK	15.78168G	56.47	74.00	-17.53	42.65	3	Vertical	167	2.35	-	37.40	9.90	33.48
AV	15.77802G	43.04	54.00	-10.96	29.22	3	Vertical	167	2.35	-	37.40	9.90	33.48

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 106  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52108G	58.00	68.20	-10.20	45.13	3	Horizontal	214	2.94	-	38.42	7.51	33.06
PK	15.78406G	56.04	74.00	-17.96	42.23	3	Horizontal	343	2.85	-	37.40	9.90	33.49
AV	15.77744G	43.14	54.00	-10.86	29.32	3	Horizontal	343	2.85	-	37.40	9.90	33.48

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 94  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	107.70	Inf	-Inf	100.79	3	Vertical	0	2.85	-	33.70	5.35	32.14
AV	5.3028G	97.73	Inf	-Inf	90.82	3	Vertical	0	2.85	-	33.70	5.35	32.14
PK	5.368G	58.83	74.00	-15.17	51.85	3	Vertical	0	2.85	-	33.74	5.38	32.14
AV	5.376G	46.31	54.00	-7.69	39.31	3	Vertical	0	2.85	-	33.75	5.39	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 94  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2936G	123.26	Inf	-Inf	116.36	3	Horizontal	72	3.00	-	33.69	5.35	32.14
AV	5.2932G	113.44	Inf	-Inf	106.54	3	Horizontal	72	3.00	-	33.69	5.35	32.14
PK	5.3544G	72.93	74.00	-1.07	65.98	3	Horizontal	72	3.00	-	33.71	5.38	32.14
AV	5.3528G	52.40	54.00	-1.60	45.45	3	Horizontal	72	3.00	-	33.71	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Z\_4TX  
Setting 94  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60126G	54.16	74.00	-19.84	41.21	3	Vertical	334	2.24	-	38.50	7.54	33.09
AV	10.60012G	40.74	54.00	-13.26	27.79	3	Vertical	334	2.24	-	38.50	7.54	33.09
PK	15.891G	56.01	74.00	-17.99	42.18	3	Vertical	353	2.86	-	37.49	9.95	33.61
AV	15.88914G	43.34	54.00	-10.66	29.51	3	Vertical	353	2.86	-	37.49	9.95	33.61

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 94  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6015G	54.88	74.00	-19.12	41.93	3	Horizontal	323	3.00	-	38.50	7.54	33.09
AV	10.60126G	41.73	54.00	-12.27	28.78	3	Horizontal	323	3.00	-	38.50	7.54	33.09
PK	15.88764G	56.62	74.00	-17.38	42.79	3	Horizontal	98	2.97	-	37.49	9.95	33.61
AV	15.9024G	42.97	54.00	-11.03	29.13	3	Horizontal	98	2.97	-	37.50	9.96	33.62

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 93  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	106.98	Inf	-Inf	100.06	3	Vertical	267	2.91	-	33.70	5.36	32.14
AV	5.3178G	97.37	Inf	-Inf	90.45	3	Vertical	267	2.91	-	33.70	5.36	32.14
PK	5.3572G	60.37	74.00	-13.63	53.42	3	Vertical	267	2.91	-	33.71	5.38	32.14
AV	5.351G	46.77	54.00	-7.23	39.83	3	Vertical	267	2.91	-	33.70	5.38	32.14



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 93  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3182G	121.53	Inf	-Inf	114.61	3	Horizontal	318	2.45	-	33.70	5.36	32.14
AV	5.3178G	111.77	Inf	-Inf	104.85	3	Horizontal	318	2.45	-	33.70	5.36	32.14
PK	5.3562G	72.63	74.00	-1.37	65.68	3	Horizontal	318	2.45	-	33.71	5.38	32.14
AV	5.3574G	53.92	54.00	-0.08	46.97	3	Horizontal	318	2.45	-	33.71	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 93  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64534G	55.49	74.00	-18.51	42.59	3	Vertical	130	2.96	-	38.45	7.56	33.11
AV	10.64552G	41.81	54.00	-12.19	28.91	3	Vertical	130	2.96	-	38.45	7.56	33.11
PK	15.96198G	55.88	74.00	-18.12	42.16	3	Vertical	173	2.38	-	37.44	9.98	33.70
AV	15.96942G	43.26	54.00	-10.74	29.54	3	Vertical	173	2.38	-	37.43	9.99	33.70

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 93  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63868G	56.36	74.00	-17.64	43.45	3	Horizontal	40	2.92	-	38.46	7.56	33.11
AV	10.63916G	42.69	54.00	-11.31	29.78	3	Horizontal	40	2.92	-	38.46	7.56	33.11
PK	15.95334G	56.34	74.00	-17.66	42.59	3	Horizontal	286	1.13	-	37.45	9.98	33.68
AV	15.9705G	43.09	54.00	-10.91	29.38	3	Horizontal	286	1.13	-	37.43	9.99	33.71

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 104  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	58.17	74.00	-15.83	51.58	3	Vertical	86	2.91	-	33.50	5.24	32.15
AV	5.1112G	44.91	54.00	-9.09	38.35	3	Vertical	86	2.91	-	33.50	5.21	32.15
PK	5.2558G	110.93	Inf	-Inf	104.13	3	Vertical	86	2.91	-	33.61	5.33	32.14
AV	5.2654G	98.26	Inf	-Inf	91.44	3	Vertical	86	2.91	-	33.63	5.33	32.14
PK	5.3752G	59.58	74.00	-14.42	52.58	3	Vertical	86	2.91	-	33.75	5.39	32.14
AV	5.3758G	45.60	54.00	-8.40	38.60	3	Vertical	86	2.91	-	33.75	5.39	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 104  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	66.48	74.00	-7.52	59.88	3	Horizontal	318	2.58	-	33.50	5.25	32.15
AV	5.149G	48.94	54.00	-5.06	42.34	3	Horizontal	318	2.58	-	33.50	5.25	32.15
PK	5.2546G	126.27	Inf	-Inf	119.47	3	Horizontal	318	2.58	-	33.61	5.33	32.14
AV	5.254G	112.78	Inf	-Inf	105.98	3	Horizontal	318	2.58	-	33.61	5.33	32.14
PK	5.3548G	69.24	74.00	-4.76	62.29	3	Horizontal	318	2.58	-	33.71	5.38	32.14
AV	5.35G	53.30	54.00	-0.70	46.36	3	Horizontal	318	2.58	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Z\_4TX  
Setting 104  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7766G	56.40	74.00	-17.60	42.58	3	Vertical	26	1.08	-	37.40	9.90	33.48
AV	15.78038G	42.12	54.00	-11.88	28.30	3	Vertical	26	1.08	-	37.40	9.90	33.48

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Z\_4TX  
Setting 104  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78164G	55.75	74.00	-18.25	41.93	3	Horizontal	344	2.48	-	37.40	9.90	33.48
AV	15.77726G	42.11	54.00	-11.89	28.29	3	Horizontal	344	2.48	-	37.40	9.90	33.48

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Z\_4TX  
Setting 92  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2924G	110.84	Inf	-Inf	103.95	3	Vertical	269	2.43	-	33.68	5.35	32.14
AV	5.2976G	96.58	Inf	-Inf	89.67	3	Vertical	269	2.43	-	33.70	5.35	32.14
PK	5.3956G	59.77	74.00	-14.23	52.72	3	Vertical	269	2.43	-	33.79	5.40	32.14
AV	5.3968G	45.53	54.00	-8.47	38.48	3	Vertical	269	2.43	-	33.79	5.40	32.14



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 92  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	123.25	Inf	-Inf	116.34	3	Horizontal	319	2.64	-	33.70	5.35	32.14
AV	5.2992G	110.43	Inf	-Inf	103.52	3	Horizontal	319	2.64	-	33.70	5.35	32.14
PK	5.3548G	72.24	74.00	-1.76	65.29	3	Horizontal	319	2.64	-	33.71	5.38	32.14
AV	5.35G	53.87	54.00	-0.13	46.93	3	Horizontal	319	2.64	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Z\_4TX  
Setting 92  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89574G	56.52	74.00	-17.48	42.69	3	Vertical	101	2.66	-	37.50	9.95	33.62
AV	15.90032G	42.17	54.00	-11.83	28.33	3	Vertical	101	2.66	-	37.50	9.96	33.62

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Z\_4TX  
Setting 92  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90436G	55.71	74.00	-18.29	41.88	3	Horizontal	141	1.49	-	37.50	9.96	33.63
AV	15.8976G	42.08	54.00	-11.92	28.25	3	Horizontal	141	1.49	-	37.50	9.95	33.62

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Z\_4TX  
Setting 88  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	106.56	Inf	-Inf	99.64	3	Vertical	0	2.72	-	33.70	5.36	32.14
AV	5.3172G	92.93	Inf	-Inf	86.01	3	Vertical	0	2.72	-	33.70	5.36	32.14
PK	5.3672G	59.20	74.00	-14.80	52.23	3	Vertical	0	2.72	-	33.73	5.38	32.14
AV	5.3504G	45.52	54.00	-8.48	38.58	3	Vertical	0	2.72	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 88  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3146G	121.69	Inf	-Inf	114.77	3	Horizontal	320	2.39	-	33.70	5.36	32.14
AV	5.3194G	107.96	Inf	-Inf	101.04	3	Horizontal	320	2.39	-	33.70	5.36	32.14
PK	5.355G	68.18	74.00	-5.82	61.23	3	Horizontal	320	2.39	-	33.71	5.38	32.14
AV	5.35G	53.46	54.00	-0.54	46.52	3	Horizontal	320	2.39	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Z\_4TX  
Setting 88  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95552G	56.18	74.00	-17.82	42.45	3	Vertical	246	2.27	-	37.44	9.98	33.69
AV	15.96224G	42.14	54.00	-11.86	28.42	3	Vertical	246	2.27	-	37.44	9.98	33.70

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Z\_4TX  
Setting 88  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9623G	55.66	74.00	-18.34	41.94	3	Horizontal	230	1.22	-	37.44	9.98	33.70
AV	15.96038G	42.07	54.00	-11.93	28.34	3	Horizontal	230	1.22	-	37.44	9.98	33.69

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 84  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	57.74	74.00	-16.26	51.15	3	Vertical	269	2.56	-	33.50	5.24	32.15
AV	5.1344G	46.46	54.00	-7.54	39.88	3	Vertical	269	2.56	-	33.50	5.23	32.15
PK	5.2676G	105.56	Inf	-Inf	98.73	3	Vertical	269	2.56	-	33.64	5.33	32.14
AV	5.2676G	93.82	Inf	-Inf	86.99	3	Vertical	269	2.56	-	33.64	5.33	32.14
PK	5.3942G	59.11	74.00	-14.89	52.06	3	Vertical	269	2.56	-	33.79	5.40	32.14
AV	5.3696G	47.05	54.00	-6.95	40.07	3	Vertical	269	2.56	-	33.74	5.38	32.14



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 84  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1212G	59.76	74.00	-14.24	53.19	3	Horizontal	132	2.48	-	33.50	5.22	32.15
AV	5.1356G	48.28	54.00	-5.72	41.69	3	Horizontal	132	2.48	-	33.50	5.24	32.15
PK	5.2808G	118.93	Inf	-Inf	112.07	3	Horizontal	132	2.48	-	33.66	5.34	32.14
AV	5.2766G	107.44	Inf	-Inf	100.59	3	Horizontal	132	2.48	-	33.65	5.34	32.14
PK	5.351G	68.57	74.00	-5.43	61.63	3	Horizontal	132	2.48	-	33.70	5.38	32.14
AV	5.351G	53.86	54.00	-0.14	46.92	3	Horizontal	132	2.48	-	33.70	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 84  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81236G	56.06	74.00	-17.94	42.25	3	Vertical	98	2.91	-	37.41	9.92	33.52
AV	15.80716G	43.61	54.00	-10.39	29.80	3	Vertical	98	2.91	-	37.41	9.91	33.51

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Z\_4TX  
Setting 84  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8115G	56.71	74.00	-17.29	42.90	3	Horizontal	360	1.76	-	37.41	9.92	33.52
AV	15.80826G	43.73	54.00	-10.27	29.92	3	Horizontal	360	1.76	-	37.41	9.91	33.51

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 83  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	102.90	Inf	-Inf	95.98	3	Vertical	269	2.91	-	33.70	5.36	32.14
AV	5.3124G	91.57	Inf	-Inf	84.65	3	Vertical	269	2.91	-	33.70	5.36	32.14
PK	5.3768G	59.08	74.00	-14.92	52.08	3	Vertical	269	2.91	-	33.75	5.39	32.14
AV	5.37G	47.12	54.00	-6.88	40.13	3	Vertical	269	2.91	-	33.74	5.39	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Z\_4TX  
Setting 83  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	118.07	Inf	-Inf	111.16	3	Horizontal	319	2.59	-	33.70	5.35	32.14
AV	5.2992G	106.47	Inf	-Inf	99.56	3	Horizontal	319	2.59	-	33.70	5.35	32.14
PK	5.3548G	65.58	74.00	-8.42	58.63	3	Horizontal	319	2.59	-	33.71	5.38	32.14
AV	5.3544G	52.64	54.00	-1.36	45.69	3	Horizontal	319	2.59	-	33.71	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 83  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92596G	55.57	74.00	-18.43	41.78	3	Vertical	169	2.71	-	37.47	9.97	33.65
AV	15.92862G	43.49	54.00	-10.51	29.71	3	Vertical	169	2.71	-	37.47	9.97	33.66

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Z\_4TX  
Setting 83  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92642G	55.91	74.00	-18.09	42.12	3	Horizontal	76	1.45	-	37.47	9.97	33.65
AV	15.93002G	43.42	54.00	-10.58	29.64	3	Horizontal	76	1.45	-	37.47	9.97	33.66

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 81  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0924G	58.47	74.00	-15.53	51.96	3	Vertical	273	2.96	-	33.47	5.19	32.15
AV	5.13G	46.45	54.00	-7.55	39.87	3	Vertical	273	2.96	-	33.50	5.23	32.15
PK	5.2772G	101.79	Inf	-Inf	94.94	3	Vertical	273	2.96	-	33.65	5.34	32.14
AV	5.2828G	90.01	Inf	-Inf	83.14	3	Vertical	273	2.96	-	33.67	5.34	32.14
PK	5.3828G	59.20	74.00	-14.80	52.18	3	Vertical	273	2.96	-	33.77	5.39	32.14
AV	5.3764G	47.12	54.00	-6.88	40.12	3	Vertical	273	2.96	-	33.75	5.39	32.14
PK	5.4724G	58.30	68.20	-9.90	51.06	3	Vertical	273	2.96	-	33.90	5.47	32.13



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 81  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	61.90	74.00	-12.10	55.31	3	Horizontal	132	2.44	-	33.50	5.24	32.15
AV	5.146G	50.02	54.00	-3.98	43.42	3	Horizontal	132	2.44	-	33.50	5.25	32.15
PK	5.286G	115.51	Inf	-Inf	108.64	3	Horizontal	132	2.44	-	33.67	5.34	32.14
AV	5.2812G	103.48	Inf	-Inf	96.62	3	Horizontal	132	2.44	-	33.66	5.34	32.14
PK	5.3612G	67.86	74.00	-6.14	60.90	3	Horizontal	132	2.44	-	33.72	5.38	32.14
AV	5.3516G	53.65	54.00	-0.35	46.71	3	Horizontal	132	2.44	-	33.70	5.38	32.14
PK	5.4836G	58.58	68.20	-9.62	51.33	3	Horizontal	132	2.44	-	33.90	5.48	32.13

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Z\_4TX  
Setting 81  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8737G	56.07	74.00	-17.93	42.25	3	Vertical	49	1.17	-	37.47	9.94	33.59
AV	15.87182G	43.31	54.00	-10.69	29.49	3	Vertical	49	1.17	-	37.47	9.94	33.59

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Z\_4TX  
Setting 81  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87466G	56.09	74.00	-17.91	42.27	3	Horizontal	290	1.73	-	37.47	9.94	33.59
AV	15.87472G	43.40	54.00	-10.60	29.58	3	Horizontal	290	1.73	-	37.47	9.94	33.59

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 53  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1268G	58.33	74.00	-15.67	51.75	3	Vertical	86	2.92	-	33.50	5.23	32.15
AV	5.1156G	47.77	54.00	-6.23	41.20	3	Vertical	86	2.92	-	33.50	5.22	32.15
PK	5.2756G	92.03	Inf	-Inf	85.18	3	Vertical	86	2.92	-	33.65	5.34	32.14
AV	5.2708G	81.89	Inf	-Inf	75.05	3	Vertical	86	2.92	-	33.64	5.34	32.14
PK	5.442G	58.66	74.00	-15.34	51.47	3	Vertical	86	2.92	-	33.88	5.44	32.13
AV	5.4292G	48.43	54.00	-5.57	41.27	3	Vertical	86	2.92	-	33.86	5.43	32.13
PK	5.5652G	59.10	68.20	-9.10	51.76	3	Vertical	86	2.92	-	33.90	5.57	32.13

802.11ax HEW160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 53  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	61.49	74.00	-12.51	54.90	3	Horizontal	54	2.58	-	33.50	5.24	32.15
AV	5.1412G	51.28	54.00	-2.72	44.69	3	Horizontal	54	2.58	-	33.50	5.24	32.15
PK	5.1908G	105.64	Inf	-Inf	99.00	3	Horizontal	54	2.58	-	33.50	5.29	32.15
AV	5.226G	94.87	Inf	-Inf	88.16	3	Horizontal	54	2.58	-	33.55	5.31	32.15
PK	5.3844G	64.10	74.00	-9.90	57.08	3	Horizontal	54	2.58	-	33.77	5.39	32.14
AV	5.3828G	53.87	54.00	-0.13	46.85	3	Horizontal	54	2.58	-	33.77	5.39	32.14
PK	5.57G	59.85	68.20	-8.35	52.51	3	Horizontal	54	2.58	-	33.90	5.57	32.13

**802.11ax HEW160\_Nss1,(MCS0)\_4TX**


**5250MHz Straddle 5.25-5.35GHz\_TnomVnom**



EUT Z\_4TX  
Setting 53  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75306G	55.80	74.00	-18.20	41.96	3	Vertical	342	2.21	-	37.40	9.89	33.45
AV	15.7494G	45.20	54.00	-8.80	31.35	3	Vertical	342	2.21	-	37.40	9.89	33.44

**802.11ax HEW160\_Nss1,(MCS0)\_4TX**  
**5250MHz Straddle 5.25-5.35GHz\_TnomVnom**



EUT Z\_4TX  
 Setting 53  
 02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74742G	55.70	74.00	-18.30	41.85	3	Horizontal	22	1.33	-	37.40	9.89	33.44
AV	15.74754G	45.22	54.00	-8.78	31.37	3	Horizontal	22	1.33	-	37.40	9.89	33.44




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.99	54.00	-0.01	3	Horizontal	284	1.92	-



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT\_V\_1TX  
Setting 98  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	58.95	74.00	-15.05	52.35	3	Vertical	286	2.19	-	33.50	5.25	32.15
AV	5.15G	46.87	54.00	-7.13	40.27	3	Vertical	286	2.19	-	33.50	5.25	32.15
PK	5.2612G	115.04	Inf	-Inf	108.23	3	Vertical	286	2.19	-	33.62	5.33	32.14
AV	5.2582G	104.10	Inf	-Inf	97.29	3	Vertical	286	2.19	-	33.62	5.33	32.14
PK	5.3536G	64.11	74.00	-9.89	57.16	3	Vertical	286	2.19	-	33.71	5.38	32.14
AV	5.3518G	49.84	54.00	-4.16	42.90	3	Vertical	286	2.19	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT\_V\_1TX  
Setting 98  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	62.85	74.00	-11.15	56.26	3	Horizontal	284	2.09	-	33.50	5.24	32.15
AV	5.15G	48.92	54.00	-5.08	42.32	3	Horizontal	284	2.09	-	33.50	5.25	32.15
PK	5.2588G	117.81	Inf	-Inf	111.00	3	Horizontal	284	2.09	-	33.62	5.33	32.14
AV	5.2582G	107.30	Inf	-Inf	100.49	3	Horizontal	284	2.09	-	33.62	5.33	32.14
PK	5.3512G	66.65	74.00	-7.35	59.71	3	Horizontal	284	2.09	-	33.70	5.38	32.14
AV	5.3506G	51.78	54.00	-2.22	44.84	3	Horizontal	284	2.09	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52808G	55.76	68.20	-12.44	42.88	3	Vertical	337	1.24	-	38.43	7.51	33.06
PK	15.78376G	58.61	74.00	-15.39	44.79	3	Vertical	24	1.80	-	37.40	9.90	33.48
AV	15.78384G	45.34	54.00	-8.66	31.52	3	Vertical	24	1.80	-	37.40	9.90	33.48

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52184G	58.19	68.20	-10.01	45.32	3	Horizontal	315	1.64	-	38.42	7.51	33.06
PK	15.77192G	58.57	74.00	-15.43	44.74	3	Horizontal	342	1.79	-	37.40	9.90	33.47
AV	15.78448G	46.02	54.00	-7.98	32.21	3	Horizontal	342	1.79	-	37.40	9.90	33.49

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 92  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2952G	112.02	Inf	-Inf	105.12	3	Vertical	284	1.44	-	33.69	5.35	32.14
AV	5.296G	101.81	Inf	-Inf	94.91	3	Vertical	284	1.44	-	33.69	5.35	32.14
PK	5.3504G	65.17	74.00	-8.83	58.23	3	Vertical	284	1.44	-	33.70	5.38	32.14
AV	5.3504G	49.68	54.00	-4.32	42.74	3	Vertical	284	1.44	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 92  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	116.20	Inf	-Inf	109.29	3	Horizontal	286	1.97	-	33.70	5.35	32.14
AV	5.298G	105.57	Inf	-Inf	98.66	3	Horizontal	286	1.97	-	33.70	5.35	32.14
PK	5.35G	68.39	74.00	-5.61	61.45	3	Horizontal	286	1.97	-	33.70	5.38	32.14
AV	5.3504G	53.62	54.00	-0.38	46.68	3	Horizontal	286	1.97	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 92  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89704G	55.65	74.00	-18.35	41.82	3	Vertical	207	2.16	-	37.50	9.95	33.62
AV	15.89618G	42.96	54.00	-11.04	29.13	3	Vertical	207	2.16	-	37.50	9.95	33.62

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 92  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90426G	55.68	74.00	-18.32	41.85	3	Horizontal	8	2.77	-	37.50	9.96	33.63
AV	15.89588G	42.95	54.00	-11.05	29.12	3	Horizontal	8	2.77	-	37.50	9.95	33.62



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT Y\_1TX  
Setting 86  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3214G	108.43	Inf	-Inf	101.51	3	Vertical	283	1.34	-	33.70	5.36	32.14
AV	5.3184G	98.22	Inf	-Inf	91.30	3	Vertical	283	1.34	-	33.70	5.36	32.14
PK	5.35G	63.39	74.00	-10.61	56.45	3	Vertical	283	1.34	-	33.70	5.38	32.14
AV	5.3504G	49.57	54.00	-4.43	42.63	3	Vertical	283	1.34	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 86  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	113.07	Inf	-Inf	106.15	3	Horizontal	286	1.80	-	33.70	5.36	32.14
AV	5.319G	102.32	Inf	-Inf	95.40	3	Horizontal	286	1.80	-	33.70	5.36	32.14
PK	5.3528G	68.81	74.00	-5.19	61.86	3	Horizontal	286	1.80	-	33.71	5.38	32.14
AV	5.35G	53.63	54.00	-0.37	46.69	3	Horizontal	286	1.80	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT Y\_1TX  
Setting 86  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96422G	56.44	74.00	-17.56	42.72	3	Vertical	118	1.77	-	37.44	9.98	33.70
AV	15.96064G	42.82	54.00	-11.18	29.09	3	Vertical	118	1.77	-	37.44	9.98	33.69

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 86  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96096G	55.86	74.00	-18.14	42.13	3	Horizontal	253	1.55	-	37.44	9.98	33.69
AV	15.95618G	42.97	54.00	-11.03	29.24	3	Horizontal	253	1.55	-	37.44	9.98	33.69

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT\_V\_1TX  
Setting 79  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	59.26	74.00	-14.74	52.03	3	Vertical	272	1.24	-	33.90	5.46	32.13
AV	5.46G	46.73	54.00	-7.27	39.50	3	Vertical	272	1.24	-	33.90	5.46	32.13
PK	5.4682G	62.84	68.20	-5.36	55.60	3	Vertical	272	1.24	-	33.90	5.47	32.13
PK	5.495G	106.59	Inf	-Inf	99.32	3	Vertical	272	1.24	-	33.90	5.50	32.13
AV	5.495G	96.72	Inf	-Inf	89.45	3	Vertical	272	1.24	-	33.90	5.50	32.13

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT\_V\_1TX  
Setting 79  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.53	74.00	-9.47	57.30	3	Horizontal	287	1.86	-	33.90	5.46	32.13
AV	5.4594G	49.30	54.00	-4.70	42.07	3	Horizontal	287	1.86	-	33.90	5.46	32.13
PK	5.466G	67.87	68.20	-0.33	60.63	3	Horizontal	287	1.86	-	33.90	5.47	32.13
PK	5.4932G	112.27	Inf	-Inf	105.01	3	Horizontal	287	1.86	-	33.90	5.49	32.13
AV	5.4976G	101.87	Inf	-Inf	94.60	3	Horizontal	287	1.86	-	33.90	5.50	32.13

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 79  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00002G	52.53	74.00	-21.47	39.60	3	Vertical	280	2.55	-	38.50	7.70	33.27
AV	11.0009G	39.05	54.00	-14.95	26.12	3	Vertical	280	2.55	-	38.50	7.70	33.27

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 79  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00046G	52.22	74.00	-21.78	39.29	3	Horizontal	275	2.31	-	38.50	7.70	33.27
AV	11.00224G	39.01	54.00	-14.99	26.08	3	Horizontal	275	2.31	-	38.50	7.70	33.27



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT\_V\_1TX  
Setting 98  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	58.88	74.00	-15.12	51.66	3	Vertical	288	1.87	-	33.90	5.45	32.13
AV	5.4592G	46.71	54.00	-7.29	39.48	3	Vertical	288	1.87	-	33.90	5.46	32.13
PK	5.4656G	59.75	68.20	-8.45	52.51	3	Vertical	288	1.87	-	33.90	5.47	32.13
PK	5.5728G	112.08	Inf	-Inf	104.74	3	Vertical	288	1.87	-	33.90	5.57	32.13
AV	5.5864G	101.13	Inf	-Inf	93.78	3	Vertical	288	1.87	-	33.90	5.59	32.14
PK	5.7424G	60.72	68.20	-7.48	53.48	3	Vertical	288	1.87	-	33.78	5.60	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	59.46	74.00	-14.54	52.24	3	Horizontal	54	1.79	-	33.90	5.45	32.13
AV	5.4568G	47.33	54.00	-6.67	40.10	3	Horizontal	54	1.79	-	33.90	5.46	32.13
PK	5.4688G	61.37	68.20	-6.83	54.13	3	Horizontal	54	1.79	-	33.90	5.47	32.13
PK	5.5832G	116.60	Inf	-Inf	109.25	3	Horizontal	54	1.79	-	33.90	5.58	32.13
AV	5.5824G	104.46	Inf	-Inf	97.11	3	Horizontal	54	1.79	-	33.90	5.58	32.13
PK	5.732G	61.96	68.20	-6.24	54.74	3	Horizontal	54	1.79	-	33.76	5.60	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15912G	57.33	74.00	-16.67	44.16	3	Vertical	318	1.80	-	38.66	7.76	33.25
AV	11.15984G	44.76	54.00	-9.24	31.59	3	Vertical	318	1.80	-	38.66	7.76	33.25
PK	16.73784G	59.47	68.20	-8.73	42.46	3	Vertical	22	1.80	-	39.93	10.37	33.29

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1596G	59.55	74.00	-14.45	46.38	3	Horizontal	310	1.64	-	38.66	7.76	33.25
AV	11.15944G	47.40	54.00	-6.60	34.23	3	Horizontal	310	1.64	-	38.66	7.76	33.25
PK	16.73728G	60.86	68.20	-7.34	43.86	3	Horizontal	298	1.74	-	39.92	10.37	33.29

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 63  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	105.33	Inf	-Inf	98.16	3	Vertical	280	1.82	-	33.71	5.60	32.14
AV	5.7042G	94.01	Inf	-Inf	86.84	3	Vertical	280	1.82	-	33.71	5.60	32.14
PK	5.7254G	63.93	68.20	-4.27	56.72	3	Vertical	280	1.82	-	33.75	5.60	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 63  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.698G	109.04	Inf	-Inf	101.88	3	Horizontal	289	2.30	-	33.70	5.60	32.14
AV	5.7018G	98.04	Inf	-Inf	90.88	3	Horizontal	289	2.30	-	33.70	5.60	32.14
PK	5.7272G	67.79	68.20	-0.41	60.58	3	Horizontal	289	2.30	-	33.75	5.60	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 63  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39916G	53.24	74.00	-20.76	39.81	3	Vertical	167	1.54	-	38.80	7.86	33.23
AV	11.39678G	40.11	54.00	-13.89	26.68	3	Vertical	167	1.54	-	38.80	7.86	33.23

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 63  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39564G	52.91	74.00	-21.09	39.48	3	Horizontal	321	2.89	-	38.80	7.86	33.23
AV	11.39632G	40.12	54.00	-13.88	26.69	3	Horizontal	321	2.89	-	38.80	7.86	33.23



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_V\_1TX  
Setting 98  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	111.75	Inf	-Inf	104.55	3	Vertical	284	1.19	-	33.74	5.60	32.14
AV	5.7184G	100.99	Inf	-Inf	93.79	3	Vertical	284	1.19	-	33.74	5.60	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7176G	116.01	Inf	-Inf	108.81	3	Horizontal	53	1.91	-	33.74	5.60	32.14
AV	5.7192G	105.45	Inf	-Inf	98.25	3	Horizontal	53	1.91	-	33.74	5.60	32.14
PK	5.8568G	66.72	68.20	-1.48	59.38	3	Horizontal	53	1.91	-	33.83	5.66	32.15

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43822G	53.11	74.00	-20.89	39.58	3	Vertical	137	1.90	-	38.88	7.88	33.23
AV	11.44134G	39.90	54.00	-14.10	26.37	3	Vertical	137	1.90	-	38.88	7.88	33.23
PK	17.15854G	62.87	68.20	-5.33	43.94	3	Vertical	79	2.78	-	41.71	10.58	33.36

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44254G	52.81	74.00	-21.19	39.27	3	Horizontal	35	2.52	-	38.89	7.88	33.23
AV	11.44124G	39.72	54.00	-14.28	26.19	3	Horizontal	35	2.52	-	38.88	7.88	33.23
PK	17.16292G	62.20	68.20	-6.00	43.23	3	Horizontal	296	2.27	-	41.74	10.58	33.35

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT\_V\_1TX  
Setting 98  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	60.33	74.00	-13.67	53.73	3	Vertical	285	2.19	-	33.50	5.25	32.15
AV	5.15G	46.84	54.00	-7.16	40.24	3	Vertical	285	2.19	-	33.50	5.25	32.15
PK	5.2648G	114.39	Inf	-Inf	107.57	3	Vertical	285	2.19	-	33.63	5.33	32.14
AV	5.2612G	101.29	Inf	-Inf	94.48	3	Vertical	285	2.19	-	33.62	5.33	32.14
PK	5.3548G	66.86	74.00	-7.14	59.91	3	Vertical	285	2.19	-	33.71	5.38	32.14
AV	5.3512G	49.69	54.00	-4.31	42.75	3	Vertical	285	2.19	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	64.89	74.00	-9.11	58.29	3	Horizontal	283	2.04	-	33.50	5.25	32.15
AV	5.15G	49.56	54.00	-4.44	42.96	3	Horizontal	283	2.04	-	33.50	5.25	32.15
PK	5.2654G	117.66	Inf	-Inf	110.84	3	Horizontal	283	2.04	-	33.63	5.33	32.14
AV	5.2672G	105.07	Inf	-Inf	98.25	3	Horizontal	283	2.04	-	33.63	5.33	32.14
PK	5.3572G	71.86	74.00	-2.14	64.91	3	Horizontal	283	2.04	-	33.71	5.38	32.14
AV	5.35G	53.43	54.00	-0.57	46.49	3	Horizontal	283	2.04	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77736G	56.65	74.00	-17.35	42.83	3	Vertical	97	1.25	-	37.40	9.90	33.48
AV	15.77698G	46.21	54.00	-7.79	32.39	3	Vertical	97	1.25	-	37.40	9.90	33.48

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77608G	55.85	74.00	-18.15	42.03	3	Horizontal	132	2.71	-	37.40	9.90	33.48
AV	15.78058G	47.15	54.00	-6.85	33.33	3	Horizontal	132	2.71	-	37.40	9.90	33.48



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 91  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3008G	112.59	Inf	-Inf	105.68	3	Vertical	283	2.12	-	33.70	5.35	32.14
AV	5.302G	99.14	Inf	-Inf	92.23	3	Vertical	283	2.12	-	33.70	5.35	32.14
PK	5.3504G	66.02	74.00	-7.98	59.08	3	Vertical	283	2.12	-	33.70	5.38	32.14
AV	5.35G	50.64	54.00	-3.36	43.70	3	Vertical	283	2.12	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUT Y\_1TX  
Setting 91  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	116.34	Inf	-Inf	109.43	3	Horizontal	287	1.98	-	33.70	5.35	32.14
AV	5.2964G	103.18	Inf	-Inf	96.28	3	Horizontal	287	1.98	-	33.69	5.35	32.14
PK	5.35G	69.17	74.00	-4.83	62.23	3	Horizontal	287	1.98	-	33.70	5.38	32.14
AV	5.35G	53.95	54.00	-0.05	47.01	3	Horizontal	287	1.98	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 91  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9007G	55.79	74.00	-18.21	41.95	3	Vertical	330	2.42	-	37.50	9.96	33.62
AV	15.90376G	42.16	54.00	-11.84	28.33	3	Vertical	330	2.42	-	37.50	9.96	33.63

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 91  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90358G	55.87	74.00	-18.13	42.04	3	Horizontal	357	2.05	-	37.50	9.96	33.63
AV	15.90034G	42.13	54.00	-11.87	28.29	3	Horizontal	357	2.05	-	37.50	9.96	33.62

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TnomVnom




EUT Y\_1TX  
Setting 85  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3166G	110.19	Inf	-Inf	103.27	3	Vertical	282	2.22	-	33.70	5.36	32.14
AV	5.3178G	96.23	Inf	-Inf	89.31	3	Vertical	282	2.22	-	33.70	5.36	32.14
PK	5.3526G	64.98	74.00	-9.02	58.03	3	Vertical	282	2.22	-	33.71	5.38	32.14
AV	5.3508G	50.27	54.00	-3.73	43.33	3	Vertical	282	2.22	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TnomVnom




EUT Y\_1TX  
Setting 85  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3234G	113.81	Inf	-Inf	106.89	3	Horizontal	289	1.79	-	33.70	5.36	32.14
AV	5.3186G	100.37	Inf	-Inf	93.45	3	Horizontal	289	1.79	-	33.70	5.36	32.14
PK	5.353G	66.53	74.00	-7.47	59.58	3	Horizontal	289	1.79	-	33.71	5.38	32.14
AV	5.35G	53.64	54.00	-0.36	46.70	3	Horizontal	289	1.79	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TnomVnom




EUT Y\_1TX  
Setting 85  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96252G	55.71	74.00	-18.29	41.99	3	Vertical	344	2.08	-	37.44	9.98	33.70
AV	15.95934G	42.04	54.00	-11.96	28.31	3	Vertical	344	2.08	-	37.44	9.98	33.69

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 85  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9565G	55.68	74.00	-18.32	41.95	3	Horizontal	175	2.89	-	37.44	9.98	33.69
AV	15.95852G	42.13	54.00	-11.87	28.40	3	Horizontal	175	2.89	-	37.44	9.98	33.69



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 78  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	60.89	74.00	-13.11	53.66	3	Vertical	273	1.25	-	33.90	5.46	32.13
AV	5.4598G	46.79	54.00	-7.21	39.56	3	Vertical	273	1.25	-	33.90	5.46	32.13
PK	5.4646G	62.85	68.20	-5.35	55.62	3	Vertical	273	1.25	-	33.90	5.46	32.13
PK	5.4966G	109.43	Inf	-Inf	102.16	3	Vertical	273	1.25	-	33.90	5.50	32.13
AV	5.4954G	95.07	Inf	-Inf	87.80	3	Vertical	273	1.25	-	33.90	5.50	32.13

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 78  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.67	74.00	-7.33	59.44	3	Horizontal	289	1.88	-	33.90	5.46	32.13
AV	5.46G	49.82	54.00	-4.18	42.59	3	Horizontal	289	1.88	-	33.90	5.46	32.13
PK	5.4694G	67.87	68.20	-0.33	60.63	3	Horizontal	289	1.88	-	33.90	5.47	32.13
PK	5.4928G	113.44	Inf	-Inf	106.18	3	Horizontal	289	1.88	-	33.90	5.49	32.13
AV	5.4958G	100.09	Inf	-Inf	92.82	3	Horizontal	289	1.88	-	33.90	5.50	32.13

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 78  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00078G	52.42	74.00	-21.58	39.49	3	Vertical	48	1.01	-	38.50	7.70	33.27
AV	11.00366G	38.36	54.00	-15.64	25.43	3	Vertical	48	1.01	-	38.50	7.70	33.27

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 78  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00484G	52.48	74.00	-21.52	39.55	3	Horizontal	208	1.16	-	38.50	7.70	33.27
AV	11.00418G	38.37	54.00	-15.63	25.44	3	Horizontal	208	1.16	-	38.50	7.70	33.27

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT\_V\_1TX  
Setting 98  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	63.87	74.00	-10.13	56.64	3	Vertical	287	1.88	-	33.90	5.46	32.13
AV	5.46G	46.88	54.00	-7.12	39.65	3	Vertical	287	1.88	-	33.90	5.46	32.13
PK	5.4688G	64.34	68.20	-3.86	57.10	3	Vertical	287	1.88	-	33.90	5.47	32.13
PK	5.5784G	112.16	Inf	-Inf	104.81	3	Vertical	287	1.88	-	33.90	5.58	32.13
AV	5.5848G	99.55	Inf	-Inf	92.21	3	Vertical	287	1.88	-	33.90	5.58	32.14
PK	5.732G	63.63	68.20	-4.57	56.41	3	Vertical	287	1.88	-	33.76	5.60	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT\_V\_1TX  
Setting 98  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	67.90	74.00	-6.10	60.67	3	Horizontal	54	1.98	-	33.90	5.46	32.13
AV	5.46G	48.93	54.00	-5.07	41.70	3	Horizontal	54	1.98	-	33.90	5.46	32.13
PK	5.4688G	67.97	68.20	-0.23	60.73	3	Horizontal	54	1.98	-	33.90	5.47	32.13
PK	5.5864G	115.42	Inf	-Inf	108.07	3	Horizontal	54	1.98	-	33.90	5.59	32.14
AV	5.5752G	102.85	Inf	-Inf	95.50	3	Horizontal	54	1.98	-	33.90	5.58	32.13
PK	5.7328G	66.40	68.20	-1.80	59.17	3	Horizontal	54	1.98	-	33.77	5.60	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1597G	53.27	74.00	-20.73	40.10	3	Vertical	21	2.81	-	38.66	7.76	33.25
AV	11.15812G	44.49	54.00	-9.51	31.32	3	Vertical	21	2.81	-	38.66	7.76	33.25

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16104G	53.20	74.00	-20.80	40.03	3	Horizontal	216	2.92	-	38.66	7.76	33.25
AV	11.1558G	47.42	54.00	-6.58	34.25	3	Horizontal	216	2.92	-	38.66	7.76	33.25



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT Y\_1TX  
Setting 58  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	105.59	Inf	-Inf	98.42	3	Vertical	282	1.82	-	33.71	5.60	32.14
AV	5.7046G	91.22	Inf	-Inf	84.05	3	Vertical	282	1.82	-	33.71	5.60	32.14
PK	5.7256G	62.26	68.20	-5.94	55.05	3	Vertical	282	1.82	-	33.75	5.60	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT\_V\_1TX  
Setting 58  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7042G	109.39	Inf	-Inf	102.22	3	Horizontal	286	2.40	-	33.71	5.60	32.14
AV	5.7048G	95.24	Inf	-Inf	88.07	3	Horizontal	286	2.40	-	33.71	5.60	32.14
PK	5.7258G	68.13	68.20	-0.07	60.92	3	Horizontal	286	2.40	-	33.75	5.60	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 58  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39546G	53.78	74.00	-20.22	40.35	3	Vertical	345	2.96	-	38.80	7.86	33.23
AV	11.39974G	39.37	54.00	-14.63	25.94	3	Vertical	345	2.96	-	38.80	7.86	33.23

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 58  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3969G	53.41	74.00	-20.59	39.98	3	Horizontal	306	1.19	-	38.80	7.86	33.23
AV	11.40282G	39.33	54.00	-14.67	25.89	3	Horizontal	306	1.19	-	38.81	7.86	33.23

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_1TX  
Setting 95  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	111.72	Inf	-Inf	104.50	3	Vertical	279	1.17	-	33.76	5.60	32.14
AV	5.7264G	98.74	Inf	-Inf	91.53	3	Vertical	279	1.17	-	33.75	5.60	32.14
PK	5.916G	58.62	68.20	-9.58	51.02	3	Vertical	279	1.17	-	34.03	5.72	32.15

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_1TX  
Setting 95  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.724G	117.82	Inf	-Inf	110.61	3	Horizontal	288	2.39	-	33.75	5.60	32.14
AV	5.724G	104.43	Inf	-Inf	97.22	3	Horizontal	288	2.39	-	33.75	5.60	32.14
PK	5.8592G	63.23	68.20	-4.97	55.88	3	Horizontal	288	2.39	-	33.84	5.66	32.15

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_1TX  
Setting 95  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44392G	53.21	74.00	-20.79	39.67	3	Vertical	262	1.00	-	38.89	7.88	33.23
AV	11.4437G	39.19	54.00	-14.81	25.65	3	Vertical	262	1.00	-	38.89	7.88	33.23
PK	17.16066G	57.92	68.20	-10.28	38.98	3	Vertical	216	2.72	-	41.72	10.58	33.36

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 95  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44024G	53.70	74.00	-20.30	40.17	3	Horizontal	53	2.35	-	38.88	7.88	33.23
AV	11.44104G	39.16	54.00	-14.84	25.63	3	Horizontal	53	2.35	-	38.88	7.88	33.23
PK	17.16256G	58.93	68.20	-9.27	39.96	3	Horizontal	231	2.64	-	41.74	10.58	33.35



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT V\_1TX  
Setting 86  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	57.77	74.00	-16.23	51.18	3	Vertical	291	1.68	-	33.50	5.24	32.15
AV	5.1218G	46.43	54.00	-7.57	39.86	3	Vertical	291	1.68	-	33.50	5.22	32.15
PK	5.2718G	108.33	Inf	-Inf	101.49	3	Vertical	291	1.68	-	33.64	5.34	32.14
AV	5.2712G	96.37	Inf	-Inf	89.53	3	Vertical	291	1.68	-	33.64	5.34	32.14
PK	5.3534G	61.23	74.00	-12.77	54.28	3	Vertical	291	1.68	-	33.71	5.38	32.14
AV	5.3504G	49.17	54.00	-4.83	42.23	3	Vertical	291	1.68	-	33.70	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT\_V\_1TX  
Setting 86  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	58.98	74.00	-15.02	52.38	3	Horizontal	284	1.92	-	33.50	5.25	32.15
AV	5.15G	47.81	54.00	-6.19	41.21	3	Horizontal	284	1.92	-	33.50	5.25	32.15
PK	5.2802G	112.86	Inf	-Inf	106.00	3	Horizontal	284	1.92	-	33.66	5.34	32.14
AV	5.2748G	101.09	Inf	-Inf	94.24	3	Horizontal	284	1.92	-	33.65	5.34	32.14
PK	5.35G	66.79	74.00	-7.21	59.85	3	Horizontal	284	1.92	-	33.70	5.38	32.14
AV	5.35G	53.99	54.00	-0.01	47.05	3	Horizontal	284	1.92	-	33.70	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT V\_1TX  
Setting 86  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81084G	55.67	74.00	-18.33	41.87	3	Vertical	32	1.11	-	37.41	9.91	33.52
AV	15.8105G	43.59	54.00	-10.41	29.79	3	Vertical	32	1.11	-	37.41	9.91	33.52

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT Y\_1TX  
Setting 86  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80788G	55.73	74.00	-18.27	41.92	3	Horizontal	99	2.88	-	37.41	9.91	33.51
AV	15.8128G	43.67	54.00	-10.33	29.86	3	Horizontal	99	2.88	-	37.41	9.92	33.52

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TnomVnom




EUT Y\_1TX  
Setting 79  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	106.66	Inf	-Inf	99.75	3	Vertical	284	1.44	-	33.70	5.35	32.14
AV	5.295G	94.65	Inf	-Inf	87.75	3	Vertical	284	1.44	-	33.69	5.35	32.14
PK	5.358G	60.74	74.00	-13.26	53.78	3	Vertical	284	1.44	-	33.72	5.38	32.14
AV	5.3508G	48.61	54.00	-5.39	41.67	3	Vertical	284	1.44	-	33.70	5.38	32.14

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5310MHz\_TnomVnom




EUT V\_1TX  
Setting 79  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2938G	110.59	Inf	-Inf	103.69	3	Horizontal	286	1.96	-	33.69	5.35	32.14
AV	5.2992G	98.50	Inf	-Inf	91.59	3	Horizontal	286	1.96	-	33.70	5.35	32.14
AV	5.35G	53.39	54.00	-0.61	46.45	3	Horizontal	286	1.96	-	33.70	5.38	32.14
PK	5.3514G	64.77	74.00	-9.23	57.83	3	Horizontal	286	1.96	-	33.70	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TnomVnom




EUT V\_1TX  
Setting 79  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9346G	55.36	74.00	-18.64	41.58	3	Vertical	310	2.17	-	37.47	9.97	33.66
AV	15.93316G	43.43	54.00	-10.57	29.65	3	Vertical	310	2.17	-	37.47	9.97	33.66

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TnomVnom




EUT Y\_1TX  
Setting 79  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92954G	56.73	74.00	-17.27	42.95	3	Horizontal	216	1.91	-	37.47	9.97	33.66
AV	15.93292G	43.47	54.00	-10.53	29.69	3	Horizontal	216	1.91	-	37.47	9.97	33.66



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT\_V\_1TX  
Setting 70  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	59.42	74.00	-14.58	52.19	3	Vertical	277	1.96	-	33.90	5.46	32.13
AV	5.4596G	47.61	54.00	-6.39	40.38	3	Vertical	277	1.96	-	33.90	5.46	32.13
PK	5.4676G	61.05	68.20	-7.15	53.81	3	Vertical	277	1.96	-	33.90	5.47	32.13
PK	5.504G	103.10	Inf	-Inf	95.83	3	Vertical	277	1.96	-	33.90	5.50	32.13
AV	5.5172G	91.14	Inf	-Inf	83.85	3	Vertical	277	1.96	-	33.90	5.52	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 70  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.34	74.00	-11.66	55.11	3	Horizontal	286	1.80	-	33.90	5.46	32.13
AV	5.46G	49.99	54.00	-4.01	42.76	3	Horizontal	286	1.80	-	33.90	5.46	32.13
PK	5.468G	67.31	68.20	-0.89	60.07	3	Horizontal	286	1.80	-	33.90	5.47	32.13
PK	5.504G	108.82	Inf	-Inf	101.55	3	Horizontal	286	1.80	-	33.90	5.50	32.13
AV	5.5164G	96.17	Inf	-Inf	88.88	3	Horizontal	286	1.80	-	33.90	5.52	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 70  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01884G	52.32	74.00	-21.68	39.36	3	Vertical	7	1.35	-	38.52	7.71	33.27
AV	11.01684G	40.11	54.00	-13.89	27.15	3	Vertical	7	1.35	-	38.52	7.71	33.27

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 70  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01736G	52.59	74.00	-21.41	39.63	3	Horizontal	320	2.53	-	38.52	7.71	33.27
AV	11.0187G	40.23	54.00	-13.77	27.27	3	Horizontal	320	2.53	-	38.52	7.71	33.27

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT\_V\_1TX  
Setting 88  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	64.28	74.00	-9.72	57.05	3	Vertical	288	2.18	-	33.90	5.46	32.13
AV	5.4572G	50.97	54.00	-3.03	43.74	3	Vertical	288	2.18	-	33.90	5.46	32.13
PK	5.47G	67.45	68.20	-0.75	60.21	3	Vertical	288	2.18	-	33.90	5.47	32.13
PK	5.538G	107.93	Inf	-Inf	100.62	3	Vertical	288	2.18	-	33.90	5.54	32.13
AV	5.542G	96.11	Inf	-Inf	88.80	3	Vertical	288	2.18	-	33.90	5.54	32.13
PK	5.7356G	58.27	68.20	-9.93	51.04	3	Vertical	288	2.18	-	33.77	5.60	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT V\_1TX  
Setting 88  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	64.82	74.00	-9.18	57.59	3	Horizontal	54	1.80	-	33.90	5.46	32.13
AV	5.4596G	51.65	54.00	-2.35	44.42	3	Horizontal	54	1.80	-	33.90	5.46	32.13
PK	5.4692G	67.20	68.20	-1.00	59.96	3	Horizontal	54	1.80	-	33.90	5.47	32.13
PK	5.5588G	111.40	Inf	-Inf	104.07	3	Horizontal	54	1.80	-	33.90	5.56	32.13
AV	5.554G	99.87	Inf	-Inf	92.55	3	Horizontal	54	1.80	-	33.90	5.55	32.13
PK	5.7404G	59.95	68.20	-8.25	52.71	3	Horizontal	54	1.80	-	33.78	5.60	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT V\_1TX  
Setting 88  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09852G	52.29	74.00	-21.71	39.21	3	Vertical	112	1.92	-	38.60	7.74	33.26
AV	11.1028G	40.10	54.00	-13.90	27.02	3	Vertical	112	1.92	-	38.60	7.74	33.26

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT V\_1TX  
Setting 88  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1006G	52.92	74.00	-21.08	39.84	3	Horizontal	109	2.60	-	38.60	7.74	33.26
AV	11.10442G	39.95	54.00	-14.05	26.87	3	Horizontal	109	2.60	-	38.60	7.74	33.26



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 72  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.672G	104.76	Inf	-Inf	97.54	3	Vertical	288	1.93	-	33.76	5.60	32.14
AV	5.6756G	92.76	Inf	-Inf	85.55	3	Vertical	288	1.93	-	33.75	5.60	32.14
PK	5.7256G	62.74	68.20	-5.46	55.53	3	Vertical	288	1.93	-	33.75	5.60	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 72  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6772G	109.13	Inf	-Inf	101.92	3	Horizontal	290	2.05	-	33.75	5.60	32.14
AV	5.6676G	97.09	Inf	-Inf	89.87	3	Horizontal	290	2.05	-	33.76	5.60	32.14
PK	5.7252G	67.89	68.20	-0.31	60.68	3	Horizontal	290	2.05	-	33.75	5.60	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 72  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33676G	52.86	74.00	-21.14	39.53	3	Vertical	287	2.90	-	38.74	7.83	33.24
AV	11.33928G	40.58	54.00	-13.42	27.24	3	Vertical	287	2.90	-	38.74	7.84	33.24

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 72  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33758G	52.58	74.00	-21.42	39.24	3	Horizontal	270	2.57	-	38.74	7.84	33.24
AV	11.34342G	40.55	54.00	-13.45	27.21	3	Horizontal	270	2.57	-	38.74	7.84	33.24

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**

**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_1TX  
Setting 96  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.714G	108.59	Inf	-Inf	101.40	3	Vertical	268	2.57	-	33.73	5.60	32.14
AV	5.7132G	97.42	Inf	-Inf	90.23	3	Vertical	268	2.57	-	33.73	5.60	32.14
PK	5.8516G	62.89	68.20	-5.31	55.58	3	Vertical	268	2.57	-	33.81	5.65	32.15

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX


### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom



EUT V\_1TX  
Setting 96  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	114.08	Inf	-Inf	106.90	3	Horizontal	289	2.39	-	33.72	5.60	32.14
AV	5.7268G	102.32	Inf	-Inf	95.11	3	Horizontal	289	2.39	-	33.75	5.60	32.14
PK	5.8508G	67.46	68.20	-0.74	60.16	3	Horizontal	289	2.39	-	33.80	5.65	32.15

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT V\_1TX  
 Setting 96  
 02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.12926G	59.23	68.20	-8.97	40.56	3	Vertical	16	1.11	-	41.50	10.56	33.39

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**

**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT V\_1TX  
Setting 96  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.12894G	60.03	68.20	-8.17	41.36	3	Horizontal	356	2.62	-	41.50	10.56	33.39



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TnomVnom




EUT\_V\_1TX  
Setting 77  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.128G	58.47	74.00	-15.53	51.89	3	Vertical	293	2.30	-	33.50	5.23	32.15
AV	5.136G	46.78	54.00	-7.22	40.19	3	Vertical	293	2.30	-	33.50	5.24	32.15
PK	5.279G	104.18	Inf	-Inf	97.32	3	Vertical	293	2.30	-	33.66	5.34	32.14
AV	5.279G	91.40	Inf	-Inf	84.54	3	Vertical	293	2.30	-	33.66	5.34	32.14
PK	5.358G	60.82	74.00	-13.18	53.86	3	Vertical	293	2.30	-	33.72	5.38	32.14
AV	5.365G	49.61	54.00	-4.39	42.64	3	Vertical	293	2.30	-	33.73	5.38	32.14
PK	5.482G	58.29	68.20	-9.91	51.04	3	Vertical	293	2.30	-	33.90	5.48	32.13

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TnomVnom




EUT V\_1TX  
Setting 77  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	59.41	74.00	-14.59	52.82	3	Horizontal	283	1.90	-	33.50	5.24	32.15
AV	5.143G	48.13	54.00	-5.87	41.54	3	Horizontal	283	1.90	-	33.50	5.24	32.15
PK	5.278G	108.29	Inf	-Inf	101.43	3	Horizontal	283	1.90	-	33.66	5.34	32.14
AV	5.279G	96.65	Inf	-Inf	89.79	3	Horizontal	283	1.90	-	33.66	5.34	32.14
PK	5.354G	65.01	74.00	-8.99	58.06	3	Horizontal	283	1.90	-	33.71	5.38	32.14
AV	5.353G	53.22	54.00	-0.78	46.27	3	Horizontal	283	1.90	-	33.71	5.38	32.14
PK	5.477G	59.46	68.20	-8.74	52.21	3	Horizontal	283	1.90	-	33.90	5.48	32.13

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TnomVnom




EUT V\_1TX  
Setting 77  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87106G	55.73	74.00	-18.27	41.91	3	Vertical	351	1.50	-	37.47	9.94	33.59
AV	15.86832G	43.44	54.00	-10.56	29.61	3	Vertical	351	1.50	-	37.47	9.94	33.58

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TnomVnom




EUT V\_1TX  
Setting 77  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87196G	55.78	74.00	-18.22	41.96	3	Horizontal	94	2.04	-	37.47	9.94	33.59
AV	15.86822G	43.60	54.00	-10.40	29.77	3	Horizontal	94	2.04	-	37.47	9.94	33.58

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT V\_1TX  
Setting 69  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	58.32	68.20	-9.88	51.39	3	Vertical	286	1.89	-	33.70	5.37	32.14
PK	5.444G	59.94	74.00	-14.06	52.74	3	Vertical	286	1.89	-	33.89	5.44	32.13
PK	5.469G	60.86	68.20	-7.34	53.62	3	Vertical	286	1.89	-	33.90	5.47	32.13
AV	5.46G	48.52	54.00	-5.48	41.29	3	Vertical	286	1.89	-	33.90	5.46	32.13
PK	5.556G	101.29	Inf	-Inf	93.96	3	Vertical	286	1.89	-	33.90	5.56	32.13
AV	5.558G	88.49	Inf	-Inf	81.16	3	Vertical	286	1.89	-	33.90	5.56	32.13
PK	5.744G	58.99	68.20	-9.21	51.74	3	Vertical	286	1.89	-	33.79	5.60	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT V\_1TX  
Setting 69  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	59.00	68.20	-9.20	52.07	3	Horizontal	285	1.81	-	33.70	5.37	32.14
PK	5.459G	65.45	74.00	-8.55	58.22	3	Horizontal	285	1.81	-	33.90	5.46	32.13
AV	5.459G	52.88	54.00	-1.12	45.65	3	Horizontal	285	1.81	-	33.90	5.46	32.13
PK	5.47G	66.74	68.20	-1.46	59.50	3	Horizontal	285	1.81	-	33.90	5.47	32.13
PK	5.501G	104.99	Inf	-Inf	97.72	3	Horizontal	285	1.81	-	33.90	5.50	32.13
AV	5.519G	92.92	Inf	-Inf	85.63	3	Horizontal	285	1.81	-	33.90	5.52	32.13
PK	5.725G	59.53	68.20	-8.67	52.32	3	Horizontal	285	1.81	-	33.75	5.60	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT V\_1TX  
Setting 69  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05504G	52.52	74.00	-21.48	39.50	3	Vertical	38	2.78	-	38.56	7.72	33.26
AV	11.05684G	40.26	54.00	-13.74	27.24	3	Vertical	38	2.78	-	38.56	7.72	33.26

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT V\_1TX  
Setting 69  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06014G	52.57	74.00	-21.43	39.55	3	Horizontal	342	2.09	-	38.56	7.72	33.26
AV	11.05758G	40.31	54.00	-13.69	27.29	3	Horizontal	342	2.09	-	38.56	7.72	33.26



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TnomVnom




EUT\_V\_1TX  
Setting 76  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	59.46	74.00	-14.54	52.23	3	Vertical	285	1.96	-	33.90	5.46	32.13
AV	5.46G	47.57	54.00	-6.43	40.34	3	Vertical	285	1.96	-	33.90	5.46	32.13
PK	5.47G	59.51	68.20	-8.69	52.27	3	Vertical	285	1.96	-	33.90	5.47	32.13
PK	5.64G	103.17	Inf	-Inf	95.89	3	Vertical	285	1.96	-	33.82	5.60	32.14
AV	5.62G	90.57	Inf	-Inf	83.25	3	Vertical	285	1.96	-	33.86	5.60	32.14
PK	5.726G	63.18	68.20	-5.02	55.97	3	Vertical	285	1.96	-	33.75	5.60	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TnomVnom




EUT\_V\_1TX  
Setting 76  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	60.98	74.00	-13.02	53.76	3	Horizontal	289	2.51	-	33.90	5.45	32.13
PK	5.462G	61.68	68.20	-6.52	54.45	3	Horizontal	289	2.51	-	33.90	5.46	32.13
AV	5.458G	49.04	54.00	-4.96	41.81	3	Horizontal	289	2.51	-	33.90	5.46	32.13
PK	5.62G	106.95	Inf	-Inf	99.63	3	Horizontal	289	2.51	-	33.86	5.60	32.14
AV	5.621G	94.94	Inf	-Inf	87.62	3	Horizontal	289	2.51	-	33.86	5.60	32.14
PK	5.725G	67.85	68.20	-0.35	60.64	3	Horizontal	289	2.51	-	33.75	5.60	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TnomVnom




EUT Y\_1TX  
Setting 76  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22264G	53.19	74.00	-20.81	39.95	3	Vertical	46	2.13	-	38.70	7.79	33.25
AV	11.2158G	39.94	54.00	-14.06	26.70	3	Vertical	46	2.13	-	38.70	7.79	33.25

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX


### 5610MHz\_TnomVnom



EUT V\_1TX  
Setting 76  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.222G	51.84	74.00	-22.16	38.60	3	Horizontal	106	1.38	-	38.70	7.79	33.25
AV	11.2169G	39.95	54.00	-14.05	26.71	3	Horizontal	106	1.38	-	38.70	7.79	33.25

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




25/10/2021

EUT V\_1TX  
 Setting 85  
 02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.447G	58.32	74.00	-15.68	51.11	3	Vertical	282	1.84	-	33.89	5.45	32.13
PK	5.467G	57.92	68.20	-10.28	50.68	3	Vertical	282	1.84	-	33.90	5.47	32.13
AV	5.46G	47.19	54.00	-6.81	39.96	3	Vertical	282	1.84	-	33.90	5.46	32.13
PK	5.679G	104.51	Inf	-Inf	97.31	3	Vertical	282	1.84	-	33.74	5.60	32.14
AV	5.704G	92.68	Inf	-Inf	85.51	3	Vertical	282	1.84	-	33.71	5.60	32.14
PK	5.854G	62.65	68.20	-5.55	55.33	3	Vertical	282	1.84	-	33.82	5.65	32.15

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 85  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	59.41	74.00	-14.59	52.18	3	Horizontal	291	2.39	-	33.90	5.46	32.13
AV	5.459G	48.11	54.00	-5.89	40.88	3	Horizontal	291	2.39	-	33.90	5.46	32.13
PK	5.462G	59.61	68.20	-8.59	52.38	3	Horizontal	291	2.39	-	33.90	5.46	32.13
PK	5.72G	108.82	Inf	-Inf	101.62	3	Horizontal	291	2.39	-	33.74	5.60	32.14
AV	5.723G	97.52	Inf	-Inf	90.31	3	Horizontal	291	2.39	-	33.75	5.60	32.14
PK	5.85G	67.71	68.20	-0.49	60.41	3	Horizontal	291	2.39	-	33.80	5.65	32.15

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 85  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37536G	53.24	74.00	-20.76	39.84	3	Vertical	321	1.16	-	38.78	7.85	33.23
AV	11.37806G	40.91	54.00	-13.09	27.51	3	Vertical	321	1.16	-	38.78	7.85	33.23

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom



EUT Y\_1TX  
Setting 85  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3804G	52.95	74.00	-21.05	39.55	3	Horizontal	323	1.64	-	38.78	7.85	33.23
AV	11.37662G	40.88	54.00	-13.12	27.48	3	Horizontal	323	1.64	-	38.78	7.85	33.23






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.4674G	68.14	68.20	-0.06	3	Vertical	336	1.80	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Y\_4TX  
 SET 82  
 80/100/90/85/83/82  
 2.44/-4.34/-5.40/-4.08/-1.19/0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13624G	66.00	74.00	-8.00	59.84	3	Vertical	351	1.80	-	32.73	6.37	32.94
AV	5.14976G	50.62	54.00	-3.38	44.49	3	Vertical	351	1.80	-	32.70	6.37	32.94
PK	5.26728G	125.07	Inf	-Inf	118.77	3	Vertical	351	1.80	-	32.83	6.40	32.93
AV	5.26728G	114.88	Inf	-Inf	108.58	3	Vertical	351	1.80	-	32.83	6.40	32.93
PK	5.35048G	68.38	74.00	-5.62	61.90	3	Vertical	351	1.80	-	33.00	6.40	32.92
AV	5.35048G	53.81	54.00	-0.19	47.33	3	Vertical	351	1.80	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_V\_4TX  
SET 82  
82  
7.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1352G	58.14	74.00	-15.86	51.98	3	Horizontal	318	1.91	-	32.73	6.37	32.94
AV	5.14976G	46.00	54.00	-8.00	39.87	3	Horizontal	318	1.91	-	32.70	6.37	32.94
PK	5.26728G	110.84	Inf	-Inf	104.54	3	Horizontal	318	1.91	-	32.83	6.40	32.93
AV	5.26676G	100.62	Inf	-Inf	94.32	3	Horizontal	318	1.91	-	32.83	6.40	32.93
PK	5.38168G	60.22	74.00	-13.78	53.60	3	Horizontal	318	1.91	-	33.13	6.40	32.91
AV	5.35724G	46.98	54.00	-7.02	40.47	3	Horizontal	318	1.91	-	33.03	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
SET 82  
82  
12.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.5202G	55.84	68.20	-12.36	41.69	3	Vertical	103	1.80	-	38.52	8.63	33.00

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
 SET 82  
 82  
 8.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77012G	59.80	74.00	-14.20	44.03	3	Vertical	0	1.80	-	38.12	10.43	32.78
AV	15.79036G	46.00	54.00	-8.00	30.09	3	Vertical	0	1.80	-	38.24	10.44	32.77

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Y\_4TX  
SET 82  
82  
12.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51372G	55.84	68.20	-12.36	41.70	3	Horizontal	45	2.37	-	38.51	8.63	33.00

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_V\_4TX  
SET 82  
82  
0.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.79348G	67.34	74.00	-6.66	51.41	3	Horizontal	0	2.28	-	38.26	10.44	32.77
AV	15.79712G	53.10	54.00	-0.90	37.15	3	Horizontal	0	2.28	-	38.28	10.44	32.77

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_Y\_4TX  
 SET 68  
 80/60/70/65/67/68  
 -8.52/4.04/-0.17/2.69/1.53/0.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30756G	122.17	Inf	-Inf	115.77	3	Vertical	10	1.80	-	32.92	6.40	32.92
AV	5.30756G	112.17	Inf	-Inf	105.77	3	Vertical	10	1.80	-	32.92	6.40	32.92
PK	5.35068G	68.34	74.00	-5.66	61.86	3	Vertical	10	1.80	-	33.00	6.40	32.92
AV	5.35G	53.05	54.00	-0.95	46.57	3	Vertical	10	1.80	-	33.00	6.40	32.92



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 68  
68  
7.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30644G	105.16	Inf	-Inf	98.77	3	Horizontal	318	1.80	-	32.91	6.40	32.92
AV	5.30616G	95.63	Inf	-Inf	89.24	3	Horizontal	318	1.80	-	32.91	6.40	32.92
PK	5.35236G	59.96	74.00	-14.04	53.47	3	Horizontal	318	1.80	-	33.01	6.40	32.92
AV	5.363G	46.89	54.00	-7.11	40.36	3	Horizontal	318	1.80	-	33.05	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 68  
68  
11.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6096G	56.32	74.00	-17.68	42.02	3	Vertical	136	1.80	-	38.60	8.65	32.95
AV	10.61548G	42.74	54.00	-11.26	28.44	3	Vertical	136	1.80	-	38.60	8.65	32.95

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_V\_4TX  
 SET 68  
 68  
 4.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90532G	63.73	74.00	-10.27	47.62	3	Vertical	141	1.13	-	38.40	10.47	32.76
AV	15.90384G	49.56	54.00	-4.44	33.45	3	Vertical	141	1.13	-	38.40	10.47	32.76

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 68  
68  
17.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61056G	56.51	74.00	-17.49	42.21	3	Horizontal	62	2.95	-	38.60	8.65	32.95

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_V\_4TX  
SET 68  
68  
5.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90964G	63.65	74.00	-10.35	47.53	3	Horizontal	136	2.84	-	38.40	10.47	32.75
AV	15.9014G	48.85	54.00	-5.15	32.74	3	Horizontal	136	2.84	-	38.40	10.47	32.76

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
 SET 62  
 80/60/70/65/63/62  
 -22.49/1.79/-7.62/-2.56/-0.06/0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	120.24	Inf	-Inf	113.81	3	Vertical	9	1.80	-	32.95	6.40	32.92
AV	5.3274G	110.51	Inf	-Inf	104.08	3	Vertical	9	1.80	-	32.95	6.40	32.92
PK	5.3562G	67.57	74.00	-6.43	61.07	3	Vertical	9	1.80	-	33.02	6.40	32.92
AV	5.35G	53.87	54.00	-0.13	47.39	3	Vertical	9	1.80	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 62  
62  
6.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3258G	103.72	Inf	-Inf	97.29	3	Horizontal	319	1.98	-	32.95	6.40	32.92
AV	5.3258G	94.20	Inf	-Inf	87.77	3	Horizontal	319	1.98	-	32.95	6.40	32.92
PK	5.357G	59.69	74.00	-14.31	53.18	3	Horizontal	319	1.98	-	33.03	6.40	32.92
AV	5.3548G	47.14	54.00	-6.86	40.64	3	Horizontal	319	1.98	-	33.02	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 62  
62  
11.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63944G	56.11	74.00	-17.89	41.79	3	Vertical	330	2.99	-	38.60	8.66	32.94
AV	10.62016G	42.64	54.00	-11.36	28.33	3	Vertical	330	2.99	-	38.60	8.66	32.95



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
 SET 62  
 62  
 6.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.94568G	61.71	74.00	-12.29	45.58	3	Vertical	103	1.80	-	38.40	10.48	32.75
AV	15.94172G	47.60	54.00	-6.40	31.47	3	Vertical	103	1.80	-	38.40	10.48	32.75

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 62  
62  
11.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6374G	56.21	74.00	-17.79	41.89	3	Horizontal	235	2.28	-	38.60	8.66	32.94
AV	10.6284G	42.73	54.00	-11.27	28.41	3	Horizontal	235	2.28	-	38.60	8.66	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 62  
62  
6.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95604G	60.89	74.00	-13.11	44.75	3	Horizontal	48	1.80	-	38.40	10.49	32.75
AV	15.96916G	47.60	54.00	-6.40	31.45	3	Horizontal	48	1.80	-	38.40	10.49	32.74

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
 SET 63  
 80/60/70/65/63  
 -17.30/3.23/-6.26/-1.45/0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	64.68	74.00	-9.32	57.44	3	Vertical	334	1.80	-	33.70	6.45	32.91
AV	5.4576G	51.70	54.00	-2.30	44.45	3	Vertical	334	1.80	-	33.70	6.46	32.91
PK	5.4668G	68.03	68.20	-0.17	60.76	3	Vertical	334	1.80	-	33.70	6.47	32.90
PK	5.4958G	120.87	Inf	-Inf	113.57	3	Vertical	334	1.80	-	33.70	6.50	32.90
AV	5.4956G	111.24	Inf	-Inf	103.94	3	Vertical	334	1.80	-	33.70	6.50	32.90

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
6.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	61.28	74.00	-12.72	54.04	3	Horizontal	234	1.96	-	33.70	6.45	32.91
AV	5.4528G	47.64	54.00	-6.36	40.40	3	Horizontal	234	1.96	-	33.70	6.45	32.91
PK	5.4628G	60.16	68.20	-8.04	52.90	3	Horizontal	234	1.96	-	33.70	6.46	32.90
PK	5.4924G	104.79	Inf	-Inf	97.50	3	Horizontal	234	1.96	-	33.70	6.49	32.90
AV	5.4924G	95.44	Inf	-Inf	88.15	3	Horizontal	234	1.96	-	33.70	6.49	32.90

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
 SET 63  
 63  
 12.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9856G	55.08	74.00	-18.92	40.59	3	Vertical	332	1.80	-	38.50	8.75	32.76
AV	10.98328G	41.77	54.00	-12.23	27.28	3	Vertical	332	1.80	-	38.50	8.75	32.76

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
4.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.50264G	64.13	68.20	-4.07	45.61	3	Vertical	279	1.20	-	40.30	10.65	32.43

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
 SET 63  
 63  
 12.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.012G	55.26	74.00	-18.74	40.77	3	Horizontal	174	1.80	-	38.49	8.75	32.75
AV	10.99032G	41.89	54.00	-12.11	27.40	3	Horizontal	174	1.80	-	38.50	8.75	32.76



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
3.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.5052G	64.77	68.20	-3.43	46.25	3	Horizontal	251	2.37	-	40.30	10.65	32.43

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT\_V\_4TX  
 SET 88  
 80/100/90/85/87/88  
 3.97/-2.11/-1.42/3.75/3.67/3.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4456G	63.90	74.00	-10.10	56.70	3	Vertical	333	1.80	-	33.66	6.45	32.91
PK	5.4648G	64.97	68.20	-3.23	57.71	3	Vertical	333	1.80	-	33.70	6.46	32.90
AV	5.45968G	50.42	54.00	-3.58	43.16	3	Vertical	333	1.80	-	33.70	6.46	32.90
PK	5.57424G	126.18	Inf	-Inf	118.67	3	Vertical	333	1.80	-	33.85	6.57	32.91
AV	5.57488G	115.83	Inf	-Inf	108.32	3	Vertical	333	1.80	-	33.85	6.57	32.91
PK	5.7368G	61.66	68.20	-6.54	53.69	3	Vertical	333	1.80	-	34.29	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT\_V\_4TX  
SET 88  
88  
6.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44816G	59.68	74.00	-14.32	52.46	3	Horizontal	234	1.80	-	33.68	6.45	32.91
PK	5.46672G	59.60	68.20	-8.60	52.33	3	Horizontal	234	1.80	-	33.70	6.47	32.90
AV	5.45904G	47.73	54.00	-6.27	40.47	3	Horizontal	234	1.80	-	33.70	6.46	32.90
PK	5.57232G	110.13	Inf	-Inf	102.61	3	Horizontal	234	1.80	-	33.86	6.57	32.91
AV	5.57232G	99.81	Inf	-Inf	92.29	3	Horizontal	234	1.80	-	33.86	6.57	32.91
PK	5.72912G	59.61	68.20	-8.59	51.70	3	Horizontal	234	1.80	-	34.23	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT\_V\_4TX  
SET 88  
88  
11.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14428G	55.39	74.00	-18.61	41.01	3	Vertical	0	3.00	-	38.36	8.79	32.77
AV	11.14364G	42.25	54.00	-11.75	27.87	3	Vertical	0	3.00	-	38.36	8.79	32.77

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
 SET 85  
 88/68/78/83/85  
 -0.13/4.02/2.92/1.87/0.08

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.7378G	68.12	68.20	-0.08	49.25	3	Vertical	146	1.80	-	40.44	10.72	32.29

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
SET 85  
85  
11.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15484G	56.10	74.00	-17.90	41.73	3	Horizontal	339	1.48	-	38.35	8.79	32.77
AV	11.14012G	42.54	54.00	-11.46	28.16	3	Horizontal	339	1.48	-	38.36	8.79	32.77

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
 SET 78  
 85/65/75/80/78  
 -1.61/4.65/1.29/-1.03/0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.74724G	68.13	68.20	-0.07	49.24	3	Horizontal	228	2.64	-	40.45	10.72	32.28

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
 SET 44  
 80/60/50/45/43/44  
 -25.01/-8.60/-2.82/-0.37/4.79/1.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.694G	114.82	Inf	-Inf	107.13	3	Vertical	333	1.80	-	34.01	6.60	32.92
AV	5.6934G	105.13	Inf	-Inf	97.44	3	Vertical	333	1.80	-	34.01	6.60	32.92
PK	5.725G	66.71	68.20	-1.49	58.83	3	Vertical	333	1.80	-	34.20	6.60	32.92



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
SET 44  
44  
7.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7058G	96.93	Inf	-Inf	89.20	3	Horizontal	275	1.80	-	34.05	6.60	32.92
AV	5.7056G	87.73	Inf	-Inf	80.01	3	Horizontal	275	1.80	-	34.04	6.60	32.92
PK	5.7452G	61.03	68.20	-7.17	52.99	3	Horizontal	275	1.80	-	34.36	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
SET 44  
44  
12.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3974G	54.90	74.00	-19.10	40.45	3	Vertical	317	1.80	-	38.40	8.85	32.80
AV	11.40488G	41.90	54.00	-12.10	27.45	3	Vertical	317	1.80	-	38.40	8.85	32.80

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
SET 44  
44  
2.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.09372G	65.96	68.20	-2.24	45.83	3	Vertical	109	1.15	-	41.38	10.83	32.08

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
SET 44  
44  
12.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.389G	55.36	74.00	-18.64	40.91	3	Horizontal	0	2.97	-	38.40	8.85	32.80
AV	11.41404G	41.90	54.00	-12.10	27.45	3	Horizontal	0	2.97	-	38.40	8.85	32.80

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
SET 44  
44  
2.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.11944G	65.60	68.20	-2.60	45.39	3	Horizontal	21	2.60	-	41.44	10.84	32.07

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Y\_4TX  
SET 108  
80/100/108  
4.82/5.54/5.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	60.69	74.00	-13.31	53.43	3	Vertical	331	1.80	-	33.70	6.46	32.90
AV	5.45972G	48.44	54.00	-5.56	41.18	3	Vertical	331	1.80	-	33.70	6.46	32.90
PK	5.46836G	60.08	68.20	-8.12	52.81	3	Vertical	331	1.80	-	33.70	6.47	32.90
PK	5.71352G	124.94	Inf	-Inf	117.15	3	Vertical	331	1.80	-	34.11	6.60	32.92
AV	5.7146G	114.95	Inf	-Inf	107.15	3	Vertical	331	1.80	-	34.12	6.60	32.92
PK	5.85068G	61.12	68.20	-7.08	52.66	3	Vertical	331	1.80	-	34.80	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Y\_4TX  
SET 108  
108  
6.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	59.31	74.00	-14.69	52.07	3	Horizontal	69	1.80	-	33.70	6.45	32.91
PK	5.4608G	59.60	68.20	-8.60	52.34	3	Horizontal	69	1.80	-	33.70	6.46	32.90
AV	5.45648G	47.60	54.00	-6.40	40.35	3	Horizontal	69	1.80	-	33.70	6.46	32.91
PK	5.72648G	107.15	Inf	-Inf	99.26	3	Horizontal	69	1.80	-	34.21	6.60	32.92
AV	5.7254G	96.68	Inf	-Inf	88.80	3	Horizontal	69	1.80	-	34.20	6.60	32.92
PK	5.92628G	61.77	68.20	-6.43	53.10	3	Horizontal	69	1.80	-	35.01	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
SET 108  
108  
12.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45356G	55.73	74.00	-18.27	41.27	3	Vertical	0	1.82	-	38.40	8.86	32.80
AV	11.43936G	41.91	54.00	-12.09	27.45	3	Vertical	0	1.82	-	38.40	8.86	32.80



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
 SET 76  
 108/88/78/73/75/76  
 -2.13/-2.55/-0.47/1.77/1.63/1.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.16744G	66.75	68.20	-1.45	46.41	3	Vertical	156	1.80	-	41.53	10.85	32.04

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
SET 76  
76  
11.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.449G	55.51	74.00	-18.49	41.05	3	Horizontal	304	1.80	-	38.40	8.86	32.80
AV	11.4478G	42.08	54.00	-11.92	27.62	3	Horizontal	304	1.80	-	38.40	8.86	32.80

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
SET 76  
76  
0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.16084G	68.05	68.20	-0.15	47.73	3	Horizontal	174	1.67	-	41.52	10.85	32.05

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
SET 80  
80  
0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14976G	63.19	74.00	-10.81	57.06	3	Vertical	344	1.80	-	32.70	6.37	32.94
AV	5.14976G	49.09	54.00	-4.91	42.96	3	Vertical	344	1.80	-	32.70	6.37	32.94
PK	5.26208G	125.62	Inf	-Inf	119.33	3	Vertical	344	1.80	-	32.82	6.40	32.93
AV	5.2574G	112.38	Inf	-Inf	106.10	3	Vertical	344	1.80	-	32.81	6.40	32.93
PK	5.35048G	69.52	74.00	-4.48	63.04	3	Vertical	344	1.80	-	33.00	6.40	32.92
AV	5.35G	53.61	54.00	-0.39	47.13	3	Vertical	344	1.80	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
SET 80  
80  
7.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13624G	58.28	74.00	-15.72	52.12	3	Horizontal	317	1.94	-	32.73	6.37	32.94
AV	5.13G	45.49	54.00	-8.51	39.32	3	Horizontal	317	1.94	-	32.74	6.37	32.94
PK	5.25896G	111.62	Inf	-Inf	105.33	3	Horizontal	317	1.94	-	32.82	6.40	32.93
AV	5.25844G	98.37	Inf	-Inf	92.08	3	Horizontal	317	1.94	-	32.82	6.40	32.93
PK	5.35724G	59.22	74.00	-14.78	52.71	3	Horizontal	317	1.94	-	33.03	6.40	32.92
AV	5.38896G	46.29	54.00	-7.71	39.64	3	Horizontal	317	1.94	-	33.16	6.40	32.91

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
SET 80  
80  
12.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50772G	55.60	68.20	-12.60	41.47	3	Vertical	93	1.80	-	38.51	8.63	33.01

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
SET 80  
80  
6.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.783G	60.68	74.00	-13.32	44.82	3	Vertical	124	1.80	-	38.20	10.43	32.77
AV	15.78296G	47.29	54.00	-6.71	31.43	3	Vertical	124	1.80	-	38.20	10.43	32.77

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
SET 80  
80  
12.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5382G	55.54	68.20	-12.66	41.36	3	Horizontal	66	1.80	-	38.54	8.63	32.99



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
SET 80  
80  
3.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78332G	64.62	74.00	-9.38	48.76	3	Horizontal	214	2.70	-	38.20	10.43	32.77
AV	15.7834G	50.90	54.00	-3.10	35.03	3	Horizontal	214	2.70	-	38.20	10.44	32.77

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
 SET 67  
 80/60/70/65/67  
 -12.99/3.67/-2.71/1.61/0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30784G	121.99	Inf	-Inf	115.59	3	Vertical	340	1.80	-	32.92	6.40	32.92
AV	5.29748G	109.21	Inf	-Inf	102.84	3	Vertical	340	1.80	-	32.89	6.40	32.92
PK	5.35292G	71.47	74.00	-2.53	64.98	3	Vertical	340	1.80	-	33.01	6.40	32.92
AV	5.3504G	53.76	54.00	-0.24	47.28	3	Vertical	340	1.80	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom



EUT Y\_4TX  
SET 67  
67  
7.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29384G	108.21	Inf	-Inf	101.84	3	Horizontal	316	1.94	-	32.89	6.40	32.92
AV	5.29356G	94.74	Inf	-Inf	88.37	3	Horizontal	316	1.94	-	32.89	6.40	32.92
PK	5.35544G	59.66	74.00	-14.34	53.16	3	Horizontal	316	1.94	-	33.02	6.40	32.92
AV	5.35404G	46.37	54.00	-7.63	39.87	3	Horizontal	316	1.94	-	33.02	6.40	32.92