


802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
SET 67
67
11.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60656G	56.54	74.00	-17.46	42.24	3	Vertical	95	2.56	-	38.60	8.65	32.95
AV	10.61344G	42.18	54.00	-11.82	27.88	3	Vertical	95	2.56	-	38.60	8.65	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
SET 67
67
5.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89836G	61.73	74.00	-12.27	45.62	3	Vertical	172	2.27	-	38.40	10.47	32.76
AV	15.89744G	48.09	54.00	-5.91	31.98	3	Vertical	172	2.27	-	38.40	10.47	32.76

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
SET 67
67
11.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60816G	56.18	74.00	-17.82	41.88	3	Horizontal	333	2.99	-	38.60	8.65	32.95
AV	10.61668G	42.21	54.00	-11.79	27.91	3	Horizontal	333	2.99	-	38.60	8.65	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
SET 67
67
4.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.91036G	63.22	74.00	-10.78	47.10	3	Horizontal	140	2.65	-	38.40	10.47	32.75
AV	15.90056G	49.42	54.00	-4.58	33.31	3	Horizontal	140	2.65	-	38.40	10.47	32.76

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
 SET 60
 80/60/70/65/63/62/60
 -25.04/1.78/-9.73/-3.86/-1.82/-0.06/1.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3272G	122.18	Inf	-Inf	115.75	3	Vertical	343	1.75	-	32.95	6.40	32.92
AV	5.3224G	108.52	Inf	-Inf	102.10	3	Vertical	343	1.75	-	32.94	6.40	32.92
PK	5.3618G	67.09	74.00	-6.91	60.56	3	Vertical	343	1.75	-	33.05	6.40	32.92
AV	5.3504G	52.60	54.00	-1.40	46.12	3	Vertical	343	1.75	-	33.00	6.40	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
SET 60
60
7.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.324G	104.57	Inf	-Inf	98.14	3	Horizontal	316	1.80	-	32.95	6.40	32.92
AV	5.3236G	91.56	Inf	-Inf	85.13	3	Horizontal	316	1.80	-	32.95	6.40	32.92
PK	5.3662G	60.55	74.00	-13.45	54.01	3	Horizontal	316	1.80	-	33.06	6.40	32.92
AV	5.3658G	46.28	54.00	-7.72	39.74	3	Horizontal	316	1.80	-	33.06	6.40	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
SET 60
60
11.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63132G	56.70	74.00	-17.30	42.38	3	Vertical	285	1.35	-	38.60	8.66	32.94
AV	10.6218G	42.15	54.00	-11.85	27.84	3	Vertical	285	1.35	-	38.60	8.66	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
SET 60
60
7.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.97984G	61.57	74.00	-12.43	45.42	3	Vertical	94	1.33	-	38.40	10.49	32.74
AV	15.94292G	46.83	54.00	-7.17	30.70	3	Vertical	94	1.33	-	38.40	10.48	32.75

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
SET 60
60
11.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64232G	56.76	74.00	-17.24	42.44	3	Horizontal	140	1.80	-	38.60	8.66	32.94
AV	10.62224G	42.15	54.00	-11.85	27.84	3	Horizontal	140	1.80	-	38.60	8.66	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
SET 60
60
7.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96168G	61.50	74.00	-12.50	45.36	3	Horizontal	81	1.80	-	38.40	10.49	32.75
AV	15.94656G	46.88	54.00	-7.12	30.75	3	Horizontal	81	1.80	-	38.40	10.48	32.75

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
 SET 63
 80/60/70/65/63
 -23.92/2.85/-8.33/-4.76/0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	65.74	74.00	-8.26	58.49	3	Vertical	336	1.80	-	33.70	6.46	32.91
AV	5.4572G	52.11	54.00	-1.89	44.86	3	Vertical	336	1.80	-	33.70	6.46	32.91
PK	5.4674G	68.14	68.20	-0.06	60.87	3	Vertical	336	1.80	-	33.70	6.47	32.90
PK	5.4976G	122.29	Inf	-Inf	114.99	3	Vertical	336	1.80	-	33.70	6.50	32.90
AV	5.4974G	109.55	Inf	-Inf	102.25	3	Vertical	336	1.80	-	33.70	6.50	32.90

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
SET 63
63
6.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	60.41	74.00	-13.59	53.15	3	Horizontal	17	1.99	-	33.70	6.46	32.90
AV	5.4596G	47.21	54.00	-6.79	39.95	3	Horizontal	17	1.99	-	33.70	6.46	32.90
PK	5.465G	60.44	68.20	-7.76	53.18	3	Horizontal	17	1.99	-	33.70	6.46	32.90
PK	5.4996G	108.26	Inf	-Inf	100.96	3	Horizontal	17	1.99	-	33.70	6.50	32.90
AV	5.499G	95.15	Inf	-Inf	87.85	3	Horizontal	17	1.99	-	33.70	6.50	32.90

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
SET 63
63
12.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98652G	55.41	74.00	-18.59	40.92	3	Vertical	69	1.80	-	38.50	8.75	32.76
AV	10.98244G	41.15	54.00	-12.85	26.66	3	Vertical	69	1.80	-	38.50	8.75	32.76

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
SET 63
63
4.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.5036G	63.98	68.20	-4.22	45.46	3	Vertical	308	1.62	-	40.30	10.65	32.43

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
SET 63
63
12.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98356G	55.97	74.00	-18.03	41.48	3	Horizontal	113	1.80	-	38.50	8.75	32.76
AV	10.98192G	41.15	54.00	-12.85	26.66	3	Horizontal	113	1.80	-	38.50	8.75	32.76

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
 SET 63
 63
 4.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.5138G	64.14	68.20	-4.06	45.61	3	Horizontal	259	1.00	-	40.30	10.65	32.42

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
 SET 87
 80/100/90/85/87/88/87
 4.37/-5.30/-5.29/2.14/2.22/-1.87/2.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	65.97	74.00	-8.03	58.71	3	Vertical	335	1.80	-	33.70	6.46	32.90
AV	5.4584G	51.27	54.00	-2.73	44.01	3	Vertical	335	1.80	-	33.70	6.46	32.90
PK	5.46352G	65.86	68.20	-2.34	58.60	3	Vertical	335	1.80	-	33.70	6.46	32.90
PK	5.58192G	127.54	Inf	-Inf	120.03	3	Vertical	335	1.80	-	33.84	6.58	32.91
AV	5.5768G	114.00	Inf	-Inf	106.48	3	Vertical	335	1.80	-	33.85	6.58	32.91
PK	5.73168G	61.59	68.20	-6.61	53.66	3	Vertical	335	1.80	-	34.25	6.60	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
SET 87
87
7.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44624G	60.02	74.00	-13.98	52.82	3	Horizontal	235	1.80	-	33.66	6.45	32.91
PK	5.46352G	59.65	68.20	-8.55	52.39	3	Horizontal	235	1.80	-	33.70	6.46	32.90
AV	5.45968G	46.99	54.00	-7.01	39.73	3	Horizontal	235	1.80	-	33.70	6.46	32.90
PK	5.58128G	108.92	Inf	-Inf	101.41	3	Horizontal	235	1.80	-	33.84	6.58	32.91
AV	5.57616G	96.49	Inf	-Inf	88.97	3	Horizontal	235	1.80	-	33.85	6.58	32.91
PK	5.73744G	60.38	68.20	-7.82	52.40	3	Horizontal	235	1.80	-	34.30	6.60	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
SET 87
87
12.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15364G	55.62	74.00	-18.38	41.25	3	Vertical	166	1.89	-	38.35	8.79	32.77
AV	11.14224G	41.83	54.00	-12.17	27.45	3	Vertical	166	1.89	-	38.36	8.79	32.77

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
 SET 87
 87
 0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.74368G	68.13	68.20	-0.07	49.25	3	Vertical	145	1.80	-	40.44	10.72	32.28

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
SET 87
87
12.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17912G	55.52	74.00	-18.48	41.18	3	Horizontal	134	1.80	-	38.32	8.79	32.77
AV	11.1414G	41.87	54.00	-12.13	27.49	3	Horizontal	134	1.80	-	38.36	8.79	32.77

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
 SET 80
 87/67/77/82/80
 -1.70/4.38/0.52/-1.42/0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.7438G	68.12	68.20	-0.08	49.24	3	Horizontal	214	2.72	-	40.44	10.72	32.28

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
 SET 40
 80/60/50/45/43/40
 -32.79/-13.20/-6.64/-4.15/-0.20/0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.692G	117.42	Inf	-Inf	109.72	3	Vertical	332	1.74	-	34.02	6.60	32.92
AV	5.702G	103.48	Inf	-Inf	95.78	3	Vertical	332	1.74	-	34.02	6.60	32.92
PK	5.727G	68.14	68.20	-0.06	60.24	3	Vertical	332	1.74	-	34.22	6.60	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
SET 40
40
7.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6982G	98.75	Inf	-Inf	91.07	3	Horizontal	289	1.88	-	34.00	6.60	32.92
AV	5.6982G	85.71	Inf	-Inf	78.03	3	Horizontal	289	1.88	-	34.00	6.60	32.92
PK	5.7496G	60.83	68.20	-7.37	52.75	3	Horizontal	289	1.88	-	34.40	6.60	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
SET 40
40
12.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39548G	55.79	74.00	-18.21	41.34	3	Vertical	306	2.94	-	38.40	8.85	32.80
AV	11.39776G	41.25	54.00	-12.75	26.80	3	Vertical	306	2.94	-	38.40	8.85	32.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
SET 40
40
2.95

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.10212G	65.25	68.20	-2.95	45.10	3	Vertical	272	2.72	-	41.40	10.83	32.08

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
 SET 40
 40
 12.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40772G	55.80	74.00	-18.20	41.35	3	Horizontal	2	1.80	-	38.40	8.85	32.80
AV	11.39412G	41.35	54.00	-12.65	26.90	3	Horizontal	2	1.80	-	38.40	8.85	32.80

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



EUT Y_4TX
SET 40
40
2.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.10632G	65.56	68.20	-2.64	45.39	3	Horizontal	337	1.80	-	41.41	10.83	32.07


802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Y_4TX
 SET 108
 80/100/108
 5.38/4.50/4.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4554G	60.49	74.00	-13.51	53.24	3	Vertical	331	1.80	-	33.70	6.46	32.91
AV	5.45216G	47.94	54.00	-6.06	40.70	3	Vertical	331	1.80	-	33.70	6.45	32.91
PK	5.46728G	60.20	68.20	-8.00	52.93	3	Vertical	331	1.80	-	33.70	6.47	32.90
PK	5.72216G	124.98	Inf	-Inf	117.12	3	Vertical	331	1.80	-	34.18	6.60	32.92
AV	5.71244G	113.08	Inf	-Inf	105.30	3	Vertical	331	1.80	-	34.10	6.60	32.92
PK	5.85068G	63.24	68.20	-4.96	54.78	3	Vertical	331	1.80	-	34.80	6.60	32.94


802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Y_4TX
 SET 108
 108
 6.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45972G	60.06	74.00	-13.94	52.80	3	Horizontal	340	2.12	-	33.70	6.46	32.90
AV	5.45216G	46.89	54.00	-7.11	39.65	3	Horizontal	340	2.12	-	33.70	6.45	32.91
PK	5.46944G	59.37	68.20	-8.83	52.10	3	Horizontal	340	2.12	-	33.70	6.47	32.90
PK	5.72648G	109.44	Inf	-Inf	101.55	3	Horizontal	340	2.12	-	34.21	6.60	32.92
AV	5.72648G	96.79	Inf	-Inf	88.90	3	Horizontal	340	2.12	-	34.21	6.60	32.92
PK	5.91548G	61.38	68.20	-6.82	52.76	3	Horizontal	340	2.12	-	34.96	6.60	32.94


802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 SET 108
 108
 12.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42024G	55.39	74.00	-18.61	40.93	3	Vertical	279	1.80	-	38.40	8.86	32.80
AV	11.44952G	41.40	54.00	-12.60	26.94	3	Vertical	279	1.80	-	38.40	8.86	32.80


802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 SET 78
 108/88/78
 -2.23/-2.54/0.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.15348G	67.72	68.20	-0.48	47.41	3	Vertical	157	1.80	-	41.51	10.85	32.05


802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 SET 78
 78
 12.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42064G	55.44	74.00	-18.56	40.98	3	Horizontal	324	1.27	-	38.40	8.86	32.80
AV	11.44908G	41.44	54.00	-12.56	26.98	3	Horizontal	324	1.27	-	38.40	8.86	32.80

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 SET 72
 78/58/68/73/71/72
 -0.26/1.91/1.03/-0.14/1.53/1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.17404G	67.12	68.20	-1.08	46.76	3	Horizontal	121	2.64	-	41.55	10.85	32.04

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
 SET 63
 80/60/70/65/63
 -13.10/1.89/-5.41/-1.21/0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	61.43	74.00	-12.57	55.29	3	Vertical	344	1.77	-	32.71	6.37	32.94
AV	5.14792G	48.98	54.00	-5.02	42.85	3	Vertical	344	1.77	-	32.70	6.37	32.94
PK	5.27728G	118.77	Inf	-Inf	112.45	3	Vertical	344	1.77	-	32.85	6.40	32.93
AV	5.26776G	107.20	Inf	-Inf	100.89	3	Vertical	344	1.77	-	32.84	6.40	32.93
PK	5.35736G	68.62	74.00	-5.38	62.11	3	Vertical	344	1.77	-	33.03	6.40	32.92
AV	5.35344G	53.75	54.00	-0.25	47.26	3	Vertical	344	1.77	-	33.01	6.40	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
SET 63
63
6.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14456G	58.46	74.00	-15.54	52.32	3	Horizontal	316	1.96	-	32.71	6.37	32.94
AV	5.13336G	46.88	54.00	-7.12	40.72	3	Horizontal	316	1.96	-	32.73	6.37	32.94
PK	5.27392G	102.94	Inf	-Inf	96.62	3	Horizontal	316	1.96	-	32.85	6.40	32.93
AV	5.26888G	92.82	Inf	-Inf	86.51	3	Horizontal	316	1.96	-	32.84	6.40	32.93
PK	5.35064G	59.46	74.00	-14.54	52.98	3	Horizontal	316	1.96	-	33.00	6.40	32.92
AV	5.40888G	47.91	54.00	-6.09	41.12	3	Horizontal	316	1.96	-	33.29	6.41	32.91

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
SET 63
63
12.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.556566G	56.08	68.20	-12.12	41.86	3	Vertical	87	1.80	-	38.56	8.64	32.98

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
SET 63
63
6.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.85G	59.43	74.00	-14.57	43.39	3	Vertical	97	1.80	-	38.35	10.45	32.76
AV	15.79328G	47.08	54.00	-6.92	31.15	3	Vertical	97	1.80	-	38.26	10.44	32.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
SET 63
63
12.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57024G	55.82	68.20	-12.38	41.58	3	Horizontal	64	3.00	-	38.57	8.64	32.97

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
SET 63
63
7.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7776G	59.59	74.00	-14.41	43.77	3	Horizontal	128	1.85	-	38.17	10.43	32.78
AV	15.80888G	46.97	54.00	-7.03	30.99	3	Horizontal	128	1.85	-	38.31	10.44	32.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
SET 50
80/60/50
-34.42/-7.83/0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30256G	115.95	Inf	-Inf	109.56	3	Vertical	343	1.80	-	32.91	6.40	32.92
AV	5.31744G	104.25	Inf	-Inf	97.84	3	Vertical	343	1.80	-	32.93	6.40	32.92
PK	5.35272G	66.34	74.00	-7.66	59.85	3	Vertical	343	1.80	-	33.01	6.40	32.92
AV	5.35296G	53.67	54.00	-0.33	47.18	3	Vertical	343	1.80	-	33.01	6.40	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
SET 50
50
6.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.304G	100.53	Inf	-Inf	94.14	3	Horizontal	316	2.02	-	32.91	6.40	32.92
AV	5.30376G	88.45	Inf	-Inf	82.06	3	Horizontal	316	2.02	-	32.91	6.40	32.92
PK	5.358G	59.88	74.00	-14.12	53.37	3	Horizontal	316	2.02	-	33.03	6.40	32.92
AV	5.36352G	47.61	54.00	-6.39	41.08	3	Horizontal	316	2.02	-	33.05	6.40	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
SET 50
50
10.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60968G	56.92	74.00	-17.08	42.62	3	Vertical	310	1.80	-	38.60	8.65	32.95
AV	10.622G	43.78	54.00	-10.22	29.47	3	Vertical	310	1.80	-	38.60	8.66	32.95

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
SET 50
50
5.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93504G	60.78	74.00	-13.22	44.65	3	Vertical	248	1.28	-	38.40	10.48	32.75
AV	15.93808G	48.34	54.00	-5.66	32.21	3	Vertical	248	1.28	-	38.40	10.48	32.75

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
SET 50
50
10.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58824G	56.31	68.20	-11.89	42.03	3	Horizontal	70	1.19	-	38.59	8.65	32.96
AV	10.64192G	43.86	54.00	-10.14	29.54	3	Horizontal	70	1.19	-	38.60	8.66	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
SET 50
50
5.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95392G	60.57	74.00	-13.43	44.43	3	Horizontal	354	2.37	-	38.40	10.49	32.75
AV	15.93936G	48.59	54.00	-5.41	32.46	3	Horizontal	354	2.37	-	38.40	10.48	32.75

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
 SET 54
 80/60/50/55/53/54
 -33.59/-6.77/1.30/-0.80/2.27/1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45648G	64.63	74.00	-9.37	57.38	3	Vertical	337	1.79	-	33.70	6.46	32.91
AV	5.45672G	51.94	54.00	-2.06	44.69	3	Vertical	337	1.79	-	33.70	6.46	32.91
PK	5.4668G	67.12	68.20	-1.08	59.85	3	Vertical	337	1.79	-	33.70	6.47	32.90
PK	5.51216G	118.26	Inf	-Inf	110.90	3	Vertical	337	1.79	-	33.75	6.51	32.90
AV	5.51216G	106.54	Inf	-Inf	99.18	3	Vertical	337	1.79	-	33.75	6.51	32.90

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
SET 54
54
5.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45792G	60.29	74.00	-13.71	53.04	3	Horizontal	18	2.01	-	33.70	6.46	32.91
AV	5.4596G	48.57	54.00	-5.43	41.31	3	Horizontal	18	2.01	-	33.70	6.46	32.90
PK	5.46416G	60.73	68.20	-7.47	53.47	3	Horizontal	18	2.01	-	33.70	6.46	32.90
PK	5.51864G	103.32	Inf	-Inf	95.93	3	Horizontal	18	2.01	-	33.77	6.52	32.90
AV	5.50424G	91.22	Inf	-Inf	83.90	3	Horizontal	18	2.01	-	33.72	6.50	32.90

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
SET 54
54
11.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03968G	54.94	74.00	-19.06	40.47	3	Vertical	198	1.09	-	38.46	8.76	32.75
AV	11.0528G	42.90	54.00	-11.10	28.45	3	Vertical	198	1.09	-	38.45	8.76	32.76

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
SET 54
54
4.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.53608G	64.13	68.20	-4.07	45.58	3	Vertical	104	1.75	-	40.30	10.66	32.41

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
 SET 54
 54
 11.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00928G	55.51	74.00	-18.49	41.02	3	Horizontal	23	1.80	-	38.49	8.75	32.75
AV	11.05656G	42.84	54.00	-11.16	28.40	3	Horizontal	23	1.80	-	38.44	8.76	32.76

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
SET 54
54
3.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.56368G	64.98	68.20	-3.22	46.40	3	Horizontal	190	1.80	-	40.30	10.67	32.39

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
 SET 58
 80/60/50/55/57/58
 -12.48/-0.22/3.76/2.96/2.11/0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	65.71	74.00	-8.29	58.46	3	Vertical	336	1.80	-	33.70	6.46	32.91
AV	5.4572G	52.10	54.00	-1.90	44.85	3	Vertical	336	1.80	-	33.70	6.46	32.91
PK	5.4668G	68.10	68.20	-0.10	60.83	3	Vertical	336	1.80	-	33.70	6.47	32.90
PK	5.5372G	118.53	Inf	-Inf	111.04	3	Vertical	336	1.80	-	33.85	6.54	32.90
AV	5.5324G	107.44	Inf	-Inf	99.98	3	Vertical	336	1.80	-	33.83	6.53	32.90
PK	5.7388G	61.53	68.20	-6.67	53.54	3	Vertical	336	1.80	-	34.31	6.60	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
SET 58
58
5.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	60.20	74.00	-13.80	52.95	3	Horizontal	236	1.80	-	33.70	6.46	32.91
AV	5.4484G	48.57	54.00	-5.43	41.35	3	Horizontal	236	1.80	-	33.68	6.45	32.91
PK	5.462G	60.21	68.20	-7.99	52.95	3	Horizontal	236	1.80	-	33.70	6.46	32.90
PK	5.542G	101.61	Inf	-Inf	94.10	3	Horizontal	236	1.80	-	33.87	6.54	32.90
AV	5.5364G	90.56	Inf	-Inf	83.07	3	Horizontal	236	1.80	-	33.85	6.54	32.90
PK	5.7292G	60.01	68.20	-8.19	52.10	3	Horizontal	236	1.80	-	34.23	6.60	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
SET 58
58
10.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11424G	55.83	74.00	-18.17	41.42	3	Vertical	360	2.51	-	38.39	8.78	32.76
AV	11.0856G	43.63	54.00	-10.37	29.21	3	Vertical	360	2.51	-	38.41	8.77	32.76

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
 SET 58
 58
 3.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.61736G	64.45	68.20	-3.75	45.80	3	Vertical	34	1.78	-	40.32	10.69	32.36

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
SET 58
58
10.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10688G	56.08	74.00	-17.92	41.67	3	Horizontal	284	2.64	-	38.39	8.78	32.76
AV	11.0644G	43.43	54.00	-10.57	28.98	3	Horizontal	284	2.64	-	38.44	8.77	32.76

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
SET 58
58
3.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.62888G	64.40	68.20	-3.80	45.73	3	Horizontal	356	1.50	-	40.33	10.69	32.35

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
 SET 45
 80/60/50/45
 -26.28/-8.44/-3.81/0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66648G	116.41	Inf	-Inf	108.66	3	Vertical	334	1.80	-	34.07	6.60	32.92
AV	5.662G	104.32	Inf	-Inf	96.56	3	Vertical	334	1.80	-	34.08	6.60	32.92
PK	5.72504G	68.08	68.20	-0.12	60.20	3	Vertical	334	1.80	-	34.20	6.60	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
SET 45
45
6.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.67352G	98.64	Inf	-Inf	90.91	3	Horizontal	288	2.03	-	34.05	6.60	32.92
AV	5.6636G	87.83	Inf	-Inf	80.08	3	Horizontal	288	2.03	-	34.07	6.60	32.92
PK	5.75G	61.39	68.20	-6.81	53.31	3	Horizontal	288	2.03	-	34.40	6.60	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
SET 45
45
11.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.30168G	56.04	74.00	-17.96	41.60	3	Vertical	143	2.96	-	38.40	8.83	32.79
AV	11.30488G	42.69	54.00	-11.31	28.25	3	Vertical	143	2.96	-	38.40	8.83	32.79

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
SET 45
45
2.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.04464G	65.33	68.20	-2.87	45.40	3	Vertical	97	1.01	-	41.23	10.81	32.11

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
SET 45
45
11.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.32952G	55.08	74.00	-18.92	40.64	3	Horizontal	360	1.80	-	38.40	8.83	32.79
AV	11.31096G	42.81	54.00	-11.19	28.37	3	Horizontal	360	1.80	-	38.40	8.83	32.79

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



EUT Y_4TX
SET 45
45
2.77

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.0448G	65.43	68.20	-2.77	45.50	3	Horizontal	99	2.85	-	41.23	10.81	32.11


802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 SET 82
 80/100/90/85/83/82
 0.52/-3.52/-3.31/-3.07/-0.81/0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45312G	61.40	74.00	-12.60	54.16	3	Vertical	332	1.80	-	33.70	6.45	32.91
AV	5.45104G	51.08	54.00	-2.92	43.84	3	Vertical	332	1.80	-	33.70	6.45	32.91
PK	5.4604G	61.85	68.20	-6.35	54.59	3	Vertical	332	1.80	-	33.70	6.46	32.90
PK	5.72248G	123.45	Inf	-Inf	115.59	3	Vertical	332	1.80	-	34.18	6.60	32.92
AV	5.70688G	111.69	Inf	-Inf	103.95	3	Vertical	332	1.80	-	34.06	6.60	32.92
PK	5.85G	67.99	68.20	-0.21	59.53	3	Vertical	332	1.80	-	34.80	6.60	32.94


802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 SET 82
 82
 5.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45624G	59.08	74.00	-14.92	51.83	3	Horizontal	287	1.87	-	33.70	6.46	32.91
AV	5.46G	48.18	54.00	-5.82	40.92	3	Horizontal	287	1.87	-	33.70	6.46	32.90
PK	5.46872G	59.65	68.20	-8.55	52.38	3	Horizontal	287	1.87	-	33.70	6.47	32.90
PK	5.71312G	104.49	Inf	-Inf	96.71	3	Horizontal	287	1.87	-	34.10	6.60	32.92
AV	5.69856G	94.26	Inf	-Inf	86.58	3	Horizontal	287	1.87	-	34.00	6.60	32.92
PK	5.91904G	62.26	68.20	-5.94	53.62	3	Horizontal	287	1.87	-	34.98	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 SET 82
 82
 10.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44904G	55.35	74.00	-18.65	40.89	3	Vertical	46	1.80	-	38.40	8.86	32.80
AV	11.39488G	43.21	54.00	-10.79	28.76	3	Vertical	46	1.80	-	38.40	8.85	32.80

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 SET 82
 82
 0.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.14896G	67.52	68.20	-0.68	47.23	3	Vertical	158	1.75	-	41.50	10.84	32.05

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
SET 82
82
11.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45584G	55.33	74.00	-18.67	40.87	3	Horizontal	40	1.80	-	38.40	8.86	32.80
AV	11.41416G	42.91	54.00	-11.09	28.46	3	Horizontal	40	1.80	-	38.40	8.85	32.80

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 SET 77
 82/62/72/77
 -0.16/2.25/0.97/0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.13936G	67.80	68.20	-0.40	47.54	3	Horizontal	174	1.77	-	41.48	10.84	32.06

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
 SET 50
 80/60/50
 -36.53/-9.79/0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14152G	59.89	74.00	-14.11	53.74	3	Vertical	342	1.79	-	32.72	6.37	32.94
AV	5.14408G	48.57	54.00	-5.43	42.43	3	Vertical	342	1.79	-	32.71	6.37	32.94
PK	5.31752G	112.36	Inf	-Inf	105.94	3	Vertical	342	1.79	-	32.94	6.40	32.92
AV	5.3028G	101.55	Inf	-Inf	95.16	3	Vertical	342	1.79	-	32.91	6.40	32.92
PK	5.35336G	65.02	74.00	-8.98	58.53	3	Vertical	342	1.79	-	33.01	6.40	32.92
AV	5.3572G	53.77	54.00	-0.23	47.26	3	Vertical	342	1.79	-	33.03	6.40	32.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT V_4TX
SET 50
50
5.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	58.13	74.00	-15.87	51.98	3	Horizontal	317	1.93	-	32.72	6.37	32.94
AV	5.1492G	46.54	54.00	-7.46	40.41	3	Horizontal	317	1.93	-	32.70	6.37	32.94
PK	5.26376G	97.53	Inf	-Inf	91.23	3	Horizontal	317	1.93	-	32.83	6.40	32.93
AV	5.26376G	85.97	Inf	-Inf	79.67	3	Horizontal	317	1.93	-	32.83	6.40	32.93
PK	5.3796G	59.41	74.00	-14.59	52.80	3	Horizontal	317	1.93	-	33.12	6.40	32.91
AV	5.44872G	48.17	54.00	-5.83	40.94	3	Horizontal	317	1.93	-	33.69	6.45	32.91

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
 SET 50
 50
 12.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52656G	55.78	68.20	-12.42	41.62	3	Vertical	188	2.99	-	38.53	8.63	33.00

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
SET 50
50
5.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86568G	60.63	74.00	-13.37	44.56	3	Vertical	11	1.80	-	38.37	10.46	32.76
AV	15.93384G	48.22	54.00	-5.78	32.09	3	Vertical	11	1.80	-	38.40	10.48	32.75

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
SET 50
50
11.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54144G	56.38	68.20	-11.82	42.19	3	Horizontal	318	1.18	-	38.54	8.64	32.99

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
 SET 50
 50
 5.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.94984G	60.69	74.00	-13.31	44.56	3	Horizontal	0	1.80	-	38.40	10.48	32.75
AV	15.93192G	48.42	54.00	-5.58	32.29	3	Horizontal	0	1.80	-	38.40	10.48	32.75

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
 SET 55
 80/60/50/55
 -33.53/-5.02/2.36/0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	65.13	74.00	-8.87	57.88	3	Vertical	334	1.80	-	33.70	6.46	32.91
AV	5.45608G	53.73	54.00	-0.27	46.48	3	Vertical	334	1.80	-	33.70	6.46	32.91
PK	5.46632G	66.87	68.20	-1.33	59.60	3	Vertical	334	1.80	-	33.70	6.47	32.90
PK	5.53224G	115.42	Inf	-Inf	107.96	3	Vertical	334	1.80	-	33.83	6.53	32.90
AV	5.53704G	103.06	Inf	-Inf	95.57	3	Vertical	334	1.80	-	33.85	6.54	32.90

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Y_4TX
SET 55
55
5.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45416G	60.86	74.00	-13.14	53.62	3	Horizontal	18	2.02	-	33.70	6.45	32.91
PK	5.46376G	60.73	68.20	-7.47	53.47	3	Horizontal	18	2.02	-	33.70	6.46	32.90
AV	5.45928G	48.49	54.00	-5.51	41.23	3	Horizontal	18	2.02	-	33.70	6.46	32.90
PK	5.5236G	101.41	Inf	-Inf	94.00	3	Horizontal	18	2.02	-	33.79	6.52	32.90
AV	5.49928G	88.32	Inf	-Inf	81.02	3	Horizontal	18	2.02	-	33.70	6.50	32.90

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
SET 55
55
10.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01888G	55.66	74.00	-18.34	41.18	3	Vertical	312	1.80	-	38.48	8.75	32.75
AV	11.10192G	43.07	54.00	-10.93	28.65	3	Vertical	312	1.80	-	38.40	8.78	32.76

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
SET 55
55
3.89

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.622G	64.31	68.20	-3.89	45.66	3	Vertical	217	2.28	-	40.32	10.69	32.36

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
 SET 55
 55
 10.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08896G	55.42	74.00	-18.58	41.00	3	Horizontal	0	1.80	-	38.41	8.77	32.76
AV	11.09632G	43.08	54.00	-10.92	28.67	3	Horizontal	0	1.80	-	38.40	8.77	32.76

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
SET 55
55
3.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.57224G	64.25	68.20	-3.95	45.67	3	Horizontal	270	1.07	-	40.30	10.67	32.39

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
 SET 53
 80/60/50/55/53/54/53
 -20.59/-3.50/2.50/-0.97/0.67/-0.70/0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45128G	63.96	74.00	-10.04	56.72	3	Vertical	335	1.78	-	33.70	6.45	32.91
AV	5.4564G	51.93	54.00	-2.07	44.68	3	Vertical	335	1.78	-	33.70	6.46	32.91
PK	5.46472G	65.13	68.20	-3.07	57.87	3	Vertical	335	1.78	-	33.70	6.46	32.90
PK	5.57224G	115.70	Inf	-Inf	108.18	3	Vertical	335	1.78	-	33.86	6.57	32.91
AV	5.60232G	103.30	Inf	-Inf	95.80	3	Vertical	335	1.78	-	33.81	6.60	32.91
PK	5.72584G	67.79	68.20	-0.41	59.90	3	Vertical	335	1.78	-	34.21	6.60	32.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
SET 53
53
5.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.66	74.00	-14.34	52.40	3	Horizontal	235	3.00	-	33.70	6.46	32.90
AV	5.45576G	48.22	54.00	-5.78	40.97	3	Horizontal	235	3.00	-	33.70	6.46	32.91
PK	5.46024G	59.66	68.20	-8.54	52.40	3	Horizontal	235	3.00	-	33.70	6.46	32.90
PK	5.58056G	97.97	Inf	-Inf	90.46	3	Horizontal	235	3.00	-	33.84	6.58	32.91
AV	5.61576G	85.91	Inf	-Inf	78.33	3	Horizontal	235	3.00	-	33.89	6.60	32.91
PK	5.75272G	60.15	68.20	-8.05	52.08	3	Horizontal	235	3.00	-	34.40	6.60	32.93

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
SET 53
53
11.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17216G	55.29	74.00	-18.71	40.94	3	Vertical	136	3.00	-	38.33	8.79	32.77
AV	11.18496G	42.86	54.00	-11.14	28.51	3	Vertical	136	3.00	-	38.32	8.80	32.77

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
SET 53
53
4.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.88888G	63.86	68.20	-4.34	44.35	3	Vertical	259	1.15	-	40.94	10.77	32.20

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
SET 53
53
10.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.24528G	55.23	74.00	-18.77	40.85	3	Horizontal	142	1.15	-	38.35	8.81	32.78
AV	11.26704G	43.08	54.00	-10.92	28.67	3	Horizontal	142	1.15	-	38.37	8.82	32.78

802.11ax HEW80_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



EUT Y_4TX
SET 53
53
4.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.78952G	63.60	68.20	-4.60	44.63	3	Horizontal	188	2.65	-	40.49	10.74	32.26

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 SET 67
 80/60/70/65/67
 -9.58/2.59/-1.03/1.27/0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45768G	66.12	74.00	-7.88	58.87	3	Vertical	334	1.80	-	33.70	6.46	32.91
AV	5.45672G	53.63	54.00	-0.37	46.38	3	Vertical	334	1.80	-	33.70	6.46	32.91
PK	5.46632G	66.00	68.20	-2.20	58.73	3	Vertical	334	1.80	-	33.70	6.47	32.90
PK	5.6516G	118.56	Inf	-Inf	110.78	3	Vertical	334	1.80	-	34.10	6.60	32.92
AV	5.6516G	106.03	Inf	-Inf	98.25	3	Vertical	334	1.80	-	34.10	6.60	32.92
PK	5.85512G	65.66	68.20	-2.54	57.19	3	Vertical	334	1.80	-	34.81	6.60	32.94

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
SET 67
67
5.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45576G	59.87	74.00	-14.13	52.62	3	Horizontal	339	2.18	-	33.70	6.46	32.91
AV	5.4548G	48.46	54.00	-5.54	41.22	3	Horizontal	339	2.18	-	33.70	6.45	32.91
PK	5.46344G	59.53	68.20	-8.67	52.27	3	Horizontal	339	2.18	-	33.70	6.46	32.90
PK	5.68136G	101.23	Inf	-Inf	93.51	3	Horizontal	339	2.18	-	34.04	6.60	32.92
AV	5.68616G	90.52	Inf	-Inf	82.81	3	Horizontal	339	2.18	-	34.03	6.60	32.92
PK	5.8532G	60.95	68.20	-7.25	52.48	3	Horizontal	339	2.18	-	34.81	6.60	32.94

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
SET 67
67
11.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42528G	55.38	74.00	-18.62	40.92	3	Vertical	360	2.65	-	38.40	8.86	32.80
AV	11.45312G	42.72	54.00	-11.28	28.26	3	Vertical	360	2.65	-	38.40	8.86	32.80

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 SET 67
 67
 2.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.11256G	65.25	68.20	-2.95	45.06	3	Vertical	242	2.93	-	41.43	10.83	32.07

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
SET 67
67
10.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.32704G	55.38	74.00	-18.62	40.94	3	Horizontal	360	1.94	-	38.40	8.83	32.79
AV	11.40768G	43.08	54.00	-10.92	28.63	3	Horizontal	360	1.94	-	38.40	8.85	32.80

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 SET 67
 67
 2.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.14488G	66.08	68.20	-2.12	45.80	3	Horizontal	0	1.80	-	41.49	10.84	32.05




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.45832G	53.99	54.00	-0.01	3	Horizontal	354	1.80	-

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
 SET 85
 80/100/90/85
 2.59/-6.84/-2.33/0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	63.46	74.00	-10.54	57.32	3	Vertical	0	1.80	-	32.71	6.37	32.94
AV	5.14456G	49.90	54.00	-4.10	43.76	3	Vertical	0	1.80	-	32.71	6.37	32.94
PK	5.25896G	125.97	Inf	-Inf	119.68	3	Vertical	0	1.80	-	32.82	6.40	32.93
AV	5.25896G	115.60	Inf	-Inf	109.31	3	Vertical	0	1.80	-	32.82	6.40	32.93
PK	5.36348G	68.07	74.00	-5.93	61.54	3	Vertical	0	1.80	-	33.05	6.40	32.92
AV	5.35256G	53.84	54.00	-0.16	47.35	3	Vertical	0	1.80	-	33.01	6.40	32.92

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
 SET 80
 85/65/75/80/82/81/80
 -5.65/4.07/2.64/0.51/-1.72/-1.21/0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14872G	62.27	74.00	-11.73	56.14	3	Horizontal	0	1.80	-	32.70	6.37	32.94
AV	5.14976G	49.53	54.00	-4.47	43.40	3	Horizontal	0	1.80	-	32.70	6.37	32.94
PK	5.25636G	125.92	Inf	-Inf	119.64	3	Horizontal	0	1.80	-	32.81	6.40	32.93
AV	5.25688G	115.43	Inf	-Inf	109.15	3	Horizontal	0	1.80	-	32.81	6.40	32.93
PK	5.3614G	68.10	74.00	-5.90	61.57	3	Horizontal	0	1.80	-	33.05	6.40	32.92
AV	5.35152G	53.90	54.00	-0.10	47.41	3	Horizontal	0	1.80	-	33.01	6.40	32.92

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT Y_4TX
SET 80
80
13.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50844G	55.15	68.20	-13.05	41.02	3	Vertical	83	1.80	-	38.51	8.63	33.01

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_V_4TX
SET 80
80
4.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7868G	62.67	74.00	-11.33	46.78	3	Vertical	144	1.09	-	38.22	10.44	32.77
AV	15.78628G	49.28	54.00	-4.72	33.39	3	Vertical	144	1.09	-	38.22	10.44	32.77

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT Y_4TX
 SET 80
 80
 13.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50828G	54.84	68.20	-13.36	40.71	3	Horizontal	50	2.72	-	38.51	8.63	33.01

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_V_4TX
SET 80
80
2.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78872G	65.38	74.00	-8.62	49.48	3	Horizontal	221	2.90	-	38.23	10.44	32.77
AV	15.78764G	51.75	54.00	-2.25	35.85	3	Horizontal	221	2.90	-	38.23	10.44	32.77

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
 SET 72
 80/60/70/75/73/72
 -4.99/3.57/1.32/-1.34/-0.12/0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3014G	122.02	Inf	-Inf	115.64	3	Vertical	357	1.80	-	32.90	6.40	32.92
AV	5.30112G	112.34	Inf	-Inf	105.96	3	Vertical	357	1.80	-	32.90	6.40	32.92
PK	5.35712G	70.34	74.00	-3.66	63.83	3	Vertical	357	1.80	-	33.03	6.40	32.92
AV	5.35G	53.60	54.00	-0.40	47.12	3	Vertical	357	1.80	-	33.00	6.40	32.92

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
 SET 65
 72/52/62/67/65
 -5.10/3.92/1.52/-0.66/0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29748G	121.68	Inf	-Inf	115.31	3	Horizontal	357	1.80	-	32.89	6.40	32.92
AV	5.2972G	111.56	Inf	-Inf	105.19	3	Horizontal	357	1.80	-	32.89	6.40	32.92
PK	5.3504G	69.01	74.00	-4.99	62.53	3	Horizontal	357	1.80	-	33.00	6.40	32.92
AV	5.35068G	53.86	54.00	-0.14	47.38	3	Horizontal	357	1.80	-	33.00	6.40	32.92

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_Y_4TX
SET 65
65
18.87

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.60916G	55.13	74.00	-18.87	40.83	3	Vertical	120	1.00	-	38.60	8.65	32.95

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_Y_4TX
SET 65
65
3.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9014G	64.91	74.00	-9.09	48.80	3	Vertical	180	2.75	-	38.40	10.47	32.76
AV	15.90148G	50.26	54.00	-3.74	34.15	3	Vertical	180	2.75	-	38.40	10.47	32.76

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Y_4TX
SET 65
65
11.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58756G	56.21	68.20	-11.99	41.93	3	Horizontal	144	1.80	-	38.59	8.65	32.96

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT_Y_4TX
 SET 65
 65
 4.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90736G	63.05	74.00	-10.95	46.93	3	Horizontal	141	2.76	-	38.40	10.47	32.75
AV	15.909G	49.16	54.00	-4.84	33.04	3	Horizontal	141	2.76	-	38.40	10.47	32.75

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
 SET 64
 80/60/70/65/63/64
 -16.55/2.15/-4.72/-0.20/1.53/0.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3212G	121.42	Inf	-Inf	115.00	3	Vertical	357	1.79	-	32.94	6.40	32.92
AV	5.3212G	111.41	Inf	-Inf	104.99	3	Vertical	357	1.79	-	32.94	6.40	32.92
PK	5.35G	67.05	74.00	-6.95	60.57	3	Vertical	357	1.79	-	33.00	6.40	32.92
AV	5.35G	53.31	54.00	-0.69	46.83	3	Vertical	357	1.79	-	33.00	6.40	32.92

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
 SET 60
 64/44/54/59/61/60
 -3.23/4.58/2.83/0.89/-0.73/0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3156G	121.09	Inf	-Inf	114.68	3	Horizontal	360	1.80	-	32.93	6.40	32.92
AV	5.3262G	111.46	Inf	-Inf	105.03	3	Horizontal	360	1.80	-	32.95	6.40	32.92
PK	5.3518G	67.74	74.00	-6.26	61.25	3	Horizontal	360	1.80	-	33.01	6.40	32.92
AV	5.35G	53.96	54.00	-0.04	47.48	3	Horizontal	360	1.80	-	33.00	6.40	32.92

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
SET 60
60
12.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64076G	55.23	74.00	-18.77	40.91	3	Vertical	240	2.96	-	38.60	8.66	32.94
AV	10.63636G	41.61	54.00	-12.39	27.29	3	Vertical	240	2.96	-	38.60	8.66	32.94

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
 SET 60
 60
 5.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95148G	61.94	74.00	-12.06	45.80	3	Vertical	306	2.98	-	38.40	10.49	32.75
AV	15.97904G	48.46	54.00	-5.54	32.31	3	Vertical	306	2.98	-	38.40	10.49	32.74

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Y_4TX
SET 60
60
12.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65724G	55.17	74.00	-18.83	40.84	3	Horizontal	360	1.80	-	38.60	8.66	32.93
AV	10.6514G	41.61	54.00	-12.39	27.28	3	Horizontal	360	1.80	-	38.60	8.66	32.93

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT_V_4TX
SET 60
60
5.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95532G	61.92	74.00	-12.08	45.78	3	Horizontal	65	2.20	-	38.40	10.49	32.75
AV	15.95456G	48.43	54.00	-5.57	32.29	3	Horizontal	65	2.20	-	38.40	10.49	32.75

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
 SET 64
 80/60/70/65/63/64
 -18.67/1.93/-5.83/-0.41/1.47/0.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	65.89	74.00	-8.11	58.63	3	Vertical	357	1.80	-	33.70	6.46	32.90
AV	5.46G	52.94	54.00	-1.06	45.68	3	Vertical	357	1.80	-	33.70	6.46	32.90
PK	5.4698G	67.37	68.20	-0.83	60.10	3	Vertical	357	1.80	-	33.70	6.47	32.90
PK	5.5014G	121.60	Inf	-Inf	114.29	3	Vertical	357	1.80	-	33.71	6.50	32.90
AV	5.5014G	111.54	Inf	-Inf	104.23	3	Vertical	357	1.80	-	33.71	6.50	32.90

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
 SET 60
 64/44/54/59/61/60
 -7.06/3.80/2.35/1.20/-1.22/1.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	65.82	74.00	-8.18	58.57	3	Horizontal	356	1.80	-	33.70	6.46	32.91
AV	5.4572G	52.80	54.00	-1.20	45.55	3	Horizontal	356	1.80	-	33.70	6.46	32.91
PK	5.467G	66.76	68.20	-1.44	59.49	3	Horizontal	356	1.80	-	33.70	6.47	32.90
PK	5.497G	120.91	Inf	-Inf	113.61	3	Horizontal	356	1.80	-	33.70	6.50	32.90
AV	5.4972G	110.80	Inf	-Inf	103.50	3	Horizontal	356	1.80	-	33.70	6.50	32.90

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
 SET 60
 60
 11.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98748G	55.19	74.00	-18.81	40.70	3	Vertical	0	1.77	-	38.50	8.75	32.76
AV	10.98224G	42.20	54.00	-11.80	27.71	3	Vertical	0	1.77	-	38.50	8.75	32.76

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
SET 60
60
3.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.51716G	64.41	68.20	-3.79	45.87	3	Vertical	286	1.80	-	40.30	10.66	32.42

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
 SET 60
 60
 11.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01612G	55.63	74.00	-18.37	41.15	3	Horizontal	360	1.80	-	38.48	8.75	32.75
AV	11.01444G	42.14	54.00	-11.86	27.65	3	Horizontal	360	1.80	-	38.49	8.75	32.75

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Y_4TX
SET 60
60
2.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.51864G	65.58	68.20	-2.62	47.04	3	Horizontal	115	1.80	-	40.30	10.66	32.42

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
 SET 88
 80/100/90/85/87/88
 2.53/-4.68/-4.98/2.49/1.69/0.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45584G	66.97	74.00	-7.03	59.72	3	Vertical	3	1.80	-	33.70	6.46	32.91
AV	5.45392G	53.04	54.00	-0.96	45.80	3	Vertical	3	1.80	-	33.70	6.45	32.91
PK	5.46096G	67.69	68.20	-0.51	60.43	3	Vertical	3	1.80	-	33.70	6.46	32.90
PK	5.57808G	127.05	Inf	-Inf	119.54	3	Vertical	3	1.80	-	33.84	6.58	32.91
AV	5.57808G	116.01	Inf	-Inf	108.50	3	Vertical	3	1.80	-	33.84	6.58	32.91
PK	5.7336G	66.24	68.20	-1.96	58.29	3	Vertical	3	1.80	-	34.27	6.60	32.92

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
 SET 86
 88/68/78/83/85/86
 -0.18/2.50/1.72/1.75/1.60/1.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44496G	65.06	74.00	-8.94	57.88	3	Horizontal	360	1.80	-	33.65	6.44	32.91
AV	5.4552G	52.41	54.00	-1.59	45.16	3	Horizontal	360	1.80	-	33.70	6.46	32.91
PK	5.46672G	66.67	68.20	-1.53	59.40	3	Horizontal	360	1.80	-	33.70	6.47	32.90
PK	5.57552G	126.51	Inf	-Inf	118.99	3	Horizontal	360	1.80	-	33.85	6.58	32.91
AV	5.57424G	116.66	Inf	-Inf	109.15	3	Horizontal	360	1.80	-	33.85	6.57	32.91
PK	5.73104G	62.97	68.20	-5.23	55.04	3	Horizontal	360	1.80	-	34.25	6.60	32.92

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_V_4TX
 SET 86
 86
 12.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15136G	55.13	74.00	-18.87	40.76	3	Vertical	91	1.80	-	38.35	8.79	32.77
AV	11.17884G	41.64	54.00	-12.36	27.30	3	Vertical	91	1.80	-	38.32	8.79	32.77

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_V_4TX
SET 86
86
0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.73464G	67.50	68.20	-0.70	48.64	3	Vertical	134	1.80	-	40.43	10.72	32.29

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_V_4TX
 SET 86
 86
 12.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1784G	54.91	74.00	-19.09	40.57	3	Horizontal	293	1.80	-	38.32	8.79	32.77
AV	11.14384G	41.70	54.00	-12.30	27.32	3	Horizontal	293	1.80	-	38.36	8.79	32.77

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_V_4TX
 SET 86
 86
 0.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.73844G	67.30	68.20	-0.90	48.43	3	Horizontal	176	1.86	-	40.44	10.72	32.29

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
 SET 43
 80/60/50/45/43/44/43
 -26.57/-9.76/-5.92/-1.14/1.35/-0.41/0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7G	115.26	Inf	-Inf	107.58	3	Vertical	0	1.80	-	34.00	6.60	32.92
AV	5.6992G	105.61	Inf	-Inf	97.93	3	Vertical	0	1.80	-	34.00	6.60	32.92
PK	5.7292G	67.82	68.20	-0.38	59.91	3	Vertical	0	1.80	-	34.23	6.60	32.92

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Z_4TX
SET 39
39
0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7038G	114.88	Inf	-Inf	107.17	3	Horizontal	0	1.80	-	34.03	6.60	32.92
AV	5.7042G	105.24	Inf	-Inf	97.53	3	Horizontal	0	1.80	-	34.03	6.60	32.92
PK	5.7258G	67.84	68.20	-0.36	59.95	3	Horizontal	0	1.80	-	34.21	6.60	32.92

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
 SET 39
 39
 11.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41744G	56.26	74.00	-17.74	41.81	3	Vertical	153	1.80	-	38.40	8.85	32.80
AV	11.40912G	42.74	54.00	-11.26	28.29	3	Vertical	153	1.80	-	38.40	8.85	32.80

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
SET 39
39
2.73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.1016G	61.47	68.20	-6.73	41.32	3	Vertical	0	1.80	-	41.40	10.83	32.08

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
SET 39
39
11.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4108G	56.16	74.00	-17.84	41.71	3	Horizontal	1	1.80	-	38.40	8.85	32.80
AV	11.41524G	42.79	54.00	-11.21	28.34	3	Horizontal	1	1.80	-	38.40	8.85	32.80

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Y_4TX
SET 39
39
2.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.08228G	61.52	68.20	-6.68	41.44	3	Horizontal	298	1.80	-	41.35	10.82	32.09

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
SET 108
80/100/108
3.27/1.00/0.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45432G	61.49	74.00	-12.51	54.25	3	Vertical	2	1.80	-	33.70	6.45	32.91
AV	5.45G	49.57	54.00	-4.43	42.33	3	Vertical	2	1.80	-	33.70	6.45	32.91
PK	5.46944G	61.33	68.20	-6.87	54.06	3	Vertical	2	1.80	-	33.70	6.47	32.90
PK	5.71892G	126.17	Inf	-Inf	118.34	3	Vertical	2	1.80	-	34.15	6.60	32.92
AV	5.71784G	115.57	Inf	-Inf	107.75	3	Vertical	2	1.80	-	34.14	6.60	32.92
PK	5.85G	67.44	68.20	-0.76	58.98	3	Vertical	2	1.80	-	34.80	6.60	32.94

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
SET 108
108
1.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45432G	62.25	74.00	-11.75	55.01	3	Horizontal	0	1.80	-	33.70	6.45	32.91
AV	5.45324G	50.29	54.00	-3.71	43.05	3	Horizontal	0	1.80	-	33.70	6.45	32.91
PK	5.46512G	62.05	68.20	-6.15	54.78	3	Horizontal	0	1.80	-	33.70	6.47	32.90
PK	5.72324G	127.20	Inf	-Inf	119.33	3	Horizontal	0	1.80	-	34.19	6.60	32.92
AV	5.72432G	116.53	Inf	-Inf	108.66	3	Horizontal	0	1.80	-	34.19	6.60	32.92
PK	5.85392G	66.85	68.20	-1.35	58.38	3	Horizontal	0	1.80	-	34.81	6.60	32.94

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
SET 108
108
10.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45132G	56.20	74.00	-17.80	41.74	3	Vertical	222	3.00	-	38.40	8.86	32.80
AV	11.4506G	43.17	54.00	-10.83	28.71	3	Vertical	222	3.00	-	38.40	8.86	32.80

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 SET 83
 108/88/78/83
 -2.03/-2.05/0.75/0.18

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.15876G	68.02	68.20	-0.18	47.70	3	Vertical	140	1.18	-	41.52	10.85	32.05

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
SET 83
83
11.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45576G	57.14	74.00	-16.86	42.68	3	Horizontal	210	1.80	-	38.40	8.86	32.80
AV	11.44236G	42.96	54.00	-11.04	28.50	3	Horizontal	210	1.80	-	38.40	8.86	32.80

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
 SET 78
 83/63/73/78
 -0.63/1.93/1.64/0.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.15892G	67.75	68.20	-0.45	47.43	3	Horizontal	178	1.68	-	41.52	10.85	32.05

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
 SET 84
 80/100/90/85/83/84
 2.69/-9.15/-5.03/-1.22/0.76/0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14872G	64.71	74.00	-9.29	58.58	3	Vertical	360	1.80	-	32.70	6.37	32.94
AV	5.14664G	49.65	54.00	-4.35	43.51	3	Vertical	360	1.80	-	32.71	6.37	32.94
PK	5.2548G	126.35	Inf	-Inf	120.07	3	Vertical	360	1.80	-	32.81	6.40	32.93
AV	5.2548G	113.84	Inf	-Inf	107.56	3	Vertical	360	1.80	-	32.81	6.40	32.93
PK	5.35256G	68.04	74.00	-5.96	61.55	3	Vertical	360	1.80	-	33.01	6.40	32.92
AV	5.35256G	53.67	54.00	-0.33	47.18	3	Vertical	360	1.80	-	33.01	6.40	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
 SET 79
 84/64/74/79
 -7.89/4.69/2.86/0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14508G	63.82	74.00	-10.18	57.68	3	Horizontal	356	1.80	-	32.71	6.37	32.94
AV	5.14976G	49.17	54.00	-4.83	43.04	3	Horizontal	356	1.80	-	32.70	6.37	32.94
PK	5.25376G	127.00	Inf	-Inf	120.72	3	Horizontal	356	1.80	-	32.81	6.40	32.93
AV	5.25376G	113.05	Inf	-Inf	106.77	3	Horizontal	356	1.80	-	32.81	6.40	32.93
PK	5.35152G	70.47	74.00	-3.53	63.98	3	Horizontal	356	1.80	-	33.01	6.40	32.92
AV	5.35152G	53.73	54.00	-0.27	47.24	3	Horizontal	356	1.80	-	33.01	6.40	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
SET 79
79
13.13

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.52792G	55.07	68.20	-13.13	40.91	3	Vertical	163	1.80	-	38.53	8.63	33.00

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
SET 79
79
5.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78276G	62.56	74.00	-11.44	46.70	3	Vertical	158	1.01	-	38.20	10.43	32.77
AV	15.78296G	48.70	54.00	-5.30	32.84	3	Vertical	158	1.01	-	38.20	10.43	32.77

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
SET 79
79
12.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51932G	55.38	68.20	-12.82	41.23	3	Horizontal	201	1.80	-	38.52	8.63	33.00

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
SET 79
79
4.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7834G	63.84	74.00	-10.16	47.97	3	Horizontal	220	2.80	-	38.20	10.44	32.77
AV	15.78332G	49.64	54.00	-4.36	33.78	3	Horizontal	220	2.80	-	38.20	10.43	32.77

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
 SET 68
 80/60/70/65/67/68
 -7.98/3.73/-0.10/2.31/1.37/0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30448G	123.37	Inf	-Inf	116.98	3	Vertical	0	1.80	-	32.91	6.40	32.92
AV	5.30476G	109.73	Inf	-Inf	103.34	3	Vertical	0	1.80	-	32.91	6.40	32.92
PK	5.35236G	71.81	74.00	-2.19	65.32	3	Vertical	0	1.80	-	33.01	6.40	32.92
AV	5.35208G	53.30	54.00	-0.70	46.81	3	Vertical	0	1.80	-	33.01	6.40	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Z_4TX
 SET 63
 68/48/58/63
 -3.39/5.23/2.62/0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29356G	123.14	Inf	-Inf	116.77	3	Horizontal	356	1.80	-	32.89	6.40	32.92
AV	5.29888G	109.31	Inf	-Inf	102.93	3	Horizontal	356	1.80	-	32.90	6.40	32.92
PK	5.35936G	72.15	74.00	-1.85	65.63	3	Horizontal	356	1.80	-	33.04	6.40	32.92
AV	5.35G	53.56	54.00	-0.44	47.08	3	Horizontal	356	1.80	-	33.00	6.40	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
SET 63
63
13.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59936G	54.94	68.20	-13.26	40.65	3	Vertical	249	3.00	-	38.60	8.65	32.96

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
SET 63
63
6.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9046G	62.31	74.00	-11.69	46.20	3	Vertical	59	1.80	-	38.40	10.47	32.76
AV	15.9186G	47.46	54.00	-6.54	31.33	3	Vertical	59	1.80	-	38.40	10.48	32.75

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
 SET 63
 63
 12.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5882G	55.67	68.20	-12.53	41.39	3	Horizontal	140	1.31	-	38.59	8.65	32.96

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
SET 63
63
4.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.91036G	64.64	74.00	-9.36	48.52	3	Horizontal	142	2.65	-	38.40	10.47	32.75
AV	15.89556G	49.02	54.00	-4.98	32.91	3	Horizontal	142	2.65	-	38.40	10.47	32.76

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
 SET 65
 80/60/70/65
 -18.95/3.01/-5.18/0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3194G	122.81	Inf	-Inf	116.39	3	Vertical	360	1.80	-	32.94	6.40	32.92
AV	5.3248G	109.63	Inf	-Inf	103.20	3	Vertical	360	1.80	-	32.95	6.40	32.92
PK	5.3586G	68.90	74.00	-5.10	62.39	3	Vertical	360	1.80	-	33.03	6.40	32.92
AV	5.3516G	53.99	54.00	-0.01	47.50	3	Vertical	360	1.80	-	33.01	6.40	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
 SET 60
 65/45/55/60
 -4.68/4.88/2.82/0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	123.41	Inf	-Inf	117.00	3	Horizontal	3	1.80	-	32.93	6.40	32.92
AV	5.3224G	109.60	Inf	-Inf	103.18	3	Horizontal	3	1.80	-	32.94	6.40	32.92
PK	5.3578G	68.74	74.00	-5.26	62.23	3	Horizontal	3	1.80	-	33.03	6.40	32.92
AV	5.3502G	53.74	54.00	-0.26	47.26	3	Horizontal	3	1.80	-	33.00	6.40	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
SET 60
60
12.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6392G	54.86	74.00	-19.14	40.54	3	Vertical	236	2.37	-	38.60	8.66	32.94
AV	10.63332G	41.06	54.00	-12.94	26.74	3	Vertical	236	2.37	-	38.60	8.66	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
SET 60
60
6.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.97836G	61.72	74.00	-12.28	45.57	3	Vertical	39	1.00	-	38.40	10.49	32.74
AV	15.94196G	47.82	54.00	-6.18	31.69	3	Vertical	39	1.00	-	38.40	10.48	32.75

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
 SET 60
 60
 12.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64704G	54.73	74.00	-19.27	40.40	3	Horizontal	104	1.80	-	38.60	8.66	32.93
AV	10.64188G	41.07	54.00	-12.93	26.75	3	Horizontal	104	1.80	-	38.60	8.66	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
SET 60
60
6.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96516G	62.10	74.00	-11.90	45.96	3	Horizontal	319	2.69	-	38.40	10.49	32.75
AV	15.94176G	47.77	54.00	-6.23	31.64	3	Horizontal	319	2.69	-	38.40	10.48	32.75

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
 SET 63
 80/60/70/65/63/64/63
 -22.31/1.85/-6.23/-0.48/0.77/-0.85/0.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	67.35	74.00	-6.65	60.09	3	Vertical	359	1.80	-	33.70	6.46	32.90
AV	5.4598G	53.14	54.00	-0.86	45.88	3	Vertical	359	1.80	-	33.70	6.46	32.90
PK	5.4614G	66.41	68.20	-1.79	59.15	3	Vertical	359	1.80	-	33.70	6.46	32.90
PK	5.5056G	124.66	Inf	-Inf	117.33	3	Vertical	359	1.80	-	33.72	6.51	32.90
AV	5.495G	109.45	Inf	-Inf	102.15	3	Vertical	359	1.80	-	33.70	6.50	32.90

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
 SET 60
 63/43/53/58/60/61/60
 -3.38/4.38/2.93/1.59/0.86/-0.35/0.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	67.39	74.00	-6.61	60.14	3	Horizontal	2	1.80	-	33.70	6.46	32.91
AV	5.4576G	53.05	54.00	-0.95	45.80	3	Horizontal	2	1.80	-	33.70	6.46	32.91
PK	5.4624G	66.67	68.20	-1.53	59.41	3	Horizontal	2	1.80	-	33.70	6.46	32.90
PK	5.4976G	122.34	Inf	-Inf	115.04	3	Horizontal	2	1.80	-	33.70	6.50	32.90
AV	5.4972G	109.07	Inf	-Inf	101.77	3	Horizontal	2	1.80	-	33.70	6.50	32.90

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
 SET 60
 60
 12.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99672G	56.07	74.00	-17.93	41.57	3	Vertical	26	1.80	-	38.50	8.75	32.75
AV	10.98236G	41.52	54.00	-12.48	27.03	3	Vertical	26	1.80	-	38.50	8.75	32.76

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
 SET 60
 60
 4.17

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.5092G	64.03	68.20	-4.17	45.50	3	Vertical	211	1.80	-	40.30	10.65	32.42

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
SET 60
60
12.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99308G	55.19	74.00	-18.81	40.69	3	Horizontal	91	1.80	-	38.50	8.75	32.75
AV	10.982G	41.54	54.00	-12.46	27.05	3	Horizontal	91	1.80	-	38.50	8.75	32.76

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
 SET 60
 60
 4.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.49936G	64.16	68.20	-4.04	45.64	3	Horizontal	158	1.80	-	40.30	10.65	32.43

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
 SET 87
 80/100/90/85/87
 2.98/-9.72/-6.64/2.37/0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45776G	67.10	74.00	-6.90	59.85	3	Vertical	357	1.80	-	33.70	6.46	32.91
AV	5.45776G	52.71	54.00	-1.29	45.46	3	Vertical	357	1.80	-	33.70	6.46	32.91
PK	5.46864G	67.96	68.20	-0.24	60.69	3	Vertical	357	1.80	-	33.70	6.47	32.90
PK	5.57616G	126.59	Inf	-Inf	119.07	3	Vertical	357	1.80	-	33.85	6.58	32.91
AV	5.58064G	113.77	Inf	-Inf	106.26	3	Vertical	357	1.80	-	33.84	6.58	32.91
PK	5.72912G	64.56	68.20	-3.64	56.65	3	Vertical	357	1.80	-	34.23	6.60	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
SET 87
87
1.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44752G	66.68	74.00	-7.32	59.46	3	Horizontal	354	1.80	-	33.68	6.45	32.91
AV	5.45328G	52.03	54.00	-1.97	44.79	3	Horizontal	354	1.80	-	33.70	6.45	32.91
PK	5.4648G	67.00	68.20	-1.20	59.74	3	Horizontal	354	1.80	-	33.70	6.46	32.90
PK	5.57808G	127.51	Inf	-Inf	120.00	3	Horizontal	354	1.80	-	33.84	6.58	32.91
AV	5.57872G	114.53	Inf	-Inf	107.02	3	Horizontal	354	1.80	-	33.84	6.58	32.91
PK	5.72976G	64.97	68.20	-3.23	57.05	3	Horizontal	354	1.80	-	34.24	6.60	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
SET 87
87
13.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1496G	56.04	74.00	-17.96	41.67	3	Vertical	55	1.80	-	38.35	8.79	32.77
AV	11.16096G	40.96	54.00	-13.04	26.60	3	Vertical	55	1.80	-	38.34	8.79	32.77

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
 SET 87
 87
 1.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.73864G	67.04	68.20	-1.16	48.17	3	Vertical	135	1.80	-	40.44	10.72	32.29

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
 SET 87
 87
 13.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1484G	55.03	74.00	-18.97	40.66	3	Horizontal	0	1.80	-	38.35	8.79	32.77
AV	11.16956G	40.89	54.00	-13.11	26.54	3	Horizontal	0	1.80	-	38.33	8.79	32.77

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
 SET 87
 87
 1.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.7384G	66.90	68.20	-1.30	48.03	3	Horizontal	174	2.56	-	40.44	10.72	32.29

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
 SET 41
 80/60/50/45/43/41
 -30.01/-16.76/-7.40/-2.35/-0.30/0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7048G	116.54	Inf	-Inf	108.82	3	Vertical	0	1.80	-	34.04	6.60	32.92
AV	5.7048G	102.37	Inf	-Inf	94.65	3	Vertical	0	1.80	-	34.04	6.60	32.92
PK	5.7264G	67.78	68.20	-0.42	59.89	3	Vertical	0	1.80	-	34.21	6.60	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Z_4TX
SET 40
40
0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7026G	116.61	Inf	-Inf	108.91	3	Horizontal	0	1.80	-	34.02	6.60	32.92
AV	5.7072G	102.36	Inf	-Inf	94.62	3	Horizontal	0	1.80	-	34.06	6.60	32.92
PK	5.7258G	67.67	68.20	-0.53	59.78	3	Horizontal	0	1.80	-	34.21	6.60	32.92

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
 SET 40
 40
 12.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39724G	55.95	74.00	-18.05	41.50	3	Vertical	0	2.56	-	38.40	8.85	32.80
AV	11.39408G	41.96	54.00	-12.04	27.51	3	Vertical	0	2.56	-	38.40	8.85	32.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
 SET 40
 40
 2.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.09808G	62.85	68.20	-5.35	42.71	3	Vertical	156	1.80	-	41.39	10.83	32.08

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
 SET 40
 40
 11.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38704G	55.83	74.00	-18.17	41.38	3	Horizontal	0	1.80	-	38.40	8.85	32.80
AV	11.41736G	42.06	54.00	-11.94	27.61	3	Horizontal	0	1.80	-	38.40	8.85	32.80

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
 SET 40
 40
 2.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.1152G	62.99	68.20	-5.21	42.80	3	Horizontal	120	2.78	-	41.43	10.83	32.07

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 SET 88
 80/100/90/85/87/88
 3.77/-0.99/-1.12/4.20/3.49/2.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45972G	62.31	74.00	-11.69	55.05	3	Vertical	360	1.80	-	33.70	6.46	32.90
AV	5.45216G	49.61	54.00	-4.39	42.37	3	Vertical	360	1.80	-	33.70	6.45	32.91
PK	5.47G	61.72	68.20	-6.48	54.45	3	Vertical	360	1.80	-	33.70	6.47	32.90
PK	5.72G	126.27	Inf	-Inf	118.43	3	Vertical	360	1.80	-	34.16	6.60	32.92
AV	5.7146G	113.17	Inf	-Inf	105.37	3	Vertical	360	1.80	-	34.12	6.60	32.92
PK	5.85284G	65.41	68.20	-2.79	56.94	3	Vertical	360	1.80	-	34.81	6.60	32.94


802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 SET 88
 88
 1.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	61.79	74.00	-12.21	54.53	3	Horizontal	358	1.80	-	33.70	6.46	32.90
AV	5.45324G	49.72	54.00	-4.28	42.48	3	Horizontal	358	1.80	-	33.70	6.45	32.91
PK	5.46404G	62.88	68.20	-5.32	55.62	3	Horizontal	358	1.80	-	33.70	6.46	32.90
PK	5.72216G	127.50	Inf	-Inf	119.64	3	Horizontal	358	1.80	-	34.18	6.60	32.92
AV	5.72216G	114.51	Inf	-Inf	106.65	3	Horizontal	358	1.80	-	34.18	6.60	32.92
PK	5.85176G	66.49	68.20	-1.71	58.03	3	Horizontal	358	1.80	-	34.80	6.60	32.94


802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 SET 88
 88
 11.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4516G	56.21	74.00	-17.79	41.75	3	Vertical	0	1.80	-	38.40	8.86	32.80
AV	11.45536G	42.26	54.00	-11.74	27.80	3	Vertical	0	1.80	-	38.40	8.86	32.80

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 SET 83
 88/68/78/83
 -1.43/1.84/1.76/0.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.16352G	67.87	68.20	-0.33	47.53	3	Vertical	149	1.83	-	41.53	10.85	32.04

802.11ax HEW20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
SET 83
83
11.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45016G	56.63	74.00	-17.37	42.17	3	Horizontal	15	1.80	-	38.40	8.86	32.80
AV	11.44924G	42.16	54.00	-11.84	27.70	3	Horizontal	15	1.80	-	38.40	8.86	32.80

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 SET 83
 83
 0.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.15976G	67.41	68.20	-0.79	47.09	3	Horizontal	176	1.78	-	41.52	10.85	32.05

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
 SET 63
 80/60/70/65/63
 -11.57/1.63/-4.13/-0.74/0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14848G	61.59	74.00	-12.41	55.46	3	Vertical	360	1.80	-	32.70	6.37	32.94
AV	5.13784G	49.65	54.00	-4.35	43.50	3	Vertical	360	1.80	-	32.72	6.37	32.94
PK	5.25992G	119.21	Inf	-Inf	112.92	3	Vertical	360	1.80	-	32.82	6.40	32.93
AV	5.26496G	107.54	Inf	-Inf	101.24	3	Vertical	360	1.80	-	32.83	6.40	32.93
PK	5.35512G	67.32	74.00	-6.68	60.82	3	Vertical	360	1.80	-	33.02	6.40	32.92
AV	5.35G	53.97	54.00	-0.03	47.49	3	Vertical	360	1.80	-	33.00	6.40	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
 SET 59
 63/43/53/58/60/59
 -1.44/4.53/3.12/1.28/-0.50/0.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13392G	60.59	74.00	-13.41	54.43	3	Horizontal	358	1.80	-	32.73	6.37	32.94
AV	5.15G	49.47	54.00	-4.53	43.34	3	Horizontal	358	1.80	-	32.70	6.37	32.94
PK	5.25824G	118.25	Inf	-Inf	111.96	3	Horizontal	358	1.80	-	32.82	6.40	32.93
AV	5.25376G	106.30	Inf	-Inf	100.02	3	Horizontal	358	1.80	-	32.81	6.40	32.93
PK	5.35288G	67.21	74.00	-6.79	60.72	3	Horizontal	358	1.80	-	33.01	6.40	32.92
AV	5.35G	53.27	54.00	-0.73	46.79	3	Horizontal	358	1.80	-	33.00	6.40	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
SET 59
59
13.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53928G	55.11	68.20	-13.09	40.93	3	Vertical	304	1.80	-	38.54	8.63	32.99

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
SET 59
59
6.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81048G	60.36	74.00	-13.64	44.38	3	Vertical	58	1.30	-	38.31	10.44	32.77
AV	15.846G	47.24	54.00	-6.76	31.20	3	Vertical	58	1.30	-	38.35	10.45	32.76

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
SET 59
59
13.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54928G	54.90	68.20	-13.30	40.69	3	Horizontal	18	1.80	-	38.55	8.64	32.98

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
SET 59
59
6.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.82624G	59.95	74.00	-14.05	43.94	3	Horizontal	284	1.70	-	38.33	10.45	32.77
AV	15.80448G	47.17	54.00	-6.83	31.20	3	Horizontal	284	1.70	-	38.30	10.44	32.77

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_Z_4TX
 SET 53
 80/60/50/55/53
 -32.26/-3.96/1.13/-0.25/0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31504G	117.14	Inf	-Inf	110.73	3	Vertical	0	1.80	-	32.93	6.40	32.92
AV	5.32464G	105.42	Inf	-Inf	98.99	3	Vertical	0	1.80	-	32.95	6.40	32.92
PK	5.35G	66.95	74.00	-7.05	60.47	3	Vertical	0	1.80	-	33.00	6.40	32.92
AV	5.35G	53.63	54.00	-0.37	47.15	3	Vertical	0	1.80	-	33.00	6.40	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Z_4TX
 SET 49
 53/33/43/48/50/49
 -1.33/2.81/2.05/0.59/-0.09/0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31816G	117.08	Inf	-Inf	110.66	3	Horizontal	360	1.80	-	32.94	6.40	32.92
AV	5.31792G	105.40	Inf	-Inf	98.98	3	Horizontal	360	1.80	-	32.94	6.40	32.92
PK	5.35344G	66.17	74.00	-7.83	59.68	3	Horizontal	360	1.80	-	33.01	6.40	32.92
AV	5.35368G	53.78	54.00	-0.22	47.29	3	Horizontal	360	1.80	-	33.01	6.40	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
 SET 49
 49
 19.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.65136G	54.90	74.00	-19.10	40.57	3	Vertical	326	1.02	-	38.60	8.66	32.93

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
SET 49
49
4.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93272G	61.88	74.00	-12.12	45.75	3	Vertical	155	1.80	-	38.40	10.48	32.75
AV	15.94808G	49.34	54.00	-4.66	33.21	3	Vertical	155	1.80	-	38.40	10.48	32.75

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
SET 49
49
18.72

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.62528G	55.28	74.00	-18.72	40.96	3	Horizontal	178	1.80	-	38.60	8.66	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
SET 49
49
4.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92976G	61.86	74.00	-12.14	45.73	3	Horizontal	75	1.80	-	38.40	10.48	32.75
AV	15.95376G	49.33	54.00	-4.67	33.19	3	Horizontal	75	1.80	-	38.40	10.49	32.75

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
 SET 56
 80/60/50/55/57/56
 -33.14/-4.90/1.89/0.94/-0.43/0.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.59	74.00	-9.41	57.33	3	Vertical	0	1.80	-	33.70	6.46	32.90
AV	5.46G	53.17	54.00	-0.83	45.91	3	Vertical	0	1.80	-	33.70	6.46	32.90
PK	5.46656G	67.57	68.20	-0.63	60.30	3	Vertical	0	1.80	-	33.70	6.47	32.90
PK	5.52008G	120.41	Inf	-Inf	113.01	3	Vertical	0	1.80	-	33.78	6.52	32.90
AV	5.52008G	107.73	Inf	-Inf	100.33	3	Vertical	0	1.80	-	33.78	6.52	32.90

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
 SET 49
 56/36/46/51/49
 -3.04/3.09/1.12/-0.33/0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45888G	66.39	74.00	-7.61	59.13	3	Horizontal	358	1.80	-	33.70	6.46	32.90
AV	5.4572G	52.86	54.00	-1.14	45.61	3	Horizontal	358	1.80	-	33.70	6.46	32.91
PK	5.46776G	67.70	68.20	-0.50	60.43	3	Horizontal	358	1.80	-	33.70	6.47	32.90
PK	5.51288G	117.74	Inf	-Inf	110.38	3	Horizontal	358	1.80	-	33.75	6.51	32.90
AV	5.51816G	106.09	Inf	-Inf	98.70	3	Horizontal	358	1.80	-	33.77	6.52	32.90

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
SET 49
49
11.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00784G	55.12	74.00	-18.88	40.63	3	Vertical	146	1.79	-	38.49	8.75	32.75
AV	11.02792G	42.86	54.00	-11.14	28.38	3	Vertical	146	1.79	-	38.47	8.76	32.75

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
SET 49
49
3.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.56536G	64.28	68.20	-3.92	45.70	3	Vertical	174	1.80	-	40.30	10.67	32.39

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
SET 49
49
11.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99624G	55.94	74.00	-18.06	41.44	3	Horizontal	356	1.80	-	38.50	8.75	32.75
AV	11.05552G	42.84	54.00	-11.16	28.40	3	Horizontal	356	1.80	-	38.44	8.76	32.76

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
SET 49
49
4.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.51232G	64.14	68.20	-4.06	45.61	3	Horizontal	328	1.80	-	40.30	10.65	32.42

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
 SET 58
 80/60/50/55/57/58
 -13.78/-1.40/2.91/1.99/1.40/1.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	65.24	74.00	-8.76	57.99	3	Vertical	0	1.80	-	33.70	6.46	32.91
AV	5.4596G	52.87	54.00	-1.13	45.61	3	Vertical	0	1.80	-	33.70	6.46	32.90
PK	5.47G	67.15	68.20	-1.05	59.88	3	Vertical	0	1.80	-	33.70	6.47	32.90
PK	5.5396G	120.38	Inf	-Inf	112.88	3	Vertical	0	1.80	-	33.86	6.54	32.90
AV	5.5348G	108.73	Inf	-Inf	101.26	3	Vertical	0	1.80	-	33.84	6.53	32.90
PK	5.7292G	62.45	68.20	-5.75	54.54	3	Vertical	0	1.80	-	34.23	6.60	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
 SET 56
 58/38/48/53/55/56
 -0.11/3.56/2.41/1.87/1.13/0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	65.53	74.00	-8.47	58.28	3	Horizontal	0	1.80	-	33.70	6.46	32.91
AV	5.4572G	52.99	54.00	-1.01	45.74	3	Horizontal	0	1.80	-	33.70	6.46	32.91
PK	5.4676G	68.02	68.20	-0.18	60.75	3	Horizontal	0	1.80	-	33.70	6.47	32.90
PK	5.5372G	120.48	Inf	-Inf	112.99	3	Horizontal	0	1.80	-	33.85	6.54	32.90
AV	5.5428G	108.42	Inf	-Inf	100.91	3	Horizontal	0	1.80	-	33.87	6.54	32.90
PK	5.742G	62.61	68.20	-5.59	54.59	3	Horizontal	0	1.80	-	34.34	6.60	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
 SET 56
 56
 11.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1136G	55.72	74.00	-18.28	41.31	3	Vertical	360	1.80	-	38.39	8.78	32.76
AV	11.1144G	42.61	54.00	-11.39	28.20	3	Vertical	360	1.80	-	38.39	8.78	32.76

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
SET 56
56
4.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.66224G	63.50	68.20	-4.70	44.77	3	Vertical	164	2.95	-	40.36	10.70	32.33

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
 SET 56
 56
 11.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06712G	55.93	74.00	-18.07	41.49	3	Horizontal	252	1.80	-	38.43	8.77	32.76
AV	11.06288G	42.54	54.00	-11.46	28.09	3	Horizontal	252	1.80	-	38.44	8.77	32.76

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
 SET 56
 56
 4.80

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.6884G	63.40	68.20	-4.80	44.62	3	Horizontal	307	1.80	-	40.39	10.71	32.32

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_Z_4TX
 SET 42
 80/60/50/45/43/42
 -27.57/-10.82/-3.95/-0.88/-0.90/1.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.67512G	116.44	Inf	-Inf	108.71	3	Vertical	360	1.80	-	34.05	6.60	32.92
AV	5.65976G	104.76	Inf	-Inf	97.00	3	Vertical	360	1.80	-	34.08	6.60	32.92
PK	5.72568G	66.77	68.20	-1.43	58.88	3	Vertical	360	1.80	-	34.21	6.60	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Z_4TX
SET 42
42
0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66392G	116.69	Inf	-Inf	108.94	3	Horizontal	355	1.80	-	34.07	6.60	32.92
AV	5.65784G	104.85	Inf	-Inf	97.09	3	Horizontal	355	1.80	-	34.08	6.60	32.92
PK	5.72792G	68.13	68.20	-0.07	60.23	3	Horizontal	355	1.80	-	34.22	6.60	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
 SET 42
 42
 10.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37752G	56.12	74.00	-17.88	41.68	3	Vertical	209	1.80	-	38.40	8.84	32.80
AV	11.36848G	43.33	54.00	-10.67	28.88	3	Vertical	209	1.80	-	38.40	8.84	32.79

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
 SET 42
 42
 2.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.04056G	65.35	68.20	-2.85	45.43	3	Vertical	284	1.13	-	41.22	10.81	32.11

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
 SET 42
 42
 10.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34832G	55.47	74.00	-18.53	41.02	3	Horizontal	255	1.80	-	38.40	8.84	32.79
AV	11.38G	43.49	54.00	-10.51	29.05	3	Horizontal	255	1.80	-	38.40	8.84	32.80

802.11ax HEW40_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



EUT Y_4TX
SET 42
42
3.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.99352G	65.20	68.20	-3.00	45.44	3	Horizontal	6	2.61	-	41.09	10.80	32.13

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 SET 72
 80/60/70/75/73/72
 -2.11/2.71/1.43/-0.63/-0.49/1.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45936G	63.23	74.00	-10.77	55.97	3	Vertical	360	1.80	-	33.70	6.46	32.90
AV	5.45104G	51.88	54.00	-2.12	44.64	3	Vertical	360	1.80	-	33.70	6.45	32.91
PK	5.46248G	62.58	68.20	-5.62	55.32	3	Vertical	360	1.80	-	33.70	6.46	32.90
PK	5.7152G	121.98	Inf	-Inf	114.18	3	Vertical	360	1.80	-	34.12	6.60	32.92
AV	5.7152G	111.00	Inf	-Inf	103.20	3	Vertical	360	1.80	-	34.12	6.60	32.92
PK	5.85G	66.52	68.20	-1.68	58.06	3	Vertical	360	1.80	-	34.80	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
SET 72
72
0.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45416G	65.01	74.00	-8.99	57.77	3	Horizontal	360	1.80	-	33.70	6.45	32.91
AV	5.45728G	53.03	54.00	-0.97	45.78	3	Horizontal	360	1.80	-	33.70	6.46	32.91
PK	5.46144G	63.86	68.20	-4.34	56.60	3	Horizontal	360	1.80	-	33.70	6.46	32.90
PK	5.71208G	122.58	Inf	-Inf	114.80	3	Horizontal	360	1.80	-	34.10	6.60	32.92
AV	5.72144G	111.48	Inf	-Inf	103.63	3	Horizontal	360	1.80	-	34.17	6.60	32.92
PK	5.85248G	66.51	68.20	-1.69	58.05	3	Horizontal	360	1.80	-	34.80	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 SET 72
 72
 10.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4296G	56.34	74.00	-17.66	41.88	3	Vertical	25	1.80	-	38.40	8.86	32.80
AV	11.44904G	43.66	54.00	-10.34	29.20	3	Vertical	25	1.80	-	38.40	8.86	32.80


802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 SET 72
 72
 2.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.12528G	66.10	68.20	-2.10	45.87	3	Vertical	148	1.29	-	41.45	10.84	32.06


802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 SET 72
 72
 10.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45832G	56.29	74.00	-17.71	41.83	3	Horizontal	35	1.80	-	38.40	8.86	32.80
AV	11.43176G	43.53	54.00	-10.47	29.07	3	Horizontal	35	1.80	-	38.40	8.86	32.80

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 SET 72
 72
 1.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.11944G	66.54	68.20	-1.66	46.33	3	Horizontal	177	1.80	-	41.44	10.84	32.07

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
SET 50
80/60/50
-34.79/-5.11/0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14728G	61.16	74.00	-12.84	55.02	3	Vertical	1	1.80	-	32.71	6.37	32.94
AV	5.14856G	49.24	54.00	-4.76	43.11	3	Vertical	1	1.80	-	32.70	6.37	32.94
PK	5.31944G	114.03	Inf	-Inf	107.61	3	Vertical	1	1.80	-	32.94	6.40	32.92
AV	5.32008G	102.14	Inf	-Inf	95.72	3	Vertical	1	1.80	-	32.94	6.40	32.92
PK	5.354G	65.29	74.00	-8.71	58.79	3	Vertical	1	1.80	-	33.02	6.40	32.92
AV	5.35G	53.53	54.00	-0.47	47.05	3	Vertical	1	1.80	-	33.00	6.40	32.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
 SET 45
 50/30/40/45/47/46/45
 -1.79/2.28/2.53/0.59/-0.43/-0.16/0.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13832G	60.27	74.00	-13.73	54.12	3	Horizontal	3	1.80	-	32.72	6.37	32.94
AV	5.14536G	48.32	54.00	-5.68	42.18	3	Horizontal	3	1.80	-	32.71	6.37	32.94
PK	5.32776G	113.30	Inf	-Inf	106.86	3	Horizontal	3	1.80	-	32.96	6.40	32.92
AV	5.32264G	100.88	Inf	-Inf	94.45	3	Horizontal	3	1.80	-	32.95	6.40	32.92
PK	5.35272G	64.27	74.00	-9.73	57.78	3	Horizontal	3	1.80	-	33.01	6.40	32.92
AV	5.35208G	53.44	54.00	-0.56	46.95	3	Horizontal	3	1.80	-	33.01	6.40	32.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
SET 45
45
11.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53056G	54.76	68.20	-13.44	40.59	3	Vertical	2	1.80	-	38.53	8.63	32.99
AV	10.64704G	42.63	54.00	-11.37	28.30	3	Vertical	2	1.80	-	38.60	8.66	32.93

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
SET 45
45
5.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9404G	61.96	74.00	-12.04	45.83	3	Vertical	227	1.75	-	38.40	10.48	32.75
AV	15.94632G	48.94	54.00	-5.06	32.81	3	Vertical	227	1.75	-	38.40	10.48	32.75

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
SET 45
45
12.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5712G	55.23	68.20	-12.97	40.99	3	Horizontal	246	1.58	-	38.57	8.64	32.97

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
 SET 45
 45
 4.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90328G	61.35	74.00	-12.65	45.24	3	Horizontal	29	1.75	-	38.40	10.47	32.76
AV	15.92968G	49.44	54.00	-4.56	33.31	3	Horizontal	29	1.75	-	38.40	10.48	32.75

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
 SET 53
 80/60/50/55/53
 -35.00/-5.75/1.32/-1.01/0.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	65.14	74.00	-8.86	57.88	3	Vertical	360	1.80	-	33.70	6.46	32.90
AV	5.45896G	53.65	54.00	-0.35	46.39	3	Vertical	360	1.80	-	33.70	6.46	32.90
PK	5.46984G	66.98	68.20	-1.22	59.71	3	Vertical	360	1.80	-	33.70	6.47	32.90
PK	5.51496G	116.40	Inf	-Inf	109.03	3	Vertical	360	1.80	-	33.76	6.51	32.90
AV	5.5348G	104.09	Inf	-Inf	96.62	3	Vertical	360	1.80	-	33.84	6.53	32.90

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
 SET 50
 53/33/43/48/50
 -1.59/3.01/2.15/0.96/0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	66.05	74.00	-7.95	58.79	3	Horizontal	354	1.80	-	33.70	6.46	32.90
AV	5.45832G	53.99	54.00	-0.01	46.74	3	Horizontal	354	1.80	-	33.70	6.46	32.91
PK	5.4692G	66.25	68.20	-1.95	58.98	3	Horizontal	354	1.80	-	33.70	6.47	32.90
PK	5.52904G	115.12	Inf	-Inf	107.67	3	Horizontal	354	1.80	-	33.82	6.53	32.90
AV	5.53352G	103.54	Inf	-Inf	96.08	3	Horizontal	354	1.80	-	33.83	6.53	32.90

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
 SET 50
 50
 10.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09232G	55.56	74.00	-18.44	41.14	3	Vertical	6	1.80	-	38.41	8.77	32.76
AV	10.99696G	43.19	54.00	-10.81	28.69	3	Vertical	6	1.80	-	38.50	8.75	32.75

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
SET 50
50
3.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.55928G	65.17	68.20	-3.03	46.59	3	Vertical	153	1.80	-	40.30	10.67	32.39

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
 SET 50
 50
 11.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08912G	55.37	74.00	-18.63	40.95	3	Horizontal	250	1.80	-	38.41	8.77	32.76
AV	11.02512G	42.97	54.00	-11.03	28.49	3	Horizontal	250	1.80	-	38.47	8.76	32.75

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
SET 50
50
4.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.51064G	63.98	68.20	-4.22	45.45	3	Horizontal	106	1.80	-	40.30	10.65	32.42

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
 SET 47
 80/60/50/45/47
 -22.67/-6.42/-0.17/1.26/0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45512G	63.19	74.00	-10.81	55.94	3	Vertical	360	1.80	-	33.70	6.46	32.91
PK	5.46088G	63.50	68.20	-4.70	56.24	3	Vertical	360	1.80	-	33.70	6.46	32.90
AV	5.4596G	51.57	54.00	-2.43	44.31	3	Vertical	360	1.80	-	33.70	6.46	32.90
PK	5.6196G	114.69	Inf	-Inf	107.08	3	Vertical	360	1.80	-	33.92	6.60	32.91
AV	5.62024G	103.18	Inf	-Inf	95.57	3	Vertical	360	1.80	-	33.92	6.60	32.91
PK	5.73416G	67.76	68.20	-0.44	59.81	3	Vertical	360	1.80	-	34.27	6.60	32.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
SET 47
47
0.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	63.81	74.00	-10.19	56.57	3	Horizontal	358	1.80	-	33.70	6.45	32.91
AV	5.45192G	52.03	54.00	-1.97	44.79	3	Horizontal	358	1.80	-	33.70	6.45	32.91
PK	5.46216G	63.16	68.20	-5.04	55.90	3	Horizontal	358	1.80	-	33.70	6.46	32.90
PK	5.6228G	116.61	Inf	-Inf	108.98	3	Horizontal	358	1.80	-	33.94	6.60	32.91
AV	5.61832G	103.37	Inf	-Inf	95.77	3	Horizontal	358	1.80	-	33.91	6.60	32.91
PK	5.73288G	67.58	68.20	-0.62	59.64	3	Horizontal	358	1.80	-	34.26	6.60	32.92

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
SET 47
47
10.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21824G	55.72	74.00	-18.28	41.38	3	Vertical	10	1.55	-	38.32	8.80	32.78
AV	11.21232G	43.19	54.00	-10.81	28.86	3	Vertical	10	1.55	-	38.31	8.80	32.78

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
SET 47
47
4.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.83784G	63.79	68.20	-4.41	44.58	3	Vertical	224	1.84	-	40.69	10.75	32.23

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
SET 47
47
10.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.26192G	55.71	74.00	-18.29	41.31	3	Horizontal	360	1.03	-	38.36	8.82	32.78
AV	11.25904G	43.33	54.00	-10.67	28.94	3	Horizontal	360	1.03	-	38.36	8.81	32.78

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
 SET 47
 47
 4.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.86232G	63.67	68.20	-4.53	44.31	3	Horizontal	360	2.85	-	40.81	10.76	32.21

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_4TX
 SET 63
 80/60/70/65/63/64/63
 -9.66/1.59/-3.39/-1.35/1.27/-0.31/1.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	64.58	74.00	-9.42	57.34	3	Vertical	360	1.80	-	33.70	6.45	32.91
AV	5.4548G	53.00	54.00	-1.00	45.76	3	Vertical	360	1.80	-	33.70	6.45	32.91
PK	5.4644G	64.15	68.20	-4.05	56.89	3	Vertical	360	1.80	-	33.70	6.46	32.90
PK	5.66984G	117.79	Inf	-Inf	110.05	3	Vertical	360	1.80	-	34.06	6.60	32.92
AV	5.65928G	106.18	Inf	-Inf	98.42	3	Vertical	360	1.80	-	34.08	6.60	32.92
PK	5.85G	67.03	68.20	-1.17	58.57	3	Vertical	360	1.80	-	34.80	6.60	32.94

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 SET 59
 63/43/53/58/60/59
 -0.77/2.92/1.77/0.59/-0.03/0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45288G	64.76	74.00	-9.24	57.52	3	Horizontal	357	1.80	-	33.70	6.45	32.91
AV	5.45192G	53.73	54.00	-0.27	46.49	3	Horizontal	357	1.80	-	33.70	6.45	32.91
PK	5.46152G	64.23	68.20	-3.97	56.97	3	Horizontal	357	1.80	-	33.70	6.46	32.90
PK	5.65256G	117.39	Inf	-Inf	109.62	3	Horizontal	357	1.80	-	34.09	6.60	32.92
AV	5.65832G	106.02	Inf	-Inf	98.26	3	Horizontal	357	1.80	-	34.08	6.60	32.92
PK	5.85896G	65.78	68.20	-2.42	57.30	3	Horizontal	357	1.80	-	34.82	6.60	32.94

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 SET 59
 59
 10.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36832G	56.23	74.00	-17.77	41.78	3	Vertical	57	1.80	-	38.40	8.84	32.79
AV	11.45504G	43.91	54.00	-10.09	29.45	3	Vertical	57	1.80	-	38.40	8.86	32.80

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 SET 59
 59
 1.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.02712G	66.30	68.20	-1.90	46.43	3	Vertical	299	2.99	-	41.18	10.81	32.12

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 SET 59
 59
 10.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41472G	56.29	74.00	-17.71	41.84	3	Horizontal	327	2.72	-	38.40	8.85	32.80
AV	11.45824G	43.93	54.00	-10.07	29.47	3	Horizontal	327	2.72	-	38.40	8.86	32.80

802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 SET 59
 59
 2.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.01464G	65.35	68.20	-2.85	45.53	3	Horizontal	326	1.89	-	41.14	10.80	32.12




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	53.97	54.00	-0.03	3	Vertical	212	2.00	-

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 78
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.64	74.00	-5.36	62.04	3	Vertical	212	2.00	-	33.50	5.25	32.15
AV	5.15G	53.97	54.00	-0.03	47.37	3	Vertical	212	2.00	-	33.50	5.25	32.15
PK	5.182G	111.85	Inf	-Inf	105.22	3	Vertical	212	2.00	-	33.50	5.28	32.15
AV	5.1816G	101.42	Inf	-Inf	94.79	3	Vertical	212	2.00	-	33.50	5.28	32.15

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 78
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	57.93	74.00	-16.07	51.33	3	Horizontal	225	1.92	-	33.50	5.25	32.15
AV	5.15G	45.33	54.00	-8.67	38.73	3	Horizontal	225	1.92	-	33.50	5.25	32.15
PK	5.1768G	100.14	Inf	-Inf	93.51	3	Horizontal	225	1.92	-	33.50	5.28	32.15
AV	5.178G	89.92	Inf	-Inf	83.29	3	Horizontal	225	1.92	-	33.50	5.28	32.15

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 78
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54174G	56.01	74.00	-17.99	41.65	3	Vertical	15	1.79	-	37.77	9.79	33.20
AV	15.53964G	42.69	54.00	-11.31	28.32	3	Vertical	15	1.79	-	37.78	9.79	33.20

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 78
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54168G	56.99	74.00	-17.01	42.63	3	Horizontal	32	2.28	-	37.77	9.79	33.20
AV	15.53718G	43.15	54.00	-10.85	28.76	3	Horizontal	32	2.28	-	37.79	9.79	33.19

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 85
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	67.62	74.00	-6.38	61.02	3	Vertical	204	1.80	-	33.50	5.25	32.15
AV	5.15G	53.86	54.00	-0.14	47.26	3	Vertical	204	1.80	-	33.50	5.25	32.15
PK	5.1984G	114.67	Inf	-Inf	108.02	3	Vertical	204	1.80	-	33.50	5.30	32.15
AV	5.1932G	104.17	Inf	-Inf	97.53	3	Vertical	204	1.80	-	33.50	5.29	32.15

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 85
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	57.35	74.00	-16.65	50.75	3	Horizontal	230	2.03	-	33.50	5.25	32.15
AV	5.15G	45.60	54.00	-8.40	39.00	3	Horizontal	230	2.03	-	33.50	5.25	32.15
PK	5.2024G	103.26	Inf	-Inf	96.61	3	Horizontal	230	2.03	-	33.50	5.30	32.15
AV	5.2044G	92.63	Inf	-Inf	85.97	3	Horizontal	230	2.03	-	33.51	5.30	32.15

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_X_1TX
Setting 85
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60414G	60.54	74.00	-13.46	46.40	3	Vertical	14	1.80	-	37.59	9.82	33.27
AV	15.60018G	46.61	54.00	-7.39	32.46	3	Vertical	14	1.80	-	37.60	9.82	33.27

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_X_1TX
Setting 85
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59664G	58.66	74.00	-15.34	44.49	3	Horizontal	30	1.80	-	37.61	9.82	33.26
AV	15.59628G	45.41	54.00	-8.59	31.24	3	Horizontal	30	1.80	-	37.61	9.82	33.26

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	66.45	74.00	-7.55	59.85	3	Vertical	164	2.00	-	33.50	5.25	32.15
AV	5.15G	49.18	54.00	-4.82	42.58	3	Vertical	164	2.00	-	33.50	5.25	32.15
PK	5.2412G	115.78	Inf	-Inf	109.03	3	Vertical	164	2.00	-	33.58	5.32	32.15
AV	5.2424G	104.87	Inf	-Inf	98.12	3	Vertical	164	2.00	-	33.58	5.32	32.15
PK	5.3516G	61.80	74.00	-12.20	54.86	3	Vertical	164	2.00	-	33.70	5.38	32.14
AV	5.35G	47.72	54.00	-6.28	40.78	3	Vertical	164	2.00	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1212G	56.48	74.00	-17.52	49.91	3	Horizontal	234	2.64	-	33.50	5.22	32.15
AV	5.147G	44.43	54.00	-9.57	37.83	3	Horizontal	234	2.64	-	33.50	5.25	32.15
PK	5.2346G	103.39	Inf	-Inf	96.65	3	Horizontal	234	2.64	-	33.57	5.32	32.15
AV	5.2382G	92.47	Inf	-Inf	85.72	3	Horizontal	234	2.64	-	33.58	5.32	32.15
PK	5.3828G	57.00	74.00	-17.00	49.98	3	Horizontal	234	2.64	-	33.77	5.39	32.14
AV	5.3534G	44.43	54.00	-9.57	37.48	3	Horizontal	234	2.64	-	33.71	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72114G	61.71	74.00	-12.29	47.85	3	Vertical	10	1.80	-	37.40	9.87	33.41
AV	15.71952G	48.60	54.00	-5.40	34.74	3	Vertical	10	1.80	-	37.40	9.87	33.41

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72786G	61.14	74.00	-12.86	47.28	3	Horizontal	44	1.80	-	37.40	9.88	33.42
AV	15.72258G	48.40	54.00	-5.60	34.53	3	Horizontal	44	1.80	-	37.40	9.88	33.41

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	60.34	74.00	-13.66	53.74	3	Vertical	217	1.86	-	33.50	5.25	32.15
AV	5.146G	46.65	54.00	-7.35	40.05	3	Vertical	217	1.86	-	33.50	5.25	32.15
PK	5.2654G	115.40	Inf	-Inf	108.58	3	Vertical	217	1.86	-	33.63	5.33	32.14
AV	5.2558G	104.75	Inf	-Inf	97.95	3	Vertical	217	1.86	-	33.61	5.33	32.14
PK	5.35G	63.69	74.00	-10.31	56.75	3	Vertical	217	1.86	-	33.70	5.38	32.14
AV	5.35G	48.88	54.00	-5.12	41.94	3	Vertical	217	1.86	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1316G	55.96	74.00	-18.04	49.38	3	Horizontal	233	2.63	-	33.50	5.23	32.15
AV	5.1106G	44.18	54.00	-9.82	37.62	3	Horizontal	233	2.63	-	33.50	5.21	32.15
PK	5.266G	102.49	Inf	-Inf	95.67	3	Horizontal	233	2.63	-	33.63	5.33	32.14
AV	5.2672G	91.72	Inf	-Inf	84.90	3	Horizontal	233	2.63	-	33.63	5.33	32.14
PK	5.3524G	56.38	74.00	-17.62	49.44	3	Horizontal	233	2.63	-	33.70	5.38	32.14
AV	5.3512G	44.66	54.00	-9.34	37.72	3	Horizontal	233	2.63	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77526G	63.15	74.00	-10.85	49.32	3	Vertical	10	2.84	-	37.40	9.90	33.47
AV	15.78264G	50.08	54.00	-3.92	36.26	3	Vertical	10	2.84	-	37.40	9.90	33.48

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77334G	63.74	74.00	-10.26	49.91	3	Horizontal	41	1.77	-	37.40	9.90	33.47
AV	15.78462G	50.41	54.00	-3.59	36.60	3	Horizontal	41	1.77	-	37.40	9.90	33.49

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 87
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	115.57	Inf	-Inf	108.66	3	Vertical	165	1.96	-	33.70	5.35	32.14
AV	5.3028G	105.16	Inf	-Inf	98.25	3	Vertical	165	1.96	-	33.70	5.35	32.14
PK	5.3512G	69.17	74.00	-4.83	62.23	3	Vertical	165	1.96	-	33.70	5.38	32.14
AV	5.3508G	53.92	54.00	-0.08	46.98	3	Vertical	165	1.96	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 87
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	103.05	Inf	-Inf	96.14	3	Horizontal	36	2.16	-	33.70	5.35	32.14
AV	5.3024G	92.25	Inf	-Inf	85.34	3	Horizontal	36	2.16	-	33.70	5.35	32.14
PK	5.366G	56.51	74.00	-17.49	49.54	3	Horizontal	36	2.16	-	33.73	5.38	32.14
AV	5.3504G	44.97	54.00	-9.03	38.03	3	Horizontal	36	2.16	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 87
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61335G	52.20	74.00	-21.80	39.26	3	Vertical	104	1.00	-	38.49	7.55	33.10
AV	10.60303G	38.89	54.00	-15.11	25.95	3	Vertical	104	1.00	-	38.50	7.54	33.10
PK	15.89922G	61.16	74.00	-12.84	47.33	3	Vertical	8	1.80	-	37.50	9.95	33.62
AV	15.89874G	48.26	54.00	-5.74	34.43	3	Vertical	8	1.80	-	37.50	9.95	33.62

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 87
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61233G	52.21	74.00	-21.79	39.28	3	Horizontal	310	1.80	-	38.49	7.54	33.10
AV	10.60315G	39.09	54.00	-14.91	26.15	3	Horizontal	310	1.80	-	38.50	7.54	33.10
PK	15.90366G	59.81	74.00	-14.19	45.98	3	Horizontal	8	1.78	-	37.50	9.96	33.63
AV	15.89958G	46.11	54.00	-7.89	32.28	3	Horizontal	8	1.78	-	37.50	9.95	33.62

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 77
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	113.23	Inf	-Inf	106.31	3	Vertical	162	1.85	-	33.70	5.36	32.14
AV	5.3212G	102.52	Inf	-Inf	95.60	3	Vertical	162	1.85	-	33.70	5.36	32.14
PK	5.3512G	67.29	74.00	-6.71	60.35	3	Vertical	162	1.85	-	33.70	5.38	32.14
AV	5.35G	53.88	54.00	-0.12	46.94	3	Vertical	162	1.85	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 77
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3132G	99.49	Inf	-Inf	92.57	3	Horizontal	35	2.03	-	33.70	5.36	32.14
AV	5.3212G	89.54	Inf	-Inf	82.62	3	Horizontal	35	2.03	-	33.70	5.36	32.14
PK	5.3612G	56.81	74.00	-17.19	49.85	3	Horizontal	35	2.03	-	33.72	5.38	32.14
AV	5.3516G	45.02	54.00	-8.98	38.08	3	Horizontal	35	2.03	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 77
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62932G	52.13	74.00	-21.87	39.22	3	Vertical	53	1.38	-	38.47	7.55	33.11
AV	10.62686G	38.66	54.00	-15.34	25.75	3	Vertical	53	1.38	-	38.47	7.55	33.11
PK	15.94656G	53.18	74.00	-20.82	39.43	3	Vertical	51	1.52	-	37.45	9.98	33.68
AV	15.94764G	39.92	54.00	-14.08	26.17	3	Vertical	51	1.52	-	37.45	9.98	33.68

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_X_1TX
Setting 77
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64522G	51.96	74.00	-22.04	39.06	3	Horizontal	246	2.95	-	38.45	7.56	33.11
AV	10.63382G	38.68	54.00	-15.32	25.77	3	Horizontal	246	2.95	-	38.47	7.55	33.11
PK	15.9621G	53.13	74.00	-20.87	39.41	3	Horizontal	14	2.01	-	37.44	9.98	33.70
AV	15.94644G	40.05	54.00	-13.95	26.30	3	Horizontal	14	2.01	-	37.45	9.98	33.68

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 79
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.66	74.00	-11.34	55.43	3	Vertical	213	1.94	-	33.90	5.46	32.13
AV	5.4588G	48.01	54.00	-5.99	40.78	3	Vertical	213	1.94	-	33.90	5.46	32.13
PK	5.4696G	68.03	68.20	-0.17	60.79	3	Vertical	213	1.94	-	33.90	5.47	32.13
PK	5.5072G	113.44	Inf	-Inf	106.16	3	Vertical	213	1.94	-	33.90	5.51	32.13
AV	5.5068G	103.23	Inf	-Inf	95.95	3	Vertical	213	1.94	-	33.90	5.51	32.13

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 79
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4204G	56.69	74.00	-17.31	49.56	3	Horizontal	37	2.03	-	33.84	5.42	32.13
PK	5.466G	58.06	68.20	-10.14	50.82	3	Horizontal	37	2.03	-	33.90	5.47	32.13
AV	5.4588G	44.67	54.00	-9.33	37.44	3	Horizontal	37	2.03	-	33.90	5.46	32.13
PK	5.5016G	100.66	Inf	-Inf	93.39	3	Horizontal	37	2.03	-	33.90	5.50	32.13
AV	5.5024G	90.37	Inf	-Inf	83.10	3	Horizontal	37	2.03	-	33.90	5.50	32.13

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 79
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98956G	52.10	74.00	-21.90	39.18	3	Vertical	127	2.58	-	38.49	7.70	33.27
AV	11.00858G	38.69	54.00	-15.31	25.75	3	Vertical	127	2.58	-	38.51	7.70	33.27

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 79
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99832G	51.04	74.00	-22.96	38.11	3	Horizontal	351	2.98	-	38.50	7.70	33.27
AV	11.0129G	38.67	54.00	-15.33	25.72	3	Horizontal	351	2.98	-	38.51	7.71	33.27

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.334G	56.71	68.20	-11.49	49.78	3	Vertical	156	1.80	-	33.70	5.37	32.14
PK	5.381G	59.13	74.00	-14.87	52.12	3	Vertical	156	1.80	-	33.76	5.39	32.14
AV	5.386G	46.60	54.00	-7.40	39.58	3	Vertical	156	1.80	-	33.77	5.39	32.14
PK	5.469G	58.57	68.20	-9.63	51.33	3	Vertical	156	1.80	-	33.90	5.47	32.13
PK	5.585G	116.02	Inf	-Inf	108.68	3	Vertical	156	1.80	-	33.90	5.58	32.14
AV	5.578G	105.79	Inf	-Inf	98.44	3	Vertical	156	1.80	-	33.90	5.58	32.13
PK	5.787G	59.53	68.20	-8.67	52.35	3	Vertical	156	1.80	-	33.73	5.60	32.15

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.342G	57.21	68.20	-10.99	50.28	3	Horizontal	36	2.06	-	33.70	5.37	32.14
AV	5.374G	44.42	54.00	-9.58	37.42	3	Horizontal	36	2.06	-	33.75	5.39	32.14
PK	5.447G	56.50	74.00	-17.50	49.29	3	Horizontal	36	2.06	-	33.89	5.45	32.13
PK	5.466G	56.18	68.20	-12.02	48.94	3	Horizontal	36	2.06	-	33.90	5.47	32.13
PK	5.586G	104.72	Inf	-Inf	97.37	3	Horizontal	36	2.06	-	33.90	5.59	32.14
AV	5.583G	93.94	Inf	-Inf	86.59	3	Horizontal	36	2.06	-	33.90	5.58	32.13
PK	5.755G	57.47	68.20	-10.73	50.23	3	Horizontal	36	2.06	-	33.79	5.60	32.15

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1747G	51.79	74.00	-22.21	38.60	3	Vertical	249	1.80	-	38.67	7.77	33.25
AV	11.16312G	38.80	54.00	-15.20	25.62	3	Vertical	249	1.80	-	38.66	7.77	33.25
PK	16.74648G	60.52	68.20	-7.68	43.47	3	Vertical	22	2.60	-	39.98	10.37	33.30

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15868G	51.99	74.00	-22.01	38.82	3	Horizontal	84	1.69	-	38.66	7.76	33.25
AV	11.15988G	38.95	54.00	-15.05	25.78	3	Horizontal	84	1.69	-	38.66	7.76	33.25
PK	16.73298G	59.63	68.20	-8.57	42.65	3	Horizontal	329	1.84	-	39.90	10.37	33.29

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 65
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6972G	109.80	Inf	-Inf	102.63	3	Vertical	192	1.74	-	33.71	5.60	32.14
AV	5.702G	99.89	Inf	-Inf	92.73	3	Vertical	192	1.74	-	33.70	5.60	32.14
PK	5.7268G	68.01	68.20	-0.19	60.80	3	Vertical	192	1.74	-	33.75	5.60	32.14

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 65
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7012G	98.34	Inf	-Inf	91.18	3	Horizontal	34	1.90	-	33.70	5.60	32.14
AV	5.7036G	87.96	Inf	-Inf	80.79	3	Horizontal	34	1.90	-	33.71	5.60	32.14
PK	5.7272G	57.73	68.20	-10.47	50.52	3	Horizontal	34	1.90	-	33.75	5.60	32.14

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 65
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38914G	51.19	74.00	-22.81	37.77	3	Vertical	44	2.43	-	38.79	7.86	33.23
AV	11.41212G	38.69	54.00	-15.31	25.24	3	Vertical	44	2.43	-	38.82	7.86	33.23

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT_X_1TX
Setting 65
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39646G	51.31	74.00	-22.69	37.88	3	Horizontal	181	1.03	-	38.80	7.86	33.23
AV	11.40198G	38.47	54.00	-15.53	25.04	3	Horizontal	181	1.03	-	38.80	7.86	33.23

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4236G	56.41	74.00	-17.59	49.27	3	Vertical	194	1.80	-	33.85	5.42	32.13
PK	5.4632G	56.33	68.20	-11.87	49.10	3	Vertical	194	1.80	-	33.90	5.46	32.13
AV	5.4524G	44.58	54.00	-9.42	37.36	3	Vertical	194	1.80	-	33.90	5.45	32.13
PK	5.7164G	116.26	Inf	-Inf	109.07	3	Vertical	194	1.80	-	33.73	5.60	32.14
AV	5.7176G	105.83	Inf	-Inf	98.63	3	Vertical	194	1.80	-	33.74	5.60	32.14
PK	5.8652G	59.28	68.20	-8.92	51.90	3	Vertical	194	1.80	-	33.86	5.67	32.15

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4404G	56.33	74.00	-17.67	49.14	3	Horizontal	33	1.96	-	33.88	5.44	32.13
AV	5.4404G	44.28	54.00	-9.72	37.09	3	Horizontal	33	1.96	-	33.88	5.44	32.13
PK	5.468G	56.41	68.20	-11.79	49.17	3	Horizontal	33	1.96	-	33.90	5.47	32.13
PK	5.7188G	104.05	Inf	-Inf	96.85	3	Horizontal	33	1.96	-	33.74	5.60	32.14
AV	5.7164G	94.07	Inf	-Inf	86.88	3	Horizontal	33	1.96	-	33.73	5.60	32.14
PK	5.9012G	57.23	68.20	-10.97	49.68	3	Horizontal	33	1.96	-	34.00	5.70	32.15

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44216G	52.05	74.00	-21.95	38.52	3	Vertical	272	1.84	-	38.88	7.88	33.23
AV	11.4466G	39.04	54.00	-14.96	25.50	3	Vertical	272	1.84	-	38.89	7.88	33.23
PK	17.16528G	59.91	68.20	-8.29	40.92	3	Vertical	20	1.78	-	41.76	10.58	33.35

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43976G	52.39	74.00	-21.61	38.86	3	Horizontal	300	1.80	-	38.88	7.88	33.23
AV	11.44558G	39.19	54.00	-14.81	25.65	3	Horizontal	300	1.80	-	38.89	7.88	33.23
PK	17.15568G	60.33	68.20	-7.87	41.42	3	Horizontal	348	1.84	-	41.69	10.58	33.36

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	59.22	68.20	-8.98	51.96	3	Vertical	161	1.82	-	33.80	5.60	32.14
PK	5.743G	114.80	Inf	-Inf	107.55	3	Vertical	161	1.82	-	33.79	5.60	32.14
AV	5.741G	104.91	Inf	-Inf	97.67	3	Vertical	161	1.82	-	33.78	5.60	32.14
PK	5.94G	57.87	68.20	-10.33	50.21	3	Vertical	161	1.82	-	34.08	5.74	32.16

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.545G	57.25	68.20	-10.95	49.94	3	Horizontal	40	2.06	-	33.90	5.54	32.13
PK	5.743G	101.63	Inf	-Inf	94.38	3	Horizontal	40	2.06	-	33.79	5.60	32.14
AV	5.743G	91.58	Inf	-Inf	84.33	3	Horizontal	40	2.06	-	33.79	5.60	32.14
PK	5.955G	56.77	68.20	-11.43	49.08	3	Horizontal	40	2.06	-	34.10	5.75	32.16

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50062G	52.17	74.00	-21.83	38.49	3	Vertical	233	1.43	-	39.00	7.90	33.22
AV	11.47812G	39.02	54.00	-14.98	25.39	3	Vertical	233	1.43	-	38.96	7.89	33.22
PK	17.23674G	59.84	68.20	-8.36	40.38	3	Vertical	13	1.92	-	42.11	10.62	33.27

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50146G	51.73	74.00	-22.27	38.05	3	Horizontal	261	2.86	-	39.00	7.90	33.22
AV	11.47944G	38.89	54.00	-15.11	25.26	3	Horizontal	261	2.86	-	38.96	7.89	33.22
PK	17.2302G	60.63	68.20	-7.57	41.20	3	Horizontal	9	1.84	-	42.09	10.62	33.28

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.589G	58.02	68.20	-10.18	50.67	3	Vertical	196	2.00	-	33.90	5.59	32.14
PK	5.785G	114.60	Inf	-Inf	107.42	3	Vertical	196	2.00	-	33.73	5.60	32.15
AV	5.783G	104.14	Inf	-Inf	96.96	3	Vertical	196	2.00	-	33.73	5.60	32.15
PK	6.002G	57.78	68.20	-10.42	50.03	3	Vertical	196	2.00	-	34.11	5.80	32.16

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.611G	57.20	68.20	-11.00	49.86	3	Horizontal	40	2.02	-	33.88	5.60	32.14
PK	5.787G	103.09	Inf	-Inf	95.91	3	Horizontal	40	2.02	-	33.73	5.60	32.15
AV	5.787G	92.93	Inf	-Inf	85.75	3	Horizontal	40	2.02	-	33.73	5.60	32.15
PK	5.986G	57.72	68.20	-10.48	49.99	3	Horizontal	40	2.02	-	34.10	5.79	32.16

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57834G	52.31	74.00	-21.69	38.38	3	Vertical	192	1.73	-	39.24	7.93	33.24
AV	11.56916G	39.53	54.00	-14.47	25.63	3	Vertical	192	1.73	-	39.21	7.93	33.24
PK	17.36256G	61.38	68.20	-6.82	41.03	3	Vertical	32	2.64	-	42.80	10.68	33.13

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56982G	52.34	74.00	-21.66	38.44	3	Horizontal	43	1.84	-	39.21	7.93	33.24
AV	11.58332G	39.01	54.00	-14.99	25.07	3	Horizontal	43	1.84	-	39.25	7.93	33.24
PK	17.35368G	61.32	68.20	-6.88	41.05	3	Horizontal	-0	1.80	-	42.73	10.68	33.14

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	58.70	68.20	-9.50	51.40	3	Vertical	189	1.75	-	33.84	5.60	32.14
PK	5.826G	116.00	Inf	-Inf	108.77	3	Vertical	189	1.75	-	33.75	5.63	32.15
AV	5.827G	105.39	Inf	-Inf	98.16	3	Vertical	189	1.75	-	33.75	5.63	32.15
PK	5.927G	65.48	68.20	-2.72	57.86	3	Vertical	189	1.75	-	34.05	5.73	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	56.54	68.20	-11.66	49.28	3	Horizontal	32	1.84	-	33.80	5.60	32.14
PK	5.823G	104.21	Inf	-Inf	96.99	3	Horizontal	32	1.84	-	33.75	5.62	32.15
AV	5.829G	93.40	Inf	-Inf	86.16	3	Horizontal	32	1.84	-	33.76	5.63	32.15
PK	5.932G	58.45	68.20	-9.75	50.82	3	Horizontal	32	1.84	-	34.06	5.73	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65588G	52.26	74.00	-21.74	38.20	3	Vertical	28	2.01	-	39.36	7.96	33.26
AV	11.65936G	39.32	54.00	-14.68	25.26	3	Vertical	28	2.01	-	39.36	7.96	33.26
PK	17.47932G	63.49	68.20	-4.71	42.08	3	Vertical	23	2.30	-	43.66	10.74	32.99

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6611G	52.21	74.00	-21.79	38.15	3	Horizontal	164	1.48	-	39.36	7.96	33.26
AV	11.65552G	39.09	54.00	-14.91	25.03	3	Horizontal	164	1.48	-	39.36	7.96	33.26
PK	17.47926G	61.95	68.20	-6.25	40.55	3	Horizontal	10	1.80	-	43.65	10.74	32.99

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 78
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	68.79	74.00	-5.21	62.19	3	Vertical	214	1.80	-	33.50	5.25	32.15
AV	5.15G	53.75	54.00	-0.25	47.15	3	Vertical	214	1.80	-	33.50	5.25	32.15
PK	5.1774G	113.77	Inf	-Inf	107.14	3	Vertical	214	1.80	-	33.50	5.28	32.15
AV	5.1784G	99.95	Inf	-Inf	93.32	3	Vertical	214	1.80	-	33.50	5.28	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_X_1TX
Setting 78
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	57.62	74.00	-16.38	51.02	3	Horizontal	225	1.92	-	33.50	5.25	32.15
AV	5.1498G	45.09	54.00	-8.91	38.49	3	Horizontal	225	1.92	-	33.50	5.25	32.15
PK	5.1786G	101.69	Inf	-Inf	95.06	3	Horizontal	225	1.92	-	33.50	5.28	32.15
AV	5.1766G	88.29	Inf	-Inf	81.66	3	Horizontal	225	1.92	-	33.50	5.28	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 78
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55182G	53.04	74.00	-20.96	38.71	3	Vertical	206	1.25	-	37.74	9.80	33.21
AV	15.55404G	39.58	54.00	-14.42	25.25	3	Vertical	206	1.25	-	37.74	9.80	33.21

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT X_1TX
Setting 78
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.55416G	54.00	74.00	-20.00	39.67	3	Horizontal	74	2.99	-	37.74	9.80	33.21
AV	15.5532G	39.60	54.00	-14.40	25.27	3	Horizontal	74	2.99	-	37.74	9.80	33.21

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 84
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	72.74	74.00	-1.26	66.14	3	Vertical	204	1.80	-	33.50	5.25	32.15
AV	5.15G	53.49	54.00	-0.51	46.89	3	Vertical	204	1.80	-	33.50	5.25	32.15
PK	5.2024G	115.59	Inf	-Inf	108.94	3	Vertical	204	1.80	-	33.50	5.30	32.15
AV	5.1964G	101.92	Inf	-Inf	95.27	3	Vertical	204	1.80	-	33.50	5.30	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 84
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	57.07	74.00	-16.93	50.47	3	Horizontal	231	2.02	-	33.50	5.25	32.15
AV	5.1496G	44.89	54.00	-9.11	38.29	3	Horizontal	231	2.02	-	33.50	5.25	32.15
PK	5.1972G	104.54	Inf	-Inf	97.89	3	Horizontal	231	2.02	-	33.50	5.30	32.15
AV	5.204G	90.42	Inf	-Inf	83.76	3	Horizontal	231	2.02	-	33.51	5.30	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 84
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59376G	60.58	74.00	-13.42	46.40	3	Vertical	14	1.76	-	37.62	9.82	33.26
AV	15.59652G	47.03	54.00	-6.97	32.86	3	Vertical	14	1.76	-	37.61	9.82	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT X_1TX
Setting 84
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59472G	59.41	74.00	-14.59	45.23	3	Horizontal	29	1.76	-	37.62	9.82	33.26
AV	15.59682G	45.72	54.00	-8.28	31.55	3	Horizontal	29	1.76	-	37.61	9.82	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	68.02	74.00	-5.98	61.42	3	Vertical	166	1.90	-	33.50	5.25	32.15
AV	5.15G	50.97	54.00	-3.03	44.37	3	Vertical	166	1.90	-	33.50	5.25	32.15
PK	5.237G	115.24	Inf	-Inf	108.50	3	Vertical	166	1.90	-	33.57	5.32	32.15
AV	5.2376G	103.00	Inf	-Inf	96.25	3	Vertical	166	1.90	-	33.58	5.32	32.15
PK	5.35G	66.22	74.00	-7.78	59.28	3	Vertical	166	1.90	-	33.70	5.38	32.14
AV	5.35G	48.22	54.00	-5.78	41.28	3	Vertical	166	1.90	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	56.63	74.00	-17.37	50.03	3	Horizontal	233	2.64	-	33.50	5.25	32.15
AV	5.15G	44.29	54.00	-9.71	37.69	3	Horizontal	233	2.64	-	33.50	5.25	32.15
PK	5.237G	103.59	Inf	-Inf	96.85	3	Horizontal	233	2.64	-	33.57	5.32	32.15
AV	5.2388G	90.39	Inf	-Inf	83.64	3	Horizontal	233	2.64	-	33.58	5.32	32.15
PK	5.3786G	57.22	74.00	-16.78	50.21	3	Horizontal	233	2.64	-	33.76	5.39	32.14
AV	5.3504G	43.93	54.00	-10.07	36.99	3	Horizontal	233	2.64	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71982G	61.30	74.00	-12.70	47.44	3	Vertical	9	2.90	-	37.40	9.87	33.41
AV	15.71958G	47.37	54.00	-6.63	33.51	3	Vertical	9	2.90	-	37.40	9.87	33.41

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71994G	60.13	74.00	-13.87	46.27	3	Horizontal	9	2.94	-	37.40	9.87	33.41
AV	15.72036G	46.20	54.00	-7.80	32.34	3	Horizontal	9	2.94	-	37.40	9.87	33.41

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	63.92	74.00	-10.08	57.33	3	Vertical	216	1.87	-	33.50	5.24	32.15
AV	5.15G	47.88	54.00	-6.12	41.28	3	Vertical	216	1.87	-	33.50	5.25	32.15
PK	5.2522G	115.96	Inf	-Inf	109.17	3	Vertical	216	1.87	-	33.60	5.33	32.14
AV	5.2564G	102.73	Inf	-Inf	95.93	3	Vertical	216	1.87	-	33.61	5.33	32.14
PK	5.3578G	68.65	74.00	-5.35	61.69	3	Vertical	216	1.87	-	33.72	5.38	32.14
AV	5.35G	50.26	54.00	-3.74	43.32	3	Vertical	216	1.87	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1178G	56.62	74.00	-17.38	50.05	3	Horizontal	232	1.90	-	33.50	5.22	32.15
AV	5.1442G	43.70	54.00	-10.30	37.11	3	Horizontal	232	1.90	-	33.50	5.24	32.15
PK	5.2564G	103.26	Inf	-Inf	96.46	3	Horizontal	232	1.90	-	33.61	5.33	32.14
AV	5.2528G	89.52	Inf	-Inf	82.72	3	Horizontal	232	1.90	-	33.61	5.33	32.14
PK	5.383G	56.68	74.00	-17.32	49.66	3	Horizontal	232	1.90	-	33.77	5.39	32.14
AV	5.3524G	44.04	54.00	-9.96	37.10	3	Horizontal	232	1.90	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77988G	62.24	74.00	-11.76	48.42	3	Vertical	8	1.83	-	37.40	9.90	33.48
AV	15.78258G	48.12	54.00	-5.88	34.30	3	Vertical	8	1.83	-	37.40	9.90	33.48

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7701G	62.78	74.00	-11.22	48.95	3	Horizontal	41	1.77	-	37.40	9.90	33.47
AV	15.78318G	48.72	54.00	-5.28	34.90	3	Horizontal	41	1.77	-	37.40	9.90	33.48

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_X_1TX
Setting 85
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2996G	115.76	Inf	-Inf	108.85	3	Vertical	208	1.77	-	33.70	5.35	32.14
AV	5.3032G	102.50	Inf	-Inf	95.59	3	Vertical	208	1.77	-	33.70	5.35	32.14
PK	5.35G	69.43	74.00	-4.57	62.49	3	Vertical	208	1.77	-	33.70	5.38	32.14
AV	5.35G	53.64	54.00	-0.36	46.70	3	Vertical	208	1.77	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 85
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.306G	103.62	Inf	-Inf	96.71	3	Horizontal	33	2.26	-	33.70	5.35	32.14
AV	5.3048G	89.93	Inf	-Inf	83.02	3	Horizontal	33	2.26	-	33.70	5.35	32.14
PK	5.35G	57.39	74.00	-16.61	50.45	3	Horizontal	33	2.26	-	33.70	5.38	32.14
AV	5.35G	45.02	54.00	-8.98	38.08	3	Horizontal	33	2.26	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 85
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60039G	51.83	74.00	-22.17	38.88	3	Vertical	355	2.98	-	38.50	7.54	33.09
AV	10.60891G	37.86	54.00	-16.14	24.93	3	Vertical	355	2.98	-	38.49	7.54	33.10
PK	15.9126G	53.43	74.00	-20.57	39.62	3	Vertical	156	2.00	-	37.49	9.96	33.64
AV	15.8892G	39.02	54.00	-14.98	25.19	3	Vertical	156	2.00	-	37.49	9.95	33.61

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT X_1TX
Setting 85
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60111G	51.42	74.00	-22.58	38.47	3	Horizontal	56	2.72	-	38.50	7.54	33.09
AV	10.60048G	37.84	54.00	-16.16	24.89	3	Horizontal	56	2.72	-	38.50	7.54	33.09
PK	15.90546G	53.33	74.00	-20.67	39.51	3	Horizontal	330	2.37	-	37.49	9.96	33.63
AV	15.88536G	39.14	54.00	-14.86	25.30	3	Horizontal	330	2.37	-	37.49	9.95	33.60

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 77
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3182G	114.31	Inf	-Inf	107.39	3	Vertical	162	1.85	-	33.70	5.36	32.14
AV	5.3182G	100.67	Inf	-Inf	93.75	3	Vertical	162	1.85	-	33.70	5.36	32.14
PK	5.3518G	68.94	74.00	-5.06	62.00	3	Vertical	162	1.85	-	33.70	5.38	32.14
AV	5.35G	53.96	54.00	-0.04	47.02	3	Vertical	162	1.85	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 77
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3222G	102.06	Inf	-Inf	95.14	3	Horizontal	35	2.13	-	33.70	5.36	32.14
AV	5.3162G	87.98	Inf	-Inf	81.06	3	Horizontal	35	2.13	-	33.70	5.36	32.14
PK	5.3512G	57.92	74.00	-16.08	50.98	3	Horizontal	35	2.13	-	33.70	5.38	32.14
AV	5.3502G	44.69	54.00	-9.31	37.75	3	Horizontal	35	2.13	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT X_1TX
Setting 77
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62878G	51.58	74.00	-22.42	38.67	3	Vertical	295	1.05	-	38.47	7.55	33.11
AV	10.63286G	37.57	54.00	-16.43	24.66	3	Vertical	295	1.05	-	38.47	7.55	33.11
PK	15.95352G	53.02	74.00	-20.98	39.28	3	Vertical	203	1.95	-	37.45	9.98	33.69
AV	15.94506G	38.90	54.00	-15.10	25.15	3	Vertical	203	1.95	-	37.45	9.98	33.68

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom



EUT X_1TX
Setting 77
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63004G	51.16	74.00	-22.84	38.25	3	Horizontal	132	2.98	-	38.47	7.55	33.11
AV	10.63604G	37.62	54.00	-16.38	24.72	3	Horizontal	132	2.98	-	38.46	7.55	33.11
PK	15.94782G	52.65	74.00	-21.35	38.90	3	Horizontal	175	2.78	-	37.45	9.98	33.68
AV	15.94512G	38.97	54.00	-15.03	25.22	3	Horizontal	175	2.78	-	37.45	9.98	33.68