


802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT_X_1TX
Setting 78
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.32	74.00	-8.68	58.09	3	Vertical	158	1.78	-	33.90	5.46	32.13
AV	5.46G	48.86	54.00	-5.14	41.63	3	Vertical	158	1.78	-	33.90	5.46	32.13
PK	5.468G	67.49	68.20	-0.71	60.25	3	Vertical	158	1.78	-	33.90	5.47	32.13
PK	5.4984G	114.25	Inf	-Inf	106.98	3	Vertical	158	1.78	-	33.90	5.50	32.13
AV	5.508G	100.86	Inf	-Inf	93.58	3	Vertical	158	1.78	-	33.90	5.51	32.13

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 78
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4512G	57.15	74.00	-16.85	49.93	3	Horizontal	34	2.13	-	33.90	5.45	32.13
PK	5.4684G	57.94	68.20	-10.26	50.70	3	Horizontal	34	2.13	-	33.90	5.47	32.13
AV	5.46G	44.33	54.00	-9.67	37.10	3	Horizontal	34	2.13	-	33.90	5.46	32.13
PK	5.5028G	101.70	Inf	-Inf	94.43	3	Horizontal	34	2.13	-	33.90	5.50	32.13
AV	5.5016G	88.09	Inf	-Inf	80.82	3	Horizontal	34	2.13	-	33.90	5.50	32.13

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 78
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99634G	51.57	74.00	-22.43	38.64	3	Vertical	360	2.30	-	38.50	7.70	33.27
AV	11.01494G	37.83	54.00	-16.17	24.88	3	Vertical	360	2.30	-	38.51	7.71	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT X_1TX
Setting 78
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00966G	51.20	74.00	-22.80	38.26	3	Horizontal	34	1.82	-	38.51	7.70	33.27
AV	11.01134G	37.88	54.00	-16.12	24.94	3	Horizontal	34	1.82	-	38.51	7.70	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3848G	58.72	74.00	-15.28	51.70	3	Vertical	189	1.80	-	33.77	5.39	32.14
AV	5.3832G	45.52	54.00	-8.48	38.50	3	Vertical	189	1.80	-	33.77	5.39	32.14
PK	5.4688G	58.09	68.20	-10.11	50.85	3	Vertical	189	1.80	-	33.90	5.47	32.13
PK	5.5864G	117.25	Inf	-Inf	109.90	3	Vertical	189	1.80	-	33.90	5.59	32.14
AV	5.5848G	104.24	Inf	-Inf	96.90	3	Vertical	189	1.80	-	33.90	5.58	32.14
PK	5.728G	59.53	68.20	-8.67	52.31	3	Vertical	189	1.80	-	33.76	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3824G	56.66	74.00	-17.34	49.65	3	Horizontal	34	1.95	-	33.76	5.39	32.14
PK	5.468G	55.76	68.20	-12.44	48.52	3	Horizontal	34	1.95	-	33.90	5.47	32.13
AV	5.4392G	43.89	54.00	-10.11	36.70	3	Horizontal	34	1.95	-	33.88	5.44	32.13
PK	5.5832G	103.93	Inf	-Inf	96.58	3	Horizontal	34	1.95	-	33.90	5.58	32.13
AV	5.5848G	90.75	Inf	-Inf	83.41	3	Horizontal	34	1.95	-	33.90	5.58	32.14
PK	5.7496G	56.67	68.20	-11.53	49.41	3	Horizontal	34	1.95	-	33.80	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16774G	51.88	74.00	-22.12	38.69	3	Vertical	356	1.31	-	38.67	7.77	33.25
AV	11.14518G	37.81	54.00	-16.19	24.66	3	Vertical	356	1.31	-	38.65	7.76	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16078G	51.53	74.00	-22.47	38.36	3	Horizontal	107	2.98	-	38.66	7.76	33.25
AV	11.14824G	37.80	54.00	-16.20	24.65	3	Horizontal	107	2.98	-	38.65	7.76	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 57
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6992G	110.45	Inf	-Inf	103.29	3	Vertical	192	1.89	-	33.70	5.60	32.14
AV	5.7042G	96.40	Inf	-Inf	89.23	3	Vertical	192	1.89	-	33.71	5.60	32.14
PK	5.7256G	67.17	68.20	-1.03	59.96	3	Vertical	192	1.89	-	33.75	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 57
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.698G	98.06	Inf	-Inf	90.90	3	Horizontal	33	1.99	-	33.70	5.60	32.14
AV	5.7016G	84.59	Inf	-Inf	77.43	3	Horizontal	33	1.99	-	33.70	5.60	32.14
PK	5.7348G	56.98	68.20	-11.22	49.75	3	Horizontal	33	1.99	-	33.77	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT X_1TX
Setting 57
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38908G	51.59	74.00	-22.41	38.17	3	Vertical	278	1.36	-	38.79	7.86	33.23
AV	11.41134G	37.84	54.00	-16.16	24.39	3	Vertical	278	1.36	-	38.82	7.86	33.23

802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TnomVnom



EUT X_1TX
Setting 57
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.415G	51.11	74.00	-22.89	37.64	3	Horizontal	212	2.32	-	38.83	7.87	33.23
AV	11.40708G	37.78	54.00	-16.22	24.34	3	Horizontal	212	2.32	-	38.81	7.86	33.23


802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_1TX
 Setting 95
 02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4218G	57.18	74.00	-16.82	50.05	3	Vertical	192	1.87	-	33.84	5.42	32.13
AV	5.4176G	44.19	54.00	-9.81	37.06	3	Vertical	192	1.87	-	33.84	5.42	32.13
PK	5.4638G	55.55	68.20	-12.65	48.32	3	Vertical	192	1.87	-	33.90	5.46	32.13
PK	5.7144G	117.16	Inf	-Inf	109.97	3	Vertical	192	1.87	-	33.73	5.60	32.14
AV	5.7186G	104.17	Inf	-Inf	96.97	3	Vertical	192	1.87	-	33.74	5.60	32.14
PK	5.8642G	59.73	68.20	-8.47	52.36	3	Vertical	192	1.87	-	33.86	5.66	32.15


802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_1TX
 Setting 95
 02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.384G	56.23	74.00	-17.77	49.21	3	Horizontal	35	2.05	-	33.77	5.39	32.14
PK	5.468G	55.65	68.20	-12.55	48.41	3	Horizontal	35	2.05	-	33.90	5.47	32.13
AV	5.44G	43.89	54.00	-10.11	36.70	3	Horizontal	35	2.05	-	33.88	5.44	32.13
PK	5.7158G	105.99	Inf	-Inf	98.80	3	Horizontal	35	2.05	-	33.73	5.60	32.14
AV	5.7172G	92.71	Inf	-Inf	85.52	3	Horizontal	35	2.05	-	33.73	5.60	32.14
PK	5.8754G	57.09	68.20	-11.11	49.66	3	Horizontal	35	2.05	-	33.90	5.68	32.15


802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_1TX
 Setting 95
 02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44726G	51.28	74.00	-22.72	37.74	3	Vertical	272	2.78	-	38.89	7.88	33.23
AV	11.45032G	38.11	54.00	-15.89	24.55	3	Vertical	272	2.78	-	38.90	7.88	33.22

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
 Setting 95
 02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4313G	51.62	74.00	-22.38	38.12	3	Horizontal	156	1.38	-	38.86	7.87	33.23
AV	11.45302G	38.08	54.00	-15.92	24.51	3	Horizontal	156	1.38	-	38.91	7.88	33.22

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	63.77	70.42	-6.65	56.52	3	Vertical	194	1.81	-	33.79	5.60	32.14
PK	5.744G	117.63	Inf	-Inf	110.38	3	Vertical	194	1.81	-	33.79	5.60	32.14
AV	5.743G	103.33	Inf	-Inf	96.08	3	Vertical	194	1.81	-	33.79	5.60	32.14
PK	5.951G	58.99	68.20	-9.21	51.30	3	Vertical	194	1.81	-	34.10	5.75	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.508G	56.91	68.20	-11.29	49.63	3	Horizontal	228	1.69	-	33.90	5.51	32.13
PK	5.746G	103.56	Inf	-Inf	96.31	3	Horizontal	228	1.69	-	33.79	5.60	32.14
AV	5.743G	89.41	Inf	-Inf	82.16	3	Horizontal	228	1.69	-	33.79	5.60	32.14
PK	5.975G	57.26	68.20	-10.94	49.55	3	Horizontal	228	1.69	-	34.10	5.77	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49186G	51.76	74.00	-22.24	38.10	3	Vertical	22	1.46	-	38.98	7.90	33.22
AV	11.48244G	38.14	54.00	-15.86	24.51	3	Vertical	22	1.46	-	38.96	7.89	33.22

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50038G	51.60	74.00	-22.40	37.92	3	Horizontal	353	1.83	-	39.00	7.90	33.22
AV	11.47602G	38.11	54.00	-15.89	24.49	3	Horizontal	353	1.83	-	38.95	7.89	33.22

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.585G	58.96	68.20	-9.24	51.62	3	Vertical	186	1.80	-	33.90	5.58	32.14
PK	5.79G	115.78	Inf	-Inf	108.61	3	Vertical	186	1.80	-	33.72	5.60	32.15
AV	5.79G	102.64	Inf	-Inf	95.47	3	Vertical	186	1.80	-	33.72	5.60	32.15
PK	5.927G	58.66	68.20	-9.54	51.04	3	Vertical	186	1.80	-	34.05	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	57.19	68.20	-11.01	49.84	3	Horizontal	39	2.11	-	33.90	5.59	32.14
PK	5.792G	106.01	Inf	-Inf	98.84	3	Horizontal	39	2.11	-	33.72	5.60	32.15
AV	5.786G	91.58	Inf	-Inf	84.40	3	Horizontal	39	2.11	-	33.73	5.60	32.15
PK	5.987G	57.14	68.20	-11.06	49.41	3	Horizontal	39	2.11	-	34.10	5.79	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57774G	53.02	74.00	-20.98	39.10	3	Vertical	112	1.80	-	39.23	7.93	33.24
AV	11.58494G	38.20	54.00	-15.80	24.26	3	Vertical	112	1.80	-	39.25	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57066G	52.57	74.00	-21.43	38.67	3	Horizontal	1	1.87	-	39.21	7.93	33.24
AV	11.57204G	38.23	54.00	-15.77	24.32	3	Horizontal	1	1.87	-	39.22	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	60.04	68.20	-8.16	52.74	3	Vertical	187	1.94	-	33.84	5.60	32.14
PK	5.83G	117.25	Inf	-Inf	110.01	3	Vertical	187	1.94	-	33.76	5.63	32.15
AV	5.826G	103.65	Inf	-Inf	96.42	3	Vertical	187	1.94	-	33.75	5.63	32.15
PK	5.924G	66.15	68.94	-2.79	58.54	3	Vertical	187	1.94	-	34.05	5.72	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.581G	56.95	68.20	-11.25	49.60	3	Horizontal	32	1.87	-	33.90	5.58	32.13
PK	5.817G	104.80	Inf	-Inf	97.60	3	Horizontal	32	1.87	-	33.73	5.62	32.15
AV	5.822G	91.81	Inf	-Inf	84.60	3	Horizontal	32	1.87	-	33.74	5.62	32.15
PK	5.928G	57.40	68.20	-10.80	49.77	3	Horizontal	32	1.87	-	34.06	5.73	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6536G	52.51	74.00	-21.49	38.46	3	Vertical	309	2.38	-	39.35	7.96	33.26
AV	11.65738G	38.45	54.00	-15.55	24.39	3	Vertical	309	2.38	-	39.36	7.96	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65564G	51.69	74.00	-22.31	37.63	3	Horizontal	133	1.54	-	39.36	7.96	33.26
AV	11.65606G	38.44	54.00	-15.56	24.38	3	Horizontal	133	1.54	-	39.36	7.96	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT X_1TX
Setting 69
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	66.79	74.00	-7.21	60.19	3	Vertical	205	1.80	-	33.50	5.25	32.15
AV	5.15G	52.06	54.00	-1.94	45.46	3	Vertical	205	1.80	-	33.50	5.25	32.15
PK	5.1964G	109.20	Inf	-Inf	102.55	3	Vertical	205	1.80	-	33.50	5.30	32.15
AV	5.1956G	97.26	Inf	-Inf	90.61	3	Vertical	205	1.80	-	33.50	5.30	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT X_1TX
Setting 69
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1068G	57.40	74.00	-16.60	50.84	3	Horizontal	224	2.02	-	33.50	5.21	32.15
AV	5.15G	45.25	54.00	-8.75	38.65	3	Horizontal	224	2.02	-	33.50	5.25	32.15
PK	5.2016G	97.59	Inf	-Inf	90.94	3	Horizontal	224	2.02	-	33.50	5.30	32.15
AV	5.1988G	85.28	Inf	-Inf	78.63	3	Horizontal	224	2.02	-	33.50	5.30	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT X_1TX
Setting 69
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57336G	53.32	74.00	-20.68	39.07	3	Vertical	103	1.36	-	37.68	9.81	33.24
AV	15.56688G	40.73	54.00	-13.27	26.45	3	Vertical	103	1.36	-	37.70	9.81	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT X_1TX
Setting 69
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56274G	53.67	74.00	-20.33	39.38	3	Horizontal	183	2.98	-	37.71	9.80	33.22
AV	15.58038G	40.76	54.00	-13.24	26.53	3	Horizontal	183	2.98	-	37.66	9.81	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 80
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.83	74.00	-7.17	60.23	3	Vertical	170	1.99	-	33.50	5.25	32.15
AV	5.1496G	53.36	54.00	-0.64	46.76	3	Vertical	170	1.99	-	33.50	5.25	32.15
PK	5.2354G	112.02	Inf	-Inf	105.28	3	Vertical	170	1.99	-	33.57	5.32	32.15
AV	5.2228G	99.93	Inf	-Inf	93.22	3	Vertical	170	1.99	-	33.55	5.31	32.15
PK	5.35G	60.10	74.00	-13.90	53.16	3	Vertical	170	1.99	-	33.70	5.38	32.14
AV	5.3506G	47.32	54.00	-6.68	40.38	3	Vertical	170	1.99	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_X_1TX
Setting 80
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1418G	56.79	74.00	-17.21	50.20	3	Horizontal	183	1.80	-	33.50	5.24	32.15
AV	5.149G	45.71	54.00	-8.29	39.11	3	Horizontal	183	1.80	-	33.50	5.25	32.15
PK	5.2156G	99.39	Inf	-Inf	92.70	3	Horizontal	183	1.80	-	33.53	5.31	32.15
AV	5.2168G	86.96	Inf	-Inf	80.27	3	Horizontal	183	1.80	-	33.53	5.31	32.15
PK	5.371G	56.30	74.00	-17.70	49.31	3	Horizontal	183	1.80	-	33.74	5.39	32.14
AV	5.3626G	45.13	54.00	-8.87	38.16	3	Horizontal	183	1.80	-	33.73	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 80
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69936G	52.83	74.00	-21.17	38.96	3	Vertical	343	2.23	-	37.40	9.86	33.39
AV	15.6804G	40.17	54.00	-13.83	26.23	3	Vertical	343	2.23	-	37.44	9.86	33.36

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT X_1TX
Setting 80
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68064G	52.65	74.00	-21.35	38.71	3	Horizontal	152	1.45	-	37.44	9.86	33.36
AV	15.69234G	40.43	54.00	-13.57	26.53	3	Horizontal	152	1.45	-	37.42	9.86	33.38

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_X_1TX
Setting 80
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	61.30	74.00	-12.70	54.70	3	Vertical	216	1.97	-	33.50	5.25	32.15
AV	5.147G	47.85	54.00	-6.15	41.25	3	Vertical	216	1.97	-	33.50	5.25	32.15
PK	5.2736G	111.08	Inf	-Inf	104.23	3	Vertical	216	1.97	-	33.65	5.34	32.14
AV	5.2724G	99.51	Inf	-Inf	92.67	3	Vertical	216	1.97	-	33.64	5.34	32.14
PK	5.35G	67.14	74.00	-6.86	60.20	3	Vertical	216	1.97	-	33.70	5.38	32.14
AV	5.351G	53.52	54.00	-0.48	46.58	3	Vertical	216	1.97	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_X_1TX
Setting 80
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12G	57.03	74.00	-16.97	50.46	3	Horizontal	35	1.92	-	33.50	5.22	32.15
AV	5.1488G	45.01	54.00	-8.99	38.41	3	Horizontal	35	1.92	-	33.50	5.25	32.15
PK	5.2814G	99.22	Inf	-Inf	92.36	3	Horizontal	35	1.92	-	33.66	5.34	32.14
AV	5.2754G	86.70	Inf	-Inf	79.85	3	Horizontal	35	1.92	-	33.65	5.34	32.14
PK	5.4044G	56.92	74.00	-17.08	49.85	3	Horizontal	35	1.92	-	33.81	5.40	32.14
AV	5.3504G	45.90	54.00	-8.10	38.96	3	Horizontal	35	1.92	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 80
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80004G	52.48	74.00	-21.52	38.67	3	Vertical	236	1.68	-	37.40	9.91	33.50
AV	15.7986G	40.76	54.00	-13.24	26.95	3	Vertical	236	1.68	-	37.40	9.91	33.50

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT X_1TX
Setting 80
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8031G	53.51	74.00	-20.49	39.71	3	Horizontal	208	2.55	-	37.40	9.91	33.51
AV	15.80574G	40.65	54.00	-13.35	26.84	3	Horizontal	208	2.55	-	37.41	9.91	33.51

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT X_1TX
Setting 67
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	109.60	Inf	-Inf	102.69	3	Vertical	208	1.78	-	33.70	5.35	32.14
AV	5.3056G	97.35	Inf	-Inf	90.44	3	Vertical	208	1.78	-	33.70	5.35	32.14
PK	5.3508G	65.50	74.00	-8.50	58.56	3	Vertical	208	1.78	-	33.70	5.38	32.14
AV	5.3508G	52.14	54.00	-1.86	45.20	3	Vertical	208	1.78	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT X_1TX
Setting 67
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	96.62	Inf	-Inf	89.71	3	Horizontal	33	2.26	-	33.70	5.35	32.14
AV	5.3052G	84.46	Inf	-Inf	77.55	3	Horizontal	33	2.26	-	33.70	5.35	32.14
PK	5.3812G	57.09	74.00	-16.91	50.08	3	Horizontal	33	2.26	-	33.76	5.39	32.14
AV	5.3508G	45.23	54.00	-8.77	38.29	3	Horizontal	33	2.26	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT X_1TX
Setting 67
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6245G	51.39	74.00	-22.61	38.46	3	Vertical	234	1.32	-	38.48	7.55	33.10
AV	10.6128G	39.33	54.00	-14.67	26.39	3	Vertical	234	1.32	-	38.49	7.55	33.10
PK	15.92394G	52.67	74.00	-21.33	38.87	3	Vertical	58	1.08	-	37.48	9.97	33.65
AV	15.93726G	40.43	54.00	-13.57	26.67	3	Vertical	58	1.08	-	37.46	9.97	33.67

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT X_1TX
Setting 67
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61334G	51.78	74.00	-22.22	38.84	3	Horizontal	291	2.81	-	38.49	7.55	33.10
AV	10.60686G	39.23	54.00	-14.77	26.30	3	Horizontal	291	2.81	-	38.49	7.54	33.10
PK	15.94398G	52.32	74.00	-21.68	38.56	3	Horizontal	164	1.98	-	37.46	9.97	33.67
AV	15.91566G	40.54	54.00	-13.46	26.74	3	Horizontal	164	1.98	-	37.48	9.96	33.64

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 69
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.00	74.00	-11.00	55.77	3	Vertical	157	1.78	-	33.90	5.46	32.13
AV	5.46G	49.79	54.00	-4.21	42.56	3	Vertical	157	1.78	-	33.90	5.46	32.13
PK	5.4652G	67.43	68.20	-0.77	60.19	3	Vertical	157	1.78	-	33.90	5.47	32.13
PK	5.5164G	111.58	Inf	-Inf	104.29	3	Vertical	157	1.78	-	33.90	5.52	32.13
AV	5.5128G	98.52	Inf	-Inf	91.24	3	Vertical	157	1.78	-	33.90	5.51	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 69
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4448G	57.60	74.00	-16.40	50.40	3	Horizontal	38	2.34	-	33.89	5.44	32.13
PK	5.4644G	57.79	68.20	-10.41	50.56	3	Horizontal	38	2.34	-	33.90	5.46	32.13
AV	5.4596G	45.29	54.00	-8.71	38.06	3	Horizontal	38	2.34	-	33.90	5.46	32.13
PK	5.5124G	98.05	Inf	-Inf	90.77	3	Horizontal	38	2.34	-	33.90	5.51	32.13
AV	5.5092G	86.18	Inf	-Inf	78.90	3	Horizontal	38	2.34	-	33.90	5.51	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 69
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01532G	51.40	74.00	-22.60	38.44	3	Vertical	316	1.28	-	38.52	7.71	33.27
AV	11.02708G	39.28	54.00	-14.72	26.31	3	Vertical	316	1.28	-	38.53	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT X_1TX
Setting 69
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01454G	52.47	74.00	-21.53	39.52	3	Horizontal	237	1.86	-	38.51	7.71	33.27
AV	11.01298G	39.21	54.00	-14.79	26.26	3	Horizontal	237	1.86	-	38.51	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 82
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	66.15	74.00	-7.85	58.92	3	Vertical	155	1.76	-	33.90	5.46	32.13
AV	5.4596G	53.13	54.00	-0.87	45.90	3	Vertical	155	1.76	-	33.90	5.46	32.13
PK	5.4692G	68.15	68.20	-0.05	60.91	3	Vertical	155	1.76	-	33.90	5.47	32.13
PK	5.5348G	112.89	Inf	-Inf	105.59	3	Vertical	155	1.76	-	33.90	5.53	32.13
AV	5.5452G	101.29	Inf	-Inf	93.97	3	Vertical	155	1.76	-	33.90	5.55	32.13
PK	5.734G	59.34	68.20	-8.86	52.11	3	Vertical	155	1.76	-	33.77	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_X_1TX
Setting 82
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	57.57	74.00	-16.43	50.34	3	Horizontal	35	2.08	-	33.90	5.46	32.13
AV	5.4564G	45.85	54.00	-8.15	38.62	3	Horizontal	35	2.08	-	33.90	5.46	32.13
PK	5.4644G	58.50	68.20	-9.70	51.27	3	Horizontal	35	2.08	-	33.90	5.46	32.13
PK	5.5436G	100.44	Inf	-Inf	93.13	3	Horizontal	35	2.08	-	33.90	5.54	32.13
AV	5.5428G	88.70	Inf	-Inf	81.39	3	Horizontal	35	2.08	-	33.90	5.54	32.13
PK	5.7324G	57.03	68.20	-11.17	49.81	3	Horizontal	35	2.08	-	33.76	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 82
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10444G	51.24	74.00	-22.76	38.16	3	Vertical	42	1.24	-	38.60	7.74	33.26
AV	11.10288G	39.18	54.00	-14.82	26.10	3	Vertical	42	1.24	-	38.60	7.74	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT X_1TX
Setting 82
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10624G	51.63	74.00	-22.37	38.54	3	Horizontal	24	2.16	-	38.61	7.74	33.26
AV	11.09058G	39.09	54.00	-14.91	26.02	3	Horizontal	24	2.16	-	38.59	7.74	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 63
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6876G	110.55	Inf	-Inf	103.37	3	Vertical	193	1.82	-	33.72	5.60	32.14
AV	5.6852G	97.58	Inf	-Inf	90.39	3	Vertical	193	1.82	-	33.73	5.60	32.14
PK	5.7276G	67.41	68.20	-0.79	60.19	3	Vertical	193	1.82	-	33.76	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 63
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.68G	98.05	Inf	-Inf	90.85	3	Horizontal	34	2.16	-	33.74	5.60	32.14
AV	5.6788G	86.04	Inf	-Inf	78.84	3	Horizontal	34	2.16	-	33.74	5.60	32.14
PK	5.728G	57.50	68.20	-10.70	50.28	3	Horizontal	34	2.16	-	33.76	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT X_1TX
Setting 63
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.35176G	52.00	74.00	-22.00	38.64	3	Vertical	293	1.17	-	38.75	7.84	33.23
AV	11.35044G	38.68	54.00	-15.32	25.32	3	Vertical	293	1.17	-	38.75	7.84	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TnomVnom



EUT X_1TX
Setting 63
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33634G	50.87	74.00	-23.13	37.54	3	Horizontal	55	1.54	-	38.74	7.83	33.24
AV	11.35176G	38.79	54.00	-15.21	25.43	3	Horizontal	55	1.54	-	38.75	7.84	33.23


802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT X_1TX
 Setting 85
 02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4342G	56.77	74.00	-17.23	49.60	3	Vertical	195	1.74	-	33.87	5.43	32.13
PK	5.4608G	57.29	68.20	-10.91	50.06	3	Vertical	195	1.74	-	33.90	5.46	32.13
AV	5.4552G	45.40	54.00	-8.60	38.17	3	Vertical	195	1.74	-	33.90	5.46	32.13
PK	5.6946G	114.76	Inf	-Inf	107.59	3	Vertical	195	1.74	-	33.71	5.60	32.14
AV	5.7058G	102.75	Inf	-Inf	95.58	3	Vertical	195	1.74	-	33.71	5.60	32.14
PK	5.8514G	66.44	68.20	-1.76	59.13	3	Vertical	195	1.74	-	33.81	5.65	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
 Setting 85
 02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4216G	56.73	74.00	-17.27	49.60	3	Horizontal	34	2.07	-	33.84	5.42	32.13
AV	5.444G	44.98	54.00	-9.02	37.78	3	Horizontal	34	2.07	-	33.89	5.44	32.13
PK	5.4678G	56.32	68.20	-11.88	49.08	3	Horizontal	34	2.07	-	33.90	5.47	32.13
PK	5.7086G	103.56	Inf	-Inf	96.38	3	Horizontal	34	2.07	-	33.72	5.60	32.14
AV	5.7086G	91.86	Inf	-Inf	84.68	3	Horizontal	34	2.07	-	33.72	5.60	32.14
PK	5.9536G	57.88	68.20	-10.32	50.19	3	Horizontal	34	2.07	-	34.10	5.75	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 85
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4185G	51.40	74.00	-22.60	37.92	3	Vertical	13	2.76	-	38.84	7.87	33.23
AV	11.4068G	39.39	54.00	-14.61	25.95	3	Vertical	13	2.76	-	38.81	7.86	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 85
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42114G	52.20	74.00	-21.80	38.72	3	Horizontal	329	1.20	-	38.84	7.87	33.23
AV	11.4134G	39.59	54.00	-14.41	26.12	3	Horizontal	329	1.20	-	38.83	7.87	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.656G	71.82	72.64	-0.82	64.57	3	Vertical	186	1.81	-	33.79	5.60	32.14
PK	5.759G	113.87	Inf	-Inf	106.64	3	Vertical	186	1.81	-	33.78	5.60	32.15
AV	5.748G	101.64	Inf	-Inf	94.38	3	Vertical	186	1.81	-	33.80	5.60	32.14
PK	5.927G	65.24	68.20	-2.96	57.62	3	Vertical	186	1.81	-	34.05	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	57.15	68.20	-11.05	49.87	3	Horizontal	229	2.03	-	33.82	5.60	32.14
PK	5.752G	100.40	Inf	-Inf	93.15	3	Horizontal	229	2.03	-	33.80	5.60	32.15
AV	5.759G	88.61	Inf	-Inf	81.38	3	Horizontal	229	2.03	-	33.78	5.60	32.15
PK	5.95G	57.41	68.20	-10.79	49.72	3	Horizontal	229	2.03	-	34.10	5.75	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52434G	51.80	74.00	-22.20	38.05	3	Vertical	187	1.77	-	39.07	7.91	33.23
AV	11.51612G	39.60	54.00	-14.40	25.86	3	Vertical	187	1.77	-	39.05	7.91	33.22

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT X_1TX
Setting 95
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5052G	52.11	74.00	-21.89	38.41	3	Horizontal	66	1.76	-	39.02	7.90	33.22
AV	11.498G	39.40	54.00	-14.60	25.72	3	Horizontal	66	1.76	-	39.00	7.90	33.22

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_X_1TX
Setting 92
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	62.05	68.20	-6.15	54.76	3	Vertical	185	1.76	-	33.83	5.60	32.14
PK	5.805G	113.81	Inf	-Inf	106.65	3	Vertical	185	1.76	-	33.71	5.60	32.15
AV	5.798G	101.36	Inf	-Inf	94.21	3	Vertical	185	1.76	-	33.70	5.60	32.15
PK	5.927G	67.39	68.20	-0.81	59.77	3	Vertical	185	1.76	-	34.05	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_X_1TX
Setting 92
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	57.42	68.20	-10.78	50.13	3	Horizontal	40	2.07	-	33.83	5.60	32.14
PK	5.783G	101.29	Inf	-Inf	94.11	3	Horizontal	40	2.07	-	33.73	5.60	32.15
AV	5.798G	89.25	Inf	-Inf	82.10	3	Horizontal	40	2.07	-	33.70	5.60	32.15
PK	5.931G	58.85	68.20	-9.35	51.22	3	Horizontal	40	2.07	-	34.06	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT X_1TX
Setting 92
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57878G	52.46	74.00	-21.54	38.53	3	Vertical	95	2.84	-	39.24	7.93	33.24
AV	11.60128G	39.86	54.00	-14.14	25.87	3	Vertical	95	2.84	-	39.30	7.94	33.25

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT X_1TX
Setting 92
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5885G	51.93	74.00	-22.07	37.96	3	Horizontal	281	2.99	-	39.27	7.94	33.24
AV	11.58472G	40.08	54.00	-13.92	26.14	3	Horizontal	281	2.99	-	39.25	7.93	33.24

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_X_1TX
Setting 68
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	65.01	74.00	-8.99	58.42	3	Vertical	170	1.91	-	33.50	5.24	32.15
AV	5.142G	52.61	54.00	-1.39	46.02	3	Vertical	170	1.91	-	33.50	5.24	32.15
PK	5.204G	105.84	Inf	-Inf	99.18	3	Vertical	170	1.91	-	33.51	5.30	32.15
AV	5.22G	93.96	Inf	-Inf	87.26	3	Vertical	170	1.91	-	33.54	5.31	32.15
PK	5.432G	57.17	74.00	-16.83	50.01	3	Vertical	170	1.91	-	33.86	5.43	32.13
AV	5.356G	46.09	54.00	-7.91	39.14	3	Vertical	170	1.91	-	33.71	5.38	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_X_1TX
Setting 68
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.054G	56.56	74.00	-17.44	50.25	3	Horizontal	228	2.03	-	33.32	5.15	32.16
AV	5.069G	45.03	54.00	-8.97	38.64	3	Horizontal	228	2.03	-	33.38	5.17	32.16
PK	5.204G	94.98	Inf	-Inf	88.32	3	Horizontal	228	2.03	-	33.51	5.30	32.15
AV	5.197G	81.70	Inf	-Inf	75.05	3	Horizontal	228	2.03	-	33.50	5.30	32.15
PK	5.372G	56.78	74.00	-17.22	49.79	3	Horizontal	228	2.03	-	33.74	5.39	32.14
AV	5.434G	44.87	54.00	-9.13	37.70	3	Horizontal	228	2.03	-	33.87	5.43	32.13

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT X_1TX
Setting 68
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62304G	52.94	74.00	-21.06	38.86	3	Vertical	48	2.55	-	37.55	9.83	33.30
AV	15.61668G	40.53	54.00	-13.47	26.42	3	Vertical	48	2.55	-	37.57	9.83	33.29

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT X_1TX
Setting 68
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.64098G	53.24	74.00	-20.76	39.20	3	Horizontal	116	1.81	-	37.52	9.84	33.32
AV	15.63612G	40.53	54.00	-13.47	26.47	3	Horizontal	116	1.81	-	37.53	9.84	33.31

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 64
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.118G	57.54	74.00	-16.46	50.97	3	Vertical	165	1.95	-	33.50	5.22	32.15
AV	5.116G	46.15	54.00	-7.85	39.58	3	Vertical	165	1.95	-	33.50	5.22	32.15
PK	5.303G	105.67	Inf	-Inf	98.76	3	Vertical	165	1.95	-	33.70	5.35	32.14
AV	5.301G	93.95	Inf	-Inf	87.04	3	Vertical	165	1.95	-	33.70	5.35	32.14
PK	5.35G	64.25	74.00	-9.75	57.31	3	Vertical	165	1.95	-	33.70	5.38	32.14
AV	5.35G	53.08	54.00	-0.92	46.14	3	Vertical	165	1.95	-	33.70	5.38	32.14
PK	5.517G	57.78	68.20	-10.42	50.49	3	Vertical	165	1.95	-	33.90	5.52	32.13

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 64
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.096G	56.90	74.00	-17.10	50.37	3	Horizontal	35	2.16	-	33.48	5.20	32.15
AV	5.107G	44.86	54.00	-9.14	38.30	3	Horizontal	35	2.16	-	33.50	5.21	32.15
PK	5.287G	92.75	Inf	-Inf	85.88	3	Horizontal	35	2.16	-	33.67	5.34	32.14
AV	5.302G	80.93	Inf	-Inf	74.02	3	Horizontal	35	2.16	-	33.70	5.35	32.14
PK	5.407G	57.21	74.00	-16.79	50.13	3	Horizontal	35	2.16	-	33.81	5.41	32.14
AV	5.361G	45.08	54.00	-8.92	38.12	3	Horizontal	35	2.16	-	33.72	5.38	32.14
PK	5.507G	57.19	68.20	-11.01	49.91	3	Horizontal	35	2.16	-	33.90	5.51	32.13

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 64
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86442G	53.02	74.00	-20.98	39.20	3	Vertical	305	2.81	-	37.46	9.94	33.58
AV	15.87414G	40.65	54.00	-13.35	26.83	3	Vertical	305	2.81	-	37.47	9.94	33.59

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT X_1TX
Setting 64
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.88242G	52.74	74.00	-21.26	38.91	3	Horizontal	105	2.80	-	37.48	9.95	33.60
AV	15.85752G	40.68	54.00	-13.32	26.85	3	Horizontal	105	2.80	-	37.46	9.94	33.57

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 70
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.312G	57.96	68.20	-10.24	51.04	3	Vertical	156	1.78	-	33.70	5.36	32.14
PK	5.459G	64.28	74.00	-9.72	57.05	3	Vertical	156	1.78	-	33.90	5.46	32.13
AV	5.46G	53.34	54.00	-0.66	46.11	3	Vertical	156	1.78	-	33.90	5.46	32.13
PK	5.47G	66.47	68.20	-1.73	59.23	3	Vertical	156	1.78	-	33.90	5.47	32.13
PK	5.522G	107.08	Inf	-Inf	99.79	3	Vertical	156	1.78	-	33.90	5.52	32.13
AV	5.52G	95.22	Inf	-Inf	87.93	3	Vertical	156	1.78	-	33.90	5.52	32.13
PK	5.755G	58.26	68.20	-9.94	51.02	3	Vertical	156	1.78	-	33.79	5.60	32.15

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 70
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	56.02	68.20	-12.18	49.11	3	Horizontal	239	2.56	-	33.70	5.35	32.14
PK	5.449G	56.82	74.00	-17.18	49.60	3	Horizontal	239	2.56	-	33.90	5.45	32.13
AV	5.459G	45.75	54.00	-8.25	38.52	3	Horizontal	239	2.56	-	33.90	5.46	32.13
PK	5.47G	56.94	68.20	-11.26	49.70	3	Horizontal	239	2.56	-	33.90	5.47	32.13
PK	5.518G	93.35	Inf	-Inf	86.06	3	Horizontal	239	2.56	-	33.90	5.52	32.13
AV	5.523G	81.37	Inf	-Inf	74.08	3	Horizontal	239	2.56	-	33.90	5.52	32.13
PK	5.737G	56.79	68.20	-11.41	49.56	3	Horizontal	239	2.56	-	33.77	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 70
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07374G	51.64	74.00	-22.36	38.60	3	Vertical	140	1.57	-	38.57	7.73	33.26
AV	11.05028G	39.22	54.00	-14.78	26.21	3	Vertical	140	1.57	-	38.55	7.72	33.26

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT X_1TX
Setting 70
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04758G	51.26	74.00	-22.74	38.26	3	Horizontal	348	1.34	-	38.55	7.72	33.27
AV	11.0501G	39.47	54.00	-14.53	26.46	3	Horizontal	348	1.34	-	38.55	7.72	33.26

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 68
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	61.77	74.00	-12.23	54.54	3	Vertical	164	1.80	-	33.90	5.46	32.13
AV	5.458G	48.60	54.00	-5.40	41.37	3	Vertical	164	1.80	-	33.90	5.46	32.13
PK	5.463G	62.13	68.20	-6.07	54.90	3	Vertical	164	1.80	-	33.90	5.46	32.13
PK	5.606G	108.69	Inf	-Inf	101.34	3	Vertical	164	1.80	-	33.89	5.60	32.14
AV	5.618G	97.06	Inf	-Inf	89.74	3	Vertical	164	1.80	-	33.86	5.60	32.14
PK	5.725G	67.61	68.20	-0.59	60.40	3	Vertical	164	1.80	-	33.75	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_X_1TX
Setting 68
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.433G	56.45	74.00	-17.55	49.28	3	Horizontal	234	1.50	-	33.87	5.43	32.13
PK	5.468G	56.17	68.20	-12.03	48.93	3	Horizontal	234	1.50	-	33.90	5.47	32.13
AV	5.452G	44.88	54.00	-9.12	37.66	3	Horizontal	234	1.50	-	33.90	5.45	32.13
PK	5.613G	95.10	Inf	-Inf	87.77	3	Horizontal	234	1.50	-	33.87	5.60	32.14
AV	5.615G	82.18	Inf	-Inf	74.85	3	Horizontal	234	1.50	-	33.87	5.60	32.14
PK	5.785G	57.33	68.20	-10.87	50.15	3	Horizontal	234	1.50	-	33.73	5.60	32.15

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT X_1TX
Setting 68
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21196G	51.35	74.00	-22.65	38.12	3	Vertical	101	1.96	-	38.70	7.78	33.25
AV	11.22318G	39.75	54.00	-14.25	26.51	3	Vertical	101	1.96	-	38.70	7.79	33.25

802.11ax HEW80_Nss1,(MCS0)_1TX


5610MHz_TnomVnom



EUT X_1TX
Setting 68
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23074G	51.29	74.00	-22.71	38.05	3	Horizontal	303	1.28	-	38.70	7.79	33.25
AV	11.22666G	39.26	54.00	-14.74	26.02	3	Horizontal	303	1.28	-	38.70	7.79	33.25

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
 Setting 75
 02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4356G	57.88	74.00	-16.12	50.70	3	Vertical	192	1.72	-	33.87	5.44	32.13
PK	5.4608G	57.33	68.20	-10.87	50.10	3	Vertical	192	1.72	-	33.90	5.46	32.13
AV	5.4596G	45.84	54.00	-8.16	38.61	3	Vertical	192	1.72	-	33.90	5.46	32.13
PK	5.6996G	109.65	Inf	-Inf	102.49	3	Vertical	192	1.72	-	33.70	5.60	32.14
AV	5.702G	97.66	Inf	-Inf	90.50	3	Vertical	192	1.72	-	33.70	5.60	32.14
PK	5.85G	68.17	68.20	-0.03	60.87	3	Vertical	192	1.72	-	33.80	5.65	32.15

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_X_1TX
Setting 75
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4224G	56.47	74.00	-17.53	49.34	3	Horizontal	34	1.98	-	33.84	5.42	32.13
PK	5.468G	55.41	68.20	-12.79	48.17	3	Horizontal	34	1.98	-	33.90	5.47	32.13
AV	5.4536G	45.13	54.00	-8.87	37.91	3	Horizontal	34	1.98	-	33.90	5.45	32.13
PK	5.6984G	97.86	Inf	-Inf	90.70	3	Horizontal	34	1.98	-	33.70	5.60	32.14
AV	5.7008G	86.24	Inf	-Inf	79.08	3	Horizontal	34	1.98	-	33.70	5.60	32.14
PK	5.852G	59.36	68.20	-8.84	52.05	3	Horizontal	34	1.98	-	33.81	5.65	32.15

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 75
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38258G	51.33	74.00	-22.67	37.93	3	Vertical	330	1.62	-	38.78	7.85	33.23
AV	11.3905G	39.65	54.00	-14.35	26.23	3	Vertical	330	1.62	-	38.79	7.86	33.23

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT X_1TX
Setting 75
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3881G	51.66	74.00	-22.34	38.24	3	Horizontal	242	2.86	-	38.79	7.86	33.23
AV	11.3908G	39.50	54.00	-14.50	26.08	3	Horizontal	242	2.86	-	38.79	7.86	33.23

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 81
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	64.69	68.20	-3.51	57.39	3	Vertical	188	1.91	-	33.84	5.60	32.14
PK	5.802G	108.68	Inf	-Inf	101.53	3	Vertical	188	1.91	-	33.70	5.60	32.15
AV	5.805G	96.78	Inf	-Inf	89.62	3	Vertical	188	1.91	-	33.71	5.60	32.15
PK	5.925G	68.05	68.20	-0.15	60.43	3	Vertical	188	1.91	-	34.05	5.73	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 81
02-B-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	57.67	68.20	-10.53	50.40	3	Horizontal	38	2.07	-	33.81	5.60	32.14
PK	5.784G	97.81	Inf	-Inf	90.63	3	Horizontal	38	2.07	-	33.73	5.60	32.15
AV	5.787G	85.30	Inf	-Inf	78.12	3	Horizontal	38	2.07	-	33.73	5.60	32.15
PK	5.943G	58.58	68.20	-9.62	50.91	3	Horizontal	38	2.07	-	34.09	5.74	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT X_1TX
Setting 81
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55426G	51.47	74.00	-22.53	37.62	3	Vertical	26	1.35	-	39.16	7.92	33.23
AV	11.56104G	39.72	54.00	-14.28	25.86	3	Vertical	26	1.35	-	39.18	7.92	33.24

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom



EUT X_1TX
Setting 81
02-B-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5494G	52.10	74.00	-21.90	38.26	3	Horizontal	335	1.18	-	39.15	7.92	33.23
AV	11.56074G	39.56	54.00	-14.44	25.70	3	Horizontal	335	1.18	-	39.18	7.92	33.24




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.97	54.00	-0.03	3	Horizontal	180	2.11	-

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 71
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	56.58	74.00	-17.42	49.99	3	Vertical	194	1.93	-	33.50	5.24	32.15
AV	5.1462G	44.59	54.00	-9.41	37.99	3	Vertical	194	1.93	-	33.50	5.25	32.15
PK	5.1756G	95.81	Inf	-Inf	89.18	3	Vertical	194	1.93	-	33.50	5.28	32.15
AV	5.1782G	85.47	Inf	-Inf	78.84	3	Vertical	194	1.93	-	33.50	5.28	32.15

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 71
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	69.75	74.00	-4.25	63.15	3	Horizontal	179	1.80	-	33.50	5.25	32.15
AV	5.15G	53.80	54.00	-0.20	47.20	3	Horizontal	179	1.80	-	33.50	5.25	32.15
PK	5.177G	114.04	Inf	-Inf	107.41	3	Horizontal	179	1.80	-	33.50	5.28	32.15
AV	5.176G	104.18	Inf	-Inf	97.55	3	Horizontal	179	1.80	-	33.50	5.28	32.15

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 71
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53976G	53.90	74.00	-20.10	39.53	3	Vertical	360	1.80	-	37.78	9.79	33.20
AV	15.54066G	40.75	54.00	-13.25	26.38	3	Vertical	360	1.80	-	37.78	9.79	33.20

802.11a_Nss1,(6Mbps)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 71
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.52848G	53.82	74.00	-20.18	39.40	3	Horizontal	80	1.02	-	37.81	9.79	33.18
AV	15.53262G	40.72	54.00	-13.28	26.32	3	Horizontal	80	1.02	-	37.80	9.79	33.19

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 83
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	58.27	74.00	-15.73	51.67	3	Vertical	184	1.02	-	33.50	5.25	32.15
AV	5.15G	44.97	54.00	-9.03	38.37	3	Vertical	184	1.02	-	33.50	5.25	32.15
PK	5.1988G	99.70	Inf	-Inf	93.05	3	Vertical	184	1.02	-	33.50	5.30	32.15
AV	5.2012G	89.43	Inf	-Inf	82.78	3	Vertical	184	1.02	-	33.50	5.30	32.15

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 83
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	71.11	74.00	-2.89	64.51	3	Horizontal	185	1.97	-	33.50	5.25	32.15
AV	5.1496G	53.91	54.00	-0.09	47.31	3	Horizontal	185	1.97	-	33.50	5.25	32.15
PK	5.1968G	115.19	Inf	-Inf	108.54	3	Horizontal	185	1.97	-	33.50	5.30	32.15
AV	5.1972G	104.90	Inf	-Inf	98.25	3	Horizontal	185	1.97	-	33.50	5.30	32.15

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 83
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60714G	56.87	74.00	-17.13	42.74	3	Vertical	10	2.68	-	37.59	9.82	33.28
AV	15.59994G	42.74	54.00	-11.26	28.59	3	Vertical	10	2.68	-	37.60	9.82	33.27

802.11a_Nss1,(6Mbps)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 83
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60108G	54.61	74.00	-19.39	40.46	3	Horizontal	26	1.90	-	37.60	9.82	33.27
AV	15.60474G	41.15	54.00	-12.85	27.01	3	Horizontal	26	1.90	-	37.59	9.82	33.27

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1182G	56.53	74.00	-17.47	49.96	3	Vertical	171	2.88	-	33.50	5.22	32.15
AV	5.1488G	44.31	54.00	-9.69	37.71	3	Vertical	171	2.88	-	33.50	5.25	32.15
PK	5.2418G	102.60	Inf	-Inf	95.85	3	Vertical	171	2.88	-	33.58	5.32	32.15
AV	5.2382G	91.46	Inf	-Inf	84.71	3	Vertical	171	2.88	-	33.58	5.32	32.15
PK	5.3894G	56.35	74.00	-17.65	49.32	3	Vertical	171	2.88	-	33.78	5.39	32.14
AV	5.35G	44.41	54.00	-9.59	37.47	3	Vertical	171	2.88	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1446G	70.98	74.00	-3.02	64.39	3	Horizontal	183	2.08	-	33.50	5.24	32.15
AV	5.1494G	53.28	54.00	-0.72	46.68	3	Horizontal	183	2.08	-	33.50	5.25	32.15
PK	5.2418G	121.00	Inf	-Inf	114.25	3	Horizontal	183	2.08	-	33.58	5.32	32.15
AV	5.2442G	109.82	Inf	-Inf	103.06	3	Horizontal	183	2.08	-	33.59	5.32	32.15
PK	5.3528G	66.22	74.00	-7.78	59.27	3	Horizontal	183	2.08	-	33.71	5.38	32.14
AV	5.3504G	51.26	54.00	-2.74	44.32	3	Horizontal	183	2.08	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71766G	62.08	74.00	-11.92	48.22	3	Vertical	8	2.63	-	37.40	9.87	33.41
AV	15.71904G	48.79	54.00	-5.21	34.93	3	Vertical	8	2.63	-	37.40	9.87	33.41

802.11a_Nss1,(6Mbps)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71394G	56.36	74.00	-17.64	42.49	3	Horizontal	26.6	1.92	-	37.40	9.87	33.40
AV	15.71454G	43.19	54.00	-10.81	29.32	3	Horizontal	26.6	1.92	-	37.40	9.87	33.40

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1166G	57.06	74.00	-16.94	50.49	3	Vertical	169	2.95	-	33.50	5.22	32.15
AV	5.1316G	44.20	54.00	-9.80	37.62	3	Vertical	169	2.95	-	33.50	5.23	32.15
PK	5.2588G	102.93	Inf	-Inf	96.12	3	Vertical	169	2.95	-	33.62	5.33	32.14
AV	5.2618G	92.18	Inf	-Inf	85.37	3	Vertical	169	2.95	-	33.62	5.33	32.14
PK	5.3818G	56.28	74.00	-17.72	49.27	3	Vertical	169	2.95	-	33.76	5.39	32.14
AV	5.35G	44.46	54.00	-9.54	37.52	3	Vertical	169	2.95	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.00	74.00	-8.00	59.40	3	Horizontal	178	1.92	-	33.50	5.25	32.15
AV	5.15G	49.27	54.00	-4.73	42.67	3	Horizontal	178	1.92	-	33.50	5.25	32.15
PK	5.2546G	121.28	Inf	-Inf	114.48	3	Horizontal	178	1.92	-	33.61	5.33	32.14
AV	5.2534G	110.07	Inf	-Inf	103.27	3	Horizontal	178	1.92	-	33.61	5.33	32.14
PK	5.3596G	67.36	74.00	-6.64	60.40	3	Horizontal	178	1.92	-	33.72	5.38	32.14
AV	5.35G	52.89	54.00	-1.11	45.95	3	Horizontal	178	1.92	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77424G	58.45	74.00	-15.55	44.62	3	Vertical	8	2.66	-	37.40	9.90	33.47
AV	15.77658G	45.63	54.00	-8.37	31.81	3	Vertical	8	2.66	-	37.40	9.90	33.48

802.11a_Nss1,(6Mbps)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7917G	55.95	74.00	-18.05	42.13	3	Horizontal	48	2.31	-	37.40	9.91	33.49
AV	15.78162G	42.08	54.00	-11.92	28.26	3	Horizontal	48	2.31	-	37.40	9.90	33.48

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 84
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	100.50	Inf	-Inf	93.59	3	Vertical	188	1.04	-	33.70	5.35	32.14
AV	5.294G	89.99	Inf	-Inf	83.09	3	Vertical	188	1.04	-	33.69	5.35	32.14
PK	5.35G	58.45	74.00	-15.55	51.51	3	Vertical	188	1.04	-	33.70	5.38	32.14
AV	5.35G	45.07	54.00	-8.93	38.13	3	Vertical	188	1.04	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 84
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	115.02	Inf	-Inf	108.12	3	Horizontal	178	1.80	-	33.69	5.35	32.14
AV	5.3024G	105.26	Inf	-Inf	98.35	3	Horizontal	178	1.80	-	33.70	5.35	32.14
PK	5.3508G	71.19	74.00	-2.81	64.25	3	Horizontal	178	1.80	-	33.70	5.38	32.14
AV	5.35G	53.84	54.00	-0.16	46.90	3	Horizontal	178	1.80	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 84
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60234G	55.46	74.00	-18.54	42.52	3	Vertical	229	2.95	-	38.50	7.54	33.10
AV	10.60198G	42.03	54.00	-11.97	29.08	3	Vertical	229	2.95	-	38.50	7.54	33.09
PK	15.8224G	53.78	74.00	-20.22	39.97	3	Vertical	68	2.58	-	37.42	9.92	33.53
AV	15.8128G	40.09	54.00	-13.91	26.28	3	Vertical	68	2.58	-	37.41	9.92	33.52

802.11a_Nss1,(6Mbps)_1TX

5300MHz_TnomVnom




EUT Z_1TX
Setting 84
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60033G	60.87	74.00	-13.13	47.92	3	Horizontal	229	1.83	-	38.50	7.54	33.09
AV	10.60009G	46.71	54.00	-7.29	33.76	3	Horizontal	229	1.83	-	38.50	7.54	33.09
PK	15.918G	53.33	74.00	-20.67	39.53	3	Horizontal	134	2.26	-	37.48	9.96	33.64
AV	15.8116G	40.25	54.00	-13.75	26.44	3	Horizontal	134	2.26	-	37.41	9.92	33.52

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT Z_1TX
Setting 74
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3246G	96.89	Inf	-Inf	89.97	3	Vertical	177	1.32	-	33.70	5.36	32.14
AV	5.321G	85.62	Inf	-Inf	78.70	3	Vertical	177	1.32	-	33.70	5.36	32.14
PK	5.3566G	57.81	74.00	-16.19	50.86	3	Vertical	177	1.32	-	33.71	5.38	32.14
AV	5.3508G	44.74	54.00	-9.26	37.80	3	Vertical	177	1.32	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 74
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.326G	114.25	Inf	-Inf	107.33	3	Horizontal	177	1.80	-	33.70	5.36	32.14
AV	5.3218G	103.95	Inf	-Inf	97.03	3	Horizontal	177	1.80	-	33.70	5.36	32.14
PK	5.3526G	70.26	74.00	-3.74	63.31	3	Horizontal	177	1.80	-	33.71	5.38	32.14
AV	5.3504G	53.86	54.00	-0.14	46.92	3	Horizontal	177	1.80	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 74
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63436G	55.99	74.00	-18.01	43.08	3	Vertical	305	2.15	-	38.47	7.55	33.11
AV	10.62734G	42.22	54.00	-11.78	29.31	3	Vertical	305	2.15	-	38.47	7.55	33.11
PK	15.95514G	53.06	74.00	-20.94	39.33	3	Vertical	343	1.53	-	37.44	9.98	33.69
AV	15.9507G	40.85	54.00	-13.15	27.10	3	Vertical	343	1.53	-	37.45	9.98	33.68

802.11a_Nss1,(6Mbps)_1TX

5320MHz_TnomVnom




EUT_Z_1TX
Setting 74
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6271G	60.87	74.00	-13.13	47.96	3	Horizontal	344	2.12	-	38.47	7.55	33.11
AV	10.62866G	46.19	54.00	-7.81	33.28	3	Horizontal	344	2.12	-	38.47	7.55	33.11
PK	15.94614G	53.96	74.00	-20.04	40.21	3	Horizontal	3	1.01	-	37.45	9.98	33.68
AV	15.9525G	40.80	54.00	-13.20	27.05	3	Horizontal	3	1.01	-	37.45	9.98	33.68

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	56.80	74.00	-17.20	49.57	3	Vertical	169	1.80	-	33.90	5.46	32.13
AV	5.4112G	44.54	54.00	-9.46	37.45	3	Vertical	169	1.80	-	33.82	5.41	32.14
PK	5.468G	56.37	68.20	-11.83	49.13	3	Vertical	169	1.80	-	33.90	5.47	32.13
PK	5.5064G	94.15	Inf	-Inf	86.87	3	Vertical	169	1.80	-	33.90	5.51	32.13
AV	5.5036G	83.89	Inf	-Inf	76.62	3	Vertical	169	1.80	-	33.90	5.50	32.13

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	63.55	74.00	-10.45	56.32	3	Horizontal	174	2.01	-	33.90	5.46	32.13
AV	5.4596G	50.09	54.00	-3.91	42.86	3	Horizontal	174	2.01	-	33.90	5.46	32.13
PK	5.466G	67.99	68.20	-0.21	60.75	3	Horizontal	174	2.01	-	33.90	5.47	32.13
PK	5.498G	113.55	Inf	-Inf	106.28	3	Horizontal	174	2.01	-	33.90	5.50	32.13
AV	5.5068G	103.24	Inf	-Inf	95.96	3	Horizontal	174	2.01	-	33.90	5.51	32.13

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01464G	51.66	74.00	-22.34	38.71	3	Vertical	144	1.80	-	38.51	7.71	33.27
AV	11.01434G	38.79	54.00	-15.21	25.84	3	Vertical	144	1.80	-	38.51	7.71	33.27

802.11a_Nss1,(6Mbps)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00042G	52.17	74.00	-21.83	39.24	3	Horizontal	231	1.79	-	38.50	7.70	33.27
AV	11.00528G	39.10	54.00	-14.90	26.16	3	Horizontal	231	1.79	-	38.51	7.70	33.27

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.443G	56.83	74.00	-17.17	49.63	3	Vertical	178	1.37	-	33.89	5.44	32.13
PK	5.464G	55.52	68.20	-12.68	48.29	3	Vertical	178	1.37	-	33.90	5.46	32.13
AV	5.457G	44.24	54.00	-9.76	37.01	3	Vertical	178	1.37	-	33.90	5.46	32.13
PK	5.578G	99.33	Inf	-Inf	91.98	3	Vertical	178	1.37	-	33.90	5.58	32.13
AV	5.576G	88.60	Inf	-Inf	81.25	3	Vertical	178	1.37	-	33.90	5.58	32.13
PK	5.761G	58.03	68.20	-10.17	50.80	3	Vertical	178	1.37	-	33.78	5.60	32.15

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.377G	48.21	54.00	-5.79	41.21	3	Horizontal	179	1.80	-	33.75	5.39	32.14
PK	5.459G	62.04	74.00	-11.96	54.81	3	Horizontal	179	1.80	-	33.90	5.46	32.13
PK	5.463G	62.05	68.20	-6.15	54.82	3	Horizontal	179	1.80	-	33.90	5.46	32.13
PK	5.574G	117.15	Inf	-Inf	109.81	3	Horizontal	179	1.80	-	33.90	5.57	32.13
AV	5.574G	106.49	Inf	-Inf	99.15	3	Horizontal	179	1.80	-	33.90	5.57	32.13
PK	5.735G	61.79	68.20	-6.41	54.56	3	Horizontal	179	1.80	-	33.77	5.60	32.14

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16972G	51.43	74.00	-22.57	38.24	3	Vertical	175	2.53	-	38.67	7.77	33.25
AV	11.15454G	38.28	54.00	-15.72	25.12	3	Vertical	175	2.53	-	38.65	7.76	33.25

802.11a_Nss1,(6Mbps)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1633G	54.20	74.00	-19.80	41.02	3	Horizontal	223	1.77	-	38.66	7.77	33.25
AV	11.1603G	41.12	54.00	-12.88	27.95	3	Horizontal	223	1.77	-	38.66	7.76	33.25

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT Z_1TX
Setting 52
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6998G	91.69	Inf	-Inf	84.53	3	Vertical	167	1.95	-	33.70	5.60	32.14
AV	5.7018G	80.73	Inf	-Inf	73.57	3	Vertical	167	1.95	-	33.70	5.60	32.14
PK	5.7444G	57.03	68.20	-11.17	49.78	3	Vertical	167	1.95	-	33.79	5.60	32.14

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT Z_1TX
Setting 52
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	110.53	Inf	-Inf	103.36	3	Horizontal	172	1.79	-	33.71	5.60	32.14
AV	5.6954G	99.23	Inf	-Inf	92.06	3	Horizontal	172	1.79	-	33.71	5.60	32.14
PK	5.728G	67.97	68.20	-0.23	60.75	3	Horizontal	172	1.79	-	33.76	5.60	32.14

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT Z_1TX
Setting 52
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3658G	51.90	74.00	-22.10	38.51	3	Vertical	203	1.36	-	38.77	7.85	33.23
AV	11.4194G	38.17	54.00	-15.83	24.69	3	Vertical	203	1.36	-	38.84	7.87	33.23

802.11a_Nss1,(6Mbps)_1TX

5700MHz_TnomVnom




EUT Z_1TX
Setting 52
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3859G	52.15	74.00	-21.85	38.74	3	Horizontal	316	2.32	-	38.79	7.85	33.23
AV	11.39982G	38.95	54.00	-15.05	25.52	3	Horizontal	316	2.32	-	38.80	7.86	33.23

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4296G	56.56	74.00	-17.44	49.40	3	Vertical	168	1.86	-	33.86	5.43	32.13
AV	5.4272G	44.27	54.00	-9.73	37.12	3	Vertical	168	1.86	-	33.85	5.43	32.13
PK	5.4632G	55.56	68.20	-12.64	48.33	3	Vertical	168	1.86	-	33.90	5.46	32.13
PK	5.7224G	100.52	Inf	-Inf	93.32	3	Vertical	168	1.86	-	33.74	5.60	32.14
AV	5.7248G	89.34	Inf	-Inf	82.13	3	Vertical	168	1.86	-	33.75	5.60	32.14
PK	5.9168G	57.17	68.20	-11.03	49.58	3	Vertical	168	1.86	-	34.03	5.72	32.16

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.432G	57.35	74.00	-16.65	50.19	3	Horizontal	176	1.78	-	33.86	5.43	32.13
PK	5.4668G	57.31	68.20	-10.89	50.07	3	Horizontal	176	1.78	-	33.90	5.47	32.13
AV	5.4548G	45.56	54.00	-8.44	38.34	3	Horizontal	176	1.78	-	33.90	5.45	32.13
PK	5.7272G	120.23	Inf	-Inf	113.02	3	Horizontal	176	1.78	-	33.75	5.60	32.14
AV	5.7248G	109.02	Inf	-Inf	101.81	3	Horizontal	176	1.78	-	33.75	5.60	32.14
PK	5.852G	67.59	68.20	-0.61	60.28	3	Horizontal	176	1.78	-	33.81	5.65	32.15

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4469G	51.34	74.00	-22.66	37.80	3	Vertical	5	1.36	-	38.89	7.88	33.23
AV	11.4535G	38.38	54.00	-15.62	24.81	3	Vertical	5	1.36	-	38.91	7.88	33.22

802.11a_Nss1,(6Mbps)_1TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4319G	51.12	74.00	-22.88	37.62	3	Horizontal	298	2.39	-	38.86	7.87	33.23
AV	11.44972G	38.39	54.00	-15.61	24.84	3	Horizontal	298	2.39	-	38.90	7.88	33.23

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.629G	56.94	68.20	-11.26	49.64	3	Vertical	173	1.64	-	33.84	5.60	32.14
PK	5.744G	100.95	Inf	-Inf	93.70	3	Vertical	173	1.64	-	33.79	5.60	32.14
AV	5.74G	90.18	Inf	-Inf	82.94	3	Vertical	173	1.64	-	33.78	5.60	32.14
PK	5.974G	57.27	68.20	-10.93	49.56	3	Vertical	173	1.64	-	34.10	5.77	32.16

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.98	68.20	-0.22	60.72	3	Horizontal	171	1.80	-	33.80	5.60	32.14
PK	5.742G	120.65	Inf	-Inf	113.41	3	Horizontal	171	1.80	-	33.78	5.60	32.14
AV	5.743G	109.61	Inf	-Inf	102.36	3	Horizontal	171	1.80	-	33.79	5.60	32.14
PK	5.941G	62.39	68.20	-5.81	54.73	3	Horizontal	171	1.80	-	34.08	5.74	32.16

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48118G	52.03	74.00	-21.97	38.40	3	Vertical	109	2.47	-	38.96	7.89	33.22
AV	11.4894G	38.66	54.00	-15.34	25.00	3	Vertical	109	2.47	-	38.98	7.90	33.22

802.11a_Nss1,(6Mbps)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48712G	53.73	74.00	-20.27	40.09	3	Horizontal	220	1.80	-	38.97	7.89	33.22
AV	11.4906G	40.10	54.00	-13.90	26.44	3	Horizontal	220	1.80	-	38.98	7.90	33.22

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.612G	57.66	68.20	-10.54	50.32	3	Vertical	171	1.68	-	33.88	5.60	32.14
PK	5.791G	101.86	Inf	-Inf	94.69	3	Vertical	171	1.68	-	33.72	5.60	32.15
AV	5.779G	90.97	Inf	-Inf	83.78	3	Vertical	171	1.68	-	33.74	5.60	32.15
PK	5.967G	57.32	68.20	-10.88	49.61	3	Vertical	171	1.68	-	34.10	5.77	32.16

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	65.18	68.20	-3.02	57.92	3	Horizontal	173	1.83	-	33.80	5.60	32.14
PK	5.789G	120.21	Inf	-Inf	113.04	3	Horizontal	173	1.83	-	33.72	5.60	32.15
AV	5.778G	109.52	Inf	-Inf	102.33	3	Horizontal	173	1.83	-	33.74	5.60	32.15
PK	5.925G	66.10	68.20	-2.10	58.48	3	Horizontal	173	1.83	-	34.05	5.73	32.16

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56904G	52.87	74.00	-21.13	38.97	3	Vertical	209	1.80	-	39.21	7.93	33.24
AV	11.56976G	39.44	54.00	-14.56	25.54	3	Vertical	209	1.80	-	39.21	7.93	33.24
PK	17.36664G	61.45	68.20	-6.75	41.06	3	Vertical	22	2.25	-	42.83	10.68	33.12

802.11a_Nss1,(6Mbps)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56484G	53.97	74.00	-20.03	40.09	3	Horizontal	220	1.97	-	39.19	7.93	33.24
AV	11.57102G	41.08	54.00	-12.92	27.18	3	Horizontal	220	1.97	-	39.21	7.93	33.24
PK	17.36016G	62.07	68.20	-6.13	41.74	3	Horizontal	12	1.82	-	42.78	10.68	33.13

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.62G	56.58	68.20	-11.62	49.26	3	Vertical	171	1.66	-	33.86	5.60	32.14
PK	5.825G	101.46	Inf	-Inf	94.24	3	Vertical	171	1.66	-	33.75	5.62	32.15
AV	5.827G	90.33	Inf	-Inf	83.10	3	Vertical	171	1.66	-	33.75	5.63	32.15
PK	6.002G	57.04	68.20	-11.16	49.29	3	Vertical	171	1.66	-	34.11	5.80	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	60.86	68.20	-7.34	53.55	3	Horizontal	175	1.35	-	33.85	5.60	32.14
PK	5.827G	120.29	Inf	-Inf	113.06	3	Horizontal	175	1.35	-	33.75	5.63	32.15
AV	5.828G	109.35	Inf	-Inf	102.11	3	Horizontal	175	1.35	-	33.76	5.63	32.15
PK	5.924G	68.30	68.94	-0.64	60.69	3	Horizontal	175	1.35	-	34.05	5.72	32.16

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65G	53.12	74.00	-20.88	39.07	3	Vertical	101	1.80	-	39.35	7.96	33.26
AV	11.65576G	39.43	54.00	-14.57	25.37	3	Vertical	101	1.80	-	39.36	7.96	33.26

802.11a_Nss1,(6Mbps)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64904G	54.07	74.00	-19.93	40.02	3	Horizontal	219	1.84	-	39.35	7.96	33.26
AV	11.64616G	40.60	54.00	-13.40	26.55	3	Horizontal	219	1.84	-	39.35	7.96	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT Z_1TX
Setting 72
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1462G	56.77	74.00	-17.23	50.17	3	Vertical	201	1.82	-	33.50	5.25	32.15
AV	5.149G	43.87	54.00	-10.13	37.27	3	Vertical	201	1.82	-	33.50	5.25	32.15
PK	5.177G	97.29	Inf	-Inf	90.66	3	Vertical	201	1.82	-	33.50	5.28	32.15
AV	5.1778G	83.08	Inf	-Inf	76.45	3	Vertical	201	1.82	-	33.50	5.28	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT Z_1TX
Setting 72
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	68.89	74.00	-5.11	62.29	3	Horizontal	185	2.22	-	33.50	5.25	32.15
AV	5.15G	53.83	54.00	-0.17	47.23	3	Horizontal	185	2.22	-	33.50	5.25	32.15
PK	5.176G	115.36	Inf	-Inf	108.73	3	Horizontal	185	2.22	-	33.50	5.28	32.15
AV	5.1766G	101.94	Inf	-Inf	95.31	3	Horizontal	185	2.22	-	33.50	5.28	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54504G	53.95	74.00	-20.05	39.59	3	Vertical	340	2.95	-	37.76	9.80	33.20
AV	15.53166G	39.48	54.00	-14.52	25.07	3	Vertical	340	2.95	-	37.81	9.79	33.19

802.11ax HEW20_Nss1,(MCS0)_1TX

5180MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54882G	53.25	74.00	-20.75	38.91	3	Horizontal	360	2.66	-	37.75	9.80	33.21
AV	15.52542G	39.36	54.00	-14.64	24.93	3	Horizontal	360	2.66	-	37.82	9.79	33.18

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT Z_1TX
Setting 80
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	57.87	74.00	-16.13	51.28	3	Vertical	185	1.02	-	33.50	5.24	32.15
AV	5.15G	44.84	54.00	-9.16	38.24	3	Vertical	185	1.02	-	33.50	5.25	32.15
PK	5.2072G	100.36	Inf	-Inf	93.70	3	Vertical	185	1.02	-	33.51	5.30	32.15
AV	5.2008G	86.96	Inf	-Inf	80.31	3	Vertical	185	1.02	-	33.50	5.30	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 80
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	71.13	74.00	-2.87	64.53	3	Horizontal	179	2.00	-	33.50	5.25	32.15
AV	5.15G	53.79	54.00	-0.21	47.19	3	Horizontal	179	2.00	-	33.50	5.25	32.15
PK	5.1976G	116.59	Inf	-Inf	109.94	3	Horizontal	179	2.00	-	33.50	5.30	32.15
AV	5.1944G	102.22	Inf	-Inf	95.58	3	Horizontal	179	2.00	-	33.50	5.29	32.15

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 80
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60354G	54.94	74.00	-19.06	40.80	3	Vertical	11	2.68	-	37.59	9.82	33.27
AV	15.60114G	41.13	54.00	-12.87	26.98	3	Vertical	11	2.68	-	37.60	9.82	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5200MHz_TnomVnom




EUT_Z_1TX
Setting 80
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59118G	53.44	74.00	-20.56	39.25	3	Horizontal	26	2.16	-	37.63	9.82	33.26
AV	15.59532G	39.30	54.00	-14.70	25.13	3	Horizontal	26	2.16	-	37.61	9.82	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 91
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.105G	57.94	74.00	-16.06	51.39	3	Vertical	169	2.87	-	33.50	5.20	32.15
AV	5.1476G	43.89	54.00	-10.11	37.29	3	Vertical	169	2.87	-	33.50	5.25	32.15
PK	5.2478G	102.27	Inf	-Inf	95.50	3	Vertical	169	2.87	-	33.60	5.32	32.15
AV	5.2388G	89.17	Inf	-Inf	82.42	3	Vertical	169	2.87	-	33.58	5.32	32.15
PK	5.354G	56.48	74.00	-17.52	49.53	3	Vertical	169	2.87	-	33.71	5.38	32.14
AV	5.354G	43.89	54.00	-10.11	36.94	3	Vertical	169	2.87	-	33.71	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT_Z_1TX
Setting 91
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	70.11	74.00	-3.89	63.52	3	Horizontal	182	1.99	-	33.50	5.24	32.15
AV	5.15G	52.72	54.00	-1.28	46.12	3	Horizontal	182	1.99	-	33.50	5.25	32.15
PK	5.246G	121.14	Inf	-Inf	114.38	3	Horizontal	182	1.99	-	33.59	5.32	32.15
AV	5.2418G	107.62	Inf	-Inf	100.87	3	Horizontal	182	1.99	-	33.58	5.32	32.15
PK	5.35G	67.29	74.00	-6.71	60.35	3	Horizontal	182	1.99	-	33.70	5.38	32.14
AV	5.35G	49.87	54.00	-4.13	42.93	3	Horizontal	182	1.99	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT Z_1TX
Setting 91
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6624G	54.99	74.00	-19.01	41.00	3	Vertical	173	2.06	-	37.48	9.85	33.34
AV	15.5736G	41.42	54.00	-12.58	27.17	3	Vertical	173	2.06	-	37.68	9.81	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5240MHz_TnomVnom




EUT Z_1TX
Setting 91
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6276G	53.68	74.00	-20.32	39.61	3	Horizontal	56	2.42	-	37.54	9.83	33.30
AV	15.5742G	39.35	54.00	-14.65	25.10	3	Horizontal	56	2.42	-	37.68	9.81	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 92
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	56.23	74.00	-17.77	49.64	3	Vertical	177	1.42	-	33.50	5.24	32.15
AV	5.1136G	43.63	54.00	-10.37	37.07	3	Vertical	177	1.42	-	33.50	5.21	32.15
PK	5.2678G	102.25	Inf	-Inf	95.42	3	Vertical	177	1.42	-	33.64	5.33	32.14
AV	5.2534G	89.63	Inf	-Inf	82.83	3	Vertical	177	1.42	-	33.61	5.33	32.14
PK	5.3566G	57.35	74.00	-16.65	50.40	3	Vertical	177	1.42	-	33.71	5.38	32.14
AV	5.3506G	44.15	54.00	-9.85	37.21	3	Vertical	177	1.42	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT_Z_1TX
Setting 92
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	65.87	74.00	-8.13	59.27	3	Horizontal	180	1.94	-	33.50	5.25	32.15
AV	5.15G	49.40	54.00	-4.60	42.80	3	Horizontal	180	1.94	-	33.50	5.25	32.15
PK	5.263G	121.28	Inf	-Inf	114.46	3	Horizontal	180	1.94	-	33.63	5.33	32.14
AV	5.2552G	108.33	Inf	-Inf	101.53	3	Horizontal	180	1.94	-	33.61	5.33	32.14
PK	5.3512G	71.01	74.00	-2.99	64.07	3	Horizontal	180	1.94	-	33.70	5.38	32.14
AV	5.35G	53.21	54.00	-0.79	46.28	3	Horizontal	180	1.94	-	33.70	5.37	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT Z_1TX
Setting 92
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7764G	53.72	74.00	-20.28	39.90	3	Vertical	3	1.59	-	37.40	9.90	33.48
AV	15.77628G	40.19	54.00	-13.81	26.37	3	Vertical	3	1.59	-	37.40	9.90	33.48

802.11ax HEW20_Nss1,(MCS0)_1TX

5260MHz_TnomVnom




EUT Z_1TX
Setting 92
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.79458G	53.95	74.00	-20.05	40.14	3	Horizontal	107	2.26	-	37.40	9.91	33.50
AV	15.79314G	40.12	54.00	-13.88	26.31	3	Horizontal	107	2.26	-	37.40	9.91	33.50

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT Z_1TX
Setting 81
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	101.30	Inf	-Inf	94.39	3	Vertical	187	1.03	-	33.70	5.35	32.14
AV	5.292G	87.88	Inf	-Inf	80.99	3	Vertical	187	1.03	-	33.68	5.35	32.14
PK	5.3536G	57.92	74.00	-16.08	50.97	3	Vertical	187	1.03	-	33.71	5.38	32.14
AV	5.35G	44.69	54.00	-9.31	37.75	3	Vertical	187	1.03	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT_Z_1TX
Setting 81
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	117.77	Inf	-Inf	110.86	3	Horizontal	180	2.11	-	33.70	5.35	32.14
AV	5.304G	103.45	Inf	-Inf	96.54	3	Horizontal	180	2.11	-	33.70	5.35	32.14
PK	5.35G	71.79	74.00	-2.21	64.86	3	Horizontal	180	2.11	-	33.70	5.37	32.14
AV	5.35G	53.97	54.00	-0.03	47.04	3	Horizontal	180	2.11	-	33.70	5.37	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT Z_1TX
Setting 81
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6012G	54.66	74.00	-19.34	41.71	3	Vertical	229	2.95	-	38.50	7.54	33.09
AV	10.6G	40.73	54.00	-13.27	27.78	3	Vertical	229	2.95	-	38.50	7.54	33.09
PK	15.89118G	56.10	74.00	-17.90	42.27	3	Vertical	360	2.05	-	37.49	9.95	33.61
AV	15.89754G	41.63	54.00	-12.37	27.80	3	Vertical	360	2.05	-	37.50	9.95	33.62

802.11ax HEW20_Nss1,(MCS0)_1TX

5300MHz_TnomVnom




EUT Z_1TX
Setting 81
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60213G	59.14	74.00	-14.86	46.19	3	Horizontal	229	1.75	-	38.50	7.54	33.09
AV	10.60099G	44.60	54.00	-9.40	31.65	3	Horizontal	229	1.75	-	38.50	7.54	33.09
PK	15.89844G	55.08	74.00	-18.92	41.25	3	Horizontal	39	2.17	-	37.50	9.95	33.62
AV	15.89754G	40.81	54.00	-13.19	26.98	3	Horizontal	39	2.17	-	37.50	9.95	33.62

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT Z_1TX
Setting 74
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3236G	100.04	Inf	-Inf	93.12	3	Vertical	188	1.02	-	33.70	5.36	32.14
AV	5.3216G	86.41	Inf	-Inf	79.49	3	Vertical	188	1.02	-	33.70	5.36	32.14
PK	5.352G	56.79	74.00	-17.21	49.85	3	Vertical	188	1.02	-	33.70	5.38	32.14
AV	5.3502G	44.40	54.00	-9.60	37.46	3	Vertical	188	1.02	-	33.70	5.38	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT Z_1TX
Setting 74
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3224G	116.68	Inf	-Inf	109.76	3	Horizontal	186	1.80	-	33.70	5.36	32.14
AV	5.3214G	101.80	Inf	-Inf	94.88	3	Horizontal	186	1.80	-	33.70	5.36	32.14
PK	5.3538G	68.40	74.00	-5.60	61.45	3	Horizontal	186	1.80	-	33.71	5.38	32.14
AV	5.35G	53.83	54.00	-0.17	46.90	3	Horizontal	186	1.80	-	33.70	5.37	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT Z_1TX
Setting 74
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.67704G	55.01	74.00	-18.99	42.15	3	Vertical	122	1.15	-	38.42	7.57	33.13
AV	10.60072G	42.96	54.00	-11.04	30.01	3	Vertical	122	1.15	-	38.50	7.54	33.09
PK	15.9352G	52.44	74.00	-21.56	38.67	3	Vertical	216	1.37	-	37.46	9.97	33.66
AV	15.9184G	39.98	54.00	-14.02	26.18	3	Vertical	216	1.37	-	37.48	9.96	33.64

802.11ax HEW20_Nss1,(MCS0)_1TX

5320MHz_TnomVnom




EUT Z_1TX
Setting 74
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.66228G	50.97	74.00	-23.03	38.09	3	Horizontal	91	1.30	-	38.44	7.56	33.12
AV	10.60072G	37.96	54.00	-16.04	25.01	3	Horizontal	91	1.30	-	38.50	7.54	33.09
PK	15.9314G	52.97	74.00	-21.03	39.19	3	Horizontal	207	1.36	-	37.47	9.97	33.66
AV	15.9314G	38.82	54.00	-15.18	25.04	3	Horizontal	207	1.36	-	37.47	9.97	33.66

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT Z_1TX
Setting 72
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.436G	56.67	74.00	-17.33	49.49	3	Vertical	169	1.80	-	33.87	5.44	32.13
PK	5.4688G	55.88	68.20	-12.32	48.64	3	Vertical	169	1.80	-	33.90	5.47	32.13
AV	5.4584G	43.81	54.00	-10.19	36.58	3	Vertical	169	1.80	-	33.90	5.46	32.13
PK	5.5008G	95.24	Inf	-Inf	87.97	3	Vertical	169	1.80	-	33.90	5.50	32.13
AV	5.5032G	81.58	Inf	-Inf	74.31	3	Vertical	169	1.80	-	33.90	5.50	32.13

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.15	74.00	-8.85	57.92	3	Horizontal	175	2.12	-	33.90	5.46	32.13
AV	5.46G	49.53	54.00	-4.47	42.30	3	Horizontal	175	2.12	-	33.90	5.46	32.13
PK	5.468G	68.09	68.20	-0.11	60.85	3	Horizontal	175	2.12	-	33.90	5.47	32.13
PK	5.5064G	113.99	Inf	-Inf	106.71	3	Horizontal	175	2.12	-	33.90	5.51	32.13
AV	5.508G	100.51	Inf	-Inf	93.23	3	Horizontal	175	2.12	-	33.90	5.51	32.13

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT Z_1TX
Setting 72
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0688G	51.12	74.00	-22.88	38.08	3	Vertical	223	2.70	-	38.57	7.73	33.26
AV	11.0244G	37.81	54.00	-16.19	24.85	3	Vertical	223	2.70	-	38.52	7.71	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5500MHz_TnomVnom




EUT Z_1TX
Setting 72
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0312G	52.74	74.00	-21.26	39.77	3	Horizontal	51	2.28	-	38.53	7.71	33.27
AV	11.0228G	39.78	54.00	-14.22	26.82	3	Horizontal	51	2.28	-	38.52	7.71	33.27

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.365G	56.39	74.00	-17.61	49.42	3	Vertical	180	1.37	-	33.73	5.38	32.14
PK	5.461G	55.66	68.20	-12.54	48.43	3	Vertical	180	1.37	-	33.90	5.46	32.13
AV	5.46G	44.00	54.00	-10.00	36.77	3	Vertical	180	1.37	-	33.90	5.46	32.13
PK	5.573G	101.33	Inf	-Inf	93.99	3	Vertical	180	1.37	-	33.90	5.57	32.13
AV	5.576G	87.49	Inf	-Inf	80.14	3	Vertical	180	1.37	-	33.90	5.58	32.13
PK	5.741G	57.06	68.20	-11.14	49.82	3	Vertical	180	1.37	-	33.78	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	62.95	74.00	-11.05	55.72	3	Horizontal	175	1.82	-	33.90	5.46	32.13
PK	5.461G	63.00	68.20	-5.20	55.77	3	Horizontal	175	1.82	-	33.90	5.46	32.13
AV	5.459G	48.47	54.00	-5.53	41.24	3	Horizontal	175	1.82	-	33.90	5.46	32.13
PK	5.585G	118.75	Inf	-Inf	111.41	3	Horizontal	175	1.82	-	33.90	5.58	32.14
AV	5.576G	105.07	Inf	-Inf	97.72	3	Horizontal	175	1.82	-	33.90	5.58	32.13
PK	5.735G	65.38	68.20	-2.82	58.15	3	Horizontal	175	1.82	-	33.77	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16372G	51.67	74.00	-22.33	38.49	3	Vertical	352	1.80	-	38.66	7.77	33.25
AV	11.16018G	37.87	54.00	-16.13	24.70	3	Vertical	352	1.80	-	38.66	7.76	33.25

802.11ax HEW20_Nss1,(MCS0)_1TX

5580MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15466G	54.58	74.00	-19.42	41.42	3	Horizontal	221	1.80	-	38.65	7.76	33.25
AV	11.1591G	40.83	54.00	-13.17	27.66	3	Horizontal	221	1.80	-	38.66	7.76	33.25

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 45
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7012G	92.11	Inf	-Inf	84.95	3	Vertical	166	1.95	-	33.70	5.60	32.14
AV	5.7028G	77.95	Inf	-Inf	70.78	3	Vertical	166	1.95	-	33.71	5.60	32.14
PK	5.7438G	57.72	68.20	-10.48	50.47	3	Vertical	166	1.95	-	33.79	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT Z_1TX
Setting 45
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6952G	110.36	Inf	-Inf	103.19	3	Horizontal	170	1.79	-	33.71	5.60	32.14
AV	5.6974G	95.99	Inf	-Inf	88.82	3	Horizontal	170	1.79	-	33.71	5.60	32.14
PK	5.7252G	68.05	68.20	-0.15	60.84	3	Horizontal	170	1.79	-	33.75	5.60	32.14

802.11ax HEW20_Nss1,(MCS0)_1TX

5700MHz_TnomVnom




EUT_Z_1TX
Setting 45
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4448G	51.46	74.00	-22.54	37.92	3	Vertical	256	2.36	-	38.89	7.88	33.23
AV	11.434G	38.16	54.00	-15.84	24.65	3	Vertical	256	2.36	-	38.87	7.87	33.23

802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TnomVnom



EUT_Z_1TX
Setting 45
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4394G	51.50	74.00	-22.50	37.97	3	Horizontal	219	1.08	-	38.88	7.88	33.23
AV	11.438G	38.08	54.00	-15.92	24.55	3	Horizontal	219	1.08	-	38.88	7.88	33.23


802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
 Setting 94
 02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4296G	57.24	74.00	-16.76	50.08	3	Vertical	168	1.85	-	33.86	5.43	32.13
PK	5.4644G	55.56	68.20	-12.64	48.33	3	Vertical	168	1.85	-	33.90	5.46	32.13
AV	5.456G	43.77	54.00	-10.23	36.54	3	Vertical	168	1.85	-	33.90	5.46	32.13
PK	5.7224G	100.56	Inf	-Inf	93.36	3	Vertical	168	1.85	-	33.74	5.60	32.14
AV	5.7236G	87.10	Inf	-Inf	79.89	3	Vertical	168	1.85	-	33.75	5.60	32.14
PK	5.8964G	57.40	68.20	-10.80	49.86	3	Vertical	168	1.85	-	33.99	5.70	32.15


802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
 Setting 94
 02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	57.76	74.00	-16.24	50.54	3	Horizontal	174	1.77	-	33.90	5.45	32.13
AV	5.4452G	45.10	54.00	-8.90	37.89	3	Horizontal	174	1.77	-	33.89	5.45	32.13
PK	5.468G	57.88	68.20	-10.32	50.64	3	Horizontal	174	1.77	-	33.90	5.47	32.13
PK	5.7212G	119.70	Inf	-Inf	112.50	3	Horizontal	174	1.77	-	33.74	5.60	32.14
AV	5.726G	106.92	Inf	-Inf	99.71	3	Horizontal	174	1.77	-	33.75	5.60	32.14
PK	5.8724G	68.04	68.20	-0.16	60.63	3	Horizontal	174	1.77	-	33.89	5.67	32.15


802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
 Setting 94
 02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44702G	52.19	74.00	-21.81	38.65	3	Vertical	171	1.48	-	38.89	7.88	33.23
AV	11.44552G	37.91	54.00	-16.09	24.37	3	Vertical	171	1.48	-	38.89	7.88	33.23

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
 Setting 94
 02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4496G	52.99	74.00	-21.01	39.44	3	Horizontal	272	1.31	-	38.90	7.88	33.23
AV	11.43586G	37.92	54.00	-16.08	24.41	3	Horizontal	272	1.31	-	38.87	7.87	33.23

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT Z_1TX
Setting 92
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	56.76	68.20	-11.44	49.48	3	Vertical	175	1.62	-	33.82	5.60	32.14
PK	5.752G	102.10	Inf	-Inf	94.85	3	Vertical	175	1.62	-	33.80	5.60	32.15
AV	5.741G	88.92	Inf	-Inf	81.68	3	Vertical	175	1.62	-	33.78	5.60	32.14
PK	5.947G	57.40	68.20	-10.80	49.72	3	Vertical	175	1.62	-	34.09	5.75	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 92
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	68.07	68.20	-0.13	60.80	3	Horizontal	174	1.76	-	33.81	5.60	32.14
PK	5.752G	121.40	Inf	-Inf	114.15	3	Horizontal	174	1.76	-	33.80	5.60	32.15
AV	5.743G	107.74	Inf	-Inf	100.49	3	Horizontal	174	1.76	-	33.79	5.60	32.14
PK	5.946G	62.02	68.20	-6.18	54.34	3	Horizontal	174	1.76	-	34.09	5.75	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 92
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.622G	52.08	74.00	-21.92	38.06	3	Vertical	44	1.47	-	39.32	7.95	33.25
AV	11.6358G	38.30	54.00	-15.70	24.27	3	Vertical	44	1.47	-	39.34	7.95	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT Z_1TX
Setting 92
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6136G	53.60	74.00	-20.40	39.59	3	Horizontal	61	1.66	-	39.31	7.95	33.25
AV	11.64G	40.32	54.00	-13.68	26.28	3	Horizontal	61	1.66	-	39.34	7.96	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.55G	56.48	68.20	-11.72	49.16	3	Vertical	171	1.68	-	33.90	5.55	32.13
PK	5.78G	101.91	Inf	-Inf	94.72	3	Vertical	171	1.68	-	33.74	5.60	32.15
AV	5.777G	88.28	Inf	-Inf	81.08	3	Vertical	171	1.68	-	33.75	5.60	32.15
PK	5.964G	58.11	68.20	-10.09	50.41	3	Vertical	171	1.68	-	34.10	5.76	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	66.17	68.20	-2.03	58.90	3	Horizontal	177	1.73	-	33.81	5.60	32.14
PK	5.788G	119.00	Inf	-Inf	111.83	3	Horizontal	177	1.73	-	33.72	5.60	32.15
AV	5.781G	106.41	Inf	-Inf	99.22	3	Horizontal	177	1.73	-	33.74	5.60	32.15
PK	5.923G	68.04	69.68	-1.64	60.43	3	Horizontal	177	1.73	-	34.05	5.72	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5592G	52.35	74.00	-21.65	38.49	3	Vertical	231	1.80	-	39.18	7.92	33.24
AV	11.57096G	38.16	54.00	-15.84	24.26	3	Vertical	231	1.80	-	39.21	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5733G	52.67	74.00	-21.33	38.76	3	Horizontal	240	2.25	-	39.22	7.93	33.24
AV	11.57012G	38.82	54.00	-15.18	24.92	3	Horizontal	240	2.25	-	39.21	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Z_1TX
Setting 93
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	57.04	68.20	-11.16	49.77	3	Vertical	172	1.65	-	33.81	5.60	32.14
PK	5.82G	102.13	Inf	-Inf	94.92	3	Vertical	172	1.65	-	33.74	5.62	32.15
AV	5.822G	89.07	Inf	-Inf	81.86	3	Vertical	172	1.65	-	33.74	5.62	32.15
PK	5.979G	57.21	68.20	-10.99	49.49	3	Vertical	172	1.65	-	34.10	5.78	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Z_1TX
Setting 93
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	62.30	68.20	-5.90	54.99	3	Horizontal	177	1.96	-	33.85	5.60	32.14
PK	5.831G	120.60	Inf	-Inf	113.36	3	Horizontal	177	1.96	-	33.76	5.63	32.15
AV	5.831G	107.29	Inf	-Inf	100.05	3	Horizontal	177	1.96	-	33.76	5.63	32.15
PK	5.925G	68.01	68.20	-0.19	60.40	3	Horizontal	177	1.96	-	34.05	5.72	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6473G	52.92	74.00	-21.08	38.87	3	Vertical	1	2.01	-	39.35	7.96	33.26
AV	11.65942G	38.49	54.00	-15.51	24.43	3	Vertical	1	2.01	-	39.36	7.96	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64082G	52.86	74.00	-21.14	38.82	3	Horizontal	61	1.04	-	39.34	7.96	33.26
AV	11.6467G	38.52	54.00	-15.48	24.47	3	Horizontal	61	1.04	-	39.35	7.96	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT Z_1TX
Setting 63
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	57.40	74.00	-16.60	50.80	3	Vertical	185	1.00	-	33.50	5.25	32.15
AV	5.1476G	45.36	54.00	-8.64	38.76	3	Vertical	185	1.00	-	33.50	5.25	32.15
PK	5.1724G	96.23	Inf	-Inf	89.61	3	Vertical	185	1.00	-	33.50	5.27	32.15
AV	5.1744G	84.27	Inf	-Inf	77.65	3	Vertical	185	1.00	-	33.50	5.27	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT Z_1TX
Setting 63
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.88	74.00	-9.12	58.28	3	Horizontal	185	1.85	-	33.50	5.25	32.15
AV	5.15G	53.88	54.00	-0.12	47.28	3	Horizontal	185	1.85	-	33.50	5.25	32.15
PK	5.1844G	110.26	Inf	-Inf	103.63	3	Horizontal	185	1.85	-	33.50	5.28	32.15
AV	5.1728G	98.55	Inf	-Inf	91.93	3	Horizontal	185	1.85	-	33.50	5.27	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT_Z_1TX
Setting 63
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57696G	54.13	74.00	-19.87	39.89	3	Vertical	349	1.89	-	37.67	9.81	33.24
AV	15.56874G	40.73	54.00	-13.27	26.46	3	Vertical	349	1.89	-	37.69	9.81	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT Z_1TX
Setting 63
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56778G	53.82	74.00	-20.18	39.54	3	Horizontal	162	1.80	-	37.70	9.81	33.23
AV	15.57132G	40.84	54.00	-13.16	26.57	3	Horizontal	162	1.80	-	37.69	9.81	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0848G	57.54	74.00	-16.46	51.07	3	Vertical	169	2.88	-	33.44	5.18	32.15
AV	5.1022G	45.39	54.00	-8.61	38.84	3	Vertical	169	2.88	-	33.50	5.20	32.15
PK	5.2336G	97.40	Inf	-Inf	90.66	3	Vertical	169	2.88	-	33.57	5.32	32.15
AV	5.2384G	84.67	Inf	-Inf	77.92	3	Vertical	169	2.88	-	33.58	5.32	32.15
PK	5.3512G	56.58	74.00	-17.42	49.64	3	Vertical	169	2.88	-	33.70	5.38	32.14
AV	5.3656G	45.07	54.00	-8.93	38.10	3	Vertical	169	2.88	-	33.73	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	68.58	74.00	-5.42	61.98	3	Horizontal	180	1.96	-	33.50	5.25	32.15
AV	5.15G	53.85	54.00	-0.15	47.25	3	Horizontal	180	1.96	-	33.50	5.25	32.15
PK	5.227G	115.08	Inf	-Inf	108.37	3	Horizontal	180	1.96	-	33.55	5.31	32.15
AV	5.2432G	102.92	Inf	-Inf	96.16	3	Horizontal	180	1.96	-	33.59	5.32	32.15
PK	5.3524G	60.50	74.00	-13.50	53.56	3	Horizontal	180	1.96	-	33.70	5.38	32.14
AV	5.3518G	49.24	54.00	-4.76	42.30	3	Horizontal	180	1.96	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT Z_1TX
Setting 72
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5868G	54.05	74.00	-19.95	39.85	3	Vertical	72	1.16	-	37.64	9.81	33.25
AV	15.5778G	40.58	54.00	-13.42	26.34	3	Vertical	72	1.16	-	37.67	9.81	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT Z_1TX
Setting 72
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6956G	53.62	74.00	-20.38	39.73	3	Horizontal	244	1.33	-	37.41	9.86	33.38
AV	15.6634G	40.33	54.00	-13.67	26.35	3	Horizontal	244	1.33	-	37.47	9.85	33.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_Z_1TX
Setting 76
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	55.70	74.00	-18.30	49.10	3	Vertical	169	2.95	-	33.50	5.25	32.15
AV	5.1314G	44.89	54.00	-9.11	38.31	3	Vertical	169	2.95	-	33.50	5.23	32.15
PK	5.255G	96.91	Inf	-Inf	90.11	3	Vertical	169	2.95	-	33.61	5.33	32.14
AV	5.2682G	84.71	Inf	-Inf	77.88	3	Vertical	169	2.95	-	33.64	5.33	32.14
PK	5.3738G	56.84	74.00	-17.16	49.84	3	Vertical	169	2.95	-	33.75	5.39	32.14
AV	5.351G	45.03	54.00	-8.97	38.09	3	Vertical	169	2.95	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_Z_1TX
Setting 76
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1392G	60.85	74.00	-13.15	54.26	3	Horizontal	179	1.94	-	33.50	5.24	32.15
AV	5.1482G	48.84	54.00	-5.16	42.24	3	Horizontal	179	1.94	-	33.50	5.25	32.15
PK	5.2586G	114.13	Inf	-Inf	107.32	3	Horizontal	179	1.94	-	33.62	5.33	32.14
AV	5.2532G	102.52	Inf	-Inf	95.72	3	Horizontal	179	1.94	-	33.61	5.33	32.14
PK	5.3522G	69.77	74.00	-4.23	62.83	3	Horizontal	179	1.94	-	33.70	5.38	32.14
AV	5.35G	53.82	54.00	-0.18	46.88	3	Horizontal	179	1.94	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_Z_1TX
Setting 76
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8031G	52.63	74.00	-21.37	38.83	3	Vertical	94	2.30	-	37.40	9.91	33.51
AV	15.80268G	40.22	54.00	-13.78	26.42	3	Vertical	94	2.30	-	37.40	9.91	33.51

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_Z_1TX
Setting 76
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.79818G	52.61	74.00	-21.39	38.80	3	Horizontal	130	2.47	-	37.40	9.91	33.50
AV	15.82428G	40.42	54.00	-13.58	26.61	3	Horizontal	130	2.47	-	37.42	9.92	33.53

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT Z_1TX
Setting 68
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3256G	92.94	Inf	-Inf	86.02	3	Vertical	178	1.39	-	33.70	5.36	32.14
AV	5.3274G	81.27	Inf	-Inf	74.35	3	Vertical	178	1.39	-	33.70	5.36	32.14
PK	5.364G	57.04	74.00	-16.96	50.07	3	Vertical	178	1.39	-	33.73	5.38	32.14
AV	5.4552G	44.97	54.00	-9.03	37.74	3	Vertical	178	1.39	-	33.90	5.46	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT_Z_1TX
Setting 68
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3178G	111.77	Inf	-Inf	104.85	3	Horizontal	175	1.80	-	33.70	5.36	32.14
AV	5.3214G	99.33	Inf	-Inf	92.41	3	Horizontal	175	1.80	-	33.70	5.36	32.14
PK	5.3508G	68.00	74.00	-6.00	61.06	3	Horizontal	175	1.80	-	33.70	5.38	32.14
AV	5.35G	53.88	54.00	-0.12	46.95	3	Horizontal	175	1.80	-	33.70	5.37	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT Z_1TX
Setting 68
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60656G	51.88	74.00	-22.12	38.95	3	Vertical	223	2.95	-	38.49	7.54	33.10
AV	10.60878G	39.72	54.00	-14.28	26.79	3	Vertical	223	2.95	-	38.49	7.54	33.10
PK	15.93204G	52.95	74.00	-21.05	39.17	3	Vertical	3	1.80	-	37.47	9.97	33.66
AV	15.93006G	40.27	54.00	-13.73	26.49	3	Vertical	3	1.80	-	37.47	9.97	33.66

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT Z_1TX
Setting 68
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61448G	55.43	74.00	-18.57	42.49	3	Horizontal	230	1.80	-	38.49	7.55	33.10
AV	10.6062G	41.81	54.00	-12.19	28.88	3	Horizontal	230	1.80	-	38.49	7.54	33.10
PK	15.91968G	52.97	74.00	-21.03	39.18	3	Horizontal	44	1.74	-	37.48	9.96	33.65
AV	15.93312G	40.12	54.00	-13.88	26.34	3	Horizontal	44	1.74	-	37.47	9.97	33.66

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT Z_1TX
Setting 61
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3696G	57.18	74.00	-16.82	50.20	3	Vertical	169	1.79	-	33.74	5.38	32.14
PK	5.4638G	56.50	68.20	-11.70	49.27	3	Vertical	169	1.79	-	33.90	5.46	32.13
AV	5.4548G	44.94	54.00	-9.06	37.72	3	Vertical	169	1.79	-	33.90	5.45	32.13
PK	5.525G	92.15	Inf	-Inf	84.85	3	Vertical	169	1.79	-	33.90	5.53	32.13
AV	5.5274G	79.26	Inf	-Inf	71.96	3	Vertical	169	1.79	-	33.90	5.53	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT_Z_1TX
Setting 61
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	62.92	74.00	-11.08	55.69	3	Horizontal	170	1.76	-	33.90	5.46	32.13
AV	5.46G	49.82	54.00	-4.18	42.59	3	Horizontal	170	1.76	-	33.90	5.46	32.13
PK	5.4698G	68.03	68.20	-0.17	60.79	3	Horizontal	170	1.76	-	33.90	5.47	32.13
PK	5.5256G	109.94	Inf	-Inf	102.64	3	Horizontal	170	1.76	-	33.90	5.53	32.13
AV	5.525G	98.31	Inf	-Inf	91.01	3	Horizontal	170	1.76	-	33.90	5.53	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT_Z_1TX
Setting 61
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01658G	51.58	74.00	-22.42	38.62	3	Vertical	261	2.37	-	38.52	7.71	33.27
AV	11.03038G	39.01	54.00	-14.99	26.04	3	Vertical	261	2.37	-	38.53	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT_Z_1TX
Setting 61
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0206G	51.54	74.00	-22.46	38.58	3	Horizontal	331	1.25	-	38.52	7.71	33.27
AV	11.01682G	38.86	54.00	-15.14	25.90	3	Horizontal	331	1.25	-	38.52	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_Z_1TX
Setting 73
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	56.53	74.00	-17.47	49.30	3	Vertical	165	1.96	-	33.90	5.46	32.13
AV	5.439G	45.57	54.00	-8.43	38.38	3	Vertical	165	1.96	-	33.88	5.44	32.13
PK	5.4696G	57.09	68.20	-11.11	49.85	3	Vertical	165	1.96	-	33.90	5.47	32.13
PK	5.5446G	97.67	Inf	-Inf	90.36	3	Vertical	165	1.96	-	33.90	5.54	32.13
AV	5.5572G	85.79	Inf	-Inf	78.46	3	Vertical	165	1.96	-	33.90	5.56	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_Z_1TX
Setting 73
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.81	74.00	-7.19	59.58	3	Horizontal	172	1.93	-	33.90	5.46	32.13
AV	5.4582G	53.19	54.00	-0.81	45.96	3	Horizontal	172	1.93	-	33.90	5.46	32.13
PK	5.4654G	67.97	68.20	-0.23	60.73	3	Horizontal	172	1.93	-	33.90	5.47	32.13
PK	5.5356G	116.03	Inf	-Inf	108.72	3	Horizontal	172	1.93	-	33.90	5.54	32.13
AV	5.5446G	103.73	Inf	-Inf	96.42	3	Horizontal	172	1.93	-	33.90	5.54	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_Z_1TX
Setting 73
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0256G	51.75	74.00	-22.25	38.78	3	Vertical	275	1.02	-	38.53	7.71	33.27
AV	11.037G	37.98	54.00	-16.02	25.00	3	Vertical	275	1.02	-	38.54	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT Z_1TX
Setting 73
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11086G	52.27	74.00	-21.73	39.18	3	Horizontal	330	1.80	-	38.61	7.74	33.26
AV	11.1027G	39.64	54.00	-14.36	26.56	3	Horizontal	330	1.80	-	38.60	7.74	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT Z_1TX
Setting 52
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6532G	93.09	Inf	-Inf	85.84	3	Vertical	166	1.91	-	33.79	5.60	32.14
AV	5.652G	81.44	Inf	-Inf	74.18	3	Vertical	166	1.91	-	33.80	5.60	32.14
PK	5.7912G	57.17	68.20	-11.03	50.00	3	Vertical	166	1.91	-	33.72	5.60	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT Z_1TX
Setting 52
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6622G	112.09	Inf	-Inf	104.85	3	Horizontal	172	1.96	-	33.78	5.60	32.14
AV	5.6538G	99.66	Inf	-Inf	92.41	3	Horizontal	172	1.96	-	33.79	5.60	32.14
PK	5.7258G	67.99	68.20	-0.21	60.78	3	Horizontal	172	1.96	-	33.75	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT Z_1TX
Setting 52
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33322G	51.95	74.00	-22.05	38.63	3	Vertical	212	1.33	-	38.73	7.83	33.24
AV	11.34306G	38.68	54.00	-15.32	25.34	3	Vertical	212	1.33	-	38.74	7.84	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT Z_1TX
Setting 52
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33502G	53.61	74.00	-20.39	40.28	3	Horizontal	207	1.83	-	38.74	7.83	33.24
AV	11.3388G	41.12	54.00	-12.88	27.78	3	Horizontal	207	1.83	-	38.74	7.84	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
Setting 76
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7284G	95.70	Inf	-Inf	88.48	3	Vertical	168	1.86	-	33.76	5.60	32.14
AV	5.726G	84.48	Inf	-Inf	77.27	3	Vertical	168	1.86	-	33.75	5.60	32.14
PK	5.902G	57.11	68.20	-11.09	49.56	3	Vertical	168	1.86	-	34.00	5.70	32.15


802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
 Setting 76
 02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7268G	116.17	Inf	-Inf	108.96	3	Horizontal	174	1.78	-	33.75	5.60	32.14
AV	5.7276G	103.94	Inf	-Inf	96.72	3	Horizontal	174	1.78	-	33.76	5.60	32.14
PK	5.85G	68.02	68.20	-0.18	60.72	3	Horizontal	174	1.78	-	33.80	5.65	32.15


802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
 Setting 76
 02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4095G	51.61	74.00	-22.39	38.16	3	Vertical	28	2.99	-	38.82	7.86	33.23
AV	11.4059G	39.30	54.00	-14.70	25.86	3	Vertical	28	2.99	-	38.81	7.86	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
 Setting 76
 02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42258G	51.60	74.00	-22.40	38.11	3	Horizontal	79	2.67	-	38.85	7.87	33.23
AV	11.42318G	38.92	54.00	-15.08	25.43	3	Horizontal	79	2.67	-	38.85	7.87	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT Z_1TX
Setting 83
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.606G	57.14	68.20	-11.06	49.79	3	Vertical	174	1.63	-	33.89	5.60	32.14
PK	5.742G	98.07	Inf	-Inf	90.83	3	Vertical	174	1.63	-	33.78	5.60	32.14
AV	5.759G	86.51	Inf	-Inf	79.28	3	Vertical	174	1.63	-	33.78	5.60	32.15
PK	5.962G	58.01	68.20	-10.19	50.31	3	Vertical	174	1.63	-	34.10	5.76	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 83
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.97	68.20	-0.23	60.71	3	Horizontal	174	1.80	-	33.80	5.60	32.14
PK	5.749G	117.89	Inf	-Inf	110.63	3	Horizontal	174	1.80	-	33.80	5.60	32.14
AV	5.743G	105.71	Inf	-Inf	98.46	3	Horizontal	174	1.80	-	33.79	5.60	32.14
PK	5.961G	62.07	68.20	-6.13	54.37	3	Horizontal	174	1.80	-	34.10	5.76	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 83
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50694G	52.78	74.00	-21.22	39.08	3	Vertical	204	2.58	-	39.02	7.90	33.22
AV	11.49668G	39.51	54.00	-14.49	25.84	3	Vertical	204	2.58	-	38.99	7.90	33.22

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 83
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51528G	53.19	74.00	-20.81	39.45	3	Horizontal	143	2.54	-	39.05	7.91	33.22
AV	11.50034G	40.75	54.00	-13.25	27.07	3	Horizontal	143	2.54	-	39.00	7.90	33.22

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT Z_1TX
Setting 86
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	57.86	68.20	-10.34	50.58	3	Vertical	172	1.69	-	33.82	5.60	32.14
PK	5.802G	96.72	Inf	-Inf	89.57	3	Vertical	172	1.69	-	33.70	5.60	32.15
AV	5.794G	85.47	Inf	-Inf	78.31	3	Vertical	172	1.69	-	33.71	5.60	32.15
PK	5.99G	57.65	68.20	-10.55	49.92	3	Vertical	172	1.69	-	34.10	5.79	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT Z_1TX
Setting 86
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.73	68.20	-1.47	59.47	3	Horizontal	178	1.80	-	33.80	5.60	32.14
PK	5.792G	115.93	Inf	-Inf	108.76	3	Horizontal	178	1.80	-	33.72	5.60	32.15
AV	5.8G	104.07	Inf	-Inf	96.92	3	Horizontal	178	1.80	-	33.70	5.60	32.15
PK	5.928G	68.11	68.20	-0.09	60.48	3	Horizontal	178	1.80	-	34.06	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_Z_1TX
Setting 86
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59066G	52.77	74.00	-21.23	38.80	3	Vertical	269	2.30	-	39.27	7.94	33.24
AV	11.59966G	40.13	54.00	-13.87	26.14	3	Vertical	269	2.30	-	39.30	7.94	33.25

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_Z_1TX
Setting 86
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59042G	52.32	74.00	-21.68	38.35	3	Horizontal	286	1.87	-	39.27	7.94	33.24
AV	11.58436G	40.02	54.00	-13.98	26.08	3	Horizontal	286	1.87	-	39.25	7.93	33.24

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_Z_1TX
Setting 66
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0404G	56.46	74.00	-17.54	50.20	3	Vertical	168	2.92	-	33.28	5.14	32.16
AV	5.0956G	45.22	54.00	-8.78	38.69	3	Vertical	168	2.92	-	33.48	5.20	32.15
PK	5.182G	90.86	Inf	-Inf	84.23	3	Vertical	168	2.92	-	33.50	5.28	32.15
AV	5.1804G	78.60	Inf	-Inf	71.97	3	Vertical	168	2.92	-	33.50	5.28	32.15
PK	5.3564G	56.87	74.00	-17.13	49.92	3	Vertical	168	2.92	-	33.71	5.38	32.14
AV	5.3612G	44.94	54.00	-9.06	37.98	3	Vertical	168	2.92	-	33.72	5.38	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_Z_1TX
Setting 66
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.12	74.00	-8.88	58.52	3	Horizontal	186	1.97	-	33.50	5.25	32.15
AV	5.15G	53.78	54.00	-0.22	47.18	3	Horizontal	186	1.97	-	33.50	5.25	32.15
PK	5.246G	109.84	Inf	-Inf	103.08	3	Horizontal	186	1.97	-	33.59	5.32	32.15
AV	5.2404G	97.55	Inf	-Inf	90.80	3	Horizontal	186	1.97	-	33.58	5.32	32.15
PK	5.3556G	61.05	74.00	-12.95	54.10	3	Horizontal	186	1.97	-	33.71	5.38	32.14
AV	5.3524G	48.71	54.00	-5.29	41.77	3	Horizontal	186	1.97	-	33.70	5.38	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_Z_1TX
Setting 66
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6243G	53.89	74.00	-20.11	39.81	3	Vertical	313	2.04	-	37.55	9.83	33.30
AV	15.61644G	40.48	54.00	-13.52	26.37	3	Vertical	313	2.04	-	37.57	9.83	33.29

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_Z_1TX
Setting 66
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63822G	53.82	74.00	-20.18	39.77	3	Horizontal	17	2.62	-	37.52	9.84	33.31
AV	15.62976G	40.67	54.00	-13.33	26.60	3	Horizontal	17	2.62	-	37.54	9.83	33.30

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 66
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.083G	56.48	74.00	-17.52	50.03	3	Vertical	169	2.95	-	33.43	5.18	32.16
AV	5.115G	44.80	54.00	-9.20	38.24	3	Vertical	169	2.95	-	33.50	5.21	32.15
PK	5.283G	91.57	Inf	-Inf	84.70	3	Vertical	169	2.95	-	33.67	5.34	32.14
AV	5.283G	79.31	Inf	-Inf	72.44	3	Vertical	169	2.95	-	33.67	5.34	32.14
PK	5.38G	56.45	74.00	-17.55	49.44	3	Vertical	169	2.95	-	33.76	5.39	32.14
AV	5.372G	44.85	54.00	-9.15	37.86	3	Vertical	169	2.95	-	33.74	5.39	32.14
PK	5.53G	56.92	68.20	-11.28	49.62	3	Vertical	169	2.95	-	33.90	5.53	32.13

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 66
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	60.67	74.00	-13.33	54.08	3	Horizontal	178	1.92	-	33.50	5.24	32.15
AV	5.147G	48.63	54.00	-5.37	42.03	3	Horizontal	178	1.92	-	33.50	5.25	32.15
PK	5.257G	109.13	Inf	-Inf	102.33	3	Horizontal	178	1.92	-	33.61	5.33	32.14
AV	5.253G	97.28	Inf	-Inf	90.48	3	Horizontal	178	1.92	-	33.61	5.33	32.14
PK	5.35G	64.47	74.00	-9.53	57.53	3	Horizontal	178	1.92	-	33.70	5.38	32.14
AV	5.35G	52.60	54.00	-1.40	45.66	3	Horizontal	178	1.92	-	33.70	5.38	32.14
PK	5.478G	58.73	68.20	-9.47	51.48	3	Horizontal	178	1.92	-	33.90	5.48	32.13

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 66
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8703G	58.22	74.00	-15.78	44.40	3	Vertical	143	2.13	-	37.47	9.94	33.59
AV	15.8658G	45.10	54.00	-8.90	31.27	3	Vertical	143	2.13	-	37.47	9.94	33.58

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 66
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86436G	55.47	74.00	-18.53	41.65	3	Horizontal	113	1.76	-	37.46	9.94	33.58
AV	15.8817G	42.99	54.00	-11.01	29.16	3	Horizontal	113	1.76	-	37.48	9.95	33.60

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT_Z_1TX
Setting 62
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.415G	56.85	74.00	-17.15	49.74	3	Vertical	170	1.86	-	33.83	5.42	32.14
PK	5.467G	55.68	68.20	-12.52	48.44	3	Vertical	170	1.86	-	33.90	5.47	32.13
AV	5.451G	45.00	54.00	-9.00	37.78	3	Vertical	170	1.86	-	33.90	5.45	32.13
PK	5.534G	89.94	Inf	-Inf	82.64	3	Vertical	170	1.86	-	33.90	5.53	32.13
AV	5.548G	77.89	Inf	-Inf	70.57	3	Vertical	170	1.86	-	33.90	5.55	32.13
PK	5.733G	56.61	68.20	-11.59	49.38	3	Vertical	170	1.86	-	33.77	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT_Z_1TX
Setting 62
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	66.36	74.00	-7.64	59.14	3	Horizontal	173	1.81	-	33.90	5.45	32.13
AV	5.459G	53.87	54.00	-0.13	46.64	3	Horizontal	173	1.81	-	33.90	5.46	32.13
PK	5.47G	65.68	68.20	-2.52	58.44	3	Horizontal	173	1.81	-	33.90	5.47	32.13
PK	5.544G	108.20	Inf	-Inf	100.89	3	Horizontal	173	1.81	-	33.90	5.54	32.13
AV	5.543G	96.30	Inf	-Inf	88.99	3	Horizontal	173	1.81	-	33.90	5.54	32.13
PK	5.746G	60.59	68.20	-7.61	53.34	3	Horizontal	173	1.81	-	33.79	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT Z_1TX
Setting 62
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05538G	50.97	74.00	-23.03	37.95	3	Vertical	333	2.29	-	38.56	7.72	33.26
AV	11.05166G	38.95	54.00	-15.05	25.94	3	Vertical	333	2.29	-	38.55	7.72	33.26

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT Z_1TX
Setting 62
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07476G	52.50	74.00	-21.50	39.46	3	Horizontal	168	2.52	-	38.57	7.73	33.26
AV	11.06642G	39.82	54.00	-14.18	26.78	3	Horizontal	168	2.52	-	38.57	7.73	33.26

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_Z_1TX
Setting 58
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	56.95	74.00	-17.05	49.74	3	Vertical	182	1.34	-	33.89	5.45	32.13
AV	5.454G	45.18	54.00	-8.82	37.96	3	Vertical	182	1.34	-	33.90	5.45	32.13
PK	5.465G	56.07	68.20	-12.13	48.84	3	Vertical	182	1.34	-	33.90	5.46	32.13
PK	5.633G	92.07	Inf	-Inf	84.78	3	Vertical	182	1.34	-	33.83	5.60	32.14
AV	5.647G	80.09	Inf	-Inf	72.82	3	Vertical	182	1.34	-	33.81	5.60	32.14
PK	5.837G	57.05	68.20	-11.15	49.79	3	Vertical	182	1.34	-	33.77	5.64	32.15

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_Z_1TX
Setting 58
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.447G	61.56	74.00	-12.44	54.35	3	Horizontal	170	1.97	-	33.89	5.45	32.13
PK	5.464G	61.99	68.20	-6.21	54.76	3	Horizontal	170	1.97	-	33.90	5.46	32.13
AV	5.459G	49.16	54.00	-4.84	41.93	3	Horizontal	170	1.97	-	33.90	5.46	32.13
PK	5.639G	110.89	Inf	-Inf	103.61	3	Horizontal	170	1.97	-	33.82	5.60	32.14
AV	5.641G	98.52	Inf	-Inf	91.24	3	Horizontal	170	1.97	-	33.82	5.60	32.14
PK	5.74G	68.08	68.20	-0.12	60.84	3	Horizontal	170	1.97	-	33.78	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_Z_1TX
Setting 58
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2281G	51.44	74.00	-22.56	38.20	3	Vertical	134	1.71	-	38.70	7.79	33.25
AV	11.20866G	38.27	54.00	-15.73	25.04	3	Vertical	134	1.71	-	38.70	7.78	33.25

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_Z_1TX
Setting 58
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23098G	53.57	74.00	-20.43	40.33	3	Horizontal	249	1.80	-	38.70	7.79	33.25
AV	11.2245G	40.53	54.00	-13.47	27.29	3	Horizontal	249	1.80	-	38.70	7.79	33.25

802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
Setting 67
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4272G	56.54	74.00	-17.46	49.39	3	Vertical	178	1.42	-	33.85	5.43	32.13
AV	5.4392G	44.76	54.00	-9.24	37.57	3	Vertical	178	1.42	-	33.88	5.44	32.13
PK	5.468G	55.69	68.20	-12.51	48.45	3	Vertical	178	1.42	-	33.90	5.47	32.13
PK	5.7272G	93.54	Inf	-Inf	86.33	3	Vertical	178	1.42	-	33.75	5.60	32.14
AV	5.6576G	81.53	Inf	-Inf	74.29	3	Vertical	178	1.42	-	33.78	5.60	32.14
PK	5.9852G	57.14	68.20	-11.06	49.41	3	Vertical	178	1.42	-	34.10	5.79	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
 Setting 67
 02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	60.23	74.00	-13.77	53.01	3	Horizontal	166	2.00	-	33.90	5.45	32.13
AV	5.4548G	47.79	54.00	-6.21	40.57	3	Horizontal	166	2.00	-	33.90	5.45	32.13
PK	5.4692G	59.00	68.20	-9.20	51.76	3	Horizontal	166	2.00	-	33.90	5.47	32.13
PK	5.6528G	111.47	Inf	-Inf	104.22	3	Horizontal	166	2.00	-	33.79	5.60	32.14
AV	5.6552G	98.87	Inf	-Inf	91.62	3	Horizontal	166	2.00	-	33.79	5.60	32.14
PK	5.8508G	68.09	68.20	-0.11	60.79	3	Horizontal	166	2.00	-	33.80	5.65	32.15

802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
Setting 67
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39296G	51.66	74.00	-22.34	38.24	3	Vertical	117	2.55	-	38.79	7.86	33.23
AV	11.39236G	39.07	54.00	-14.93	25.65	3	Vertical	117	2.55	-	38.79	7.86	33.23

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
 Setting 67
 02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37238G	52.03	74.00	-21.97	38.64	3	Horizontal	241	1.80	-	38.77	7.85	33.23
AV	11.37298G	39.18	54.00	-14.82	25.79	3	Horizontal	241	1.80	-	38.77	7.85	33.23

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT_Z_1TX
Setting 74
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	57.07	68.20	-11.13	49.72	3	Vertical	169	1.69	-	33.90	5.59	32.14
PK	5.763G	93.06	Inf	-Inf	85.84	3	Vertical	169	1.69	-	33.77	5.60	32.15
AV	5.745G	81.00	Inf	-Inf	73.75	3	Vertical	169	1.69	-	33.79	5.60	32.14
PK	5.954G	57.75	68.20	-10.45	50.06	3	Vertical	169	1.69	-	34.10	5.75	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT_Z_1TX
Setting 74
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	68.05	68.20	-0.15	60.75	3	Horizontal	174	1.80	-	33.84	5.60	32.14
PK	5.746G	112.57	Inf	-Inf	105.32	3	Horizontal	174	1.80	-	33.79	5.60	32.14
AV	5.744G	100.59	Inf	-Inf	93.34	3	Horizontal	174	1.80	-	33.79	5.60	32.14
PK	5.943G	65.41	68.20	-2.79	57.74	3	Horizontal	174	1.80	-	34.09	5.74	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT_Z_1TX
Setting 74
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5518G	51.50	74.00	-22.50	37.65	3	Vertical	273	1.48	-	39.16	7.92	33.23
AV	11.56296G	39.53	54.00	-14.47	25.65	3	Vertical	273	1.48	-	39.19	7.93	33.24

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom



EUT_Z_1TX
Setting 74
02-B-C-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53908G	51.35	74.00	-22.65	37.54	3	Horizontal	38	1.20	-	39.12	7.92	33.23
AV	11.5569G	39.54	54.00	-14.46	25.68	3	Horizontal	38	1.20	-	39.17	7.92	33.23



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 4	Pass	AV	1.78554G	40.28	54.00	-13.72	Vertical

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.78424G	46.58	74.00	-27.42	-7.93	3	Vertical	159	2.00	-	54.51	25.07	4.28	37.28
AV	1.78554G	40.28	54.00	-13.72	-7.93	3	Vertical	159	2.00	"Worst"	48.21	25.07	4.28	37.28

Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.78381G	43.88	74.00	-30.12	-7.93	3	Horizontal	213	1.36	-	51.81	25.07	4.28	37.28
AV	1.78564G	37.33	54.00	-16.67	-7.93	3	Horizontal	213	1.36	"Worst"	45.26	25.07	4.28	37.28