


802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_X_1TX
Setting 100
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9906G	110.65	Inf	-Inf	101.41	3	Vertical	88	1.68	-	36.64	5.89	33.29
RMS	7.0026G	99.97	Inf	-Inf	90.75	3	Vertical	88	1.68	-	36.61	5.90	33.29
PK	7.125G	72.17	88.20	-16.03	62.75	3	Vertical	88	1.68	-	36.90	5.96	33.44
RMS	7.125G	60.02	68.20	-8.18	50.60	3	Vertical	88	1.68	-	36.90	5.96	33.44

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUTX_1TX
Setting 100
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.993G	117.45	Inf	-Inf	108.22	3	Horizontal	63	1.47	-	36.63	5.89	33.29
RMS	7.0074G	106.18	Inf	-Inf	96.95	3	Horizontal	63	1.47	-	36.63	5.90	33.30
PK	7.1266G	76.23	88.20	-11.97	66.80	3	Horizontal	63	1.47	-	36.91	5.96	33.44
RMS	7.125G	65.02	68.20	-3.18	55.60	3	Horizontal	63	1.47	-	36.90	5.96	33.44

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_X_1TX
Setting 100
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01156G	65.21	88.20	-22.99	50.64	3	Vertical	4	1.80	-	40.90	8.60	34.93
RMS	14.01072G	52.94	68.20	-15.26	38.37	3	Vertical	4	1.80	-	40.90	8.60	34.93

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_X_1TX
Setting 100
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00868G	63.10	88.20	-25.10	48.53	3	Horizontal	278	1.80	-	40.90	8.60	34.93
RMS	14.00988G	50.99	68.20	-17.21	36.42	3	Horizontal	278	1.80	-	40.90	8.60	34.93

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_X_1TX
Setting 100
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0102G	53.59	83.54	-29.95	49.74	1	Vertical	333	1.64	-	37.60	15.95	49.70
AV	21.01708G	41.95	63.54	-21.59	38.09	1	Vertical	333	1.64	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

7005MHz_TnomVnom




EUT_X_1TX
Setting 100
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.02252G	53.91	83.54	-29.63	50.05	1	Horizontal	32	1.60	-	37.60	15.96	49.70
AV	21.01788G	42.46	63.54	-21.08	38.60	1	Horizontal	32	1.60	-	37.60	15.96	49.70

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUTX_1TX
Setting 74
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0698G	107.98	Inf	-Inf	98.66	3	Vertical	87	1.66	-	36.76	5.93	33.37
RMS	7.0778G	96.64	Inf	-Inf	87.34	3	Vertical	87	1.66	-	36.74	5.94	33.38
PK	7.125G	74.39	88.20	-13.81	64.97	3	Vertical	87	1.66	-	36.90	5.96	33.44
RMS	7.125G	61.27	68.20	-6.93	51.85	3	Vertical	87	1.66	-	36.90	5.96	33.44

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUTX_1TX
Setting 74
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0878G	113.22	Inf	-Inf	103.96	3	Horizontal	52	2.14	-	36.72	5.94	33.40
RMS	7.0774G	102.65	Inf	-Inf	93.34	3	Horizontal	52	2.14	-	36.75	5.94	33.38
PK	7.125G	82.49	88.20	-5.71	73.07	3	Horizontal	52	2.14	-	36.90	5.96	33.44
RMS	7.125G	67.75	68.20	-0.45	58.33	3	Horizontal	52	2.14	-	36.90	5.96	33.44

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT X_1TX
Setting 74
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17144G	64.28	88.20	-23.92	49.71	3	Vertical	7	1.80	-	40.83	8.64	34.90
RMS	14.17492G	50.97	68.20	-17.23	36.40	3	Vertical	7	1.80	-	40.83	8.64	34.90

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_X_1TX
Setting 74
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.19496G	61.36	88.20	-26.84	46.79	3	Horizontal	289	1.80	-	40.81	8.65	34.89
RMS	14.1676G	48.64	68.20	-19.56	34.07	3	Horizontal	289	1.80	-	40.83	8.64	34.90

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT_X_1TX
Setting 74
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.25692G	51.61	83.54	-31.93	47.58	1	Vertical	332	1.75	-	37.61	16.07	49.65
AV	21.26556G	42.25	63.54	-21.29	38.21	1	Vertical	332	1.75	-	37.62	16.07	49.65

802.11ax HEW40_Nss1,(MCS0)_1TX

7085MHz_TnomVnom




EUT X_1TX
Setting 74
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.26812G	50.71	83.54	-32.83	46.67	1	Horizontal	48	1.57	-	37.62	16.07	49.65
AV	21.2558G	41.05	63.54	-22.49	37.02	1	Horizontal	48	1.57	-	37.61	16.07	49.65

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUTX_1TX
Setting 80
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	75.20	88.20	-13.00	68.14	3	Vertical	357	1.69	-	35.05	5.36	33.35
RMS	5.925G	63.37	68.20	-4.83	56.31	3	Vertical	357	1.69	-	35.05	5.36	33.35
PK	5.9562G	105.42	Inf	-Inf	98.18	3	Vertical	357	1.69	-	35.22	5.38	33.36
RMS	5.9714G	94.22	Inf	-Inf	86.91	3	Vertical	357	1.69	-	35.29	5.39	33.37

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUT_X_1TX
Setting 80
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	79.36	88.20	-8.84	72.30	3	Horizontal	58	2.72	-	35.05	5.36	33.35
RMS	5.925G	67.21	68.20	-0.99	60.15	3	Horizontal	58	2.72	-	35.05	5.36	33.35
PK	5.9786G	110.62	Inf	-Inf	103.29	3	Horizontal	58	2.72	-	35.31	5.39	33.37
RMS	5.9738G	98.66	Inf	-Inf	91.34	3	Horizontal	58	2.72	-	35.30	5.39	33.37

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUTX_1TX
Setting 80
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97136G	55.60	74.00	-18.40	42.57	3	Vertical	16	2.31	-	38.99	8.98	34.94
AV	11.97402G	43.16	54.00	-10.84	30.14	3	Vertical	16	2.31	-	38.98	8.98	34.94
PK	17.9565G	62.20	74.00	-11.80	45.18	3	Vertical	130	2.86	-	42.06	9.78	34.82
AV	17.95436G	49.98	54.00	-4.02	32.97	3	Vertical	130	2.86	-	42.05	9.78	34.82

802.11ax HEW80_Nss1,(MCS0)_1TX

5985MHz_TnomVnom




EUTX_1TX
Setting 80
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.97262G	55.57	74.00	-18.43	42.55	3	Horizontal	180	2.63	-	38.98	8.98	34.94
AV	11.96772G	42.99	54.00	-11.01	29.95	3	Horizontal	180	2.63	-	39.00	8.98	34.94
PK	17.95004G	61.96	74.00	-12.04	44.94	3	Horizontal	207	2.03	-	42.05	9.78	34.81
AV	17.95328G	50.07	54.00	-3.93	33.06	3	Horizontal	207	2.03	-	42.05	9.78	34.82

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT_X_1TX
Setting 104
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	69.84	88.20	-18.36	62.84	3	Vertical	28	1.56	-	34.99	5.36	33.35
RMS	5.9242G	59.08	68.20	-9.12	52.02	3	Vertical	28	1.56	-	35.05	5.36	33.35
PK	6.1246G	110.78	Inf	-Inf	103.11	3	Vertical	28	1.56	-	35.45	5.52	33.30
RMS	6.1198G	99.87	Inf	-Inf	92.19	3	Vertical	28	1.56	-	35.46	5.52	33.30

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUTX_1TX
Setting 104
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	73.36	88.20	-14.84	66.30	3	Horizontal	56	2.68	-	35.05	5.36	33.35
RMS	5.9206G	61.42	68.20	-6.78	54.39	3	Horizontal	56	2.68	-	35.02	5.36	33.35
PK	6.139G	114.48	Inf	-Inf	106.81	3	Horizontal	56	2.68	-	35.42	5.54	33.29
RMS	6.1354G	104.65	Inf	-Inf	96.97	3	Horizontal	56	2.68	-	35.43	5.54	33.29

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT X_1TX
Setting 104
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29136G	55.30	74.00	-18.70	42.51	3	Vertical	161	2.04	-	38.71	8.94	34.86
AV	12.28638G	42.94	54.00	-11.06	30.15	3	Vertical	161	2.04	-	38.71	8.94	34.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT_X_1TX
Setting 104
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28562G	56.05	74.00	-17.95	43.26	3	Horizontal	347	1.83	-	38.71	8.94	34.86
AV	12.29022G	42.68	54.00	-11.32	29.89	3	Horizontal	347	1.83	-	38.71	8.94	34.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT_X_1TX
Setting 104
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4232G	54.69	83.54	-28.85	52.24	1	Vertical	299	1.66	-	37.71	14.87	50.13
AV	18.4154G	42.92	63.54	-20.62	40.48	1	Vertical	299	1.66	-	37.70	14.87	50.13

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUTX_1TX
Setting 104
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4112G	54.21	83.54	-29.33	51.80	1	Horizontal	22	1.48	-	37.69	14.86	50.14
AV	18.4054G	42.82	63.54	-20.72	40.41	1	Horizontal	22	1.48	-	37.69	14.86	50.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6145MHz_TnomVnom




EUT_X_1TX
Setting 92
04-D-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.407G	76.51	83.54	-7.03	74.10	1	Horizontal	22	1.48	-	37.69	14.86	50.14
AV	18.4052G	64.44	63.54	0.90	62.03	1	Horizontal	22	1.48	-	37.69	14.86	50.14

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.923G	61.44	88.20	-26.76	54.39	3	Vertical	37	2.05	-	35.04	5.36	33.35
RMS	5.925G	51.16	68.20	-17.04	44.10	3	Vertical	37	2.05	-	35.05	5.36	33.35
PK	6.3696G	110.73	Inf	-Inf	102.54	3	Vertical	37	2.05	-	35.64	5.68	33.13
RMS	6.3784G	99.98	Inf	-Inf	91.75	3	Vertical	37	2.05	-	35.66	5.69	33.12

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9076G	66.47	88.20	-21.73	59.51	3	Horizontal	57	1.64	-	34.95	5.35	33.34
RMS	5.9142G	54.93	68.20	-13.27	47.93	3	Horizontal	57	1.64	-	34.99	5.36	33.35
PK	6.3938G	115.73	Inf	-Inf	107.45	3	Horizontal	57	1.64	-	35.69	5.70	33.11
RMS	6.3784G	105.83	Inf	-Inf	97.60	3	Horizontal	57	1.64	-	35.66	5.69	33.12

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77474G	55.95	88.20	-32.25	42.48	3	Vertical	322	2.97	-	39.37	8.85	34.75
RMS	12.77106G	42.95	68.20	-25.25	29.48	3	Vertical	322	2.97	-	39.37	8.85	34.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76998G	55.71	88.20	-32.49	42.24	3	Horizontal	129	2.98	-	39.37	8.85	34.75
RMS	12.76636G	42.99	68.20	-25.21	29.52	3	Horizontal	129	2.98	-	39.37	8.85	34.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.1446G	51.88	83.54	-31.66	48.52	1	Vertical	22	1.60	-	37.83	15.16	49.63
AV	19.1362G	40.40	63.54	-23.14	37.04	1	Vertical	22	1.60	-	37.84	15.15	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6385MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.133G	55.58	83.54	-27.96	52.22	1	Horizontal	316	1.60	-	37.84	15.15	49.63
AV	19.1446G	43.45	63.54	-20.09	40.09	1	Horizontal	316	1.60	-	37.83	15.16	49.63

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9034G	61.20	88.20	-27.00	54.27	3	Vertical	38	1.86	-	34.92	5.35	33.34
RMS	5.9178G	50.17	68.20	-18.03	43.15	3	Vertical	38	1.86	-	35.01	5.36	33.35
PK	6.4266G	109.33	Inf	-Inf	101.07	3	Vertical	38	1.86	-	35.65	5.70	33.09
RMS	6.4506G	99.30	Inf	-Inf	91.07	3	Vertical	38	1.86	-	35.60	5.70	33.07

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8986G	65.36	88.20	-22.84	58.45	3	Horizontal	56	1.70	-	34.90	5.35	33.34
RMS	5.9154G	53.75	68.20	-14.45	46.75	3	Horizontal	56	1.70	-	34.99	5.36	33.35
PK	6.4818G	117.06	Inf	-Inf	108.68	3	Horizontal	56	1.70	-	35.73	5.70	33.05
RMS	6.4818G	106.09	Inf	-Inf	97.71	3	Horizontal	56	1.70	-	35.73	5.70	33.05

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93296G	55.15	88.20	-33.05	41.48	3	Vertical	242	2.34	-	39.57	8.81	34.71
RMS	12.92666G	43.12	68.20	-25.08	29.47	3	Vertical	242	2.34	-	39.55	8.81	34.71

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.93166G	55.59	88.20	-32.61	41.93	3	Horizontal	344	2.34	-	39.56	8.81	34.71
RMS	12.93262G	43.07	68.20	-25.13	29.40	3	Horizontal	344	2.34	-	39.57	8.81	34.71

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39492G	56.49	83.54	-27.05	53.09	1	Vertical	278	1.56	-	37.82	15.26	49.68
AV	19.39544G	44.44	63.54	-19.10	41.04	1	Vertical	278	1.56	-	37.82	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX

6465MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39368G	56.32	83.54	-27.22	52.93	1	Horizontal	4	1.55	-	37.81	15.26	49.68
AV	19.39882G	44.61	63.54	-18.93	41.21	1	Horizontal	4	1.55	-	37.82	15.26	49.68

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8814G	59.36	88.20	-28.84	52.49	3	Vertical	37	1.96	-	34.86	5.34	33.33
RMS	5.9234G	49.54	68.20	-18.66	42.49	3	Vertical	37	1.96	-	35.04	5.36	33.35
PK	6.5086G	110.28	Inf	-Inf	101.79	3	Vertical	37	1.96	-	35.83	5.70	33.04
RMS	6.5534G	100.16	Inf	-Inf	91.52	3	Vertical	37	1.96	-	36.01	5.70	33.07
PK	7.1554G	62.84	88.20	-25.36	53.22	3	Vertical	37	1.96	-	37.12	5.98	33.48
RMS	7.1274G	52.27	68.20	-15.93	42.83	3	Vertical	37	1.96	-	36.92	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9122G	62.72	88.20	-25.48	55.73	3	Horizontal	55	2.26	-	34.97	5.36	33.34
RMS	5.9122G	52.34	68.20	-15.86	45.35	3	Horizontal	55	2.26	-	34.97	5.36	33.34
PK	6.5618G	116.60	Inf	-Inf	107.95	3	Horizontal	55	2.26	-	36.02	5.70	33.07
RMS	6.5338G	107.19	Inf	-Inf	98.61	3	Horizontal	55	2.26	-	35.94	5.70	33.06
PK	7.133G	63.56	88.20	-24.64	54.08	3	Horizontal	55	2.26	-	36.96	5.97	33.45
RMS	7.1274G	54.08	68.20	-14.12	44.64	3	Horizontal	55	2.26	-	36.92	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




20/02/2022

EUT_X_1TX
Setting 108
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.09254G	56.61	88.20	-31.59	42.83	3	Vertical	12	2.68	-	39.70	8.78	34.70
RMS	13.09366G	44.26	68.20	-23.94	30.48	3	Vertical	12	2.68	-	39.70	8.78	34.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08644G	56.83	88.20	-31.37	43.05	3	Horizontal	7	1.73	-	39.70	8.78	34.70
RMS	13.08746G	44.23	68.20	-23.97	30.45	3	Horizontal	7	1.73	-	39.70	8.78	34.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63742G	56.99	83.54	-26.55	53.49	1	Vertical	60	1.54	-	37.85	15.35	49.70
AV	19.63544G	44.17	63.54	-19.37	40.67	1	Vertical	60	1.54	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63714G	56.24	83.54	-27.30	52.74	1	Horizontal	216	1.56	-	37.85	15.35	49.70
AV	19.63004G	44.08	63.54	-19.46	40.58	1	Horizontal	216	1.56	-	37.85	15.35	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6514G	110.26	Inf	-Inf	101.48	3	Vertical	37	2.02	-	36.20	5.70	33.12
RMS	6.6178G	100.24	Inf	-Inf	91.50	3	Vertical	37	2.02	-	36.14	5.70	33.10
PK	7.1386G	63.54	88.20	-24.66	54.02	3	Vertical	37	2.02	-	37.01	5.97	33.46
RMS	7.1266G	53.11	68.20	-15.09	43.68	3	Vertical	37	2.02	-	36.91	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6202G	116.79	Inf	-Inf	108.05	3	Horizontal	57	1.44	-	36.14	5.70	33.10
RMS	6.6394G	106.31	Inf	-Inf	97.54	3	Horizontal	57	1.44	-	36.18	5.70	33.11
PK	7.1554G	68.71	88.20	-19.49	59.09	3	Horizontal	57	1.44	-	37.12	5.98	33.48
RMS	7.1362G	57.85	68.20	-10.35	48.34	3	Horizontal	57	1.44	-	36.99	5.97	33.45

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT X_1TX
Setting 108
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24428G	56.85	88.20	-31.35	42.87	3	Vertical	161	2.49	-	39.94	8.75	34.71
RMS	13.24694G	44.14	68.20	-24.06	30.15	3	Vertical	161	2.49	-	39.95	8.75	34.71

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2497G	56.64	88.20	-31.56	42.65	3	Horizontal	4	2.52	-	39.95	8.75	34.71
RMS	13.24568G	44.43	68.20	-23.77	30.44	3	Horizontal	4	2.52	-	39.95	8.75	34.71

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87772G	56.79	83.54	-26.75	53.44	1	Vertical	213	1.54	-	37.60	15.45	49.70
AV	19.87932G	44.07	63.54	-19.47	40.73	1	Vertical	213	1.54	-	37.59	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6625MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87886G	56.24	83.54	-27.30	52.90	1	Horizontal	283	1.57	-	37.59	15.45	49.70
AV	19.87508G	43.87	63.54	-19.67	40.52	1	Horizontal	283	1.57	-	37.60	15.45	49.70

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.695G	109.78	Inf	-Inf	101.02	3	Vertical	38	1.79	-	36.20	5.70	33.14
RMS	6.693G	100.22	Inf	-Inf	91.46	3	Vertical	38	1.79	-	36.20	5.70	33.14
PK	7.159G	64.91	88.20	-23.29	55.27	3	Vertical	38	1.79	-	37.14	5.98	33.48
RMS	7.125G	54.94	68.20	-13.26	45.52	3	Vertical	38	1.79	-	36.90	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.713G	117.86	Inf	-Inf	109.06	3	Horizontal	55	2.20	-	36.25	5.70	33.15
RMS	6.693G	107.25	Inf	-Inf	98.49	3	Horizontal	55	2.20	-	36.20	5.70	33.14
PK	7.125G	71.25	88.20	-16.95	61.83	3	Horizontal	55	2.20	-	36.90	5.96	33.44
RMS	7.129G	59.77	68.20	-8.43	50.32	3	Horizontal	55	2.20	-	36.93	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT X_1TX
Setting 108
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.41258G	56.71	88.20	-31.49	42.51	3	Vertical	133	1.39	-	40.20	8.72	34.72
RMS	13.4058G	44.61	68.20	-23.59	30.41	3	Vertical	133	1.39	-	40.20	8.72	34.72

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.4142G	56.68	88.20	-31.52	42.48	3	Horizontal	103	1.50	-	40.20	8.72	34.72
RMS	13.41118G	44.70	68.20	-23.50	30.50	3	Horizontal	103	1.50	-	40.20	8.72	34.72

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11592G	56.41	83.54	-27.13	53.12	1	Vertical	112	1.56	-	37.49	15.55	49.75
AV	20.11716G	43.59	63.54	-19.95	40.30	1	Vertical	112	1.56	-	37.49	15.55	49.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6705MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11776G	55.68	83.54	-27.86	52.39	1	Horizontal	192	1.50	-	37.49	15.55	49.75
AV	20.11814G	43.48	63.54	-20.06	40.19	1	Horizontal	192	1.50	-	37.49	15.55	49.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7832G	109.53	Inf	-Inf	100.68	3	Vertical	38	1.78	-	36.33	5.70	33.18
RMS	6.7706G	99.23	Inf	-Inf	90.35	3	Vertical	38	1.78	-	36.36	5.70	33.18
PK	7.1288G	68.61	88.20	-19.59	59.16	3	Vertical	38	1.78	-	36.93	5.96	33.44
RMS	7.1252G	56.68	68.20	-11.52	47.26	3	Vertical	38	1.78	-	36.90	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.803G	116.87	Inf	-Inf	108.04	3	Horizontal	58	2.22	-	36.32	5.70	33.19
RMS	6.7724G	106.60	Inf	-Inf	97.72	3	Horizontal	58	2.22	-	36.36	5.70	33.18
PK	7.1252G	72.14	88.20	-16.06	62.72	3	Horizontal	58	2.22	-	36.90	5.96	33.44
RMS	7.1288G	61.51	68.20	-6.69	52.06	3	Horizontal	58	2.22	-	36.93	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56704G	57.07	88.20	-31.13	42.93	3	Vertical	52	2.06	-	40.20	8.69	34.75
RMS	13.56742G	44.51	68.20	-23.69	30.37	3	Vertical	52	2.06	-	40.20	8.69	34.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.5746G	56.88	88.20	-31.32	42.74	3	Horizontal	304	1.85	-	40.20	8.69	34.75
RMS	13.56654G	44.50	68.20	-23.70	30.36	3	Horizontal	304	1.85	-	40.20	8.69	34.75

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35696G	56.38	83.54	-27.16	52.92	1	Vertical	190	1.55	-	37.64	15.66	49.84
AV	20.35636G	44.26	63.54	-19.28	40.80	1	Vertical	190	1.55	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_1TX

6785MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.3574G	57.47	83.54	-26.07	54.01	1	Horizontal	97	1.52	-	37.64	15.66	49.84
AV	20.35504G	44.73	63.54	-18.81	41.27	1	Horizontal	97	1.52	-	37.64	15.66	49.84

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8846G	109.78	Inf	-Inf	100.77	3	Vertical	85	1.79	-	36.46	5.78	33.23
RMS	6.851G	98.42	Inf	-Inf	89.29	3	Vertical	85	1.79	-	36.60	5.75	33.22
PK	7.1324G	72.56	88.20	-15.64	63.08	3	Vertical	85	1.79	-	36.96	5.97	33.45
RMS	7.1254G	61.92	68.20	-6.28	52.50	3	Vertical	85	1.79	-	36.90	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8706G	115.36	Inf	-Inf	106.30	3	Horizontal	61	1.37	-	36.52	5.77	33.23
RMS	6.8734G	105.11	Inf	-Inf	96.06	3	Horizontal	61	1.37	-	36.51	5.77	33.23
PK	7.1352G	78.44	88.20	-9.76	68.94	3	Horizontal	61	1.37	-	36.98	5.97	33.45
RMS	7.1324G	67.76	68.20	-0.44	58.28	3	Horizontal	61	1.37	-	36.96	5.97	33.45

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7436G	60.41	88.20	-27.79	46.14	3	Vertical	352	1.06	-	40.44	8.65	34.82
RMS	13.7268G	48.63	68.20	-19.57	34.37	3	Vertical	352	1.06	-	40.43	8.65	34.82

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.73112G	58.79	88.20	-29.41	44.53	3	Horizontal	355	1.80	-	40.43	8.65	34.82
RMS	13.71304G	46.39	68.20	-21.81	32.13	3	Horizontal	355	1.80	-	40.41	8.66	34.81

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59676G	56.12	83.54	-27.42	52.39	1	Vertical	141	1.52	-	37.82	15.77	49.86
AV	20.59642G	43.98	63.54	-19.56	40.25	1	Vertical	141	1.52	-	37.82	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6865MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5944G	55.78	83.54	-27.76	52.06	1	Horizontal	313	1.53	-	37.81	15.77	49.86
AV	20.59322G	42.07	63.54	-21.47	38.35	1	Horizontal	313	1.53	-	37.81	15.77	49.86

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUTX_1TX
Setting 97
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9534G	107.94	Inf	-Inf	98.57	3	Vertical	40	1.79	-	36.79	5.85	33.27
RMS	6.9522G	97.88	Inf	-Inf	88.51	3	Vertical	40	1.79	-	36.79	5.85	33.27
PK	7.125G	72.62	88.20	-15.58	63.20	3	Vertical	40	1.79	-	36.90	5.96	33.44
RMS	7.125G	61.69	68.20	-6.51	52.27	3	Vertical	40	1.79	-	36.90	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_X_1TX
Setting 97
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9282G	114.56	Inf	-Inf	105.35	3	Horizontal	59	1.55	-	36.63	5.83	33.25
RMS	6.951G	104.03	Inf	-Inf	94.65	3	Horizontal	59	1.55	-	36.80	5.85	33.27
PK	7.137G	79.44	88.20	-8.76	69.92	3	Horizontal	59	1.55	-	37.00	5.97	33.45
RMS	7.125G	67.96	68.20	-0.24	58.54	3	Horizontal	59	1.55	-	36.90	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT X_1TX
Setting 97
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88652G	58.61	88.20	-29.59	44.28	3	Vertical	182	1.57	-	40.59	8.62	34.88
RMS	13.88846G	46.14	68.20	-22.06	31.81	3	Vertical	182	1.57	-	40.59	8.62	34.88

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT X_1TX
Setting 97
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.89316G	58.66	88.20	-29.54	44.34	3	Horizontal	252	1.94	-	40.59	8.62	34.89
RMS	13.88512G	46.10	68.20	-22.10	31.77	3	Horizontal	252	1.94	-	40.59	8.62	34.88

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_X_1TX
Setting 97
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83444G	51.24	83.54	-32.30	47.27	1	Vertical	73	1.55	-	37.86	15.88	49.77
AV	20.83662G	40.08	63.54	-23.46	36.11	1	Vertical	73	1.55	-	37.86	15.88	49.77

802.11ax HEW80_Nss1,(MCS0)_1TX

6945MHz_TnomVnom




EUT_X_1TX
Setting 97
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83406G	51.77	83.54	-31.77	47.79	1	Horizontal	214	1.56	-	37.87	15.88	49.77
AV	20.83538G	39.26	63.54	-24.28	35.29	1	Horizontal	214	1.56	-	37.86	15.88	49.77

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_X_1TX
Setting 82
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0362G	105.83	Inf	-Inf	96.50	3	Vertical	85	1.67	-	36.74	5.92	33.33
RMS	7.0362G	95.53	Inf	-Inf	86.20	3	Vertical	85	1.67	-	36.74	5.92	33.33
PK	7.1266G	72.69	88.20	-15.51	63.26	3	Vertical	85	1.67	-	36.91	5.96	33.44
RMS	7.125G	61.19	68.20	-7.01	51.77	3	Vertical	85	1.67	-	36.90	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_X_1TX
Setting 82
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0362G	111.83	Inf	-Inf	102.50	3	Horizontal	60	2.13	-	36.74	5.92	33.33
RMS	7.0378G	101.25	Inf	-Inf	91.92	3	Horizontal	60	2.13	-	36.75	5.92	33.34
PK	7.1258G	79.94	88.20	-8.26	70.51	3	Horizontal	60	2.13	-	36.91	5.96	33.44
RMS	7.125G	67.51	68.20	-0.69	58.09	3	Horizontal	60	2.13	-	36.90	5.96	33.44

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_X_1TX
Setting 82
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.0499G	60.01	88.20	-28.19	45.42	3	Vertical	124	1.20	-	40.90	8.61	34.92
RMS	14.04748G	47.42	68.20	-20.78	32.83	3	Vertical	124	1.20	-	40.90	8.61	34.92

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_X_1TX
Setting 82
04-D-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04522G	59.77	88.20	-28.43	45.18	3	Horizontal	259	2.12	-	40.90	8.61	34.92
RMS	14.05494G	47.58	68.20	-20.62	32.99	3	Horizontal	259	2.12	-	40.90	8.61	34.92

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_X_1TX
Setting 82
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07262G	49.78	83.54	-33.76	45.89	1	Vertical	98	1.52	-	37.60	15.98	49.69
AV	21.07038G	35.56	63.54	-27.98	31.67	1	Vertical	98	1.52	-	37.60	15.98	49.69

802.11ax HEW80_Nss1,(MCS0)_1TX

7025MHz_TnomVnom




EUT_X_1TX
Setting 82
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.0724G	50.15	83.54	-33.39	46.26	1	Horizontal	202	1.52	-	37.60	15.98	49.69
AV	21.0759G	37.39	63.54	-26.15	33.49	1	Horizontal	202	1.52	-	37.60	15.98	49.68

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_X_1TX
Setting 86
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	78.53	88.20	-9.67	71.54	3	Vertical	0	1.86	-	34.98	5.36	33.35
RMS	5.9114G	64.51	68.20	-3.69	57.52	3	Vertical	0	1.86	-	34.97	5.36	33.34
PK	6.049G	102.10	Inf	-Inf	94.60	3	Vertical	0	1.86	-	35.40	5.45	33.35
RMS	5.9626G	91.40	Inf	-Inf	84.14	3	Vertical	0	1.86	-	35.25	5.38	33.37

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_X_1TX
Setting 86
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	83.50	88.20	-4.70	76.51	3	Horizontal	54	2.68	-	34.97	5.36	33.34
RMS	5.9194G	67.55	68.20	-0.65	60.52	3	Horizontal	54	2.68	-	35.02	5.36	33.35
PK	6.0458G	107.92	Inf	-Inf	100.42	3	Horizontal	54	2.68	-	35.40	5.45	33.35
RMS	6.0506G	97.25	Inf	-Inf	89.75	3	Horizontal	54	2.68	-	35.40	5.45	33.35

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_X_1TX
Setting 86
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.04952G	55.36	74.00	-18.64	42.41	3	Vertical	15	2.52	-	38.90	8.99	34.94
AV	12.05096G	40.96	54.00	-13.04	28.00	3	Vertical	15	2.52	-	38.90	8.99	34.93

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_X_1TX
Setting 86
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.05078G	55.54	74.00	-18.46	42.58	3	Horizontal	200	2.16	-	38.90	8.99	34.93
AV	12.05108G	40.97	54.00	-13.03	28.01	3	Horizontal	200	2.16	-	38.90	8.99	34.93

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_X_1TX
Setting 86
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.07858G	46.10	83.54	-37.44	44.00	1	Vertical	180	1.53	-	37.64	14.73	50.27
AV	18.0712G	31.97	63.54	-31.57	29.87	1	Vertical	180	1.53	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6025MHz_TnomVnom




EUT_X_1TX
Setting 86
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.0777G	45.99	83.54	-37.55	43.89	1	Horizontal	59	1.53	-	37.64	14.73	50.27
AV	18.07404G	31.98	63.54	-31.56	29.88	1	Horizontal	59	1.53	-	37.64	14.73	50.27

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.891G	73.36	88.20	-14.84	66.47	3	Vertical	33	1.57	-	34.88	5.35	33.34
RMS	5.923G	61.57	68.20	-6.63	54.52	3	Vertical	33	1.57	-	35.04	5.36	33.35
PK	6.125G	105.91	Inf	-Inf	98.23	3	Vertical	33	1.57	-	35.45	5.53	33.30
RMS	6.123G	95.73	Inf	-Inf	88.06	3	Vertical	33	1.57	-	35.45	5.52	33.30

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	76.60	88.20	-11.60	69.58	3	Horizontal	53	2.15	-	35.01	5.36	33.35
RMS	5.925G	65.58	68.20	-2.62	58.52	3	Horizontal	53	2.15	-	35.05	5.36	33.35
PK	6.223G	111.61	Inf	-Inf	103.67	3	Horizontal	53	2.15	-	35.56	5.61	33.23
RMS	6.209G	101.33	Inf	-Inf	93.32	3	Horizontal	53	2.15	-	35.65	5.60	33.24

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37016G	55.00	74.00	-19.00	42.00	3	Vertical	6	1.53	-	38.91	8.93	34.84
AV	12.37408G	44.26	54.00	-9.74	31.25	3	Vertical	6	1.53	-	38.92	8.93	34.84

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.37038G	55.69	74.00	-18.31	42.69	3	Horizontal	50	2.16	-	38.91	8.93	34.84
AV	12.37448G	44.46	54.00	-9.54	31.45	3	Horizontal	50	2.16	-	38.92	8.93	34.84

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.5586G	50.86	83.54	-32.68	48.20	1	Vertical	299	1.54	-	37.78	14.92	50.04
AV	18.55654G	40.10	63.54	-23.44	37.44	1	Vertical	299	1.54	-	37.78	14.92	50.04

802.11ax HEW160_Nss1,(MCS0)_1TX

6185MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55358G	50.34	83.54	-33.20	47.69	1	Horizontal	192	1.51	-	37.78	14.92	50.05
AV	18.55996G	40.27	63.54	-23.27	37.61	1	Horizontal	192	1.51	-	37.78	14.92	50.04

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.913G	62.99	88.20	-25.21	56.00	3	Vertical	37	2.10	-	34.98	5.36	33.35
RMS	5.923G	52.18	68.20	-16.02	45.13	3	Vertical	37	2.10	-	35.04	5.36	33.35
PK	6.317G	105.54	Inf	-Inf	97.44	3	Vertical	37	2.10	-	35.60	5.66	33.16
RMS	6.323G	95.53	Inf	-Inf	87.43	3	Vertical	37	2.10	-	35.60	5.66	33.16

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	63.49	88.20	-24.71	56.47	3	Horizontal	55	2.59	-	35.01	5.36	33.35
RMS	5.925G	53.29	68.20	-14.91	46.23	3	Horizontal	55	2.59	-	35.05	5.36	33.35
PK	6.355G	112.56	Inf	-Inf	104.41	3	Horizontal	55	2.59	-	35.61	5.68	33.14
RMS	6.319G	101.43	Inf	-Inf	93.33	3	Horizontal	55	2.59	-	35.60	5.66	33.16

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.69086G	54.83	74.00	-19.17	41.47	3	Vertical	190	1.53	-	39.26	8.86	34.76
AV	12.6938G	44.61	54.00	-9.39	31.23	3	Vertical	190	1.53	-	39.28	8.86	34.76

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.68912G	55.56	74.00	-18.44	42.20	3	Horizontal	352	2.79	-	39.26	8.86	34.76
AV	12.68556G	44.58	54.00	-9.42	31.24	3	Horizontal	352	2.79	-	39.24	8.86	34.76

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03658G	50.05	83.54	-33.49	46.59	1	Vertical	91	1.57	-	37.96	15.11	49.61
AV	19.03138G	40.81	63.54	-22.73	37.35	1	Vertical	91	1.57	-	37.96	15.11	49.61

802.11ax HEW160_Nss1,(MCS0)_1TX

6345MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03508G	51.83	83.54	-31.71	48.37	1	Horizontal	284	1.55	-	37.96	15.11	49.61
AV	19.03376G	40.26	63.54	-23.28	36.80	1	Horizontal	284	1.55	-	37.96	15.11	49.61

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9114G	60.72	88.20	-27.48	53.73	3	Vertical	39	1.80	-	34.97	5.36	33.34
RMS	5.925G	50.53	68.20	-17.67	43.47	3	Vertical	39	1.80	-	35.05	5.36	33.35
PK	6.5666G	101.57	Inf	-Inf	92.91	3	Vertical	39	1.80	-	36.03	5.70	33.07
RMS	6.5302G	92.40	Inf	-Inf	83.84	3	Vertical	39	1.80	-	35.92	5.70	33.06
PK	7.1994G	63.24	88.20	-24.96	53.47	3	Vertical	39	1.80	-	37.30	6.00	33.53
RMS	7.1266G	52.36	68.20	-15.84	42.93	3	Vertical	39	1.80	-	36.91	5.96	33.44

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9226G	64.08	88.20	-24.12	57.03	3	Horizontal	59	1.65	-	35.04	5.36	33.35
RMS	5.925G	53.46	68.20	-14.74	46.40	3	Horizontal	59	1.65	-	35.05	5.36	33.35
PK	6.5106G	109.56	Inf	-Inf	101.07	3	Horizontal	59	1.65	-	35.84	5.70	33.05
RMS	6.5302G	100.22	Inf	-Inf	91.66	3	Horizontal	59	1.65	-	35.92	5.70	33.06
PK	7.1322G	64.22	88.20	-23.98	54.74	3	Horizontal	59	1.65	-	36.96	5.97	33.45
RMS	7.1266G	54.48	68.20	-13.72	45.05	3	Horizontal	59	1.65	-	36.91	5.96	33.44

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9925G	56.25	88.20	-31.95	42.46	3	Vertical	334	1.80	-	39.69	8.80	34.70
RMS	13.0057G	45.91	68.20	-22.29	32.11	3	Vertical	334	1.80	-	39.70	8.80	34.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9963G	56.96	88.20	-31.24	43.17	3	Horizontal	79	1.80	-	39.69	8.80	34.70
RMS	13.0147G	45.72	68.20	-22.48	31.92	3	Horizontal	79	1.80	-	39.70	8.80	34.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51584G	50.86	83.54	-32.68	47.36	1	Vertical	26	1.56	-	37.89	15.31	49.70
AV	19.51854G	40.09	63.54	-23.45	36.59	1	Vertical	26	1.56	-	37.89	15.31	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6505MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.5153G	50.22	83.54	-33.32	46.72	1	Horizontal	35	1.52	-	37.89	15.31	49.70
AV	19.51882G	40.38	63.54	-23.16	36.88	1	Horizontal	35	1.52	-	37.89	15.31	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6606G	103.93	Inf	-Inf	95.15	3	Vertical	40	1.98	-	36.20	5.70	33.12
RMS	6.6892G	93.83	Inf	-Inf	85.06	3	Vertical	40	1.98	-	36.20	5.70	33.13
PK	7.127G	67.55	88.20	-20.65	58.11	3	Vertical	40	1.98	-	36.92	5.96	33.44
RMS	7.127G	56.68	68.20	-11.52	47.24	3	Vertical	40	1.98	-	36.92	5.96	33.44

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6496G	110.93	Inf	-Inf	102.14	3	Horizontal	57	1.47	-	36.20	5.70	33.11
RMS	6.6892G	100.52	Inf	-Inf	91.75	3	Horizontal	57	1.47	-	36.20	5.70	33.13
PK	7.127G	74.56	88.20	-13.64	65.12	3	Horizontal	57	1.47	-	36.92	5.96	33.44
RMS	7.138G	62.70	68.20	-5.50	53.19	3	Horizontal	57	1.47	-	37.00	5.97	33.46

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3279G	56.04	74.00	-17.96	41.96	3	Vertical	195	2.84	-	40.06	8.73	34.71
AV	13.33466G	45.42	54.00	-8.58	31.33	3	Vertical	195	2.84	-	40.07	8.73	34.71

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3255G	56.46	74.00	-17.54	42.39	3	Horizontal	62	2.83	-	40.05	8.73	34.71
AV	13.3261G	45.54	54.00	-8.46	31.47	3	Horizontal	62	2.83	-	40.05	8.73	34.71

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99624G	50.57	83.54	-32.97	47.36	1	Vertical	87	1.51	-	37.41	15.50	49.70
AV	19.99412G	39.78	63.54	-23.76	36.57	1	Vertical	87	1.51	-	37.41	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6665MHz_TnomVnom




EUT_X_1TX
Setting 108
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.9934G	49.56	83.54	-33.98	46.35	1	Horizontal	39	1.50	-	37.41	15.50	49.70
AV	19.99968G	43.99	63.54	-19.55	40.79	1	Horizontal	39	1.50	-	37.40	15.50	49.70

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
Setting 107
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8474G	102.18	Inf	-Inf	93.06	3	Vertical	86	1.80	-	36.58	5.75	33.21
RMS	6.8544G	92.21	Inf	-Inf	83.10	3	Vertical	86	1.80	-	36.58	5.75	33.22
PK	7.1274G	71.99	88.20	-16.21	62.55	3	Vertical	86	1.80	-	36.92	5.96	33.44
RMS	7.126G	61.81	68.20	-6.39	52.38	3	Vertical	86	1.80	-	36.91	5.96	33.44

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUTX_1TX
Setting 107
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8544G	109.52	Inf	-Inf	100.41	3	Horizontal	58	1.58	-	36.58	5.75	33.22
RMS	6.8544G	99.49	Inf	-Inf	90.38	3	Horizontal	58	1.58	-	36.58	5.75	33.22
PK	7.1274G	78.13	88.20	-10.07	68.69	3	Horizontal	58	1.58	-	36.92	5.96	33.44
RMS	7.1274G	68.07	68.20	-0.13	58.63	3	Horizontal	58	1.58	-	36.92	5.96	33.44

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
Setting 107
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65448G	58.11	88.20	-30.09	43.91	3	Vertical	126	2.05	-	40.31	8.67	34.78
RMS	13.65124G	47.66	68.20	-20.54	33.47	3	Vertical	126	2.05	-	40.30	8.67	34.78

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom








EUT_X_1TX
Setting 107
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.64904G	58.69	88.20	-29.51	44.50	3	Horizontal	243	1.94	-	40.30	8.67	34.78
RMS	13.65108G	47.41	68.20	-20.79	33.22	3	Horizontal	243	1.94	-	40.30	8.67	34.78

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


22/02/2022

EUT_X_1TX
Setting 107
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47604G	50.65	83.54	-32.89	47.14	1	Vertical	0	1.50	-	37.69	15.71	49.89
AV	20.4749G	40.84	63.54	-22.70	37.33	1	Vertical	0	1.50	-	37.69	15.71	49.89

802.11ax HEW160_Nss1,(MCS0)_1TX

6825MHz Straddle 6.525-6.875GHz_TnomVnom




EUT_X_1TX
Setting 107
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.4708G	50.43	83.54	-33.11	46.92	1	Horizontal	139	1.54	-	37.69	15.71	49.89
AV	20.47076G	40.07	63.54	-23.47	36.56	1	Horizontal	139	1.54	-	37.69	15.71	49.89

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_X_1TX
Setting 82
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.045G	96.20	Inf	-Inf	86.84	3	Vertical	88	1.80	-	36.78	5.92	33.34
AV	7.043G	86.31	Inf	-Inf	76.96	3	Vertical	88	1.80	-	36.77	5.92	33.34
PK	7.132G	74.02	88.20	-14.18	64.54	3	Vertical	88	1.80	-	36.96	5.97	33.45
AV	7.132G	60.64	68.20	-7.56	51.16	3	Vertical	88	1.80	-	36.96	5.97	33.45

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_X_1TX
Setting 82
04-D-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.045G	104.74	Inf	-Inf	95.38	3	Horizontal	61	1.55	-	36.78	5.92	33.34
RMS	7.013G	93.23	Inf	-Inf	83.98	3	Horizontal	61	1.55	-	36.65	5.91	33.31
PK	7.132G	81.26	88.20	-6.94	71.78	3	Horizontal	61	1.55	-	36.96	5.97	33.45
RMS	7.127G	67.84	68.20	-0.36	58.40	3	Horizontal	61	1.55	-	36.92	5.96	33.44

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_X_1TX
Setting 82
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.972G	58.05	88.20	-30.15	43.54	3	Vertical	90	2.29	-	40.82	8.61	34.92
RMS	13.966G	48.05	68.20	-20.15	33.56	3	Vertical	90	2.29	-	40.80	8.61	34.92

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




21/02/2022

EUT X_1TX
Setting 82
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.96846G	58.86	88.20	-29.34	44.36	3	Horizontal	161	2.24	-	40.81	8.61	34.92
RMS	13.96982G	47.47	68.20	-20.73	32.97	3	Horizontal	161	2.24	-	40.81	8.61	34.92

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_X_1TX
Setting 82
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95392G	47.17	83.54	-36.37	43.29	1	Vertical	105	1.57	-	37.67	15.93	49.72
AV	20.95036G	35.17	63.54	-28.37	31.28	1	Vertical	105	1.57	-	37.68	15.93	49.72

802.11ax HEW160_Nss1,(MCS0)_1TX

6985MHz_TnomVnom




EUT_X_1TX
Setting 82
04-D-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95098G	45.69	83.54	-37.85	41.80	1	Horizontal	259	1.54	-	37.68	15.93	49.72
AV	20.9563G	35.62	63.54	-27.92	31.74	1	Horizontal	259	1.54	-	37.67	15.93	49.72

802.11ax HEW20_Nss1,(MCS0)_1TX
5955MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6175MHz_TnomVnom

MASK

22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6415MHz_TnomVnom

MASK

22/02/2022

CF Freq
6.415GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4174G	-4.96	6.3778G	-51.36	-44.96	-6.40	1

802.11ax HEW20_Nss1,(MCS0)_1TX
6435MHz_TnomVnom

MASK

22/02/2022

CF Freq
6.435GHz


Span
100MHz

RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.4337G	-5.13	6.3909G	-51.49	-45.13	-6.36	1

802.11ax HEW20_Nss1,(MCS0)_1TX
6475MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6515MHz_TnomVnom

MASK

22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6535MHz_TnomVnom

MASK

22/02/2022

CF Freq
6.535GHz


Span
100MHz


RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5325G	-4.76	6.5008G	-51.09	-44.76	-6.33	1

802.11ax HEW20_Nss1,(MCS0)_1TX
6695MHz_TnomVnom

MASK

22/02/2022

CF Freq
6.695GHz


Span
100MHz


RBW
300kHz

VBW
1MHz

Sweep Time
20ms

Detector Type
RMS




Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.6974G	-4.25	6.7369G	-51.16	-44.25	-6.91	1

802.11ax HEW20_Nss1,(MCS0)_1TX
6855MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6875MHz Straddle 6.525-6.875GHz_TnomVnom

MASK


22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6895MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW20_Nss1,(MCS0)_1TX
6995MHz_TnomVnom

MASK

22/02/2022




802.11ax HEW20_Nss1,(MCS0)_1TX

MASK

7095MHz_TnomVnom

22/02/2022




802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

5965MHz_TnomVnom


22/02/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6165MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6405MHz_TnomVnom

MASK

22/02/2022



802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6445MHz_TnomVnom

22/02/2022

CF Freq
6.445GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.43881G	-2.73	6.3788G	-48.84	-42.71	-6.13	1

802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6485MHz_TnomVnom

22/02/2022

CF Freq
6.485GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.47761G	-2.79	6.4228G	-48.42	-42.69	-5.73	1

802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6525MHz Straddle 6.425-6.525GHz_TnomVnom

22/02/2022

CF Freq
6.525GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.52G	-2.77	6.461G	-48.55	-42.77	-5.78	1

802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6565MHz_TnomVnom

22/02/2022

CF Freq
6.565GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS




Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.5686G	-2.81	6.5024G	-48.44	-42.79	-5.65	1

802.11ax HEW40_Nss1,(MCS0)_1TX
6685MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW40_Nss1,(MCS0)_1TX
6845MHz_TnomVnom

MASK

22/02/2022



802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6885MHz Straddle 6.525-6.875GHz_TnomVnom

22/02/2022

CF Freq
6.885GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.8824G	-2.81	6.9732G	-47.98	-42.81	-5.17	1

802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

6925MHz_TnomVnom

22/02/2022

CF Freq
6.925GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.9298G	-2.35	7.0046G	-47.33	-42.35	-4.98	1

802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7005MHz_TnomVnom

22/02/2022

CF Freq
7.005GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.0004G	-2.18	6.9368G	-47.80	-42.18	-5.62	1

802.11ax HEW40_Nss1,(MCS0)_1TX

MASK

7085MHz_TnomVnom

22/02/2022

CF Freq
7.085GHz


Span
200MHz

RBW
500kHz

VBW
2MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
7.07761G	-2.67	7.0128G	-47.33	-42.67	-4.66	1

802.11ax HEW80_Nss1,(MCS0)_1TX
5985MHz_TnomVnom

MASK

22/02/2022

CF Freq
5.985GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.97261G	-0.02	5.8606G	-45.82	-40.02	-5.80	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6145MHz_TnomVnom

MASK

22/02/2022

CF Freq
6.145GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.13181G	0.14	6.273G	-45.46	-39.86	-5.60	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6385MHz_TnomVnom

MASK

22/02/2022

CF Freq
6.385GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.37661G	0.13	6.2602G	-44.65	-39.87	-4.78	1

802.11ax HEW80_Nss1,(MCS0)_1TX
6465MHz_TnomVnom

MASK

22/02/2022

CF Freq
6.465GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.45341G	-0.04	6.3418G	-44.70	-39.75	-4.95	1

802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6545MHz Straddle 6.425-6.525GHz_TnomVnom

22/02/2022




802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6625MHz_TnomVnom


22/02/2022



802.11ax HEW80_Nss1,(MCS0)_1TX
6705MHz_TnomVnom

MASK


22/02/2022



802.11ax HEW80_Nss1,(MCS0)_1TX
6785MHz_TnomVnom

MASK

22/02/2022



802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6865MHz Straddle 6.525-6.875GHz_TnomVnom

22/02/2022

CF Freq
6.865GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.87659G	0.16	7.0054G	-44.02	-39.84	-4.18	1

802.11ax HEW80_Nss1,(MCS0)_1TX

MASK

6945MHz_TnomVnom

22/02/2022

CF Freq
6.945GHz


Span
400MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.93021G	0.71	6.8174G	-43.37	-39.29	-4.08	1

802.11ax HEW80_Nss1,(MCS0)_1TX
7025MHz_TnomVnom

MASK

22/02/2022

CF Freq
7.025GHz


Span
400MHz


RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.99543G	0.64	6.8298G	-44.59	-39.36	-5.23	1

802.11ax HEW160_Nss1,(MCS0)_1TX
6025MHz_TnomVnom

MASK

22/02/2022

CF Freq
6.025GHz


Span
800MHz


RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1 

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
5.99623G	2.53	6.3354G	-41.54	-37.27	-4.27	1

802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6185MHz_TnomVnom

22/02/2022

CF Freq
6.185GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1

Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.15703G	3.23	5.785G	-42.69	-35.31	-7.38	1

802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6345MHz_TnomVnom

22/02/2022

CF Freq
6.345GHz


Span
800MHz

RBW
2MHz

VBW
10MHz

Sweep Time
20ms

Detector Type
RMS



Port 1


Ref(Hz)	Ref(dBm)	Freq(Hz)	Level(dBm)	Limit(dBm)	Margin(dB)	Port
6.31943G	3.10	5.9698G	-41.44	-36.90	-4.54	1

802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6505MHz Straddle 6.425-6.525GHz_TnomVnom

22/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6665MHz_TnomVnom

22/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6825MHz Straddle 6.525-6.875GHz_TnomVnom

22/02/2022




802.11ax HEW160_Nss1,(MCS0)_1TX

MASK

6985MHz_TnomVnom

22/02/2022



Contention Based Protocol Threshold Level										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	53	20	6215	Center	6215	OFF	-61.30	4.70	-66.03	≤ -62
						Minimal	-62.30	4.70	-67.00	≤ -62
						ON	-77.30	4.70	-82.00	≤ -62
6	101	20	6455	Center	6455	OFF	-60.20	4.80	-65.05	≤ -62
						Minimal	-61.20	4.80	-66.00	≤ -62
						ON	-77.20	4.80	-82.00	≤ -62
7	149	20	6695	Center	6695	OFF	-60.20	4.80	-65.06	≤ -62
						Minimal	-61.20	4.80	-66.00	≤ -62
						ON	-77.20	4.80	-82.00	≤ -62
8	213	20	7015	Center	7015	OFF	-59.90	4.10	-64.07	≤ -62
						Minimal	-60.90	4.10	-65.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62

Contention Based Protocol Threshold Level										
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		EUT Status	Injected AWGN Power (dBm)	Ant Gain (dBi)	Detection Power(dBm)	Detection Limit (dBm)
5	47	160	6185	Low edge	6110	OFF	-60.30	4.70	-63.05	≤ -62
						Minimal	-59.30	4.70	-64.00	≤ -62
						ON	-77.30	4.70	-82.00	≤ -62
				Center	6185	OFF	-61.30	4.70	-64.01	≤ -62
						Minimal	-60.30	4.70	-65.00	≤ -62
						ON	-77.30	4.70	-82.00	≤ -62
				High edge	6260	OFF	-60.30	4.70	-63.02	≤ -62
						Minimal	-59.30	4.70	-64.00	≤ -62
						ON	-77.30	4.70	-82.00	≤ -62
6	111	160	6505	Low edge	6430	OFF	-66.20	4.80	-69.02	≤ -62
						Minimal	-65.20	4.80	-70.00	≤ -62
						ON	-77.20	4.80	-82.00	≤ -62
				Center	6505	OFF	-64.20	4.80	-67.03	≤ -62
						Minimal	-63.20	4.80	-68.00	≤ -62
						ON	-77.20	4.80	-82.00	≤ -62
				High edge	6580	OFF	-66.20	4.80	-69.03	≤ -62
						Minimal	-65.20	4.80	-70.00	≤ -62
						ON	-77.20	4.80	-82.00	≤ -62
7	143	160	6665	Low edge	6590	OFF	-65.20	4.80	-68.07	≤ -62
						Minimal	-64.20	4.80	-69.00	≤ -62
						ON	-77.20	4.80	-82.00	≤ -62
				Center	6665	OFF	-61.20	4.80	-64.08	≤ -62
						Minimal	-60.20	4.80	-65.00	≤ -62
						ON	-77.20	4.80	-82.00	≤ -62
				High edge	6740	OFF	-63.20	4.80	-66.06	≤ -62
						Minimal	-62.20	4.80	-67.00	≤ -62
						ON	-77.20	4.80	-82.00	≤ -62



Contention-Based Protocol Result

Appendix F

8	207	160	6985	Low edge	6910	OFF	-62.90	4.10	-65.05	≤ -62
						Minimal	-61.90	4.10	-66.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
				Center	6985	OFF	-62.90	4.10	-65.01	≤ -62
						Minimal	-61.90	4.10	-66.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62
				High edge	7060	OFF	-62.90	4.10	-65.01	≤ -62
						Minimal	-61.90	4.10	-66.00	≤ -62
						ON	-77.90	4.10	-82.00	≤ -62



Contention-Based Protocol Result

Appendix F


Contention Based protocol 802.11ax HEW20											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	53	20	6215	Center	6215	-66.03	OFF	9	90	90	PASS
6	101	20	6455	Center	6455	-65.05	OFF	10	100	90	PASS
7	149	20	6695	Center	6695	-65.06	OFF	10	100	90	PASS
8	213	20	7015	Center	7015	-64.07	OFF	9	90	90	PASS

Contention Based protocol 802.11ax HEW160											
UNII Band	Channel	Bandwidth (MHz)	Frequency (MHz)	Interference frequency (MHz)		AWGN Threshold Level (dBm)	EUT Status	Number of Detected (out of 10 times)	Detection Probability (%)	Limit (%)	Test Result
5	47	160	6185	Low edge	6110	-63.05	OFF	9	90	90	PASS
				Center	6185	-64.01	OFF	9	90	90	PASS
				High edge	6260	-63.02	OFF	9	90	90	PASS
6	111	160	6505	Low edge	6430	-69.02	OFF	9	90	90	PASS
				Center	6505	-67.03	OFF	9	90	90	PASS
				High edge	6580	-69.03	OFF	9	90	90	PASS
7	143	160	6665	Low edge	6590	-68.07	OFF	9	90	90	PASS
				Center	6665	-64.08	OFF	9	90	90	PASS
				High edge	6740	-66.06	OFF	9	90	90	PASS
8	207	160	6985	Low edge	6910	-65.05	OFF	9	90	90	PASS
				Center	6985	-65.01	OFF	9	90	90	PASS
				High edge	7060	-65.01	OFF	9	90	90	PASS

Incumbent signal (AWGN) Plot


Bandwidth: 20MHz

Frequency (MHz): 6215 MHz







Date: 23.FEB.2022 19:02:31



Frequency (MHz): 6455 MHz







Date: 23.FEB.2022 19:04:17

























Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal




Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal



Note : M1 : Inject AWGN signal