

802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5785MHz

15/02/2022

CF  
5.785GHz


Span  
30MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.72	7.72	7.72

802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5825MHz

15/02/2022

CF  
5.825GHz


Span  
30MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.57	7.57	7.57

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5190MHz

16/02/2022

CF  
5.19GHz


Span  
60MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.58	0.58	0.58

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5230MHz

16/02/2022

CF  
5.23GHz


Span  
60MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.17	3.17	3.17

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5270MHz

16/02/2022

CF  
5.27GHz


Span  
60MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.82	1.82	1.82

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5310MHz

16/02/2022

CF  
5.31GHz


Span  
60MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.08	-0.08	-0.08

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5510MHz

16/02/2022

CF  
5.51GHz


Span  
60MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.45	1.45	1.45

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5550MHz

16/02/2022

CF  
5.55GHz


Span  
60MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.34	2.34	2.34

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5670MHz

16/02/2022

CF  
5.67GHz


Span  
60MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.89	0.89	0.89

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5710MHz Straddle 5.47-5.725GHz

16/02/2022

CF  
5.69GHz


Span  
140MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.22	2.22	2.22

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5710MHz Straddle 5.725-5.85GHz

16/02/2022

CF  
5.735GHz


Span  
40MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.08	0.08	0.08

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5755MHz

16/02/2022

CF  
5.755GHz


Span  
60MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.11	3.11	3.11

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5795MHz

16/02/2022

CF  
5.795GHz


Span  
60MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.73	3.73	3.73

802.11ax HEW80\_Nss1,(MCS0)\_1TX

PSD

5210MHz

16/02/2022

CF  
5.21GHz


Span  
120MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.88	-1.88	-1.88


802.11ax HEW80\_Nss1,(MCS0)\_1TX


PSD

5290MHz

16/02/2022

CF  
5.29GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.54	-2.54	-2.54


802.11ax HEW80\_Nss1,(MCS0)\_1TX


PSD

5530MHz

16/02/2022

CF  
5.53GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.16	-1.16	-1.16




802.11ax HEW80\_Nss1,(MCS0)\_1TX


PSD

5610MHz

16/02/2022

CF  
5.61GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.64	-0.64	-0.64


802.11ax HEW80\_Nss1,(MCS0)\_1TX


PSD

5690MHz Straddle 5.47-5.725GHz

16/02/2022

CF  
5.65GHz  
Span  
300MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.15	0.15	0.15

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**

**PSD**

**5690MHz Straddle 5.725-5.85GHz**

16/02/2022

CF  
5.735GHz


Span  
40MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.06	-2.06	-2.06

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**

**PSD**

**5775MHz**

16/02/2022

CF  
5.775GHz


Span  
120MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.72	-0.72	-0.72



Summary

Mode	PD (dBm/RBW)
5.15-5.25GHz	-
802.11a_Nss1,(6Mbps)_1TX	7.91
802.11ax HEW20_Nss1,(MCS0)_1TX	6.61
802.11ax HEW40_Nss1,(MCS0)_1TX	2.07
802.11ax HEW80_Nss1,(MCS0)_1TX	-2.03
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_1TX	6.68
802.11ax HEW20_Nss1,(MCS0)_1TX	5.93
802.11ax HEW40_Nss1,(MCS0)_1TX	2.25
802.11ax HEW80_Nss1,(MCS0)_1TX	-2.47
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_1TX	5.27
802.11ax HEW20_Nss1,(MCS0)_1TX	4.54
802.11ax HEW40_Nss1,(MCS0)_1TX	2.39
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.24
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_1TX	8.45
802.11ax HEW20_Nss1,(MCS0)_1TX	7.70
802.11ax HEW40_Nss1,(MCS0)_1TX	3.36
802.11ax HEW80_Nss1,(MCS0)_1TX	-1.68

RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;

Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-
5180MHz	Pass	10.00	4.68	4.68	13.00
5200MHz	Pass	10.00	7.91	7.91	13.00
5240MHz	Pass	10.00	6.55	6.55	13.00
5260MHz	Pass	10.00	6.66	6.66	7.00
5300MHz	Pass	10.00	6.68	6.68	7.00
5320MHz	Pass	10.00	4.44	4.44	7.00
5500MHz	Pass	10.00	4.47	4.47	7.00
5580MHz	Pass	10.00	4.30	4.30	7.00
5700MHz	Pass	10.00	0.27	0.27	7.00
5720MHz Straddle 5.47-5.725GHz	Pass	10.00	5.27	5.27	7.00
5720MHz Straddle 5.725-5.85GHz	Pass	10.00	3.59	3.59	26.00
5745MHz	Pass	10.00	7.37	7.37	26.00
5785MHz	Pass	10.00	8.45	8.45	26.00
5825MHz	Pass	10.00	8.15	8.15	26.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-
5180MHz	Pass	10.00	4.44	4.44	13.00
5200MHz	Pass	10.00	6.61	6.61	13.00
5240MHz	Pass	10.00	5.92	5.92	13.00
5260MHz	Pass	10.00	5.84	5.84	7.00
5300MHz	Pass	10.00	5.93	5.93	7.00
5320MHz	Pass	10.00	3.99	3.99	7.00
5500MHz	Pass	10.00	3.81	3.81	7.00
5580MHz	Pass	10.00	3.53	3.53	7.00
5700MHz	Pass	10.00	-1.87	-1.87	7.00
5720MHz Straddle 5.47-5.725GHz	Pass	10.00	4.54	4.54	7.00
5720MHz Straddle 5.725-5.85GHz	Pass	10.00	2.84	2.84	26.00
5745MHz	Pass	10.00	6.47	6.47	26.00
5785MHz	Pass	10.00	7.70	7.70	26.00
5825MHz	Pass	10.00	6.92	6.92	26.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-
5190MHz	Pass	10.00	-0.16	-0.16	13.00
5230MHz	Pass	10.00	2.07	2.07	13.00
5270MHz	Pass	10.00	2.25	2.25	7.00
5310MHz	Pass	10.00	0.23	0.23	7.00
5510MHz	Pass	10.00	-1.16	-1.16	7.00
5550MHz	Pass	10.00	1.64	1.64	7.00
5670MHz	Pass	10.00	-1.50	-1.50	7.00
5710MHz Straddle 5.47-5.725GHz	Pass	10.00	2.39	2.39	7.00
5710MHz Straddle 5.725-5.85GHz	Pass	10.00	0.39	0.39	26.00
5755MHz	Pass	10.00	2.26	2.26	26.00
5795MHz	Pass	10.00	3.36	3.36	26.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-
5210MHz	Pass	10.00	-2.03	-2.03	13.00
5290MHz	Pass	10.00	-2.47	-2.47	7.00
5530MHz	Pass	10.00	-3.28	-3.28	7.00
5610MHz	Pass	10.00	-2.69	-2.69	7.00
5690MHz Straddle 5.47-5.725GHz	Pass	10.00	-1.24	-1.24	7.00
5690MHz Straddle 5.725-5.85GHz	Pass	10.00	-3.07	-3.07	26.00
5775MHz	Pass	10.00	-1.68	-1.68	26.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;

### 802.11a\_Nss1,(6Mbps)\_1TX

### PSD

#### 5180MHz

16/02/2022

CF  
5.18GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.68	4.68	4.68

### 802.11a\_Nss1,(6Mbps)\_1TX

### PSD

#### 5200MHz

16/02/2022

CF  
5.2GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.91	7.91	7.91

### 802.11a\_Nss1,(6Mbps)\_1TX

### PSD

5240MHz

16/02/2022

CF  
5.24GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.55	6.55	6.55

### 802.11a\_Nss1,(6Mbps)\_1TX

### PSD

5260MHz

15/02/2022

CF  
5.26GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.66	6.66	6.66

### 802.11a\_Nss1,(6Mbps)\_1TX

### PSD

5300MHz

15/02/2022

CF  
5.3GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.68	6.68	6.68

### 802.11a\_Nss1,(6Mbps)\_1TX

### PSD

5320MHz

15/02/2022

CF  
5.32GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.44	4.44	4.44

### 802.11a\_Nss1,(6Mbps)\_1TX

### PSD

5500MHz

15/02/2022

CF  
5.5GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.47	4.47	4.47

### 802.11a\_Nss1,(6Mbps)\_1TX

### PSD

5580MHz

16/02/2022

CF  
5.58GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.30	4.30	4.30



### 802.11a\_Nss1,(6Mbps)\_1TX

PSD

5700MHz

16/02/2022

CF  
5.7GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.27	0.27	0.27

### 802.11a\_Nss1,(6Mbps)\_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

16/02/2022

CF  
5.71GHz


Span  
60MHz

RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.27	5.27	5.27

### 802.11a\_Nss1,(6Mbps)\_1TX

PSD

#### 5720MHz Straddle 5.725-5.85GHz

16/02/2022

CF  
5.735GHz


Span  
40MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.59	3.59	3.59

### 802.11a\_Nss1,(6Mbps)\_1TX

PSD

#### 5745MHz

16/02/2022

CF  
5.745GHz


Span  
30MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.37	7.37	7.37

### 802.11a\_Nss1,(6Mbps)\_1TX

### PSD

5785MHz

16/02/2022

CF  
5.785GHz


Span  
30MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.45	8.45	8.45

### 802.11a\_Nss1,(6Mbps)\_1TX

### PSD

5825MHz

16/02/2022

CF  
5.825GHz


Span  
30MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
8.15	8.15	8.15

802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5180MHz

16/02/2022




Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.44	4.44	4.44

802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5200MHz

16/02/2022



Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.61	6.61	6.61


802.11ax HEW20\_Nss1,(MCS0)\_1TX


PSD

5240MHz

16/02/2022

CF  
5.24GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.92	5.92	5.92


802.11ax HEW20\_Nss1,(MCS0)\_1TX


PSD

5260MHz

16/02/2022

CF  
5.26GHz  
Span  
30MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.84	5.84	5.84

802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5300MHz

16/02/2022

CF  
5.3GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.93	5.93	5.93

802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5320MHz

16/02/2022

CF  
5.32GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.99	3.99	3.99

802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5500MHz

16/02/2022

CF  
5.5GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.81	3.81	3.81

802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5580MHz

16/02/2022

CF  
5.58GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.53	3.53	3.53

802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5700MHz

16/02/2022

CF  
5.7GHz


Span  
30MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.87	-1.87	-1.87

802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5720MHz Straddle 5.47-5.725GHz

16/02/2022

CF  
5.71GHz


Span  
60MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.54	4.54	4.54



**802.11ax HEW20\_Nss1,(MCS0)\_1TX**

**PSD**

**5720MHz Straddle 5.725-5.85GHz**

16/02/2022

CF  
5.735GHz


Span  
40MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.84	2.84	2.84

**802.11ax HEW20\_Nss1,(MCS0)\_1TX**

**PSD**

**5745MHz**

16/02/2022

CF  
5.745GHz


Span  
30MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.47	6.47	6.47

802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5785MHz

16/02/2022

CF  
5.785GHz


Span  
30MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
7.70	7.70	7.70

802.11ax HEW20\_Nss1,(MCS0)\_1TX

PSD

5825MHz

16/02/2022

CF  
5.825GHz


Span  
30MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
6.92	6.92	6.92


802.11ax HEW40\_Nss1,(MCS0)\_1TX


PSD

5190MHz

16/02/2022

CF  
5.19GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-0.16	-0.16	-0.16


802.11ax HEW40\_Nss1,(MCS0)\_1TX


PSD

5230MHz

16/02/2022

CF  
5.23GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.07	2.07	2.07

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5270MHz

16/02/2022

CF  
5.27GHz


Span  
60MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.25	2.25	2.25

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5310MHz

16/02/2022

CF  
5.31GHz


Span  
60MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.23	0.23	0.23


802.11ax HEW40\_Nss1,(MCS0)\_1TX


PSD

5510MHz

16/02/2022

CF  
5.51GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.16	-1.16	-1.16


802.11ax HEW40\_Nss1,(MCS0)\_1TX


PSD

5550MHz

16/02/2022

CF  
5.55GHz  
Span  
60MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
1.64	1.64	1.64

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5670MHz

16/02/2022

CF  
5.67GHz


Span  
60MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.50	-1.50	-1.50

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5710MHz Straddle 5.47-5.725GHz

16/02/2022

CF  
5.69GHz


Span  
140MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.39	2.39	2.39

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5710MHz Straddle 5.725-5.85GHz

16/02/2022

CF  
5.735GHz


Span  
40MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.39	0.39	0.39

802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5755MHz

16/02/2022

CF  
5.755GHz


Span  
60MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
2.26	2.26	2.26

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

PSD

5795MHz

16/02/2022

CF  
5.795GHz


Span  
60MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.36	3.36	3.36

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

PSD

5210MHz

16/02/2022

CF  
5.21GHz


Span  
120MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.03	-2.03	-2.03



802.11ax HEW80\_Nss1,(MCS0)\_1TX

PSD

5290MHz

16/02/2022

CF  
5.29GHz


Span  
120MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.47	-2.47	-2.47

802.11ax HEW80\_Nss1,(MCS0)\_1TX

PSD

5530MHz

16/02/2022

CF  
5.53GHz


Span  
120MHz


RBW  
1MHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.28	-3.28	-3.28


802.11ax HEW80\_Nss1,(MCS0)\_1TX


PSD

5610MHz

16/02/2022

CF  
5.61GHz  
Span  
120MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-2.69	-2.69	-2.69


802.11ax HEW80\_Nss1,(MCS0)\_1TX


PSD

5690MHz Straddle 5.47-5.725GHz

16/02/2022

CF  
5.65GHz  
Span  
300MHz  
RBW  
1MHz  
VBW  
3MHz  
Sweep Time  
20ms  
Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.24	-1.24	-1.24

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**

**PSD**

**5690MHz Straddle 5.725-5.85GHz**

16/02/2022

CF  
5.735GHz


Span  
40MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 

Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-3.07	-3.07	-3.07

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**

**PSD**

**5775MHz**

16/02/2022

CF  
5.775GHz


Span  
120MHz


RBW  
500kHz

VBW  
3MHz

Sweep Time  
20ms

Detector Type  
RMS



Port 1 


Sum	PD	Port 1
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
-1.68	-1.68	-1.68



**Summary**


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	QP	58.13M	36.74	40.00	-3.26	Vertical

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	30M	32.26	40.00	-7.74	-2.07	3	Vertical	115	2.00	-	34.33	25.20	1.20	28.47
QP	58.13M	36.74	40.00	-3.26	-14.76	3	Vertical	360	1.00	"Worst"	51.50	12.31	1.43	28.50
PK	72.68M	31.47	40.00	-8.53	-14.60	3	Vertical	175	1.25	-	46.07	12.49	1.45	28.54
PK	99.84M	34.49	43.50	-9.01	-10.45	3	Vertical	148	1.00	-	44.94	16.38	1.60	28.43
PK	432.55M	37.92	46.00	-8.08	-3.53	3	Vertical	33	2.00	-	41.45	22.32	2.93	28.78
PK	744.89M	35.81	46.00	-10.19	0.26	3	Vertical	265	1.50	-	35.55	25.60	3.69	29.03

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	30.97M	32.59	40.00	-7.41	-2.75	3	Horizontal	146	3.00	"Worst"	35.34	24.50	1.22	28.47
PK	729.37M	35.10	46.00	-10.90	-0.21	3	Horizontal	24	1.00	-	35.31	25.21	3.66	29.08
PK	735.19M	35.41	46.00	-10.59	-0.01	3	Horizontal	0	1.25	-	35.42	25.38	3.67	29.06
PK	800.18M	37.62	46.00	-8.38	0.61	3	Horizontal	242	1.25	-	37.01	25.85	3.80	29.04
PK	900.09M	36.70	46.00	-9.30	1.75	3	Horizontal	193	1.50	-	34.95	26.39	4.00	28.64
PK	951.5M	34.39	46.00	-11.61	2.27	3	Horizontal	347	1.50	-	32.12	26.74	4.10	28.57




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.35G	53.98	54.00	-0.02	3	Horizontal	55	1.61	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_V\_4TX  
Setting 90  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	61.53	74.00	-12.47	54.93	3	Vertical	359	2.70	-	33.50	5.25	32.15
AV	5.1448G	47.75	54.00	-6.25	41.16	3	Vertical	359	2.70	-	33.50	5.24	32.15
PK	5.2672G	120.97	Inf	-Inf	114.15	3	Vertical	359	2.70	-	33.63	5.33	32.14
AV	5.2648G	110.33	Inf	-Inf	103.51	3	Vertical	359	2.70	-	33.63	5.33	32.14
PK	5.3566G	64.78	74.00	-9.22	57.83	3	Vertical	359	2.70	-	33.71	5.38	32.14
AV	5.356G	50.31	54.00	-3.69	43.36	3	Vertical	359	2.70	-	33.71	5.38	32.14



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_V\_4TX  
Setting 90  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	63.30	74.00	-10.70	56.70	3	Horizontal	55	1.61	-	33.50	5.25	32.15
AV	5.1496G	48.71	54.00	-5.29	42.11	3	Horizontal	55	1.61	-	33.50	5.25	32.15
PK	5.2588G	123.22	Inf	-Inf	116.41	3	Horizontal	55	1.61	-	33.62	5.33	32.14
AV	5.2582G	112.66	Inf	-Inf	105.85	3	Horizontal	55	1.61	-	33.62	5.33	32.14
PK	5.35G	67.95	74.00	-6.05	61.01	3	Horizontal	55	1.61	-	33.70	5.38	32.14
AV	5.35G	53.98	54.00	-0.02	47.04	3	Horizontal	55	1.61	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
Setting 90  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78424G	55.37	74.00	-18.63	41.56	3	Vertical	234	1.32	-	37.40	9.90	33.49
AV	15.77152G	42.80	54.00	-11.20	28.97	3	Vertical	234	1.32	-	37.40	9.90	33.47

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
Setting 90  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7846G	55.34	74.00	-18.66	41.53	3	Horizontal	58	1.07	-	37.40	9.90	33.49
AV	15.77032G	42.88	54.00	-11.12	29.05	3	Horizontal	58	1.07	-	37.40	9.90	33.47

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 81  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3068G	118.68	Inf	-Inf	111.77	3	Vertical	355	2.93	-	33.70	5.35	32.14
AV	5.3072G	109.33	Inf	-Inf	102.42	3	Vertical	355	2.93	-	33.70	5.35	32.14
PK	5.3688G	63.48	74.00	-10.52	56.50	3	Vertical	355	2.93	-	33.74	5.38	32.14
AV	5.35G	50.44	54.00	-3.56	43.50	3	Vertical	355	2.93	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 81  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2992G	120.34	Inf	-Inf	113.43	3	Horizontal	53	1.70	-	33.70	5.35	32.14
AV	5.2988G	110.70	Inf	-Inf	103.79	3	Horizontal	53	1.70	-	33.70	5.35	32.14
PK	5.3596G	69.79	74.00	-4.21	62.83	3	Horizontal	53	1.70	-	33.72	5.38	32.14
AV	5.3508G	52.91	54.00	-1.09	45.97	3	Horizontal	53	1.70	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 81  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60588G	52.39	74.00	-21.61	39.46	3	Vertical	235	2.16	-	38.49	7.54	33.10
AV	10.601G	39.25	54.00	-14.75	26.30	3	Vertical	235	2.16	-	38.50	7.54	33.09
PK	15.89412G	56.51	74.00	-17.49	42.69	3	Vertical	15	2.55	-	37.49	9.95	33.62
AV	15.90728G	42.76	54.00	-11.24	28.94	3	Vertical	15	2.55	-	37.49	9.96	33.63

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 81  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60752G	51.96	74.00	-22.04	39.03	3	Horizontal	288	1.15	-	38.49	7.54	33.10
AV	10.60292G	39.14	54.00	-14.86	26.20	3	Horizontal	288	1.15	-	38.50	7.54	33.10
PK	15.90696G	56.96	74.00	-17.04	43.14	3	Horizontal	29	1.72	-	37.49	9.96	33.63
AV	15.90476G	42.73	54.00	-11.27	28.90	3	Horizontal	29	1.72	-	37.50	9.96	33.63

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3274G	116.09	Inf	-Inf	109.17	3	Vertical	356	2.80	-	33.70	5.36	32.14
AV	5.3272G	106.43	Inf	-Inf	99.51	3	Vertical	356	2.80	-	33.70	5.36	32.14
PK	5.35G	66.04	74.00	-7.96	59.10	3	Vertical	356	2.80	-	33.70	5.38	32.14
AV	5.35G	52.01	54.00	-1.99	45.07	3	Vertical	356	2.80	-	33.70	5.38	32.14



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT\_V\_4TX  
Setting 77  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3208G	118.27	Inf	-Inf	111.35	3	Horizontal	49	1.80	-	33.70	5.36	32.14
AV	5.321G	108.49	Inf	-Inf	101.57	3	Horizontal	49	1.80	-	33.70	5.36	32.14
PK	5.3578G	68.19	74.00	-5.81	61.23	3	Horizontal	49	1.80	-	33.72	5.38	32.14
AV	5.3524G	52.09	54.00	-1.91	45.15	3	Horizontal	49	1.80	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64164G	52.04	74.00	-21.96	39.13	3	Vertical	311	1.88	-	38.46	7.56	33.11
AV	10.635G	39.03	54.00	-14.97	26.12	3	Vertical	311	1.88	-	38.47	7.55	33.11
PK	15.96352G	55.68	74.00	-18.32	41.96	3	Vertical	327	2.53	-	37.44	9.98	33.70
AV	15.9676G	42.97	54.00	-11.03	29.25	3	Vertical	327	2.53	-	37.43	9.99	33.70

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64108G	51.80	74.00	-22.20	38.89	3	Horizontal	239	2.84	-	38.46	7.56	33.11
AV	10.64008G	38.72	54.00	-15.28	25.81	3	Horizontal	239	2.84	-	38.46	7.56	33.11
PK	15.9642G	55.88	74.00	-18.12	42.16	3	Horizontal	247	1.88	-	37.44	9.98	33.70
AV	15.96648G	42.82	54.00	-11.18	29.11	3	Horizontal	247	1.88	-	37.43	9.98	33.70

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT\_V\_4TX  
Setting 72  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	61.94	74.00	-12.06	54.71	3	Vertical	12	2.89	-	33.90	5.46	32.13
AV	5.4592G	49.22	54.00	-4.78	41.99	3	Vertical	12	2.89	-	33.90	5.46	32.13
PK	5.47G	67.56	68.20	-0.64	60.32	3	Vertical	12	2.89	-	33.90	5.47	32.13
PK	5.5G	115.97	Inf	-Inf	108.70	3	Vertical	12	2.89	-	33.90	5.50	32.13
AV	5.5008G	105.63	Inf	-Inf	98.36	3	Vertical	12	2.89	-	33.90	5.50	32.13

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT\_V\_4TX  
Setting 72  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.77	74.00	-8.23	58.54	3	Horizontal	47	1.80	-	33.90	5.46	32.13
AV	5.46G	50.96	54.00	-3.04	43.73	3	Horizontal	47	1.80	-	33.90	5.46	32.13
PK	5.462G	67.84	68.20	-0.36	60.61	3	Horizontal	47	1.80	-	33.90	5.46	32.13
PK	5.5012G	117.23	Inf	-Inf	109.96	3	Horizontal	47	1.80	-	33.90	5.50	32.13
AV	5.5012G	107.68	Inf	-Inf	100.41	3	Horizontal	47	1.80	-	33.90	5.50	32.13

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 72  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00792G	52.20	74.00	-21.80	39.26	3	Vertical	278	1.12	-	38.51	7.70	33.27
AV	11.00376G	39.00	54.00	-15.00	26.07	3	Vertical	278	1.12	-	38.50	7.70	33.27

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 72  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99096G	52.31	74.00	-21.69	39.39	3	Horizontal	38	1.97	-	38.49	7.70	33.27
AV	11.0078G	39.11	54.00	-14.89	26.17	3	Horizontal	38	1.97	-	38.51	7.70	33.27

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT\_V\_4TX  
Setting 95  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	61.45	74.00	-12.55	54.22	3	Vertical	-0	2.95	-	33.90	5.46	32.13
AV	5.4536G	48.34	54.00	-5.66	41.12	3	Vertical	-0	2.95	-	33.90	5.45	32.13
PK	5.4688G	61.58	68.20	-6.62	54.34	3	Vertical	-0	2.95	-	33.90	5.47	32.13
PK	5.5736G	121.62	Inf	-Inf	114.28	3	Vertical	-0	2.95	-	33.90	5.57	32.13
AV	5.5744G	110.87	Inf	-Inf	103.53	3	Vertical	-0	2.95	-	33.90	5.57	32.13
PK	5.7264G	60.35	68.20	-7.85	53.14	3	Vertical	-0	2.95	-	33.75	5.60	32.14



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT\_V\_4TX  
Setting 95  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	63.04	74.00	-10.96	55.82	3	Horizontal	307	2.07	-	33.90	5.45	32.13
AV	5.4512G	49.03	54.00	-4.97	41.81	3	Horizontal	307	2.07	-	33.90	5.45	32.13
PK	5.4648G	65.06	68.20	-3.14	57.83	3	Horizontal	307	2.07	-	33.90	5.46	32.13
PK	5.5728G	122.85	Inf	-Inf	115.51	3	Horizontal	307	2.07	-	33.90	5.57	32.13
AV	5.5728G	111.90	Inf	-Inf	104.56	3	Horizontal	307	2.07	-	33.90	5.57	32.13
PK	5.7528G	61.98	68.20	-6.22	54.74	3	Horizontal	307	2.07	-	33.79	5.60	32.15

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
Setting 95  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16144G	52.73	74.00	-21.27	39.56	3	Vertical	357	1.04	-	38.66	7.76	33.25
AV	11.15472G	39.10	54.00	-14.90	25.94	3	Vertical	357	1.04	-	38.65	7.76	33.25

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
Setting 95  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15896G	51.56	74.00	-22.44	38.39	3	Horizontal	285	2.04	-	38.66	7.76	33.25
AV	11.1626G	39.11	54.00	-14.89	25.93	3	Horizontal	285	2.04	-	38.66	7.77	33.25

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 56  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7034G	110.60	Inf	-Inf	103.43	3	Vertical	15	2.83	-	33.71	5.60	32.14
AV	5.7018G	101.40	Inf	-Inf	94.24	3	Vertical	15	2.83	-	33.70	5.60	32.14
PK	5.7254G	66.53	68.20	-1.67	59.32	3	Vertical	15	2.83	-	33.75	5.60	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 56  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.693G	112.94	Inf	-Inf	105.77	3	Horizontal	304	1.92	-	33.71	5.60	32.14
AV	5.6928G	103.54	Inf	-Inf	96.37	3	Horizontal	304	1.92	-	33.71	5.60	32.14
PK	5.7266G	67.88	68.20	-0.32	60.67	3	Horizontal	304	1.92	-	33.75	5.60	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 56  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4072G	53.26	74.00	-20.74	39.82	3	Vertical	295	1.18	-	38.81	7.86	33.23
AV	11.39208G	40.04	54.00	-13.96	26.62	3	Vertical	295	1.18	-	38.79	7.86	33.23

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 56  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39044G	53.05	74.00	-20.95	39.63	3	Horizontal	56	1.75	-	38.79	7.86	33.23
AV	11.40484G	40.14	54.00	-13.86	26.70	3	Horizontal	56	1.75	-	38.81	7.86	33.23

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_V\_4TX  
Setting 95  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4344G	59.12	74.00	-14.88	51.95	3	Vertical	12	2.68	-	33.87	5.43	32.13
PK	5.4666G	59.63	68.20	-8.57	52.39	3	Vertical	12	2.68	-	33.90	5.47	32.13
AV	5.4554G	46.44	54.00	-7.56	39.21	3	Vertical	12	2.68	-	33.90	5.46	32.13
PK	5.7186G	117.41	Inf	-Inf	110.21	3	Vertical	12	2.68	-	33.74	5.60	32.14
AV	5.7186G	107.71	Inf	-Inf	100.51	3	Vertical	12	2.68	-	33.74	5.60	32.14
PK	5.8516G	59.04	68.20	-9.16	51.73	3	Vertical	12	2.68	-	33.81	5.65	32.15



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_V\_4TX  
Setting 95  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4106G	58.98	74.00	-15.02	51.89	3	Horizontal	304	1.99	-	33.82	5.41	32.14
PK	5.461G	59.67	68.20	-8.53	52.44	3	Horizontal	304	1.99	-	33.90	5.46	32.13
AV	5.4568G	46.83	54.00	-7.17	39.60	3	Horizontal	304	1.99	-	33.90	5.46	32.13
PK	5.713G	120.21	Inf	-Inf	113.02	3	Horizontal	304	1.99	-	33.73	5.60	32.14
AV	5.713G	110.90	Inf	-Inf	103.71	3	Horizontal	304	1.99	-	33.73	5.60	32.14
PK	5.85G	59.38	68.20	-8.82	52.08	3	Horizontal	304	1.99	-	33.80	5.65	32.15

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
Setting 95  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43376G	53.69	74.00	-20.31	40.18	3	Vertical	265	2.98	-	38.87	7.87	33.23
AV	11.44496G	40.18	54.00	-13.82	26.64	3	Vertical	265	2.98	-	38.89	7.88	33.23

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
Setting 95  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43972G	53.41	74.00	-20.59	39.88	3	Horizontal	108	1.80	-	38.88	7.88	33.23
AV	11.44284G	40.09	54.00	-13.91	26.55	3	Horizontal	108	1.80	-	38.89	7.88	33.23

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT V\_4TX  
Setting 89  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	60.91	74.00	-13.09	54.31	3	Vertical	12	2.84	-	33.50	5.25	32.15
AV	5.1484G	47.08	54.00	-6.92	40.48	3	Vertical	12	2.84	-	33.50	5.25	32.15
PK	5.2546G	121.25	Inf	-Inf	114.45	3	Vertical	12	2.84	-	33.61	5.33	32.14
AV	5.2546G	108.09	Inf	-Inf	101.29	3	Vertical	12	2.84	-	33.61	5.33	32.14
PK	5.3542G	64.17	74.00	-9.83	57.22	3	Vertical	12	2.84	-	33.71	5.38	32.14
AV	5.3542G	49.44	54.00	-4.56	42.49	3	Vertical	12	2.84	-	33.71	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_V\_4TX  
Setting 89  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	61.10	74.00	-12.90	54.51	3	Horizontal	51	1.91	-	33.50	5.24	32.15
AV	5.1496G	47.90	54.00	-6.10	41.30	3	Horizontal	51	1.91	-	33.50	5.25	32.15
PK	5.2552G	121.34	Inf	-Inf	114.54	3	Horizontal	51	1.91	-	33.61	5.33	32.14
AV	5.2552G	108.91	Inf	-Inf	102.11	3	Horizontal	51	1.91	-	33.61	5.33	32.14
PK	5.3518G	67.21	74.00	-6.79	60.27	3	Horizontal	51	1.91	-	33.70	5.38	32.14
AV	5.3518G	52.65	54.00	-1.35	45.71	3	Horizontal	51	1.91	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
Setting 89  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78316G	58.83	74.00	-15.17	45.01	3	Vertical	40	1.83	-	37.40	9.90	33.48
AV	15.7832G	43.97	54.00	-10.03	30.15	3	Vertical	40	1.83	-	37.40	9.90	33.48

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
Setting 89  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77304G	58.00	74.00	-16.00	44.17	3	Horizontal	45	1.71	-	37.40	9.90	33.47
AV	15.78264G	44.19	54.00	-9.81	30.37	3	Horizontal	45	1.71	-	37.40	9.90	33.48

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	118.15	Inf	-Inf	111.24	3	Vertical	13	2.92	-	33.70	5.35	32.14
AV	5.2992G	106.15	Inf	-Inf	99.24	3	Vertical	13	2.92	-	33.70	5.35	32.14
PK	5.35G	67.84	74.00	-6.16	60.90	3	Vertical	13	2.92	-	33.70	5.38	32.14
AV	5.35G	50.53	54.00	-3.47	43.59	3	Vertical	13	2.92	-	33.70	5.38	32.14



802.11ax HEW20\_Nss1,(MCS0)\_4TX

5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2952G	120.08	Inf	-Inf	113.18	3	Horizontal	53	1.86	-	33.69	5.35	32.14
AV	5.3052G	106.86	Inf	-Inf	99.95	3	Horizontal	53	1.86	-	33.70	5.35	32.14
PK	5.3552G	71.27	74.00	-2.73	64.32	3	Horizontal	53	1.86	-	33.71	5.38	32.14
AV	5.35G	53.18	54.00	-0.82	46.24	3	Horizontal	53	1.86	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6086G	53.06	74.00	-20.94	40.13	3	Vertical	304	1.17	-	38.49	7.54	33.10
AV	10.60828G	38.51	54.00	-15.49	25.58	3	Vertical	304	1.17	-	38.49	7.54	33.10
PK	15.8934G	55.84	74.00	-18.16	42.01	3	Vertical	188	1.72	-	37.49	9.95	33.61
AV	15.89752G	42.02	54.00	-11.98	28.19	3	Vertical	188	1.72	-	37.50	9.95	33.62

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
Setting 77  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6012G	52.06	74.00	-21.94	39.11	3	Horizontal	246	2.44	-	38.50	7.54	33.09
AV	10.60472G	38.54	54.00	-15.46	25.60	3	Horizontal	246	2.44	-	38.50	7.54	33.10
PK	15.89192G	55.87	74.00	-18.13	42.04	3	Horizontal	178	2.56	-	37.49	9.95	33.61
AV	15.90072G	42.06	54.00	-11.94	28.22	3	Horizontal	178	2.56	-	37.50	9.96	33.62

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 73  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	116.93	Inf	-Inf	110.01	3	Vertical	10	2.92	-	33.70	5.36	32.14
AV	5.3194G	104.17	Inf	-Inf	97.25	3	Vertical	10	2.92	-	33.70	5.36	32.14
PK	5.3502G	64.14	74.00	-9.86	57.20	3	Vertical	10	2.92	-	33.70	5.38	32.14
AV	5.35G	50.61	54.00	-3.39	43.67	3	Vertical	10	2.92	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 73  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3146G	118.35	Inf	-Inf	111.43	3	Horizontal	52	1.68	-	33.70	5.36	32.14
AV	5.325G	105.29	Inf	-Inf	98.37	3	Horizontal	52	1.68	-	33.70	5.36	32.14
PK	5.355G	69.63	74.00	-4.37	62.68	3	Horizontal	52	1.68	-	33.71	5.38	32.14
AV	5.35G	53.55	54.00	-0.45	46.62	3	Horizontal	52	1.68	-	33.70	5.37	32.14

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 73  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6418G	52.48	74.00	-21.52	39.57	3	Vertical	197	1.85	-	38.46	7.56	33.11
AV	10.63024G	38.16	54.00	-15.84	25.25	3	Vertical	197	1.85	-	38.47	7.55	33.11
PK	15.96692G	55.72	74.00	-18.28	42.00	3	Vertical	317	2.54	-	37.43	9.99	33.70
AV	15.96592G	42.13	54.00	-11.87	28.42	3	Vertical	317	2.54	-	37.43	9.98	33.70

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5320MHz\_TnomVnom




EUT Y\_4TX  
Setting 73  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6366G	51.45	74.00	-22.55	38.55	3	Horizontal	96	2.08	-	38.46	7.55	33.11
AV	10.64368G	38.13	54.00	-15.87	25.22	3	Horizontal	96	2.08	-	38.46	7.56	33.11
PK	15.96516G	56.64	74.00	-17.36	42.93	3	Horizontal	24	2.21	-	37.43	9.98	33.70
AV	15.96252G	42.10	54.00	-11.90	28.38	3	Horizontal	24	2.21	-	37.44	9.98	33.70

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 69  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	60.37	74.00	-13.63	53.14	3	Vertical	1	3.00	-	33.90	5.46	32.13
AV	5.4596G	47.32	54.00	-6.68	40.09	3	Vertical	1	3.00	-	33.90	5.46	32.13
PK	5.4668G	63.96	68.20	-4.24	56.72	3	Vertical	1	3.00	-	33.90	5.47	32.13
PK	5.5064G	117.78	Inf	-Inf	110.50	3	Vertical	1	3.00	-	33.90	5.51	32.13
AV	5.4968G	105.08	Inf	-Inf	97.81	3	Vertical	1	3.00	-	33.90	5.50	32.13



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 69  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	65.63	74.00	-8.37	58.40	3	Horizontal	51	1.80	-	33.90	5.46	32.13
AV	5.46G	50.38	54.00	-3.62	43.15	3	Horizontal	51	1.80	-	33.90	5.46	32.13
PK	5.47G	67.82	68.20	-0.38	60.58	3	Horizontal	51	1.80	-	33.90	5.47	32.13
PK	5.4956G	116.61	Inf	-Inf	109.34	3	Horizontal	51	1.80	-	33.90	5.50	32.13
AV	5.4948G	105.08	Inf	-Inf	97.82	3	Horizontal	51	1.80	-	33.90	5.49	32.13

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 69  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0048G	51.92	74.00	-22.08	38.99	3	Vertical	143	1.26	-	38.50	7.70	33.27
AV	11.008G	38.59	54.00	-15.41	25.65	3	Vertical	143	1.26	-	38.51	7.70	33.27

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
Setting 69  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99016G	51.80	74.00	-22.20	38.88	3	Horizontal	130	1.34	-	38.49	7.70	33.27
AV	11.0068G	38.48	54.00	-15.52	25.54	3	Horizontal	130	1.34	-	38.51	7.70	33.27

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_V\_4TX  
Setting 91  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	61.81	74.00	-12.19	54.58	3	Vertical	346	2.93	-	33.90	5.46	32.13
AV	5.46G	49.28	54.00	-4.72	42.05	3	Vertical	346	2.93	-	33.90	5.46	32.13
PK	5.4672G	64.98	68.20	-3.22	57.74	3	Vertical	346	2.93	-	33.90	5.47	32.13
PK	5.5856G	120.75	Inf	-Inf	113.40	3	Vertical	346	2.93	-	33.90	5.59	32.14
AV	5.5808G	108.74	Inf	-Inf	101.39	3	Vertical	346	2.93	-	33.90	5.58	32.13
PK	5.7344G	61.07	68.20	-7.13	53.84	3	Vertical	346	2.93	-	33.77	5.60	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_V\_4TX  
Setting 91  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	66.58	74.00	-7.42	59.35	3	Horizontal	305	1.79	-	33.90	5.46	32.13
AV	5.456G	50.29	54.00	-3.71	43.06	3	Horizontal	305	1.79	-	33.90	5.46	32.13
PK	5.4632G	67.30	68.20	-0.90	60.07	3	Horizontal	305	1.79	-	33.90	5.46	32.13
PK	5.576G	122.15	Inf	-Inf	114.80	3	Horizontal	305	1.79	-	33.90	5.58	32.13
AV	5.5712G	109.69	Inf	-Inf	102.35	3	Horizontal	305	1.79	-	33.90	5.57	32.13
PK	5.7264G	64.71	68.20	-3.49	57.50	3	Horizontal	305	1.79	-	33.75	5.60	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
Setting 91  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15696G	51.66	74.00	-22.34	38.49	3	Vertical	146	2.34	-	38.66	7.76	33.25
AV	11.15904G	38.33	54.00	-15.67	25.16	3	Vertical	146	2.34	-	38.66	7.76	33.25

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
Setting 91  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15496G	52.65	74.00	-21.35	39.49	3	Horizontal	268	1.38	-	38.65	7.76	33.25
AV	11.1534G	38.29	54.00	-15.71	25.13	3	Horizontal	268	1.38	-	38.65	7.76	33.25

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 49  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.695G	109.93	Inf	-Inf	102.76	3	Vertical	9	2.82	-	33.71	5.60	32.14
AV	5.6948G	96.93	Inf	-Inf	89.76	3	Vertical	9	2.82	-	33.71	5.60	32.14
PK	5.725G	66.02	68.20	-2.18	58.81	3	Vertical	9	2.82	-	33.75	5.60	32.14



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 49  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6964G	113.26	Inf	-Inf	106.09	3	Horizontal	305	1.82	-	33.71	5.60	32.14
AV	5.6964G	100.28	Inf	-Inf	93.11	3	Horizontal	305	1.82	-	33.71	5.60	32.14
PK	5.7268G	67.96	68.20	-0.24	60.75	3	Horizontal	305	1.82	-	33.75	5.60	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
Setting 49  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40408G	52.69	74.00	-21.31	39.25	3	Vertical	129	1.46	-	38.81	7.86	33.23
AV	11.40068G	39.39	54.00	-14.61	25.96	3	Vertical	129	1.46	-	38.80	7.86	33.23

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5700MHz\_TnomVnom



EUT Y\_4TX  
Setting 49  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4008G	52.61	74.00	-21.39	39.18	3	Horizontal	352	1.82	-	38.80	7.86	33.23
AV	11.40788G	39.38	54.00	-14.62	25.93	3	Horizontal	352	1.82	-	38.82	7.86	33.23


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Y\_4TX  
 Setting 95  
 02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44G	58.44	74.00	-15.56	51.25	3	Vertical	336	2.66	-	33.88	5.44	32.13
PK	5.4638G	58.00	68.20	-10.20	50.77	3	Vertical	336	2.66	-	33.90	5.46	32.13
AV	5.4596G	45.98	54.00	-8.02	38.75	3	Vertical	336	2.66	-	33.90	5.46	32.13
PK	5.7256G	116.83	Inf	-Inf	109.62	3	Vertical	336	2.66	-	33.75	5.60	32.14
AV	5.7242G	105.37	Inf	-Inf	98.16	3	Vertical	336	2.66	-	33.75	5.60	32.14
PK	5.85G	62.43	68.20	-5.77	55.13	3	Vertical	336	2.66	-	33.80	5.65	32.15

**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_V\_4TX  
 Setting 95  
 02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	59.29	74.00	-14.71	52.06	3	Horizontal	302	1.83	-	33.90	5.46	32.13
AV	5.4526G	46.73	54.00	-7.27	39.51	3	Horizontal	302	1.83	-	33.90	5.45	32.13
PK	5.4638G	58.25	68.20	-9.95	51.02	3	Horizontal	302	1.83	-	33.90	5.46	32.13
PK	5.7172G	120.62	Inf	-Inf	113.43	3	Horizontal	302	1.83	-	33.73	5.60	32.14
AV	5.727G	108.76	Inf	-Inf	101.55	3	Horizontal	302	1.83	-	33.75	5.60	32.14
PK	5.85G	60.74	68.20	-7.46	53.44	3	Horizontal	302	1.83	-	33.80	5.65	32.15

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
Setting 95  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43204G	53.08	74.00	-20.92	39.58	3	Vertical	27	1.80	-	38.86	7.87	33.23
AV	11.44248G	39.28	54.00	-14.72	25.75	3	Vertical	27	1.80	-	38.88	7.88	33.23

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
Setting 95  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44492G	53.28	74.00	-20.72	39.74	3	Horizontal	50	1.81	-	38.89	7.88	33.23
AV	11.44472G	39.55	54.00	-14.45	26.01	3	Horizontal	50	1.81	-	38.89	7.88	33.23

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_V\_4TX  
Setting 71  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	58.49	74.00	-15.51	51.90	3	Vertical	12	2.95	-	33.50	5.24	32.15
AV	5.1434G	46.99	54.00	-7.01	40.40	3	Vertical	12	2.95	-	33.50	5.24	32.15
PK	5.285G	115.29	Inf	-Inf	108.42	3	Vertical	12	2.95	-	33.67	5.34	32.14
AV	5.2748G	104.44	Inf	-Inf	97.59	3	Vertical	12	2.95	-	33.65	5.34	32.14
PK	5.3642G	60.51	74.00	-13.49	53.54	3	Vertical	12	2.95	-	33.73	5.38	32.14
AV	5.354G	49.28	54.00	-4.72	42.33	3	Vertical	12	2.95	-	33.71	5.38	32.14



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_V\_4TX  
Setting 71  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1302G	58.51	74.00	-15.49	51.93	3	Horizontal	54	1.80	-	33.50	5.23	32.15
AV	5.1494G	47.44	54.00	-6.56	40.84	3	Horizontal	54	1.80	-	33.50	5.25	32.15
PK	5.2754G	115.20	Inf	-Inf	108.35	3	Horizontal	54	1.80	-	33.65	5.34	32.14
AV	5.2748G	103.63	Inf	-Inf	96.78	3	Horizontal	54	1.80	-	33.65	5.34	32.14
PK	5.35G	66.26	74.00	-7.74	59.32	3	Horizontal	54	1.80	-	33.70	5.38	32.14
AV	5.35G	53.26	54.00	-0.74	46.32	3	Horizontal	54	1.80	-	33.70	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
Setting 71  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81344G	55.70	74.00	-18.30	41.89	3	Vertical	279	2.67	-	37.41	9.92	33.52
AV	15.80312G	43.56	54.00	-10.44	29.76	3	Vertical	279	2.67	-	37.40	9.91	33.51

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
Setting 71  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8058G	55.82	74.00	-18.18	42.01	3	Horizontal	5	1.86	-	37.41	9.91	33.51
AV	15.81212G	43.55	54.00	-10.45	29.74	3	Horizontal	5	1.86	-	37.41	9.92	33.52

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	113.27	Inf	-Inf	106.36	3	Vertical	14	2.92	-	33.70	5.35	32.14
AV	5.3044G	102.35	Inf	-Inf	95.44	3	Vertical	14	2.92	-	33.70	5.35	32.14
PK	5.352G	61.02	74.00	-12.98	54.08	3	Vertical	14	2.92	-	33.70	5.38	32.14
AV	5.35G	50.29	54.00	-3.71	43.35	3	Vertical	14	2.92	-	33.70	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3052G	114.86	Inf	-Inf	107.95	3	Horizontal	50	1.87	-	33.70	5.35	32.14
AV	5.3052G	103.04	Inf	-Inf	96.13	3	Horizontal	50	1.87	-	33.70	5.35	32.14
PK	5.35G	64.26	74.00	-9.74	57.32	3	Horizontal	50	1.87	-	33.70	5.38	32.14
AV	5.3504G	52.88	54.00	-1.12	45.94	3	Horizontal	50	1.87	-	33.70	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61048G	52.37	74.00	-21.63	39.44	3	Vertical	333	2.53	-	38.49	7.54	33.10
AV	10.61152G	40.03	54.00	-13.97	27.10	3	Vertical	333	2.53	-	38.49	7.54	33.10
PK	15.92496G	56.15	74.00	-17.85	42.35	3	Vertical	300	1.08	-	37.48	9.97	33.65
AV	15.93108G	43.78	54.00	-10.22	30.00	3	Vertical	300	1.08	-	37.47	9.97	33.66

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
Setting 68  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61076G	51.54	74.00	-22.46	38.61	3	Horizontal	304	1.13	-	38.49	7.54	33.10
AV	10.61904G	39.67	54.00	-14.33	26.74	3	Horizontal	304	1.13	-	38.48	7.55	33.10
PK	15.92868G	55.91	74.00	-18.09	42.13	3	Horizontal	7	1.26	-	37.47	9.97	33.66
AV	15.9258G	44.01	54.00	-9.99	30.22	3	Horizontal	7	1.26	-	37.47	9.97	33.65

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.29	74.00	-13.71	53.06	3	Vertical	4	3.00	-	33.90	5.46	32.13
AV	5.46G	48.82	54.00	-5.18	41.59	3	Vertical	4	3.00	-	33.90	5.46	32.13
PK	5.47G	63.82	68.20	-4.38	56.58	3	Vertical	4	3.00	-	33.90	5.47	32.13
PK	5.5068G	115.76	Inf	-Inf	108.48	3	Vertical	4	3.00	-	33.90	5.51	32.13
AV	5.4968G	103.13	Inf	-Inf	95.86	3	Vertical	4	3.00	-	33.90	5.50	32.13



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	62.13	74.00	-11.87	54.90	3	Horizontal	302	1.89	-	33.90	5.46	32.13
AV	5.4564G	50.42	54.00	-3.58	43.19	3	Horizontal	302	1.89	-	33.90	5.46	32.13
PK	5.466G	65.90	68.20	-2.30	58.66	3	Horizontal	302	1.89	-	33.90	5.47	32.13
PK	5.4964G	114.75	Inf	-Inf	107.48	3	Horizontal	302	1.89	-	33.90	5.50	32.13
AV	5.5116G	103.41	Inf	-Inf	96.13	3	Horizontal	302	1.89	-	33.90	5.51	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02052G	52.24	74.00	-21.76	39.28	3	Vertical	171	2.42	-	38.52	7.71	33.27
AV	11.01296G	40.09	54.00	-13.91	27.14	3	Vertical	171	2.42	-	38.51	7.71	33.27

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01476G	52.16	74.00	-21.84	39.21	3	Horizontal	245	1.96	-	38.51	7.71	33.27
AV	11.019G	39.95	54.00	-14.05	26.99	3	Horizontal	245	1.96	-	38.52	7.71	33.27

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_V\_4TX  
Setting 71  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	62.22	74.00	-11.78	54.99	3	Vertical	0	2.96	-	33.90	5.46	32.13
AV	5.4468G	50.35	54.00	-3.65	43.14	3	Vertical	0	2.96	-	33.89	5.45	32.13
PK	5.4636G	62.72	68.20	-5.48	55.49	3	Vertical	0	2.96	-	33.90	5.46	32.13
PK	5.562G	115.35	Inf	-Inf	108.02	3	Vertical	0	2.96	-	33.90	5.56	32.13
AV	5.5468G	104.75	Inf	-Inf	97.43	3	Vertical	0	2.96	-	33.90	5.55	32.13
PK	5.7348G	59.31	68.20	-8.89	52.08	3	Vertical	0	2.96	-	33.77	5.60	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_V\_4TX  
Setting 71  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	66.61	74.00	-7.39	59.39	3	Horizontal	304	1.80	-	33.90	5.45	32.13
AV	5.4564G	52.37	54.00	-1.63	45.14	3	Horizontal	304	1.80	-	33.90	5.46	32.13
PK	5.466G	67.52	68.20	-0.68	60.28	3	Horizontal	304	1.80	-	33.90	5.47	32.13
PK	5.566G	116.03	Inf	-Inf	108.69	3	Horizontal	304	1.80	-	33.90	5.57	32.13
AV	5.546G	105.05	Inf	-Inf	97.73	3	Horizontal	304	1.80	-	33.90	5.55	32.13
PK	5.726G	59.05	68.20	-9.15	51.84	3	Horizontal	304	1.80	-	33.75	5.60	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
Setting 71  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09696G	52.66	74.00	-21.34	39.58	3	Vertical	172	2.14	-	38.60	7.74	33.26
AV	11.1018G	40.05	54.00	-13.95	26.97	3	Vertical	172	2.14	-	38.60	7.74	33.26

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
Setting 71  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10692G	52.41	74.00	-21.59	39.32	3	Horizontal	107	3.00	-	38.61	7.74	33.26
AV	11.09344G	39.93	54.00	-14.07	26.86	3	Horizontal	107	3.00	-	38.59	7.74	33.26

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 56  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66G	109.04	Inf	-Inf	101.80	3	Vertical	11	2.85	-	33.78	5.60	32.14
AV	5.6652G	97.15	Inf	-Inf	89.92	3	Vertical	11	2.85	-	33.77	5.60	32.14
PK	5.7344G	61.04	68.20	-7.16	53.81	3	Vertical	11	2.85	-	33.77	5.60	32.14



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 56  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6712G	111.87	Inf	-Inf	104.65	3	Horizontal	305	1.76	-	33.76	5.60	32.14
AV	5.6564G	99.66	Inf	-Inf	92.41	3	Horizontal	305	1.76	-	33.79	5.60	32.14
PK	5.7268G	67.46	68.20	-0.74	60.25	3	Horizontal	305	1.76	-	33.75	5.60	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
Setting 56  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34472G	52.53	74.00	-21.47	39.19	3	Vertical	265	2.88	-	38.74	7.84	33.24
AV	11.34636G	40.49	54.00	-13.51	27.14	3	Vertical	265	2.88	-	38.75	7.84	33.24

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX


### 5670MHz\_TnomVnom



EUT Y\_4TX  
Setting 56  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3434G	53.38	74.00	-20.62	40.04	3	Horizontal	2	1.90	-	38.74	7.84	33.24
AV	11.34284G	40.36	54.00	-13.64	27.02	3	Horizontal	2	1.90	-	38.74	7.84	33.24


**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_V\_4TX  
 Setting 88  
 02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4146G	58.79	74.00	-15.21	51.69	3	Vertical	350	2.68	-	33.83	5.41	32.14
PK	5.4608G	59.59	68.20	-8.61	52.36	3	Vertical	350	2.68	-	33.90	5.46	32.13
AV	5.451G	48.52	54.00	-5.48	41.30	3	Vertical	350	2.68	-	33.90	5.45	32.13
PK	5.7254G	114.34	Inf	-Inf	107.13	3	Vertical	350	2.68	-	33.75	5.60	32.14
AV	5.7254G	103.89	Inf	-Inf	96.68	3	Vertical	350	2.68	-	33.75	5.60	32.14
PK	5.8514G	63.13	68.20	-5.07	55.82	3	Vertical	350	2.68	-	33.81	5.65	32.15


**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_V\_4TX  
 Setting 88  
 02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4216G	61.53	74.00	-12.47	54.40	3	Horizontal	301	1.82	-	33.84	5.42	32.13
PK	5.47G	63.20	68.20	-5.00	55.96	3	Horizontal	301	1.82	-	33.90	5.47	32.13
AV	5.4566G	49.17	54.00	-4.83	41.94	3	Horizontal	301	1.82	-	33.90	5.46	32.13
PK	5.7114G	117.96	Inf	-Inf	110.78	3	Horizontal	301	1.82	-	33.72	5.60	32.14
AV	5.7072G	106.55	Inf	-Inf	99.38	3	Horizontal	301	1.82	-	33.71	5.60	32.14
PK	5.8514G	67.79	68.20	-0.41	60.48	3	Horizontal	301	1.82	-	33.81	5.65	32.15


**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 Setting 88  
 02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.425G	53.51	74.00	-20.49	40.02	3	Vertical	360	2.56	-	38.85	7.87	33.23
AV	11.4224G	40.74	54.00	-13.26	27.26	3	Vertical	360	2.56	-	38.84	7.87	33.23

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 Setting 88  
 02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42404G	52.42	74.00	-21.58	38.93	3	Horizontal	61	2.29	-	38.85	7.87	33.23
AV	11.4108G	40.43	54.00	-13.57	26.98	3	Horizontal	61	2.29	-	38.82	7.86	33.23

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.133G	60.71	74.00	-13.29	54.13	3	Vertical	353	2.82	-	33.50	5.23	32.15
AV	5.132G	47.49	54.00	-6.51	40.91	3	Vertical	353	2.82	-	33.50	5.23	32.15
PK	5.308G	108.72	Inf	-Inf	101.81	3	Vertical	353	2.82	-	33.70	5.35	32.14
AV	5.299G	98.33	Inf	-Inf	91.42	3	Vertical	353	2.82	-	33.70	5.35	32.14
PK	5.368G	62.11	74.00	-11.89	55.13	3	Vertical	353	2.82	-	33.74	5.38	32.14
AV	5.388G	49.39	54.00	-4.61	42.36	3	Vertical	353	2.82	-	33.78	5.39	32.14
PK	5.538G	58.66	68.20	-9.54	51.35	3	Vertical	353	2.82	-	33.90	5.54	32.13



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_V\_4TX  
Setting 65  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.139G	59.07	74.00	-14.93	52.48	3	Horizontal	55	1.80	-	33.50	5.24	32.15
AV	5.14G	47.77	54.00	-6.23	41.18	3	Horizontal	55	1.80	-	33.50	5.24	32.15
PK	5.27G	110.30	Inf	-Inf	103.47	3	Horizontal	55	1.80	-	33.64	5.33	32.14
AV	5.28G	99.25	Inf	-Inf	92.39	3	Horizontal	55	1.80	-	33.66	5.34	32.14
PK	5.351G	63.31	74.00	-10.69	56.37	3	Horizontal	55	1.80	-	33.70	5.38	32.14
AV	5.35G	52.93	54.00	-1.07	45.99	3	Horizontal	55	1.80	-	33.70	5.38	32.14
PK	5.467G	59.32	68.20	-8.88	52.08	3	Horizontal	55	1.80	-	33.90	5.47	32.13

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86748G	55.25	74.00	-18.75	41.42	3	Vertical	71	2.09	-	37.47	9.94	33.58
AV	15.87652G	43.77	54.00	-10.23	29.94	3	Vertical	71	2.09	-	37.48	9.94	33.59

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86624G	55.88	74.00	-18.12	42.05	3	Horizontal	221	2.34	-	37.47	9.94	33.58
AV	15.87868G	43.45	54.00	-10.55	29.62	3	Horizontal	221	2.34	-	37.48	9.95	33.60

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_V\_4TX  
Setting 66  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	58.35	68.20	-9.85	51.42	3	Vertical	2	3.00	-	33.70	5.37	32.14
PK	5.457G	62.27	74.00	-11.73	55.04	3	Vertical	2	3.00	-	33.90	5.46	32.13
AV	5.457G	51.42	54.00	-2.58	44.19	3	Vertical	2	3.00	-	33.90	5.46	32.13
PK	5.467G	64.74	68.20	-3.46	57.50	3	Vertical	2	3.00	-	33.90	5.47	32.13
PK	5.512G	111.18	Inf	-Inf	103.90	3	Vertical	2	3.00	-	33.90	5.51	32.13
AV	5.517G	100.06	Inf	-Inf	92.77	3	Vertical	2	3.00	-	33.90	5.52	32.13
PK	5.757G	58.05	68.20	-10.15	50.81	3	Vertical	2	3.00	-	33.79	5.60	32.15

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_V\_4TX  
Setting 66  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.324G	58.94	68.20	-9.26	52.02	3	Horizontal	305	1.80	-	33.70	5.36	32.14
PK	5.456G	64.77	74.00	-9.23	57.54	3	Horizontal	305	1.80	-	33.90	5.46	32.13
AV	5.456G	53.26	54.00	-0.74	46.03	3	Horizontal	305	1.80	-	33.90	5.46	32.13
PK	5.466G	65.99	68.20	-2.21	58.75	3	Horizontal	305	1.80	-	33.90	5.47	32.13
PK	5.531G	112.59	Inf	-Inf	105.29	3	Horizontal	305	1.80	-	33.90	5.53	32.13
AV	5.547G	100.50	Inf	-Inf	93.18	3	Horizontal	305	1.80	-	33.90	5.55	32.13
PK	5.727G	59.45	68.20	-8.75	52.24	3	Horizontal	305	1.80	-	33.75	5.60	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Y\_4TX  
Setting 66  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06856G	52.49	74.00	-21.51	39.45	3	Vertical	193	1.15	-	38.57	7.73	33.26
AV	11.06192G	40.18	54.00	-13.82	27.16	3	Vertical	193	1.15	-	38.56	7.72	33.26

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Y\_4TX  
Setting 66  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06012G	52.64	74.00	-21.36	39.62	3	Horizontal	63	2.41	-	38.56	7.72	33.26
AV	11.05652G	40.08	54.00	-13.92	27.06	3	Horizontal	63	2.41	-	38.56	7.72	33.26

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT V\_4TX  
Setting 65  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	60.84	74.00	-13.16	53.62	3	Vertical	345	2.94	-	33.90	5.45	32.13
PK	5.465G	62.62	68.20	-5.58	55.39	3	Vertical	345	2.94	-	33.90	5.46	32.13
AV	5.46G	50.17	54.00	-3.83	42.94	3	Vertical	345	2.94	-	33.90	5.46	32.13
PK	5.581G	111.32	Inf	-Inf	103.97	3	Vertical	345	2.94	-	33.90	5.58	32.13
AV	5.581G	98.71	Inf	-Inf	91.36	3	Vertical	345	2.94	-	33.90	5.58	32.13
PK	5.727G	64.84	68.20	-3.36	57.63	3	Vertical	345	2.94	-	33.75	5.60	32.14



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	62.78	74.00	-11.22	55.55	3	Horizontal	306	1.95	-	33.90	5.46	32.13
AV	5.456G	50.56	54.00	-3.44	43.33	3	Horizontal	306	1.95	-	33.90	5.46	32.13
PK	5.466G	64.77	68.20	-3.43	57.53	3	Horizontal	306	1.95	-	33.90	5.47	32.13
PK	5.581G	112.21	Inf	-Inf	104.86	3	Horizontal	306	1.95	-	33.90	5.58	32.13
AV	5.616G	99.84	Inf	-Inf	92.51	3	Horizontal	306	1.95	-	33.87	5.60	32.14
PK	5.727G	66.67	68.20	-1.53	59.46	3	Horizontal	306	1.95	-	33.75	5.60	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Y\_4TX  
Setting 65  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22196G	52.17	74.00	-21.83	38.93	3	Vertical	325	1.63	-	38.70	7.79	33.25
AV	11.22152G	40.05	54.00	-13.95	26.81	3	Vertical	325	1.63	-	38.70	7.79	33.25

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5610MHz\_TnomVnom



EUT Y\_4TX  
Setting 65  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2104G	52.25	74.00	-21.75	39.02	3	Horizontal	173	2.28	-	38.70	7.78	33.25
AV	11.21644G	39.89	54.00	-14.11	26.65	3	Horizontal	173	2.28	-	38.70	7.79	33.25


**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 Setting 76  
 02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	60.16	74.00	-13.84	52.94	3	Vertical	23	2.84	-	33.90	5.45	32.13
AV	5.45G	48.84	54.00	-5.16	41.62	3	Vertical	23	2.84	-	33.90	5.45	32.13
PK	5.4608G	59.54	68.20	-8.66	52.31	3	Vertical	23	2.84	-	33.90	5.46	32.13
PK	5.696G	110.04	Inf	-Inf	102.87	3	Vertical	23	2.84	-	33.71	5.60	32.14
AV	5.6804G	98.48	Inf	-Inf	91.28	3	Vertical	23	2.84	-	33.74	5.60	32.14
PK	5.8508G	64.40	68.20	-3.80	57.10	3	Vertical	23	2.84	-	33.80	5.65	32.15

**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




23/10/2021

EUT\_V\_4TX  
 Setting 76  
 02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	63.19	74.00	-10.81	55.97	3	Horizontal	306	1.81	-	33.90	5.45	32.13
AV	5.456G	51.21	54.00	-2.79	43.98	3	Horizontal	306	1.81	-	33.90	5.46	32.13
PK	5.47G	64.42	68.20	-3.78	57.18	3	Horizontal	306	1.81	-	33.90	5.47	32.13
PK	5.6564G	112.34	Inf	-Inf	105.09	3	Horizontal	306	1.81	-	33.79	5.60	32.14
AV	5.696G	101.29	Inf	-Inf	94.12	3	Horizontal	306	1.81	-	33.71	5.60	32.14
PK	5.852G	67.03	68.20	-1.17	59.72	3	Horizontal	306	1.81	-	33.81	5.65	32.15

**802.11ax HEW80\_Nss1,(MCS0)\_4TX**

**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
Setting 76  
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37072G	52.63	74.00	-21.37	39.24	3	Vertical	162	1.80	-	38.77	7.85	33.23
AV	11.37064G	40.46	54.00	-13.54	27.07	3	Vertical	162	1.80	-	38.77	7.85	33.23

**802.11ax HEW80\_Nss1,(MCS0)\_4TX**

**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 Setting 76  
 02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38784G	53.30	74.00	-20.70	39.88	3	Horizontal	262	1.80	-	38.79	7.86	33.23
AV	11.37904G	40.89	54.00	-13.11	27.49	3	Horizontal	262	1.80	-	38.78	7.85	33.23




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	AV	5.3574G	53.92	54.00	-0.08	3	Horizontal	318	2.45	-



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 106  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	58.70	74.00	-15.30	52.11	3	Vertical	265	2.83	-	33.50	5.24	32.15
AV	5.1112G	45.69	54.00	-8.31	39.13	3	Vertical	265	2.83	-	33.50	5.21	32.15
PK	5.2576G	112.19	Inf	-Inf	105.38	3	Vertical	265	2.83	-	33.62	5.33	32.14
AV	5.2576G	101.59	Inf	-Inf	94.78	3	Vertical	265	2.83	-	33.62	5.33	32.14
PK	5.3806G	59.70	74.00	-14.30	52.69	3	Vertical	265	2.83	-	33.76	5.39	32.14
AV	5.3578G	46.47	54.00	-7.53	39.51	3	Vertical	265	2.83	-	33.72	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 106  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.29	74.00	-7.71	59.69	3	Horizontal	318	2.44	-	33.50	5.25	32.15
AV	5.146G	49.33	54.00	-4.67	42.73	3	Horizontal	318	2.44	-	33.50	5.25	32.15
PK	5.257G	126.24	Inf	-Inf	119.44	3	Horizontal	318	2.44	-	33.61	5.33	32.14
AV	5.2576G	115.38	Inf	-Inf	108.57	3	Horizontal	318	2.44	-	33.62	5.33	32.14
PK	5.3584G	70.13	74.00	-3.87	63.17	3	Horizontal	318	2.44	-	33.72	5.38	32.14
AV	5.359G	52.68	54.00	-1.32	45.72	3	Horizontal	318	2.44	-	33.72	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 106  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52486G	56.35	68.20	-11.85	43.48	3	Vertical	143	2.08	-	38.42	7.51	33.06
PK	15.78168G	56.47	74.00	-17.53	42.65	3	Vertical	167	2.35	-	37.40	9.90	33.48
AV	15.77802G	43.04	54.00	-10.96	29.22	3	Vertical	167	2.35	-	37.40	9.90	33.48

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 106  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52108G	58.00	68.20	-10.20	45.13	3	Horizontal	214	2.94	-	38.42	7.51	33.06
PK	15.78406G	56.04	74.00	-17.96	42.23	3	Horizontal	343	2.85	-	37.40	9.90	33.49
AV	15.77744G	43.14	54.00	-10.86	29.32	3	Horizontal	343	2.85	-	37.40	9.90	33.48

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 94  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	107.70	Inf	-Inf	100.79	3	Vertical	0	2.85	-	33.70	5.35	32.14
AV	5.3028G	97.73	Inf	-Inf	90.82	3	Vertical	0	2.85	-	33.70	5.35	32.14
PK	5.368G	58.83	74.00	-15.17	51.85	3	Vertical	0	2.85	-	33.74	5.38	32.14
AV	5.376G	46.31	54.00	-7.69	39.31	3	Vertical	0	2.85	-	33.75	5.39	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 94  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2936G	123.26	Inf	-Inf	116.36	3	Horizontal	72	3.00	-	33.69	5.35	32.14
AV	5.2932G	113.44	Inf	-Inf	106.54	3	Horizontal	72	3.00	-	33.69	5.35	32.14
PK	5.3544G	72.93	74.00	-1.07	65.98	3	Horizontal	72	3.00	-	33.71	5.38	32.14
AV	5.3528G	52.40	54.00	-1.60	45.45	3	Horizontal	72	3.00	-	33.71	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 94  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60126G	54.16	74.00	-19.84	41.21	3	Vertical	334	2.24	-	38.50	7.54	33.09
AV	10.60012G	40.74	54.00	-13.26	27.79	3	Vertical	334	2.24	-	38.50	7.54	33.09
PK	15.891G	56.01	74.00	-17.99	42.18	3	Vertical	353	2.86	-	37.49	9.95	33.61
AV	15.88914G	43.34	54.00	-10.66	29.51	3	Vertical	353	2.86	-	37.49	9.95	33.61

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 94  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6015G	54.88	74.00	-19.12	41.93	3	Horizontal	323	3.00	-	38.50	7.54	33.09
AV	10.60126G	41.73	54.00	-12.27	28.78	3	Horizontal	323	3.00	-	38.50	7.54	33.09
PK	15.88764G	56.62	74.00	-17.38	42.79	3	Horizontal	98	2.97	-	37.49	9.95	33.61
AV	15.9024G	42.97	54.00	-11.03	29.13	3	Horizontal	98	2.97	-	37.50	9.96	33.62



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 93  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	106.98	Inf	-Inf	100.06	3	Vertical	267	2.91	-	33.70	5.36	32.14
AV	5.3178G	97.37	Inf	-Inf	90.45	3	Vertical	267	2.91	-	33.70	5.36	32.14
PK	5.3572G	60.37	74.00	-13.63	53.42	3	Vertical	267	2.91	-	33.71	5.38	32.14
AV	5.351G	46.77	54.00	-7.23	39.83	3	Vertical	267	2.91	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 93  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3182G	121.53	Inf	-Inf	114.61	3	Horizontal	318	2.45	-	33.70	5.36	32.14
AV	5.3178G	111.77	Inf	-Inf	104.85	3	Horizontal	318	2.45	-	33.70	5.36	32.14
PK	5.3562G	72.63	74.00	-1.37	65.68	3	Horizontal	318	2.45	-	33.71	5.38	32.14
AV	5.3574G	53.92	54.00	-0.08	46.97	3	Horizontal	318	2.45	-	33.71	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 93  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64534G	55.49	74.00	-18.51	42.59	3	Vertical	130	2.96	-	38.45	7.56	33.11
AV	10.64552G	41.81	54.00	-12.19	28.91	3	Vertical	130	2.96	-	38.45	7.56	33.11
PK	15.96198G	55.88	74.00	-18.12	42.16	3	Vertical	173	2.38	-	37.44	9.98	33.70
AV	15.96942G	43.26	54.00	-10.74	29.54	3	Vertical	173	2.38	-	37.43	9.99	33.70

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 93  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63868G	56.36	74.00	-17.64	43.45	3	Horizontal	40	2.92	-	38.46	7.56	33.11
AV	10.63916G	42.69	54.00	-11.31	29.78	3	Horizontal	40	2.92	-	38.46	7.56	33.11
PK	15.95334G	56.34	74.00	-17.66	42.59	3	Horizontal	286	1.13	-	37.45	9.98	33.68
AV	15.9705G	43.09	54.00	-10.91	29.38	3	Horizontal	286	1.13	-	37.43	9.99	33.71

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 104  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14G	58.17	74.00	-15.83	51.58	3	Vertical	86	2.91	-	33.50	5.24	32.15
AV	5.1112G	44.91	54.00	-9.09	38.35	3	Vertical	86	2.91	-	33.50	5.21	32.15
PK	5.2558G	110.93	Inf	-Inf	104.13	3	Vertical	86	2.91	-	33.61	5.33	32.14
AV	5.2654G	98.26	Inf	-Inf	91.44	3	Vertical	86	2.91	-	33.63	5.33	32.14
PK	5.3752G	59.58	74.00	-14.42	52.58	3	Vertical	86	2.91	-	33.75	5.39	32.14
AV	5.3758G	45.60	54.00	-8.40	38.60	3	Vertical	86	2.91	-	33.75	5.39	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 104  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	66.48	74.00	-7.52	59.88	3	Horizontal	318	2.58	-	33.50	5.25	32.15
AV	5.149G	48.94	54.00	-5.06	42.34	3	Horizontal	318	2.58	-	33.50	5.25	32.15
PK	5.2546G	126.27	Inf	-Inf	119.47	3	Horizontal	318	2.58	-	33.61	5.33	32.14
AV	5.254G	112.78	Inf	-Inf	105.98	3	Horizontal	318	2.58	-	33.61	5.33	32.14
PK	5.3548G	69.24	74.00	-4.76	62.29	3	Horizontal	318	2.58	-	33.71	5.38	32.14
AV	5.35G	53.30	54.00	-0.70	46.36	3	Horizontal	318	2.58	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Z\_4TX  
Setting 104  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7766G	56.40	74.00	-17.60	42.58	3	Vertical	26	1.08	-	37.40	9.90	33.48
AV	15.78038G	42.12	54.00	-11.88	28.30	3	Vertical	26	1.08	-	37.40	9.90	33.48

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Z\_4TX  
Setting 104  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78164G	55.75	74.00	-18.25	41.93	3	Horizontal	344	2.48	-	37.40	9.90	33.48
AV	15.77726G	42.11	54.00	-11.89	28.29	3	Horizontal	344	2.48	-	37.40	9.90	33.48



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Z\_4TX  
Setting 92  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2924G	110.84	Inf	-Inf	103.95	3	Vertical	269	2.43	-	33.68	5.35	32.14
AV	5.2976G	96.58	Inf	-Inf	89.67	3	Vertical	269	2.43	-	33.70	5.35	32.14
PK	5.3956G	59.77	74.00	-14.23	52.72	3	Vertical	269	2.43	-	33.79	5.40	32.14
AV	5.3968G	45.53	54.00	-8.47	38.48	3	Vertical	269	2.43	-	33.79	5.40	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 92  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	123.25	Inf	-Inf	116.34	3	Horizontal	319	2.64	-	33.70	5.35	32.14
AV	5.2992G	110.43	Inf	-Inf	103.52	3	Horizontal	319	2.64	-	33.70	5.35	32.14
PK	5.3548G	72.24	74.00	-1.76	65.29	3	Horizontal	319	2.64	-	33.71	5.38	32.14
AV	5.35G	53.87	54.00	-0.13	46.93	3	Horizontal	319	2.64	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 92  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89574G	56.52	74.00	-17.48	42.69	3	Vertical	101	2.66	-	37.50	9.95	33.62
AV	15.90032G	42.17	54.00	-11.83	28.33	3	Vertical	101	2.66	-	37.50	9.96	33.62

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Z\_4TX  
Setting 92  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90436G	55.71	74.00	-18.29	41.88	3	Horizontal	141	1.49	-	37.50	9.96	33.63
AV	15.8976G	42.08	54.00	-11.92	28.25	3	Horizontal	141	1.49	-	37.50	9.95	33.62

802.11ax HEW20\_Nss1,(MCS0)\_4TX

5320MHz\_TnomVnom




EUT Z\_4TX  
Setting 88  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	106.56	Inf	-Inf	99.64	3	Vertical	0	2.72	-	33.70	5.36	32.14
AV	5.3172G	92.93	Inf	-Inf	86.01	3	Vertical	0	2.72	-	33.70	5.36	32.14
PK	5.3672G	59.20	74.00	-14.80	52.23	3	Vertical	0	2.72	-	33.73	5.38	32.14
AV	5.3504G	45.52	54.00	-8.48	38.58	3	Vertical	0	2.72	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 88  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3146G	121.69	Inf	-Inf	114.77	3	Horizontal	320	2.39	-	33.70	5.36	32.14
AV	5.3194G	107.96	Inf	-Inf	101.04	3	Horizontal	320	2.39	-	33.70	5.36	32.14
PK	5.355G	68.18	74.00	-5.82	61.23	3	Horizontal	320	2.39	-	33.71	5.38	32.14
AV	5.35G	53.46	54.00	-0.54	46.52	3	Horizontal	320	2.39	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Z\_4TX  
Setting 88  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95552G	56.18	74.00	-17.82	42.45	3	Vertical	246	2.27	-	37.44	9.98	33.69
AV	15.96224G	42.14	54.00	-11.86	28.42	3	Vertical	246	2.27	-	37.44	9.98	33.70

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Z\_4TX  
Setting 88  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9623G	55.66	74.00	-18.34	41.94	3	Horizontal	230	1.22	-	37.44	9.98	33.70
AV	15.96038G	42.07	54.00	-11.93	28.34	3	Horizontal	230	1.22	-	37.44	9.98	33.69



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 84  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	57.74	74.00	-16.26	51.15	3	Vertical	269	2.56	-	33.50	5.24	32.15
AV	5.1344G	46.46	54.00	-7.54	39.88	3	Vertical	269	2.56	-	33.50	5.23	32.15
PK	5.2676G	105.56	Inf	-Inf	98.73	3	Vertical	269	2.56	-	33.64	5.33	32.14
AV	5.2676G	93.82	Inf	-Inf	86.99	3	Vertical	269	2.56	-	33.64	5.33	32.14
PK	5.3942G	59.11	74.00	-14.89	52.06	3	Vertical	269	2.56	-	33.79	5.40	32.14
AV	5.3696G	47.05	54.00	-6.95	40.07	3	Vertical	269	2.56	-	33.74	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 84  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1212G	59.76	74.00	-14.24	53.19	3	Horizontal	132	2.48	-	33.50	5.22	32.15
AV	5.1356G	48.28	54.00	-5.72	41.69	3	Horizontal	132	2.48	-	33.50	5.24	32.15
PK	5.2808G	118.93	Inf	-Inf	112.07	3	Horizontal	132	2.48	-	33.66	5.34	32.14
AV	5.2766G	107.44	Inf	-Inf	100.59	3	Horizontal	132	2.48	-	33.65	5.34	32.14
PK	5.351G	68.57	74.00	-5.43	61.63	3	Horizontal	132	2.48	-	33.70	5.38	32.14
AV	5.351G	53.86	54.00	-0.14	46.92	3	Horizontal	132	2.48	-	33.70	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 84  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81236G	56.06	74.00	-17.94	42.25	3	Vertical	98	2.91	-	37.41	9.92	33.52
AV	15.80716G	43.61	54.00	-10.39	29.80	3	Vertical	98	2.91	-	37.41	9.91	33.51

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Z\_4TX  
Setting 84  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8115G	56.71	74.00	-17.29	42.90	3	Horizontal	360	1.76	-	37.41	9.92	33.52
AV	15.80826G	43.73	54.00	-10.27	29.92	3	Horizontal	360	1.76	-	37.41	9.91	33.51

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 83  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	102.90	Inf	-Inf	95.98	3	Vertical	269	2.91	-	33.70	5.36	32.14
AV	5.3124G	91.57	Inf	-Inf	84.65	3	Vertical	269	2.91	-	33.70	5.36	32.14
PK	5.3768G	59.08	74.00	-14.92	52.08	3	Vertical	269	2.91	-	33.75	5.39	32.14
AV	5.37G	47.12	54.00	-6.88	40.13	3	Vertical	269	2.91	-	33.74	5.39	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 83  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3044G	118.07	Inf	-Inf	111.16	3	Horizontal	319	2.59	-	33.70	5.35	32.14
AV	5.2992G	106.47	Inf	-Inf	99.56	3	Horizontal	319	2.59	-	33.70	5.35	32.14
PK	5.3548G	65.58	74.00	-8.42	58.63	3	Horizontal	319	2.59	-	33.71	5.38	32.14
AV	5.3544G	52.64	54.00	-1.36	45.69	3	Horizontal	319	2.59	-	33.71	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 83  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92596G	55.57	74.00	-18.43	41.78	3	Vertical	169	2.71	-	37.47	9.97	33.65
AV	15.92862G	43.49	54.00	-10.51	29.71	3	Vertical	169	2.71	-	37.47	9.97	33.66

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Z\_4TX  
Setting 83  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92642G	55.91	74.00	-18.09	42.12	3	Horizontal	76	1.45	-	37.47	9.97	33.65
AV	15.93002G	43.42	54.00	-10.58	29.64	3	Horizontal	76	1.45	-	37.47	9.97	33.66



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_Z\_4TX  
Setting 81  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0924G	58.47	74.00	-15.53	51.96	3	Vertical	273	2.96	-	33.47	5.19	32.15
AV	5.13G	46.45	54.00	-7.55	39.87	3	Vertical	273	2.96	-	33.50	5.23	32.15
PK	5.2772G	101.79	Inf	-Inf	94.94	3	Vertical	273	2.96	-	33.65	5.34	32.14
AV	5.2828G	90.01	Inf	-Inf	83.14	3	Vertical	273	2.96	-	33.67	5.34	32.14
PK	5.3828G	59.20	74.00	-14.80	52.18	3	Vertical	273	2.96	-	33.77	5.39	32.14
AV	5.3764G	47.12	54.00	-6.88	40.12	3	Vertical	273	2.96	-	33.75	5.39	32.14
PK	5.4724G	58.30	68.20	-9.90	51.06	3	Vertical	273	2.96	-	33.90	5.47	32.13

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




23/10/2021

EUT\_Z\_4TX  
Setting 81  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	61.90	74.00	-12.10	55.31	3	Horizontal	132	2.44	-	33.50	5.24	32.15
AV	5.146G	50.02	54.00	-3.98	43.42	3	Horizontal	132	2.44	-	33.50	5.25	32.15
PK	5.286G	115.51	Inf	-Inf	108.64	3	Horizontal	132	2.44	-	33.67	5.34	32.14
AV	5.2812G	103.48	Inf	-Inf	96.62	3	Horizontal	132	2.44	-	33.66	5.34	32.14
PK	5.3612G	67.86	74.00	-6.14	60.90	3	Horizontal	132	2.44	-	33.72	5.38	32.14
AV	5.3516G	53.65	54.00	-0.35	46.71	3	Horizontal	132	2.44	-	33.70	5.38	32.14
PK	5.4836G	58.58	68.20	-9.62	51.33	3	Horizontal	132	2.44	-	33.90	5.48	32.13

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Z\_4TX  
Setting 81  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8737G	56.07	74.00	-17.93	42.25	3	Vertical	49	1.17	-	37.47	9.94	33.59
AV	15.87182G	43.31	54.00	-10.69	29.49	3	Vertical	49	1.17	-	37.47	9.94	33.59

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Z\_4TX  
Setting 81  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87466G	56.09	74.00	-17.91	42.27	3	Horizontal	290	1.73	-	37.47	9.94	33.59
AV	15.87472G	43.40	54.00	-10.60	29.58	3	Horizontal	290	1.73	-	37.47	9.94	33.59

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 53  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1268G	58.33	74.00	-15.67	51.75	3	Vertical	86	2.92	-	33.50	5.23	32.15
AV	5.1156G	47.77	54.00	-6.23	41.20	3	Vertical	86	2.92	-	33.50	5.22	32.15
PK	5.2756G	92.03	Inf	-Inf	85.18	3	Vertical	86	2.92	-	33.65	5.34	32.14
AV	5.2708G	81.89	Inf	-Inf	75.05	3	Vertical	86	2.92	-	33.64	5.34	32.14
PK	5.442G	58.66	74.00	-15.34	51.47	3	Vertical	86	2.92	-	33.88	5.44	32.13
AV	5.4292G	48.43	54.00	-5.57	41.27	3	Vertical	86	2.92	-	33.86	5.43	32.13
PK	5.5652G	59.10	68.20	-9.10	51.76	3	Vertical	86	2.92	-	33.90	5.57	32.13

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT\_Z\_4TX  
Setting 53  
02-C-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	61.49	74.00	-12.51	54.90	3	Horizontal	54	2.58	-	33.50	5.24	32.15
AV	5.1412G	51.28	54.00	-2.72	44.69	3	Horizontal	54	2.58	-	33.50	5.24	32.15
PK	5.1908G	105.64	Inf	-Inf	99.00	3	Horizontal	54	2.58	-	33.50	5.29	32.15
AV	5.226G	94.87	Inf	-Inf	88.16	3	Horizontal	54	2.58	-	33.55	5.31	32.15
PK	5.3844G	64.10	74.00	-9.90	57.08	3	Horizontal	54	2.58	-	33.77	5.39	32.14
AV	5.3828G	53.87	54.00	-0.13	46.85	3	Horizontal	54	2.58	-	33.77	5.39	32.14
PK	5.57G	59.85	68.20	-8.35	52.51	3	Horizontal	54	2.58	-	33.90	5.57	32.13

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom




EUT Z\_4TX  
Setting 53  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75306G	55.80	74.00	-18.20	41.96	3	Vertical	342	2.21	-	37.40	9.89	33.45
AV	15.7494G	45.20	54.00	-8.80	31.35	3	Vertical	342	2.21	-	37.40	9.89	33.44

### 802.11ax HEW160\_Nss1,(MCS0)\_4TX

### 5250MHz Straddle 5.25-5.35GHz\_TnomVnom



EUT Z\_4TX  
Setting 53  
02-C-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74742G	55.70	74.00	-18.30	41.85	3	Horizontal	22	1.33	-	37.40	9.89	33.44
AV	15.74754G	45.22	54.00	-8.78	31.37	3	Horizontal	22	1.33	-	37.40	9.89	33.44






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.99	54.00	-0.01	3	Horizontal	284	1.92	-

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT\_V\_1TX  
Setting 98  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	58.95	74.00	-15.05	52.35	3	Vertical	286	2.19	-	33.50	5.25	32.15
AV	5.15G	46.87	54.00	-7.13	40.27	3	Vertical	286	2.19	-	33.50	5.25	32.15
PK	5.2612G	115.04	Inf	-Inf	108.23	3	Vertical	286	2.19	-	33.62	5.33	32.14
AV	5.2582G	104.10	Inf	-Inf	97.29	3	Vertical	286	2.19	-	33.62	5.33	32.14
PK	5.3536G	64.11	74.00	-9.89	57.16	3	Vertical	286	2.19	-	33.71	5.38	32.14
AV	5.3518G	49.84	54.00	-4.16	42.90	3	Vertical	286	2.19	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT\_V\_1TX  
Setting 98  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	62.85	74.00	-11.15	56.26	3	Horizontal	284	2.09	-	33.50	5.24	32.15
AV	5.15G	48.92	54.00	-5.08	42.32	3	Horizontal	284	2.09	-	33.50	5.25	32.15
PK	5.2588G	117.81	Inf	-Inf	111.00	3	Horizontal	284	2.09	-	33.62	5.33	32.14
AV	5.2582G	107.30	Inf	-Inf	100.49	3	Horizontal	284	2.09	-	33.62	5.33	32.14
PK	5.3512G	66.65	74.00	-7.35	59.71	3	Horizontal	284	2.09	-	33.70	5.38	32.14
AV	5.3506G	51.78	54.00	-2.22	44.84	3	Horizontal	284	2.09	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT Y\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52808G	55.76	68.20	-12.44	42.88	3	Vertical	337	1.24	-	38.43	7.51	33.06
PK	15.78376G	58.61	74.00	-15.39	44.79	3	Vertical	24	1.80	-	37.40	9.90	33.48
AV	15.78384G	45.34	54.00	-8.66	31.52	3	Vertical	24	1.80	-	37.40	9.90	33.48

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52184G	58.19	68.20	-10.01	45.32	3	Horizontal	315	1.64	-	38.42	7.51	33.06
PK	15.77192G	58.57	74.00	-15.43	44.74	3	Horizontal	342	1.79	-	37.40	9.90	33.47
AV	15.78448G	46.02	54.00	-7.98	32.21	3	Horizontal	342	1.79	-	37.40	9.90	33.49

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 92  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2952G	112.02	Inf	-Inf	105.12	3	Vertical	284	1.44	-	33.69	5.35	32.14
AV	5.296G	101.81	Inf	-Inf	94.91	3	Vertical	284	1.44	-	33.69	5.35	32.14
PK	5.3504G	65.17	74.00	-8.83	58.23	3	Vertical	284	1.44	-	33.70	5.38	32.14
AV	5.3504G	49.68	54.00	-4.32	42.74	3	Vertical	284	1.44	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 92  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	116.20	Inf	-Inf	109.29	3	Horizontal	286	1.97	-	33.70	5.35	32.14
AV	5.298G	105.57	Inf	-Inf	98.66	3	Horizontal	286	1.97	-	33.70	5.35	32.14
PK	5.35G	68.39	74.00	-5.61	61.45	3	Horizontal	286	1.97	-	33.70	5.38	32.14
AV	5.3504G	53.62	54.00	-0.38	46.68	3	Horizontal	286	1.97	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 92  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89704G	55.65	74.00	-18.35	41.82	3	Vertical	207	2.16	-	37.50	9.95	33.62
AV	15.89618G	42.96	54.00	-11.04	29.13	3	Vertical	207	2.16	-	37.50	9.95	33.62



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 92  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90426G	55.68	74.00	-18.32	41.85	3	Horizontal	8	2.77	-	37.50	9.96	33.63
AV	15.89588G	42.95	54.00	-11.05	29.12	3	Horizontal	8	2.77	-	37.50	9.95	33.62

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 86  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3214G	108.43	Inf	-Inf	101.51	3	Vertical	283	1.34	-	33.70	5.36	32.14
AV	5.3184G	98.22	Inf	-Inf	91.30	3	Vertical	283	1.34	-	33.70	5.36	32.14
PK	5.35G	63.39	74.00	-10.61	56.45	3	Vertical	283	1.34	-	33.70	5.38	32.14
AV	5.3504G	49.57	54.00	-4.43	42.63	3	Vertical	283	1.34	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 86  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.318G	113.07	Inf	-Inf	106.15	3	Horizontal	286	1.80	-	33.70	5.36	32.14
AV	5.319G	102.32	Inf	-Inf	95.40	3	Horizontal	286	1.80	-	33.70	5.36	32.14
PK	5.3528G	68.81	74.00	-5.19	61.86	3	Horizontal	286	1.80	-	33.71	5.38	32.14
AV	5.35G	53.63	54.00	-0.37	46.69	3	Horizontal	286	1.80	-	33.70	5.38	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT Y\_1TX  
Setting 86  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96422G	56.44	74.00	-17.56	42.72	3	Vertical	118	1.77	-	37.44	9.98	33.70
AV	15.96064G	42.82	54.00	-11.18	29.09	3	Vertical	118	1.77	-	37.44	9.98	33.69

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 86  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96096G	55.86	74.00	-18.14	42.13	3	Horizontal	253	1.55	-	37.44	9.98	33.69
AV	15.95618G	42.97	54.00	-11.03	29.24	3	Horizontal	253	1.55	-	37.44	9.98	33.69

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT\_V\_1TX  
Setting 79  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	59.26	74.00	-14.74	52.03	3	Vertical	272	1.24	-	33.90	5.46	32.13
AV	5.46G	46.73	54.00	-7.27	39.50	3	Vertical	272	1.24	-	33.90	5.46	32.13
PK	5.4682G	62.84	68.20	-5.36	55.60	3	Vertical	272	1.24	-	33.90	5.47	32.13
PK	5.495G	106.59	Inf	-Inf	99.32	3	Vertical	272	1.24	-	33.90	5.50	32.13
AV	5.495G	96.72	Inf	-Inf	89.45	3	Vertical	272	1.24	-	33.90	5.50	32.13

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT\_V\_1TX  
Setting 79  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.53	74.00	-9.47	57.30	3	Horizontal	287	1.86	-	33.90	5.46	32.13
AV	5.4594G	49.30	54.00	-4.70	42.07	3	Horizontal	287	1.86	-	33.90	5.46	32.13
PK	5.466G	67.87	68.20	-0.33	60.63	3	Horizontal	287	1.86	-	33.90	5.47	32.13
PK	5.4932G	112.27	Inf	-Inf	105.01	3	Horizontal	287	1.86	-	33.90	5.49	32.13
AV	5.4976G	101.87	Inf	-Inf	94.60	3	Horizontal	287	1.86	-	33.90	5.50	32.13

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 79  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00002G	52.53	74.00	-21.47	39.60	3	Vertical	280	2.55	-	38.50	7.70	33.27
AV	11.0009G	39.05	54.00	-14.95	26.12	3	Vertical	280	2.55	-	38.50	7.70	33.27



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 79  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00046G	52.22	74.00	-21.78	39.29	3	Horizontal	275	2.31	-	38.50	7.70	33.27
AV	11.00224G	39.01	54.00	-14.99	26.08	3	Horizontal	275	2.31	-	38.50	7.70	33.27

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT\_V\_1TX  
Setting 98  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	58.88	74.00	-15.12	51.66	3	Vertical	288	1.87	-	33.90	5.45	32.13
AV	5.4592G	46.71	54.00	-7.29	39.48	3	Vertical	288	1.87	-	33.90	5.46	32.13
PK	5.4656G	59.75	68.20	-8.45	52.51	3	Vertical	288	1.87	-	33.90	5.47	32.13
PK	5.5728G	112.08	Inf	-Inf	104.74	3	Vertical	288	1.87	-	33.90	5.57	32.13
AV	5.5864G	101.13	Inf	-Inf	93.78	3	Vertical	288	1.87	-	33.90	5.59	32.14
PK	5.7424G	60.72	68.20	-7.48	53.48	3	Vertical	288	1.87	-	33.78	5.60	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	59.46	74.00	-14.54	52.24	3	Horizontal	54	1.79	-	33.90	5.45	32.13
AV	5.4568G	47.33	54.00	-6.67	40.10	3	Horizontal	54	1.79	-	33.90	5.46	32.13
PK	5.4688G	61.37	68.20	-6.83	54.13	3	Horizontal	54	1.79	-	33.90	5.47	32.13
PK	5.5832G	116.60	Inf	-Inf	109.25	3	Horizontal	54	1.79	-	33.90	5.58	32.13
AV	5.5824G	104.46	Inf	-Inf	97.11	3	Horizontal	54	1.79	-	33.90	5.58	32.13
PK	5.732G	61.96	68.20	-6.24	54.74	3	Horizontal	54	1.79	-	33.76	5.60	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15912G	57.33	74.00	-16.67	44.16	3	Vertical	318	1.80	-	38.66	7.76	33.25
AV	11.15984G	44.76	54.00	-9.24	31.59	3	Vertical	318	1.80	-	38.66	7.76	33.25
PK	16.73784G	59.47	68.20	-8.73	42.46	3	Vertical	22	1.80	-	39.93	10.37	33.29

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1596G	59.55	74.00	-14.45	46.38	3	Horizontal	310	1.64	-	38.66	7.76	33.25
AV	11.15944G	47.40	54.00	-6.60	34.23	3	Horizontal	310	1.64	-	38.66	7.76	33.25
PK	16.73728G	60.86	68.20	-7.34	43.86	3	Horizontal	298	1.74	-	39.92	10.37	33.29

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT\_V\_1TX  
Setting 63  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	105.33	Inf	-Inf	98.16	3	Vertical	280	1.82	-	33.71	5.60	32.14
AV	5.7042G	94.01	Inf	-Inf	86.84	3	Vertical	280	1.82	-	33.71	5.60	32.14
PK	5.7254G	63.93	68.20	-4.27	56.72	3	Vertical	280	1.82	-	33.75	5.60	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 63  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.698G	109.04	Inf	-Inf	101.88	3	Horizontal	289	2.30	-	33.70	5.60	32.14
AV	5.7018G	98.04	Inf	-Inf	90.88	3	Horizontal	289	2.30	-	33.70	5.60	32.14
PK	5.7272G	67.79	68.20	-0.41	60.58	3	Horizontal	289	2.30	-	33.75	5.60	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 63  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39916G	53.24	74.00	-20.76	39.81	3	Vertical	167	1.54	-	38.80	7.86	33.23
AV	11.39678G	40.11	54.00	-13.89	26.68	3	Vertical	167	1.54	-	38.80	7.86	33.23



### 802.11a\_Nss1,(6Mbps)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 63  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39564G	52.91	74.00	-21.09	39.48	3	Horizontal	321	2.89	-	38.80	7.86	33.23
AV	11.39632G	40.12	54.00	-13.88	26.69	3	Horizontal	321	2.89	-	38.80	7.86	33.23

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7184G	111.75	Inf	-Inf	104.55	3	Vertical	284	1.19	-	33.74	5.60	32.14
AV	5.7184G	100.99	Inf	-Inf	93.79	3	Vertical	284	1.19	-	33.74	5.60	32.14

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7176G	116.01	Inf	-Inf	108.81	3	Horizontal	53	1.91	-	33.74	5.60	32.14
AV	5.7192G	105.45	Inf	-Inf	98.25	3	Horizontal	53	1.91	-	33.74	5.60	32.14
PK	5.8568G	66.72	68.20	-1.48	59.38	3	Horizontal	53	1.91	-	33.83	5.66	32.15

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43822G	53.11	74.00	-20.89	39.58	3	Vertical	137	1.90	-	38.88	7.88	33.23
AV	11.44134G	39.90	54.00	-14.10	26.37	3	Vertical	137	1.90	-	38.88	7.88	33.23
PK	17.15854G	62.87	68.20	-5.33	43.94	3	Vertical	79	2.78	-	41.71	10.58	33.36

### 802.11a\_Nss1,(6Mbps)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44254G	52.81	74.00	-21.19	39.27	3	Horizontal	35	2.52	-	38.89	7.88	33.23
AV	11.44124G	39.72	54.00	-14.28	26.19	3	Horizontal	35	2.52	-	38.88	7.88	33.23
PK	17.16292G	62.20	68.20	-6.00	43.23	3	Horizontal	296	2.27	-	41.74	10.58	33.35

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT\_V\_1TX  
Setting 98  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	60.33	74.00	-13.67	53.73	3	Vertical	285	2.19	-	33.50	5.25	32.15
AV	5.15G	46.84	54.00	-7.16	40.24	3	Vertical	285	2.19	-	33.50	5.25	32.15
PK	5.2648G	114.39	Inf	-Inf	107.57	3	Vertical	285	2.19	-	33.63	5.33	32.14
AV	5.2612G	101.29	Inf	-Inf	94.48	3	Vertical	285	2.19	-	33.62	5.33	32.14
PK	5.3548G	66.86	74.00	-7.14	59.91	3	Vertical	285	2.19	-	33.71	5.38	32.14
AV	5.3512G	49.69	54.00	-4.31	42.75	3	Vertical	285	2.19	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT\_V\_1TX  
Setting 98  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	64.89	74.00	-9.11	58.29	3	Horizontal	283	2.04	-	33.50	5.25	32.15
AV	5.15G	49.56	54.00	-4.44	42.96	3	Horizontal	283	2.04	-	33.50	5.25	32.15
PK	5.2654G	117.66	Inf	-Inf	110.84	3	Horizontal	283	2.04	-	33.63	5.33	32.14
AV	5.2672G	105.07	Inf	-Inf	98.25	3	Horizontal	283	2.04	-	33.63	5.33	32.14
PK	5.3572G	71.86	74.00	-2.14	64.91	3	Horizontal	283	2.04	-	33.71	5.38	32.14
AV	5.35G	53.43	54.00	-0.57	46.49	3	Horizontal	283	2.04	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77736G	56.65	74.00	-17.35	42.83	3	Vertical	97	1.25	-	37.40	9.90	33.48
AV	15.77698G	46.21	54.00	-7.79	32.39	3	Vertical	97	1.25	-	37.40	9.90	33.48



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5260MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77608G	55.85	74.00	-18.15	42.03	3	Horizontal	132	2.71	-	37.40	9.90	33.48
AV	15.78058G	47.15	54.00	-6.85	33.33	3	Horizontal	132	2.71	-	37.40	9.90	33.48

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 91  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3008G	112.59	Inf	-Inf	105.68	3	Vertical	283	2.12	-	33.70	5.35	32.14
AV	5.302G	99.14	Inf	-Inf	92.23	3	Vertical	283	2.12	-	33.70	5.35	32.14
PK	5.3504G	66.02	74.00	-7.98	59.08	3	Vertical	283	2.12	-	33.70	5.38	32.14
AV	5.35G	50.64	54.00	-3.36	43.70	3	Vertical	283	2.12	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 91  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	116.34	Inf	-Inf	109.43	3	Horizontal	287	1.98	-	33.70	5.35	32.14
AV	5.2964G	103.18	Inf	-Inf	96.28	3	Horizontal	287	1.98	-	33.69	5.35	32.14
PK	5.35G	69.17	74.00	-4.83	62.23	3	Horizontal	287	1.98	-	33.70	5.38	32.14
AV	5.35G	53.95	54.00	-0.05	47.01	3	Horizontal	287	1.98	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 91  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9007G	55.79	74.00	-18.21	41.95	3	Vertical	330	2.42	-	37.50	9.96	33.62
AV	15.90376G	42.16	54.00	-11.84	28.33	3	Vertical	330	2.42	-	37.50	9.96	33.63

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5300MHz\_TnomVnom




EUT V\_1TX  
Setting 91  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90358G	55.87	74.00	-18.13	42.04	3	Horizontal	357	2.05	-	37.50	9.96	33.63
AV	15.90034G	42.13	54.00	-11.87	28.29	3	Horizontal	357	2.05	-	37.50	9.96	33.62

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 85  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3166G	110.19	Inf	-Inf	103.27	3	Vertical	282	2.22	-	33.70	5.36	32.14
AV	5.3178G	96.23	Inf	-Inf	89.31	3	Vertical	282	2.22	-	33.70	5.36	32.14
PK	5.3526G	64.98	74.00	-9.02	58.03	3	Vertical	282	2.22	-	33.71	5.38	32.14
AV	5.3508G	50.27	54.00	-3.73	43.33	3	Vertical	282	2.22	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 85  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3234G	113.81	Inf	-Inf	106.89	3	Horizontal	289	1.79	-	33.70	5.36	32.14
AV	5.3186G	100.37	Inf	-Inf	93.45	3	Horizontal	289	1.79	-	33.70	5.36	32.14
PK	5.353G	66.53	74.00	-7.47	59.58	3	Horizontal	289	1.79	-	33.71	5.38	32.14
AV	5.35G	53.64	54.00	-0.36	46.70	3	Horizontal	289	1.79	-	33.70	5.38	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 85  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96252G	55.71	74.00	-18.29	41.99	3	Vertical	344	2.08	-	37.44	9.98	33.70
AV	15.95934G	42.04	54.00	-11.96	28.31	3	Vertical	344	2.08	-	37.44	9.98	33.69



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5320MHz\_TnomVnom




EUT V\_1TX  
Setting 85  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9565G	55.68	74.00	-18.32	41.95	3	Horizontal	175	2.89	-	37.44	9.98	33.69
AV	15.95852G	42.13	54.00	-11.87	28.40	3	Horizontal	175	2.89	-	37.44	9.98	33.69

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 78  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	60.89	74.00	-13.11	53.66	3	Vertical	273	1.25	-	33.90	5.46	32.13
AV	5.4598G	46.79	54.00	-7.21	39.56	3	Vertical	273	1.25	-	33.90	5.46	32.13
PK	5.4646G	62.85	68.20	-5.35	55.62	3	Vertical	273	1.25	-	33.90	5.46	32.13
PK	5.4966G	109.43	Inf	-Inf	102.16	3	Vertical	273	1.25	-	33.90	5.50	32.13
AV	5.4954G	95.07	Inf	-Inf	87.80	3	Vertical	273	1.25	-	33.90	5.50	32.13

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 78  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.67	74.00	-7.33	59.44	3	Horizontal	289	1.88	-	33.90	5.46	32.13
AV	5.46G	49.82	54.00	-4.18	42.59	3	Horizontal	289	1.88	-	33.90	5.46	32.13
PK	5.4694G	67.87	68.20	-0.33	60.63	3	Horizontal	289	1.88	-	33.90	5.47	32.13
PK	5.4928G	113.44	Inf	-Inf	106.18	3	Horizontal	289	1.88	-	33.90	5.49	32.13
AV	5.4958G	100.09	Inf	-Inf	92.82	3	Horizontal	289	1.88	-	33.90	5.50	32.13

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 78  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00078G	52.42	74.00	-21.58	39.49	3	Vertical	48	1.01	-	38.50	7.70	33.27
AV	11.00366G	38.36	54.00	-15.64	25.43	3	Vertical	48	1.01	-	38.50	7.70	33.27

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5500MHz\_TnomVnom




EUT V\_1TX  
Setting 78  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00484G	52.48	74.00	-21.52	39.55	3	Horizontal	208	1.16	-	38.50	7.70	33.27
AV	11.00418G	38.37	54.00	-15.63	25.44	3	Horizontal	208	1.16	-	38.50	7.70	33.27

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT\_V\_1TX  
Setting 98  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	63.87	74.00	-10.13	56.64	3	Vertical	287	1.88	-	33.90	5.46	32.13
AV	5.46G	46.88	54.00	-7.12	39.65	3	Vertical	287	1.88	-	33.90	5.46	32.13
PK	5.4688G	64.34	68.20	-3.86	57.10	3	Vertical	287	1.88	-	33.90	5.47	32.13
PK	5.5784G	112.16	Inf	-Inf	104.81	3	Vertical	287	1.88	-	33.90	5.58	32.13
AV	5.5848G	99.55	Inf	-Inf	92.21	3	Vertical	287	1.88	-	33.90	5.58	32.14
PK	5.732G	63.63	68.20	-4.57	56.41	3	Vertical	287	1.88	-	33.76	5.60	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	67.90	74.00	-6.10	60.67	3	Horizontal	54	1.98	-	33.90	5.46	32.13
AV	5.46G	48.93	54.00	-5.07	41.70	3	Horizontal	54	1.98	-	33.90	5.46	32.13
PK	5.4688G	67.97	68.20	-0.23	60.73	3	Horizontal	54	1.98	-	33.90	5.47	32.13
PK	5.5864G	115.42	Inf	-Inf	108.07	3	Horizontal	54	1.98	-	33.90	5.59	32.14
AV	5.5752G	102.85	Inf	-Inf	95.50	3	Horizontal	54	1.98	-	33.90	5.58	32.13
PK	5.7328G	66.40	68.20	-1.80	59.17	3	Horizontal	54	1.98	-	33.77	5.60	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1597G	53.27	74.00	-20.73	40.10	3	Vertical	21	2.81	-	38.66	7.76	33.25
AV	11.15812G	44.49	54.00	-9.51	31.32	3	Vertical	21	2.81	-	38.66	7.76	33.25



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5580MHz\_TnomVnom




EUT V\_1TX  
Setting 98  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16104G	53.20	74.00	-20.80	40.03	3	Horizontal	216	2.92	-	38.66	7.76	33.25
AV	11.1558G	47.42	54.00	-6.58	34.25	3	Horizontal	216	2.92	-	38.66	7.76	33.25

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT Y\_1TX  
Setting 58  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7044G	105.59	Inf	-Inf	98.42	3	Vertical	282	1.82	-	33.71	5.60	32.14
AV	5.7046G	91.22	Inf	-Inf	84.05	3	Vertical	282	1.82	-	33.71	5.60	32.14
PK	5.7256G	62.26	68.20	-5.94	55.05	3	Vertical	282	1.82	-	33.75	5.60	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT\_V\_1TX  
Setting 58  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7042G	109.39	Inf	-Inf	102.22	3	Horizontal	286	2.40	-	33.71	5.60	32.14
AV	5.7048G	95.24	Inf	-Inf	88.07	3	Horizontal	286	2.40	-	33.71	5.60	32.14
PK	5.7258G	68.13	68.20	-0.07	60.92	3	Horizontal	286	2.40	-	33.75	5.60	32.14

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 58  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39546G	53.78	74.00	-20.22	40.35	3	Vertical	345	2.96	-	38.80	7.86	33.23
AV	11.39974G	39.37	54.00	-14.63	25.94	3	Vertical	345	2.96	-	38.80	7.86	33.23

### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5700MHz\_TnomVnom




EUT V\_1TX  
Setting 58  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3969G	53.41	74.00	-20.59	39.98	3	Horizontal	306	1.19	-	38.80	7.86	33.23
AV	11.40282G	39.33	54.00	-14.67	25.89	3	Horizontal	306	1.19	-	38.81	7.86	33.23

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_1TX  
Setting 95  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	111.72	Inf	-Inf	104.50	3	Vertical	279	1.17	-	33.76	5.60	32.14
AV	5.7264G	98.74	Inf	-Inf	91.53	3	Vertical	279	1.17	-	33.75	5.60	32.14
PK	5.916G	58.62	68.20	-9.58	51.02	3	Vertical	279	1.17	-	34.03	5.72	32.15

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 95  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.724G	117.82	Inf	-Inf	110.61	3	Horizontal	288	2.39	-	33.75	5.60	32.14
AV	5.724G	104.43	Inf	-Inf	97.22	3	Horizontal	288	2.39	-	33.75	5.60	32.14
PK	5.8592G	63.23	68.20	-4.97	55.88	3	Horizontal	288	2.39	-	33.84	5.66	32.15

802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_1TX  
Setting 95  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44392G	53.21	74.00	-20.79	39.67	3	Vertical	262	1.00	-	38.89	7.88	33.23
AV	11.4437G	39.19	54.00	-14.81	25.65	3	Vertical	262	1.00	-	38.89	7.88	33.23
PK	17.16066G	57.92	68.20	-10.28	38.98	3	Vertical	216	2.72	-	41.72	10.58	33.36



### 802.11ax HEW20\_Nss1,(MCS0)\_1TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_1TX  
Setting 95  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44024G	53.70	74.00	-20.30	40.17	3	Horizontal	53	2.35	-	38.88	7.88	33.23
AV	11.44104G	39.16	54.00	-14.84	25.63	3	Horizontal	53	2.35	-	38.88	7.88	33.23
PK	17.16256G	58.93	68.20	-9.27	39.96	3	Horizontal	231	2.64	-	41.74	10.58	33.35

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT\_V\_1TX  
Setting 86  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	57.77	74.00	-16.23	51.18	3	Vertical	291	1.68	-	33.50	5.24	32.15
AV	5.1218G	46.43	54.00	-7.57	39.86	3	Vertical	291	1.68	-	33.50	5.22	32.15
PK	5.2718G	108.33	Inf	-Inf	101.49	3	Vertical	291	1.68	-	33.64	5.34	32.14
AV	5.2712G	96.37	Inf	-Inf	89.53	3	Vertical	291	1.68	-	33.64	5.34	32.14
PK	5.3534G	61.23	74.00	-12.77	54.28	3	Vertical	291	1.68	-	33.71	5.38	32.14
AV	5.3504G	49.17	54.00	-4.83	42.23	3	Vertical	291	1.68	-	33.70	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT\_V\_1TX  
Setting 86  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	58.98	74.00	-15.02	52.38	3	Horizontal	284	1.92	-	33.50	5.25	32.15
AV	5.15G	47.81	54.00	-6.19	41.21	3	Horizontal	284	1.92	-	33.50	5.25	32.15
PK	5.2802G	112.86	Inf	-Inf	106.00	3	Horizontal	284	1.92	-	33.66	5.34	32.14
AV	5.2748G	101.09	Inf	-Inf	94.24	3	Horizontal	284	1.92	-	33.65	5.34	32.14
PK	5.35G	66.79	74.00	-7.21	59.85	3	Horizontal	284	1.92	-	33.70	5.38	32.14
AV	5.35G	53.99	54.00	-0.01	47.05	3	Horizontal	284	1.92	-	33.70	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT V\_1TX  
Setting 86  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81084G	55.67	74.00	-18.33	41.87	3	Vertical	32	1.11	-	37.41	9.91	33.52
AV	15.8105G	43.59	54.00	-10.41	29.79	3	Vertical	32	1.11	-	37.41	9.91	33.52

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5270MHz\_TnomVnom




EUT Y\_1TX  
Setting 86  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80788G	55.73	74.00	-18.27	41.92	3	Horizontal	99	2.88	-	37.41	9.91	33.51
AV	15.8128G	43.67	54.00	-10.33	29.86	3	Horizontal	99	2.88	-	37.41	9.92	33.52

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TnomVnom




EUT V\_1TX  
Setting 79  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	106.66	Inf	-Inf	99.75	3	Vertical	284	1.44	-	33.70	5.35	32.14
AV	5.295G	94.65	Inf	-Inf	87.75	3	Vertical	284	1.44	-	33.69	5.35	32.14
PK	5.358G	60.74	74.00	-13.26	53.78	3	Vertical	284	1.44	-	33.72	5.38	32.14
AV	5.3508G	48.61	54.00	-5.39	41.67	3	Vertical	284	1.44	-	33.70	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TnomVnom




EUT V\_1TX  
Setting 79  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2938G	110.59	Inf	-Inf	103.69	3	Horizontal	286	1.96	-	33.69	5.35	32.14
AV	5.2992G	98.50	Inf	-Inf	91.59	3	Horizontal	286	1.96	-	33.70	5.35	32.14
AV	5.35G	53.39	54.00	-0.61	46.45	3	Horizontal	286	1.96	-	33.70	5.38	32.14
PK	5.3514G	64.77	74.00	-9.23	57.83	3	Horizontal	286	1.96	-	33.70	5.38	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TnomVnom




EUT V\_1TX  
Setting 79  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9346G	55.36	74.00	-18.64	41.58	3	Vertical	310	2.17	-	37.47	9.97	33.66
AV	15.93316G	43.43	54.00	-10.57	29.65	3	Vertical	310	2.17	-	37.47	9.97	33.66



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5310MHz\_TnomVnom




EUT Y\_1TX  
Setting 79  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92954G	56.73	74.00	-17.27	42.95	3	Horizontal	216	1.91	-	37.47	9.97	33.66
AV	15.93292G	43.47	54.00	-10.53	29.69	3	Horizontal	216	1.91	-	37.47	9.97	33.66

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT\_V\_1TX  
Setting 70  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4592G	59.42	74.00	-14.58	52.19	3	Vertical	277	1.96	-	33.90	5.46	32.13
AV	5.4596G	47.61	54.00	-6.39	40.38	3	Vertical	277	1.96	-	33.90	5.46	32.13
PK	5.4676G	61.05	68.20	-7.15	53.81	3	Vertical	277	1.96	-	33.90	5.47	32.13
PK	5.504G	103.10	Inf	-Inf	95.83	3	Vertical	277	1.96	-	33.90	5.50	32.13
AV	5.5172G	91.14	Inf	-Inf	83.85	3	Vertical	277	1.96	-	33.90	5.52	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 70  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.34	74.00	-11.66	55.11	3	Horizontal	286	1.80	-	33.90	5.46	32.13
AV	5.46G	49.99	54.00	-4.01	42.76	3	Horizontal	286	1.80	-	33.90	5.46	32.13
PK	5.468G	67.31	68.20	-0.89	60.07	3	Horizontal	286	1.80	-	33.90	5.47	32.13
PK	5.504G	108.82	Inf	-Inf	101.55	3	Horizontal	286	1.80	-	33.90	5.50	32.13
AV	5.5164G	96.17	Inf	-Inf	88.88	3	Horizontal	286	1.80	-	33.90	5.52	32.13

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

#### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 70  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01884G	52.32	74.00	-21.68	39.36	3	Vertical	7	1.35	-	38.52	7.71	33.27
AV	11.01684G	40.11	54.00	-13.89	27.15	3	Vertical	7	1.35	-	38.52	7.71	33.27

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5510MHz\_TnomVnom




EUT V\_1TX  
Setting 70  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01736G	52.59	74.00	-21.41	39.63	3	Horizontal	320	2.53	-	38.52	7.71	33.27
AV	11.0187G	40.23	54.00	-13.77	27.27	3	Horizontal	320	2.53	-	38.52	7.71	33.27

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT\_V\_1TX  
Setting 88  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	64.28	74.00	-9.72	57.05	3	Vertical	288	2.18	-	33.90	5.46	32.13
AV	5.4572G	50.97	54.00	-3.03	43.74	3	Vertical	288	2.18	-	33.90	5.46	32.13
PK	5.47G	67.45	68.20	-0.75	60.21	3	Vertical	288	2.18	-	33.90	5.47	32.13
PK	5.538G	107.93	Inf	-Inf	100.62	3	Vertical	288	2.18	-	33.90	5.54	32.13
AV	5.542G	96.11	Inf	-Inf	88.80	3	Vertical	288	2.18	-	33.90	5.54	32.13
PK	5.7356G	58.27	68.20	-9.93	51.04	3	Vertical	288	2.18	-	33.77	5.60	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT V\_1TX  
Setting 88  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	64.82	74.00	-9.18	57.59	3	Horizontal	54	1.80	-	33.90	5.46	32.13
AV	5.4596G	51.65	54.00	-2.35	44.42	3	Horizontal	54	1.80	-	33.90	5.46	32.13
PK	5.4692G	67.20	68.20	-1.00	59.96	3	Horizontal	54	1.80	-	33.90	5.47	32.13
PK	5.5588G	111.40	Inf	-Inf	104.07	3	Horizontal	54	1.80	-	33.90	5.56	32.13
AV	5.554G	99.87	Inf	-Inf	92.55	3	Horizontal	54	1.80	-	33.90	5.55	32.13
PK	5.7404G	59.95	68.20	-8.25	52.71	3	Horizontal	54	1.80	-	33.78	5.60	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT V\_1TX  
Setting 88  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09852G	52.29	74.00	-21.71	39.21	3	Vertical	112	1.92	-	38.60	7.74	33.26
AV	11.1028G	40.10	54.00	-13.90	27.02	3	Vertical	112	1.92	-	38.60	7.74	33.26



### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5550MHz\_TnomVnom




EUT V\_1TX  
Setting 88  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1006G	52.92	74.00	-21.08	39.84	3	Horizontal	109	2.60	-	38.60	7.74	33.26
AV	11.1044G	39.95	54.00	-14.05	26.87	3	Horizontal	109	2.60	-	38.60	7.74	33.26

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 72  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.672G	104.76	Inf	-Inf	97.54	3	Vertical	288	1.93	-	33.76	5.60	32.14
AV	5.6756G	92.76	Inf	-Inf	85.55	3	Vertical	288	1.93	-	33.75	5.60	32.14
PK	5.7256G	62.74	68.20	-5.46	55.53	3	Vertical	288	1.93	-	33.75	5.60	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TnomVnom




EUT Y\_1TX  
Setting 72  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6772G	109.13	Inf	-Inf	101.92	3	Horizontal	290	2.05	-	33.75	5.60	32.14
AV	5.6676G	97.09	Inf	-Inf	89.87	3	Horizontal	290	2.05	-	33.76	5.60	32.14
PK	5.7252G	67.89	68.20	-0.31	60.68	3	Horizontal	290	2.05	-	33.75	5.60	32.14

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TnomVnom




EUT V\_1TX  
Setting 72  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33676G	52.86	74.00	-21.14	39.53	3	Vertical	287	2.90	-	38.74	7.83	33.24
AV	11.33928G	40.58	54.00	-13.42	27.24	3	Vertical	287	2.90	-	38.74	7.84	33.24

### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5670MHz\_TnomVnom



EUT V\_1TX  
Setting 72  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33758G	52.58	74.00	-21.42	39.24	3	Horizontal	270	2.57	-	38.74	7.84	33.24
AV	11.34342G	40.55	54.00	-13.45	27.21	3	Horizontal	270	2.57	-	38.74	7.84	33.24