


### 802.11ax HEW40\_Nss1,(MCS0)\_1TX

### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_1TX  
Setting 96  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.714G	108.59	Inf	-Inf	101.40	3	Vertical	268	2.57	-	33.73	5.60	32.14
AV	5.7132G	97.42	Inf	-Inf	90.23	3	Vertical	268	2.57	-	33.73	5.60	32.14
PK	5.8516G	62.89	68.20	-5.31	55.58	3	Vertical	268	2.57	-	33.81	5.65	32.15

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**


**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_1TX  
Setting 96  
02-C-5-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	114.08	Inf	-Inf	106.90	3	Horizontal	289	2.39	-	33.72	5.60	32.14
AV	5.7268G	102.32	Inf	-Inf	95.11	3	Horizontal	289	2.39	-	33.75	5.60	32.14
PK	5.8508G	67.46	68.20	-0.74	60.16	3	Horizontal	289	2.39	-	33.80	5.65	32.15

**802.11ax HEW40\_Nss1,(MCS0)\_1TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT V\_1TX  
 Setting 96  
 02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.12926G	59.23	68.20	-8.97	40.56	3	Vertical	16	1.11	-	41.50	10.56	33.39

802.11ax HEW40\_Nss1,(MCS0)\_1TX

5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 96  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.12894G	60.03	68.20	-8.17	41.36	3	Horizontal	356	2.62	-	41.50	10.56	33.39

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TnomVnom




EUT\_V\_1TX  
Setting 77  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.128G	58.47	74.00	-15.53	51.89	3	Vertical	293	2.30	-	33.50	5.23	32.15
AV	5.136G	46.78	54.00	-7.22	40.19	3	Vertical	293	2.30	-	33.50	5.24	32.15
PK	5.279G	104.18	Inf	-Inf	97.32	3	Vertical	293	2.30	-	33.66	5.34	32.14
AV	5.279G	91.40	Inf	-Inf	84.54	3	Vertical	293	2.30	-	33.66	5.34	32.14
PK	5.358G	60.82	74.00	-13.18	53.86	3	Vertical	293	2.30	-	33.72	5.38	32.14
AV	5.365G	49.61	54.00	-4.39	42.64	3	Vertical	293	2.30	-	33.73	5.38	32.14
PK	5.482G	58.29	68.20	-9.91	51.04	3	Vertical	293	2.30	-	33.90	5.48	32.13

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TnomVnom




EUT V\_1TX  
Setting 77  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	59.41	74.00	-14.59	52.82	3	Horizontal	283	1.90	-	33.50	5.24	32.15
AV	5.143G	48.13	54.00	-5.87	41.54	3	Horizontal	283	1.90	-	33.50	5.24	32.15
PK	5.278G	108.29	Inf	-Inf	101.43	3	Horizontal	283	1.90	-	33.66	5.34	32.14
AV	5.279G	96.65	Inf	-Inf	89.79	3	Horizontal	283	1.90	-	33.66	5.34	32.14
PK	5.354G	65.01	74.00	-8.99	58.06	3	Horizontal	283	1.90	-	33.71	5.38	32.14
AV	5.353G	53.22	54.00	-0.78	46.27	3	Horizontal	283	1.90	-	33.71	5.38	32.14
PK	5.477G	59.46	68.20	-8.74	52.21	3	Horizontal	283	1.90	-	33.90	5.48	32.13

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TnomVnom




EUT V\_1TX  
Setting 77  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87106G	55.73	74.00	-18.27	41.91	3	Vertical	351	1.50	-	37.47	9.94	33.59
AV	15.86832G	43.44	54.00	-10.56	29.61	3	Vertical	351	1.50	-	37.47	9.94	33.58

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5290MHz\_TnomVnom




EUT V\_1TX  
Setting 77  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87196G	55.78	74.00	-18.22	41.96	3	Horizontal	94	2.04	-	37.47	9.94	33.59
AV	15.86822G	43.60	54.00	-10.40	29.77	3	Horizontal	94	2.04	-	37.47	9.94	33.58



### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT\_V\_1TX  
Setting 69  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	58.32	68.20	-9.88	51.39	3	Vertical	286	1.89	-	33.70	5.37	32.14
PK	5.444G	59.94	74.00	-14.06	52.74	3	Vertical	286	1.89	-	33.89	5.44	32.13
PK	5.469G	60.86	68.20	-7.34	53.62	3	Vertical	286	1.89	-	33.90	5.47	32.13
AV	5.46G	48.52	54.00	-5.48	41.29	3	Vertical	286	1.89	-	33.90	5.46	32.13
PK	5.556G	101.29	Inf	-Inf	93.96	3	Vertical	286	1.89	-	33.90	5.56	32.13
AV	5.558G	88.49	Inf	-Inf	81.16	3	Vertical	286	1.89	-	33.90	5.56	32.13
PK	5.744G	58.99	68.20	-9.21	51.74	3	Vertical	286	1.89	-	33.79	5.60	32.14

802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TnomVnom




EUT V\_1TX  
Setting 69  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	59.00	68.20	-9.20	52.07	3	Horizontal	285	1.81	-	33.70	5.37	32.14
PK	5.459G	65.45	74.00	-8.55	58.22	3	Horizontal	285	1.81	-	33.90	5.46	32.13
AV	5.459G	52.88	54.00	-1.12	45.65	3	Horizontal	285	1.81	-	33.90	5.46	32.13
PK	5.47G	66.74	68.20	-1.46	59.50	3	Horizontal	285	1.81	-	33.90	5.47	32.13
PK	5.501G	104.99	Inf	-Inf	97.72	3	Horizontal	285	1.81	-	33.90	5.50	32.13
AV	5.519G	92.92	Inf	-Inf	85.63	3	Horizontal	285	1.81	-	33.90	5.52	32.13
PK	5.725G	59.53	68.20	-8.67	52.32	3	Horizontal	285	1.81	-	33.75	5.60	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT V\_1TX  
Setting 69  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05504G	52.52	74.00	-21.48	39.50	3	Vertical	38	2.78	-	38.56	7.72	33.26
AV	11.05684G	40.26	54.00	-13.74	27.24	3	Vertical	38	2.78	-	38.56	7.72	33.26

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5530MHz\_TnomVnom




EUT V\_1TX  
Setting 69  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06014G	52.57	74.00	-21.43	39.55	3	Horizontal	342	2.09	-	38.56	7.72	33.26
AV	11.05758G	40.31	54.00	-13.69	27.29	3	Horizontal	342	2.09	-	38.56	7.72	33.26

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TnomVnom




EUT\_V\_1TX  
Setting 76  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	59.46	74.00	-14.54	52.23	3	Vertical	285	1.96	-	33.90	5.46	32.13
AV	5.46G	47.57	54.00	-6.43	40.34	3	Vertical	285	1.96	-	33.90	5.46	32.13
PK	5.47G	59.51	68.20	-8.69	52.27	3	Vertical	285	1.96	-	33.90	5.47	32.13
PK	5.64G	103.17	Inf	-Inf	95.89	3	Vertical	285	1.96	-	33.82	5.60	32.14
AV	5.62G	90.57	Inf	-Inf	83.25	3	Vertical	285	1.96	-	33.86	5.60	32.14
PK	5.726G	63.18	68.20	-5.02	55.97	3	Vertical	285	1.96	-	33.75	5.60	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TnomVnom




EUT\_V\_1TX  
Setting 76  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	60.98	74.00	-13.02	53.76	3	Horizontal	289	2.51	-	33.90	5.45	32.13
PK	5.462G	61.68	68.20	-6.52	54.45	3	Horizontal	289	2.51	-	33.90	5.46	32.13
AV	5.458G	49.04	54.00	-4.96	41.81	3	Horizontal	289	2.51	-	33.90	5.46	32.13
PK	5.62G	106.95	Inf	-Inf	99.63	3	Horizontal	289	2.51	-	33.86	5.60	32.14
AV	5.621G	94.94	Inf	-Inf	87.62	3	Horizontal	289	2.51	-	33.86	5.60	32.14
PK	5.725G	67.85	68.20	-0.35	60.64	3	Horizontal	289	2.51	-	33.75	5.60	32.14

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TnomVnom




EUT V\_1TX  
Setting 76  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22264G	53.19	74.00	-20.81	39.95	3	Vertical	46	2.13	-	38.70	7.79	33.25
AV	11.2158G	39.94	54.00	-14.06	26.70	3	Vertical	46	2.13	-	38.70	7.79	33.25

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5610MHz\_TnomVnom




EUT V\_1TX  
Setting 76  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.222G	51.84	74.00	-22.16	38.60	3	Horizontal	106	1.38	-	38.70	7.79	33.25
AV	11.2169G	39.95	54.00	-14.05	26.71	3	Horizontal	106	1.38	-	38.70	7.79	33.25



**802.11ax HEW80\_Nss1,(MCS0)\_1TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_V\_1TX  
 Setting 85  
 02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.447G	58.32	74.00	-15.68	51.11	3	Vertical	282	1.84	-	33.89	5.45	32.13
PK	5.467G	57.92	68.20	-10.28	50.68	3	Vertical	282	1.84	-	33.90	5.47	32.13
AV	5.46G	47.19	54.00	-6.81	39.96	3	Vertical	282	1.84	-	33.90	5.46	32.13
PK	5.679G	104.51	Inf	-Inf	97.31	3	Vertical	282	1.84	-	33.74	5.60	32.14
AV	5.704G	92.68	Inf	-Inf	85.51	3	Vertical	282	1.84	-	33.71	5.60	32.14
PK	5.854G	62.65	68.20	-5.55	55.33	3	Vertical	282	1.84	-	33.82	5.65	32.15

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT V\_1TX  
Setting 85  
02-C-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	59.41	74.00	-14.59	52.18	3	Horizontal	291	2.39	-	33.90	5.46	32.13
AV	5.459G	48.11	54.00	-5.89	40.88	3	Horizontal	291	2.39	-	33.90	5.46	32.13
PK	5.462G	59.61	68.20	-8.59	52.38	3	Horizontal	291	2.39	-	33.90	5.46	32.13
PK	5.72G	108.82	Inf	-Inf	101.62	3	Horizontal	291	2.39	-	33.74	5.60	32.14
AV	5.723G	97.52	Inf	-Inf	90.31	3	Horizontal	291	2.39	-	33.75	5.60	32.14
PK	5.85G	67.71	68.20	-0.49	60.41	3	Horizontal	291	2.39	-	33.80	5.65	32.15

**802.11ax HEW80\_Nss1,(MCS0)\_1TX**

**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_1TX  
Setting 85  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37536G	53.24	74.00	-20.76	39.84	3	Vertical	321	1.16	-	38.78	7.85	33.23
AV	11.37806G	40.91	54.00	-13.09	27.51	3	Vertical	321	1.16	-	38.78	7.85	33.23

### 802.11ax HEW80\_Nss1,(MCS0)\_1TX

### 5690MHz Straddle 5.47-5.725GHz\_TnomVnom



EUT V\_1TX  
Setting 85  
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3804G	52.95	74.00	-21.05	39.55	3	Horizontal	323	1.64	-	38.78	7.85	33.23
AV	11.37662G	40.88	54.00	-13.12	27.48	3	Horizontal	323	1.64	-	38.78	7.85	33.23




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.4674G	68.14	68.20	-0.06	3	Vertical	336	1.80	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Y\_4TX  
 SET 82  
 80/100/90/85/83/82  
 2.44/-4.34/-5.40/-4.08/-1.19/0.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13624G	66.00	74.00	-8.00	59.84	3	Vertical	351	1.80	-	32.73	6.37	32.94
AV	5.14976G	50.62	54.00	-3.38	44.49	3	Vertical	351	1.80	-	32.70	6.37	32.94
PK	5.26728G	125.07	Inf	-Inf	118.77	3	Vertical	351	1.80	-	32.83	6.40	32.93
AV	5.26728G	114.88	Inf	-Inf	108.58	3	Vertical	351	1.80	-	32.83	6.40	32.93
PK	5.35048G	68.38	74.00	-5.62	61.90	3	Vertical	351	1.80	-	33.00	6.40	32.92
AV	5.35048G	53.81	54.00	-0.19	47.33	3	Vertical	351	1.80	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_V\_4TX  
SET 82  
82  
7.02

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1352G	58.14	74.00	-15.86	51.98	3	Horizontal	318	1.91	-	32.73	6.37	32.94
AV	5.14976G	46.00	54.00	-8.00	39.87	3	Horizontal	318	1.91	-	32.70	6.37	32.94
PK	5.26728G	110.84	Inf	-Inf	104.54	3	Horizontal	318	1.91	-	32.83	6.40	32.93
AV	5.26676G	100.62	Inf	-Inf	94.32	3	Horizontal	318	1.91	-	32.83	6.40	32.93
PK	5.38168G	60.22	74.00	-13.78	53.60	3	Horizontal	318	1.91	-	33.13	6.40	32.91
AV	5.35724G	46.98	54.00	-7.02	40.47	3	Horizontal	318	1.91	-	33.03	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
 SET 82  
 82  
 12.36

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.5202G	55.84	68.20	-12.36	41.69	3	Vertical	103	1.80	-	38.52	8.63	33.00



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
 SET 82  
 82  
 8.00

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77012G	59.80	74.00	-14.20	44.03	3	Vertical	0	1.80	-	38.12	10.43	32.78
AV	15.79036G	46.00	54.00	-8.00	30.09	3	Vertical	0	1.80	-	38.24	10.44	32.77

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
 SET 82  
 82  
 12.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51372G	55.84	68.20	-12.36	41.70	3	Horizontal	45	2.37	-	38.51	8.63	33.00

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_V\_4TX  
SET 82  
82  
0.90

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.79348G	67.34	74.00	-6.66	51.41	3	Horizontal	0	2.28	-	38.26	10.44	32.77
AV	15.79712G	53.10	54.00	-0.90	37.15	3	Horizontal	0	2.28	-	38.28	10.44	32.77

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_Y\_4TX  
 SET 68  
 80/60/70/65/67/68  
 -8.52/4.04/-0.17/2.69/1.53/0.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30756G	122.17	Inf	-Inf	115.77	3	Vertical	10	1.80	-	32.92	6.40	32.92
AV	5.30756G	112.17	Inf	-Inf	105.77	3	Vertical	10	1.80	-	32.92	6.40	32.92
PK	5.35068G	68.34	74.00	-5.66	61.86	3	Vertical	10	1.80	-	33.00	6.40	32.92
AV	5.35G	53.05	54.00	-0.95	46.57	3	Vertical	10	1.80	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 68  
68  
7.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30644G	105.16	Inf	-Inf	98.77	3	Horizontal	318	1.80	-	32.91	6.40	32.92
AV	5.30616G	95.63	Inf	-Inf	89.24	3	Horizontal	318	1.80	-	32.91	6.40	32.92
PK	5.35236G	59.96	74.00	-14.04	53.47	3	Horizontal	318	1.80	-	33.01	6.40	32.92
AV	5.363G	46.89	54.00	-7.11	40.36	3	Horizontal	318	1.80	-	33.05	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 68  
68  
11.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6096G	56.32	74.00	-17.68	42.02	3	Vertical	136	1.80	-	38.60	8.65	32.95
AV	10.61548G	42.74	54.00	-11.26	28.44	3	Vertical	136	1.80	-	38.60	8.65	32.95

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 68  
68  
4.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90532G	63.73	74.00	-10.27	47.62	3	Vertical	141	1.13	-	38.40	10.47	32.76
AV	15.90384G	49.56	54.00	-4.44	33.45	3	Vertical	141	1.13	-	38.40	10.47	32.76

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 68  
68  
17.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61056G	56.51	74.00	-17.49	42.21	3	Horizontal	62	2.95	-	38.60	8.65	32.95



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 68  
68  
5.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90964G	63.65	74.00	-10.35	47.53	3	Horizontal	136	2.84	-	38.40	10.47	32.75
AV	15.9014G	48.85	54.00	-5.15	32.74	3	Horizontal	136	2.84	-	38.40	10.47	32.76

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
 SET 62  
 80/60/70/65/63/62  
 -22.49/1.79/-7.62/-2.56/-0.06/0.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	120.24	Inf	-Inf	113.81	3	Vertical	9	1.80	-	32.95	6.40	32.92
AV	5.3274G	110.51	Inf	-Inf	104.08	3	Vertical	9	1.80	-	32.95	6.40	32.92
PK	5.3562G	67.57	74.00	-6.43	61.07	3	Vertical	9	1.80	-	33.02	6.40	32.92
AV	5.35G	53.87	54.00	-0.13	47.39	3	Vertical	9	1.80	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 62  
62  
6.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3258G	103.72	Inf	-Inf	97.29	3	Horizontal	319	1.98	-	32.95	6.40	32.92
AV	5.3258G	94.20	Inf	-Inf	87.77	3	Horizontal	319	1.98	-	32.95	6.40	32.92
PK	5.357G	59.69	74.00	-14.31	53.18	3	Horizontal	319	1.98	-	33.03	6.40	32.92
AV	5.3548G	47.14	54.00	-6.86	40.64	3	Horizontal	319	1.98	-	33.02	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 62  
62  
11.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63944G	56.11	74.00	-17.89	41.79	3	Vertical	330	2.99	-	38.60	8.66	32.94
AV	10.62016G	42.64	54.00	-11.36	28.33	3	Vertical	330	2.99	-	38.60	8.66	32.95

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 62  
62  
6.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.94568G	61.71	74.00	-12.29	45.58	3	Vertical	103	1.80	-	38.40	10.48	32.75
AV	15.94172G	47.60	54.00	-6.40	31.47	3	Vertical	103	1.80	-	38.40	10.48	32.75

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 62  
62  
11.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6374G	56.21	74.00	-17.79	41.89	3	Horizontal	235	2.28	-	38.60	8.66	32.94
AV	10.6284G	42.73	54.00	-11.27	28.41	3	Horizontal	235	2.28	-	38.60	8.66	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
 SET 62  
 62  
 6.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95604G	60.89	74.00	-13.11	44.75	3	Horizontal	48	1.80	-	38.40	10.49	32.75
AV	15.96916G	47.60	54.00	-6.40	31.45	3	Horizontal	48	1.80	-	38.40	10.49	32.74

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT\_Y\_4TX  
 SET 63  
 80/60/70/65/63  
 -17.30/3.23/-6.26/-1.45/0.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	64.68	74.00	-9.32	57.44	3	Vertical	334	1.80	-	33.70	6.45	32.91
AV	5.4576G	51.70	54.00	-2.30	44.45	3	Vertical	334	1.80	-	33.70	6.46	32.91
PK	5.4668G	68.03	68.20	-0.17	60.76	3	Vertical	334	1.80	-	33.70	6.47	32.90
PK	5.4958G	120.87	Inf	-Inf	113.57	3	Vertical	334	1.80	-	33.70	6.50	32.90
AV	5.4956G	111.24	Inf	-Inf	103.94	3	Vertical	334	1.80	-	33.70	6.50	32.90



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
6.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	61.28	74.00	-12.72	54.04	3	Horizontal	234	1.96	-	33.70	6.45	32.91
AV	5.4528G	47.64	54.00	-6.36	40.40	3	Horizontal	234	1.96	-	33.70	6.45	32.91
PK	5.4628G	60.16	68.20	-8.04	52.90	3	Horizontal	234	1.96	-	33.70	6.46	32.90
PK	5.4924G	104.79	Inf	-Inf	97.50	3	Horizontal	234	1.96	-	33.70	6.49	32.90
AV	5.4924G	95.44	Inf	-Inf	88.15	3	Horizontal	234	1.96	-	33.70	6.49	32.90

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
12.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9856G	55.08	74.00	-18.92	40.59	3	Vertical	332	1.80	-	38.50	8.75	32.76
AV	10.98328G	41.77	54.00	-12.23	27.28	3	Vertical	332	1.80	-	38.50	8.75	32.76

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
4.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.50264G	64.13	68.20	-4.07	45.61	3	Vertical	279	1.20	-	40.30	10.65	32.43

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
12.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.012G	55.26	74.00	-18.74	40.77	3	Horizontal	174	1.80	-	38.49	8.75	32.75
AV	10.99032G	41.89	54.00	-12.11	27.40	3	Horizontal	174	1.80	-	38.50	8.75	32.76

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
3.43

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.5052G	64.77	68.20	-3.43	46.25	3	Horizontal	251	2.37	-	40.30	10.65	32.43

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT\_V\_4TX  
 SET 88  
 80/100/90/85/87/88  
 3.97/-2.11/-1.42/3.75/3.67/3.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4456G	63.90	74.00	-10.10	56.70	3	Vertical	333	1.80	-	33.66	6.45	32.91
PK	5.4648G	64.97	68.20	-3.23	57.71	3	Vertical	333	1.80	-	33.70	6.46	32.90
AV	5.45968G	50.42	54.00	-3.58	43.16	3	Vertical	333	1.80	-	33.70	6.46	32.90
PK	5.57424G	126.18	Inf	-Inf	118.67	3	Vertical	333	1.80	-	33.85	6.57	32.91
AV	5.57488G	115.83	Inf	-Inf	108.32	3	Vertical	333	1.80	-	33.85	6.57	32.91
PK	5.7368G	61.66	68.20	-6.54	53.69	3	Vertical	333	1.80	-	34.29	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT\_V\_4TX  
SET 88  
88  
6.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44816G	59.68	74.00	-14.32	52.46	3	Horizontal	234	1.80	-	33.68	6.45	32.91
PK	5.46672G	59.60	68.20	-8.60	52.33	3	Horizontal	234	1.80	-	33.70	6.47	32.90
AV	5.45904G	47.73	54.00	-6.27	40.47	3	Horizontal	234	1.80	-	33.70	6.46	32.90
PK	5.57232G	110.13	Inf	-Inf	102.61	3	Horizontal	234	1.80	-	33.86	6.57	32.91
AV	5.57232G	99.81	Inf	-Inf	92.29	3	Horizontal	234	1.80	-	33.86	6.57	32.91
PK	5.72912G	59.61	68.20	-8.59	51.70	3	Horizontal	234	1.80	-	34.23	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
SET 88  
88  
11.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14428G	55.39	74.00	-18.61	41.01	3	Vertical	0	3.00	-	38.36	8.79	32.77
AV	11.14364G	42.25	54.00	-11.75	27.87	3	Vertical	0	3.00	-	38.36	8.79	32.77



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
 SET 85  
 88/68/78/83/85  
 -0.13/4.02/2.92/1.87/0.08

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.7378G	68.12	68.20	-0.08	49.25	3	Vertical	146	1.80	-	40.44	10.72	32.29

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
 SET 85  
 85  
 11.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15484G	56.10	74.00	-17.90	41.73	3	Horizontal	339	1.48	-	38.35	8.79	32.77
AV	11.14012G	42.54	54.00	-11.46	28.16	3	Horizontal	339	1.48	-	38.36	8.79	32.77

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
 SET 78  
 85/65/75/80/78  
 -1.61/4.65/1.29/-1.03/0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.74724G	68.13	68.20	-0.07	49.24	3	Horizontal	228	2.64	-	40.45	10.72	32.28

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
 SET 44  
 80/60/50/45/43/44  
 -25.01/-8.60/-2.82/-0.37/4.79/1.49

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.694G	114.82	Inf	-Inf	107.13	3	Vertical	333	1.80	-	34.01	6.60	32.92
AV	5.6934G	105.13	Inf	-Inf	97.44	3	Vertical	333	1.80	-	34.01	6.60	32.92
PK	5.725G	66.71	68.20	-1.49	58.83	3	Vertical	333	1.80	-	34.20	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
SET 44  
44  
7.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7058G	96.93	Inf	-Inf	89.20	3	Horizontal	275	1.80	-	34.05	6.60	32.92
AV	5.7056G	87.73	Inf	-Inf	80.01	3	Horizontal	275	1.80	-	34.04	6.60	32.92
PK	5.7452G	61.03	68.20	-7.17	52.99	3	Horizontal	275	1.80	-	34.36	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
 SET 44  
 44  
 12.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3974G	54.90	74.00	-19.10	40.45	3	Vertical	317	1.80	-	38.40	8.85	32.80
AV	11.40488G	41.90	54.00	-12.10	27.45	3	Vertical	317	1.80	-	38.40	8.85	32.80

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
SET 44  
44  
2.24

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.09372G	65.96	68.20	-2.24	45.83	3	Vertical	109	1.15	-	41.38	10.83	32.08

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
SET 44  
44  
12.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.389G	55.36	74.00	-18.64	40.91	3	Horizontal	0	2.97	-	38.40	8.85	32.80
AV	11.41404G	41.90	54.00	-12.10	27.45	3	Horizontal	0	2.97	-	38.40	8.85	32.80



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
SET 44  
44  
2.60

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.11944G	65.60	68.20	-2.60	45.39	3	Horizontal	21	2.60	-	41.44	10.84	32.07

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Y\_4TX  
SET 108  
80/100/108  
4.82/5.54/5.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	60.69	74.00	-13.31	53.43	3	Vertical	331	1.80	-	33.70	6.46	32.90
AV	5.45972G	48.44	54.00	-5.56	41.18	3	Vertical	331	1.80	-	33.70	6.46	32.90
PK	5.46836G	60.08	68.20	-8.12	52.81	3	Vertical	331	1.80	-	33.70	6.47	32.90
PK	5.71352G	124.94	Inf	-Inf	117.15	3	Vertical	331	1.80	-	34.11	6.60	32.92
AV	5.7146G	114.95	Inf	-Inf	107.15	3	Vertical	331	1.80	-	34.12	6.60	32.92
PK	5.85068G	61.12	68.20	-7.08	52.66	3	Vertical	331	1.80	-	34.80	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_V\_4TX  
SET 108  
108  
6.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	59.31	74.00	-14.69	52.07	3	Horizontal	69	1.80	-	33.70	6.45	32.91
PK	5.4608G	59.60	68.20	-8.60	52.34	3	Horizontal	69	1.80	-	33.70	6.46	32.90
AV	5.45648G	47.60	54.00	-6.40	40.35	3	Horizontal	69	1.80	-	33.70	6.46	32.91
PK	5.72648G	107.15	Inf	-Inf	99.26	3	Horizontal	69	1.80	-	34.21	6.60	32.92
AV	5.7254G	96.68	Inf	-Inf	88.80	3	Horizontal	69	1.80	-	34.20	6.60	32.92
PK	5.92628G	61.77	68.20	-6.43	53.10	3	Horizontal	69	1.80	-	35.01	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
SET 108  
108  
12.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45356G	55.73	74.00	-18.27	41.27	3	Vertical	0	1.82	-	38.40	8.86	32.80
AV	11.43936G	41.91	54.00	-12.09	27.45	3	Vertical	0	1.82	-	38.40	8.86	32.80

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
 SET 76  
 108/88/78/73/75/76  
 -2.13/-2.55/-0.47/1.77/1.63/1.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.16744G	66.75	68.20	-1.45	46.41	3	Vertical	156	1.80	-	41.53	10.85	32.04

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
SET 76  
76  
11.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.449G	55.51	74.00	-18.49	41.05	3	Horizontal	304	1.80	-	38.40	8.86	32.80
AV	11.4478G	42.08	54.00	-11.92	27.62	3	Horizontal	304	1.80	-	38.40	8.86	32.80

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
SET 76  
76  
0.15

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.16084G	68.05	68.20	-0.15	47.73	3	Horizontal	174	1.67	-	41.52	10.85	32.05

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
SET 80  
80  
0.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14976G	63.19	74.00	-10.81	57.06	3	Vertical	344	1.80	-	32.70	6.37	32.94
AV	5.14976G	49.09	54.00	-4.91	42.96	3	Vertical	344	1.80	-	32.70	6.37	32.94
PK	5.26208G	125.62	Inf	-Inf	119.33	3	Vertical	344	1.80	-	32.82	6.40	32.93
AV	5.2574G	112.38	Inf	-Inf	106.10	3	Vertical	344	1.80	-	32.81	6.40	32.93
PK	5.35048G	69.52	74.00	-4.48	63.04	3	Vertical	344	1.80	-	33.00	6.40	32.92
AV	5.35G	53.61	54.00	-0.39	47.13	3	Vertical	344	1.80	-	33.00	6.40	32.92



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
SET 80  
80  
7.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13624G	58.28	74.00	-15.72	52.12	3	Horizontal	317	1.94	-	32.73	6.37	32.94
AV	5.13G	45.49	54.00	-8.51	39.32	3	Horizontal	317	1.94	-	32.74	6.37	32.94
PK	5.25896G	111.62	Inf	-Inf	105.33	3	Horizontal	317	1.94	-	32.82	6.40	32.93
AV	5.25844G	98.37	Inf	-Inf	92.08	3	Horizontal	317	1.94	-	32.82	6.40	32.93
PK	5.35724G	59.22	74.00	-14.78	52.71	3	Horizontal	317	1.94	-	33.03	6.40	32.92
AV	5.38896G	46.29	54.00	-7.71	39.64	3	Horizontal	317	1.94	-	33.16	6.40	32.91

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
SET 80  
80  
12.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50772G	55.60	68.20	-12.60	41.47	3	Vertical	93	1.80	-	38.51	8.63	33.01

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
SET 80  
80  
6.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.783G	60.68	74.00	-13.32	44.82	3	Vertical	124	1.80	-	38.20	10.43	32.77
AV	15.78296G	47.29	54.00	-6.71	31.43	3	Vertical	124	1.80	-	38.20	10.43	32.77

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
SET 80  
80  
12.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5382G	55.54	68.20	-12.66	41.36	3	Horizontal	66	1.80	-	38.54	8.63	32.99

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
 SET 80  
 80  
 3.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78332G	64.62	74.00	-9.38	48.76	3	Horizontal	214	2.70	-	38.20	10.43	32.77
AV	15.7834G	50.90	54.00	-3.10	35.03	3	Horizontal	214	2.70	-	38.20	10.44	32.77

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
 SET 67  
 80/60/70/65/67  
 -12.99/3.67/-2.71/1.61/0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30784G	121.99	Inf	-Inf	115.59	3	Vertical	340	1.80	-	32.92	6.40	32.92
AV	5.29748G	109.21	Inf	-Inf	102.84	3	Vertical	340	1.80	-	32.89	6.40	32.92
PK	5.35292G	71.47	74.00	-2.53	64.98	3	Vertical	340	1.80	-	33.01	6.40	32.92
AV	5.3504G	53.76	54.00	-0.24	47.28	3	Vertical	340	1.80	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 67  
67  
7.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29384G	108.21	Inf	-Inf	101.84	3	Horizontal	316	1.94	-	32.89	6.40	32.92
AV	5.29356G	94.74	Inf	-Inf	88.37	3	Horizontal	316	1.94	-	32.89	6.40	32.92
PK	5.35544G	59.66	74.00	-14.34	53.16	3	Horizontal	316	1.94	-	33.02	6.40	32.92
AV	5.35404G	46.37	54.00	-7.63	39.87	3	Horizontal	316	1.94	-	33.02	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 67  
67  
11.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60656G	56.54	74.00	-17.46	42.24	3	Vertical	95	2.56	-	38.60	8.65	32.95
AV	10.61344G	42.18	54.00	-11.82	27.88	3	Vertical	95	2.56	-	38.60	8.65	32.95



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 67  
67  
5.91

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89836G	61.73	74.00	-12.27	45.62	3	Vertical	172	2.27	-	38.40	10.47	32.76
AV	15.89744G	48.09	54.00	-5.91	31.98	3	Vertical	172	2.27	-	38.40	10.47	32.76

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 67  
67  
11.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60816G	56.18	74.00	-17.82	41.88	3	Horizontal	333	2.99	-	38.60	8.65	32.95
AV	10.61668G	42.21	54.00	-11.79	27.91	3	Horizontal	333	2.99	-	38.60	8.65	32.95

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 67  
67  
4.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.91036G	63.22	74.00	-10.78	47.10	3	Horizontal	140	2.65	-	38.40	10.47	32.75
AV	15.90056G	49.42	54.00	-4.58	33.31	3	Horizontal	140	2.65	-	38.40	10.47	32.76

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
 SET 60  
 80/60/70/65/63/62/60  
 -25.04/1.78/-9.73/-3.86/-1.82/-0.06/1.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3272G	122.18	Inf	-Inf	115.75	3	Vertical	343	1.75	-	32.95	6.40	32.92
AV	5.3224G	108.52	Inf	-Inf	102.10	3	Vertical	343	1.75	-	32.94	6.40	32.92
PK	5.3618G	67.09	74.00	-6.91	60.56	3	Vertical	343	1.75	-	33.05	6.40	32.92
AV	5.3504G	52.60	54.00	-1.40	46.12	3	Vertical	343	1.75	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 60  
60  
7.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.324G	104.57	Inf	-Inf	98.14	3	Horizontal	316	1.80	-	32.95	6.40	32.92
AV	5.3236G	91.56	Inf	-Inf	85.13	3	Horizontal	316	1.80	-	32.95	6.40	32.92
PK	5.3662G	60.55	74.00	-13.45	54.01	3	Horizontal	316	1.80	-	33.06	6.40	32.92
AV	5.3658G	46.28	54.00	-7.72	39.74	3	Horizontal	316	1.80	-	33.06	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
 SET 60  
 60  
 11.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63132G	56.70	74.00	-17.30	42.38	3	Vertical	285	1.35	-	38.60	8.66	32.94
AV	10.6218G	42.15	54.00	-11.85	27.84	3	Vertical	285	1.35	-	38.60	8.66	32.95

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 60  
60  
7.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.97984G	61.57	74.00	-12.43	45.42	3	Vertical	94	1.33	-	38.40	10.49	32.74
AV	15.94292G	46.83	54.00	-7.17	30.70	3	Vertical	94	1.33	-	38.40	10.48	32.75

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 60  
60  
11.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64232G	56.76	74.00	-17.24	42.44	3	Horizontal	140	1.80	-	38.60	8.66	32.94
AV	10.62224G	42.15	54.00	-11.85	27.84	3	Horizontal	140	1.80	-	38.60	8.66	32.95



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 60  
60  
7.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96168G	61.50	74.00	-12.50	45.36	3	Horizontal	81	1.80	-	38.40	10.49	32.75
AV	15.94656G	46.88	54.00	-7.12	30.75	3	Horizontal	81	1.80	-	38.40	10.48	32.75

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
 SET 63  
 80/60/70/65/63  
 -23.92/2.85/-8.33/-4.76/0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	65.74	74.00	-8.26	58.49	3	Vertical	336	1.80	-	33.70	6.46	32.91
AV	5.4572G	52.11	54.00	-1.89	44.86	3	Vertical	336	1.80	-	33.70	6.46	32.91
PK	5.4674G	68.14	68.20	-0.06	60.87	3	Vertical	336	1.80	-	33.70	6.47	32.90
PK	5.4976G	122.29	Inf	-Inf	114.99	3	Vertical	336	1.80	-	33.70	6.50	32.90
AV	5.4974G	109.55	Inf	-Inf	102.25	3	Vertical	336	1.80	-	33.70	6.50	32.90

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
6.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	60.41	74.00	-13.59	53.15	3	Horizontal	17	1.99	-	33.70	6.46	32.90
AV	5.4596G	47.21	54.00	-6.79	39.95	3	Horizontal	17	1.99	-	33.70	6.46	32.90
PK	5.465G	60.44	68.20	-7.76	53.18	3	Horizontal	17	1.99	-	33.70	6.46	32.90
PK	5.4996G	108.26	Inf	-Inf	100.96	3	Horizontal	17	1.99	-	33.70	6.50	32.90
AV	5.499G	95.15	Inf	-Inf	87.85	3	Horizontal	17	1.99	-	33.70	6.50	32.90

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
12.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98652G	55.41	74.00	-18.59	40.92	3	Vertical	69	1.80	-	38.50	8.75	32.76
AV	10.98244G	41.15	54.00	-12.85	26.66	3	Vertical	69	1.80	-	38.50	8.75	32.76

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
 SET 63  
 63  
 4.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.5036G	63.98	68.20	-4.22	45.46	3	Vertical	308	1.62	-	40.30	10.65	32.43

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
12.85

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98356G	55.97	74.00	-18.03	41.48	3	Horizontal	113	1.80	-	38.50	8.75	32.76
AV	10.98192G	41.15	54.00	-12.85	26.66	3	Horizontal	113	1.80	-	38.50	8.75	32.76

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
 SET 63  
 63  
 4.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.5138G	64.14	68.20	-4.06	45.61	3	Horizontal	259	1.00	-	40.30	10.65	32.42

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
 SET 87  
 80/100/90/85/87/88/87  
 4.37/-5.30/-5.29/2.14/2.22/-1.87/2.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	65.97	74.00	-8.03	58.71	3	Vertical	335	1.80	-	33.70	6.46	32.90
AV	5.4584G	51.27	54.00	-2.73	44.01	3	Vertical	335	1.80	-	33.70	6.46	32.90
PK	5.46352G	65.86	68.20	-2.34	58.60	3	Vertical	335	1.80	-	33.70	6.46	32.90
PK	5.58192G	127.54	Inf	-Inf	120.03	3	Vertical	335	1.80	-	33.84	6.58	32.91
AV	5.5768G	114.00	Inf	-Inf	106.48	3	Vertical	335	1.80	-	33.85	6.58	32.91
PK	5.73168G	61.59	68.20	-6.61	53.66	3	Vertical	335	1.80	-	34.25	6.60	32.92



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
SET 87  
87  
7.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44624G	60.02	74.00	-13.98	52.82	3	Horizontal	235	1.80	-	33.66	6.45	32.91
PK	5.46352G	59.65	68.20	-8.55	52.39	3	Horizontal	235	1.80	-	33.70	6.46	32.90
AV	5.45968G	46.99	54.00	-7.01	39.73	3	Horizontal	235	1.80	-	33.70	6.46	32.90
PK	5.58128G	108.92	Inf	-Inf	101.41	3	Horizontal	235	1.80	-	33.84	6.58	32.91
AV	5.57616G	96.49	Inf	-Inf	88.97	3	Horizontal	235	1.80	-	33.85	6.58	32.91
PK	5.73744G	60.38	68.20	-7.82	52.40	3	Horizontal	235	1.80	-	34.30	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
SET 87  
87  
12.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15364G	55.62	74.00	-18.38	41.25	3	Vertical	166	1.89	-	38.35	8.79	32.77
AV	11.14224G	41.83	54.00	-12.17	27.45	3	Vertical	166	1.89	-	38.36	8.79	32.77

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
 SET 87  
 87  
 0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.74368G	68.13	68.20	-0.07	49.25	3	Vertical	145	1.80	-	40.44	10.72	32.28

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
SET 87  
87  
12.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17912G	55.52	74.00	-18.48	41.18	3	Horizontal	134	1.80	-	38.32	8.79	32.77
AV	11.1414G	41.87	54.00	-12.13	27.49	3	Horizontal	134	1.80	-	38.36	8.79	32.77

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
 SET 80  
 87/67/77/82/80  
 -1.70/4.38/0.52/-1.42/0.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.7438G	68.12	68.20	-0.08	49.24	3	Horizontal	214	2.72	-	40.44	10.72	32.28

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
 SET 40  
 80/60/50/45/43/40  
 -32.79/-13.20/-6.64/-4.15/-0.20/0.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.692G	117.42	Inf	-Inf	109.72	3	Vertical	332	1.74	-	34.02	6.60	32.92
AV	5.702G	103.48	Inf	-Inf	95.78	3	Vertical	332	1.74	-	34.02	6.60	32.92
PK	5.727G	68.14	68.20	-0.06	60.24	3	Vertical	332	1.74	-	34.22	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
SET 40  
40  
7.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6982G	98.75	Inf	-Inf	91.07	3	Horizontal	289	1.88	-	34.00	6.60	32.92
AV	5.6982G	85.71	Inf	-Inf	78.03	3	Horizontal	289	1.88	-	34.00	6.60	32.92
PK	5.7496G	60.83	68.20	-7.37	52.75	3	Horizontal	289	1.88	-	34.40	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
 SET 40  
 40  
 12.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39548G	55.79	74.00	-18.21	41.34	3	Vertical	306	2.94	-	38.40	8.85	32.80
AV	11.39776G	41.25	54.00	-12.75	26.80	3	Vertical	306	2.94	-	38.40	8.85	32.80



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
 SET 40  
 40  
 2.95

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.10212G	65.25	68.20	-2.95	45.10	3	Vertical	272	2.72	-	41.40	10.83	32.08

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
SET 40  
40  
12.65

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40772G	55.80	74.00	-18.20	41.35	3	Horizontal	2	1.80	-	38.40	8.85	32.80
AV	11.39412G	41.35	54.00	-12.65	26.90	3	Horizontal	2	1.80	-	38.40	8.85	32.80

802.11ax HEW20\_Nss1,(MCS0)\_4TX


5700MHz\_TnomVnom



EUT Y\_4TX  
SET 40  
40  
2.64

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.10632G	65.56	68.20	-2.64	45.39	3	Horizontal	337	1.80	-	41.41	10.83	32.07


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Y\_4TX  
 SET 108  
 80/100/108  
 5.38/4.50/4.96

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4554G	60.49	74.00	-13.51	53.24	3	Vertical	331	1.80	-	33.70	6.46	32.91
AV	5.45216G	47.94	54.00	-6.06	40.70	3	Vertical	331	1.80	-	33.70	6.45	32.91
PK	5.46728G	60.20	68.20	-8.00	52.93	3	Vertical	331	1.80	-	33.70	6.47	32.90
PK	5.72216G	124.98	Inf	-Inf	117.12	3	Vertical	331	1.80	-	34.18	6.60	32.92
AV	5.71244G	113.08	Inf	-Inf	105.30	3	Vertical	331	1.80	-	34.10	6.60	32.92
PK	5.85068G	63.24	68.20	-4.96	54.78	3	Vertical	331	1.80	-	34.80	6.60	32.94


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Y\_4TX  
 SET 108  
 108  
 6.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45972G	60.06	74.00	-13.94	52.80	3	Horizontal	340	2.12	-	33.70	6.46	32.90
AV	5.45216G	46.89	54.00	-7.11	39.65	3	Horizontal	340	2.12	-	33.70	6.45	32.91
PK	5.46944G	59.37	68.20	-8.83	52.10	3	Horizontal	340	2.12	-	33.70	6.47	32.90
PK	5.72648G	109.44	Inf	-Inf	101.55	3	Horizontal	340	2.12	-	34.21	6.60	32.92
AV	5.72648G	96.79	Inf	-Inf	88.90	3	Horizontal	340	2.12	-	34.21	6.60	32.92
PK	5.91548G	61.38	68.20	-6.82	52.76	3	Horizontal	340	2.12	-	34.96	6.60	32.94


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 SET 108  
 108  
 12.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42024G	55.39	74.00	-18.61	40.93	3	Vertical	279	1.80	-	38.40	8.86	32.80
AV	11.44952G	41.40	54.00	-12.60	26.94	3	Vertical	279	1.80	-	38.40	8.86	32.80


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 SET 78  
 108/88/78  
 -2.23/-2.54/0.48

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.15348G	67.72	68.20	-0.48	47.41	3	Vertical	157	1.80	-	41.51	10.85	32.05

**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 SET 78  
 78  
 12.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42064G	55.44	74.00	-18.56	40.98	3	Horizontal	324	1.27	-	38.40	8.86	32.80
AV	11.44908G	41.44	54.00	-12.56	26.98	3	Horizontal	324	1.27	-	38.40	8.86	32.80



**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 SET 72  
 78/58/68/73/71/72  
 -0.26/1.91/1.03/-0.14/1.53/1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.17404G	67.12	68.20	-1.08	46.76	3	Horizontal	121	2.64	-	41.55	10.85	32.04

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
 SET 63  
 80/60/70/65/63  
 -13.10/1.89/-5.41/-1.21/0.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	61.43	74.00	-12.57	55.29	3	Vertical	344	1.77	-	32.71	6.37	32.94
AV	5.14792G	48.98	54.00	-5.02	42.85	3	Vertical	344	1.77	-	32.70	6.37	32.94
PK	5.27728G	118.77	Inf	-Inf	112.45	3	Vertical	344	1.77	-	32.85	6.40	32.93
AV	5.26776G	107.20	Inf	-Inf	100.89	3	Vertical	344	1.77	-	32.84	6.40	32.93
PK	5.35736G	68.62	74.00	-5.38	62.11	3	Vertical	344	1.77	-	33.03	6.40	32.92
AV	5.35344G	53.75	54.00	-0.25	47.26	3	Vertical	344	1.77	-	33.01	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
6.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14456G	58.46	74.00	-15.54	52.32	3	Horizontal	316	1.96	-	32.71	6.37	32.94
AV	5.13336G	46.88	54.00	-7.12	40.72	3	Horizontal	316	1.96	-	32.73	6.37	32.94
PK	5.27392G	102.94	Inf	-Inf	96.62	3	Horizontal	316	1.96	-	32.85	6.40	32.93
AV	5.26888G	92.82	Inf	-Inf	86.51	3	Horizontal	316	1.96	-	32.84	6.40	32.93
PK	5.35064G	59.46	74.00	-14.54	52.98	3	Horizontal	316	1.96	-	33.00	6.40	32.92
AV	5.40888G	47.91	54.00	-6.09	41.12	3	Horizontal	316	1.96	-	33.29	6.41	32.91

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
12.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.55656G	56.08	68.20	-12.12	41.86	3	Vertical	87	1.80	-	38.56	8.64	32.98

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
6.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.85G	59.43	74.00	-14.57	43.39	3	Vertical	97	1.80	-	38.35	10.45	32.76
AV	15.79328G	47.08	54.00	-6.92	31.15	3	Vertical	97	1.80	-	38.26	10.44	32.77

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5270MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
12.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.57024G	55.82	68.20	-12.38	41.58	3	Horizontal	64	3.00	-	38.57	8.64	32.97

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
7.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7776G	59.59	74.00	-14.41	43.77	3	Horizontal	128	1.85	-	38.17	10.43	32.78
AV	15.80888G	46.97	54.00	-7.03	30.99	3	Horizontal	128	1.85	-	38.31	10.44	32.77

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
 SET 50  
 80/60/50  
 -34.42/-7.83/0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30256G	115.95	Inf	-Inf	109.56	3	Vertical	343	1.80	-	32.91	6.40	32.92
AV	5.31744G	104.25	Inf	-Inf	97.84	3	Vertical	343	1.80	-	32.93	6.40	32.92
PK	5.35272G	66.34	74.00	-7.66	59.85	3	Vertical	343	1.80	-	33.01	6.40	32.92
AV	5.35296G	53.67	54.00	-0.33	47.18	3	Vertical	343	1.80	-	33.01	6.40	32.92



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
SET 50  
50  
6.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.304G	100.53	Inf	-Inf	94.14	3	Horizontal	316	2.02	-	32.91	6.40	32.92
AV	5.30376G	88.45	Inf	-Inf	82.06	3	Horizontal	316	2.02	-	32.91	6.40	32.92
PK	5.358G	59.88	74.00	-14.12	53.37	3	Horizontal	316	2.02	-	33.03	6.40	32.92
AV	5.36352G	47.61	54.00	-6.39	41.08	3	Horizontal	316	2.02	-	33.05	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
SET 50  
50  
10.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60968G	56.92	74.00	-17.08	42.62	3	Vertical	310	1.80	-	38.60	8.65	32.95
AV	10.622G	43.78	54.00	-10.22	29.47	3	Vertical	310	1.80	-	38.60	8.66	32.95

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
SET 50  
50  
5.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93504G	60.78	74.00	-13.22	44.65	3	Vertical	248	1.28	-	38.40	10.48	32.75
AV	15.93808G	48.34	54.00	-5.66	32.21	3	Vertical	248	1.28	-	38.40	10.48	32.75

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
 SET 50  
 50  
 10.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58824G	56.31	68.20	-11.89	42.03	3	Horizontal	70	1.19	-	38.59	8.65	32.96
AV	10.64192G	43.86	54.00	-10.14	29.54	3	Horizontal	70	1.19	-	38.60	8.66	32.94

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
 SET 50  
 50  
 5.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95392G	60.57	74.00	-13.43	44.43	3	Horizontal	354	2.37	-	38.40	10.49	32.75
AV	15.93936G	48.59	54.00	-5.41	32.46	3	Horizontal	354	2.37	-	38.40	10.48	32.75

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
 SET 54  
 80/60/50/55/53/54  
 -33.59/-6.77/1.30/-0.80/2.27/1.08

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45648G	64.63	74.00	-9.37	57.38	3	Vertical	337	1.79	-	33.70	6.46	32.91
AV	5.45672G	51.94	54.00	-2.06	44.69	3	Vertical	337	1.79	-	33.70	6.46	32.91
PK	5.4668G	67.12	68.20	-1.08	59.85	3	Vertical	337	1.79	-	33.70	6.47	32.90
PK	5.51216G	118.26	Inf	-Inf	110.90	3	Vertical	337	1.79	-	33.75	6.51	32.90
AV	5.51216G	106.54	Inf	-Inf	99.18	3	Vertical	337	1.79	-	33.75	6.51	32.90

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TnomVnom




EUT Y\_4TX  
SET 54  
54  
5.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45792G	60.29	74.00	-13.71	53.04	3	Horizontal	18	2.01	-	33.70	6.46	32.91
AV	5.4596G	48.57	54.00	-5.43	41.31	3	Horizontal	18	2.01	-	33.70	6.46	32.90
PK	5.46416G	60.73	68.20	-7.47	53.47	3	Horizontal	18	2.01	-	33.70	6.46	32.90
PK	5.51864G	103.32	Inf	-Inf	95.93	3	Horizontal	18	2.01	-	33.77	6.52	32.90
AV	5.50424G	91.22	Inf	-Inf	83.90	3	Horizontal	18	2.01	-	33.72	6.50	32.90

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
SET 54  
54  
11.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.03968G	54.94	74.00	-19.06	40.47	3	Vertical	198	1.09	-	38.46	8.76	32.75
AV	11.0528G	42.90	54.00	-11.10	28.45	3	Vertical	198	1.09	-	38.45	8.76	32.76



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
SET 54  
54  
4.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.53608G	64.13	68.20	-4.07	45.58	3	Vertical	104	1.75	-	40.30	10.66	32.41

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
SET 54  
54  
11.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00928G	55.51	74.00	-18.49	41.02	3	Horizontal	23	1.80	-	38.49	8.75	32.75
AV	11.05656G	42.84	54.00	-11.16	28.40	3	Horizontal	23	1.80	-	38.44	8.76	32.76

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
SET 54  
54  
3.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.56368G	64.98	68.20	-3.22	46.40	3	Horizontal	190	1.80	-	40.30	10.67	32.39

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
 SET 58  
 80/60/50/55/57/58  
 -12.48/-0.22/3.76/2.96/2.11/0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	65.71	74.00	-8.29	58.46	3	Vertical	336	1.80	-	33.70	6.46	32.91
AV	5.4572G	52.10	54.00	-1.90	44.85	3	Vertical	336	1.80	-	33.70	6.46	32.91
PK	5.4668G	68.10	68.20	-0.10	60.83	3	Vertical	336	1.80	-	33.70	6.47	32.90
PK	5.5372G	118.53	Inf	-Inf	111.04	3	Vertical	336	1.80	-	33.85	6.54	32.90
AV	5.5324G	107.44	Inf	-Inf	99.98	3	Vertical	336	1.80	-	33.83	6.53	32.90
PK	5.7388G	61.53	68.20	-6.67	53.54	3	Vertical	336	1.80	-	34.31	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
SET 58  
58  
5.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	60.20	74.00	-13.80	52.95	3	Horizontal	236	1.80	-	33.70	6.46	32.91
AV	5.4484G	48.57	54.00	-5.43	41.35	3	Horizontal	236	1.80	-	33.68	6.45	32.91
PK	5.462G	60.21	68.20	-7.99	52.95	3	Horizontal	236	1.80	-	33.70	6.46	32.90
PK	5.542G	101.61	Inf	-Inf	94.10	3	Horizontal	236	1.80	-	33.87	6.54	32.90
AV	5.5364G	90.56	Inf	-Inf	83.07	3	Horizontal	236	1.80	-	33.85	6.54	32.90
PK	5.7292G	60.01	68.20	-8.19	52.10	3	Horizontal	236	1.80	-	34.23	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
SET 58  
58  
10.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11424G	55.83	74.00	-18.17	41.42	3	Vertical	360	2.51	-	38.39	8.78	32.76
AV	11.0856G	43.63	54.00	-10.37	29.21	3	Vertical	360	2.51	-	38.41	8.77	32.76

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TnomVnom




EUT Y\_4TX  
SET 58  
58  
3.75

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.61736G	64.45	68.20	-3.75	45.80	3	Vertical	34	1.78	-	40.32	10.69	32.36

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TnomVnom




EUT Y\_4TX  
SET 58  
58  
10.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10688G	56.08	74.00	-17.92	41.67	3	Horizontal	284	2.64	-	38.39	8.78	32.76
AV	11.0644G	43.43	54.00	-10.57	28.98	3	Horizontal	284	2.64	-	38.44	8.77	32.76



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
SET 58  
58  
3.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.62888G	64.40	68.20	-3.80	45.73	3	Horizontal	356	1.50	-	40.33	10.69	32.35

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
 SET 45  
 80/60/50/45  
 -26.28/-8.44/-3.81/0.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66648G	116.41	Inf	-Inf	108.66	3	Vertical	334	1.80	-	34.07	6.60	32.92
AV	5.662G	104.32	Inf	-Inf	96.56	3	Vertical	334	1.80	-	34.08	6.60	32.92
PK	5.72504G	68.08	68.20	-0.12	60.20	3	Vertical	334	1.80	-	34.20	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
SET 45  
45  
6.81

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.67352G	98.64	Inf	-Inf	90.91	3	Horizontal	288	2.03	-	34.05	6.60	32.92
AV	5.6636G	87.83	Inf	-Inf	80.08	3	Horizontal	288	2.03	-	34.07	6.60	32.92
PK	5.75G	61.39	68.20	-6.81	53.31	3	Horizontal	288	2.03	-	34.40	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
 SET 45  
 45  
 11.31

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.30168G	56.04	74.00	-17.96	41.60	3	Vertical	143	2.96	-	38.40	8.83	32.79
AV	11.30488G	42.69	54.00	-11.31	28.25	3	Vertical	143	2.96	-	38.40	8.83	32.79

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
SET 45  
45  
2.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.04464G	65.33	68.20	-2.87	45.40	3	Vertical	97	1.01	-	41.23	10.81	32.11

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
SET 45  
45  
11.19

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.32952G	55.08	74.00	-18.92	40.64	3	Horizontal	360	1.80	-	38.40	8.83	32.79
AV	11.31096G	42.81	54.00	-11.19	28.37	3	Horizontal	360	1.80	-	38.40	8.83	32.79

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
SET 45  
45  
2.77

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.0448G	65.43	68.20	-2.77	45.50	3	Horizontal	99	2.85	-	41.23	10.81	32.11

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5710MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
 SET 82  
 80/100/90/85/83/82  
 0.52/-3.52/-3.31/-3.07/-0.81/0.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45312G	61.40	74.00	-12.60	54.16	3	Vertical	332	1.80	-	33.70	6.45	32.91
AV	5.45104G	51.08	54.00	-2.92	43.84	3	Vertical	332	1.80	-	33.70	6.45	32.91
PK	5.4604G	61.85	68.20	-6.35	54.59	3	Vertical	332	1.80	-	33.70	6.46	32.90
PK	5.72248G	123.45	Inf	-Inf	115.59	3	Vertical	332	1.80	-	34.18	6.60	32.92
AV	5.70688G	111.69	Inf	-Inf	103.95	3	Vertical	332	1.80	-	34.06	6.60	32.92
PK	5.85G	67.99	68.20	-0.21	59.53	3	Vertical	332	1.80	-	34.80	6.60	32.94




**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 SET 82  
 82  
 5.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45624G	59.08	74.00	-14.92	51.83	3	Horizontal	287	1.87	-	33.70	6.46	32.91
AV	5.46G	48.18	54.00	-5.82	40.92	3	Horizontal	287	1.87	-	33.70	6.46	32.90
PK	5.46872G	59.65	68.20	-8.55	52.38	3	Horizontal	287	1.87	-	33.70	6.47	32.90
PK	5.71312G	104.49	Inf	-Inf	96.71	3	Horizontal	287	1.87	-	34.10	6.60	32.92
AV	5.69856G	94.26	Inf	-Inf	86.58	3	Horizontal	287	1.87	-	34.00	6.60	32.92
PK	5.91904G	62.26	68.20	-5.94	53.62	3	Horizontal	287	1.87	-	34.98	6.60	32.94


**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 SET 82  
 82  
 10.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44904G	55.35	74.00	-18.65	40.89	3	Vertical	46	1.80	-	38.40	8.86	32.80
AV	11.39488G	43.21	54.00	-10.79	28.76	3	Vertical	46	1.80	-	38.40	8.85	32.80

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 SET 82  
 82  
 0.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.14896G	67.52	68.20	-0.68	47.23	3	Vertical	158	1.75	-	41.50	10.84	32.05

802.11ax HEW40\_Nss1,(MCS0)\_4TX


5710MHz Straddle 5.47-5.725GHz\_TnomVnom



EUT Y\_4TX  
SET 82  
82  
11.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45584G	55.33	74.00	-18.67	40.87	3	Horizontal	40	1.80	-	38.40	8.86	32.80
AV	11.41416G	42.91	54.00	-11.09	28.46	3	Horizontal	40	1.80	-	38.40	8.85	32.80

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 SET 77  
 82/62/72/77  
 -0.16/2.25/0.97/0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.13936G	67.80	68.20	-0.40	47.54	3	Horizontal	174	1.77	-	41.48	10.84	32.06

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Y\_4TX  
SET 50  
80/60/50  
-36.53/-9.79/0.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14152G	59.89	74.00	-14.11	53.74	3	Vertical	342	1.79	-	32.72	6.37	32.94
AV	5.14408G	48.57	54.00	-5.43	42.43	3	Vertical	342	1.79	-	32.71	6.37	32.94
PK	5.31752G	112.36	Inf	-Inf	105.94	3	Vertical	342	1.79	-	32.94	6.40	32.92
AV	5.3028G	101.55	Inf	-Inf	95.16	3	Vertical	342	1.79	-	32.91	6.40	32.92
PK	5.35336G	65.02	74.00	-8.98	58.53	3	Vertical	342	1.79	-	33.01	6.40	32.92
AV	5.3572G	53.77	54.00	-0.23	47.26	3	Vertical	342	1.79	-	33.03	6.40	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT V\_4TX  
SET 50  
50  
5.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1396G	58.13	74.00	-15.87	51.98	3	Horizontal	317	1.93	-	32.72	6.37	32.94
AV	5.1492G	46.54	54.00	-7.46	40.41	3	Horizontal	317	1.93	-	32.70	6.37	32.94
PK	5.26376G	97.53	Inf	-Inf	91.23	3	Horizontal	317	1.93	-	32.83	6.40	32.93
AV	5.26376G	85.97	Inf	-Inf	79.67	3	Horizontal	317	1.93	-	32.83	6.40	32.93
PK	5.3796G	59.41	74.00	-14.59	52.80	3	Horizontal	317	1.93	-	33.12	6.40	32.91
AV	5.44872G	48.17	54.00	-5.83	40.94	3	Horizontal	317	1.93	-	33.69	6.45	32.91

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Y\_4TX  
 SET 50  
 50  
 12.42

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.52656G	55.78	68.20	-12.42	41.62	3	Vertical	188	2.99	-	38.53	8.63	33.00



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Y\_4TX  
SET 50  
50  
5.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86568G	60.63	74.00	-13.37	44.56	3	Vertical	11	1.80	-	38.37	10.46	32.76
AV	15.93384G	48.22	54.00	-5.78	32.09	3	Vertical	11	1.80	-	38.40	10.48	32.75

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TnomVnom




EUT Y\_4TX  
 SET 50  
 50  
 11.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54144G	56.38	68.20	-11.82	42.19	3	Horizontal	318	1.18	-	38.54	8.64	32.99

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT Y\_4TX  
SET 50  
50  
5.58

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.94984G	60.69	74.00	-13.31	44.56	3	Horizontal	0	1.80	-	38.40	10.48	32.75
AV	15.93192G	48.42	54.00	-5.58	32.29	3	Horizontal	0	1.80	-	38.40	10.48	32.75

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TnomVnom




EUT Y\_4TX  
 SET 55  
 80/60/50/55  
 -33.53/-5.02/2.36/0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	65.13	74.00	-8.87	57.88	3	Vertical	334	1.80	-	33.70	6.46	32.91
AV	5.45608G	53.73	54.00	-0.27	46.48	3	Vertical	334	1.80	-	33.70	6.46	32.91
PK	5.46632G	66.87	68.20	-1.33	59.60	3	Vertical	334	1.80	-	33.70	6.47	32.90
PK	5.53224G	115.42	Inf	-Inf	107.96	3	Vertical	334	1.80	-	33.83	6.53	32.90
AV	5.53704G	103.06	Inf	-Inf	95.57	3	Vertical	334	1.80	-	33.85	6.54	32.90

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT\_Y\_4TX  
SET 55  
55  
5.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45416G	60.86	74.00	-13.14	53.62	3	Horizontal	18	2.02	-	33.70	6.45	32.91
PK	5.46376G	60.73	68.20	-7.47	53.47	3	Horizontal	18	2.02	-	33.70	6.46	32.90
AV	5.45928G	48.49	54.00	-5.51	41.23	3	Horizontal	18	2.02	-	33.70	6.46	32.90
PK	5.5236G	101.41	Inf	-Inf	94.00	3	Horizontal	18	2.02	-	33.79	6.52	32.90
AV	5.49928G	88.32	Inf	-Inf	81.02	3	Horizontal	18	2.02	-	33.70	6.50	32.90

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Y\_4TX  
 SET 55  
 55  
 10.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01888G	55.66	74.00	-18.34	41.18	3	Vertical	312	1.80	-	38.48	8.75	32.75
AV	11.10192G	43.07	54.00	-10.93	28.65	3	Vertical	312	1.80	-	38.40	8.78	32.76

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TnomVnom




EUT Y\_4TX  
SET 55  
55  
3.89

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.622G	64.31	68.20	-3.89	45.66	3	Vertical	217	2.28	-	40.32	10.69	32.36

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5530MHz\_TnomVnom




EUT Y\_4TX  
SET 55  
55  
10.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.08896G	55.42	74.00	-18.58	41.00	3	Horizontal	0	1.80	-	38.41	8.77	32.76
AV	11.09632G	43.08	54.00	-10.92	28.67	3	Horizontal	0	1.80	-	38.40	8.77	32.76



802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TnomVnom




EUT Y\_4TX  
SET 55  
55  
3.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.57224G	64.25	68.20	-3.95	45.67	3	Horizontal	270	1.07	-	40.30	10.67	32.39

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Y\_4TX  
 SET 53  
 80/60/50/55/53/54/53  
 -20.59/-3.50/2.50/-0.97/0.67/-0.70/0.41

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45128G	63.96	74.00	-10.04	56.72	3	Vertical	335	1.78	-	33.70	6.45	32.91
AV	5.4564G	51.93	54.00	-2.07	44.68	3	Vertical	335	1.78	-	33.70	6.46	32.91
PK	5.46472G	65.13	68.20	-3.07	57.87	3	Vertical	335	1.78	-	33.70	6.46	32.90
PK	5.57224G	115.70	Inf	-Inf	108.18	3	Vertical	335	1.78	-	33.86	6.57	32.91
AV	5.60232G	103.30	Inf	-Inf	95.80	3	Vertical	335	1.78	-	33.81	6.60	32.91
PK	5.72584G	67.79	68.20	-0.41	59.90	3	Vertical	335	1.78	-	34.21	6.60	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Y\_4TX  
SET 53  
53  
5.78

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.66	74.00	-14.34	52.40	3	Horizontal	235	3.00	-	33.70	6.46	32.90
AV	5.45576G	48.22	54.00	-5.78	40.97	3	Horizontal	235	3.00	-	33.70	6.46	32.91
PK	5.46024G	59.66	68.20	-8.54	52.40	3	Horizontal	235	3.00	-	33.70	6.46	32.90
PK	5.58056G	97.97	Inf	-Inf	90.46	3	Horizontal	235	3.00	-	33.84	6.58	32.91
AV	5.61576G	85.91	Inf	-Inf	78.33	3	Horizontal	235	3.00	-	33.89	6.60	32.91
PK	5.75272G	60.15	68.20	-8.05	52.08	3	Horizontal	235	3.00	-	34.40	6.60	32.93

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Y\_4TX  
 SET 53  
 53  
 11.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.17216G	55.29	74.00	-18.71	40.94	3	Vertical	136	3.00	-	38.33	8.79	32.77
AV	11.18496G	42.86	54.00	-11.14	28.51	3	Vertical	136	3.00	-	38.32	8.80	32.77

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Y\_4TX  
SET 53  
53  
4.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.88888G	63.86	68.20	-4.34	44.35	3	Vertical	259	1.15	-	40.94	10.77	32.20

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5610MHz\_TnomVnom




EUT Y\_4TX  
SET 53  
53  
10.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.24528G	55.23	74.00	-18.77	40.85	3	Horizontal	142	1.15	-	38.35	8.81	32.78
AV	11.26704G	43.08	54.00	-10.92	28.67	3	Horizontal	142	1.15	-	38.37	8.82	32.78

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX


### 5610MHz\_TnomVnom



EUT Y\_4TX  
SET 53  
53  
4.60

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.78952G	63.60	68.20	-4.60	44.63	3	Horizontal	188	2.65	-	40.49	10.74	32.26

**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 SET 67  
 80/60/70/65/67  
 -9.58/2.59/-1.03/1.27/0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45768G	66.12	74.00	-7.88	58.87	3	Vertical	334	1.80	-	33.70	6.46	32.91
AV	5.45672G	53.63	54.00	-0.37	46.38	3	Vertical	334	1.80	-	33.70	6.46	32.91
PK	5.46632G	66.00	68.20	-2.20	58.73	3	Vertical	334	1.80	-	33.70	6.47	32.90
PK	5.6516G	118.56	Inf	-Inf	110.78	3	Vertical	334	1.80	-	34.10	6.60	32.92
AV	5.6516G	106.03	Inf	-Inf	98.25	3	Vertical	334	1.80	-	34.10	6.60	32.92
PK	5.85512G	65.66	68.20	-2.54	57.19	3	Vertical	334	1.80	-	34.81	6.60	32.94



802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
SET 67  
67  
5.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45576G	59.87	74.00	-14.13	52.62	3	Horizontal	339	2.18	-	33.70	6.46	32.91
AV	5.4548G	48.46	54.00	-5.54	41.22	3	Horizontal	339	2.18	-	33.70	6.45	32.91
PK	5.46344G	59.53	68.20	-8.67	52.27	3	Horizontal	339	2.18	-	33.70	6.46	32.90
PK	5.68136G	101.23	Inf	-Inf	93.51	3	Horizontal	339	2.18	-	34.04	6.60	32.92
AV	5.68616G	90.52	Inf	-Inf	82.81	3	Horizontal	339	2.18	-	34.03	6.60	32.92
PK	5.8532G	60.95	68.20	-7.25	52.48	3	Horizontal	339	2.18	-	34.81	6.60	32.94

**802.11ax HEW80\_Nss1,(MCS0)\_4TX**

**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
SET 67  
67  
11.28

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42528G	55.38	74.00	-18.62	40.92	3	Vertical	360	2.65	-	38.40	8.86	32.80
AV	11.45312G	42.72	54.00	-11.28	28.26	3	Vertical	360	2.65	-	38.40	8.86	32.80

802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
 SET 67  
 67  
 2.95

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.11256G	65.25	68.20	-2.95	45.06	3	Vertical	242	2.93	-	41.43	10.83	32.07

802.11ax HEW80\_Nss1,(MCS0)\_4TX


5690MHz Straddle 5.47-5.725GHz\_TnomVnom



EUT Y\_4TX  
SET 67  
67  
10.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.32704G	55.38	74.00	-18.62	40.94	3	Horizontal	360	1.94	-	38.40	8.83	32.79
AV	11.40768G	43.08	54.00	-10.92	28.63	3	Horizontal	360	1.94	-	38.40	8.85	32.80

**802.11ax HEW80\_Nss1,(MCS0)\_4TX**  
**5690MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 SET 67  
 67  
 2.12

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.14488G	66.08	68.20	-2.12	45.80	3	Horizontal	0	1.80	-	41.49	10.84	32.05




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	AV	5.45832G	53.99	54.00	-0.01	3	Horizontal	354	1.80	-

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 85  
 80/100/90/85  
 2.59/-6.84/-2.33/0.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.143G	63.46	74.00	-10.54	57.32	3	Vertical	0	1.80	-	32.71	6.37	32.94
AV	5.14456G	49.90	54.00	-4.10	43.76	3	Vertical	0	1.80	-	32.71	6.37	32.94
PK	5.25896G	125.97	Inf	-Inf	119.68	3	Vertical	0	1.80	-	32.82	6.40	32.93
AV	5.25896G	115.60	Inf	-Inf	109.31	3	Vertical	0	1.80	-	32.82	6.40	32.93
PK	5.36348G	68.07	74.00	-5.93	61.54	3	Vertical	0	1.80	-	33.05	6.40	32.92
AV	5.35256G	53.84	54.00	-0.16	47.35	3	Vertical	0	1.80	-	33.01	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 80  
 85/65/75/80/82/81/80  
 -5.65/4.07/2.64/0.51/-1.72/-1.21/0.10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14872G	62.27	74.00	-11.73	56.14	3	Horizontal	0	1.80	-	32.70	6.37	32.94
AV	5.14976G	49.53	54.00	-4.47	43.40	3	Horizontal	0	1.80	-	32.70	6.37	32.94
PK	5.25636G	125.92	Inf	-Inf	119.64	3	Horizontal	0	1.80	-	32.81	6.40	32.93
AV	5.25688G	115.43	Inf	-Inf	109.15	3	Horizontal	0	1.80	-	32.81	6.40	32.93
PK	5.3614G	68.10	74.00	-5.90	61.57	3	Horizontal	0	1.80	-	33.05	6.40	32.92
AV	5.35152G	53.90	54.00	-0.10	47.41	3	Horizontal	0	1.80	-	33.01	6.40	32.92



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
 SET 80  
 80  
 13.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50844G	55.15	68.20	-13.05	41.02	3	Vertical	83	1.80	-	38.51	8.63	33.01

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_Y\_4TX  
SET 80  
80  
4.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7868G	62.67	74.00	-11.33	46.78	3	Vertical	144	1.09	-	38.22	10.44	32.77
AV	15.78628G	49.28	54.00	-4.72	33.39	3	Vertical	144	1.09	-	38.22	10.44	32.77

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
 SET 80  
 80  
 13.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50828G	54.84	68.20	-13.36	40.71	3	Horizontal	50	2.72	-	38.51	8.63	33.01

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5260MHz\_TnomVnom




EUT\_V\_4TX  
 SET 80  
 80  
 2.25

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78872G	65.38	74.00	-8.62	49.48	3	Horizontal	221	2.90	-	38.23	10.44	32.77
AV	15.78764G	51.75	54.00	-2.25	35.85	3	Horizontal	221	2.90	-	38.23	10.44	32.77

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 72  
 80/60/70/75/73/72  
 -4.99/3.57/1.32/-1.34/-0.12/0.40

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3014G	122.02	Inf	-Inf	115.64	3	Vertical	357	1.80	-	32.90	6.40	32.92
AV	5.30112G	112.34	Inf	-Inf	105.96	3	Vertical	357	1.80	-	32.90	6.40	32.92
PK	5.35712G	70.34	74.00	-3.66	63.83	3	Vertical	357	1.80	-	33.03	6.40	32.92
AV	5.35G	53.60	54.00	-0.40	47.12	3	Vertical	357	1.80	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 65  
 72/52/62/67/65  
 -5.10/3.92/1.52/-0.66/0.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29748G	121.68	Inf	-Inf	115.31	3	Horizontal	357	1.80	-	32.89	6.40	32.92
AV	5.2972G	111.56	Inf	-Inf	105.19	3	Horizontal	357	1.80	-	32.89	6.40	32.92
PK	5.3504G	69.01	74.00	-4.99	62.53	3	Horizontal	357	1.80	-	33.00	6.40	32.92
AV	5.35068G	53.86	54.00	-0.14	47.38	3	Horizontal	357	1.80	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_Y\_4TX  
SET 65  
65  
18.87

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60916G	55.13	74.00	-18.87	40.83	3	Vertical	120	1.00	-	38.60	8.65	32.95

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_Y\_4TX  
SET 65  
65  
3.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9014G	64.91	74.00	-9.09	48.80	3	Vertical	180	2.75	-	38.40	10.47	32.76
AV	15.90148G	50.26	54.00	-3.74	34.15	3	Vertical	180	2.75	-	38.40	10.47	32.76



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 65  
65  
11.99

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58756G	56.21	68.20	-11.99	41.93	3	Horizontal	144	1.80	-	38.59	8.65	32.96

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5300MHz\_TnomVnom




EUT\_Y\_4TX  
SET 65  
65  
4.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90736G	63.05	74.00	-10.95	46.93	3	Horizontal	141	2.76	-	38.40	10.47	32.75
AV	15.909G	49.16	54.00	-4.84	33.04	3	Horizontal	141	2.76	-	38.40	10.47	32.75

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 64  
 80/60/70/65/63/64  
 -16.55/2.15/-4.72/-0.20/1.53/0.69

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3212G	121.42	Inf	-Inf	115.00	3	Vertical	357	1.79	-	32.94	6.40	32.92
AV	5.3212G	111.41	Inf	-Inf	104.99	3	Vertical	357	1.79	-	32.94	6.40	32.92
PK	5.35G	67.05	74.00	-6.95	60.57	3	Vertical	357	1.79	-	33.00	6.40	32.92
AV	5.35G	53.31	54.00	-0.69	46.83	3	Vertical	357	1.79	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 60  
 64/44/54/59/61/60  
 -3.23/4.58/2.83/0.89/-0.73/0.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3156G	121.09	Inf	-Inf	114.68	3	Horizontal	360	1.80	-	32.93	6.40	32.92
AV	5.3262G	111.46	Inf	-Inf	105.03	3	Horizontal	360	1.80	-	32.95	6.40	32.92
PK	5.3518G	67.74	74.00	-6.26	61.25	3	Horizontal	360	1.80	-	33.01	6.40	32.92
AV	5.35G	53.96	54.00	-0.04	47.48	3	Horizontal	360	1.80	-	33.00	6.40	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 60  
60  
12.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64076G	55.23	74.00	-18.77	40.91	3	Vertical	240	2.96	-	38.60	8.66	32.94
AV	10.63636G	41.61	54.00	-12.39	27.29	3	Vertical	240	2.96	-	38.60	8.66	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 60  
60  
5.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95148G	61.94	74.00	-12.06	45.80	3	Vertical	306	2.98	-	38.40	10.49	32.75
AV	15.97904G	48.46	54.00	-5.54	32.31	3	Vertical	306	2.98	-	38.40	10.49	32.74

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 60  
60  
12.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.65724G	55.17	74.00	-18.83	40.84	3	Horizontal	360	1.80	-	38.60	8.66	32.93
AV	10.6514G	41.61	54.00	-12.39	27.28	3	Horizontal	360	1.80	-	38.60	8.66	32.93

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5320MHz\_TnomVnom




EUT\_Y\_4TX  
 SET 60  
 60  
 5.57

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95532G	61.92	74.00	-12.08	45.78	3	Horizontal	65	2.20	-	38.40	10.49	32.75
AV	15.95456G	48.43	54.00	-5.57	32.29	3	Horizontal	65	2.20	-	38.40	10.49	32.75



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 64  
 80/60/70/65/63/64  
 -18.67/1.93/-5.83/-0.41/1.47/0.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	65.89	74.00	-8.11	58.63	3	Vertical	357	1.80	-	33.70	6.46	32.90
AV	5.46G	52.94	54.00	-1.06	45.68	3	Vertical	357	1.80	-	33.70	6.46	32.90
PK	5.4698G	67.37	68.20	-0.83	60.10	3	Vertical	357	1.80	-	33.70	6.47	32.90
PK	5.5014G	121.60	Inf	-Inf	114.29	3	Vertical	357	1.80	-	33.71	6.50	32.90
AV	5.5014G	111.54	Inf	-Inf	104.23	3	Vertical	357	1.80	-	33.71	6.50	32.90

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 60  
 64/44/54/59/61/60  
 -7.06/3.80/2.35/1.20/-1.22/1.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	65.82	74.00	-8.18	58.57	3	Horizontal	356	1.80	-	33.70	6.46	32.91
AV	5.4572G	52.80	54.00	-1.20	45.55	3	Horizontal	356	1.80	-	33.70	6.46	32.91
PK	5.467G	66.76	68.20	-1.44	59.49	3	Horizontal	356	1.80	-	33.70	6.47	32.90
PK	5.497G	120.91	Inf	-Inf	113.61	3	Horizontal	356	1.80	-	33.70	6.50	32.90
AV	5.4972G	110.80	Inf	-Inf	103.50	3	Horizontal	356	1.80	-	33.70	6.50	32.90

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
SET 60  
60  
11.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.98748G	55.19	74.00	-18.81	40.70	3	Vertical	0	1.77	-	38.50	8.75	32.76
AV	10.98224G	42.20	54.00	-11.80	27.71	3	Vertical	0	1.77	-	38.50	8.75	32.76

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
SET 60  
60  
3.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.51716G	64.41	68.20	-3.79	45.87	3	Vertical	286	1.80	-	40.30	10.66	32.42

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
 SET 60  
 60  
 11.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01612G	55.63	74.00	-18.37	41.15	3	Horizontal	360	1.80	-	38.48	8.75	32.75
AV	11.01444G	42.14	54.00	-11.86	27.65	3	Horizontal	360	1.80	-	38.49	8.75	32.75

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
SET 60  
60  
2.62

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.51864G	65.58	68.20	-2.62	47.04	3	Horizontal	115	1.80	-	40.30	10.66	32.42

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 88  
 80/100/90/85/87/88  
 2.53/-4.68/-4.98/2.49/1.69/0.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45584G	66.97	74.00	-7.03	59.72	3	Vertical	3	1.80	-	33.70	6.46	32.91
AV	5.45392G	53.04	54.00	-0.96	45.80	3	Vertical	3	1.80	-	33.70	6.45	32.91
PK	5.46096G	67.69	68.20	-0.51	60.43	3	Vertical	3	1.80	-	33.70	6.46	32.90
PK	5.57808G	127.05	Inf	-Inf	119.54	3	Vertical	3	1.80	-	33.84	6.58	32.91
AV	5.57808G	116.01	Inf	-Inf	108.50	3	Vertical	3	1.80	-	33.84	6.58	32.91
PK	5.7336G	66.24	68.20	-1.96	58.29	3	Vertical	3	1.80	-	34.27	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 86  
 88/68/78/83/85/86  
 -0.18/2.50/1.72/1.75/1.60/1.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44496G	65.06	74.00	-8.94	57.88	3	Horizontal	360	1.80	-	33.65	6.44	32.91
AV	5.4552G	52.41	54.00	-1.59	45.16	3	Horizontal	360	1.80	-	33.70	6.46	32.91
PK	5.46672G	66.67	68.20	-1.53	59.40	3	Horizontal	360	1.80	-	33.70	6.47	32.90
PK	5.57552G	126.51	Inf	-Inf	118.99	3	Horizontal	360	1.80	-	33.85	6.58	32.91
AV	5.57424G	116.66	Inf	-Inf	109.15	3	Horizontal	360	1.80	-	33.85	6.57	32.91
PK	5.73104G	62.97	68.20	-5.23	55.04	3	Horizontal	360	1.80	-	34.25	6.60	32.92



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
SET 86  
86  
12.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15136G	55.13	74.00	-18.87	40.76	3	Vertical	91	1.80	-	38.35	8.79	32.77
AV	11.17884G	41.64	54.00	-12.36	27.30	3	Vertical	91	1.80	-	38.32	8.79	32.77

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
 SET 86  
 86  
 0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.73464G	67.50	68.20	-0.70	48.64	3	Vertical	134	1.80	-	40.43	10.72	32.29

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT\_V\_4TX  
 SET 86  
 86  
 12.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1784G	54.91	74.00	-19.09	40.57	3	Horizontal	293	1.80	-	38.32	8.79	32.77
AV	11.14384G	41.70	54.00	-12.30	27.32	3	Horizontal	293	1.80	-	38.36	8.79	32.77

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5580MHz\_TnomVnom




EUT V\_4TX  
SET 86  
86  
0.90

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.73844G	67.30	68.20	-0.90	48.43	3	Horizontal	176	1.86	-	40.44	10.72	32.29

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 43  
 80/60/50/45/43/44/43  
 -26.57/-9.76/-5.92/-1.14/1.35/-0.41/0.38

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7G	115.26	Inf	-Inf	107.58	3	Vertical	0	1.80	-	34.00	6.60	32.92
AV	5.6992G	105.61	Inf	-Inf	97.93	3	Vertical	0	1.80	-	34.00	6.60	32.92
PK	5.7292G	67.82	68.20	-0.38	59.91	3	Vertical	0	1.80	-	34.23	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Z\_4TX  
SET 39  
39  
0.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7038G	114.88	Inf	-Inf	107.17	3	Horizontal	0	1.80	-	34.03	6.60	32.92
AV	5.7042G	105.24	Inf	-Inf	97.53	3	Horizontal	0	1.80	-	34.03	6.60	32.92
PK	5.7258G	67.84	68.20	-0.36	59.95	3	Horizontal	0	1.80	-	34.21	6.60	32.92

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
SET 39  
39  
11.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41744G	56.26	74.00	-17.74	41.81	3	Vertical	153	1.80	-	38.40	8.85	32.80
AV	11.40912G	42.74	54.00	-11.26	28.29	3	Vertical	153	1.80	-	38.40	8.85	32.80

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
SET 39  
39  
2.73

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.1016G	61.47	68.20	-6.73	41.32	3	Vertical	0	1.80	-	41.40	10.83	32.08



### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
 SET 39  
 39  
 11.21

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4108G	56.16	74.00	-17.84	41.71	3	Horizontal	1	1.80	-	38.40	8.85	32.80
AV	11.41524G	42.79	54.00	-11.21	28.34	3	Horizontal	1	1.80	-	38.40	8.85	32.80

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
 SET 39  
 39  
 2.68

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.08228G	61.52	68.20	-6.68	41.44	3	Horizontal	298	1.80	-	41.35	10.82	32.09

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_4TX  
SET 108  
80/100/108  
3.27/1.00/0.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45432G	61.49	74.00	-12.51	54.25	3	Vertical	2	1.80	-	33.70	6.45	32.91
AV	5.45G	49.57	54.00	-4.43	42.33	3	Vertical	2	1.80	-	33.70	6.45	32.91
PK	5.46944G	61.33	68.20	-6.87	54.06	3	Vertical	2	1.80	-	33.70	6.47	32.90
PK	5.71892G	126.17	Inf	-Inf	118.34	3	Vertical	2	1.80	-	34.15	6.60	32.92
AV	5.71784G	115.57	Inf	-Inf	107.75	3	Vertical	2	1.80	-	34.14	6.60	32.92
PK	5.85G	67.44	68.20	-0.76	58.98	3	Vertical	2	1.80	-	34.80	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_Z\_4TX  
SET 108  
108  
1.35

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45432G	62.25	74.00	-11.75	55.01	3	Horizontal	0	1.80	-	33.70	6.45	32.91
AV	5.45324G	50.29	54.00	-3.71	43.05	3	Horizontal	0	1.80	-	33.70	6.45	32.91
PK	5.46512G	62.05	68.20	-6.15	54.78	3	Horizontal	0	1.80	-	33.70	6.47	32.90
PK	5.72324G	127.20	Inf	-Inf	119.33	3	Horizontal	0	1.80	-	34.19	6.60	32.92
AV	5.72432G	116.53	Inf	-Inf	108.66	3	Horizontal	0	1.80	-	34.19	6.60	32.92
PK	5.85392G	66.85	68.20	-1.35	58.38	3	Horizontal	0	1.80	-	34.81	6.60	32.94

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
SET 108  
108  
10.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45132G	56.20	74.00	-17.80	41.74	3	Vertical	222	3.00	-	38.40	8.86	32.80
AV	11.4506G	43.17	54.00	-10.83	28.71	3	Vertical	222	3.00	-	38.40	8.86	32.80

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
 SET 83  
 108/88/78/83  
 -2.03/-2.05/0.75/0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.15876G	68.02	68.20	-0.18	47.70	3	Vertical	140	1.18	-	41.52	10.85	32.05

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT\_V\_4TX  
SET 83  
83  
11.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45576G	57.14	74.00	-16.86	42.68	3	Horizontal	210	1.80	-	38.40	8.86	32.80
AV	11.44236G	42.96	54.00	-11.04	28.50	3	Horizontal	210	1.80	-	38.40	8.86	32.80

### 802.11a\_Nss1,(6Mbps)\_4TX

### 5720MHz Straddle 5.47-5.725GHz\_TnomVnom




EUT Y\_4TX  
 SET 78  
 83/63/73/78  
 -0.63/1.93/1.64/0.45

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.15892G	67.75	68.20	-0.45	47.43	3	Horizontal	178	1.68	-	41.52	10.85	32.05



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 84  
 80/100/90/85/83/84  
 2.69/-9.15/-5.03/-1.22/0.76/0.33

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14872G	64.71	74.00	-9.29	58.58	3	Vertical	360	1.80	-	32.70	6.37	32.94
AV	5.14664G	49.65	54.00	-4.35	43.51	3	Vertical	360	1.80	-	32.71	6.37	32.94
PK	5.2548G	126.35	Inf	-Inf	120.07	3	Vertical	360	1.80	-	32.81	6.40	32.93
AV	5.2548G	113.84	Inf	-Inf	107.56	3	Vertical	360	1.80	-	32.81	6.40	32.93
PK	5.35256G	68.04	74.00	-5.96	61.55	3	Vertical	360	1.80	-	33.01	6.40	32.92
AV	5.35256G	53.67	54.00	-0.33	47.18	3	Vertical	360	1.80	-	33.01	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 79  
 84/64/74/79  
 -7.89/4.69/2.86/0.27

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14508G	63.82	74.00	-10.18	57.68	3	Horizontal	356	1.80	-	32.71	6.37	32.94
AV	5.14976G	49.17	54.00	-4.83	43.04	3	Horizontal	356	1.80	-	32.70	6.37	32.94
PK	5.25376G	127.00	Inf	-Inf	120.72	3	Horizontal	356	1.80	-	32.81	6.40	32.93
AV	5.25376G	113.05	Inf	-Inf	106.77	3	Horizontal	356	1.80	-	32.81	6.40	32.93
PK	5.35152G	70.47	74.00	-3.53	63.98	3	Horizontal	356	1.80	-	33.01	6.40	32.92
AV	5.35152G	53.73	54.00	-0.27	47.24	3	Horizontal	356	1.80	-	33.01	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
SET 79  
79  
13.13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52792G	55.07	68.20	-13.13	40.91	3	Vertical	163	1.80	-	38.53	8.63	33.00

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
 SET 79  
 79  
 5.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.78276G	62.56	74.00	-11.44	46.70	3	Vertical	158	1.01	-	38.20	10.43	32.77
AV	15.78296G	48.70	54.00	-5.30	32.84	3	Vertical	158	1.01	-	38.20	10.43	32.77

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
 SET 79  
 79  
 12.82

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51932G	55.38	68.20	-12.82	41.23	3	Horizontal	201	1.80	-	38.52	8.63	33.00

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5260MHz\_TnomVnom




EUT Y\_4TX  
 SET 79  
 79  
 4.36

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7834G	63.84	74.00	-10.16	47.97	3	Horizontal	220	2.80	-	38.20	10.44	32.77
AV	15.78332G	49.64	54.00	-4.36	33.78	3	Horizontal	220	2.80	-	38.20	10.43	32.77

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 68  
 80/60/70/65/67/68  
 -7.98/3.73/-0.10/2.31/1.37/0.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.30448G	123.37	Inf	-Inf	116.98	3	Vertical	0	1.80	-	32.91	6.40	32.92
AV	5.30476G	109.73	Inf	-Inf	103.34	3	Vertical	0	1.80	-	32.91	6.40	32.92
PK	5.35236G	71.81	74.00	-2.19	65.32	3	Vertical	0	1.80	-	33.01	6.40	32.92
AV	5.35208G	53.30	54.00	-0.70	46.81	3	Vertical	0	1.80	-	33.01	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 63  
 68/48/58/63  
 -3.39/5.23/2.62/0.44

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29356G	123.14	Inf	-Inf	116.77	3	Horizontal	356	1.80	-	32.89	6.40	32.92
AV	5.29888G	109.31	Inf	-Inf	102.93	3	Horizontal	356	1.80	-	32.90	6.40	32.92
PK	5.35936G	72.15	74.00	-1.85	65.63	3	Horizontal	356	1.80	-	33.04	6.40	32.92
AV	5.35G	53.56	54.00	-0.44	47.08	3	Horizontal	356	1.80	-	33.00	6.40	32.92



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
 SET 63  
 63  
 13.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59936G	54.94	68.20	-13.26	40.65	3	Vertical	249	3.00	-	38.60	8.65	32.96

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
6.54

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9046G	62.31	74.00	-11.69	46.20	3	Vertical	59	1.80	-	38.40	10.47	32.76
AV	15.9186G	47.46	54.00	-6.54	31.33	3	Vertical	59	1.80	-	38.40	10.48	32.75

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
12.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5882G	55.67	68.20	-12.53	41.39	3	Horizontal	140	1.31	-	38.59	8.65	32.96

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5300MHz\_TnomVnom




EUT Y\_4TX  
SET 63  
63  
4.98

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.91036G	64.64	74.00	-9.36	48.52	3	Horizontal	142	2.65	-	38.40	10.47	32.75
AV	15.89556G	49.02	54.00	-4.98	32.91	3	Horizontal	142	2.65	-	38.40	10.47	32.76

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 65  
 80/60/70/65  
 -18.95/3.01/-5.18/0.01

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3194G	122.81	Inf	-Inf	116.39	3	Vertical	360	1.80	-	32.94	6.40	32.92
AV	5.3248G	109.63	Inf	-Inf	103.20	3	Vertical	360	1.80	-	32.95	6.40	32.92
PK	5.3586G	68.90	74.00	-5.10	62.39	3	Vertical	360	1.80	-	33.03	6.40	32.92
AV	5.3516G	53.99	54.00	-0.01	47.50	3	Vertical	360	1.80	-	33.01	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 60  
 65/45/55/60  
 -4.68/4.88/2.82/0.26

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3172G	123.41	Inf	-Inf	117.00	3	Horizontal	3	1.80	-	32.93	6.40	32.92
AV	5.3224G	109.60	Inf	-Inf	103.18	3	Horizontal	3	1.80	-	32.94	6.40	32.92
PK	5.3578G	68.74	74.00	-5.26	62.23	3	Horizontal	3	1.80	-	33.03	6.40	32.92
AV	5.3502G	53.74	54.00	-0.26	47.26	3	Horizontal	3	1.80	-	33.00	6.40	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 60  
60  
12.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6392G	54.86	74.00	-19.14	40.54	3	Vertical	236	2.37	-	38.60	8.66	32.94
AV	10.63332G	41.06	54.00	-12.94	26.74	3	Vertical	236	2.37	-	38.60	8.66	32.94

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
 SET 60  
 60  
 6.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.97836G	61.72	74.00	-12.28	45.57	3	Vertical	39	1.00	-	38.40	10.49	32.74
AV	15.94196G	47.82	54.00	-6.18	31.69	3	Vertical	39	1.00	-	38.40	10.48	32.75



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
 SET 60  
 60  
 12.93

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64704G	54.73	74.00	-19.27	40.40	3	Horizontal	104	1.80	-	38.60	8.66	32.93
AV	10.64188G	41.07	54.00	-12.93	26.75	3	Horizontal	104	1.80	-	38.60	8.66	32.94

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5320MHz\_TnomVnom




EUT Y\_4TX  
SET 60  
60  
6.23

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96516G	62.10	74.00	-11.90	45.96	3	Horizontal	319	2.69	-	38.40	10.49	32.75
AV	15.94176G	47.77	54.00	-6.23	31.64	3	Horizontal	319	2.69	-	38.40	10.48	32.75

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 63  
 80/60/70/65/63/64/63  
 -22.31/1.85/-6.23/-0.48/0.77/-0.85/0.86

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	67.35	74.00	-6.65	60.09	3	Vertical	359	1.80	-	33.70	6.46	32.90
AV	5.4598G	53.14	54.00	-0.86	45.88	3	Vertical	359	1.80	-	33.70	6.46	32.90
PK	5.4614G	66.41	68.20	-1.79	59.15	3	Vertical	359	1.80	-	33.70	6.46	32.90
PK	5.5056G	124.66	Inf	-Inf	117.33	3	Vertical	359	1.80	-	33.72	6.51	32.90
AV	5.495G	109.45	Inf	-Inf	102.15	3	Vertical	359	1.80	-	33.70	6.50	32.90

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 60  
 63/43/53/58/60/61/60  
 -3.38/4.38/2.93/1.59/0.86/-0.35/0.95

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	67.39	74.00	-6.61	60.14	3	Horizontal	2	1.80	-	33.70	6.46	32.91
AV	5.4576G	53.05	54.00	-0.95	45.80	3	Horizontal	2	1.80	-	33.70	6.46	32.91
PK	5.4624G	66.67	68.20	-1.53	59.41	3	Horizontal	2	1.80	-	33.70	6.46	32.90
PK	5.4976G	122.34	Inf	-Inf	115.04	3	Horizontal	2	1.80	-	33.70	6.50	32.90
AV	5.4972G	109.07	Inf	-Inf	101.77	3	Horizontal	2	1.80	-	33.70	6.50	32.90

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
 SET 60  
 60  
 12.48

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99672G	56.07	74.00	-17.93	41.57	3	Vertical	26	1.80	-	38.50	8.75	32.75
AV	10.98236G	41.52	54.00	-12.48	27.03	3	Vertical	26	1.80	-	38.50	8.75	32.76

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
 SET 60  
 60  
 4.17

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.5092G	64.03	68.20	-4.17	45.50	3	Vertical	211	1.80	-	40.30	10.65	32.42

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
 SET 60  
 60  
 12.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99308G	55.19	74.00	-18.81	40.69	3	Horizontal	91	1.80	-	38.50	8.75	32.75
AV	10.982G	41.54	54.00	-12.46	27.05	3	Horizontal	91	1.80	-	38.50	8.75	32.76

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5500MHz\_TnomVnom




EUT Y\_4TX  
SET 60  
60  
4.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.49936G	64.16	68.20	-4.04	45.64	3	Horizontal	158	1.80	-	40.30	10.65	32.43



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 87  
 80/100/90/85/87  
 2.98/-9.72/-6.64/2.37/0.24

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45776G	67.10	74.00	-6.90	59.85	3	Vertical	357	1.80	-	33.70	6.46	32.91
AV	5.45776G	52.71	54.00	-1.29	45.46	3	Vertical	357	1.80	-	33.70	6.46	32.91
PK	5.46864G	67.96	68.20	-0.24	60.69	3	Vertical	357	1.80	-	33.70	6.47	32.90
PK	5.57616G	126.59	Inf	-Inf	119.07	3	Vertical	357	1.80	-	33.85	6.58	32.91
AV	5.58064G	113.77	Inf	-Inf	106.26	3	Vertical	357	1.80	-	33.84	6.58	32.91
PK	5.72912G	64.56	68.20	-3.64	56.65	3	Vertical	357	1.80	-	34.23	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT\_Z\_4TX  
SET 87  
87  
1.20

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.44752G	66.68	74.00	-7.32	59.46	3	Horizontal	354	1.80	-	33.68	6.45	32.91
AV	5.45328G	52.03	54.00	-1.97	44.79	3	Horizontal	354	1.80	-	33.70	6.45	32.91
PK	5.4648G	67.00	68.20	-1.20	59.74	3	Horizontal	354	1.80	-	33.70	6.46	32.90
PK	5.57808G	127.51	Inf	-Inf	120.00	3	Horizontal	354	1.80	-	33.84	6.58	32.91
AV	5.57872G	114.53	Inf	-Inf	107.02	3	Horizontal	354	1.80	-	33.84	6.58	32.91
PK	5.72976G	64.97	68.20	-3.23	57.05	3	Horizontal	354	1.80	-	34.24	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
 SET 87  
 87  
 13.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1496G	56.04	74.00	-17.96	41.67	3	Vertical	55	1.80	-	38.35	8.79	32.77
AV	11.16096G	40.96	54.00	-13.04	26.60	3	Vertical	55	1.80	-	38.34	8.79	32.77

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
SET 87  
87  
1.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.73864G	67.04	68.20	-1.16	48.17	3	Vertical	135	1.80	-	40.44	10.72	32.29

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
 SET 87  
 87  
 13.11

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1484G	55.03	74.00	-18.97	40.66	3	Horizontal	0	1.80	-	38.35	8.79	32.77
AV	11.16956G	40.89	54.00	-13.11	26.54	3	Horizontal	0	1.80	-	38.33	8.79	32.77

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5580MHz\_TnomVnom




EUT Y\_4TX  
 SET 87  
 87  
 1.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.7384G	66.90	68.20	-1.30	48.03	3	Horizontal	174	2.56	-	40.44	10.72	32.29

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 41  
 80/60/50/45/43/41  
 -30.01/-16.76/-7.40/-2.35/-0.30/0.42

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7048G	116.54	Inf	-Inf	108.82	3	Vertical	0	1.80	-	34.04	6.60	32.92
AV	5.7048G	102.37	Inf	-Inf	94.65	3	Vertical	0	1.80	-	34.04	6.60	32.92
PK	5.7264G	67.78	68.20	-0.42	59.89	3	Vertical	0	1.80	-	34.21	6.60	32.92

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Z\_4TX  
SET 40  
40  
0.53

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7026G	116.61	Inf	-Inf	108.91	3	Horizontal	0	1.80	-	34.02	6.60	32.92
AV	5.7072G	102.36	Inf	-Inf	94.62	3	Horizontal	0	1.80	-	34.06	6.60	32.92
PK	5.7258G	67.67	68.20	-0.53	59.78	3	Horizontal	0	1.80	-	34.21	6.60	32.92



### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
 SET 40  
 40  
 12.04

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39724G	55.95	74.00	-18.05	41.50	3	Vertical	0	2.56	-	38.40	8.85	32.80
AV	11.39408G	41.96	54.00	-12.04	27.51	3	Vertical	0	2.56	-	38.40	8.85	32.80

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
 SET 40  
 40  
 2.35

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.09808G	62.85	68.20	-5.35	42.71	3	Vertical	156	1.80	-	41.39	10.83	32.08

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX

### 5700MHz\_TnomVnom




EUT Y\_4TX  
 SET 40  
 40  
 11.94

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38704G	55.83	74.00	-18.17	41.38	3	Horizontal	0	1.80	-	38.40	8.85	32.80
AV	11.41736G	42.06	54.00	-11.94	27.61	3	Horizontal	0	1.80	-	38.40	8.85	32.80

### 802.11ax HEW20\_Nss1,(MCS0)\_4TX


### 5700MHz\_TnomVnom



EUT Y\_4TX  
SET 40  
40  
2.21

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.1152G	62.99	68.20	-5.21	42.80	3	Horizontal	120	2.78	-	41.43	10.83	32.07


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 SET 88  
 80/100/90/85/87/88  
 3.77/-0.99/-1.12/4.20/3.49/2.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45972G	62.31	74.00	-11.69	55.05	3	Vertical	360	1.80	-	33.70	6.46	32.90
AV	5.45216G	49.61	54.00	-4.39	42.37	3	Vertical	360	1.80	-	33.70	6.45	32.91
PK	5.47G	61.72	68.20	-6.48	54.45	3	Vertical	360	1.80	-	33.70	6.47	32.90
PK	5.72G	126.27	Inf	-Inf	118.43	3	Vertical	360	1.80	-	34.16	6.60	32.92
AV	5.7146G	113.17	Inf	-Inf	105.37	3	Vertical	360	1.80	-	34.12	6.60	32.92
PK	5.85284G	65.41	68.20	-2.79	56.94	3	Vertical	360	1.80	-	34.81	6.60	32.94


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 SET 88  
 88  
 1.71

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45864G	61.79	74.00	-12.21	54.53	3	Horizontal	358	1.80	-	33.70	6.46	32.90
AV	5.45324G	49.72	54.00	-4.28	42.48	3	Horizontal	358	1.80	-	33.70	6.45	32.91
PK	5.46404G	62.88	68.20	-5.32	55.62	3	Horizontal	358	1.80	-	33.70	6.46	32.90
PK	5.72216G	127.50	Inf	-Inf	119.64	3	Horizontal	358	1.80	-	34.18	6.60	32.92
AV	5.72216G	114.51	Inf	-Inf	106.65	3	Horizontal	358	1.80	-	34.18	6.60	32.92
PK	5.85176G	66.49	68.20	-1.71	58.03	3	Horizontal	358	1.80	-	34.80	6.60	32.94


**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 SET 88  
 88  
 11.74

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4516G	56.21	74.00	-17.79	41.75	3	Vertical	0	1.80	-	38.40	8.86	32.80
AV	11.45536G	42.26	54.00	-11.74	27.80	3	Vertical	0	1.80	-	38.40	8.86	32.80

**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 SET 83  
 88/68/78/83  
 -1.43/1.84/1.76/0.33

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.16352G	67.87	68.20	-0.33	47.53	3	Vertical	149	1.83	-	41.53	10.85	32.04




**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 SET 83  
 83  
 11.84

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45016G	56.63	74.00	-17.37	42.17	3	Horizontal	15	1.80	-	38.40	8.86	32.80
AV	11.44924G	42.16	54.00	-11.84	27.70	3	Horizontal	15	1.80	-	38.40	8.86	32.80

**802.11ax HEW20\_Nss1,(MCS0)\_4TX**  
**5720MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 SET 83  
 83  
 0.79

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.15976G	67.41	68.20	-0.79	47.09	3	Horizontal	176	1.78	-	41.52	10.85	32.05

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 63  
 80/60/70/65/63  
 -11.57/1.63/-4.13/-0.74/0.03

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14848G	61.59	74.00	-12.41	55.46	3	Vertical	360	1.80	-	32.70	6.37	32.94
AV	5.13784G	49.65	54.00	-4.35	43.50	3	Vertical	360	1.80	-	32.72	6.37	32.94
PK	5.25992G	119.21	Inf	-Inf	112.92	3	Vertical	360	1.80	-	32.82	6.40	32.93
AV	5.26496G	107.54	Inf	-Inf	101.24	3	Vertical	360	1.80	-	32.83	6.40	32.93
PK	5.35512G	67.32	74.00	-6.68	60.82	3	Vertical	360	1.80	-	33.02	6.40	32.92
AV	5.35G	53.97	54.00	-0.03	47.49	3	Vertical	360	1.80	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 59  
 63/43/53/58/60/59  
 -1.44/4.53/3.12/1.28/-0.50/0.73

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13392G	60.59	74.00	-13.41	54.43	3	Horizontal	358	1.80	-	32.73	6.37	32.94
AV	5.15G	49.47	54.00	-4.53	43.34	3	Horizontal	358	1.80	-	32.70	6.37	32.94
PK	5.25824G	118.25	Inf	-Inf	111.96	3	Horizontal	358	1.80	-	32.82	6.40	32.93
AV	5.25376G	106.30	Inf	-Inf	100.02	3	Horizontal	358	1.80	-	32.81	6.40	32.93
PK	5.35288G	67.21	74.00	-6.79	60.72	3	Horizontal	358	1.80	-	33.01	6.40	32.92
AV	5.35G	53.27	54.00	-0.73	46.79	3	Horizontal	358	1.80	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
SET 59  
59  
13.09

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53928G	55.11	68.20	-13.09	40.93	3	Vertical	304	1.80	-	38.54	8.63	32.99

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
 SET 59  
 59  
 6.76

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81048G	60.36	74.00	-13.64	44.38	3	Vertical	58	1.30	-	38.31	10.44	32.77
AV	15.846G	47.24	54.00	-6.76	31.20	3	Vertical	58	1.30	-	38.35	10.45	32.76

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
 SET 59  
 59  
 13.30

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54928G	54.90	68.20	-13.30	40.69	3	Horizontal	18	1.80	-	38.55	8.64	32.98

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5270MHz\_TnomVnom




EUT Y\_4TX  
SET 59  
59  
6.83

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.82624G	59.95	74.00	-14.05	43.94	3	Horizontal	284	1.70	-	38.33	10.45	32.77
AV	15.80448G	47.17	54.00	-6.83	31.20	3	Horizontal	284	1.70	-	38.30	10.44	32.77



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 53  
 80/60/50/55/53  
 -32.26/-3.96/1.13/-0.25/0.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31504G	117.14	Inf	-Inf	110.73	3	Vertical	0	1.80	-	32.93	6.40	32.92
AV	5.32464G	105.42	Inf	-Inf	98.99	3	Vertical	0	1.80	-	32.95	6.40	32.92
PK	5.35G	66.95	74.00	-7.05	60.47	3	Vertical	0	1.80	-	33.00	6.40	32.92
AV	5.35G	53.63	54.00	-0.37	47.15	3	Vertical	0	1.80	-	33.00	6.40	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Z\_4TX  
 SET 49  
 53/33/43/48/50/49  
 -1.33/2.81/2.05/0.59/-0.09/0.22

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.31816G	117.08	Inf	-Inf	110.66	3	Horizontal	360	1.80	-	32.94	6.40	32.92
AV	5.31792G	105.40	Inf	-Inf	98.98	3	Horizontal	360	1.80	-	32.94	6.40	32.92
PK	5.35344G	66.17	74.00	-7.83	59.68	3	Horizontal	360	1.80	-	33.01	6.40	32.92
AV	5.35368G	53.78	54.00	-0.22	47.29	3	Horizontal	360	1.80	-	33.01	6.40	32.92

802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TnomVnom




EUT Y\_4TX  
 SET 49  
 49  
 19.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	10.65136G	54.90	74.00	-19.10	40.57	3	Vertical	326	1.02	-	38.60	8.66	32.93

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
SET 49  
49  
4.66

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93272G	61.88	74.00	-12.12	45.75	3	Vertical	155	1.80	-	38.40	10.48	32.75
AV	15.94808G	49.34	54.00	-4.66	33.21	3	Vertical	155	1.80	-	38.40	10.48	32.75

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
SET 49  
49  
18.72

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62528G	55.28	74.00	-18.72	40.96	3	Horizontal	178	1.80	-	38.60	8.66	32.94

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5310MHz\_TnomVnom




EUT Y\_4TX  
SET 49  
49  
4.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92976G	61.86	74.00	-12.14	45.73	3	Horizontal	75	1.80	-	38.40	10.48	32.75
AV	15.95376G	49.33	54.00	-4.67	33.19	3	Horizontal	75	1.80	-	38.40	10.49	32.75

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 56  
 80/60/50/55/57/56  
 -33.14/-4.90/1.89/0.94/-0.43/0.63

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	64.59	74.00	-9.41	57.33	3	Vertical	0	1.80	-	33.70	6.46	32.90
AV	5.46G	53.17	54.00	-0.83	45.91	3	Vertical	0	1.80	-	33.70	6.46	32.90
PK	5.46656G	67.57	68.20	-0.63	60.30	3	Vertical	0	1.80	-	33.70	6.47	32.90
PK	5.52008G	120.41	Inf	-Inf	113.01	3	Vertical	0	1.80	-	33.78	6.52	32.90
AV	5.52008G	107.73	Inf	-Inf	100.33	3	Vertical	0	1.80	-	33.78	6.52	32.90

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 49  
 56/36/46/51/49  
 -3.04/3.09/1.12/-0.33/0.50

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45888G	66.39	74.00	-7.61	59.13	3	Horizontal	358	1.80	-	33.70	6.46	32.90
AV	5.4572G	52.86	54.00	-1.14	45.61	3	Horizontal	358	1.80	-	33.70	6.46	32.91
PK	5.46776G	67.70	68.20	-0.50	60.43	3	Horizontal	358	1.80	-	33.70	6.47	32.90
PK	5.51288G	117.74	Inf	-Inf	110.38	3	Horizontal	358	1.80	-	33.75	6.51	32.90
AV	5.51816G	106.09	Inf	-Inf	98.70	3	Horizontal	358	1.80	-	33.77	6.52	32.90



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
SET 49  
49  
11.14

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.00784G	55.12	74.00	-18.88	40.63	3	Vertical	146	1.79	-	38.49	8.75	32.75
AV	11.02792G	42.86	54.00	-11.14	28.38	3	Vertical	146	1.79	-	38.47	8.76	32.75

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
SET 49  
49  
3.92

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.56536G	64.28	68.20	-3.92	45.70	3	Vertical	174	1.80	-	40.30	10.67	32.39

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
 SET 49  
 49  
 11.16

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99624G	55.94	74.00	-18.06	41.44	3	Horizontal	356	1.80	-	38.50	8.75	32.75
AV	11.05552G	42.84	54.00	-11.16	28.40	3	Horizontal	356	1.80	-	38.44	8.76	32.76

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5510MHz\_TnomVnom




EUT Y\_4TX  
SET 49  
49  
4.06

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.51232G	64.14	68.20	-4.06	45.61	3	Horizontal	328	1.80	-	40.30	10.65	32.42

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 58  
 80/60/50/55/57/58  
 -13.78/-1.40/2.91/1.99/1.40/1.05

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	65.24	74.00	-8.76	57.99	3	Vertical	0	1.80	-	33.70	6.46	32.91
AV	5.4596G	52.87	54.00	-1.13	45.61	3	Vertical	0	1.80	-	33.70	6.46	32.90
PK	5.47G	67.15	68.20	-1.05	59.88	3	Vertical	0	1.80	-	33.70	6.47	32.90
PK	5.5396G	120.38	Inf	-Inf	112.88	3	Vertical	0	1.80	-	33.86	6.54	32.90
AV	5.5348G	108.73	Inf	-Inf	101.26	3	Vertical	0	1.80	-	33.84	6.53	32.90
PK	5.7292G	62.45	68.20	-5.75	54.54	3	Vertical	0	1.80	-	34.23	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 56  
 58/38/48/53/55/56  
 -0.11/3.56/2.41/1.87/1.13/0.18

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	65.53	74.00	-8.47	58.28	3	Horizontal	0	1.80	-	33.70	6.46	32.91
AV	5.4572G	52.99	54.00	-1.01	45.74	3	Horizontal	0	1.80	-	33.70	6.46	32.91
PK	5.4676G	68.02	68.20	-0.18	60.75	3	Horizontal	0	1.80	-	33.70	6.47	32.90
PK	5.5372G	120.48	Inf	-Inf	112.99	3	Horizontal	0	1.80	-	33.85	6.54	32.90
AV	5.5428G	108.42	Inf	-Inf	100.91	3	Horizontal	0	1.80	-	33.87	6.54	32.90
PK	5.742G	62.61	68.20	-5.59	54.59	3	Horizontal	0	1.80	-	34.34	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
 SET 56  
 56  
 11.39

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1136G	55.72	74.00	-18.28	41.31	3	Vertical	360	1.80	-	38.39	8.78	32.76
AV	11.1144G	42.61	54.00	-11.39	28.20	3	Vertical	360	1.80	-	38.39	8.78	32.76

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
 SET 56  
 56  
 4.70

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.66224G	63.50	68.20	-4.70	44.77	3	Vertical	164	2.95	-	40.36	10.70	32.33



### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
SET 56  
56  
11.46

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06712G	55.93	74.00	-18.07	41.49	3	Horizontal	252	1.80	-	38.43	8.77	32.76
AV	11.06288G	42.54	54.00	-11.46	28.09	3	Horizontal	252	1.80	-	38.44	8.77	32.76

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5550MHz\_TnomVnom




EUT Y\_4TX  
SET 56  
56  
4.80

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.6884G	63.40	68.20	-4.80	44.62	3	Horizontal	307	1.80	-	40.39	10.71	32.32

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 42  
 80/60/50/45/43/42  
 -27.57/-10.82/-3.95/-0.88/-0.90/1.43

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.67512G	116.44	Inf	-Inf	108.71	3	Vertical	360	1.80	-	34.05	6.60	32.92
AV	5.65976G	104.76	Inf	-Inf	97.00	3	Vertical	360	1.80	-	34.08	6.60	32.92
PK	5.72568G	66.77	68.20	-1.43	58.88	3	Vertical	360	1.80	-	34.21	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Z\_4TX  
SET 42  
42  
0.07

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.66392G	116.69	Inf	-Inf	108.94	3	Horizontal	355	1.80	-	34.07	6.60	32.92
AV	5.65784G	104.85	Inf	-Inf	97.09	3	Horizontal	355	1.80	-	34.08	6.60	32.92
PK	5.72792G	68.13	68.20	-0.07	60.23	3	Horizontal	355	1.80	-	34.22	6.60	32.92

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
 SET 42  
 42  
 10.67

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37752G	56.12	74.00	-17.88	41.68	3	Vertical	209	1.80	-	38.40	8.84	32.80
AV	11.36848G	43.33	54.00	-10.67	28.88	3	Vertical	209	1.80	-	38.40	8.84	32.79

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
SET 42  
42  
2.85

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.04056G	65.35	68.20	-2.85	45.43	3	Vertical	284	1.13	-	41.22	10.81	32.11

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
 SET 42  
 42  
 10.51

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34832G	55.47	74.00	-18.53	41.02	3	Horizontal	255	1.80	-	38.40	8.84	32.79
AV	11.38G	43.49	54.00	-10.51	29.05	3	Horizontal	255	1.80	-	38.40	8.84	32.80

### 802.11ax HEW40\_Nss1,(MCS0)\_4TX

### 5670MHz\_TnomVnom




EUT Y\_4TX  
SET 42  
42  
3.00

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.99352G	65.20	68.20	-3.00	45.44	3	Horizontal	6	2.61	-	41.09	10.80	32.13




**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT\_Z\_4TX  
 SET 72  
 80/60/70/75/73/72  
 -2.11/2.71/1.43/-0.63/-0.49/1.68

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45936G	63.23	74.00	-10.77	55.97	3	Vertical	360	1.80	-	33.70	6.46	32.90
AV	5.45104G	51.88	54.00	-2.12	44.64	3	Vertical	360	1.80	-	33.70	6.45	32.91
PK	5.46248G	62.58	68.20	-5.62	55.32	3	Vertical	360	1.80	-	33.70	6.46	32.90
PK	5.7152G	121.98	Inf	-Inf	114.18	3	Vertical	360	1.80	-	34.12	6.60	32.92
AV	5.7152G	111.00	Inf	-Inf	103.20	3	Vertical	360	1.80	-	34.12	6.60	32.92
PK	5.85G	66.52	68.20	-1.68	58.06	3	Vertical	360	1.80	-	34.80	6.60	32.94

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT\_Z\_4TX  
 SET 72  
 72  
 0.97

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45416G	65.01	74.00	-8.99	57.77	3	Horizontal	360	1.80	-	33.70	6.45	32.91
AV	5.45728G	53.03	54.00	-0.97	45.78	3	Horizontal	360	1.80	-	33.70	6.46	32.91
PK	5.46144G	63.86	68.20	-4.34	56.60	3	Horizontal	360	1.80	-	33.70	6.46	32.90
PK	5.71208G	122.58	Inf	-Inf	114.80	3	Horizontal	360	1.80	-	34.10	6.60	32.92
AV	5.72144G	111.48	Inf	-Inf	103.63	3	Horizontal	360	1.80	-	34.17	6.60	32.92
PK	5.85248G	66.51	68.20	-1.69	58.05	3	Horizontal	360	1.80	-	34.80	6.60	32.94

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**


**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 SET 72  
 72  
 10.34

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4296G	56.34	74.00	-17.66	41.88	3	Vertical	25	1.80	-	38.40	8.86	32.80
AV	11.44904G	43.66	54.00	-10.34	29.20	3	Vertical	25	1.80	-	38.40	8.86	32.80


**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 SET 72  
 72  
 2.10

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.12528G	66.10	68.20	-2.10	45.87	3	Vertical	148	1.29	-	41.45	10.84	32.06


**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**



EUT Y\_4TX  
 SET 72  
 72  
 10.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.45832G	56.29	74.00	-17.71	41.83	3	Horizontal	35	1.80	-	38.40	8.86	32.80
AV	11.43176G	43.53	54.00	-10.47	29.07	3	Horizontal	35	1.80	-	38.40	8.86	32.80

**802.11ax HEW40\_Nss1,(MCS0)\_4TX**  
**5710MHz Straddle 5.47-5.725GHz\_TnomVnom**




EUT Y\_4TX  
 SET 72  
 72  
 1.66

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.11944G	66.54	68.20	-1.66	46.33	3	Horizontal	177	1.80	-	41.44	10.84	32.07

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_Z\_4TX  
SET 50  
80/60/50  
-34.79/-5.11/0.47

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.14728G	61.16	74.00	-12.84	55.02	3	Vertical	1	1.80	-	32.71	6.37	32.94
AV	5.14856G	49.24	54.00	-4.76	43.11	3	Vertical	1	1.80	-	32.70	6.37	32.94
PK	5.31944G	114.03	Inf	-Inf	107.61	3	Vertical	1	1.80	-	32.94	6.40	32.92
AV	5.32008G	102.14	Inf	-Inf	95.72	3	Vertical	1	1.80	-	32.94	6.40	32.92
PK	5.354G	65.29	74.00	-8.71	58.79	3	Vertical	1	1.80	-	33.02	6.40	32.92
AV	5.35G	53.53	54.00	-0.47	47.05	3	Vertical	1	1.80	-	33.00	6.40	32.92

### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom




EUT\_Z\_4TX  
 SET 45  
 50/30/40/45/47/46/45  
 -1.79/2.28/2.53/0.59/-0.43/-0.16/0.56

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.13832G	60.27	74.00	-13.73	54.12	3	Horizontal	3	1.80	-	32.72	6.37	32.94
AV	5.14536G	48.32	54.00	-5.68	42.18	3	Horizontal	3	1.80	-	32.71	6.37	32.94
PK	5.32776G	113.30	Inf	-Inf	106.86	3	Horizontal	3	1.80	-	32.96	6.40	32.92
AV	5.32264G	100.88	Inf	-Inf	94.45	3	Horizontal	3	1.80	-	32.95	6.40	32.92
PK	5.35272G	64.27	74.00	-9.73	57.78	3	Horizontal	3	1.80	-	33.01	6.40	32.92
AV	5.35208G	53.44	54.00	-0.56	46.95	3	Horizontal	3	1.80	-	33.01	6.40	32.92



### 802.11ax HEW80\_Nss1,(MCS0)\_4TX

### 5290MHz\_TnomVnom



EUT Y\_4TX  
 SET 45  
 45  
 11.37

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53056G	54.76	68.20	-13.44	40.59	3	Vertical	2	1.80	-	38.53	8.63	32.99
AV	10.64704G	42.63	54.00	-11.37	28.30	3	Vertical	2	1.80	-	38.60	8.66	32.93