


802.11ax HEW20_Nss1,(MCS0)_1TX


5700MHz_TnomVnom



EUT_Z_1TX
Setting 45
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4394G	51.50	74.00	-22.50	37.97	3	Horizontal	219	1.08	-	38.88	7.88	33.23
AV	11.438G	38.08	54.00	-15.92	24.55	3	Horizontal	219	1.08	-	38.88	7.88	33.23


802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
 Setting 94
 02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4296G	57.24	74.00	-16.76	50.08	3	Vertical	168	1.85	-	33.86	5.43	32.13
PK	5.4644G	55.56	68.20	-12.64	48.33	3	Vertical	168	1.85	-	33.90	5.46	32.13
AV	5.456G	43.77	54.00	-10.23	36.54	3	Vertical	168	1.85	-	33.90	5.46	32.13
PK	5.7224G	100.56	Inf	-Inf	93.36	3	Vertical	168	1.85	-	33.74	5.60	32.14
AV	5.7236G	87.10	Inf	-Inf	79.89	3	Vertical	168	1.85	-	33.75	5.60	32.14
PK	5.8964G	57.40	68.20	-10.80	49.86	3	Vertical	168	1.85	-	33.99	5.70	32.15


802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
 Setting 94
 02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	57.76	74.00	-16.24	50.54	3	Horizontal	174	1.77	-	33.90	5.45	32.13
AV	5.4452G	45.10	54.00	-8.90	37.89	3	Horizontal	174	1.77	-	33.89	5.45	32.13
PK	5.468G	57.88	68.20	-10.32	50.64	3	Horizontal	174	1.77	-	33.90	5.47	32.13
PK	5.7212G	119.70	Inf	-Inf	112.50	3	Horizontal	174	1.77	-	33.74	5.60	32.14
AV	5.726G	106.92	Inf	-Inf	99.71	3	Horizontal	174	1.77	-	33.75	5.60	32.14
PK	5.8724G	68.04	68.20	-0.16	60.63	3	Horizontal	174	1.77	-	33.89	5.67	32.15


802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
 Setting 94
 02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44702G	52.19	74.00	-21.81	38.65	3	Vertical	171	1.48	-	38.89	7.88	33.23
AV	11.44552G	37.91	54.00	-16.09	24.37	3	Vertical	171	1.48	-	38.89	7.88	33.23

802.11ax HEW20_Nss1,(MCS0)_1TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
 Setting 94
 02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4496G	52.99	74.00	-21.01	39.44	3	Horizontal	272	1.31	-	38.90	7.88	33.23
AV	11.43586G	37.92	54.00	-16.08	24.41	3	Horizontal	272	1.31	-	38.87	7.87	33.23

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT Z_1TX
Setting 92
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	56.76	68.20	-11.44	49.48	3	Vertical	175	1.62	-	33.82	5.60	32.14
PK	5.752G	102.10	Inf	-Inf	94.85	3	Vertical	175	1.62	-	33.80	5.60	32.15
AV	5.741G	88.92	Inf	-Inf	81.68	3	Vertical	175	1.62	-	33.78	5.60	32.14
PK	5.947G	57.40	68.20	-10.80	49.72	3	Vertical	175	1.62	-	34.09	5.75	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 92
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	68.07	68.20	-0.13	60.80	3	Horizontal	174	1.76	-	33.81	5.60	32.14
PK	5.752G	121.40	Inf	-Inf	114.15	3	Horizontal	174	1.76	-	33.80	5.60	32.15
AV	5.743G	107.74	Inf	-Inf	100.49	3	Horizontal	174	1.76	-	33.79	5.60	32.14
PK	5.946G	62.02	68.20	-6.18	54.34	3	Horizontal	174	1.76	-	34.09	5.75	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT_Z_1TX
Setting 92
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.622G	52.08	74.00	-21.92	38.06	3	Vertical	44	1.47	-	39.32	7.95	33.25
AV	11.6358G	38.30	54.00	-15.70	24.27	3	Vertical	44	1.47	-	39.34	7.95	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5745MHz_TnomVnom




EUT Z_1TX
Setting 92
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6136G	53.60	74.00	-20.40	39.59	3	Horizontal	61	1.66	-	39.31	7.95	33.25
AV	11.64G	40.32	54.00	-13.68	26.28	3	Horizontal	61	1.66	-	39.34	7.96	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.55G	56.48	68.20	-11.72	49.16	3	Vertical	171	1.68	-	33.90	5.55	32.13
PK	5.78G	101.91	Inf	-Inf	94.72	3	Vertical	171	1.68	-	33.74	5.60	32.15
AV	5.777G	88.28	Inf	-Inf	81.08	3	Vertical	171	1.68	-	33.75	5.60	32.15
PK	5.964G	58.11	68.20	-10.09	50.41	3	Vertical	171	1.68	-	34.10	5.76	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	66.17	68.20	-2.03	58.90	3	Horizontal	177	1.73	-	33.81	5.60	32.14
PK	5.788G	119.00	Inf	-Inf	111.83	3	Horizontal	177	1.73	-	33.72	5.60	32.15
AV	5.781G	106.41	Inf	-Inf	99.22	3	Horizontal	177	1.73	-	33.74	5.60	32.15
PK	5.923G	68.04	69.68	-1.64	60.43	3	Horizontal	177	1.73	-	34.05	5.72	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5592G	52.35	74.00	-21.65	38.49	3	Vertical	231	1.80	-	39.18	7.92	33.24
AV	11.57096G	38.16	54.00	-15.84	24.26	3	Vertical	231	1.80	-	39.21	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5785MHz_TnomVnom




EUT_Z_1TX
Setting 95
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5733G	52.67	74.00	-21.33	38.76	3	Horizontal	240	2.25	-	39.22	7.93	33.24
AV	11.57012G	38.82	54.00	-15.18	24.92	3	Horizontal	240	2.25	-	39.21	7.93	33.24

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Z_1TX
Setting 93
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	57.04	68.20	-11.16	49.77	3	Vertical	172	1.65	-	33.81	5.60	32.14
PK	5.82G	102.13	Inf	-Inf	94.92	3	Vertical	172	1.65	-	33.74	5.62	32.15
AV	5.822G	89.07	Inf	-Inf	81.86	3	Vertical	172	1.65	-	33.74	5.62	32.15
PK	5.979G	57.21	68.20	-10.99	49.49	3	Vertical	172	1.65	-	34.10	5.78	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT Z_1TX
Setting 93
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	62.30	68.20	-5.90	54.99	3	Horizontal	177	1.96	-	33.85	5.60	32.14
PK	5.831G	120.60	Inf	-Inf	113.36	3	Horizontal	177	1.96	-	33.76	5.63	32.15
AV	5.831G	107.29	Inf	-Inf	100.05	3	Horizontal	177	1.96	-	33.76	5.63	32.15
PK	5.925G	68.01	68.20	-0.19	60.40	3	Horizontal	177	1.96	-	34.05	5.72	32.16

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6473G	52.92	74.00	-21.08	38.87	3	Vertical	1	2.01	-	39.35	7.96	33.26
AV	11.65942G	38.49	54.00	-15.51	24.43	3	Vertical	1	2.01	-	39.36	7.96	33.26

802.11ax HEW20_Nss1,(MCS0)_1TX

5825MHz_TnomVnom




EUT_Z_1TX
Setting 93
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64082G	52.86	74.00	-21.14	38.82	3	Horizontal	61	1.04	-	39.34	7.96	33.26
AV	11.6467G	38.52	54.00	-15.48	24.47	3	Horizontal	61	1.04	-	39.35	7.96	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT Z_1TX
Setting 63
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	57.40	74.00	-16.60	50.80	3	Vertical	185	1.00	-	33.50	5.25	32.15
AV	5.1476G	45.36	54.00	-8.64	38.76	3	Vertical	185	1.00	-	33.50	5.25	32.15
PK	5.1724G	96.23	Inf	-Inf	89.61	3	Vertical	185	1.00	-	33.50	5.27	32.15
AV	5.1744G	84.27	Inf	-Inf	77.65	3	Vertical	185	1.00	-	33.50	5.27	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT Z_1TX
Setting 63
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.88	74.00	-9.12	58.28	3	Horizontal	185	1.85	-	33.50	5.25	32.15
AV	5.15G	53.88	54.00	-0.12	47.28	3	Horizontal	185	1.85	-	33.50	5.25	32.15
PK	5.1844G	110.26	Inf	-Inf	103.63	3	Horizontal	185	1.85	-	33.50	5.28	32.15
AV	5.1728G	98.55	Inf	-Inf	91.93	3	Horizontal	185	1.85	-	33.50	5.27	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT_Z_1TX
Setting 63
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57696G	54.13	74.00	-19.87	39.89	3	Vertical	349	1.89	-	37.67	9.81	33.24
AV	15.56874G	40.73	54.00	-13.27	26.46	3	Vertical	349	1.89	-	37.69	9.81	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX

5190MHz_TnomVnom




EUT Z_1TX
Setting 63
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56778G	53.82	74.00	-20.18	39.54	3	Horizontal	162	1.80	-	37.70	9.81	33.23
AV	15.57132G	40.84	54.00	-13.16	26.57	3	Horizontal	162	1.80	-	37.69	9.81	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT Z_1TX
Setting 72
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0848G	57.54	74.00	-16.46	51.07	3	Vertical	169	2.88	-	33.44	5.18	32.15
AV	5.1022G	45.39	54.00	-8.61	38.84	3	Vertical	169	2.88	-	33.50	5.20	32.15
PK	5.2336G	97.40	Inf	-Inf	90.66	3	Vertical	169	2.88	-	33.57	5.32	32.15
AV	5.2384G	84.67	Inf	-Inf	77.92	3	Vertical	169	2.88	-	33.58	5.32	32.15
PK	5.3512G	56.58	74.00	-17.42	49.64	3	Vertical	169	2.88	-	33.70	5.38	32.14
AV	5.3656G	45.07	54.00	-8.93	38.10	3	Vertical	169	2.88	-	33.73	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT_Z_1TX
Setting 72
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	68.58	74.00	-5.42	61.98	3	Horizontal	180	1.96	-	33.50	5.25	32.15
AV	5.15G	53.85	54.00	-0.15	47.25	3	Horizontal	180	1.96	-	33.50	5.25	32.15
PK	5.227G	115.08	Inf	-Inf	108.37	3	Horizontal	180	1.96	-	33.55	5.31	32.15
AV	5.2432G	102.92	Inf	-Inf	96.16	3	Horizontal	180	1.96	-	33.59	5.32	32.15
PK	5.3524G	60.50	74.00	-13.50	53.56	3	Horizontal	180	1.96	-	33.70	5.38	32.14
AV	5.3518G	49.24	54.00	-4.76	42.30	3	Horizontal	180	1.96	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT Z_1TX
Setting 72
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5868G	54.05	74.00	-19.95	39.85	3	Vertical	72	1.16	-	37.64	9.81	33.25
AV	15.5778G	40.58	54.00	-13.42	26.34	3	Vertical	72	1.16	-	37.67	9.81	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX

5230MHz_TnomVnom




EUT Z_1TX
Setting 72
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6956G	53.62	74.00	-20.38	39.73	3	Horizontal	244	1.33	-	37.41	9.86	33.38
AV	15.6634G	40.33	54.00	-13.67	26.35	3	Horizontal	244	1.33	-	37.47	9.85	33.34

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_Z_1TX
Setting 76
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	55.70	74.00	-18.30	49.10	3	Vertical	169	2.95	-	33.50	5.25	32.15
AV	5.1314G	44.89	54.00	-9.11	38.31	3	Vertical	169	2.95	-	33.50	5.23	32.15
PK	5.255G	96.91	Inf	-Inf	90.11	3	Vertical	169	2.95	-	33.61	5.33	32.14
AV	5.2682G	84.71	Inf	-Inf	77.88	3	Vertical	169	2.95	-	33.64	5.33	32.14
PK	5.3738G	56.84	74.00	-17.16	49.84	3	Vertical	169	2.95	-	33.75	5.39	32.14
AV	5.351G	45.03	54.00	-8.97	38.09	3	Vertical	169	2.95	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_Z_1TX
Setting 76
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1392G	60.85	74.00	-13.15	54.26	3	Horizontal	179	1.94	-	33.50	5.24	32.15
AV	5.1482G	48.84	54.00	-5.16	42.24	3	Horizontal	179	1.94	-	33.50	5.25	32.15
PK	5.2586G	114.13	Inf	-Inf	107.32	3	Horizontal	179	1.94	-	33.62	5.33	32.14
AV	5.2532G	102.52	Inf	-Inf	95.72	3	Horizontal	179	1.94	-	33.61	5.33	32.14
PK	5.3522G	69.77	74.00	-4.23	62.83	3	Horizontal	179	1.94	-	33.70	5.38	32.14
AV	5.35G	53.82	54.00	-0.18	46.88	3	Horizontal	179	1.94	-	33.70	5.38	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_Z_1TX
Setting 76
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8031G	52.63	74.00	-21.37	38.83	3	Vertical	94	2.30	-	37.40	9.91	33.51
AV	15.80268G	40.22	54.00	-13.78	26.42	3	Vertical	94	2.30	-	37.40	9.91	33.51

802.11ax HEW40_Nss1,(MCS0)_1TX

5270MHz_TnomVnom




EUT_Z_1TX
Setting 76
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.79818G	52.61	74.00	-21.39	38.80	3	Horizontal	130	2.47	-	37.40	9.91	33.50
AV	15.82428G	40.42	54.00	-13.58	26.61	3	Horizontal	130	2.47	-	37.42	9.92	33.53

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT Z_1TX
Setting 68
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3256G	92.94	Inf	-Inf	86.02	3	Vertical	178	1.39	-	33.70	5.36	32.14
AV	5.3274G	81.27	Inf	-Inf	74.35	3	Vertical	178	1.39	-	33.70	5.36	32.14
PK	5.364G	57.04	74.00	-16.96	50.07	3	Vertical	178	1.39	-	33.73	5.38	32.14
AV	5.4552G	44.97	54.00	-9.03	37.74	3	Vertical	178	1.39	-	33.90	5.46	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT_Z_1TX
Setting 68
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3178G	111.77	Inf	-Inf	104.85	3	Horizontal	175	1.80	-	33.70	5.36	32.14
AV	5.3214G	99.33	Inf	-Inf	92.41	3	Horizontal	175	1.80	-	33.70	5.36	32.14
PK	5.3508G	68.00	74.00	-6.00	61.06	3	Horizontal	175	1.80	-	33.70	5.38	32.14
AV	5.35G	53.88	54.00	-0.12	46.95	3	Horizontal	175	1.80	-	33.70	5.37	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT Z_1TX
Setting 68
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.60656G	51.88	74.00	-22.12	38.95	3	Vertical	223	2.95	-	38.49	7.54	33.10
AV	10.60878G	39.72	54.00	-14.28	26.79	3	Vertical	223	2.95	-	38.49	7.54	33.10
PK	15.93204G	52.95	74.00	-21.05	39.17	3	Vertical	3	1.80	-	37.47	9.97	33.66
AV	15.93006G	40.27	54.00	-13.73	26.49	3	Vertical	3	1.80	-	37.47	9.97	33.66

802.11ax HEW40_Nss1,(MCS0)_1TX

5310MHz_TnomVnom




EUT Z_1TX
Setting 68
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61448G	55.43	74.00	-18.57	42.49	3	Horizontal	230	1.80	-	38.49	7.55	33.10
AV	10.6062G	41.81	54.00	-12.19	28.88	3	Horizontal	230	1.80	-	38.49	7.54	33.10
PK	15.91968G	52.97	74.00	-21.03	39.18	3	Horizontal	44	1.74	-	37.48	9.96	33.65
AV	15.93312G	40.12	54.00	-13.88	26.34	3	Horizontal	44	1.74	-	37.47	9.97	33.66

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT Z_1TX
Setting 61
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3696G	57.18	74.00	-16.82	50.20	3	Vertical	169	1.79	-	33.74	5.38	32.14
PK	5.4638G	56.50	68.20	-11.70	49.27	3	Vertical	169	1.79	-	33.90	5.46	32.13
AV	5.4548G	44.94	54.00	-9.06	37.72	3	Vertical	169	1.79	-	33.90	5.45	32.13
PK	5.525G	92.15	Inf	-Inf	84.85	3	Vertical	169	1.79	-	33.90	5.53	32.13
AV	5.5274G	79.26	Inf	-Inf	71.96	3	Vertical	169	1.79	-	33.90	5.53	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT_Z_1TX
Setting 61
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	62.92	74.00	-11.08	55.69	3	Horizontal	170	1.76	-	33.90	5.46	32.13
AV	5.46G	49.82	54.00	-4.18	42.59	3	Horizontal	170	1.76	-	33.90	5.46	32.13
PK	5.4698G	68.03	68.20	-0.17	60.79	3	Horizontal	170	1.76	-	33.90	5.47	32.13
PK	5.5256G	109.94	Inf	-Inf	102.64	3	Horizontal	170	1.76	-	33.90	5.53	32.13
AV	5.525G	98.31	Inf	-Inf	91.01	3	Horizontal	170	1.76	-	33.90	5.53	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT_Z_1TX
Setting 61
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01658G	51.58	74.00	-22.42	38.62	3	Vertical	261	2.37	-	38.52	7.71	33.27
AV	11.03038G	39.01	54.00	-14.99	26.04	3	Vertical	261	2.37	-	38.53	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5510MHz_TnomVnom




EUT_Z_1TX
Setting 61
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0206G	51.54	74.00	-22.46	38.58	3	Horizontal	331	1.25	-	38.52	7.71	33.27
AV	11.01682G	38.86	54.00	-15.14	25.90	3	Horizontal	331	1.25	-	38.52	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_Z_1TX
Setting 73
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4594G	56.53	74.00	-17.47	49.30	3	Vertical	165	1.96	-	33.90	5.46	32.13
AV	5.439G	45.57	54.00	-8.43	38.38	3	Vertical	165	1.96	-	33.88	5.44	32.13
PK	5.4696G	57.09	68.20	-11.11	49.85	3	Vertical	165	1.96	-	33.90	5.47	32.13
PK	5.5446G	97.67	Inf	-Inf	90.36	3	Vertical	165	1.96	-	33.90	5.54	32.13
AV	5.5572G	85.79	Inf	-Inf	78.46	3	Vertical	165	1.96	-	33.90	5.56	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_Z_1TX
Setting 73
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.81	74.00	-7.19	59.58	3	Horizontal	172	1.93	-	33.90	5.46	32.13
AV	5.4582G	53.19	54.00	-0.81	45.96	3	Horizontal	172	1.93	-	33.90	5.46	32.13
PK	5.4654G	67.97	68.20	-0.23	60.73	3	Horizontal	172	1.93	-	33.90	5.47	32.13
PK	5.5356G	116.03	Inf	-Inf	108.72	3	Horizontal	172	1.93	-	33.90	5.54	32.13
AV	5.5446G	103.73	Inf	-Inf	96.42	3	Horizontal	172	1.93	-	33.90	5.54	32.13

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT_Z_1TX
Setting 73
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0256G	51.75	74.00	-22.25	38.78	3	Vertical	275	1.02	-	38.53	7.71	33.27
AV	11.037G	37.98	54.00	-16.02	25.00	3	Vertical	275	1.02	-	38.54	7.71	33.27

802.11ax HEW40_Nss1,(MCS0)_1TX

5550MHz_TnomVnom




EUT Z_1TX
Setting 73
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.11086G	52.27	74.00	-21.73	39.18	3	Horizontal	330	1.80	-	38.61	7.74	33.26
AV	11.1027G	39.64	54.00	-14.36	26.56	3	Horizontal	330	1.80	-	38.60	7.74	33.26

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT Z_1TX
Setting 52
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6532G	93.09	Inf	-Inf	85.84	3	Vertical	166	1.91	-	33.79	5.60	32.14
AV	5.652G	81.44	Inf	-Inf	74.18	3	Vertical	166	1.91	-	33.80	5.60	32.14
PK	5.7912G	57.17	68.20	-11.03	50.00	3	Vertical	166	1.91	-	33.72	5.60	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT Z_1TX
Setting 52
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6622G	112.09	Inf	-Inf	104.85	3	Horizontal	172	1.96	-	33.78	5.60	32.14
AV	5.6538G	99.66	Inf	-Inf	92.41	3	Horizontal	172	1.96	-	33.79	5.60	32.14
PK	5.7258G	67.99	68.20	-0.21	60.78	3	Horizontal	172	1.96	-	33.75	5.60	32.14

802.11ax HEW40_Nss1,(MCS0)_1TX

5670MHz_TnomVnom




EUT_Z_1TX
Setting 52
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33322G	51.95	74.00	-22.05	38.63	3	Vertical	212	1.33	-	38.73	7.83	33.24
AV	11.34306G	38.68	54.00	-15.32	25.34	3	Vertical	212	1.33	-	38.74	7.84	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX


5670MHz_TnomVnom



EUT Z_1TX
Setting 52
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33502G	53.61	74.00	-20.39	40.28	3	Horizontal	207	1.83	-	38.74	7.83	33.24
AV	11.3388G	41.12	54.00	-12.88	27.78	3	Horizontal	207	1.83	-	38.74	7.84	33.24

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
 Setting 76
 02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7284G	95.70	Inf	-Inf	88.48	3	Vertical	168	1.86	-	33.76	5.60	32.14
AV	5.726G	84.48	Inf	-Inf	77.27	3	Vertical	168	1.86	-	33.75	5.60	32.14
PK	5.902G	57.11	68.20	-11.09	49.56	3	Vertical	168	1.86	-	34.00	5.70	32.15

802.11ax HEW40_Nss1,(MCS0)_1TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
Setting 76
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7268G	116.17	Inf	-Inf	108.96	3	Horizontal	174	1.78	-	33.75	5.60	32.14
AV	5.7276G	103.94	Inf	-Inf	96.72	3	Horizontal	174	1.78	-	33.76	5.60	32.14
PK	5.85G	68.02	68.20	-0.18	60.72	3	Horizontal	174	1.78	-	33.80	5.65	32.15


802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
 Setting 76
 02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4095G	51.61	74.00	-22.39	38.16	3	Vertical	28	2.99	-	38.82	7.86	33.23
AV	11.4059G	39.30	54.00	-14.70	25.86	3	Vertical	28	2.99	-	38.81	7.86	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
 Setting 76
 02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42258G	51.60	74.00	-22.40	38.11	3	Horizontal	79	2.67	-	38.85	7.87	33.23
AV	11.42318G	38.92	54.00	-15.08	25.43	3	Horizontal	79	2.67	-	38.85	7.87	33.23

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 83
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.606G	57.14	68.20	-11.06	49.79	3	Vertical	174	1.63	-	33.89	5.60	32.14
PK	5.742G	98.07	Inf	-Inf	90.83	3	Vertical	174	1.63	-	33.78	5.60	32.14
AV	5.759G	86.51	Inf	-Inf	79.28	3	Vertical	174	1.63	-	33.78	5.60	32.15
PK	5.962G	58.01	68.20	-10.19	50.31	3	Vertical	174	1.63	-	34.10	5.76	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 83
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.97	68.20	-0.23	60.71	3	Horizontal	174	1.80	-	33.80	5.60	32.14
PK	5.749G	117.89	Inf	-Inf	110.63	3	Horizontal	174	1.80	-	33.80	5.60	32.14
AV	5.743G	105.71	Inf	-Inf	98.46	3	Horizontal	174	1.80	-	33.79	5.60	32.14
PK	5.961G	62.07	68.20	-6.13	54.37	3	Horizontal	174	1.80	-	34.10	5.76	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 83
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50694G	52.78	74.00	-21.22	39.08	3	Vertical	204	2.58	-	39.02	7.90	33.22
AV	11.49668G	39.51	54.00	-14.49	25.84	3	Vertical	204	2.58	-	38.99	7.90	33.22

802.11ax HEW40_Nss1,(MCS0)_1TX

5755MHz_TnomVnom




EUT_Z_1TX
Setting 83
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51528G	53.19	74.00	-20.81	39.45	3	Horizontal	143	2.54	-	39.05	7.91	33.22
AV	11.50034G	40.75	54.00	-13.25	27.07	3	Horizontal	143	2.54	-	39.00	7.90	33.22

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT Z_1TX
Setting 86
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	57.86	68.20	-10.34	50.58	3	Vertical	172	1.69	-	33.82	5.60	32.14
PK	5.802G	96.72	Inf	-Inf	89.57	3	Vertical	172	1.69	-	33.70	5.60	32.15
AV	5.794G	85.47	Inf	-Inf	78.31	3	Vertical	172	1.69	-	33.71	5.60	32.15
PK	5.99G	57.65	68.20	-10.55	49.92	3	Vertical	172	1.69	-	34.10	5.79	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT Z_1TX
Setting 86
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	66.73	68.20	-1.47	59.47	3	Horizontal	178	1.80	-	33.80	5.60	32.14
PK	5.792G	115.93	Inf	-Inf	108.76	3	Horizontal	178	1.80	-	33.72	5.60	32.15
AV	5.8G	104.07	Inf	-Inf	96.92	3	Horizontal	178	1.80	-	33.70	5.60	32.15
PK	5.928G	68.11	68.20	-0.09	60.48	3	Horizontal	178	1.80	-	34.06	5.73	32.16

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_Z_1TX
Setting 86
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59066G	52.77	74.00	-21.23	38.80	3	Vertical	269	2.30	-	39.27	7.94	33.24
AV	11.59966G	40.13	54.00	-13.87	26.14	3	Vertical	269	2.30	-	39.30	7.94	33.25

802.11ax HEW40_Nss1,(MCS0)_1TX

5795MHz_TnomVnom




EUT_Z_1TX
Setting 86
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59042G	52.32	74.00	-21.68	38.35	3	Horizontal	286	1.87	-	39.27	7.94	33.24
AV	11.58436G	40.02	54.00	-13.98	26.08	3	Horizontal	286	1.87	-	39.25	7.93	33.24

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_Z_1TX
Setting 66
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0404G	56.46	74.00	-17.54	50.20	3	Vertical	168	2.92	-	33.28	5.14	32.16
AV	5.0956G	45.22	54.00	-8.78	38.69	3	Vertical	168	2.92	-	33.48	5.20	32.15
PK	5.182G	90.86	Inf	-Inf	84.23	3	Vertical	168	2.92	-	33.50	5.28	32.15
AV	5.1804G	78.60	Inf	-Inf	71.97	3	Vertical	168	2.92	-	33.50	5.28	32.15
PK	5.3564G	56.87	74.00	-17.13	49.92	3	Vertical	168	2.92	-	33.71	5.38	32.14
AV	5.3612G	44.94	54.00	-9.06	37.98	3	Vertical	168	2.92	-	33.72	5.38	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_Z_1TX
Setting 66
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	65.12	74.00	-8.88	58.52	3	Horizontal	186	1.97	-	33.50	5.25	32.15
AV	5.15G	53.78	54.00	-0.22	47.18	3	Horizontal	186	1.97	-	33.50	5.25	32.15
PK	5.246G	109.84	Inf	-Inf	103.08	3	Horizontal	186	1.97	-	33.59	5.32	32.15
AV	5.2404G	97.55	Inf	-Inf	90.80	3	Horizontal	186	1.97	-	33.58	5.32	32.15
PK	5.3556G	61.05	74.00	-12.95	54.10	3	Horizontal	186	1.97	-	33.71	5.38	32.14
AV	5.3524G	48.71	54.00	-5.29	41.77	3	Horizontal	186	1.97	-	33.70	5.38	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_Z_1TX
Setting 66
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6243G	53.89	74.00	-20.11	39.81	3	Vertical	313	2.04	-	37.55	9.83	33.30
AV	15.61644G	40.48	54.00	-13.52	26.37	3	Vertical	313	2.04	-	37.57	9.83	33.29

802.11ax HEW80_Nss1,(MCS0)_1TX

5210MHz_TnomVnom




EUT_Z_1TX
Setting 66
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63822G	53.82	74.00	-20.18	39.77	3	Horizontal	17	2.62	-	37.52	9.84	33.31
AV	15.62976G	40.67	54.00	-13.33	26.60	3	Horizontal	17	2.62	-	37.54	9.83	33.30

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 66
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.083G	56.48	74.00	-17.52	50.03	3	Vertical	169	2.95	-	33.43	5.18	32.16
AV	5.115G	44.80	54.00	-9.20	38.24	3	Vertical	169	2.95	-	33.50	5.21	32.15
PK	5.283G	91.57	Inf	-Inf	84.70	3	Vertical	169	2.95	-	33.67	5.34	32.14
AV	5.283G	79.31	Inf	-Inf	72.44	3	Vertical	169	2.95	-	33.67	5.34	32.14
PK	5.38G	56.45	74.00	-17.55	49.44	3	Vertical	169	2.95	-	33.76	5.39	32.14
AV	5.372G	44.85	54.00	-9.15	37.86	3	Vertical	169	2.95	-	33.74	5.39	32.14
PK	5.53G	56.92	68.20	-11.28	49.62	3	Vertical	169	2.95	-	33.90	5.53	32.13

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 66
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	60.67	74.00	-13.33	54.08	3	Horizontal	178	1.92	-	33.50	5.24	32.15
AV	5.147G	48.63	54.00	-5.37	42.03	3	Horizontal	178	1.92	-	33.50	5.25	32.15
PK	5.257G	109.13	Inf	-Inf	102.33	3	Horizontal	178	1.92	-	33.61	5.33	32.14
AV	5.253G	97.28	Inf	-Inf	90.48	3	Horizontal	178	1.92	-	33.61	5.33	32.14
PK	5.35G	64.47	74.00	-9.53	57.53	3	Horizontal	178	1.92	-	33.70	5.38	32.14
AV	5.35G	52.60	54.00	-1.40	45.66	3	Horizontal	178	1.92	-	33.70	5.38	32.14
PK	5.478G	58.73	68.20	-9.47	51.48	3	Horizontal	178	1.92	-	33.90	5.48	32.13

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 66
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8703G	58.22	74.00	-15.78	44.40	3	Vertical	143	2.13	-	37.47	9.94	33.59
AV	15.8658G	45.10	54.00	-8.90	31.27	3	Vertical	143	2.13	-	37.47	9.94	33.58

802.11ax HEW80_Nss1,(MCS0)_1TX

5290MHz_TnomVnom




EUT_Z_1TX
Setting 66
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86436G	55.47	74.00	-18.53	41.65	3	Horizontal	113	1.76	-	37.46	9.94	33.58
AV	15.8817G	42.99	54.00	-11.01	29.16	3	Horizontal	113	1.76	-	37.48	9.95	33.60

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT_Z_1TX
Setting 62
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.415G	56.85	74.00	-17.15	49.74	3	Vertical	170	1.86	-	33.83	5.42	32.14
PK	5.467G	55.68	68.20	-12.52	48.44	3	Vertical	170	1.86	-	33.90	5.47	32.13
AV	5.451G	45.00	54.00	-9.00	37.78	3	Vertical	170	1.86	-	33.90	5.45	32.13
PK	5.534G	89.94	Inf	-Inf	82.64	3	Vertical	170	1.86	-	33.90	5.53	32.13
AV	5.548G	77.89	Inf	-Inf	70.57	3	Vertical	170	1.86	-	33.90	5.55	32.13
PK	5.733G	56.61	68.20	-11.59	49.38	3	Vertical	170	1.86	-	33.77	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT_Z_1TX
Setting 62
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.453G	66.36	74.00	-7.64	59.14	3	Horizontal	173	1.81	-	33.90	5.45	32.13
AV	5.459G	53.87	54.00	-0.13	46.64	3	Horizontal	173	1.81	-	33.90	5.46	32.13
PK	5.47G	65.68	68.20	-2.52	58.44	3	Horizontal	173	1.81	-	33.90	5.47	32.13
PK	5.544G	108.20	Inf	-Inf	100.89	3	Horizontal	173	1.81	-	33.90	5.54	32.13
AV	5.543G	96.30	Inf	-Inf	88.99	3	Horizontal	173	1.81	-	33.90	5.54	32.13
PK	5.746G	60.59	68.20	-7.61	53.34	3	Horizontal	173	1.81	-	33.79	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT Z_1TX
Setting 62
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05538G	50.97	74.00	-23.03	37.95	3	Vertical	333	2.29	-	38.56	7.72	33.26
AV	11.05166G	38.95	54.00	-15.05	25.94	3	Vertical	333	2.29	-	38.55	7.72	33.26

802.11ax HEW80_Nss1,(MCS0)_1TX

5530MHz_TnomVnom




EUT Z_1TX
Setting 62
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07476G	52.50	74.00	-21.50	39.46	3	Horizontal	168	2.52	-	38.57	7.73	33.26
AV	11.06642G	39.82	54.00	-14.18	26.78	3	Horizontal	168	2.52	-	38.57	7.73	33.26

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_Z_1TX
Setting 58
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	56.95	74.00	-17.05	49.74	3	Vertical	182	1.34	-	33.89	5.45	32.13
AV	5.454G	45.18	54.00	-8.82	37.96	3	Vertical	182	1.34	-	33.90	5.45	32.13
PK	5.465G	56.07	68.20	-12.13	48.84	3	Vertical	182	1.34	-	33.90	5.46	32.13
PK	5.633G	92.07	Inf	-Inf	84.78	3	Vertical	182	1.34	-	33.83	5.60	32.14
AV	5.647G	80.09	Inf	-Inf	72.82	3	Vertical	182	1.34	-	33.81	5.60	32.14
PK	5.837G	57.05	68.20	-11.15	49.79	3	Vertical	182	1.34	-	33.77	5.64	32.15

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_Z_1TX
Setting 58
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.447G	61.56	74.00	-12.44	54.35	3	Horizontal	170	1.97	-	33.89	5.45	32.13
PK	5.464G	61.99	68.20	-6.21	54.76	3	Horizontal	170	1.97	-	33.90	5.46	32.13
AV	5.459G	49.16	54.00	-4.84	41.93	3	Horizontal	170	1.97	-	33.90	5.46	32.13
PK	5.639G	110.89	Inf	-Inf	103.61	3	Horizontal	170	1.97	-	33.82	5.60	32.14
AV	5.641G	98.52	Inf	-Inf	91.24	3	Horizontal	170	1.97	-	33.82	5.60	32.14
PK	5.74G	68.08	68.20	-0.12	60.84	3	Horizontal	170	1.97	-	33.78	5.60	32.14

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_Z_1TX
Setting 58
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2281G	51.44	74.00	-22.56	38.20	3	Vertical	134	1.71	-	38.70	7.79	33.25
AV	11.20866G	38.27	54.00	-15.73	25.04	3	Vertical	134	1.71	-	38.70	7.78	33.25

802.11ax HEW80_Nss1,(MCS0)_1TX

5610MHz_TnomVnom




EUT_Z_1TX
Setting 58
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23098G	53.57	74.00	-20.43	40.33	3	Horizontal	249	1.80	-	38.70	7.79	33.25
AV	11.2245G	40.53	54.00	-13.47	27.29	3	Horizontal	249	1.80	-	38.70	7.79	33.25

802.11ax HEW80_Nss1,(MCS0)_1TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_Z_1TX
Setting 67
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4272G	56.54	74.00	-17.46	49.39	3	Vertical	178	1.42	-	33.85	5.43	32.13
AV	5.4392G	44.76	54.00	-9.24	37.57	3	Vertical	178	1.42	-	33.88	5.44	32.13
PK	5.468G	55.69	68.20	-12.51	48.45	3	Vertical	178	1.42	-	33.90	5.47	32.13
PK	5.7272G	93.54	Inf	-Inf	86.33	3	Vertical	178	1.42	-	33.75	5.60	32.14
AV	5.6576G	81.53	Inf	-Inf	74.29	3	Vertical	178	1.42	-	33.78	5.60	32.14
PK	5.9852G	57.14	68.20	-11.06	49.41	3	Vertical	178	1.42	-	34.10	5.79	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
 Setting 67
 02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.45G	60.23	74.00	-13.77	53.01	3	Horizontal	166	2.00	-	33.90	5.45	32.13
AV	5.4548G	47.79	54.00	-6.21	40.57	3	Horizontal	166	2.00	-	33.90	5.45	32.13
PK	5.4692G	59.00	68.20	-9.20	51.76	3	Horizontal	166	2.00	-	33.90	5.47	32.13
PK	5.6528G	111.47	Inf	-Inf	104.22	3	Horizontal	166	2.00	-	33.79	5.60	32.14
AV	5.6552G	98.87	Inf	-Inf	91.62	3	Horizontal	166	2.00	-	33.79	5.60	32.14
PK	5.8508G	68.09	68.20	-0.11	60.79	3	Horizontal	166	2.00	-	33.80	5.65	32.15

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_1TX
Setting 67
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39296G	51.66	74.00	-22.34	38.24	3	Vertical	117	2.55	-	38.79	7.86	33.23
AV	11.39236G	39.07	54.00	-14.93	25.65	3	Vertical	117	2.55	-	38.79	7.86	33.23

802.11ax HEW80_Nss1,(MCS0)_1TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_1TX
Setting 67
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37238G	52.03	74.00	-21.97	38.64	3	Horizontal	241	1.80	-	38.77	7.85	33.23
AV	11.37298G	39.18	54.00	-14.82	25.79	3	Horizontal	241	1.80	-	38.77	7.85	33.23

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT_Z_1TX
Setting 74
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.593G	57.07	68.20	-11.13	49.72	3	Vertical	169	1.69	-	33.90	5.59	32.14
PK	5.763G	93.06	Inf	-Inf	85.84	3	Vertical	169	1.69	-	33.77	5.60	32.15
AV	5.745G	81.00	Inf	-Inf	73.75	3	Vertical	169	1.69	-	33.79	5.60	32.14
PK	5.954G	57.75	68.20	-10.45	50.06	3	Vertical	169	1.69	-	34.10	5.75	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT_Z_1TX
Setting 74
02-B-C-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	68.05	68.20	-0.15	60.75	3	Horizontal	174	1.80	-	33.84	5.60	32.14
PK	5.746G	112.57	Inf	-Inf	105.32	3	Horizontal	174	1.80	-	33.79	5.60	32.14
AV	5.744G	100.59	Inf	-Inf	93.34	3	Horizontal	174	1.80	-	33.79	5.60	32.14
PK	5.943G	65.41	68.20	-2.79	57.74	3	Horizontal	174	1.80	-	34.09	5.74	32.16

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom




EUT_Z_1TX
Setting 74
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5518G	51.50	74.00	-22.50	37.65	3	Vertical	273	1.48	-	39.16	7.92	33.23
AV	11.56296G	39.53	54.00	-14.47	25.65	3	Vertical	273	1.48	-	39.19	7.93	33.24

802.11ax HEW80_Nss1,(MCS0)_1TX

5775MHz_TnomVnom



EUT_Z_1TX
Setting 74
02-B-C-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53908G	51.35	74.00	-22.65	37.54	3	Horizontal	38	1.20	-	39.12	7.92	33.23
AV	11.5569G	39.54	54.00	-14.46	25.68	3	Horizontal	38	1.20	-	39.17	7.92	33.23