





For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode





For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

03/07/2020

2412MHz\_TX



EUT\_Y\_4TX  
Setting 65  
03-A-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3882G	70.26	74.00	-3.74	41.69	3	Vertical	351	1.92	-	28.08	0.49	-
AV	2.3888G	48.44	54.00	-5.56	19.87	3	Vertical	351	1.92	-	28.08	0.49	-
PK	2.4094G	110.10	Inf	-Inf	81.46	3	Vertical	351	1.92	-	28.14	0.50	-
AV	2.416G	100.63	Inf	-Inf	71.97	3	Vertical	351	1.92	-	28.16	0.50	-




For EUT 1 / Radio 2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

03/07/2020

2412MHz\_TX



EUT\_Y\_4TX  
Setting 65  
03-A-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	73.88	74.00	-0.12	45.31	3	Horizontal	311	2.11	-	28.08	0.49	-
AV	2.39G	49.73	54.00	-4.27	21.16	3	Horizontal	311	2.11	-	28.08	0.49	-
PK	2.417G	112.19	Inf	-Inf	83.52	3	Horizontal	311	2.11	-	28.17	0.50	-
AV	2.4172G	102.56	Inf	-Inf	73.89	3	Horizontal	311	2.11	-	28.17	0.50	-






For EUT 1 / Radio 2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

03/07/2020

2412MHz\_TX



EUT\_Z\_4TX  
Setting 65  
03-A-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83336G	46.37	74.00	-27.63	42.56	3	Vertical	338	2.52	-	33.33	5.80	35.32
AV	4.8504G	33.67	54.00	-20.33	29.81	3	Vertical	338	2.52	-	33.40	5.80	35.34




For EUT 1 / Radio 2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

03/07/2020


2412MHz\_TX



EUT\_Z\_4TX  
Setting 65  
03-A-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.81788G	46.73	74.00	-27.27	42.97	3	Horizontal	334	2.41	-	33.27	5.80	35.31
AV	4.85304G	33.30	54.00	-20.70	29.43	3	Horizontal	334	2.41	-	33.41	5.80	35.34

For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

03/07/2020

2437MHz\_TX



EUT\_Y\_4TX  
Setting B2  
03-A-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	71.11	74.00	-2.89	42.54	3	Horizontal	328	2.46	-	28.08	0.49	-
AV	2.3898G	49.17	54.00	-4.83	20.60	3	Horizontal	328	2.46	-	28.08	0.49	-
PK	2.4326G	116.37	Inf	-Inf	87.64	3	Horizontal	328	2.46	-	28.23	0.50	-
AV	2.4322G	106.84	Inf	-Inf	78.11	3	Horizontal	328	2.46	-	28.23	0.50	-
PK	2.4846G	73.76	74.00	-0.24	44.82	3	Horizontal	328	2.46	-	28.44	0.50	-
AV	2.4835G	49.86	54.00	-4.14	20.93	3	Horizontal	328	2.46	-	28.43	0.50	-




For EUT 1 / Radio 2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

03/07/2020

2437MHz\_TX




EUT\_Z\_4TX  
Setting 82  
03-A-C-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8986G	46.48	74.00	-27.52	42.48	3	Vertical	211	1.26	-	33.59	5.80	35.39
AV	4.86692G	33.44	54.00	-20.56	29.53	3	Vertical	211	1.26	-	33.47	5.80	35.36
PK	7.32708G	50.02	74.00	-23.98	41.62	3	Vertical	301	1.13	-	36.73	7.07	35.40
AV	7.335G	36.90	54.00	-17.10	28.50	3	Vertical	301	1.13	-	36.73	7.07	35.40



For EUT 1 / Radio 2\_Non-Beamforming Mode



For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

03/07/2020

2462MHz\_TX




EUT\_Y\_4TX  
Setting 59  
03-A-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4658G	110.79	Inf	-Inf	81.93	3	Horizontal	329	2.00	-	28.36	0.50	-
AV	2.466G	101.63	Inf	-Inf	72.77	3	Horizontal	329	2.00	-	28.36	0.50	-
PK	2.4846G	73.84	74.00	-0.16	44.90	3	Horizontal	329	2.00	-	28.44	0.50	-
AV	2.4852G	45.64	54.00	-8.36	16.70	3	Horizontal	329	2.00	-	28.44	0.50	-






For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode







For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2020

2412MHz\_TX




EUT\_Z\_4TX  
Setting 60  
03-A-C-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.83012G	45.87	74.00	-28.13	42.07	3	Horizontal	294	2.63	-	33.32	5.80	35.32
AV	4.85028G	32.74	54.00	-21.26	28.88	3	Horizontal	294	2.63	-	33.40	5.80	35.34



For EUT 1 / Radio 2\_Non-Beamforming Mode




For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode





For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2020

2462MHz\_TX




EUT\_Y\_4TX  
Setting 50  
03-A-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4588G	110.81	Inf	-Inf	81.97	3	Horizontal	325	2.28	-	28.34	0.50	-
AV	2.4638G	96.91	Inf	-Inf	68.05	3	Horizontal	325	2.28	-	28.36	0.50	-
PK	2.484G	73.76	74.00	-0.24	44.82	3	Horizontal	325	2.28	-	28.44	0.50	-
AV	2.4835G	43.70	54.00	-10.30	14.77	3	Horizontal	325	2.28	-	28.43	0.50	-






For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode





For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2020

2417MHz\_TX




EUT V\_4TX  
Setting 70  
03-A-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3856G	73.31	74.00	-0.69	44.75	3	Horizontal	317	2.01	-	28.07	0.49	-
AV	2.39G	53.77	54.00	-0.23	25.20	3	Horizontal	317	2.01	-	28.08	0.49	-
PK	2.4142G	114.61	Inf	-Inf	85.95	3	Horizontal	317	2.01	-	28.16	0.50	-
AV	2.416G	101.23	Inf	-Inf	72.57	3	Horizontal	317	2.01	-	28.16	0.50	-



For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

03/07/2020

2457MHz\_TX




EUT\_V\_4TX  
Setting 63  
03-A-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4596G	113.08	Inf	-Inf	84.24	3	Horizontal	322	2.28	-	28.34	0.50	-
AV	2.4596G	100.91	Inf	-Inf	72.07	3	Horizontal	322	2.28	-	28.34	0.50	-
PK	2.4836G	73.76	74.00	-0.24	44.83	3	Horizontal	322	2.28	-	28.43	0.50	-
AV	2.4848G	48.34	54.00	-5.66	19.40	3	Horizontal	322	2.28	-	28.44	0.50	-



For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX

03/07/2020

2422MHz\_TX




EUT\_Y\_4TX  
Setting 61  
03-A-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	72.02	74.00	-1.98	43.45	3	Horizontal	326	1.89	-	28.08	0.49	-
AV	2.39G	53.78	54.00	-0.22	25.21	3	Horizontal	326	1.89	-	28.08	0.49	-
PK	2.42G	109.92	Inf	-Inf	81.24	3	Horizontal	326	1.89	-	28.18	0.50	-
AV	2.42G	98.89	Inf	-Inf	70.21	3	Horizontal	326	1.89	-	28.18	0.50	-
PK	2.4852G	57.76	74.00	-16.24	28.82	3	Horizontal	326	1.89	-	28.44	0.50	-
AV	2.4856G	44.15	54.00	-9.85	15.21	3	Horizontal	326	1.89	-	28.44	0.50	-






For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode




For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode





For EUT 1 / Radio 2\_Non-Beamforming Mode






For EUT 1 / Radio 2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX

03/07/2020

2452MHz\_TX



EUT\_Y\_4TX  
Setting 59  
03-A-C-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	56.89	74.00	-17.11	28.32	3	Vertical	355	1.85	-	28.08	0.49	-
AV	2.39G	43.31	54.00	-10.69	14.74	3	Vertical	355	1.85	-	28.08	0.49	-
PK	2.4404G	105.85	Inf	-Inf	77.09	3	Vertical	355	1.85	-	28.26	0.50	-
AV	2.4356G	95.54	Inf	-Inf	66.80	3	Vertical	355	1.85	-	28.24	0.50	-
PK	2.486G	66.78	74.00	-7.22	37.84	3	Vertical	355	1.85	-	28.44	0.50	-
AV	2.486G	48.64	54.00	-5.36	19.70	3	Vertical	355	1.85	-	28.44	0.50	-



For EUT 1 / Radio 2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX  
2452MHz\_TX

03/07/2020




EUT\_Y\_4TX  
Setting 59  
03-A-C-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	58.26	74.00	-15.74	29.69	3	Horizontal	326	2.12	-	28.08	0.49	-
AV	2.39G	43.34	54.00	-10.66	14.77	3	Horizontal	326	2.12	-	28.08	0.49	-
PK	2.4488G	110.51	Inf	-Inf	81.71	3	Horizontal	326	2.12	-	28.30	0.50	-
AV	2.4388G	98.15	Inf	-Inf	69.39	3	Horizontal	326	2.12	-	28.26	0.50	-
PK	2.484G	73.89	74.00	-0.11	44.95	3	Horizontal	326	2.12	-	28.44	0.50	-
AV	2.4835G	50.62	54.00	-3.38	21.69	3	Horizontal	326	2.12	-	28.43	0.50	-






For EUT 1 / Radio 2\_Non-Beamforming Mode





For EUT 1 / Radio 2\_Non-Beamforming Mode





For EUT 1 / Radio 3\_Non-Beamforming Mode  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1,(6Mbps)_2TX	Pass	PK	2.484G	73.98	74.00	-0.02	3	Vertical	315	2.67	-




For EUT 1 / Radio 3\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

03/07/2020

2412MHz\_TX



EUT Z\_2TX  
Setting 90  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	62.17	74.00	-11.83	33.60	3	Vertical	318	2.80	-	28.08	0.49	-
AV	2.39G	53.58	54.00	-0.42	25.01	3	Vertical	318	2.80	-	28.08	0.49	-
PK	2.411G	114.65	Inf	-Inf	86.01	3	Vertical	318	2.80	-	28.14	0.50	-
AV	2.4112G	110.87	Inf	-Inf	82.23	3	Vertical	318	2.80	-	28.14	0.50	-




For EUT 1 / Radio 3\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

03/07/2020

2412MHz\_TX




EUT\_Z\_2TX  
Setting 90  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	54.73	74.00	-19.27	26.16	3	Horizontal	141	1.16	-	28.08	0.49	-
AV	2.3894G	44.56	54.00	-9.44	15.99	3	Horizontal	141	1.16	-	28.08	0.49	-
PK	2.413G	105.78	Inf	-Inf	77.13	3	Horizontal	141	1.16	-	28.15	0.50	-
AV	2.4112G	102.19	Inf	-Inf	73.55	3	Horizontal	141	1.16	-	28.14	0.50	-




For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode




For EUT 1 / Radio 3\_Non-Beamforming Mode








For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode




For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode





For EUT 1 / Radio 3\_Non-Beamforming Mode








For EUT 1 / Radio 3\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

03/07/2020

2412MHz\_TX




EUT\_Z\_2TX  
Setting 65  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	66.18	74.00	-7.82	37.61	3	Horizontal	306	1.47	-	28.08	0.49	-
AV	2.3896G	43.72	54.00	-10.28	15.15	3	Horizontal	306	1.47	-	28.08	0.49	-
PK	2.409G	102.09	Inf	-Inf	73.45	3	Horizontal	306	1.47	-	28.14	0.50	-
AV	2.4142G	92.66	Inf	-Inf	64.00	3	Horizontal	306	1.47	-	28.16	0.50	-




For EUT 1 / Radio 3\_Non-Beamforming Mode





For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

03/07/2020

2417MHz\_TX



EUT\_Z\_2TX  
Setting 76  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	73.47	74.00	-0.53	44.90	3	Vertical	322	2.60	-	28.08	0.49	-
AV	2.39G	53.89	54.00	-0.11	25.32	3	Vertical	322	2.60	-	28.08	0.49	-
PK	2.4238G	111.71	Inf	-Inf	83.01	3	Vertical	322	2.60	-	28.20	0.50	-
AV	2.4192G	102.32	Inf	-Inf	73.64	3	Vertical	322	2.60	-	28.18	0.50	-




For EUT 1 / Radio 3\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

03/07/2020

2417MHz\_TX



EUT\_Z\_2TX  
Setting 76  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	66.65	74.00	-7.35	38.08	3	Horizontal	307	1.05	-	28.08	0.49	-
AV	2.3896G	47.87	54.00	-6.13	19.30	3	Horizontal	307	1.05	-	28.08	0.49	-
PK	2.4138G	105.10	Inf	-Inf	76.44	3	Horizontal	307	1.05	-	28.16	0.50	-
AV	2.4136G	95.53	Inf	-Inf	66.88	3	Horizontal	307	1.05	-	28.15	0.50	-




For EUT 1 / Radio 3\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

03/07/2020


2437MHz\_TX



EUT\_Z\_2TX  
Setting 86  
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3826G	69.32	74.00	-4.68	40.76	3	Vertical	308	2.73	-	28.07	0.49	-
AV	2.3882G	48.98	54.00	-5.02	20.41	3	Vertical	308	2.73	-	28.08	0.49	-
PK	2.4382G	114.21	Inf	-Inf	85.46	3	Vertical	308	2.73	-	28.25	0.50	-
AV	2.4386G	104.41	Inf	-Inf	75.66	3	Vertical	308	2.73	-	28.25	0.50	-
PK	2.4835G	73.57	74.00	-0.43	44.64	3	Vertical	308	2.73	-	28.43	0.50	-
AV	2.4835G	51.84	54.00	-2.16	22.91	3	Vertical	308	2.73	-	28.43	0.50	-

For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode








For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode




For EUT 1 / Radio 3\_Non-Beamforming Mode





For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

03/07/2020

2412MHz\_TX



EUT\_Z\_2TX  
Setting 67  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	73.54	74.00	-0.46	44.97	3	Vertical	307	2.85	-	28.08	0.49	-
AV	2.39G	53.63	54.00	-0.37	25.06	3	Vertical	307	2.85	-	28.08	0.49	-
PK	2.4052G	111.94	Inf	-Inf	83.32	3	Vertical	307	2.85	-	28.12	0.50	-
AV	2.4054G	99.18	Inf	-Inf	70.56	3	Vertical	307	2.85	-	28.12	0.50	-






For EUT 1 / Radio 3\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

03/07/2020

2412MHz\_TX




EUT\_Z\_2TX  
Setting 67  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	65.65	74.00	-8.35	37.08	3	Horizontal	307	1.05	-	28.08	0.49	-
AV	2.3894G	47.03	54.00	-6.97	18.46	3	Horizontal	307	1.05	-	28.08	0.49	-
PK	2.409G	105.59	Inf	-Inf	76.95	3	Horizontal	307	1.05	-	28.14	0.50	-
AV	2.4066G	92.67	Inf	-Inf	64.04	3	Horizontal	307	1.05	-	28.13	0.50	-




For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode





For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

03/07/2020

2437MHz\_TX




EUT\_Z\_2TX  
Setting 84  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	69.22	74.00	-4.78	40.65	3	Vertical	313	2.75	-	28.08	0.49	-
AV	2.389G	50.06	54.00	-3.94	21.49	3	Vertical	313	2.75	-	28.08	0.49	-
PK	2.4338G	115.47	Inf	-Inf	86.73	3	Vertical	313	2.75	-	28.24	0.50	-
AV	2.4386G	103.39	Inf	-Inf	74.64	3	Vertical	313	2.75	-	28.25	0.50	-
PK	2.4862G	71.77	74.00	-2.23	42.83	3	Vertical	313	2.75	-	28.44	0.50	-
AV	2.4835G	53.56	54.00	-0.44	24.63	3	Vertical	313	2.75	-	28.43	0.50	-




For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode








For EUT 1 / Radio 3\_Non-Beamforming Mode




For EUT 1 / Radio 3\_Non-Beamforming Mode





For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

03/07/2020

2462MHz\_TX



EUT\_Z\_2TX  
Setting 52  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4588G	109.16	Inf	-Inf	80.32	3	Vertical	311	2.68	-	28.34	0.50	-
AV	2.4562G	96.46	Inf	-Inf	67.64	3	Vertical	311	2.68	-	28.32	0.50	-
PK	2.4838G	73.07	74.00	-0.93	44.13	3	Vertical	311	2.68	-	28.44	0.50	-
AV	2.4835G	43.75	54.00	-10.25	14.82	3	Vertical	311	2.68	-	28.43	0.50	-




For EUT 1 / Radio 3\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

03/07/2020

2462MHz\_TX




EUT\_Z\_2TX  
Setting 52  
03-A-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4552G	101.37	Inf	-Inf	72.55	3	Horizontal	304	1.07	-	28.32	0.50	-
AV	2.4554G	88.93	Inf	-Inf	60.11	3	Horizontal	304	1.07	-	28.32	0.50	-
PK	2.4835G	64.34	74.00	-9.66	35.41	3	Horizontal	304	1.07	-	28.43	0.50	-
AV	2.4835G	41.61	54.00	-12.39	12.68	3	Horizontal	304	1.07	-	28.43	0.50	-




For EUT 1 / Radio 3\_Non-Beamforming Mode



For EUT 1 / Radio 3\_Non-Beamforming Mode



For EUT 1 / Radio 3\_Non-Beamforming Mode








For EUT 1 / Radio 3\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_2TX

03/07/2020

2422MHz\_TX




EUT\_Z\_2TX  
Setting 62  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3836G	67.38	74.00	-6.62	38.82	3	Horizontal	309	1.08	-	28.07	0.49	-
AV	2.39G	45.63	54.00	-8.37	17.06	3	Horizontal	309	1.08	-	28.08	0.49	-
PK	2.4276G	100.83	Inf	-Inf	72.12	3	Horizontal	309	1.08	-	28.21	0.50	-
AV	2.4276G	88.97	Inf	-Inf	60.26	3	Horizontal	309	1.08	-	28.21	0.50	-
PK	2.49G	53.92	74.00	-20.08	24.96	3	Horizontal	309	1.08	-	28.46	0.50	-
AV	2.4864G	41.75	54.00	-12.25	12.80	3	Horizontal	309	1.08	-	28.45	0.50	-




For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode




For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode



For EUT 1 / Radio 3\_Non-Beamforming Mode






For EUT 1 / Radio 3\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_2TX

03/07/2020

2452MHz\_TX




EUT\_Z\_2TX  
Setting 58  
03-A-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3836G	53.51	74.00	-20.49	24.95	3	Horizontal	307	1.05	-	28.07	0.49	-
AV	2.3832G	41.12	54.00	-12.88	12.56	3	Horizontal	307	1.05	-	28.07	0.49	-
PK	2.4576G	99.64	Inf	-Inf	70.81	3	Horizontal	307	1.05	-	28.33	0.50	-
AV	2.4528G	88.14	Inf	-Inf	59.33	3	Horizontal	307	1.05	-	28.31	0.50	-
PK	2.4844G	65.45	74.00	-8.55	36.51	3	Horizontal	307	1.05	-	28.44	0.50	-
AV	2.4852G	44.12	54.00	-9.88	15.18	3	Horizontal	307	1.05	-	28.44	0.50	-




For EUT 1 / Radio 3\_Non-Beamforming Mode





For EUT 1 / Radio 3\_Non-Beamforming Mode





For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode  
Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11g_Nss1,(6Mbps)_4TX	Pass	PK	2.39G	73.99	74.00	-0.01	3	Vertical	280	2.53	-

For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_4TX

08/07/2020

2412MHz\_TX



EUT X\_4TX  
Setting 87  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	62.72	74.00	-11.28	32.05	3	Vertical	236	2.29	-	27.48	3.19	-
AV	2.389G	53.86	54.00	-0.14	23.19	3	Vertical	236	2.29	-	27.48	3.19	-
PK	2.413G	120.66	Inf	-Inf	89.90	3	Vertical	236	2.29	-	27.55	3.21	-
AV	2.4128G	116.68	Inf	-Inf	85.92	3	Vertical	236	2.29	-	27.55	3.21	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_4TX

08/07/2020

2412MHz\_TX



EUT X\_4TX  
Setting 87  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	56.59	74.00	-17.41	25.92	3	Horizontal	75	1.83	-	27.48	3.19	-
AV	2.39G	46.02	54.00	-7.98	15.34	3	Horizontal	75	1.83	-	27.48	3.20	-
PK	2.413G	112.97	Inf	-Inf	82.21	3	Horizontal	75	1.83	-	27.55	3.21	-
AV	2.4128G	108.73	Inf	-Inf	77.97	3	Horizontal	75	1.83	-	27.55	3.21	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_4TX

08/07/2020

2437MHz\_TX



EUT X\_4TX  
Setting 95  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	60.72	74.00	-13.28	30.05	3	Vertical	0	1.50	-	27.48	3.19	-
AV	2.3886G	52.40	54.00	-1.60	21.73	3	Vertical	0	1.50	-	27.48	3.19	-
PK	2.4362G	119.15	Inf	-Inf	88.29	3	Vertical	0	1.50	-	27.64	3.22	-
AV	2.4362G	115.20	Inf	-Inf	84.34	3	Vertical	0	1.50	-	27.64	3.22	-
PK	2.4858G	62.20	74.00	-11.80	31.12	3	Vertical	0	1.50	-	27.84	3.24	-
AV	2.4835G	53.79	54.00	-0.21	22.72	3	Vertical	0	1.50	-	27.83	3.24	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_4TX

08/07/2020

2437MHz\_TX



EUT X\_4TX  
Setting 95  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	60.30	74.00	-13.70	29.63	3	Horizontal	87	1.64	-	27.48	3.19	-
AV	2.3886G	51.16	54.00	-2.84	20.49	3	Horizontal	87	1.64	-	27.48	3.19	-
PK	2.4362G	117.02	Inf	-Inf	86.16	3	Horizontal	87	1.64	-	27.64	3.22	-
AV	2.4362G	113.35	Inf	-Inf	82.49	3	Horizontal	87	1.64	-	27.64	3.22	-
PK	2.4858G	59.36	74.00	-14.64	28.28	3	Horizontal	87	1.64	-	27.84	3.24	-
AV	2.4858G	49.83	54.00	-4.17	18.75	3	Horizontal	87	1.64	-	27.84	3.24	-






For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_4TX

08/07/2020

2462MHz\_TX



EUT X\_4TX  
Setting 84  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	119.90	Inf	-Inf	88.92	3	Vertical	357	1.48	-	27.75	3.23	-
AV	2.4628G	116.01	Inf	-Inf	85.03	3	Vertical	357	1.48	-	27.75	3.23	-
PK	2.4836G	62.05	74.00	-11.95	30.98	3	Vertical	357	1.48	-	27.83	3.24	-
AV	2.4835G	53.83	54.00	-0.17	22.76	3	Vertical	357	1.48	-	27.83	3.24	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_4TX

08/07/2020

2462MHz\_TX



EUT X\_4TX  
Setting 84  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	112.20	Inf	-Inf	81.22	3	Horizontal	90	2.30	-	27.75	3.23	-
AV	2.4612G	108.17	Inf	-Inf	77.20	3	Horizontal	90	2.30	-	27.74	3.23	-
PK	2.484G	57.42	74.00	-16.58	26.34	3	Horizontal	90	2.30	-	27.84	3.24	-
AV	2.4835G	45.76	54.00	-8.24	14.69	3	Horizontal	90	2.30	-	27.83	3.24	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2412MHz\_TX



EUT X\_4TX  
Setting 60  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	73.99	74.00	-0.01	43.31	3	Vertical	280	2.53	-	27.48	3.20	-
AV	2.39G	50.12	54.00	-3.88	19.44	3	Vertical	280	2.53	-	27.48	3.20	-
PK	2.4194G	114.57	Inf	-Inf	83.78	3	Vertical	280	2.53	-	27.58	3.21	-
AV	2.4196G	105.42	Inf	-Inf	74.63	3	Vertical	280	2.53	-	27.58	3.21	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2412MHz\_TX



EUT X\_4TX  
Setting 60  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	65.10	74.00	-8.90	34.42	3	Horizontal	221	1.24	-	27.48	3.20	-
AV	2.3898G	45.05	54.00	-8.95	14.38	3	Horizontal	221	1.24	-	27.48	3.19	-
PK	2.4078G	106.77	Inf	-Inf	76.04	3	Horizontal	221	1.24	-	27.53	3.20	-
AV	2.4084G	97.00	Inf	-Inf	66.27	3	Horizontal	221	1.24	-	27.53	3.20	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2417MHz\_TX



EUT X\_4TX  
Setting 70  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	73.83	74.00	-0.17	43.16	3	Vertical	284	1.55	-	27.48	3.19	-
AV	2.3898G	52.28	54.00	-1.72	21.61	3	Vertical	284	1.55	-	27.48	3.19	-
PK	2.4244G	115.45	Inf	-Inf	84.64	3	Vertical	284	1.55	-	27.60	3.21	-
AV	2.4246G	106.06	Inf	-Inf	75.25	3	Vertical	284	1.55	-	27.60	3.21	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2417MHz\_TX



EUT X\_4TX  
Setting 70  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	68.98	74.00	-5.02	38.32	3	Horizontal	85	2.41	-	27.47	3.19	-
AV	2.39G	47.59	54.00	-6.41	16.91	3	Horizontal	85	2.41	-	27.48	3.20	-
PK	2.4138G	112.21	Inf	-Inf	81.44	3	Horizontal	85	2.41	-	27.56	3.21	-
AV	2.4142G	102.69	Inf	-Inf	71.92	3	Horizontal	85	2.41	-	27.56	3.21	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2437MHz\_TX



EUT X\_4TX  
Setting B2  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	73.80	74.00	-0.20	43.13	3	Vertical	286	2.20	-	27.48	3.19	-
AV	2.3894G	52.40	54.00	-1.60	21.73	3	Vertical	286	2.20	-	27.48	3.19	-
PK	2.4306G	120.49	Inf	-Inf	89.65	3	Vertical	286	2.20	-	27.62	3.22	-
AV	2.4306G	111.21	Inf	-Inf	80.37	3	Vertical	286	2.20	-	27.62	3.22	-
PK	2.4918G	72.52	74.00	-1.48	41.40	3	Vertical	286	2.20	-	27.87	3.25	-
AV	2.4842G	50.42	54.00	-3.58	19.34	3	Vertical	286	2.20	-	27.84	3.24	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2437MHz\_TX




EUT X\_4TX  
Setting B2  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	64.36	74.00	-9.64	33.69	3	Horizontal	87	2.34	-	27.48	3.19	-
AV	2.3894G	46.90	54.00	-7.10	16.23	3	Horizontal	87	2.34	-	27.48	3.19	-
PK	2.4338G	114.38	Inf	-Inf	83.52	3	Horizontal	87	2.34	-	27.64	3.22	-
AV	2.435G	105.31	Inf	-Inf	74.45	3	Horizontal	87	2.34	-	27.64	3.22	-
PK	2.4882G	64.48	74.00	-9.52	33.39	3	Horizontal	87	2.34	-	27.85	3.24	-
AV	2.491G	46.97	54.00	-7.03	15.86	3	Horizontal	87	2.34	-	27.86	3.25	-






For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode





For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode






For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2462MHz\_TX



EUT X\_4TX  
Setting 56  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4614G	112.52	Inf	-Inf	81.54	3	Vertical	356	1.48	-	27.75	3.23	-
AV	2.4616G	103.03	Inf	-Inf	72.05	3	Vertical	356	1.48	-	27.75	3.23	-
PK	2.4836G	73.96	74.00	-0.04	42.89	3	Vertical	356	1.48	-	27.83	3.24	-
AV	2.4835G	50.43	54.00	-3.57	19.36	3	Vertical	356	1.48	-	27.83	3.24	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2462MHz\_TX



EUT X\_4TX  
Setting 56  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4574G	108.46	Inf	-Inf	77.50	3	Horizontal	88	2.88	-	27.73	3.23	-
AV	2.4592G	98.95	Inf	-Inf	67.98	3	Horizontal	88	2.88	-	27.74	3.23	-
PK	2.4862G	58.60	74.00	-15.40	27.52	3	Horizontal	88	2.88	-	27.84	3.24	-
AV	2.4835G	45.54	54.00	-8.46	14.47	3	Horizontal	88	2.88	-	27.83	3.24	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2412MHz\_TX



EUT X\_4TX  
Setting 54  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4164G	117.07	Inf	-Inf	86.29	3	Vertical	222	2.62	-	27.57	3.21	-
AV	2.411G	104.61	Inf	-Inf	73.86	3	Vertical	222	2.62	-	27.54	3.21	-
PK	2.39G	73.87	74.00	-0.13	43.19	3	Vertical	222	2.62	-	27.48	3.20	-
AV	2.39G	50.58	54.00	-3.42	19.90	3	Vertical	222	2.62	-	27.48	3.20	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2412MHz\_TX



EUT X\_4TX  
Setting 54  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	64.93	74.00	-9.07	34.26	3	Horizontal	88	2.33	-	27.48	3.19	-
AV	2.388G	45.79	54.00	-8.21	15.12	3	Horizontal	88	2.33	-	27.48	3.19	-
PK	2.4136G	109.70	Inf	-Inf	78.94	3	Horizontal	88	2.33	-	27.55	3.21	-
AV	2.4134G	97.81	Inf	-Inf	67.05	3	Horizontal	88	2.33	-	27.55	3.21	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2417MHz\_TX



EUT X\_4TX  
Setting 66  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	72.78	74.00	-1.22	42.11	3	Vertical	223	2.64	-	27.48	3.19	-
AV	2.39G	53.83	54.00	-0.17	23.15	3	Vertical	223	2.64	-	27.48	3.20	-
PK	2.4102G	118.33	Inf	-Inf	87.58	3	Vertical	223	2.64	-	27.54	3.21	-
AV	2.4152G	105.53	Inf	-Inf	74.76	3	Vertical	223	2.64	-	27.56	3.21	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2417MHz\_TX



EUT X\_4TX  
Setting 66  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3832G	67.28	74.00	-6.72	36.62	3	Horizontal	86	2.39	-	27.47	3.19	-
AV	2.388G	49.54	54.00	-4.46	18.87	3	Horizontal	86	2.39	-	27.48	3.19	-
PK	2.418G	112.79	Inf	-Inf	82.01	3	Horizontal	86	2.39	-	27.57	3.21	-
AV	2.4132G	100.54	Inf	-Inf	69.78	3	Horizontal	86	2.39	-	27.55	3.21	-






For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2437MHz\_TX



EUT X\_4TX  
Setting 81  
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	70.76	74.00	-3.24	40.10	3	Vertical	277	1.34	-	27.47	3.19	-
AV	2.387G	50.83	54.00	-3.17	20.17	3	Vertical	277	1.34	-	27.47	3.19	-
PK	2.4414G	119.65	Inf	-Inf	88.76	3	Vertical	277	1.34	-	27.67	3.22	-
AV	2.4322G	107.17	Inf	-Inf	76.32	3	Vertical	277	1.34	-	27.63	3.22	-
PK	2.4902G	73.88	74.00	-0.12	42.77	3	Vertical	277	1.34	-	27.86	3.25	-
AV	2.4858G	51.89	54.00	-2.11	20.81	3	Vertical	277	1.34	-	27.84	3.24	-

For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2437MHz\_TX




EUT X\_4TX  
Setting 81  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.383G	66.24	74.00	-7.76	35.58	3	Horizontal	85	1.16	-	27.47	3.19	-
AV	2.3882G	48.40	54.00	-5.60	17.73	3	Horizontal	85	1.16	-	27.48	3.19	-
PK	2.4394G	115.46	Inf	-Inf	84.58	3	Horizontal	85	1.16	-	27.66	3.22	-
AV	2.4398G	103.81	Inf	-Inf	72.93	3	Horizontal	85	1.16	-	27.66	3.22	-
PK	2.4838G	69.02	74.00	-4.98	37.94	3	Horizontal	85	1.16	-	27.84	3.24	-
AV	2.4838G	48.66	54.00	-5.34	17.58	3	Horizontal	85	1.16	-	27.84	3.24	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode






For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode





For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode






For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2462MHz\_TX



EUT X\_4TX  
Setting 47  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4654G	107.84	Inf	-Inf	76.85	3	Horizontal	87	2.89	-	27.76	3.23	-
AV	2.4656G	96.27	Inf	-Inf	65.28	3	Horizontal	87	2.89	-	27.76	3.23	-
PK	2.4854G	64.53	74.00	-9.47	33.45	3	Horizontal	87	2.89	-	27.84	3.24	-
AV	2.4835G	44.63	54.00	-9.37	13.56	3	Horizontal	87	2.89	-	27.83	3.24	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2020

2422MHz\_TX



EUT X\_4TX  
Setting 55  
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	72.50	74.00	-1.50	41.83	3	Vertical	220	2.63	-	27.48	3.19	-
AV	2.3892G	53.76	54.00	-0.24	23.09	3	Vertical	220	2.63	-	27.48	3.19	-
PK	2.4148G	113.46	Inf	-Inf	82.69	3	Vertical	220	2.63	-	27.56	3.21	-
AV	2.4152G	101.76	Inf	-Inf	70.99	3	Vertical	220	2.63	-	27.56	3.21	-
PK	2.4876G	58.06	74.00	-15.94	26.97	3	Vertical	220	2.63	-	27.85	3.24	-
AV	2.4835G	46.59	54.00	-7.41	15.52	3	Vertical	220	2.63	-	27.83	3.24	-

For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2020

2422MHz\_TX



EUT X\_4TX  
Setting 55  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3864G	63.30	74.00	-10.70	32.64	3	Horizontal	209	1.56	-	27.47	3.19	-
AV	2.3864G	47.15	54.00	-6.85	16.49	3	Horizontal	209	1.56	-	27.47	3.19	-
PK	2.4164G	104.75	Inf	-Inf	73.97	3	Horizontal	209	1.56	-	27.57	3.21	-
AV	2.4164G	93.78	Inf	-Inf	63.00	3	Horizontal	209	1.56	-	27.57	3.21	-
PK	2.4848G	56.37	74.00	-17.63	25.29	3	Horizontal	209	1.56	-	27.84	3.24	-
AV	2.4884G	44.59	54.00	-9.41	13.50	3	Horizontal	209	1.56	-	27.85	3.24	-






For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2020

2437MHz\_TX




EUT X\_4TX  
Setting 63  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	70.95	74.00	-3.05	40.28	3	Vertical	280	1.30	-	27.48	3.19	-
AV	2.389G	53.20	54.00	-0.80	22.53	3	Vertical	280	1.30	-	27.48	3.19	-
PK	2.4338G	115.79	Inf	-Inf	84.93	3	Vertical	280	1.30	-	27.64	3.22	-
AV	2.4338G	103.02	Inf	-Inf	72.16	3	Vertical	280	1.30	-	27.64	3.22	-
PK	2.4838G	72.94	74.00	-1.06	41.86	3	Vertical	280	1.30	-	27.84	3.24	-
AV	2.4835G	53.88	54.00	-0.12	22.81	3	Vertical	280	1.30	-	27.83	3.24	-



For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2020

2452MHz\_TX



EUT X\_4TX  
Setting 55  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	59.02	74.00	-14.98	28.35	3	Vertical	221	2.58	-	27.48	3.19	-
AV	2.3896G	46.72	54.00	-7.28	16.05	3	Vertical	221	2.58	-	27.48	3.19	-
PK	2.4688G	111.56	Inf	-Inf	80.55	3	Vertical	221	2.58	-	27.78	3.23	-
AV	2.4588G	100.44	Inf	-Inf	69.47	3	Vertical	221	2.58	-	27.74	3.23	-
PK	2.4844G	73.25	74.00	-0.75	42.17	3	Vertical	221	2.58	-	27.84	3.24	-
AV	2.4835G	53.83	54.00	-0.17	22.76	3	Vertical	221	2.58	-	27.83	3.24	-




For EUT 2 / Radio 2 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2020

2452MHz\_TX



EUT X\_4TX  
Setting 55  
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3668G	55.94	74.00	-18.06	25.33	3	Horizontal	88	2.88	-	27.43	3.18	-
AV	2.382G	44.18	54.00	-9.82	13.53	3	Horizontal	88	2.88	-	27.46	3.19	-
PK	2.456G	107.47	Inf	-Inf	76.52	3	Horizontal	88	2.88	-	27.72	3.23	-
AV	2.4656G	95.90	Inf	-Inf	64.91	3	Horizontal	88	2.88	-	27.76	3.23	-
PK	2.4856G	62.87	74.00	-11.13	31.79	3	Horizontal	88	2.88	-	27.84	3.24	-
AV	2.4852G	47.76	54.00	-6.24	16.68	3	Horizontal	88	2.88	-	27.84	3.24	-



For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	2.4858G	53.90	54.00	-0.10	3	Vertical	355	2.35	-




For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

04/07/2020

2412MHz\_TX



EUT X\_2TX  
Setting 85  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	61.69	74.00	-12.31	31.02	3	Vertical	43	2.41	-	27.48	3.19	-
AV	2.3892G	53.41	54.00	-0.59	22.74	3	Vertical	43	2.41	-	27.48	3.19	-
PK	2.411G	115.66	Inf	-Inf	84.91	3	Vertical	43	2.41	-	27.54	3.21	-
AV	2.4112G	111.86	Inf	-Inf	81.11	3	Vertical	43	2.41	-	27.54	3.21	-




For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

04/07/2020

2412MHz\_TX



EUT X\_2TX  
Setting 85  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	57.53	74.00	-16.47	26.86	3	Horizontal	249	1.77	-	27.48	3.19	-
AV	2.3892G	45.15	54.00	-8.85	14.48	3	Horizontal	249	1.77	-	27.48	3.19	-
PK	2.411G	105.65	Inf	-Inf	74.90	3	Horizontal	249	1.77	-	27.54	3.21	-
AV	2.4112G	101.94	Inf	-Inf	71.19	3	Horizontal	249	1.77	-	27.54	3.21	-




For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

04/07/2020

2437MHz\_TX



EUT X\_2TX  
Setting 95  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	61.08	74.00	-12.92	30.41	3	Vertical	355	2.35	-	27.48	3.19	-
AV	2.3886G	52.19	54.00	-1.81	21.52	3	Vertical	355	2.35	-	27.48	3.19	-
PK	2.4362G	104.71	Inf	-Inf	73.85	3	Vertical	355	2.35	-	27.64	3.22	-
AV	2.4362G	100.86	Inf	-Inf	70.00	3	Vertical	355	2.35	-	27.64	3.22	-
PK	2.4835G	62.36	74.00	-11.64	31.29	3	Vertical	355	2.35	-	27.83	3.24	-
AV	2.4858G	53.90	54.00	-0.10	22.82	3	Vertical	355	2.35	-	27.84	3.24	-






For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

04/07/2020


2437MHz\_TX



EUT X\_2TX  
Setting 95  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.351G	55.88	74.00	-18.12	25.30	3	Horizontal	137	1.64	-	27.40	3.18	-
AV	2.3882G	44.54	54.00	-9.46	13.87	3	Horizontal	137	1.64	-	27.48	3.19	-
PK	2.4378G	106.02	Inf	-Inf	75.15	3	Horizontal	137	1.64	-	27.65	3.22	-
AV	2.4362G	102.28	Inf	-Inf	71.42	3	Horizontal	137	1.64	-	27.64	3.22	-
PK	2.485G	56.42	74.00	-17.58	25.34	3	Horizontal	137	1.64	-	27.84	3.24	-
AV	2.4838G	43.59	54.00	-10.41	12.51	3	Horizontal	137	1.64	-	27.84	3.24	-

For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

04/07/2020

2462MHz\_TX



EUT X\_2TX  
Setting 85  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	105.53	Inf	-Inf	74.56	3	Horizontal	123	1.32	-	27.74	3.23	-
AV	2.4612G	101.77	Inf	-Inf	70.80	3	Horizontal	123	1.32	-	27.74	3.23	-
PK	2.4835G	56.96	74.00	-17.04	25.89	3	Horizontal	123	1.32	-	27.83	3.24	-
AV	2.4835G	45.33	54.00	-8.67	14.26	3	Horizontal	123	1.32	-	27.83	3.24	-




For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

09/07/2020

2412MHz\_TX



EUT X\_2TX  
Setting 61  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	73.44	74.00	-0.56	42.76	3	Vertical	48	2.27	-	27.48	3.20	-
AV	2.39G	48.93	54.00	-5.07	18.25	3	Vertical	48	2.27	-	27.48	3.20	-
PK	2.409G	109.76	Inf	-Inf	79.02	3	Vertical	48	2.27	-	27.54	3.20	-
AV	2.4044G	100.62	Inf	-Inf	69.90	3	Vertical	48	2.27	-	27.52	3.20	-




For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

09/07/2020

2412MHz\_TX



EUT X\_2TX  
Setting 61  
01-D-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3886G	61.85	74.00	-12.15	31.18	3	Horizontal	228	2.61	-	27.48	3.19	-
AV	2.3884G	44.22	54.00	-9.78	13.55	3	Horizontal	228	2.61	-	27.48	3.19	-
PK	2.4078G	103.41	Inf	-Inf	72.68	3	Horizontal	228	2.61	-	27.53	3.20	-
AV	2.4076G	94.21	Inf	-Inf	63.48	3	Horizontal	228	2.61	-	27.53	3.20	-

For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

04/07/2020


2417MHz\_TX



EUT X\_2TX  
Setting 71  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	73.84	74.00	-0.16	43.17	3	Vertical	360	1.21	-	27.48	3.19	-
AV	2.388G	50.66	54.00	-3.34	19.99	3	Vertical	360	1.21	-	27.48	3.19	-
PK	2.4126G	112.57	Inf	-Inf	81.81	3	Vertical	360	1.21	-	27.55	3.21	-
AV	2.4124G	103.36	Inf	-Inf	72.60	3	Vertical	360	1.21	-	27.55	3.21	-

For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

09/07/2020

2437MHz\_TX



EUT X\_2TX  
Setting 84  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3798G	69.78	74.00	-4.22	39.13	3	Vertical	354	2.33	-	27.46	3.19	-
AV	2.3894G	49.20	54.00	-4.80	18.53	3	Vertical	354	2.33	-	27.48	3.19	-
PK	2.4398G	114.91	Inf	-Inf	84.03	3	Vertical	354	2.33	-	27.66	3.22	-
AV	2.4394G	105.57	Inf	-Inf	74.69	3	Vertical	354	2.33	-	27.66	3.22	-
PK	2.485G	73.54	74.00	-0.46	42.46	3	Vertical	354	2.33	-	27.84	3.24	-
AV	2.4838G	51.33	54.00	-2.67	20.25	3	Vertical	354	2.33	-	27.84	3.24	-






For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

09/07/2020

2437MHz\_TX



EUT X\_2TX  
Setting 84  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.385G	62.43	74.00	-11.57	31.77	3	Horizontal	228	2.35	-	27.47	3.19	-
AV	2.3894G	45.53	54.00	-8.47	14.86	3	Horizontal	228	2.35	-	27.48	3.19	-
PK	2.4346G	106.87	Inf	-Inf	76.01	3	Horizontal	228	2.35	-	27.64	3.22	-
AV	2.439G	97.46	Inf	-Inf	66.58	3	Horizontal	228	2.35	-	27.66	3.22	-
PK	2.4842G	63.63	74.00	-10.37	32.55	3	Horizontal	228	2.35	-	27.84	3.24	-
AV	2.4838G	45.83	54.00	-8.17	14.75	3	Horizontal	228	2.35	-	27.84	3.24	-




For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

04/07/2020

2457MHz\_TX




EUT X\_2TX  
Setting 71  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4528G	111.33	Inf	-Inf	80.39	3	Vertical	355	1.69	-	27.71	3.23	-
AV	2.4532G	102.13	Inf	-Inf	71.19	3	Vertical	355	1.69	-	27.71	3.23	-
PK	2.4835G	73.80	74.00	-0.20	42.73	3	Vertical	355	1.69	-	27.83	3.24	-
AV	2.4835G	52.87	54.00	-1.13	21.80	3	Vertical	355	1.69	-	27.83	3.24	-



For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

09/07/2020

2462MHz\_TX



EUT X\_2TX  
Setting 61  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4578G	108.86	Inf	-Inf	77.90	3	Vertical	353	1.72	-	27.73	3.23	-
AV	2.4582G	99.50	Inf	-Inf	68.54	3	Vertical	353	1.72	-	27.73	3.23	-
PK	2.4835G	73.80	74.00	-0.20	42.73	3	Vertical	353	1.72	-	27.83	3.24	-
AV	2.4835G	48.19	54.00	-5.81	17.12	3	Vertical	353	1.72	-	27.83	3.24	-




For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

09/07/2020

2462MHz\_TX



EUT X\_2TX  
Setting 61  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.459G	100.25	Inf	-Inf	69.28	3	Horizontal	247	1.79	-	27.74	3.23	-
AV	2.459G	90.81	Inf	-Inf	59.84	3	Horizontal	247	1.79	-	27.74	3.23	-
PK	2.4835G	65.40	74.00	-8.60	34.33	3	Horizontal	247	1.79	-	27.83	3.24	-
AV	2.4835G	44.64	54.00	-9.36	13.57	3	Horizontal	247	1.79	-	27.83	3.24	-




For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2412MHz\_TX



EUT X\_2TX  
Setting 59  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	73.62	74.00	-0.38	42.95	3	Vertical	0	1.23	-	27.48	3.19	-
AV	2.39G	50.60	54.00	-3.40	19.92	3	Vertical	0	1.23	-	27.48	3.20	-
PK	2.4174G	111.72	Inf	-Inf	80.94	3	Vertical	0	1.23	-	27.57	3.21	-
AV	2.4148G	99.79	Inf	-Inf	69.02	3	Vertical	0	1.23	-	27.56	3.21	-




For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2412MHz\_TX



EUT X\_2TX  
Setting 59  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	66.20	74.00	-7.80	35.53	3	Horizontal	228	1.94	-	27.48	3.19	-
AV	2.3894G	45.78	54.00	-8.22	15.11	3	Horizontal	228	1.94	-	27.48	3.19	-
PK	2.409G	104.27	Inf	-Inf	73.53	3	Horizontal	228	1.94	-	27.54	3.20	-
AV	2.4066G	91.64	Inf	-Inf	60.91	3	Horizontal	228	1.94	-	27.53	3.20	-




For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2417MHz\_TX



EUT X\_2TX  
Setting 69  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3868G	72.66	74.00	-1.34	42.00	3	Vertical	359	1.25	-	27.47	3.19	-
AV	2.3896G	53.52	54.00	-0.48	22.85	3	Vertical	359	1.25	-	27.48	3.19	-
PK	2.4146G	114.08	Inf	-Inf	83.31	3	Vertical	359	1.25	-	27.56	3.21	-
AV	2.42G	101.99	Inf	-Inf	71.20	3	Vertical	359	1.25	-	27.58	3.21	-






For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2417MHz\_TX



EUT X\_2TX  
Setting 69  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3862G	65.27	74.00	-8.73	34.61	3	Horizontal	229	1.88	-	27.47	3.19	-
AV	2.3894G	47.47	54.00	-6.53	16.80	3	Horizontal	229	1.88	-	27.48	3.19	-
PK	2.414G	106.18	Inf	-Inf	75.41	3	Horizontal	229	1.88	-	27.56	3.21	-
AV	2.422G	94.50	Inf	-Inf	63.70	3	Horizontal	229	1.88	-	27.59	3.21	-




For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2437MHz\_TX



EUT X\_2TX  
Setting 83  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	70.33	74.00	-3.67	39.66	3	Vertical	359	1.53	-	27.48	3.19	-
AV	2.3898G	52.42	54.00	-1.58	21.75	3	Vertical	359	1.53	-	27.48	3.19	-
PK	2.4426G	115.54	Inf	-Inf	84.65	3	Vertical	359	1.53	-	27.67	3.22	-
AV	2.4398G	104.43	Inf	-Inf	73.55	3	Vertical	359	1.53	-	27.66	3.22	-
PK	2.4846G	72.51	74.00	-1.49	41.43	3	Vertical	359	1.53	-	27.84	3.24	-
AV	2.4846G	53.71	54.00	-0.29	22.63	3	Vertical	359	1.53	-	27.84	3.24	-




For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2437MHz\_TX



EUT X\_2TX  
Setting 83  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	64.10	74.00	-9.90	33.43	3	Horizontal	226	1.67	-	27.48	3.19	-
AV	2.3894G	47.26	54.00	-6.74	16.59	3	Horizontal	226	1.67	-	27.48	3.19	-
PK	2.4342G	107.38	Inf	-Inf	76.52	3	Horizontal	226	1.67	-	27.64	3.22	-
AV	2.4422G	95.70	Inf	-Inf	64.81	3	Horizontal	226	1.67	-	27.67	3.22	-
PK	2.4846G	64.07	74.00	-9.93	32.99	3	Horizontal	226	1.67	-	27.84	3.24	-
AV	2.4842G	47.66	54.00	-6.34	16.58	3	Horizontal	226	1.67	-	27.84	3.24	-




For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2457MHz\_TX




EUT X\_2TX  
Setting 65  
01-D-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4538G	112.65	Inf	-Inf	81.70	3	Vertical	353	1.42	-	27.72	3.23	-
AV	2.4488G	100.00	Inf	-Inf	69.08	3	Vertical	353	1.42	-	27.70	3.22	-
PK	2.4886G	73.69	74.00	-0.31	42.60	3	Vertical	353	1.42	-	27.85	3.24	-
AV	2.4835G	49.73	54.00	-4.27	18.66	3	Vertical	353	1.42	-	27.83	3.24	-



For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode



For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2462MHz\_TX



EUT X\_2TX  
Setting 55  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.458G	100.24	Inf	-Inf	69.28	3	Horizontal	248	1.80	-	27.73	3.23	-
AV	2.4606G	88.43	Inf	-Inf	57.46	3	Horizontal	248	1.80	-	27.74	3.23	-
PK	2.4836G	64.96	74.00	-9.04	33.89	3	Horizontal	248	1.80	-	27.83	3.24	-
AV	2.4835G	44.30	54.00	-9.70	13.23	3	Horizontal	248	1.80	-	27.83	3.24	-




For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2020

2422MHz\_TX



EUT X\_2TX  
Setting 59  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	71.54	74.00	-2.46	40.87	3	Vertical	354	1.04	-	27.48	3.19	-
AV	2.3896G	53.62	54.00	-0.38	22.95	3	Vertical	354	1.04	-	27.48	3.19	-
PK	2.4276G	109.32	Inf	-Inf	78.50	3	Vertical	354	1.04	-	27.61	3.21	-
AV	2.4276G	96.75	Inf	-Inf	65.93	3	Vertical	354	1.04	-	27.61	3.21	-
PK	2.4835G	56.35	74.00	-17.65	25.28	3	Vertical	354	1.04	-	27.83	3.24	-
AV	2.484G	45.04	54.00	-8.96	13.96	3	Vertical	354	1.04	-	27.84	3.24	-






For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2020

2422MHz\_TX



EUT X\_2TX  
Setting 59  
01-D-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3868G	65.00	74.00	-9.00	34.34	3	Horizontal	228	1.90	-	27.47	3.19	-
AV	2.3896G	48.07	54.00	-5.93	17.40	3	Horizontal	228	1.90	-	27.48	3.19	-
PK	2.4272G	101.11	Inf	-Inf	70.29	3	Horizontal	228	1.90	-	27.61	3.21	-
AV	2.4268G	89.65	Inf	-Inf	58.83	3	Horizontal	228	1.90	-	27.61	3.21	-
PK	2.4984G	55.65	74.00	-18.35	24.51	3	Horizontal	228	1.90	-	27.89	3.25	-
AV	2.4912G	44.17	54.00	-9.83	13.06	3	Horizontal	228	1.90	-	27.86	3.25	-

For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2020

2437MHz\_TX



EUT X\_2TX  
Setting 64  
01-D-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	67.21	74.00	-6.79	36.54	3	Vertical	353	1.39	-	27.48	3.19	-
AV	2.3886G	51.48	54.00	-2.52	20.81	3	Vertical	353	1.39	-	27.48	3.19	-
PK	2.4338G	109.66	Inf	-Inf	78.80	3	Vertical	353	1.39	-	27.64	3.22	-
AV	2.4438G	98.21	Inf	-Inf	67.31	3	Vertical	353	1.39	-	27.68	3.22	-
PK	2.4858G	69.95	74.00	-4.05	38.87	3	Vertical	353	1.39	-	27.84	3.24	-
AV	2.4838G	53.85	54.00	-0.15	22.77	3	Vertical	353	1.39	-	27.84	3.24	-

For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2020

2437MHz\_TX



EUT X\_2TX  
Setting 64  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	59.46	74.00	-14.54	28.79	3	Horizontal	291	2.11	-	27.48	3.19	-
AV	2.3878G	45.71	54.00	-8.29	15.04	3	Horizontal	291	2.11	-	27.48	3.19	-
PK	2.4426G	102.06	Inf	-Inf	71.17	3	Horizontal	291	2.11	-	27.67	3.22	-
AV	2.4426G	90.66	Inf	-Inf	59.77	3	Horizontal	291	2.11	-	27.67	3.22	-
PK	2.4835G	63.48	74.00	-10.52	32.41	3	Horizontal	291	2.11	-	27.83	3.24	-
AV	2.485G	47.04	54.00	-6.96	15.96	3	Horizontal	291	2.11	-	27.84	3.24	-




For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2020

2452MHz\_TX



EUT X\_2TX  
Setting 58  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3868G	57.47	74.00	-16.53	26.81	3	Vertical	355	1.37	-	27.47	3.19	-
AV	2.3892G	44.99	54.00	-9.01	14.32	3	Vertical	355	1.37	-	27.48	3.19	-
PK	2.4476G	108.19	Inf	-Inf	77.28	3	Vertical	355	1.37	-	27.69	3.22	-
AV	2.4448G	97.18	Inf	-Inf	66.28	3	Vertical	355	1.37	-	27.68	3.22	-
PK	2.4888G	72.85	74.00	-1.15	41.75	3	Vertical	355	1.37	-	27.86	3.24	-
AV	2.4852G	53.63	54.00	-0.37	22.55	3	Vertical	355	1.37	-	27.84	3.24	-




For EUT 2 / Radio 3 / External Ant.1\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2020

2452MHz\_TX



EUT X\_2TX  
Setting 58  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3572G	55.24	74.00	-18.76	24.65	3	Horizontal	228	2.10	-	27.41	3.18	-
AV	2.39G	44.24	54.00	-9.76	13.56	3	Horizontal	228	2.10	-	27.48	3.20	-
PK	2.4396G	100.28	Inf	-Inf	69.40	3	Horizontal	228	2.10	-	27.66	3.22	-
AV	2.4468G	89.02	Inf	-Inf	58.11	3	Horizontal	228	2.10	-	27.69	3.22	-
PK	2.4844G	66.17	74.00	-7.83	35.09	3	Horizontal	228	2.10	-	27.84	3.24	-
AV	2.4848G	47.24	54.00	-6.76	16.16	3	Horizontal	228	2.10	-	27.84	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_4TX	Pass	AV	4.87394G	52.89	54.00	-1.11	3	Horizontal	325	1.80	-



For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_4TX

04/07/2020

2412MHz\_TX




EUT X\_4TX  
Setting 101  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82387G	53.02	74.00	-20.98	49.58	3	Horizontal	33	1.86	-	32.45	5.71	34.72
AV	4.82398G	48.52	54.00	-5.48	45.08	3	Horizontal	33	1.86	-	32.45	5.71	34.72
PK	14.47162G	62.96	74.00	-11.04	46.58	3	Horizontal	57	1.92	-	40.10	10.00	33.72
AV	14.4719G	52.77	54.00	-1.23	36.39	3	Horizontal	57	1.92	-	40.10	10.00	33.72






For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode





For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_4TX

04/07/2020

2462MHz\_TX



EUT X\_4TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92394G	52.43	74.00	-21.57	48.64	3	Horizontal	32	1.94	-	32.67	5.76	34.64
AV	4.92397G	46.60	54.00	-7.40	42.81	3	Horizontal	32	1.94	-	32.67	5.76	34.64
PK	7.38816G	53.14	74.00	-20.86	43.35	3	Horizontal	45	1.70	-	37.21	7.48	34.90
AV	7.38664G	39.65	54.00	-14.35	29.86	3	Horizontal	45	1.70	-	37.21	7.48	34.90




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2412MHz\_TX



EUT X\_4TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8256G	51.09	74.00	-22.91	47.65	3	Vertical	35	2.05	-	32.45	5.71	34.72
AV	4.82632G	37.52	54.00	-16.48	34.08	3	Vertical	35	2.05	-	32.45	5.71	34.72




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2412MHz\_TX




EUT X\_4TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82912G	49.89	74.00	-24.11	46.44	3	Horizontal	325	1.85	-	32.46	5.71	34.72
AV	4.82828G	37.00	54.00	-17.00	33.55	3	Horizontal	325	1.85	-	32.46	5.71	34.72




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode








For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode





For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2412MHz\_TX



EUT X\_4TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82746G	48.19	74.00	-25.81	44.75	3	Horizontal	290	2.56	-	32.45	5.71	34.72
AV	4.82748G	35.61	54.00	-18.39	32.17	3	Horizontal	290	2.56	-	32.45	5.71	34.72




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2437MHz\_TX



EUT X\_4TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87216G	47.20	74.00	-26.80	43.60	3	Vertical	8	2.32	-	32.54	5.74	34.68
AV	4.87224G	34.68	54.00	-19.32	31.08	3	Vertical	8	2.32	-	32.54	5.74	34.68
PK	7.31546G	52.74	74.00	-21.26	42.95	3	Vertical	73	1.05	-	37.28	7.39	34.88
AV	7.30952G	39.54	54.00	-14.46	29.75	3	Vertical	73	1.05	-	37.29	7.38	34.88




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2437MHz\_TX



EUT X\_4TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87706G	47.30	74.00	-26.70	43.69	3	Horizontal	332	2.97	-	32.55	5.74	34.68
AV	4.87188G	34.80	54.00	-19.20	31.20	3	Horizontal	332	2.97	-	32.54	5.74	34.68
PK	7.31372G	52.54	74.00	-21.46	42.74	3	Horizontal	195	1.17	-	37.29	7.39	34.88
AV	7.30602G	39.82	54.00	-14.18	30.03	3	Horizontal	195	1.17	-	37.29	7.38	34.88




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2462MHz\_TX




EUT X\_4TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92682G	48.36	74.00	-25.64	44.56	3	Vertical	8	2.55	-	32.68	5.76	34.64
AV	4.92218G	35.17	54.00	-18.83	31.38	3	Vertical	8	2.55	-	32.67	5.76	34.64
PK	7.39006G	53.89	74.00	-20.11	44.09	3	Vertical	352	2.46	-	37.21	7.49	34.90
AV	7.38538G	40.99	54.00	-13.01	31.20	3	Vertical	352	2.46	-	37.21	7.48	34.90



For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode








For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2020

2422MHz\_TX



EUT X\_4TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.84642G	47.26	74.00	-26.74	43.75	3	Vertical	168	1.26	-	32.49	5.72	34.70
AV	4.84716G	35.17	54.00	-18.83	31.66	3	Vertical	168	1.26	-	32.49	5.72	34.70




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2020

2422MHz\_TX




EUT X\_4TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8427G	46.82	74.00	-27.18	43.32	3	Horizontal	63	1.05	-	32.49	5.72	34.71
AV	4.84724G	35.02	54.00	-18.98	31.51	3	Horizontal	63	1.05	-	32.49	5.72	34.70




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode





For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2020

2452MHz\_TX



EUT X\_4TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90756G	46.52	74.00	-27.48	42.80	3	Vertical	113	2.18	-	32.62	5.75	34.65
AV	4.90344G	34.79	54.00	-19.21	31.09	3	Vertical	113	2.18	-	32.61	5.75	34.66
PK	7.3586G	53.42	74.00	-20.58	43.62	3	Vertical	314	2.75	-	37.24	7.45	34.89
AV	7.35744G	40.77	54.00	-13.23	30.98	3	Vertical	314	2.75	-	37.24	7.44	34.89




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2020

2452MHz\_TX



EUT X\_4TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.90692G	47.04	74.00	-26.96	43.32	3	Horizontal	131	2.48	-	32.62	5.75	34.65
AV	4.90242G	34.64	54.00	-19.36	30.94	3	Horizontal	131	2.48	-	32.61	5.75	34.66
PK	7.353G	52.75	74.00	-21.25	42.95	3	Horizontal	130	1.60	-	37.25	7.44	34.89
AV	7.35924G	40.28	54.00	-13.72	30.48	3	Horizontal	130	1.60	-	37.24	7.45	34.89



For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	2.4838G	73.95	74.00	-0.05	3	Vertical	357	1.89	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_4TX

04/07/2020

2412MHz\_TX



EUT X\_4TX  
Setting 84  
01-D-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.387G	63.34	74.00	-10.66	32.68	3	Vertical	336	1.49	-	27.47	3.19	-
AV	2.3892G	53.34	54.00	-0.66	22.67	3	Vertical	336	1.49	-	27.48	3.19	-
PK	2.413G	121.05	Inf	-Inf	90.29	3	Vertical	336	1.49	-	27.55	3.21	-
AV	2.4128G	117.10	Inf	-Inf	86.34	3	Vertical	336	1.49	-	27.55	3.21	-






For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_4TX

04/07/2020

2412MHz\_TX



EUT X\_4TX  
Setting 84  
01-D-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3876G	57.75	74.00	-16.25	27.08	3	Horizontal	29	1.10	-	27.48	3.19	-
AV	2.389G	45.16	54.00	-8.84	14.49	3	Horizontal	29	1.10	-	27.48	3.19	-
PK	2.413G	112.13	Inf	-Inf	81.37	3	Horizontal	29	1.10	-	27.55	3.21	-
AV	2.4126G	108.13	Inf	-Inf	77.37	3	Horizontal	29	1.10	-	27.55	3.21	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_4TX

04/07/2020

2437MHz\_TX



EUT X\_4TX  
Setting 94  
01-D-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	62.52	74.00	-11.48	31.85	3	Vertical	2	1.49	-	27.48	3.19	-
AV	2.3898G	49.80	54.00	-4.20	19.13	3	Vertical	2	1.49	-	27.48	3.19	-
PK	2.4378G	118.51	Inf	-Inf	87.64	3	Vertical	2	1.49	-	27.65	3.22	-
AV	2.4378G	114.78	Inf	-Inf	83.91	3	Vertical	2	1.49	-	27.65	3.22	-
PK	2.4858G	65.13	74.00	-8.87	34.05	3	Vertical	2	1.49	-	27.84	3.24	-
AV	2.4858G	53.91	54.00	-0.09	22.83	3	Vertical	2	1.49	-	27.84	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_4TX

04/07/2020

2437MHz\_TX



EUT X\_4TX  
Setting 94  
01-D-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3666G	55.75	74.00	-18.25	25.14	3	Horizontal	21	1.41	-	27.43	3.18	-
AV	2.3894G	43.58	54.00	-10.42	12.91	3	Horizontal	21	1.41	-	27.48	3.19	-
PK	2.4362G	113.64	Inf	-Inf	82.78	3	Horizontal	21	1.41	-	27.64	3.22	-
AV	2.4362G	109.91	Inf	-Inf	79.05	3	Horizontal	21	1.41	-	27.64	3.22	-
PK	2.4835G	56.58	74.00	-17.42	25.51	3	Horizontal	21	1.41	-	27.83	3.24	-
AV	2.4858G	44.90	54.00	-9.10	13.82	3	Horizontal	21	1.41	-	27.84	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_4TX

04/07/2020

2462MHz\_TX



EUT X\_4TX  
Setting 83  
01-D-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	124.53	Inf	-Inf	93.55	3	Vertical	337	1.46	-	27.75	3.23	-
AV	2.4612G	120.49	Inf	-Inf	89.52	3	Vertical	337	1.46	-	27.74	3.23	-
PK	2.4866G	65.82	74.00	-8.18	34.73	3	Vertical	337	1.46	-	27.85	3.24	-
AV	2.486G	53.74	54.00	-0.26	22.66	3	Vertical	337	1.46	-	27.84	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_4TX

04/07/2020

2462MHz\_TX



EUT X\_4TX  
Setting 83  
01-D-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	108.83	Inf	-Inf	77.85	3	Horizontal	10	2.26	-	27.75	3.23	-
AV	2.4628G	104.88	Inf	-Inf	73.90	3	Horizontal	10	2.26	-	27.75	3.23	-
PK	2.491G	57.31	74.00	-16.69	26.20	3	Horizontal	10	2.26	-	27.86	3.25	-
AV	2.4868G	44.51	54.00	-9.49	13.42	3	Horizontal	10	2.26	-	27.85	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2412MHz\_TX




EUT X\_4TX  
Setting 53  
01-D-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	72.48	74.00	-1.52	41.81	3	Vertical	349	1.10	-	27.48	3.19	-
AV	2.3894G	49.82	54.00	-4.18	19.15	3	Vertical	349	1.10	-	27.48	3.19	-
PK	2.4092G	118.48	Inf	-Inf	87.74	3	Vertical	349	1.10	-	27.54	3.20	-
AV	2.409G	108.75	Inf	-Inf	78.01	3	Vertical	349	1.10	-	27.54	3.20	-



For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2417MHz\_TX



EUT X\_4TX  
Setting 57  
01-D-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	73.07	74.00	-0.93	42.40	3	Vertical	351	1.80	-	27.48	3.19	-
AV	2.3896G	49.45	54.00	-4.55	18.78	3	Vertical	351	1.80	-	27.48	3.19	-
PK	2.4094G	116.67	Inf	-Inf	85.93	3	Vertical	351	1.80	-	27.54	3.20	-
AV	2.4094G	107.28	Inf	-Inf	76.54	3	Vertical	351	1.80	-	27.54	3.20	-






For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2417MHz\_TX



EUT X\_4TX  
Setting 57  
01-D-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	60.66	74.00	-13.34	29.99	3	Horizontal	0	1.44	-	27.48	3.19	-
AV	2.39G	44.13	54.00	-9.87	13.45	3	Horizontal	0	1.44	-	27.48	3.20	-
PK	2.4094G	104.32	Inf	-Inf	73.58	3	Horizontal	0	1.44	-	27.54	3.20	-
AV	2.4094G	94.93	Inf	-Inf	64.19	3	Horizontal	0	1.44	-	27.54	3.20	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2437MHz\_TX



EUT X\_4TX  
Setting 73  
01-D-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	71.64	74.00	-2.36	40.97	3	Vertical	352	1.40	-	27.48	3.19	-
AV	2.3898G	48.98	54.00	-5.02	18.31	3	Vertical	352	1.40	-	27.48	3.19	-
PK	2.4314G	122.05	Inf	-Inf	91.20	3	Vertical	352	1.40	-	27.63	3.22	-
AV	2.431G	112.39	Inf	-Inf	81.55	3	Vertical	352	1.40	-	27.62	3.22	-
PK	2.4906G	69.03	74.00	-4.97	37.92	3	Vertical	352	1.40	-	27.86	3.25	-
AV	2.4842G	49.99	54.00	-4.01	18.91	3	Vertical	352	1.40	-	27.84	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2437MHz\_TX



EUT X\_4TX  
Setting 73  
01-D-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	60.12	74.00	-13.88	29.45	3	Horizontal	5	1.07	-	27.48	3.19	-
AV	2.3874G	44.19	54.00	-9.81	13.53	3	Horizontal	5	1.07	-	27.47	3.19	-
PK	2.4382G	107.61	Inf	-Inf	76.74	3	Horizontal	5	1.07	-	27.65	3.22	-
AV	2.4382G	98.41	Inf	-Inf	67.54	3	Horizontal	5	1.07	-	27.65	3.22	-
PK	2.4835G	62.23	74.00	-11.77	31.16	3	Horizontal	5	1.07	-	27.83	3.24	-
AV	2.4838G	44.48	54.00	-9.52	13.40	3	Horizontal	5	1.07	-	27.84	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2457MHz\_TX



EUT X\_4TX  
Setting 61  
01-D-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.455G	118.02	Inf	-Inf	87.07	3	Vertical	16	1.94	-	27.72	3.23	-
AV	2.4548G	108.71	Inf	-Inf	77.76	3	Vertical	16	1.94	-	27.72	3.23	-
PK	2.4835G	72.22	74.00	-1.78	41.15	3	Vertical	16	1.94	-	27.83	3.24	-
AV	2.4835G	50.71	54.00	-3.29	19.64	3	Vertical	16	1.94	-	27.83	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2457MHz\_TX



EUT X\_4TX  
Setting 61  
01-D-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4646G	105.25	Inf	-Inf	74.26	3	Horizontal	10	1.00	-	27.76	3.23	-
AV	2.4646G	95.99	Inf	-Inf	65.00	3	Horizontal	10	1.00	-	27.76	3.23	-
PK	2.484G	62.05	74.00	-11.95	30.97	3	Horizontal	10	1.00	-	27.84	3.24	-
AV	2.485G	44.85	54.00	-9.15	13.77	3	Horizontal	10	1.00	-	27.84	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2462MHz\_TX



EUT X\_4TX  
Setting 55  
01-D-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4658G	118.27	Inf	-Inf	87.28	3	Vertical	347	2.33	-	27.76	3.23	-
AV	2.466G	109.10	Inf	-Inf	78.11	3	Vertical	347	2.33	-	27.76	3.23	-
PK	2.485G	73.71	74.00	-0.29	42.63	3	Vertical	347	2.33	-	27.84	3.24	-
AV	2.485G	51.24	54.00	-2.76	20.16	3	Vertical	347	2.33	-	27.84	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_4TX

04/07/2020

2462MHz\_TX



EUT X\_4TX  
Setting 55  
01-D-L-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4576G	105.61	Inf	-Inf	74.65	3	Horizontal	18	1.06	-	27.73	3.23	-
AV	2.4584G	95.70	Inf	-Inf	64.74	3	Horizontal	18	1.06	-	27.73	3.23	-
PK	2.4835G	60.32	74.00	-13.68	29.25	3	Horizontal	18	1.06	-	27.83	3.24	-
AV	2.484G	44.36	54.00	-9.64	13.28	3	Horizontal	18	1.06	-	27.84	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2412MHz\_TX



EUT X\_4TX  
Setting 49  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	73.57	74.00	-0.43	42.89	3	Vertical	7	1.22	-	27.48	3.20	-
AV	2.39G	49.24	54.00	-4.76	18.56	3	Vertical	7	1.22	-	27.48	3.20	-
PK	2.416G	116.41	Inf	-Inf	85.64	3	Vertical	7	1.22	-	27.56	3.21	-
AV	2.4158G	104.87	Inf	-Inf	74.10	3	Vertical	7	1.22	-	27.56	3.21	-






For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2412MHz\_TX



EUT X\_4TX  
Setting 49  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	63.15	74.00	-10.85	32.48	3	Horizontal	4	1.08	-	27.48	3.19	-
AV	2.389G	44.36	54.00	-9.64	13.69	3	Horizontal	4	1.08	-	27.48	3.19	-
PK	2.4142G	106.32	Inf	-Inf	75.55	3	Horizontal	4	1.08	-	27.56	3.21	-
AV	2.4144G	93.18	Inf	-Inf	62.41	3	Horizontal	4	1.08	-	27.56	3.21	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2417MHz\_TX



EUT X\_4TX  
Setting 60  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	72.97	74.00	-1.03	42.30	3	Vertical	7	1.78	-	27.48	3.19	-
AV	2.3894G	53.72	54.00	-0.28	23.05	3	Vertical	7	1.78	-	27.48	3.19	-
PK	2.4182G	118.97	Inf	-Inf	88.19	3	Vertical	7	1.78	-	27.57	3.21	-
AV	2.4178G	108.47	Inf	-Inf	77.69	3	Vertical	7	1.78	-	27.57	3.21	-
PK	2.489G	56.96	74.00	-17.04	25.86	3	Vertical	7	1.78	-	27.86	3.24	-
AV	2.4886G	46.34	54.00	-7.66	15.25	3	Vertical	7	1.78	-	27.85	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2417MHz\_TX



EUT X\_4TX  
Setting 60  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3822G	59.42	74.00	-14.58	28.77	3	Horizontal	10	1.10	-	27.46	3.19	-
AV	2.387G	45.29	54.00	-8.71	14.63	3	Horizontal	10	1.10	-	27.47	3.19	-
PK	2.4222G	107.63	Inf	-Inf	76.83	3	Horizontal	10	1.10	-	27.59	3.21	-
AV	2.4122G	95.82	Inf	-Inf	65.06	3	Horizontal	10	1.10	-	27.55	3.21	-
PK	2.4994G	56.88	74.00	-17.12	25.73	3	Horizontal	10	1.10	-	27.90	3.25	-
AV	2.4838G	44.20	54.00	-9.80	13.12	3	Horizontal	10	1.10	-	27.84	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2437MHz\_TX



EUT X\_4TX  
Setting 68  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3862G	71.53	74.00	-2.47	40.87	3	Vertical	9	1.80	-	27.47	3.19	-
AV	2.3862G	48.05	54.00	-5.95	17.39	3	Vertical	9	1.80	-	27.47	3.19	-
PK	2.4414G	124.15	Inf	-Inf	93.26	3	Vertical	9	1.80	-	27.67	3.22	-
AV	2.4314G	111.23	Inf	-Inf	80.38	3	Vertical	9	1.80	-	27.63	3.22	-
PK	2.4862G	73.78	74.00	-0.22	42.70	3	Vertical	9	1.80	-	27.84	3.24	-
AV	2.4862G	49.29	54.00	-4.71	18.21	3	Vertical	9	1.80	-	27.84	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2437MHz\_TX



EUT X\_4TX  
Setting 68  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3858G	58.85	74.00	-15.15	28.19	3	Horizontal	354	1.86	-	27.47	3.19	-
AV	2.3862G	43.92	54.00	-10.08	13.26	3	Horizontal	354	1.86	-	27.47	3.19	-
PK	2.4414G	109.25	Inf	-Inf	78.36	3	Horizontal	354	1.86	-	27.67	3.22	-
AV	2.4414G	96.79	Inf	-Inf	65.90	3	Horizontal	354	1.86	-	27.67	3.22	-
PK	2.4858G	59.94	74.00	-14.06	28.86	3	Horizontal	354	1.86	-	27.84	3.24	-
AV	2.4854G	44.36	54.00	-9.64	13.28	3	Horizontal	354	1.86	-	27.84	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2457MHz\_TX



EUT X\_4TX  
Setting 50  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3858G	56.74	74.00	-17.26	26.08	3	Vertical	357	1.89	-	27.47	3.19	-
AV	2.3874G	44.99	54.00	-9.01	14.33	3	Vertical	357	1.89	-	27.47	3.19	-
PK	2.4502G	117.65	Inf	-Inf	86.72	3	Vertical	357	1.89	-	27.70	3.23	-
AV	2.4638G	104.96	Inf	-Inf	73.97	3	Vertical	357	1.89	-	27.76	3.23	-
PK	2.4838G	73.95	74.00	-0.05	42.87	3	Vertical	357	1.89	-	27.84	3.24	-
AV	2.4835G	49.60	54.00	-4.40	18.53	3	Vertical	357	1.89	-	27.83	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2457MHz\_TX



EUT X\_4TX  
Setting 50  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3842G	55.64	74.00	-18.36	24.98	3	Horizontal	0	1.05	-	27.47	3.19	-
AV	2.3614G	43.74	54.00	-10.26	13.14	3	Horizontal	0	1.05	-	27.42	3.18	-
PK	2.4502G	105.19	Inf	-Inf	74.26	3	Horizontal	0	1.05	-	27.70	3.23	-
AV	2.455G	94.00	Inf	-Inf	63.05	3	Horizontal	0	1.05	-	27.72	3.23	-
PK	2.4854G	59.15	74.00	-14.85	28.07	3	Horizontal	0	1.05	-	27.84	3.24	-
AV	2.4854G	44.33	54.00	-9.67	13.25	3	Horizontal	0	1.05	-	27.84	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2462MHz\_TX



EUT X\_4TX  
Setting 46  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.463G	116.82	Inf	-Inf	85.84	3	Vertical	356	1.80	-	27.75	3.23	-
AV	2.463G	105.16	Inf	-Inf	74.18	3	Vertical	356	1.80	-	27.75	3.23	-
PK	2.4835G	73.62	74.00	-0.38	42.55	3	Vertical	356	1.80	-	27.83	3.24	-
AV	2.4835G	49.40	54.00	-4.60	18.33	3	Vertical	356	1.80	-	27.83	3.24	-






For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_4TX

04/07/2020

2462MHz\_TX



EUT X\_4TX  
Setting 46  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4598G	104.58	Inf	-Inf	73.61	3	Horizontal	4	1.23	-	27.74	3.23	-
AV	2.4546G	92.76	Inf	-Inf	61.81	3	Horizontal	4	1.23	-	27.72	3.23	-
PK	2.4844G	62.12	74.00	-11.88	31.04	3	Horizontal	4	1.23	-	27.84	3.24	-
AV	2.4842G	44.37	54.00	-9.63	13.29	3	Horizontal	4	1.23	-	27.84	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2020

2422MHz\_TX



EUT X\_4TX  
Setting 49  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3872G	69.35	74.00	-4.65	38.69	3	Vertical	359	1.80	-	27.47	3.19	-
AV	2.3888G	53.61	54.00	-0.39	22.94	3	Vertical	359	1.80	-	27.48	3.19	-
PK	2.426G	115.82	Inf	-Inf	85.01	3	Vertical	359	1.80	-	27.60	3.21	-
AV	2.426G	104.07	Inf	-Inf	73.26	3	Vertical	359	1.80	-	27.60	3.21	-
PK	2.4856G	58.97	74.00	-15.03	27.89	3	Vertical	359	1.80	-	27.84	3.24	-
AV	2.4864G	47.21	54.00	-6.79	16.12	3	Vertical	359	1.80	-	27.85	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2020

2422MHz\_TX




EUT X\_4TX  
Setting 49  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3836G	56.52	74.00	-17.48	25.86	3	Horizontal	354	2.13	-	27.47	3.19	-
AV	2.3892G	45.03	54.00	-8.97	14.36	3	Horizontal	354	2.13	-	27.48	3.19	-
PK	2.4164G	102.70	Inf	-Inf	71.92	3	Horizontal	354	2.13	-	27.57	3.21	-
AV	2.4164G	90.67	Inf	-Inf	59.89	3	Horizontal	354	2.13	-	27.57	3.21	-
PK	2.4988G	56.34	74.00	-17.66	25.19	3	Horizontal	354	2.13	-	27.90	3.25	-
AV	2.4984G	44.76	54.00	-9.24	13.62	3	Horizontal	354	2.13	-	27.89	3.25	-



For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2020

2437MHz\_TX



EUT X\_4TX  
Setting 57  
01-D-G-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3874G	60.07	74.00	-13.93	29.41	3	Horizontal	1	1.64	-	27.47	3.19	-
AV	2.3866G	45.57	54.00	-8.43	14.91	3	Horizontal	1	1.64	-	27.47	3.19	-
PK	2.4422G	104.04	Inf	-Inf	73.15	3	Horizontal	1	1.64	-	27.67	3.22	-
AV	2.4322G	93.17	Inf	-Inf	62.32	3	Horizontal	1	1.64	-	27.63	3.22	-
PK	2.487G	57.42	74.00	-16.58	26.33	3	Horizontal	1	1.64	-	27.85	3.24	-
AV	2.487G	45.15	54.00	-8.85	14.06	3	Horizontal	1	1.64	-	27.85	3.24	-

For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2020

2452MHz\_TX



EUT X\_4TX  
Setting 51  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3872G	59.24	74.00	-14.76	28.58	3	Vertical	1	2.04	-	27.47	3.19	-
AV	2.3872G	47.05	54.00	-6.95	16.39	3	Vertical	1	2.04	-	27.47	3.19	-
PK	2.4572G	117.14	Inf	-Inf	86.18	3	Vertical	1	2.04	-	27.73	3.23	-
AV	2.4572G	105.48	Inf	-Inf	74.52	3	Vertical	1	2.04	-	27.73	3.23	-
PK	2.4872G	72.72	74.00	-1.28	41.63	3	Vertical	1	2.04	-	27.85	3.24	-
AV	2.4868G	53.51	54.00	-0.49	22.42	3	Vertical	1	2.04	-	27.85	3.24	-




For EUT 2 / Radio 2 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_4TX

04/07/2020

2452MHz\_TX



EUT X\_4TX  
Setting 51  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3704G	56.28	74.00	-17.72	25.65	3	Horizontal	333	2.48	-	27.44	3.19	-
AV	2.3776G	44.40	54.00	-9.60	13.75	3	Horizontal	333	2.48	-	27.46	3.19	-
PK	2.4572G	101.22	Inf	-Inf	70.26	3	Horizontal	333	2.48	-	27.73	3.23	-
AV	2.4568G	90.10	Inf	-Inf	59.14	3	Horizontal	333	2.48	-	27.73	3.23	-
PK	2.4872G	57.16	74.00	-16.84	26.07	3	Horizontal	333	2.48	-	27.85	3.24	-
AV	2.4852G	45.04	54.00	-8.96	13.96	3	Horizontal	333	2.48	-	27.84	3.24	-




**For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode**  
**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11b_Nss1,(1Mbps)_2TX	Pass	AV	4.87397G	53.67	54.00	-0.33	3	Vertical	62	1.79	-





For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

04/07/2020

2412MHz\_TX




EUT Y\_2TX  
Setting 97  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.82408G	50.67	74.00	-23.33	47.23	3	Horizontal	339	1.98	-	32.45	5.71	34.72
AV	4.82398G	43.33	54.00	-10.67	39.89	3	Horizontal	339	1.98	-	32.45	5.71	34.72
PK	14.47184G	61.66	74.00	-12.34	45.28	3	Horizontal	281	1.77	-	40.10	10.00	33.72
AV	14.47199G	49.26	54.00	-4.74	32.88	3	Horizontal	281	1.77	-	40.10	10.00	33.72



For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

04/07/2020

2437MHz\_TX



EUT Y\_2TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87389G	55.86	74.00	-18.14	52.25	3	Horizontal	337	1.85	-	32.55	5.74	34.68
AV	4.87397G	52.43	54.00	-1.57	48.82	3	Horizontal	337	1.85	-	32.55	5.74	34.68
PK	7.30952G	53.37	74.00	-20.63	43.58	3	Horizontal	63	1.84	-	37.29	7.38	34.88
AV	7.31178G	40.76	54.00	-13.24	30.96	3	Horizontal	63	1.84	-	37.29	7.39	34.88




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

04/07/2020

2462MHz\_TX



Legend for the graph:

- Lim.PK: Red dashed line with a red zigzag icon
- PK: Blue solid line with a blue zigzag icon
- Lim.AV: Magenta dashed line with a magenta zigzag icon
- AV: Magenta solid line with a magenta zigzag icon

EUT Y\_2TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92393G	54.00	74.00	-20.00	50.21	3	Vertical	303	1.79	-	32.67	5.76	34.64
AV	4.92398G	49.16	54.00	-4.84	45.37	3	Vertical	303	1.79	-	32.67	5.76	34.64
PK	7.38683G	52.22	74.00	-21.78	42.43	3	Vertical	10	2.41	-	37.21	7.48	34.90
AV	7.3858G	38.55	54.00	-15.45	28.76	3	Vertical	10	2.41	-	37.21	7.48	34.90




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

04/07/2020

2462MHz\_TX




EUT Y\_2TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92403G	54.36	74.00	-19.64	50.57	3	Horizontal	297	1.94	-	32.67	5.76	34.64
AV	4.92398G	49.98	54.00	-4.02	46.19	3	Horizontal	297	1.94	-	32.67	5.76	34.64
PK	7.38607G	51.89	74.00	-22.11	42.10	3	Horizontal	248	1.24	-	37.21	7.48	34.90
AV	7.38582G	38.56	54.00	-15.44	28.77	3	Horizontal	248	1.24	-	37.21	7.48	34.90




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode







For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2437MHz\_TX



EUT Y\_2TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.87386G	52.00	74.00	-22.00	48.39	3	Horizontal	127	2.12	-	32.55	5.74	34.68
AV	4.87402G	38.50	54.00	-15.50	34.89	3	Horizontal	127	2.12	-	32.55	5.74	34.68
PK	7.30666G	51.66	74.00	-22.34	41.87	3	Horizontal	103	2.74	-	37.29	7.38	34.88
AV	7.30822G	38.76	54.00	-15.24	28.97	3	Horizontal	103	2.74	-	37.29	7.38	34.88




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2462MHz\_TX




EUT Y\_2TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.92096G	49.43	74.00	-24.57	45.65	3	Vertical	188	1.56	-	32.66	5.76	34.64
AV	4.91926G	35.51	54.00	-18.49	31.73	3	Vertical	188	1.56	-	32.66	5.76	34.64
PK	7.3839G	52.22	74.00	-21.78	42.42	3	Vertical	192	1.82	-	37.22	7.48	34.90
AV	7.3817G	39.20	54.00	-14.80	29.40	3	Vertical	192	1.82	-	37.22	7.48	34.90




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode





For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2020

2437MHz\_TX




Lim.PK   
 PK   
 Lim.AV   
 AV

EUT Y\_2TX  
Setting 108  
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	4.8742G	50.94	74.00	-23.06	47.33	3	Vertical	294	2.22	-	32.55	5.74	34.68
AV	4.87346G	37.40	54.00	-16.60	33.79	3	Vertical	294	2.22	-	32.55	5.74	34.68




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode








For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode





For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode





For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode  
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
2.4-2.4835GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	2.49G	73.92	74.00	-0.08	3	Vertical	7	2.61	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

04/07/2020

2412MHz\_TX



EUT\_Z\_2TX  
Setting 83  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3888G	62.67	74.00	-11.33	32.00	3	Vertical	360	1.12	-	27.48	3.19	-
AV	2.3892G	53.60	54.00	-0.40	22.93	3	Vertical	360	1.12	-	27.48	3.19	-
PK	2.411G	110.98	Inf	-Inf	80.23	3	Vertical	360	1.12	-	27.54	3.21	-
AV	2.4112G	107.26	Inf	-Inf	76.51	3	Vertical	360	1.12	-	27.54	3.21	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

04/07/2020

2412MHz\_TX



EUT\_Z\_2TX  
Setting 83  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.383G	56.47	74.00	-17.53	25.81	3	Horizontal	343	1.49	-	27.47	3.19	-
AV	2.3892G	44.23	54.00	-9.77	13.56	3	Horizontal	343	1.49	-	27.48	3.19	-
PK	2.411G	105.04	Inf	-Inf	74.29	3	Horizontal	343	1.49	-	27.54	3.21	-
AV	2.4112G	101.34	Inf	-Inf	70.59	3	Horizontal	343	1.49	-	27.54	3.21	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

04/07/2020

2437MHz\_TX



EUT\_Z\_2TX  
Setting 94  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	60.86	74.00	-13.14	30.19	3	Vertical	6	2.91	-	27.48	3.19	-
AV	2.3854G	50.87	54.00	-3.13	20.21	3	Vertical	6	2.91	-	27.47	3.19	-
PK	2.4378G	108.36	Inf	-Inf	77.49	3	Vertical	6	2.91	-	27.65	3.22	-
AV	2.4378G	104.55	Inf	-Inf	73.68	3	Vertical	6	2.91	-	27.65	3.22	-
PK	2.4858G	62.25	74.00	-11.75	31.17	3	Vertical	6	2.91	-	27.84	3.24	-
AV	2.4858G	53.56	54.00	-0.44	22.48	3	Vertical	6	2.91	-	27.84	3.24	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

04/07/2020

2437MHz\_TX



EUT\_Z\_2TX  
Setting 94  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3626G	56.31	74.00	-17.69	25.70	3	Horizontal	23	1.34	-	27.43	3.18	-
AV	2.3854G	45.03	54.00	-8.97	14.37	3	Horizontal	23	1.34	-	27.47	3.19	-
PK	2.4378G	106.73	Inf	-Inf	75.86	3	Horizontal	23	1.34	-	27.65	3.22	-
AV	2.4378G	103.13	Inf	-Inf	72.26	3	Horizontal	23	1.34	-	27.65	3.22	-
PK	2.4835G	57.18	74.00	-16.82	26.11	3	Horizontal	23	1.34	-	27.83	3.24	-
AV	2.4858G	45.51	54.00	-8.49	14.43	3	Horizontal	23	1.34	-	27.84	3.24	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

04/07/2020

2462MHz\_TX



EUT\_Z\_2TX  
Setting 83  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	119.10	Inf	-Inf	88.13	3	Vertical	0	1.00	-	27.74	3.23	-
AV	2.4612G	115.10	Inf	-Inf	84.13	3	Vertical	0	1.00	-	27.74	3.23	-
PK	2.4862G	62.39	74.00	-11.61	31.31	3	Vertical	0	1.00	-	27.84	3.24	-
AV	2.486G	53.52	54.00	-0.48	22.44	3	Vertical	0	1.00	-	27.84	3.24	-






For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11b\_Nss1,(1Mbps)\_2TX

04/07/2020

2462MHz\_TX



EUT\_Z\_2TX  
Setting 83  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.461G	105.86	Inf	-Inf	74.89	3	Horizontal	20	1.21	-	27.74	3.23	-
AV	2.4612G	102.04	Inf	-Inf	71.07	3	Horizontal	20	1.21	-	27.74	3.23	-
PK	2.486G	56.67	74.00	-17.33	25.59	3	Horizontal	20	1.21	-	27.84	3.24	-
AV	2.4862G	45.30	54.00	-8.70	14.22	3	Horizontal	20	1.21	-	27.84	3.24	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

04/07/2020

2412MHz\_TX



EUT\_Z\_2TX  
Setting 55  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	73.92	74.00	-0.08	43.24	3	Vertical	0	1.14	-	27.48	3.20	-
AV	2.39G	49.17	54.00	-4.83	18.49	3	Vertical	0	1.14	-	27.48	3.20	-
PK	2.4052G	113.37	Inf	-Inf	82.65	3	Vertical	0	1.14	-	27.52	3.20	-
AV	2.41G	103.78	Inf	-Inf	73.03	3	Vertical	0	1.14	-	27.54	3.21	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

04/07/2020

2412MHz\_TX



EUT\_Z\_2TX  
Setting 55  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.39G	61.46	74.00	-12.54	30.78	3	Horizontal	349	2.12	-	27.48	3.20	-
AV	2.39G	44.27	54.00	-9.73	13.59	3	Horizontal	349	2.12	-	27.48	3.20	-
PK	2.406G	101.20	Inf	-Inf	70.48	3	Horizontal	349	2.12	-	27.52	3.20	-
AV	2.406G	91.99	Inf	-Inf	61.27	3	Horizontal	349	2.12	-	27.52	3.20	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

04/07/2020

2417MHz\_TX



EUT\_Z\_2TX  
Setting 65  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.388G	73.85	74.00	-0.15	43.18	3	Vertical	0	1.12	-	27.48	3.19	-
AV	2.388G	50.11	54.00	-3.89	19.44	3	Vertical	0	1.12	-	27.48	3.19	-
PK	2.4124G	115.10	Inf	-Inf	84.34	3	Vertical	0	1.12	-	27.55	3.21	-
AV	2.4124G	105.97	Inf	-Inf	75.21	3	Vertical	0	1.12	-	27.55	3.21	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

04/07/2020

2417MHz\_TX



EUT\_Z\_2TX  
Setting 65  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3894G	62.20	74.00	-11.80	31.53	3	Horizontal	349	2.59	-	27.48	3.19	-
AV	2.389G	45.02	54.00	-8.98	14.35	3	Horizontal	349	2.59	-	27.48	3.19	-
PK	2.4238G	104.19	Inf	-Inf	73.38	3	Horizontal	349	2.59	-	27.60	3.21	-
AV	2.4194G	94.97	Inf	-Inf	64.18	3	Horizontal	349	2.59	-	27.58	3.21	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

04/07/2020

2437MHz\_TX



EUT\_Z\_2TX  
Setting 81  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3802G	72.69	74.00	-1.31	42.04	3	Vertical	4	2.61	-	27.46	3.19	-
AV	2.3894G	52.21	54.00	-1.79	21.54	3	Vertical	4	2.61	-	27.48	3.19	-
PK	2.4438G	119.09	Inf	-Inf	88.19	3	Vertical	4	2.61	-	27.68	3.22	-
AV	2.439G	109.50	Inf	-Inf	78.62	3	Vertical	4	2.61	-	27.66	3.22	-
PK	2.4874G	73.87	74.00	-0.13	42.78	3	Vertical	4	2.61	-	27.85	3.24	-
AV	2.4835G	51.85	54.00	-2.15	20.78	3	Vertical	4	2.61	-	27.83	3.24	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

04/07/2020

2437MHz\_TX



EUT\_Z\_2TX  
Setting 81  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3798G	62.06	74.00	-11.94	31.41	3	Horizontal	348	2.28	-	27.46	3.19	-
AV	2.3894G	45.44	54.00	-8.56	14.77	3	Horizontal	348	2.28	-	27.48	3.19	-
PK	2.4438G	108.46	Inf	-Inf	77.56	3	Horizontal	348	2.28	-	27.68	3.22	-
AV	2.4394G	99.26	Inf	-Inf	68.38	3	Horizontal	348	2.28	-	27.66	3.22	-
PK	2.4878G	63.59	74.00	-10.41	32.50	3	Horizontal	348	2.28	-	27.85	3.24	-
AV	2.4835G	45.89	54.00	-8.11	14.82	3	Horizontal	348	2.28	-	27.83	3.24	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

04/07/2020

2457MHz\_TX



EUT\_Z\_2TX  
Setting 63  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.454G	115.34	Inf	-Inf	84.39	3	Vertical	0	2.58	-	27.72	3.23	-
AV	2.4536G	105.78	Inf	-Inf	74.84	3	Vertical	0	2.58	-	27.71	3.23	-
PK	2.484G	73.75	74.00	-0.25	42.67	3	Vertical	0	2.58	-	27.84	3.24	-
AV	2.4836G	49.40	54.00	-4.60	18.33	3	Vertical	0	2.58	-	27.83	3.24	-






For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

04/07/2020

2457MHz\_TX



EUT\_Z\_2TX  
Setting 63  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.454G	105.12	Inf	-Inf	74.17	3	Horizontal	342	2.46	-	27.72	3.23	-
AV	2.4542G	95.58	Inf	-Inf	64.63	3	Horizontal	342	2.46	-	27.72	3.23	-
PK	2.484G	63.84	74.00	-10.16	32.76	3	Horizontal	342	2.46	-	27.84	3.24	-
AV	2.4838G	45.27	54.00	-8.73	14.19	3	Horizontal	342	2.46	-	27.84	3.24	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

04/07/2020

2462MHz\_TX



EUT\_Z\_2TX  
Setting 54  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4588G	112.57	Inf	-Inf	81.60	3	Vertical	3	2.61	-	27.74	3.23	-
AV	2.4584G	103.23	Inf	-Inf	72.27	3	Vertical	3	2.61	-	27.73	3.23	-
PK	2.4838G	73.76	74.00	-0.24	42.68	3	Vertical	3	2.61	-	27.84	3.24	-
AV	2.4836G	49.36	54.00	-4.64	18.29	3	Vertical	3	2.61	-	27.83	3.24	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11g\_Nss1,(6Mbps)\_2TX

04/07/2020

2462MHz\_TX



EUT\_Z\_2TX  
Setting 54  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4546G	102.41	Inf	-Inf	71.46	3	Horizontal	345	2.46	-	27.72	3.23	-
AV	2.4544G	93.23	Inf	-Inf	62.28	3	Horizontal	345	2.46	-	27.72	3.23	-
PK	2.4838G	62.99	74.00	-11.01	31.91	3	Horizontal	345	2.46	-	27.84	3.24	-
AV	2.4842G	44.95	54.00	-9.05	13.87	3	Horizontal	345	2.46	-	27.84	3.24	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2412MHz\_TX



EUT\_Z\_2TX  
Setting 53  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	73.81	74.00	-0.19	43.14	3	Vertical	360	1.08	-	27.48	3.19	-
AV	2.39G	50.64	54.00	-3.36	19.96	3	Vertical	360	1.08	-	27.48	3.20	-
PK	2.405G	114.56	Inf	-Inf	83.84	3	Vertical	360	1.08	-	27.52	3.20	-
AV	2.4048G	102.51	Inf	-Inf	71.79	3	Vertical	360	1.08	-	27.52	3.20	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2412MHz\_TX



EUT\_Z\_2TX  
Setting 53  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3898G	62.19	74.00	-11.81	31.52	3	Horizontal	349	2.08	-	27.48	3.19	-
AV	2.39G	44.76	54.00	-9.24	14.08	3	Horizontal	349	2.08	-	27.48	3.20	-
PK	2.409G	102.91	Inf	-Inf	72.17	3	Horizontal	349	2.08	-	27.54	3.20	-
AV	2.4044G	90.75	Inf	-Inf	60.03	3	Horizontal	349	2.08	-	27.52	3.20	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2417MHz\_TX




EUT\_Z\_2TX  
Setting 64  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3896G	72.68	74.00	-1.32	42.01	3	Vertical	360	1.03	-	27.48	3.19	-
AV	2.3898G	53.78	54.00	-0.22	23.11	3	Vertical	360	1.03	-	27.48	3.19	-
PK	2.4224G	116.62	Inf	-Inf	85.82	3	Vertical	360	1.03	-	27.59	3.21	-
AV	2.4198G	104.53	Inf	-Inf	73.74	3	Vertical	360	1.03	-	27.58	3.21	-



For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2437MHz\_TX



EUT\_Z\_2TX  
Setting 75  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	69.86	74.00	-4.14	39.19	3	Vertical	360	1.26	-	27.48	3.19	-
AV	2.3878G	49.86	54.00	-4.14	19.19	3	Vertical	360	1.26	-	27.48	3.19	-
PK	2.4414G	119.69	Inf	-Inf	88.80	3	Vertical	360	1.26	-	27.67	3.22	-
AV	2.4386G	107.20	Inf	-Inf	76.33	3	Vertical	360	1.26	-	27.65	3.22	-
PK	2.4842G	73.89	74.00	-0.11	42.81	3	Vertical	360	1.26	-	27.84	3.24	-
AV	2.4838G	49.97	54.00	-4.03	18.89	3	Vertical	360	1.26	-	27.84	3.24	-






For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2437MHz\_TX



EUT\_Z\_2TX  
Setting 75  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	60.63	74.00	-13.37	29.96	3	Horizontal	349	2.55	-	27.48	3.19	-
AV	2.389G	44.48	54.00	-9.52	13.81	3	Horizontal	349	2.55	-	27.48	3.19	-
PK	2.4418G	108.54	Inf	-Inf	77.65	3	Horizontal	349	2.55	-	27.67	3.22	-
AV	2.4422G	96.75	Inf	-Inf	65.86	3	Horizontal	349	2.55	-	27.67	3.22	-
PK	2.4842G	62.83	74.00	-11.17	31.75	3	Horizontal	349	2.55	-	27.84	3.24	-
AV	2.4846G	44.98	54.00	-9.02	13.90	3	Horizontal	349	2.55	-	27.84	3.24	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2457MHz\_TX




EUT\_Z\_2TX  
Setting 60  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4528G	116.29	Inf	-Inf	85.35	3	Vertical	7	2.61	-	27.71	3.23	-
AV	2.453G	104.10	Inf	-Inf	73.16	3	Vertical	7	2.61	-	27.71	3.23	-
PK	2.49G	73.92	74.00	-0.08	42.81	3	Vertical	7	2.61	-	27.86	3.25	-
AV	2.4835G	49.32	54.00	-4.68	18.25	3	Vertical	7	2.61	-	27.83	3.24	-



For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2462MHz\_TX



EUT\_Z\_2TX  
Setting 49  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.459G	113.64	Inf	-Inf	82.67	3	Vertical	360	2.58	-	27.74	3.23	-
AV	2.4566G	101.45	Inf	-Inf	70.49	3	Vertical	360	2.58	-	27.73	3.23	-
PK	2.4838G	73.83	74.00	-0.17	42.75	3	Vertical	360	2.58	-	27.84	3.24	-
AV	2.4836G	49.00	54.00	-5.00	17.93	3	Vertical	360	2.58	-	27.83	3.24	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW20\_Nss1,(MCS0)\_2TX

04/07/2020

2462MHz\_TX



EUT\_Z\_2TX  
Setting 49  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.4552G	102.85	Inf	-Inf	71.90	3	Horizontal	342	2.48	-	27.72	3.23	-
AV	2.4554G	91.05	Inf	-Inf	60.10	3	Horizontal	342	2.48	-	27.72	3.23	-
PK	2.4835G	63.27	74.00	-10.73	32.20	3	Horizontal	342	2.48	-	27.83	3.24	-
AV	2.4835G	44.95	54.00	-9.05	13.88	3	Horizontal	342	2.48	-	27.83	3.24	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2020

2422MHz\_TX



EUT\_Z\_2TX  
Setting 52  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3848G	73.84	74.00	-0.16	43.18	3	Vertical	5	1.03	-	27.47	3.19	-
AV	2.3888G	52.32	54.00	-1.68	21.65	3	Vertical	5	1.03	-	27.48	3.19	-
PK	2.4188G	111.47	Inf	-Inf	80.68	3	Vertical	5	1.03	-	27.58	3.21	-
AV	2.4284G	99.63	Inf	-Inf	68.81	3	Vertical	5	1.03	-	27.61	3.21	-
PK	2.4896G	58.89	74.00	-15.11	27.79	3	Vertical	5	1.03	-	27.86	3.24	-
AV	2.484G	46.40	54.00	-7.60	15.32	3	Vertical	5	1.03	-	27.84	3.24	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2020

2422MHz\_TX



EUT\_Z\_2TX  
Setting 52  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.386G	62.32	74.00	-11.68	31.66	3	Horizontal	346	2.28	-	27.47	3.19	-
AV	2.3892G	45.55	54.00	-8.45	14.88	3	Horizontal	346	2.28	-	27.48	3.19	-
PK	2.4396G	100.26	Inf	-Inf	69.38	3	Horizontal	346	2.28	-	27.66	3.22	-
AV	2.4392G	89.11	Inf	-Inf	58.23	3	Horizontal	346	2.28	-	27.66	3.22	-
PK	2.4916G	56.40	74.00	-17.60	25.28	3	Horizontal	346	2.28	-	27.87	3.25	-
AV	2.4904G	44.75	54.00	-9.25	13.64	3	Horizontal	346	2.28	-	27.86	3.25	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2020

2437MHz\_TX



EUT\_Z\_2TX  
Setting 57  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3878G	73.90	74.00	-0.10	43.23	3	Vertical	0	1.16	-	27.48	3.19	-
AV	2.3898G	50.75	54.00	-3.25	20.08	3	Vertical	0	1.16	-	27.48	3.19	-
PK	2.4422G	111.57	Inf	-Inf	80.68	3	Vertical	0	1.16	-	27.67	3.22	-
AV	2.4422G	100.98	Inf	-Inf	70.09	3	Vertical	0	1.16	-	27.67	3.22	-
PK	2.4835G	70.87	74.00	-3.13	39.80	3	Vertical	0	1.16	-	27.83	3.24	-
AV	2.4846G	50.97	54.00	-3.03	19.89	3	Vertical	0	1.16	-	27.84	3.24	-






For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2020

2437MHz\_TX



EUT\_Z\_2TX  
Setting 57  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.389G	63.11	74.00	-10.89	32.44	3	Horizontal	342	2.42	-	27.48	3.19	-
AV	2.3882G	45.04	54.00	-8.96	14.37	3	Horizontal	342	2.42	-	27.48	3.19	-
PK	2.4502G	101.74	Inf	-Inf	70.81	3	Horizontal	342	2.42	-	27.70	3.23	-
AV	2.443G	91.04	Inf	-Inf	60.15	3	Horizontal	342	2.42	-	27.67	3.22	-
PK	2.4835G	61.30	74.00	-12.70	30.23	3	Horizontal	342	2.42	-	27.83	3.24	-
AV	2.4835G	45.75	54.00	-8.25	14.68	3	Horizontal	342	2.42	-	27.83	3.24	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2020

2452MHz\_TX



EUT\_Z\_2TX  
Setting 51  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.3864G	56.86	74.00	-17.14	26.20	3	Vertical	0	2.58	-	27.47	3.19	-
AV	2.39G	45.83	54.00	-8.17	15.15	3	Vertical	0	2.58	-	27.48	3.20	-
PK	2.4444G	111.95	Inf	-Inf	81.05	3	Vertical	0	2.58	-	27.68	3.22	-
AV	2.4468G	100.11	Inf	-Inf	69.20	3	Vertical	0	2.58	-	27.69	3.22	-
PK	2.4864G	73.88	74.00	-0.12	42.79	3	Vertical	0	2.58	-	27.85	3.24	-
AV	2.484G	52.64	54.00	-1.36	21.56	3	Vertical	0	2.58	-	27.84	3.24	-




For EUT 2 / Radio 3 / External Ant.2\_Non-Beamforming Mode

802.11ax HEW40\_Nss1,(MCS0)\_2TX

04/07/2020

2452MHz\_TX



EUT\_Z\_2TX  
Setting 51  
01-D-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	2.368G	56.56	74.00	-17.44	25.94	3	Horizontal	346	2.55	-	27.44	3.18	-
AV	2.39G	44.38	54.00	-9.62	13.70	3	Horizontal	346	2.55	-	27.48	3.20	-
PK	2.4528G	100.41	Inf	-Inf	69.47	3	Horizontal	346	2.55	-	27.71	3.23	-
AV	2.448G	89.73	Inf	-Inf	58.82	3	Horizontal	346	2.55	-	27.69	3.22	-
PK	2.4844G	62.67	74.00	-11.33	31.59	3	Horizontal	346	2.55	-	27.84	3.24	-
AV	2.4848G	45.92	54.00	-8.08	14.84	3	Horizontal	346	2.55	-	27.84	3.24	-




**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.26923G	34.98	54.00	-19.02	Horizontal
Mode 2	Pass	AV	2.27193G	34.48	54.00	-19.52	Horizontal

### Radiated Emissions above 1GHz\_Mode 1


03/08/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	2.27237G	47.86	74.00	-26.14	-0.19	3	Vertical	35	1.11	-	48.05	29.41	3.94	33.54
AV	2.26861G	34.88	54.00	-19.12	-0.18	3	Vertical	35	1.11	"Worst"	35.06	29.43	3.93	33.54

### Radiated Emissions above 1GHz\_Mode 1


03/08/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	2.26818G	49.01	74.00	-24.99	-0.18	3	Horizontal	352	1.44	-	49.19	29.43	3.93	33.54
AV	2.26923G	34.98	54.00	-19.02	-0.19	3	Horizontal	352	1.44	"Worst"	35.17	29.42	3.93	33.54

### Radiated Emissions above 1GHz\_Mode 2


03/08/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	2.26935G	48.02	74.00	-25.98	-0.19	3	Vertical	111	1.03	-	48.21	29.42	3.93	33.54
AV	2.26777G	34.30	54.00	-19.70	-0.18	3	Vertical	111	1.03	"Worst"	34.48	29.43	3.93	33.54

### Radiated Emissions above 1GHz\_Mode 2

03/08/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	2.26789G	47.73	74.00	-26.27	-0.18	3	Horizontal	58	1.23	-	47.91	29.43	3.93	33.54
AV	2.27193G	34.48	54.00	-19.52	-0.19	3	Horizontal	58	1.23	"Worst"	34.67	29.41	3.94	33.54