




For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5230MHz_TX




EUT_Y_4TX
Setting 70
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	60.58	74.00	-13.42	55.42	3	Vertical	36	2.90	-	33.90	6.03	34.77
AV	5.15G	48.62	54.00	-5.38	43.46	3	Vertical	36	2.90	-	33.90	6.03	34.77
PK	5.2354G	110.40	Inf	-Inf	105.14	3	Vertical	36	2.90	-	34.01	6.08	34.83
AV	5.2354G	99.20	Inf	-Inf	93.94	3	Vertical	36	2.90	-	34.01	6.08	34.83
PK	5.3788G	58.73	74.00	-15.27	53.38	3	Vertical	36	2.90	-	34.28	6.01	34.94
AV	5.3674G	47.27	54.00	-6.73	41.91	3	Vertical	36	2.90	-	34.27	6.02	34.93



For EUT 1 / Radio 1_Non-Beamforming Mode




For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode





For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5755MHz_TX




EUT_Y_4TX
Setting 87
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	68.10	68.20	-0.10	62.51	3	Horizontal	305	2.12	-	34.26	6.30	34.97
PK	5.753G	118.46	Inf	-Inf	112.90	3	Horizontal	305	2.12	-	34.20	6.30	34.94
AV	5.758G	108.42	Inf	-Inf	102.86	3	Horizontal	305	2.12	-	34.20	6.30	34.94
PK	5.924G	63.96	68.94	-4.98	58.02	3	Horizontal	305	2.12	-	34.47	6.36	34.89




For EUT 1 / Radio 1_Non-Beamforming Mode





For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5795MHz_TX



EUT_V_4TX
Setting 89
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	58.83	68.20	-9.37	53.23	3	Vertical	357	2.35	-	34.27	6.30	34.97
PK	5.784G	110.21	Inf	-Inf	104.64	3	Vertical	357	2.35	-	34.20	6.30	34.93
AV	5.799G	99.91	Inf	-Inf	94.34	3	Vertical	357	2.35	-	34.20	6.30	34.93
PK	5.925G	64.14	68.20	-4.06	58.19	3	Vertical	357	2.35	-	34.48	6.36	34.89




For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5795MHz_TX




EUT_V_4TX
Setting 89
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	63.44	68.20	-4.76	57.85	3	Horizontal	304	2.18	-	34.26	6.30	34.97
PK	5.783G	119.07	Inf	-Inf	113.50	3	Horizontal	304	2.18	-	34.20	6.30	34.93
AV	5.797G	108.51	Inf	-Inf	102.94	3	Horizontal	304	2.18	-	34.20	6.30	34.93
PK	5.923G	69.25	69.68	-0.43	63.31	3	Horizontal	304	2.18	-	34.47	6.36	34.89



For EUT 1 / Radio 1_Non-Beamforming Mode



For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020


5210MHz_TX



EUT_Y_4TX
Setting 54
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1348G	61.44	74.00	-12.56	56.29	3	Vertical	38	2.56	-	33.90	6.01	34.76
AV	5.1468G	48.91	54.00	-5.09	43.75	3	Vertical	38	2.56	-	33.90	6.03	34.77
PK	5.2212G	103.06	Inf	-Inf	97.83	3	Vertical	38	2.56	-	33.96	6.09	34.82
AV	5.2012G	91.76	Inf	-Inf	86.57	3	Vertical	38	2.56	-	33.90	6.10	34.81
PK	5.3964G	58.64	74.00	-15.36	53.29	3	Vertical	38	2.56	-	34.30	6.00	34.95
AV	5.3876G	46.74	54.00	-7.26	41.38	3	Vertical	38	2.56	-	34.29	6.01	34.94

For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode





For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	5.925G	68.18	68.20	-0.02	3	Horizontal	40	1.79	-




For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode




For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode




For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode




For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode




For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode





For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode






For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode





For EUT 1 / Radio 2 Band 4 only_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode
Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.926G	68.19	68.20	-0.01	3	Horizontal	53	1.24	-

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5180MHz_TX



EUT X_2TX
Setting 75
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	65.28	74.00	-8.72	60.68	3	Vertical	310	2.34	-	33.90	6.03	35.33
AV	5.15G	48.11	54.00	-5.89	43.51	3	Vertical	310	2.34	-	33.90	6.03	35.33
PK	5.185G	107.73	Inf	-Inf	103.04	3	Vertical	310	2.34	-	33.90	6.08	35.29
AV	5.1752G	98.51	Inf	-Inf	93.84	3	Vertical	310	2.34	-	33.90	6.07	35.30




For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5180MHz_TX




EUT X_2TX
Setting 75
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.71	74.00	-2.29	67.11	3	Horizontal	43	1.97	-	33.90	6.03	35.33
AV	5.1496G	53.52	54.00	-0.48	48.92	3	Horizontal	43	1.97	-	33.90	6.03	35.33
PK	5.1838G	115.46	Inf	-Inf	110.77	3	Horizontal	43	1.97	-	33.90	6.08	35.29
AV	5.184G	105.88	Inf	-Inf	101.19	3	Horizontal	43	1.97	-	33.90	6.08	35.29




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020


5240MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.93	74.00	-10.07	59.33	3	Vertical	13	2.95	-	33.90	6.03	35.33
AV	5.1488G	47.77	54.00	-6.23	43.17	3	Vertical	13	2.95	-	33.90	6.03	35.33
PK	5.237G	119.04	Inf	-Inf	114.18	3	Vertical	13	2.95	-	34.01	6.08	35.23
AV	5.237G	108.51	Inf	-Inf	103.65	3	Vertical	13	2.95	-	34.01	6.08	35.23
PK	5.3582G	60.52	74.00	-13.48	55.33	3	Vertical	13	2.95	-	34.26	6.02	35.09
AV	5.3534G	47.61	54.00	-6.39	42.43	3	Vertical	13	2.95	-	34.25	6.02	35.09

For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode




For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	64.05	74.00	-9.95	58.89	3	Vertical	13	2.93	-	33.90	6.03	34.77
AV	5.15G	49.59	54.00	-4.41	44.43	3	Vertical	13	2.93	-	33.90	6.03	34.77
PK	5.2412G	120.01	Inf	-Inf	114.75	3	Vertical	13	2.93	-	34.02	6.08	34.84
AV	5.2412G	107.84	Inf	-Inf	102.58	3	Vertical	13	2.93	-	34.02	6.08	34.84
PK	5.35G	61.97	74.00	-12.03	56.62	3	Vertical	13	2.93	-	34.25	6.02	34.92
AV	5.3516G	48.27	54.00	-5.73	42.92	3	Vertical	13	2.93	-	34.25	6.02	34.92




For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020

5240MHz_TX




EUT X_2TX
Setting 108
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1434G	69.00	74.00	-5.00	63.85	3	Horizontal	49	2.25	-	33.90	6.02	34.77
AV	5.1494G	53.35	54.00	-0.65	48.19	3	Horizontal	49	2.25	-	33.90	6.03	34.77
PK	5.2412G	123.07	Inf	-Inf	117.81	3	Horizontal	49	2.25	-	34.02	6.08	34.84
AV	5.2382G	111.75	Inf	-Inf	106.50	3	Horizontal	49	2.25	-	34.01	6.08	34.84
PK	5.3546G	63.07	74.00	-10.93	57.72	3	Horizontal	49	2.25	-	34.25	6.02	34.92
AV	5.3528G	49.61	54.00	-4.39	44.26	3	Horizontal	49	2.25	-	34.25	6.02	34.92




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020


5230MHz_TX



EUT X_2TX
Setting B2
03-A-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	63.67	74.00	-10.33	58.51	3	Vertical	15	2.95	-	33.90	6.03	34.77
AV	5.1484G	50.39	54.00	-3.61	45.23	3	Vertical	15	2.95	-	33.90	6.03	34.77
PK	5.2354G	113.80	Inf	-Inf	108.54	3	Vertical	15	2.95	-	34.01	6.08	34.83
AV	5.236G	102.14	Inf	-Inf	96.89	3	Vertical	15	2.95	-	34.01	6.08	34.84
PK	5.3698G	59.30	74.00	-14.70	53.94	3	Vertical	15	2.95	-	34.27	6.02	34.93
AV	5.3782G	47.77	54.00	-6.23	42.41	3	Vertical	15	2.95	-	34.28	6.01	34.93

For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

06/07/2020

5755MHz_TX




EUT X_2TX
Setting 100
03-A-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.99	68.20	-0.21	62.41	3	Horizontal	56	2.35	-	34.25	6.30	34.97
PK	5.751G	117.59	Inf	-Inf	112.03	3	Horizontal	56	2.35	-	34.20	6.30	34.94
AV	5.761G	106.52	Inf	-Inf	100.96	3	Horizontal	56	2.35	-	34.20	6.30	34.94
PK	5.929G	61.95	68.20	-6.25	55.99	3	Horizontal	56	2.35	-	34.49	6.36	34.89




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode




For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

06/07/2020


5210MHz_TX



EUT X_2TX
Setting 59
03-A-N-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	62.08	74.00	-11.92	56.92	3	Vertical	313	2.47	-	33.90	6.03	34.77
AV	5.148G	48.40	54.00	-5.60	43.24	3	Vertical	313	2.47	-	33.90	6.03	34.77
PK	5.197G	99.48	Inf	-Inf	94.29	3	Vertical	313	2.47	-	33.90	6.10	34.81
AV	5.199G	88.72	Inf	-Inf	83.53	3	Vertical	313	2.47	-	33.90	6.10	34.81
PK	5.394G	59.30	74.00	-14.70	53.96	3	Vertical	313	2.47	-	34.29	6.00	34.95
AV	5.382G	47.22	54.00	-6.78	41.87	3	Vertical	313	2.47	-	34.28	6.01	34.94

For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

06/07/2020

5775MHz_TX




EUT X_2TX
Setting 86
03-A-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54824G	57.16	74.00	-16.84	41.19	3	Vertical	144	1.84	-	38.78	11.88	34.69
AV	11.54582G	45.06	54.00	-8.94	29.09	3	Vertical	144	1.84	-	38.78	11.88	34.69



For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_4TX	Pass	PK	5.649G	68.16	68.20	-0.04	3	Vertical	91	3.00	-




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5180MHz_TX



EUT X_4TX
Setting 67
01-D-L-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.76	74.00	-2.24	67.72	3	Vertical	356	2.78	-	32.80	5.87	34.63
AV	5.15G	53.79	54.00	-0.21	49.75	3	Vertical	356	2.78	-	32.80	5.87	34.63
PK	5.1838G	117.91	Inf	-Inf	113.87	3	Vertical	356	2.78	-	32.80	5.89	34.65
AV	5.184G	108.62	Inf	-Inf	104.58	3	Vertical	356	2.78	-	32.80	5.89	34.65




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5180MHz_TX



EUT X_4TX
Setting 67
01-D-L-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	61.77	74.00	-12.23	57.73	3	Horizontal	232	2.25	-	32.80	5.87	34.63
AV	5.15G	46.39	54.00	-7.61	42.35	3	Horizontal	232	2.25	-	32.80	5.87	34.63
PK	5.1724G	103.60	Inf	-Inf	99.55	3	Horizontal	232	2.25	-	32.80	5.89	34.64
AV	5.1724G	94.53	Inf	-Inf	90.48	3	Horizontal	232	2.25	-	32.80	5.89	34.64




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5200MHz_TX




EUT X_4TX
Setting 84
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	70.96	74.00	-3.04	66.92	3	Vertical	359	2.83	-	32.80	5.87	34.63
AV	5.1484G	53.61	54.00	-0.39	49.57	3	Vertical	359	2.83	-	32.80	5.87	34.63
PK	5.2048G	121.09	Inf	-Inf	117.02	3	Vertical	359	2.83	-	32.81	5.91	34.65
AV	5.204G	111.41	Inf	-Inf	107.34	3	Vertical	359	2.83	-	32.81	5.91	34.65



For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5240MHz_TX




EUT X_4TX
Setting 97
01-D-L-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	71.10	74.00	-2.90	67.06	3	Vertical	4	2.80	-	32.80	5.87	34.63
AV	5.15G	53.81	54.00	-0.19	49.77	3	Vertical	4	2.80	-	32.80	5.87	34.63
PK	5.243G	124.12	Inf	-Inf	119.84	3	Vertical	4	2.80	-	32.93	6.02	34.67
AV	5.2424G	114.23	Inf	-Inf	109.96	3	Vertical	4	2.80	-	32.93	6.01	34.67
PK	5.3558G	60.60	74.00	-13.40	55.85	3	Vertical	4	2.80	-	33.16	6.30	34.71
AV	5.3504G	47.60	54.00	-6.40	42.87	3	Vertical	4	2.80	-	33.15	6.29	34.71



For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5745MHz_TX



EUT X_4TX
Setting 96
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	68.16	68.20	-0.04	62.54	3	Vertical	91	3.00	-	34.00	6.32	34.70
PK	5.75G	120.69	Inf	-Inf	114.83	3	Vertical	91	3.00	-	34.15	6.37	34.66
AV	5.751G	109.89	Inf	-Inf	104.02	3	Vertical	91	3.00	-	34.15	6.38	34.66
PK	5.971G	60.46	68.20	-7.74	53.39	3	Vertical	91	3.00	-	35.16	6.49	34.58




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5745MHz_TX



EUT X_4TX
Setting 96
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.602G	59.14	68.20	-9.06	53.56	3	Horizontal	337	1.80	-	34.00	6.30	34.72
PK	5.752G	107.61	Inf	-Inf	101.73	3	Horizontal	337	1.80	-	34.16	6.38	34.66
AV	5.752G	96.78	Inf	-Inf	90.90	3	Horizontal	337	1.80	-	34.16	6.38	34.66
PK	5.966G	59.64	68.20	-8.56	52.61	3	Horizontal	337	1.80	-	35.13	6.48	34.58




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5785MHz_TX



EUT X_4TX
Setting 108
01-D-L-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	64.44	68.20	-3.76	58.82	3	Vertical	337	2.20	-	34.00	6.32	34.70
PK	5.792G	122.08	Inf	-Inf	116.05	3	Vertical	337	2.20	-	34.28	6.40	34.65
AV	5.793G	111.34	Inf	-Inf	105.31	3	Vertical	337	2.20	-	34.28	6.40	34.65
PK	5.937G	62.07	68.20	-6.13	55.22	3	Vertical	337	2.20	-	34.98	6.47	34.60




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5785MHz_TX



EUT X_4TX
Setting 108
01-D-L-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	58.43	68.20	-9.77	52.88	3	Horizontal	337	1.80	-	33.97	6.31	34.73
PK	5.791G	110.78	Inf	-Inf	104.76	3	Horizontal	337	1.80	-	34.27	6.40	34.65
AV	5.791G	100.08	Inf	-Inf	94.06	3	Horizontal	337	1.80	-	34.27	6.40	34.65
PK	5.939G	59.63	68.20	-8.57	52.76	3	Horizontal	337	1.80	-	34.99	6.47	34.59




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5825MHz_TX




EUT X_4TX
Setting 91
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.603G	58.49	68.20	-9.71	52.91	3	Vertical	341	3.00	-	34.00	6.30	34.72
PK	5.82G	119.95	Inf	-Inf	113.78	3	Vertical	341	3.00	-	34.40	6.41	34.64
AV	5.82G	109.78	Inf	-Inf	103.61	3	Vertical	341	3.00	-	34.40	6.41	34.64
PK	5.933G	67.99	68.20	-0.21	61.16	3	Vertical	341	3.00	-	34.96	6.47	34.60



For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5180MHz_TX



EUT X_4TX
Setting 62
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	73.78	74.00	-0.22	69.74	3	Vertical	7	2.76	-	32.80	5.87	34.63
AV	5.1478G	53.30	54.00	-0.70	49.26	3	Vertical	7	2.76	-	32.80	5.87	34.63
PK	5.1732G	118.30	Inf	-Inf	114.25	3	Vertical	7	2.76	-	32.80	5.89	34.64
AV	5.178G	104.63	Inf	-Inf	100.58	3	Vertical	7	2.76	-	32.80	5.89	34.64




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5180MHz_TX



EUT X_4TX
Setting 62
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	60.57	74.00	-13.43	56.53	3	Horizontal	100	1.58	-	32.80	5.87	34.63
AV	5.1478G	45.21	54.00	-8.79	41.17	3	Horizontal	100	1.58	-	32.80	5.87	34.63
PK	5.1826G	104.87	Inf	-Inf	100.82	3	Horizontal	100	1.58	-	32.80	5.89	34.64
AV	5.1828G	91.75	Inf	-Inf	87.70	3	Horizontal	100	1.58	-	32.80	5.89	34.64




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5200MHz_TX




EUT X_4TX
Setting 83
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	70.72	74.00	-3.28	66.68	3	Vertical	221	2.19	-	32.80	5.87	34.63
AV	5.1476G	53.81	54.00	-0.19	49.77	3	Vertical	221	2.19	-	32.80	5.87	34.63
PK	5.1972G	120.45	Inf	-Inf	116.40	3	Vertical	221	2.19	-	32.80	5.90	34.65
AV	5.1976G	107.05	Inf	-Inf	103.00	3	Vertical	221	2.19	-	32.80	5.90	34.65



For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5240MHz_TX



EUT X_4TX
Setting 97
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	69.24	74.00	-4.76	65.20	3	Vertical	3	2.94	-	32.80	5.87	34.63
AV	5.1488G	53.75	54.00	-0.25	49.71	3	Vertical	3	2.94	-	32.80	5.87	34.63
PK	5.2328G	124.69	Inf	-Inf	120.46	3	Vertical	3	2.94	-	32.90	5.99	34.66
AV	5.2376G	111.39	Inf	-Inf	107.15	3	Vertical	3	2.94	-	32.91	6.00	34.67
PK	5.351G	67.84	74.00	-6.16	63.11	3	Vertical	3	2.94	-	33.15	6.29	34.71
AV	5.3504G	50.88	54.00	-3.12	46.15	3	Vertical	3	2.94	-	33.15	6.29	34.71




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5240MHz_TX



EUT X_4TX
Setting 97
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.97	74.00	-13.03	56.93	3	Horizontal	98	1.65	-	32.80	5.87	34.63
AV	5.15G	45.90	54.00	-8.10	41.86	3	Horizontal	98	1.65	-	32.80	5.87	34.63
PK	5.2424G	109.92	Inf	-Inf	105.65	3	Horizontal	98	1.65	-	32.93	6.01	34.67
AV	5.243G	97.34	Inf	-Inf	93.06	3	Horizontal	98	1.65	-	32.93	6.02	34.67
PK	5.3504G	57.88	74.00	-16.12	53.15	3	Horizontal	98	1.65	-	33.15	6.29	34.71
AV	5.3504G	45.28	54.00	-8.72	40.55	3	Horizontal	98	1.65	-	33.15	6.29	34.71




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5745MHz_TX



EUT X_4TX
Setting 94
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.94	68.20	-0.26	62.32	3	Vertical	332	2.09	-	34.00	6.32	34.70
PK	5.752G	119.67	Inf	-Inf	113.79	3	Vertical	332	2.09	-	34.16	6.38	34.66
AV	5.746G	107.17	Inf	-Inf	101.33	3	Vertical	332	2.09	-	34.14	6.37	34.67
PK	5.936G	60.30	68.20	-7.90	53.45	3	Vertical	332	2.09	-	34.98	6.47	34.60




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5745MHz_TX



EUT X_4TX
Setting 94
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.61G	58.89	68.20	-9.31	53.31	3	Horizontal	341	1.94	-	34.00	6.30	34.72
PK	5.743G	107.64	Inf	-Inf	101.81	3	Horizontal	341	1.94	-	34.13	6.37	34.67
AV	5.743G	95.70	Inf	-Inf	89.87	3	Horizontal	341	1.94	-	34.13	6.37	34.67
PK	5.933G	59.80	68.20	-8.40	52.97	3	Horizontal	341	1.94	-	34.96	6.47	34.60




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5785MHz_TX



EUT X_4TX
Setting 108
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	64.43	68.94	-4.51	58.80	3	Vertical	271	2.28	-	34.00	6.33	34.70
PK	5.781G	120.91	Inf	-Inf	114.94	3	Vertical	271	2.28	-	34.24	6.39	34.66
AV	5.786G	107.09	Inf	-Inf	101.09	3	Vertical	271	2.28	-	34.26	6.39	34.65
PK	5.927G	65.48	68.20	-2.72	58.68	3	Vertical	271	2.28	-	34.94	6.46	34.60




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5785MHz_TX




EUT X_4TX
Setting 108
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.612G	59.42	68.20	-8.78	53.83	3	Horizontal	340	2.11	-	34.00	6.31	34.72
PK	5.783G	109.91	Inf	-Inf	103.93	3	Horizontal	340	2.11	-	34.25	6.39	34.66
AV	5.788G	97.74	Inf	-Inf	91.74	3	Horizontal	340	2.11	-	34.26	6.39	34.65
PK	5.95G	59.58	68.20	-8.62	52.65	3	Horizontal	340	2.11	-	35.05	6.47	34.59




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode





For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5190MHz_TX



EUT X_4TX
Setting 58
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	60.03	74.00	-13.97	55.99	3	Horizontal	102	2.37	-	32.80	5.87	34.63
AV	5.148G	46.89	54.00	-7.11	42.85	3	Horizontal	102	2.37	-	32.80	5.87	34.63
PK	5.1884G	101.75	Inf	-Inf	97.71	3	Horizontal	102	2.37	-	32.80	5.89	34.65
AV	5.198G	90.18	Inf	-Inf	86.13	3	Horizontal	102	2.37	-	32.80	5.90	34.65




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5230MHz_TX



EUT X_4TX
Setting 74
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	69.87	74.00	-4.13	65.83	3	Vertical	220	2.14	-	32.80	5.87	34.63
AV	5.1478G	53.69	54.00	-0.31	49.65	3	Vertical	220	2.14	-	32.80	5.87	34.63
PK	5.2174G	115.90	Inf	-Inf	111.76	3	Vertical	220	2.14	-	32.85	5.95	34.66
AV	5.2324G	104.10	Inf	-Inf	99.87	3	Vertical	220	2.14	-	32.90	5.99	34.66
PK	5.3524G	58.94	74.00	-15.06	54.21	3	Vertical	220	2.14	-	33.15	6.29	34.71
AV	5.3524G	47.51	54.00	-6.49	42.78	3	Vertical	220	2.14	-	33.15	6.29	34.71




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5230MHz_TX



EUT X_4TX
Setting 74
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	57.98	74.00	-16.02	53.94	3	Horizontal	100	1.57	-	32.80	5.87	34.63
AV	5.143G	46.22	54.00	-7.78	42.18	3	Horizontal	100	1.57	-	32.80	5.87	34.63
PK	5.2234G	103.47	Inf	-Inf	99.30	3	Horizontal	100	1.57	-	32.87	5.96	34.66
AV	5.2228G	92.75	Inf	-Inf	88.58	3	Horizontal	100	1.57	-	32.87	5.96	34.66
PK	5.3764G	57.41	74.00	-16.59	52.59	3	Horizontal	100	1.57	-	33.18	6.35	34.71
AV	5.35G	46.38	54.00	-7.62	41.64	3	Horizontal	100	1.57	-	33.15	6.29	34.70




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5755MHz_TX




EUT X_4TX
Setting 88
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.55	68.94	-0.39	62.92	3	Vertical	333	2.17	-	34.00	6.33	34.70
PK	5.766G	116.61	Inf	-Inf	110.69	3	Vertical	333	2.17	-	34.20	6.38	34.66
AV	5.762G	105.72	Inf	-Inf	99.81	3	Vertical	333	2.17	-	34.19	6.38	34.66
PK	5.937G	62.76	68.20	-5.44	55.91	3	Vertical	333	2.17	-	34.98	6.47	34.60



For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5795MHz_TX



EUT X_4TX
Setting 89
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	61.12	68.20	-7.08	55.52	3	Vertical	271	1.98	-	34.00	6.31	34.71
PK	5.792G	115.23	Inf	-Inf	109.20	3	Vertical	271	1.98	-	34.28	6.40	34.65
AV	5.787G	104.50	Inf	-Inf	98.50	3	Vertical	271	1.98	-	34.26	6.39	34.65
PK	5.926G	67.82	68.20	-0.38	61.03	3	Vertical	271	1.98	-	34.93	6.46	34.60




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5795MHz_TX



EUT X_4TX
Setting 89
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.588G	59.47	68.20	-8.73	53.90	3	Horizontal	343	1.88	-	33.98	6.31	34.72
PK	5.784G	104.35	Inf	-Inf	98.36	3	Horizontal	343	1.88	-	34.25	6.39	34.65
AV	5.788G	94.75	Inf	-Inf	88.75	3	Horizontal	343	1.88	-	34.26	6.39	34.65
PK	5.93G	60.25	68.20	-7.95	53.44	3	Horizontal	343	1.88	-	34.95	6.46	34.60




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

03/07/2020

5210MHz_TX



EUT X_4TX
Setting 58
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	69.38	74.00	-4.62	65.34	3	Vertical	250	2.35	-	32.80	5.87	34.63
AV	5.149G	53.85	54.00	-0.15	49.81	3	Vertical	250	2.35	-	32.80	5.87	34.63
PK	5.209G	108.35	Inf	-Inf	104.25	3	Vertical	250	2.35	-	32.83	5.92	34.65
AV	5.199G	97.94	Inf	-Inf	93.89	3	Vertical	250	2.35	-	32.80	5.90	34.65
PK	5.42G	58.94	74.00	-15.06	53.96	3	Vertical	250	2.35	-	33.32	6.39	34.73
AV	5.351G	47.04	54.00	-6.96	42.31	3	Vertical	250	2.35	-	33.15	6.29	34.71




For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

03/07/2020

5210MHz_TX




EUT X_4TX
Setting 58
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	58.83	74.00	-15.17	54.79	3	Horizontal	104	2.26	-	32.80	5.87	34.63
AV	5.148G	46.37	54.00	-7.63	42.33	3	Horizontal	104	2.26	-	32.80	5.87	34.63
PK	5.213G	97.19	Inf	-Inf	93.07	3	Horizontal	104	2.26	-	32.84	5.94	34.66
AV	5.203G	85.20	Inf	-Inf	81.13	3	Horizontal	104	2.26	-	32.81	5.91	34.65
PK	5.457G	58.51	74.00	-15.49	53.34	3	Horizontal	104	2.26	-	33.54	6.37	34.74
AV	5.43G	46.67	54.00	-7.33	41.63	3	Horizontal	104	2.26	-	33.38	6.39	34.73



For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

03/07/2020

5775MHz_TX



EUT X_4TX
Setting 79
01-D-G-2-10
ANT Z

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	60.27	68.20	-7.93	54.65	3	Horizontal	343	1.87	-	34.00	6.32	34.70
PK	5.788G	100.95	Inf	-Inf	94.95	3	Horizontal	343	1.87	-	34.26	6.39	34.65
AV	5.788G	89.73	Inf	-Inf	83.73	3	Horizontal	343	1.87	-	34.26	6.39	34.65
PK	5.927G	60.69	68.20	-7.51	53.89	3	Horizontal	343	1.87	-	34.94	6.46	34.60



For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.922G	70.37	70.42	-0.05	3	Vertical	335	2.77	-




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5180MHz_TX



EUT X_2TX
Setting 77
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	71.68	74.00	-2.32	67.64	3	Vertical	335	1.98	-	32.80	5.87	34.63
AV	5.15G	53.89	54.00	-0.11	49.85	3	Vertical	335	1.98	-	32.80	5.87	34.63
PK	5.1866G	113.04	Inf	-Inf	109.00	3	Vertical	335	1.98	-	32.80	5.89	34.65
AV	5.1866G	103.82	Inf	-Inf	99.78	3	Vertical	335	1.98	-	32.80	5.89	34.65




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5180MHz_TX



EUT X_2TX
Setting 77
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	60.81	74.00	-13.19	56.77	3	Horizontal	298	2.88	-	32.80	5.87	34.63
AV	5.1468G	45.54	54.00	-8.46	41.50	3	Horizontal	298	2.88	-	32.80	5.87	34.63
PK	5.1868G	100.55	Inf	-Inf	96.51	3	Horizontal	298	2.88	-	32.80	5.89	34.65
AV	5.1816G	91.47	Inf	-Inf	87.42	3	Horizontal	298	2.88	-	32.80	5.89	34.64




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5200MHz_TX




EUT X_2TX
Setting 97
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	69.28	74.00	-4.72	65.24	3	Vertical	334	2.00	-	32.80	5.87	34.63
AV	5.15G	53.28	54.00	-0.72	49.24	3	Vertical	334	2.00	-	32.80	5.87	34.63
PK	5.206G	118.76	Inf	-Inf	114.67	3	Vertical	334	2.00	-	32.82	5.92	34.65
AV	5.2012G	109.03	Inf	-Inf	104.98	3	Vertical	334	2.00	-	32.80	5.90	34.65



For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	64.16	74.00	-9.84	60.12	3	Vertical	6	2.42	-	32.80	5.87	34.63
AV	5.1476G	48.59	54.00	-5.41	44.55	3	Vertical	6	2.42	-	32.80	5.87	34.63
PK	5.2388G	120.39	Inf	-Inf	116.14	3	Vertical	6	2.42	-	32.92	6.00	34.67
AV	5.234G	109.70	Inf	-Inf	105.47	3	Vertical	6	2.42	-	32.90	5.99	34.66
PK	5.357G	60.28	74.00	-13.72	55.53	3	Vertical	6	2.42	-	33.16	6.30	34.71
AV	5.351G	47.50	54.00	-6.50	42.77	3	Vertical	6	2.42	-	33.15	6.29	34.71




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	58.95	74.00	-15.05	54.91	3	Horizontal	298	2.84	-	32.80	5.87	34.63
AV	5.1488G	45.12	54.00	-8.88	41.08	3	Horizontal	298	2.84	-	32.80	5.87	34.63
PK	5.2364G	108.21	Inf	-Inf	103.96	3	Horizontal	298	2.84	-	32.91	6.00	34.66
AV	5.2412G	98.08	Inf	-Inf	93.82	3	Horizontal	298	2.84	-	32.92	6.01	34.67
PK	5.3672G	58.26	74.00	-15.74	53.48	3	Horizontal	298	2.84	-	33.17	6.32	34.71
AV	5.369G	45.79	54.00	-8.21	41.00	3	Horizontal	298	2.84	-	33.17	6.33	34.71




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	60.83	68.20	-7.37	55.21	3	Vertical	356	2.78	-	34.00	6.32	34.70
PK	5.744G	118.71	Inf	-Inf	112.88	3	Vertical	356	2.78	-	34.13	6.37	34.67
AV	5.749G	108.36	Inf	-Inf	102.51	3	Vertical	356	2.78	-	34.15	6.37	34.67
PK	5.934G	59.74	68.20	-8.46	52.90	3	Vertical	356	2.78	-	34.97	6.47	34.60




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	58.96	68.20	-9.24	53.35	3	Horizontal	235	1.98	-	34.00	6.32	34.71
PK	5.751G	104.80	Inf	-Inf	98.93	3	Horizontal	235	1.98	-	34.15	6.38	34.66
AV	5.746G	94.32	Inf	-Inf	88.48	3	Horizontal	235	1.98	-	34.14	6.37	34.67
PK	5.977G	59.78	68.20	-8.42	52.68	3	Horizontal	235	1.98	-	35.19	6.49	34.58




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	59.42	68.20	-8.78	53.82	3	Vertical	4	2.87	-	34.00	6.31	34.71
PK	5.788G	119.57	Inf	-Inf	113.57	3	Vertical	4	2.87	-	34.26	6.39	34.65
AV	5.788G	109.33	Inf	-Inf	103.33	3	Vertical	4	2.87	-	34.26	6.39	34.65
PK	5.989G	59.93	68.20	-8.27	52.77	3	Vertical	4	2.87	-	35.24	6.49	34.57




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5785MHz_TX




EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.604G	58.47	68.20	-9.73	52.89	3	Horizontal	231	2.14	-	34.00	6.30	34.72
PK	5.79G	105.67	Inf	-Inf	99.65	3	Horizontal	231	2.14	-	34.27	6.40	34.65
AV	5.791G	95.36	Inf	-Inf	89.34	3	Horizontal	231	2.14	-	34.27	6.40	34.65
PK	5.968G	60.32	68.20	-7.88	53.28	3	Horizontal	231	2.14	-	35.14	6.48	34.58



For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.616G	58.63	68.20	-9.57	53.03	3	Horizontal	232	2.10	-	34.00	6.31	34.71
PK	5.831G	106.61	Inf	-Inf	100.38	3	Horizontal	232	2.10	-	34.45	6.42	34.64
AV	5.831G	95.99	Inf	-Inf	89.76	3	Horizontal	232	2.10	-	34.45	6.42	34.64
PK	5.99G	59.91	68.20	-8.29	52.73	3	Horizontal	232	2.10	-	35.25	6.50	34.57




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5180MHz_TX



EUT X_2TX
Setting 73
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	69.48	74.00	-4.52	65.44	3	Vertical	335	1.99	-	32.80	5.87	34.63
AV	5.15G	53.13	54.00	-0.87	49.09	3	Vertical	335	1.99	-	32.80	5.87	34.63
PK	5.173G	113.93	Inf	-Inf	109.88	3	Vertical	335	1.99	-	32.80	5.89	34.64
AV	5.1754G	101.62	Inf	-Inf	97.57	3	Vertical	335	1.99	-	32.80	5.89	34.64




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5180MHz_TX



EUT X_2TX
Setting 73
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	59.61	74.00	-14.39	55.57	3	Horizontal	285	2.88	-	32.80	5.87	34.63
AV	5.15G	45.49	54.00	-8.51	41.45	3	Horizontal	285	2.88	-	32.80	5.87	34.63
PK	5.1732G	101.59	Inf	-Inf	97.54	3	Horizontal	285	2.88	-	32.80	5.89	34.64
AV	5.1784G	89.39	Inf	-Inf	85.34	3	Horizontal	285	2.88	-	32.80	5.89	34.64




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5200MHz_TX



EUT X_2TX
Setting 90
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.71	74.00	-4.29	65.67	3	Vertical	338	2.35	-	32.80	5.87	34.63
AV	5.15G	53.91	54.00	-0.09	49.87	3	Vertical	338	2.35	-	32.80	5.87	34.63
PK	5.2056G	117.79	Inf	-Inf	113.70	3	Vertical	338	2.35	-	32.82	5.92	34.65
AV	5.2028G	106.88	Inf	-Inf	102.81	3	Vertical	338	2.35	-	32.81	5.91	34.65




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5200MHz_TX



EUT X_2TX
Setting 90
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	59.41	74.00	-14.59	55.37	3	Horizontal	299	3.00	-	32.80	5.87	34.63
AV	5.1484G	46.26	54.00	-7.74	42.22	3	Horizontal	299	3.00	-	32.80	5.87	34.63
PK	5.206G	107.00	Inf	-Inf	102.91	3	Horizontal	299	3.00	-	32.82	5.92	34.65
AV	5.2032G	95.71	Inf	-Inf	91.64	3	Horizontal	299	3.00	-	32.81	5.91	34.65




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	63.99	74.00	-10.01	59.95	3	Vertical	357	2.46	-	32.80	5.87	34.63
AV	5.1488G	50.37	54.00	-3.63	46.33	3	Vertical	357	2.46	-	32.80	5.87	34.63
PK	5.2328G	120.13	Inf	-Inf	115.90	3	Vertical	357	2.46	-	32.90	5.99	34.66
AV	5.2454G	108.89	Inf	-Inf	104.60	3	Vertical	357	2.46	-	32.94	6.02	34.67
PK	5.351G	61.56	74.00	-12.44	56.83	3	Vertical	357	2.46	-	33.15	6.29	34.71
AV	5.3516G	48.53	54.00	-5.47	43.80	3	Vertical	357	2.46	-	33.15	6.29	34.71




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	58.59	74.00	-15.41	54.55	3	Horizontal	297	2.89	-	32.80	5.87	34.63
AV	5.15G	45.63	54.00	-8.37	41.59	3	Horizontal	297	2.89	-	32.80	5.87	34.63
PK	5.2412G	110.08	Inf	-Inf	105.82	3	Horizontal	297	2.89	-	32.92	6.01	34.67
AV	5.243G	98.88	Inf	-Inf	94.60	3	Horizontal	297	2.89	-	32.93	6.02	34.67
PK	5.35G	57.75	74.00	-16.25	53.02	3	Horizontal	297	2.89	-	33.15	6.29	34.71
AV	5.35G	45.78	54.00	-8.22	41.05	3	Horizontal	297	2.89	-	33.15	6.29	34.71




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	61.31	68.20	-6.89	55.69	3	Vertical	0	2.78	-	34.00	6.32	34.70
PK	5.742G	119.89	Inf	-Inf	114.06	3	Vertical	0	2.78	-	34.13	6.37	34.67
AV	5.747G	107.67	Inf	-Inf	101.83	3	Vertical	0	2.78	-	34.14	6.37	34.67
PK	5.959G	60.23	68.20	-7.97	53.25	3	Vertical	0	2.78	-	35.09	6.48	34.59




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5745MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	59.21	68.20	-8.99	53.59	3	Horizontal	237	2.09	-	34.00	6.32	34.70
PK	5.745G	104.73	Inf	-Inf	98.90	3	Horizontal	237	2.09	-	34.13	6.37	34.67
AV	5.748G	94.21	Inf	-Inf	88.37	3	Horizontal	237	2.09	-	34.14	6.37	34.67
PK	5.962G	59.72	68.20	-8.48	52.72	3	Horizontal	237	2.09	-	35.11	6.48	34.59




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.609G	58.94	68.20	-9.26	53.36	3	Vertical	27	2.88	-	34.00	6.30	34.72
PK	5.786G	119.91	Inf	-Inf	113.91	3	Vertical	27	2.88	-	34.26	6.39	34.65
AV	5.786G	108.47	Inf	-Inf	102.47	3	Vertical	27	2.88	-	34.26	6.39	34.65
PK	5.927G	60.35	68.20	-7.85	53.55	3	Vertical	27	2.88	-	34.94	6.46	34.60




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5785MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.594G	58.73	68.20	-9.47	53.16	3	Horizontal	233	1.91	-	33.99	6.30	34.72
PK	5.788G	105.70	Inf	-Inf	99.70	3	Horizontal	233	1.91	-	34.26	6.39	34.65
AV	5.788G	94.85	Inf	-Inf	88.85	3	Horizontal	233	1.91	-	34.26	6.39	34.65
PK	5.944G	59.76	68.20	-8.44	52.86	3	Horizontal	233	1.91	-	35.02	6.47	34.59




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	59.45	68.20	-8.75	53.87	3	Vertical	335	2.74	-	34.00	6.30	34.72
PK	5.822G	119.23	Inf	-Inf	113.05	3	Vertical	335	2.74	-	34.41	6.41	34.64
AV	5.828G	107.84	Inf	-Inf	101.63	3	Vertical	335	2.74	-	34.44	6.41	34.64
PK	5.925G	66.01	68.20	-2.19	59.22	3	Vertical	335	2.74	-	34.93	6.46	34.60




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5825MHz_TX



EUT X_2TX
Setting 108
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	58.53	68.20	-9.67	52.93	3	Horizontal	230	2.56	-	34.00	6.31	34.71
PK	5.827G	105.94	Inf	-Inf	99.73	3	Horizontal	230	2.56	-	34.44	6.41	34.64
AV	5.83G	94.98	Inf	-Inf	88.75	3	Horizontal	230	2.56	-	34.45	6.42	34.64
PK	5.983G	59.79	68.20	-8.41	52.67	3	Horizontal	230	2.56	-	35.21	6.49	34.58




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5190MHz_TX



EUT X_2TX
Setting 67
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	68.14	74.00	-5.86	64.10	3	Vertical	337	2.34	-	32.80	5.87	34.63
AV	5.1488G	53.77	54.00	-0.23	49.73	3	Vertical	337	2.34	-	32.80	5.87	34.63
PK	5.1956G	110.20	Inf	-Inf	106.15	3	Vertical	337	2.34	-	32.80	5.90	34.65
AV	5.1956G	97.57	Inf	-Inf	93.52	3	Vertical	337	2.34	-	32.80	5.90	34.65




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5190MHz_TX



EUT X_2TX
Setting 67
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	59.11	74.00	-14.89	55.07	3	Horizontal	297	2.87	-	32.80	5.87	34.63
AV	5.15G	45.93	54.00	-8.07	41.89	3	Horizontal	297	2.87	-	32.80	5.87	34.63
PK	5.1956G	97.65	Inf	-Inf	93.60	3	Horizontal	297	2.87	-	32.80	5.90	34.65
AV	5.1956G	85.80	Inf	-Inf	81.75	3	Horizontal	297	2.87	-	32.80	5.90	34.65




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5230MHz_TX



EUT X_2TX
Setting 87
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.96	74.00	-7.04	62.92	3	Vertical	357	2.40	-	32.80	5.87	34.63
AV	5.15G	53.89	54.00	-0.11	49.85	3	Vertical	357	2.40	-	32.80	5.87	34.63
PK	5.2174G	115.65	Inf	-Inf	111.51	3	Vertical	357	2.40	-	32.85	5.95	34.66
AV	5.2222G	103.79	Inf	-Inf	99.62	3	Vertical	357	2.40	-	32.87	5.96	34.66
PK	5.3596G	58.66	74.00	-15.34	53.90	3	Vertical	357	2.40	-	33.16	6.31	34.71
AV	5.3506G	47.52	54.00	-6.48	42.79	3	Vertical	357	2.40	-	33.15	6.29	34.71




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5230MHz_TX



EUT X_2TX
Setting 87
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	58.16	74.00	-15.84	54.12	3	Horizontal	297	2.96	-	32.80	5.87	34.63
AV	5.1496G	47.15	54.00	-6.85	43.11	3	Horizontal	297	2.96	-	32.80	5.87	34.63
PK	5.2258G	104.39	Inf	-Inf	100.20	3	Horizontal	297	2.96	-	32.88	5.97	34.66
AV	5.2228G	93.16	Inf	-Inf	88.99	3	Horizontal	297	2.96	-	32.87	5.96	34.66
PK	5.3638G	58.00	74.00	-16.00	53.23	3	Horizontal	297	2.96	-	33.16	6.32	34.71
AV	5.3566G	46.56	54.00	-7.44	41.81	3	Horizontal	297	2.96	-	33.16	6.30	34.71




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5755MHz_TX



EUT X_2TX
Setting 103
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	68.78	68.94	-0.16	63.15	3	Vertical	337	2.82	-	34.00	6.33	34.70
PK	5.76G	116.79	Inf	-Inf	110.89	3	Vertical	337	2.82	-	34.18	6.38	34.66
AV	5.76G	105.93	Inf	-Inf	100.03	3	Vertical	337	2.82	-	34.18	6.38	34.66
PK	5.927G	62.41	68.20	-5.79	55.61	3	Vertical	337	2.82	-	34.94	6.46	34.60




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5755MHz_TX



EUT X_2TX
Setting 103
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.613G	59.10	68.20	-9.10	53.50	3	Horizontal	232	1.88	-	34.00	6.31	34.71
PK	5.761G	102.41	Inf	-Inf	96.51	3	Horizontal	232	1.88	-	34.18	6.38	34.66
AV	5.763G	91.28	Inf	-Inf	85.37	3	Horizontal	232	1.88	-	34.19	6.38	34.66
PK	5.933G	59.92	68.20	-8.28	53.09	3	Horizontal	232	1.88	-	34.96	6.47	34.60




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5795MHz_TX



EUT X_2TX
Setting 104
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	63.12	68.20	-5.08	57.50	3	Vertical	35	3.00	-	34.00	6.32	34.70
PK	5.791G	116.67	Inf	-Inf	110.65	3	Vertical	35	3.00	-	34.27	6.40	34.65
AV	5.791G	104.97	Inf	-Inf	98.95	3	Vertical	35	3.00	-	34.27	6.40	34.65
PK	5.925G	67.98	68.20	-0.22	61.20	3	Vertical	35	3.00	-	34.92	6.46	34.60




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5795MHz_TX



EUT X_2TX
Setting 104
01-D-L-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	58.61	68.20	-9.59	53.01	3	Horizontal	231	1.93	-	34.00	6.31	34.71
PK	5.8G	102.94	Inf	-Inf	96.89	3	Horizontal	231	1.93	-	34.30	6.40	34.65
AV	5.801G	91.65	Inf	-Inf	85.60	3	Horizontal	231	1.93	-	34.30	6.40	34.65
PK	5.985G	60.16	68.20	-8.04	53.03	3	Horizontal	231	1.93	-	35.22	6.49	34.58




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

07/07/2020

5210MHz_TX



EUT X_2TX
Setting 65
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	68.86	74.00	-5.14	64.82	3	Vertical	334	1.97	-	32.80	5.87	34.63
AV	5.149G	53.81	54.00	-0.19	49.77	3	Vertical	334	1.97	-	32.80	5.87	34.63
PK	5.213G	107.72	Inf	-Inf	103.60	3	Vertical	334	1.97	-	32.84	5.94	34.66
AV	5.195G	96.09	Inf	-Inf	92.04	3	Vertical	334	1.97	-	32.80	5.90	34.65
PK	5.398G	58.32	74.00	-15.68	53.44	3	Vertical	334	1.97	-	33.20	6.40	34.72
AV	5.435G	47.02	54.00	-6.98	41.96	3	Vertical	334	1.97	-	33.41	6.38	34.73




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

07/07/2020

5210MHz_TX




EUT X_2TX
Setting 65
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	61.53	74.00	-12.47	57.49	3	Horizontal	299	3.00	-	32.80	5.87	34.63
AV	5.144G	46.86	54.00	-7.14	42.82	3	Horizontal	299	3.00	-	32.80	5.87	34.63
PK	5.223G	95.60	Inf	-Inf	91.43	3	Horizontal	299	3.00	-	32.87	5.96	34.66
AV	5.198G	84.65	Inf	-Inf	80.60	3	Horizontal	299	3.00	-	32.80	5.90	34.65
PK	5.381G	58.78	74.00	-15.22	53.95	3	Horizontal	299	3.00	-	33.18	6.36	34.71
AV	5.398G	46.60	54.00	-7.40	41.72	3	Horizontal	299	3.00	-	33.20	6.40	34.72




For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode





For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode





For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40_Nss1,(MCS0)_4TX	Pass	PK	17.2578G	68.11	68.20	-0.09	3	Vertical	172	2.48	-




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5180MHz_TX



EUT Z_4TX
Setting 108
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35792G	60.04	68.20	-8.16	48.29	3	Vertical	134	1.82	-	38.21	8.91	35.37
PK	15.53408G	64.76	74.00	-9.24	50.97	3	Vertical	159	2.94	-	38.77	9.79	34.77
AV	15.53488G	52.19	54.00	-1.81	38.40	3	Vertical	159	2.94	-	38.77	9.79	34.77




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5180MHz_TX




EUT_Z_4TX
Setting 108
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36664G	57.16	68.20	-11.04	45.40	3	Horizontal	146	1.80	-	38.21	8.91	35.36
PK	15.54384G	61.43	74.00	-12.57	47.66	3	Horizontal	164	1.83	-	38.76	9.79	34.78
AV	15.5428G	48.71	54.00	-5.29	34.93	3	Horizontal	164	1.83	-	38.77	9.79	34.78




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode





For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5240MHz_TX




EUT Z_4TX
Setting 108
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48138G	58.38	68.20	-9.82	46.46	3	Vertical	196	1.85	-	38.24	8.95	35.27
PK	15.71568G	66.12	74.00	-7.88	52.71	3	Vertical	176	2.72	-	38.63	9.75	34.97
AV	15.71514G	52.73	54.00	-1.27	39.32	3	Vertical	176	2.72	-	38.63	9.75	34.97




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode





For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5825MHz_TX




EUT_Z_4TX
Setting 78
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64358G	58.05	74.00	-15.95	45.24	3	Vertical	345	2.98	-	38.46	9.30	34.95
AV	11.64304G	45.70	54.00	-8.30	32.89	3	Vertical	345	2.98	-	38.46	9.30	34.95
PK	17.47914G	67.96	68.20	-0.24	49.44	3	Vertical	186	2.23	-	41.92	10.37	33.77




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode





For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode





For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5745MHz_TX




EUT_Z_4TX
Setting 88
01-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48656G	62.10	74.00	-11.90	49.33	3	Vertical	132	1.80	-	38.45	9.25	34.93
AV	11.48896G	47.76	54.00	-6.24	34.99	3	Vertical	132	1.80	-	38.45	9.25	34.93
PK	17.23254G	67.97	68.20	-0.23	49.89	3	Vertical	197	2.04	-	41.55	10.26	33.73




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode





For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5825MHz_TX




EUT_Z_4TX
Setting 81
01-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64624G	60.08	74.00	-13.92	47.27	3	Horizontal	211	1.76	-	38.46	9.30	34.95
AV	11.64672G	46.26	54.00	-7.74	33.45	3	Horizontal	211	1.76	-	38.46	9.30	34.95
PK	17.48124G	65.48	68.20	-2.72	46.96	3	Horizontal	193	1.80	-	41.92	10.37	33.77




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode





For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode





For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_4TX	Pass	PK	5.651G	68.91	68.94	-0.03	3	Vertical	336	1.45	-




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5180MHz_TX




EUT_Z_4TX
Setting 66
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1408G	68.71	74.00	-5.29	64.67	3	Vertical	35	1.53	-	32.80	5.87	34.63
AV	5.1498G	50.38	54.00	-3.62	46.34	3	Vertical	35	1.53	-	32.80	5.87	34.63
PK	5.1818G	114.04	Inf	-Inf	109.99	3	Vertical	35	1.53	-	32.80	5.89	34.64
AV	5.1816G	104.61	Inf	-Inf	100.56	3	Vertical	35	1.53	-	32.80	5.89	34.64




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode





For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5240MHz_TX



EUT_Z_4TX
Setting 97
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	67.70	74.00	-6.30	63.66	3	Vertical	37	1.40	-	32.80	5.87	34.63
AV	5.1464G	50.77	54.00	-3.23	46.73	3	Vertical	37	1.40	-	32.80	5.87	34.63
PK	5.2418G	120.49	Inf	-Inf	116.22	3	Vertical	37	1.40	-	32.93	6.01	34.67
AV	5.2418G	110.43	Inf	-Inf	106.16	3	Vertical	37	1.40	-	32.93	6.01	34.67
PK	5.3504G	63.96	74.00	-10.04	59.23	3	Vertical	37	1.40	-	33.15	6.29	34.71
AV	5.3504G	49.42	54.00	-4.58	44.69	3	Vertical	37	1.40	-	33.15	6.29	34.71




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5240MHz_TX



EUT_Z_4TX
Setting 97
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	70.07	74.00	-3.93	66.03	3	Horizontal	346	2.74	-	32.80	5.87	34.63
AV	5.15G	53.62	54.00	-0.38	49.58	3	Horizontal	346	2.74	-	32.80	5.87	34.63
PK	5.2412G	122.76	Inf	-Inf	118.50	3	Horizontal	346	2.74	-	32.92	6.01	34.67
AV	5.2418G	112.75	Inf	-Inf	108.48	3	Horizontal	346	2.74	-	32.93	6.01	34.67
PK	5.3594G	65.37	74.00	-8.63	60.61	3	Horizontal	346	2.74	-	33.16	6.31	34.71
AV	5.35G	49.35	54.00	-4.65	44.61	3	Horizontal	346	2.74	-	33.15	6.29	34.70




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5745MHz_TX




EUT_Z_4TX
Setting 89
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.88	68.20	-0.32	62.26	3	Vertical	339	1.22	-	34.00	6.32	34.70
PK	5.737G	122.40	Inf	-Inf	116.59	3	Vertical	339	1.22	-	34.11	6.37	34.67
AV	5.738G	112.06	Inf	-Inf	106.25	3	Vertical	339	1.22	-	34.11	6.37	34.67
PK	5.928G	59.78	68.20	-8.42	52.98	3	Vertical	339	1.22	-	34.94	6.46	34.60



For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5785MHz_TX




EUT_Z_4TX
Setting 108
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.77	68.20	-0.43	62.15	3	Vertical	342	2.13	-	34.00	6.32	34.70
PK	5.793G	122.23	Inf	-Inf	116.20	3	Vertical	342	2.13	-	34.28	6.40	34.65
AV	5.793G	111.56	Inf	-Inf	105.53	3	Vertical	342	2.13	-	34.28	6.40	34.65
PK	5.934G	64.74	68.20	-3.46	57.90	3	Vertical	342	2.13	-	34.97	6.47	34.60



For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5825MHz_TX



EUT_Z_4TX
Setting 90
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.577G	59.51	68.20	-8.69	53.98	3	Vertical	336	1.43	-	33.95	6.31	34.73
PK	5.818G	122.29	Inf	-Inf	116.13	3	Vertical	336	1.43	-	34.39	6.41	34.64
AV	5.817G	112.05	Inf	-Inf	105.90	3	Vertical	336	1.43	-	34.38	6.41	34.64
PK	5.932G	67.95	68.20	-0.25	61.12	3	Vertical	336	1.43	-	34.96	6.47	34.60




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

03/07/2020

5825MHz_TX




EUT_Z_4TX
Setting 90
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.591G	58.67	68.20	-9.53	53.11	3	Horizontal	17	3.00	-	33.98	6.30	34.72
PK	5.824G	118.78	Inf	-Inf	112.59	3	Horizontal	17	3.00	-	34.42	6.41	34.64
AV	5.825G	108.08	Inf	-Inf	101.89	3	Horizontal	17	3.00	-	34.42	6.41	34.64
PK	5.922G	66.53	70.42	-3.89	59.76	3	Horizontal	17	3.00	-	34.91	6.46	34.60




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode





For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5200MHz_TX



EUT_Z_4TX
Setting 76
01-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1456G	67.76	74.00	-6.24	63.72	3	Vertical	33	1.45	-	32.80	5.87	34.63
AV	5.15G	49.82	54.00	-4.18	45.78	3	Vertical	33	1.45	-	32.80	5.87	34.63
PK	5.2012G	118.71	Inf	-Inf	114.66	3	Vertical	33	1.45	-	32.80	5.90	34.65
AV	5.1956G	107.19	Inf	-Inf	103.14	3	Vertical	33	1.45	-	32.80	5.90	34.65




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5200MHz_TX



EUT_Z_4TX
Setting 76
01-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	71.84	74.00	-2.16	67.80	3	Horizontal	354	2.96	-	32.80	5.87	34.63
AV	5.15G	53.70	54.00	-0.30	49.66	3	Horizontal	354	2.96	-	32.80	5.87	34.63
PK	5.2044G	119.88	Inf	-Inf	115.81	3	Horizontal	354	2.96	-	32.81	5.91	34.65
AV	5.1948G	108.13	Inf	-Inf	104.08	3	Horizontal	354	2.96	-	32.80	5.90	34.65




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5240MHz_TX



EUT_Z_4TX
Setting 96
01-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	64.27	74.00	-9.73	60.23	3	Vertical	33	1.40	-	32.80	5.87	34.63
AV	5.1482G	50.69	54.00	-3.31	46.65	3	Vertical	33	1.40	-	32.80	5.87	34.63
PK	5.2412G	122.56	Inf	-Inf	118.30	3	Vertical	33	1.40	-	32.92	6.01	34.67
AV	5.2412G	111.08	Inf	-Inf	106.82	3	Vertical	33	1.40	-	32.92	6.01	34.67
PK	5.3654G	63.68	74.00	-10.32	58.90	3	Vertical	33	1.40	-	33.17	6.32	34.71
AV	5.354G	49.01	54.00	-4.99	44.28	3	Vertical	33	1.40	-	33.15	6.29	34.71




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5240MHz_TX




EUT_Z_4TX
Setting 96
01-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	67.44	74.00	-6.56	63.40	3	Horizontal	356	2.90	-	32.80	5.87	34.63
AV	5.1476G	53.69	54.00	-0.31	49.65	3	Horizontal	356	2.90	-	32.80	5.87	34.63
PK	5.234G	123.37	Inf	-Inf	119.14	3	Horizontal	356	2.90	-	32.90	5.99	34.66
AV	5.2448G	111.13	Inf	-Inf	106.85	3	Horizontal	356	2.90	-	32.93	6.02	34.67
PK	5.3648G	63.90	74.00	-10.10	59.13	3	Horizontal	356	2.90	-	33.16	6.32	34.71
AV	5.354G	48.78	54.00	-5.22	44.05	3	Horizontal	356	2.90	-	33.15	6.29	34.71



For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5745MHz_TX



EUT_Z_4TX
Setting 87
01-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.655G	68.67	71.90	-3.23	63.04	3	Horizontal	13	3.00	-	34.00	6.33	34.70
PK	5.75G	119.13	Inf	-Inf	113.27	3	Horizontal	13	3.00	-	34.15	6.37	34.66
AV	5.74G	108.17	Inf	-Inf	102.35	3	Horizontal	13	3.00	-	34.12	6.37	34.67
PK	5.99G	60.44	68.20	-7.76	53.26	3	Horizontal	13	3.00	-	35.25	6.50	34.57




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5785MHz_TX



EUT_Z_4TX
Setting 98
01-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.39	68.20	-0.81	61.77	3	Vertical	336	1.40	-	34.00	6.32	34.70
PK	5.786G	124.10	Inf	-Inf	118.10	3	Vertical	336	1.40	-	34.26	6.39	34.65
AV	5.786G	113.09	Inf	-Inf	107.09	3	Vertical	336	1.40	-	34.26	6.39	34.65
PK	5.928G	66.20	68.20	-2.00	59.40	3	Vertical	336	1.40	-	34.94	6.46	34.60




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5785MHz_TX




EUT_Z_4TX
Setting 98
01-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	63.09	68.20	-5.11	57.47	3	Horizontal	10	2.97	-	34.00	6.32	34.70
PK	5.79G	120.16	Inf	-Inf	114.14	3	Horizontal	10	2.97	-	34.27	6.40	34.65
AV	5.79G	108.94	Inf	-Inf	102.92	3	Horizontal	10	2.97	-	34.27	6.40	34.65
PK	5.925G	63.52	68.20	-4.68	56.73	3	Horizontal	10	2.97	-	34.93	6.46	34.60



For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

03/07/2020

5825MHz_TX



EUT_Z_4TX
Setting 86
01-D-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	59.41	68.20	-8.79	53.80	3	Horizontal	14	3.00	-	34.00	6.32	34.71
PK	5.83G	117.42	Inf	-Inf	111.19	3	Horizontal	14	3.00	-	34.45	6.42	34.64
AV	5.83G	107.18	Inf	-Inf	100.95	3	Horizontal	14	3.00	-	34.45	6.42	34.64
PK	5.925G	64.70	68.20	-3.50	57.91	3	Horizontal	14	3.00	-	34.93	6.46	34.60




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5190MHz_TX




EUT_Z_4TX
Setting 54
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	67.77	74.00	-6.23	63.73	3	Vertical	33	1.37	-	32.80	5.87	34.63
AV	5.146G	50.59	54.00	-3.41	46.55	3	Vertical	33	1.37	-	32.80	5.87	34.63
PK	5.1856G	111.26	Inf	-Inf	107.22	3	Vertical	33	1.37	-	32.80	5.89	34.65
AV	5.1956G	99.91	Inf	-Inf	95.86	3	Vertical	33	1.37	-	32.80	5.90	34.65



For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5230MHz_TX



EUT_Z_4TX
Setting 69
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	65.37	74.00	-8.63	61.33	3	Vertical	35	1.47	-	32.80	5.87	34.63
AV	5.15G	51.00	54.00	-3.00	46.96	3	Vertical	35	1.47	-	32.80	5.87	34.63
PK	5.2354G	115.59	Inf	-Inf	111.34	3	Vertical	35	1.47	-	32.91	6.00	34.66
AV	5.2354G	104.49	Inf	-Inf	100.24	3	Vertical	35	1.47	-	32.91	6.00	34.66
PK	5.3614G	58.66	74.00	-15.34	53.90	3	Vertical	35	1.47	-	33.16	6.31	34.71
AV	5.3626G	47.33	54.00	-6.67	42.57	3	Vertical	35	1.47	-	33.16	6.31	34.71




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5230MHz_TX



EUT_Z_4TX
Setting 69
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	67.96	74.00	-6.04	63.92	3	Horizontal	359	2.90	-	32.80	5.87	34.63
AV	5.149G	53.57	54.00	-0.43	49.53	3	Horizontal	359	2.90	-	32.80	5.87	34.63
PK	5.2342G	114.97	Inf	-Inf	110.74	3	Horizontal	359	2.90	-	32.90	5.99	34.66
AV	5.2342G	103.88	Inf	-Inf	99.65	3	Horizontal	359	2.90	-	32.90	5.99	34.66
PK	5.3542G	58.68	74.00	-15.32	53.95	3	Horizontal	359	2.90	-	33.15	6.29	34.71
AV	5.3704G	47.70	54.00	-6.30	42.91	3	Horizontal	359	2.90	-	33.17	6.33	34.71




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5755MHz_TX



EUT_Z_4TX
Setting 81
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	68.13	68.20	-0.07	62.51	3	Vertical	338	1.45	-	34.00	6.32	34.70
PK	5.766G	119.49	Inf	-Inf	113.57	3	Vertical	338	1.45	-	34.20	6.38	34.66
AV	5.766G	108.62	Inf	-Inf	102.70	3	Vertical	338	1.45	-	34.20	6.38	34.66
PK	5.947G	61.21	68.20	-6.99	54.30	3	Vertical	338	1.45	-	35.03	6.47	34.59




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5755MHz_TX




EUT_Z_4TX
Setting 81
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	64.72	68.20	-3.48	59.10	3	Horizontal	15	2.99	-	34.00	6.32	34.70
PK	5.76G	115.15	Inf	-Inf	109.25	3	Horizontal	15	2.99	-	34.18	6.38	34.66
AV	5.76G	104.50	Inf	-Inf	98.60	3	Horizontal	15	2.99	-	34.18	6.38	34.66
PK	5.925G	60.53	68.20	-7.67	53.74	3	Horizontal	15	2.99	-	34.93	6.46	34.60



For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

03/07/2020

5795MHz_TX




EUT_Z_4TX
Setting 83
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	60.33	68.20	-7.87	54.71	3	Horizontal	17	3.00	-	34.00	6.32	34.70
PK	5.79G	115.30	Inf	-Inf	109.28	3	Horizontal	17	3.00	-	34.27	6.40	34.65
AV	5.8G	104.72	Inf	-Inf	98.67	3	Horizontal	17	3.00	-	34.30	6.40	34.65
PK	5.925G	65.06	68.20	-3.14	58.27	3	Horizontal	17	3.00	-	34.93	6.46	34.60



For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

03/07/2020

5210MHz_TX




EUT_Z_4TX
Setting 54
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	68.99	74.00	-5.01	64.95	3	Horizontal	355	2.93	-	32.80	5.87	34.63
AV	5.147G	53.71	54.00	-0.29	49.67	3	Horizontal	355	2.93	-	32.80	5.87	34.63
PK	5.24G	109.29	Inf	-Inf	105.03	3	Horizontal	355	2.93	-	32.92	6.01	34.67
AV	5.2G	97.05	Inf	-Inf	93.00	3	Horizontal	355	2.93	-	32.80	5.90	34.65
PK	5.37G	58.92	74.00	-15.08	54.13	3	Horizontal	355	2.93	-	33.17	6.33	34.71
AV	5.445G	47.59	54.00	-6.41	42.48	3	Horizontal	355	2.93	-	33.47	6.38	34.74




For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode





For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode





For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	15.722G	50.34	54.00	-3.66	3	Horizontal	307	1.85	-




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5180MHz_TX



EUT X_2TX
Setting 108
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.35196G	55.72	68.20	-12.48	43.97	3	Vertical	334	1.99	-	38.21	8.91	35.37
PK	15.53454G	60.12	74.00	-13.88	46.33	3	Vertical	308	1.77	-	38.77	9.79	34.77
AV	15.53478G	47.34	54.00	-6.66	33.55	3	Vertical	308	1.77	-	38.77	9.79	34.77




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5180MHz_TX



EUT X_2TX
Setting 108
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3534G	55.09	68.20	-13.11	43.34	3	Horizontal	261	1.33	-	38.21	8.91	35.37
PK	15.53022G	61.85	74.00	-12.15	48.05	3	Horizontal	298	1.80	-	38.78	9.79	34.77
AV	15.53478G	49.54	54.00	-4.46	35.75	3	Horizontal	298	1.80	-	38.77	9.79	34.77




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5200MHz_TX



EUT X_2TX
Setting 108
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60204G	59.54	74.00	-14.46	45.89	3	Vertical	307	2.96	-	38.72	9.78	34.85
AV	15.60108G	46.96	54.00	-7.04	33.31	3	Vertical	307	2.96	-	38.72	9.78	34.85




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5200MHz_TX



EUT X_2TX
Setting 108
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59232G	61.05	74.00	-12.95	47.38	3	Horizontal	291	1.77	-	38.73	9.78	34.84
AV	15.59682G	47.89	54.00	-6.11	34.23	3	Horizontal	291	1.77	-	38.72	9.78	34.84




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5240MHz_TX



EUT X_2TX
Setting 108
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.47504G	55.13	68.20	-13.07	43.22	3	Vertical	16	2.52	-	38.24	8.95	35.28
PK	15.71784G	58.22	74.00	-15.78	44.82	3	Vertical	26	1.77	-	38.63	9.75	34.98
AV	15.72316G	46.32	54.00	-7.68	32.93	3	Vertical	26	1.77	-	38.62	9.75	34.98




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5240MHz_TX




EUT X_2TX
Setting 108
01-D-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4706G	54.73	68.20	-13.47	42.82	3	Horizontal	186	2.04	-	38.24	8.95	35.28
PK	15.7172G	62.81	74.00	-11.19	49.41	3	Horizontal	307	1.85	-	38.63	9.75	34.98
AV	15.722G	50.34	54.00	-3.66	36.95	3	Horizontal	307	1.85	-	38.62	9.75	34.98




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode





For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5825MHz_TX




EUT X_2TX
Setting 108
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64544G	55.87	74.00	-18.13	43.06	3	Vertical	152	2.73	-	38.46	9.30	34.95
AV	11.64604G	42.58	54.00	-11.42	29.77	3	Vertical	152	2.73	-	38.46	9.30	34.95




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode





For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5755MHz_TX




EUT X_2TX
Setting 108
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.52068G	55.15	74.00	-18.85	42.37	3	Horizontal	353	1.19	-	38.45	9.26	34.93
AV	11.49734G	43.01	54.00	-10.99	30.24	3	Horizontal	353	1.19	-	38.45	9.25	34.93




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode





For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode





For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.925G	68.18	68.20	-0.02	3	Vertical	17	1.80	-




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5180MHz_TX



EUT Y_2TX
Setting 77
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1486G	72.14	74.00	-1.86	68.10	3	Vertical	315	1.86	-	32.80	5.87	34.63
AV	5.1492G	53.91	54.00	-0.09	49.87	3	Vertical	315	1.86	-	32.80	5.87	34.63
PK	5.1774G	113.90	Inf	-Inf	109.85	3	Vertical	315	1.86	-	32.80	5.89	34.64
AV	5.1776G	104.61	Inf	-Inf	100.56	3	Vertical	315	1.86	-	32.80	5.89	34.64




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5180MHz_TX



EUT_Y_2TX
Setting 77
01-D-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	68.64	74.00	-5.36	64.60	3	Horizontal	316	2.42	-	32.80	5.87	34.63
AV	5.1486G	50.66	54.00	-3.34	46.62	3	Horizontal	316	2.42	-	32.80	5.87	34.63
PK	5.178G	111.05	Inf	-Inf	107.00	3	Horizontal	316	2.42	-	32.80	5.89	34.64
AV	5.1784G	101.54	Inf	-Inf	97.49	3	Horizontal	316	2.42	-	32.80	5.89	34.64




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5200MHz_TX




EUT_Y_2TX
Setting 96
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	69.49	74.00	-4.51	65.45	3	Vertical	324	1.65	-	32.80	5.87	34.63
AV	5.1496G	53.84	54.00	-0.16	49.80	3	Vertical	324	1.65	-	32.80	5.87	34.63
PK	5.2068G	118.67	Inf	-Inf	114.58	3	Vertical	324	1.65	-	32.82	5.92	34.65
AV	5.202G	108.75	Inf	-Inf	104.68	3	Vertical	324	1.65	-	32.81	5.91	34.65



For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5240MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	65.00	74.00	-9.00	60.96	3	Vertical	322	1.72	-	32.80	5.87	34.63
AV	5.1464G	49.50	54.00	-4.50	45.46	3	Vertical	322	1.72	-	32.80	5.87	34.63
PK	5.2472G	120.99	Inf	-Inf	116.69	3	Vertical	322	1.72	-	32.94	6.03	34.67
AV	5.2424G	111.04	Inf	-Inf	106.77	3	Vertical	322	1.72	-	32.93	6.01	34.67
PK	5.3594G	62.89	74.00	-11.11	58.13	3	Vertical	322	1.72	-	33.16	6.31	34.71
AV	5.35G	48.77	54.00	-5.23	44.04	3	Vertical	322	1.72	-	33.15	6.29	34.71




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5240MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1464G	63.10	74.00	-10.90	59.06	3	Horizontal	320	2.06	-	32.80	5.87	34.63
AV	5.1464G	47.39	54.00	-6.61	43.35	3	Horizontal	320	2.06	-	32.80	5.87	34.63
PK	5.2472G	116.09	Inf	-Inf	111.79	3	Horizontal	320	2.06	-	32.94	6.03	34.67
AV	5.2424G	106.60	Inf	-Inf	102.33	3	Horizontal	320	2.06	-	32.93	6.01	34.67
PK	5.3576G	59.22	74.00	-14.78	54.47	3	Horizontal	320	2.06	-	33.16	6.30	34.71
AV	5.35G	46.78	54.00	-7.22	42.05	3	Horizontal	320	2.06	-	33.15	6.29	34.71




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5745MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	65.14	68.20	-3.06	59.52	3	Vertical	18	1.80	-	34.00	6.32	34.70
PK	5.741G	121.56	Inf	-Inf	115.74	3	Vertical	18	1.80	-	34.12	6.37	34.67
AV	5.74G	111.67	Inf	-Inf	105.85	3	Vertical	18	1.80	-	34.12	6.37	34.67
PK	5.965G	62.20	68.20	-6.00	55.18	3	Vertical	18	1.80	-	35.12	6.48	34.58




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5745MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	63.65	68.94	-5.29	58.02	3	Horizontal	17	1.00	-	34.00	6.33	34.70
PK	5.739G	117.84	Inf	-Inf	112.02	3	Horizontal	17	1.00	-	34.12	6.37	34.67
AV	5.739G	107.40	Inf	-Inf	101.58	3	Horizontal	17	1.00	-	34.12	6.37	34.67
PK	5.949G	60.07	68.20	-8.13	53.14	3	Horizontal	17	1.00	-	35.05	6.47	34.59




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5785MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58G	60.26	68.20	-7.94	54.72	3	Vertical	20	1.62	-	33.96	6.31	34.73
PK	5.784G	121.39	Inf	-Inf	115.40	3	Vertical	20	1.62	-	34.25	6.39	34.65
AV	5.79G	111.48	Inf	-Inf	105.46	3	Vertical	20	1.62	-	34.27	6.40	34.65
PK	5.926G	61.50	68.20	-6.70	54.71	3	Vertical	20	1.62	-	34.93	6.46	34.60




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5785MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.569G	59.07	68.20	-9.13	53.54	3	Horizontal	13	1.00	-	33.94	6.32	34.73
PK	5.784G	117.85	Inf	-Inf	111.86	3	Horizontal	13	1.00	-	34.25	6.39	34.65
AV	5.789G	107.10	Inf	-Inf	101.09	3	Horizontal	13	1.00	-	34.27	6.39	34.65
PK	5.962G	60.35	68.20	-7.85	53.35	3	Horizontal	13	1.00	-	35.11	6.48	34.59




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

07/07/2020

5825MHz_TX




EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.61G	60.11	68.20	-8.09	54.53	3	Vertical	18	1.76	-	34.00	6.30	34.72
PK	5.82G	122.40	Inf	-Inf	116.23	3	Vertical	18	1.76	-	34.40	6.41	34.64
AV	5.82G	111.96	Inf	-Inf	105.79	3	Vertical	18	1.76	-	34.40	6.41	34.64
PK	5.924G	65.84	68.94	-3.10	59.06	3	Vertical	18	1.76	-	34.92	6.46	34.60



For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5180MHz_TX




EUT_Y_2TX
Setting 73
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.148G	70.40	74.00	-3.60	66.36	3	Vertical	325	1.86	-	32.80	5.87	34.63
AV	5.1492G	53.82	54.00	-0.18	49.78	3	Vertical	325	1.86	-	32.80	5.87	34.63
PK	5.181G	114.60	Inf	-Inf	110.55	3	Vertical	325	1.86	-	32.80	5.89	34.64
AV	5.1814G	102.56	Inf	-Inf	98.51	3	Vertical	325	1.86	-	32.80	5.89	34.64



For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5200MHz_TX



EUT_Y_2TX
Setting 90
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	70.00	74.00	-4.00	65.96	3	Vertical	325	1.79	-	32.80	5.87	34.63
AV	5.15G	53.86	54.00	-0.14	49.82	3	Vertical	325	1.79	-	32.80	5.87	34.63
PK	5.1964G	117.94	Inf	-Inf	113.89	3	Vertical	325	1.79	-	32.80	5.90	34.65
AV	5.2012G	106.59	Inf	-Inf	102.54	3	Vertical	325	1.79	-	32.80	5.90	34.65




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5200MHz_TX



EUT_Y_2TX
Setting 90
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	65.61	74.00	-8.39	61.57	3	Horizontal	323	2.17	-	32.80	5.87	34.63
AV	5.1492G	51.27	54.00	-2.73	47.23	3	Horizontal	323	2.17	-	32.80	5.87	34.63
PK	5.2012G	114.90	Inf	-Inf	110.85	3	Horizontal	323	2.17	-	32.80	5.90	34.65
AV	5.1988G	102.98	Inf	-Inf	98.93	3	Horizontal	323	2.17	-	32.80	5.90	34.65




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5240MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	66.63	74.00	-7.37	62.59	3	Vertical	323	1.80	-	32.80	5.87	34.63
AV	5.1482G	52.24	54.00	-1.76	48.20	3	Vertical	323	1.80	-	32.80	5.87	34.63
PK	5.2412G	120.17	Inf	-Inf	115.91	3	Vertical	323	1.80	-	32.92	6.01	34.67
AV	5.2412G	109.90	Inf	-Inf	105.64	3	Vertical	323	1.80	-	32.92	6.01	34.67
PK	5.3516G	65.19	74.00	-8.81	60.46	3	Vertical	323	1.80	-	33.15	6.29	34.71
AV	5.35G	50.39	54.00	-3.61	45.66	3	Vertical	323	1.80	-	33.15	6.29	34.71




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5240MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	63.35	74.00	-10.65	59.31	3	Horizontal	321	1.98	-	32.80	5.87	34.63
AV	5.1482G	49.35	54.00	-4.65	45.31	3	Horizontal	321	1.98	-	32.80	5.87	34.63
PK	5.2412G	117.83	Inf	-Inf	113.57	3	Horizontal	321	1.98	-	32.92	6.01	34.67
AV	5.2412G	105.48	Inf	-Inf	101.22	3	Horizontal	321	1.98	-	32.92	6.01	34.67
PK	5.35G	60.20	74.00	-13.80	55.47	3	Horizontal	321	1.98	-	33.15	6.29	34.71
AV	5.354G	47.00	54.00	-7.00	42.27	3	Horizontal	321	1.98	-	33.15	6.29	34.71




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5745MHz_TX



EUT Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	65.94	68.20	-2.26	60.32	3	Vertical	15	1.79	-	34.00	6.32	34.70
PK	5.745G	121.04	Inf	-Inf	115.21	3	Vertical	15	1.79	-	34.13	6.37	34.67
AV	5.743G	110.36	Inf	-Inf	104.53	3	Vertical	15	1.79	-	34.13	6.37	34.67
PK	5.983G	61.36	68.20	-6.84	54.24	3	Vertical	15	1.79	-	35.21	6.49	34.58




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5745MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	62.16	68.20	-6.04	56.54	3	Horizontal	18	1.00	-	34.00	6.32	34.70
PK	5.752G	117.68	Inf	-Inf	111.80	3	Horizontal	18	1.00	-	34.16	6.38	34.66
AV	5.742G	106.37	Inf	-Inf	100.54	3	Horizontal	18	1.00	-	34.13	6.37	34.67
PK	5.93G	60.12	68.20	-8.08	53.31	3	Horizontal	18	1.00	-	34.95	6.46	34.60




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5785MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	61.64	68.20	-6.56	56.02	3	Vertical	19	1.67	-	34.00	6.32	34.70
PK	5.782G	121.57	Inf	-Inf	115.59	3	Vertical	19	1.67	-	34.25	6.39	34.66
AV	5.787G	110.74	Inf	-Inf	104.74	3	Vertical	19	1.67	-	34.26	6.39	34.65
PK	5.946G	60.76	68.20	-7.44	53.85	3	Vertical	19	1.67	-	35.03	6.47	34.59




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5785MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	58.92	68.20	-9.28	53.30	3	Horizontal	12	1.00	-	34.00	6.32	34.70
PK	5.782G	117.03	Inf	-Inf	111.05	3	Horizontal	12	1.00	-	34.25	6.39	34.66
AV	5.79G	106.36	Inf	-Inf	100.34	3	Horizontal	12	1.00	-	34.27	6.40	34.65
PK	5.965G	60.09	68.20	-8.11	53.07	3	Horizontal	12	1.00	-	35.12	6.48	34.58




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5825MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.618G	59.70	68.20	-8.50	54.10	3	Vertical	18	1.56	-	34.00	6.31	34.71
PK	5.822G	122.61	Inf	-Inf	116.43	3	Vertical	18	1.56	-	34.41	6.41	34.64
AV	5.827G	110.64	Inf	-Inf	104.43	3	Vertical	18	1.56	-	34.44	6.41	34.64
PK	5.926G	67.75	68.20	-0.45	60.96	3	Vertical	18	1.56	-	34.93	6.46	34.60




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

07/07/2020

5825MHz_TX



EUT_Y_2TX
Setting 108
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.614G	58.40	68.20	-9.80	52.80	3	Horizontal	10	1.00	-	34.00	6.31	34.71
PK	5.822G	119.20	Inf	-Inf	113.02	3	Horizontal	10	1.00	-	34.41	6.41	34.64
AV	5.83G	106.64	Inf	-Inf	100.41	3	Horizontal	10	1.00	-	34.45	6.42	34.64
PK	5.935G	64.10	68.20	-4.10	57.26	3	Horizontal	10	1.00	-	34.97	6.47	34.60




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5190MHz_TX



EUT_Y_2TX
Setting 67
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1416G	70.53	74.00	-3.47	66.49	3	Vertical	324	1.58	-	32.80	5.87	34.63
AV	5.15G	53.89	54.00	-0.11	49.85	3	Vertical	324	1.58	-	32.80	5.87	34.63
PK	5.194G	110.02	Inf	-Inf	105.97	3	Vertical	324	1.58	-	32.80	5.90	34.65
AV	5.196G	98.39	Inf	-Inf	94.34	3	Vertical	324	1.58	-	32.80	5.90	34.65




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5190MHz_TX



EUT Y_2TX
Setting 67
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	68.44	74.00	-5.56	64.40	3	Horizontal	321	2.11	-	32.80	5.87	34.63
AV	5.1468G	51.64	54.00	-2.36	47.60	3	Horizontal	321	2.11	-	32.80	5.87	34.63
PK	5.1868G	106.49	Inf	-Inf	102.45	3	Horizontal	321	2.11	-	32.80	5.89	34.65
AV	5.1964G	94.85	Inf	-Inf	90.80	3	Horizontal	321	2.11	-	32.80	5.90	34.65




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5230MHz_TX



EUT_Y_2TX
Setting 85
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	66.83	74.00	-7.17	62.79	3	Vertical	322	1.67	-	32.80	5.87	34.63
AV	5.1484G	53.77	54.00	-0.23	49.73	3	Vertical	322	1.67	-	32.80	5.87	34.63
PK	5.2258G	114.36	Inf	-Inf	110.17	3	Vertical	322	1.67	-	32.88	5.97	34.66
AV	5.236G	103.62	Inf	-Inf	99.37	3	Vertical	322	1.67	-	32.91	6.00	34.66
PK	5.3626G	59.69	74.00	-14.31	54.93	3	Vertical	322	1.67	-	33.16	6.31	34.71
AV	5.35G	48.70	54.00	-5.30	43.96	3	Vertical	322	1.67	-	33.15	6.29	34.70




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5230MHz_TX



EUT_Y_2TX
Setting 85
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	63.48	74.00	-10.52	59.44	3	Horizontal	320	2.07	-	32.80	5.87	34.63
AV	5.1484G	51.44	54.00	-2.56	47.40	3	Horizontal	320	2.07	-	32.80	5.87	34.63
PK	5.2186G	110.33	Inf	-Inf	106.18	3	Horizontal	320	2.07	-	32.86	5.95	34.66
AV	5.2234G	99.74	Inf	-Inf	95.57	3	Horizontal	320	2.07	-	32.87	5.96	34.66
PK	5.3506G	59.52	74.00	-14.48	54.79	3	Horizontal	320	2.07	-	33.15	6.29	34.71
AV	5.3518G	47.05	54.00	-6.95	42.32	3	Horizontal	320	2.07	-	33.15	6.29	34.71




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5755MHz_TX



EUT_Y_2TX
Setting 94
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	68.13	68.20	-0.07	62.51	3	Vertical	17	1.67	-	34.00	6.32	34.70
PK	5.76G	118.74	Inf	-Inf	112.84	3	Vertical	17	1.67	-	34.18	6.38	34.66
AV	5.76G	107.23	Inf	-Inf	101.33	3	Vertical	17	1.67	-	34.18	6.38	34.66
PK	5.932G	62.33	68.20	-5.87	55.50	3	Vertical	17	1.67	-	34.96	6.47	34.60




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5755MHz_TX



EUT_Y_2TX
Setting 94
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.653G	66.11	70.42	-4.31	60.48	3	Horizontal	14	1.04	-	34.00	6.33	34.70
PK	5.752G	113.17	Inf	-Inf	107.29	3	Horizontal	14	1.04	-	34.16	6.38	34.66
AV	5.76G	102.23	Inf	-Inf	96.33	3	Horizontal	14	1.04	-	34.18	6.38	34.66
PK	5.987G	60.88	68.20	-7.32	53.74	3	Horizontal	14	1.04	-	35.23	6.49	34.58




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5795MHz_TX



EUT_Y_2TX
Setting 95
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	61.83	68.20	-6.37	56.21	3	Vertical	20	1.79	-	34.00	6.32	34.70
PK	5.8G	118.54	Inf	-Inf	112.49	3	Vertical	20	1.79	-	34.30	6.40	34.65
AV	5.8G	106.77	Inf	-Inf	100.72	3	Vertical	20	1.79	-	34.30	6.40	34.65
PK	5.925G	67.98	68.20	-0.22	61.19	3	Vertical	20	1.79	-	34.93	6.46	34.60




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_2TX

07/07/2020

5795MHz_TX



EUT_Y_2TX
Setting 95
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.643G	59.83	68.20	-8.37	54.21	3	Horizontal	9	1.00	-	34.00	6.32	34.70
PK	5.792G	114.39	Inf	-Inf	108.36	3	Horizontal	9	1.00	-	34.28	6.40	34.65
AV	5.79G	102.53	Inf	-Inf	96.51	3	Horizontal	9	1.00	-	34.27	6.40	34.65
PK	5.947G	62.94	68.20	-5.26	56.03	3	Horizontal	9	1.00	-	35.03	6.47	34.59




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

07/07/2020

5210MHz_TX



EUT_Y_2TX
Setting 65
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	65.43	74.00	-8.57	61.39	3	Vertical	323	1.61	-	32.80	5.87	34.63
AV	5.148G	53.95	54.00	-0.05	49.91	3	Vertical	323	1.61	-	32.80	5.87	34.63
PK	5.223G	107.03	Inf	-Inf	102.86	3	Vertical	323	1.61	-	32.87	5.96	34.66
AV	5.221G	96.17	Inf	-Inf	92.01	3	Vertical	323	1.61	-	32.86	5.96	34.66
PK	5.379G	57.91	74.00	-16.09	53.09	3	Vertical	323	1.61	-	33.18	6.35	34.71
AV	5.354G	46.98	54.00	-7.02	42.25	3	Vertical	323	1.61	-	33.15	6.29	34.71




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_2TX

07/07/2020

5210MHz_TX




EUT_Y_2TX
Setting 65
01-D-N-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	65.64	74.00	-8.36	61.60	3	Horizontal	321	2.11	-	32.80	5.87	34.63
AV	5.148G	52.44	54.00	-1.56	48.40	3	Horizontal	321	2.11	-	32.80	5.87	34.63
PK	5.221G	104.37	Inf	-Inf	100.21	3	Horizontal	321	2.11	-	32.86	5.96	34.66
AV	5.201G	92.12	Inf	-Inf	88.07	3	Horizontal	321	2.11	-	32.80	5.90	34.65
PK	5.423G	58.03	74.00	-15.97	53.03	3	Horizontal	321	2.11	-	33.34	6.39	34.73
AV	5.428G	46.51	54.00	-7.49	41.48	3	Horizontal	321	2.11	-	33.37	6.39	34.73




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode





For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode






Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.26923G	34.98	54.00	-19.02	Horizontal
Mode 2	Pass	AV	2.27193G	34.48	54.00	-19.52	Horizontal

Radiated Emissions above 1GHz_Mode 1


03/08/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	2.27237G	47.86	74.00	-26.14	-0.19	3	Vertical	35	1.11	-	48.05	29.41	3.94	33.54
AV	2.26861G	34.88	54.00	-19.12	-0.18	3	Vertical	35	1.11	"Worst"	35.06	29.43	3.93	33.54

Radiated Emissions above 1GHz_Mode 1


03/08/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	2.26818G	49.01	74.00	-24.99	-0.18	3	Horizontal	352	1.44	-	49.19	29.43	3.93	33.54
AV	2.26923G	34.98	54.00	-19.02	-0.19	3	Horizontal	352	1.44	"Worst"	35.17	29.42	3.93	33.54

Radiated Emissions above 1GHz_Mode 2


03/08/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	2.26935G	48.02	74.00	-25.98	-0.19	3	Vertical	111	1.03	-	48.21	29.42	3.93	33.54
AV	2.26777G	34.30	54.00	-19.70	-0.18	3	Vertical	111	1.03	"Worst"	34.48	29.43	3.93	33.54

Radiated Emissions above 1GHz_Mode 2

03/08/2020



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	2.26789G	47.73	74.00	-26.27	-0.18	3	Horizontal	58	1.23	-	47.91	29.43	3.93	33.54
AV	2.27193G	34.48	54.00	-19.52	-0.19	3	Horizontal	58	1.23	"Worst"	34.67	29.41	3.94	33.54