


For EUT 1 / Radio 1_Non-Beamforming Mode




802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz


PSD

11/07/2020

For EUT 1 / Radio 1_Non-Beamforming Mode



For EUT 1 / Radio 1_Non-Beamforming Mode



802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz

PSD

11/07/2020

CF

5.29GHz

Span

120MHz

RBW

1MHz

VBW

3MHz

Sweep Time

20ms

Detector Type

RMS



Sum


Port 1

Port 2

Port 3

Port 4

For EUT 1 / Radio 1_Non-Beamforming Mode




802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz

PSD

11/07/2020

For EUT 1 / Radio 1_Non-Beamforming Mode





**For EUT 1 / Radio 2 Band 3 only_Non-Beamforming Mode
Summary**

Mode	PD (dBm/RBW)
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_4TX	4.96
802.11ax HEW20_Nss1,(MCS0)_4TX	4.96
802.11ax HEW40_Nss1,(MCS0)_4TX	4.92
802.11ax HEW80_Nss1,(MCS0)_4TX	4.94
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_4TX	3.03
802.11ax HEW20_Nss1,(MCS0)_4TX	3.19
802.11ax HEW40_Nss1,(MCS0)_4TX	2.77
802.11ax HEW80_Nss1,(MCS0)_4TX	2.17

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




**For EUT 1 / Radio 2 Band 3 only_Non-Beamforming Mode
Result**

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5500MHz	Pass	12.02	-1.57	-0.52	-1.17	-1.01	4.87	4.98
5580MHz	Pass	12.02	-0.58	-1.58	-0.82	-0.81	4.96	4.98
5700MHz	Pass	12.02	-1.86	0.09	-1.39	-1.16	4.82	4.98
5720MHz Straddle 5.47-5.725GHz	Pass	12.02	-1.73	-0.13	-1.39	-1.55	4.81	4.98
5720MHz Straddle 5.725-5.85GHz	Pass	12.02	-3.56	-1.98	-3.17	-3.17	3.03	23.98
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5500MHz	Pass	12.02	-1.69	-0.62	-1.23	-0.98	4.82	4.98
5580MHz	Pass	12.02	-0.42	-1.69	-0.91	-1.01	4.92	4.98
5700MHz	Pass	12.02	-1.89	-0.26	-1.36	-1.24	4.80	4.98
5720MHz Straddle 5.47-5.725GHz	Pass	12.02	-1.35	-0.10	-1.25	-1.32	4.96	4.98
5720MHz Straddle 5.725-5.85GHz	Pass	12.02	-3.31	-1.91	-2.99	-2.97	3.19	23.98
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5510MHz	Pass	12.02	-1.65	-1.03	-1.83	-1.35	4.47	4.98
5550MHz	Pass	12.02	-0.60	-1.13	-1.54	-1.33	4.80	4.98
5670MHz	Pass	12.02	-1.14	-0.75	-1.34	-1.15	4.77	4.98
5710MHz Straddle 5.47-5.725GHz	Pass	12.02	-1.26	-0.24	-1.30	-1.36	4.92	4.98
5710MHz Straddle 5.725-5.85GHz	Pass	12.02	-3.55	-2.45	-3.43	-3.33	2.77	23.98
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5530MHz	Pass	12.02	-3.70	-3.13	-3.87	-3.46	2.36	4.98
5610MHz	Pass	12.02	-0.62	-1.80	-1.72	-2.19	4.29	4.98
5690MHz Straddle 5.47-5.725GHz	Pass	12.02	-1.32	-0.18	-1.33	-1.51	4.94	4.98
5690MHz Straddle 5.725-5.85GHz	Pass	12.02	-4.21	-3.02	-3.88	-3.85	2.17	23.98




DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;


For EUT 1 / Radio 2 Band 3 only_Non-Beamforming Mode




For EUT 1 / Radio 2 Band 3 only_Non-Beamforming Mode



For EUT 1 / Radio 2 Band 3 only_Non-Beamforming Mode



For EUT 1 / Radio 2 Band 3 only_Non-Beamforming Mode




802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz


PSD

17/07/2020

For EUT 1 / Radio 2 Band 3 only_Non-Beamforming Mode



For EUT 1 / Radio 2 Band 3 only_Non-Beamforming Mode




802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz

PSD

17/07/2020

For EUT 1 / Radio 2 Band 3 only_Non-Beamforming Mode





**For EUT 1 / Radio 3_Non-Beamforming Mode
Summary**

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	9.26
802.11ax HEW20_Nss1,(MCS0)_2TX	9.25
802.11ax HEW40_Nss1,(MCS0)_2TX	7.39
802.11ax HEW80_Nss1,(MCS0)_2TX	0.29
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	9.26
802.11ax HEW20_Nss1,(MCS0)_2TX	9.21
802.11ax HEW40_Nss1,(MCS0)_2TX	7.99
802.11ax HEW80_Nss1,(MCS0)_2TX	4.85
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	7.53
802.11ax HEW20_Nss1,(MCS0)_2TX	7.56
802.11ax HEW40_Nss1,(MCS0)_2TX	5.98
802.11ax HEW80_Nss1,(MCS0)_2TX	2.24

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




**For EUT 1 / Radio 3_Non-Beamforming Mode
Result**


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5260MHz	Pass	7.71	6.24	6.17	9.17	9.29
5300MHz	Pass	7.71	6.18	6.43	9.26	9.29
5320MHz	Pass	7.71	6.04	6.54	9.19	9.29
5500MHz	Pass	7.71	4.32	5.66	7.92	9.29
5580MHz	Pass	7.71	5.60	6.93	9.26	9.29
5700MHz	Pass	7.71	1.58	3.05	5.32	9.29
5720MHz Straddle 5.47-5.725GHz	Pass	7.71	5.36	7.02	9.23	9.29
5720MHz Straddle 5.725-5.85GHz	Pass	7.71	3.55	5.40	7.53	28.29
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	7.71	6.19	6.35	9.25	9.29
5300MHz	Pass	7.71	6.17	6.35	9.23	9.29
5320MHz	Pass	7.71	5.58	6.12	8.80	9.29
5500MHz	Pass	7.71	3.55	4.63	7.08	9.29
5580MHz	Pass	7.71	5.48	6.70	9.10	9.29
5700MHz	Pass	7.71	-0.91	0.28	2.70	9.29
5720MHz Straddle 5.47-5.725GHz	Pass	7.71	5.22	7.02	9.21	9.29
5720MHz Straddle 5.725-5.85GHz	Pass	7.71	3.55	5.43	7.56	28.29
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	7.71	4.73	4.05	7.39	9.29
5310MHz	Pass	7.71	0.55	0.26	3.32	9.29
5510MHz	Pass	7.71	-0.20	1.13	3.47	9.29
5550MHz	Pass	7.71	4.04	5.06	7.58	9.29
5670MHz	Pass	7.71	1.89	3.51	5.71	9.29
5710MHz Straddle 5.47-5.725GHz	Pass	7.71	3.88	5.86	7.99	9.29
5710MHz Straddle 5.725-5.85GHz	Pass	7.71	1.99	3.87	5.98	28.29
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	7.71	-2.52	-2.94	0.29	9.29
5530MHz	Pass	7.71	-3.20	-1.56	0.67	9.29
5610MHz	Pass	7.71	0.24	2.54	4.55	9.29
5690MHz Straddle 5.47-5.725GHz	Pass	7.71	0.86	2.76	4.85	9.29
5690MHz Straddle 5.725-5.85GHz	Pass	7.71	-1.43	-0.02	2.24	28.29

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;


For EUT 1 / Radio 3_Non-Beamforming Mode



For EUT 1 / Radio 3_Non-Beamforming Mode



For EUT 1 / Radio 3_Non-Beamforming Mode



802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz

PSD

13/07/2020

CF
5.26GHz

Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Sum 


Port 1 

Port 2 


For EUT 1 / Radio 3_Non-Beamforming Mode




For EUT 1 / Radio 3_Non-Beamforming Mode



For EUT 1 / Radio 3_Non-Beamforming Mode



For EUT 1 / Radio 3_Non-Beamforming Mode



802.11ax HEW40_Nss1,(MCS0)_2TX


5670MHz

PSD

13/07/2020

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
5.71	5.71	1.89	3.51

For EUT 1 / Radio 3_Non-Beamforming Mode



802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz

PSD

13/07/2020

CF
5.29GHz

Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Sum

Port 1

Port 2

For EUT 1 / Radio 3_Non-Beamforming Mode



802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz


PSD

13/07/2020

CF	5.65GHz
Span	300MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS

Sum	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.85	0.86	2.76

For EUT 1 / Radio 3_Non-Beamforming Mode





**For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode
Summary**

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_4TX	4.88
802.11ax HEW20_Nss1,(MCS0)_4TX	4.91
802.11ax HEW40_Nss1,(MCS0)_4TX	4.94
802.11ax HEW80_Nss1,(MCS0)_4TX	0.68
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_4TX	4.97
802.11ax HEW20_Nss1,(MCS0)_4TX	4.94
802.11ax HEW40_Nss1,(MCS0)_4TX	4.89
802.11ax HEW80_Nss1,(MCS0)_4TX	4.84
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_4TX	3.20
802.11ax HEW20_Nss1,(MCS0)_4TX	3.13
802.11ax HEW40_Nss1,(MCS0)_4TX	2.90
802.11ax HEW80_Nss1,(MCS0)_4TX	2.19

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




**For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode
Result**


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	12.02	-1.16	-1.39	-1.32	-0.81	4.76	4.98
5300MHz	Pass	12.02	-0.78	-1.15	-1.54	-0.81	4.88	4.98
5320MHz	Pass	12.02	-0.83	-1.08	-1.80	-0.86	4.76	4.98
5500MHz	Pass	12.02	-1.00	-1.01	-1.63	-0.69	4.87	4.98
5580MHz	Pass	12.02	-1.10	-1.28	-1.36	-0.70	4.84	4.98
5700MHz	Pass	12.02	-1.03	-0.83	-0.80	-1.23	4.97	4.98
5720MHz Straddle 5.47-5.725GHz	Pass	12.02	-1.01	-0.88	-0.83	-1.41	4.88	4.98
5720MHz Straddle 5.725-5.85GHz	Pass	12.02	-2.83	-2.62	-2.45	-3.02	3.20	23.98
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	12.02	-1.23	-1.39	-1.22	-0.95	4.76	4.98
5300MHz	Pass	12.02	-0.88	-1.14	-1.37	-0.86	4.87	4.98
5320MHz	Pass	12.02	-0.82	-1.04	-1.63	-0.76	4.91	4.98
5500MHz	Pass	12.02	-1.01	-1.35	-1.58	-0.72	4.80	4.98
5580MHz	Pass	12.02	-0.94	-1.18	-1.33	-0.60	4.94	4.98
5700MHz	Pass	12.02	-1.38	-1.35	-1.14	-1.63	4.58	4.98
5720MHz Straddle 5.47-5.725GHz	Pass	12.02	-1.14	-1.24	-0.76	-1.43	4.84	4.98
5720MHz Straddle 5.725-5.85GHz	Pass	12.02	-2.82	-2.87	-2.57	-3.16	3.13	23.98
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	12.02	-1.30	-1.08	-0.90	-0.78	4.94	4.98
5310MHz	Pass	12.02	-1.71	-1.78	-2.23	-1.66	4.14	4.98
5510MHz	Pass	12.02	-2.07	-2.23	-2.48	-2.01	3.74	4.98
5550MHz	Pass	12.02	-0.96	-1.09	-1.35	-1.10	4.82	4.98
5670MHz	Pass	12.02	-1.34	-1.37	-0.98	-1.63	4.65	4.98
5710MHz Straddle 5.47-5.725GHz	Pass	12.02	-1.02	-1.18	-0.52	-1.38	4.89	4.98
5710MHz Straddle 5.725-5.85GHz	Pass	12.02	-3.13	-3.14	-2.61	-3.44	2.90	23.98
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	12.02	-5.25	-5.40	-5.31	-5.11	0.68	4.98
5530MHz	Pass	12.02	-4.78	-4.72	-4.73	-4.33	1.29	4.98
5610MHz	Pass	12.02	-2.01	-1.75	-1.98	-2.17	3.99	4.98
5690MHz Straddle 5.47-5.725GHz	Pass	12.02	-1.31	-0.98	-0.85	-1.40	4.84	4.98
5690MHz Straddle 5.725-5.85GHz	Pass	12.02	-3.75	-3.63	-3.31	-4.04	2.19	23.98

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;


For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode



For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode



For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode



802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz

PSD

15/07/2020

CF
5.26GHz

Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

Sum


Port 1

Port 2




Port 3

Port 4


For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode



For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode



For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode



802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz


PSD

15/07/2020




Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.14	4.14	-1.71	-1.78	-2.23	-1.66

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode



For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode



802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz

PSD

15/07/2020

CF
5.29GHz

Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

Sum




Port 1

Port 2


Port 3

Port 4

For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode



For EUT 2 / Radio 1 / External Ant.1_Non-Beamforming Mode





**For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode
Summary**

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	7.89
802.11ax HEW20_Nss1,(MCS0)_2TX	7.92
802.11ax HEW40_Nss1,(MCS0)_2TX	7.38
802.11ax HEW80_Nss1,(MCS0)_2TX	0.60
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	7.95
802.11ax HEW20_Nss1,(MCS0)_2TX	7.95
802.11ax HEW40_Nss1,(MCS0)_2TX	7.87
802.11ax HEW80_Nss1,(MCS0)_2TX	4.99
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	6.12
802.11ax HEW20_Nss1,(MCS0)_2TX	6.23
802.11ax HEW40_Nss1,(MCS0)_2TX	5.86
802.11ax HEW80_Nss1,(MCS0)_2TX	2.32

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




**For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode
Result**


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5260MHz	Pass	9.01	4.76	4.89	7.77	7.99
5300MHz	Pass	9.01	4.82	5.16	7.84	7.99
5320MHz	Pass	9.01	4.66	5.24	7.89	7.99
5500MHz	Pass	9.01	3.92	4.52	7.19	7.99
5580MHz	Pass	9.01	4.63	5.39	7.95	7.99
5700MHz	Pass	9.01	3.18	4.66	6.89	7.99
5720MHz Straddle 5.47-5.725GHz	Pass	9.01	4.03	5.52	7.80	7.99
5720MHz Straddle 5.725-5.85GHz	Pass	9.01	2.43	3.94	6.12	26.99
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	9.01	4.91	4.86	7.82	7.99
5300MHz	Pass	9.01	4.50	5.02	7.71	7.99
5320MHz	Pass	9.01	4.67	5.20	7.92	7.99
5500MHz	Pass	9.01	4.61	5.31	7.93	7.99
5580MHz	Pass	9.01	4.40	5.31	7.84	7.99
5700MHz	Pass	9.01	0.98	2.53	4.80	7.99
5720MHz Straddle 5.47-5.725GHz	Pass	9.01	4.15	5.69	7.95	7.99
5720MHz Straddle 5.725-5.85GHz	Pass	9.01	2.40	4.01	6.23	26.99
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	9.01	4.57	4.18	7.38	7.99
5310MHz	Pass	9.01	0.22	0.80	3.49	7.99
5510MHz	Pass	9.01	0.36	0.83	3.56	7.99
5550MHz	Pass	9.01	4.35	4.70	7.42	7.99
5670MHz	Pass	9.01	2.21	4.14	6.20	7.99
5710MHz Straddle 5.47-5.725GHz	Pass	9.01	4.01	5.57	7.87	7.99
5710MHz Straddle 5.725-5.85GHz	Pass	9.01	1.93	3.69	5.86	26.99
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	9.01	-2.56	-2.20	0.60	7.99
5530MHz	Pass	9.01	-2.92	-1.75	0.71	7.99
5610MHz	Pass	9.01	0.70	2.74	4.83	7.99
5690MHz Straddle 5.47-5.725GHz	Pass	9.01	0.92	2.86	4.99	7.99
5690MHz Straddle 5.725-5.85GHz	Pass	9.01	-1.47	0.07	2.32	26.99

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;


For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode



For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode



For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode



802.11ax HEW20_Nss1,(MCS0)_2TX

5260MHz

PSD

15/07/2020

CF
5.26GHz

Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms


Detector Type
RMS

Sum


Port 1

Port 2


For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode



For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode



For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode



802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz

PSD

15/07/2020

CF
5.31GHz

Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Sum


Port 1

Port 2

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode



For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode



802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz

PSD

15/07/2020

CF
5.29GHz

Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS


Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.60	0.60	-2.56	-2.20

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode



802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz


PSD

15/07/2020

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.99	4.99	0.92	2.86

Sum	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
4.99	0.92	2.86

For EUT 2 / Radio 3 / External Ant.1_Non-Beamforming Mode



**For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode
Summary**

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_4TX	0.88
802.11ax HEW20_Nss1,(MCS0)_4TX	0.88
802.11ax HEW40_Nss1,(MCS0)_4TX	0.94
802.11ax HEW80_Nss1,(MCS0)_4TX	0.43
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_4TX	0.92
802.11ax HEW20_Nss1,(MCS0)_4TX	0.95
802.11ax HEW40_Nss1,(MCS0)_4TX	0.95
802.11ax HEW80_Nss1,(MCS0)_4TX	0.93
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_4TX	-0.87
802.11ax HEW20_Nss1,(MCS0)_4TX	-0.80
802.11ax HEW40_Nss1,(MCS0)_4TX	-1.13
802.11ax HEW80_Nss1,(MCS0)_4TX	-1.76

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;




**For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode
Result**


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	Port 3 (dBm/RBW)	Port 4 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	16.02	-5.22	-5.25	-5.08	-4.71	0.84	0.98
5300MHz	Pass	16.02	-5.02	-5.14	-5.46	-4.59	0.88	0.98
5320MHz	Pass	16.02	-5.00	-5.03	-5.78	-4.68	0.82	0.98
5500MHz	Pass	16.02	-4.84	-5.32	-5.67	-4.41	0.91	0.98
5580MHz	Pass	16.02	-5.04	-5.33	-5.44	-4.69	0.81	0.98
5700MHz	Pass	16.02	-4.87	-4.81	-5.03	-5.22	0.92	0.98
5720MHz Straddle 5.47-5.725GHz	Pass	16.02	-5.02	-4.89	-5.10	-5.41	0.86	0.98
5720MHz Straddle 5.725-5.85GHz	Pass	16.02	-6.74	-6.62	-6.82	-7.10	-0.87	19.98
802.11ax HEW20_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5260MHz	Pass	16.02	-5.15	-5.37	-5.24	-4.78	0.82	0.98
5300MHz	Pass	16.02	-4.97	-5.23	-5.50	-4.63	0.88	0.98
5320MHz	Pass	16.02	-4.98	-5.16	-5.47	-4.74	0.87	0.98
5500MHz	Pass	16.02	-4.85	-5.22	-5.73	-4.62	0.85	0.98
5580MHz	Pass	16.02	-5.03	-5.31	-5.54	-4.65	0.81	0.98
5700MHz	Pass	16.02	-4.99	-4.89	-4.93	-5.17	0.95	0.98
5720MHz Straddle 5.47-5.725GHz	Pass	16.02	-4.98	-4.87	-5.10	-5.39	0.86	0.98
5720MHz Straddle 5.725-5.85GHz	Pass	16.02	-6.68	-6.63	-6.71	-7.11	-0.80	19.98
802.11ax HEW40_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5270MHz	Pass	16.02	-5.01	-5.19	-5.40	-5.02	0.79	0.98
5310MHz	Pass	16.02	-4.77	-4.77	-5.65	-4.84	0.94	0.98
5510MHz	Pass	16.02	-5.00	-5.23	-5.60	-4.91	0.77	0.98
5550MHz	Pass	16.02	-4.77	-4.94	-5.45	-4.92	0.95	0.98
5670MHz	Pass	16.02	-4.81	-5.09	-4.76	-5.26	0.92	0.98
5710MHz Straddle 5.47-5.725GHz	Pass	16.02	-4.99	-5.10	-4.85	-5.34	0.86	0.98
5710MHz Straddle 5.725-5.85GHz	Pass	16.02	-7.02	-7.09	-6.94	-7.27	-1.13	19.98
802.11ax HEW80_Nss1,(MCS0)_4TX	-	-	-	-	-	-	-	-
5290MHz	Pass	16.02	-5.50	-5.52	-5.62	-5.27	0.43	0.98
5530MHz	Pass	16.02	-5.35	-5.29	-5.56	-4.71	0.74	0.98
5610MHz	Pass	16.02	-5.13	-4.96	-5.10	-5.28	0.81	0.98
5690MHz Straddle 5.47-5.725GHz	Pass	16.02	-5.31	-4.99	-4.44	-5.49	0.93	0.98
5690MHz Straddle 5.725-5.85GHz	Pass	16.02	-7.80	-7.53	-7.13	-8.13	-1.76	19.98

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;


For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode



For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode



For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode



802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz

PSD

15/07/2020

CF
5.26GHz

Span
30MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS

Sum


Port 1

Port 2


Port 3

Port 4


For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode



For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode



For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode



802.11ax HEW40_Nss1,(MCS0)_4TX


5310MHz

PSD

15/07/2020

Sum	PD	Port 1	Port 2	Port 3	Port 4
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.94	0.94	-4.77	-4.77	-5.65	-4.84

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode






802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz


PSD

15/07/2020

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode



For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode




802.11ax HEW80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz

PSD

15/07/2020

For EUT 2 / Radio 1 / External Ant.2_Non-Beamforming Mode





**For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode
Summary**

Mode	PD (dBm/RBW)
5.25-5.35GHz	-
802.11a_Nss1,(6Mbps)_2TX	3.96
802.11ax HEW20_Nss1,(MCS0)_2TX	3.82
802.11ax HEW40_Nss1,(MCS0)_2TX	3.68
802.11ax HEW80_Nss1,(MCS0)_2TX	0.78
5.47-5.725GHz	-
802.11a_Nss1,(6Mbps)_2TX	3.94
802.11ax HEW20_Nss1,(MCS0)_2TX	3.96
802.11ax HEW40_Nss1,(MCS0)_2TX	3.88
802.11ax HEW80_Nss1,(MCS0)_2TX	0.76
5.725-5.85GHz	-
802.11a_Nss1,(6Mbps)_2TX	2.08
802.11ax HEW20_Nss1,(MCS0)_2TX	2.35
802.11ax HEW40_Nss1,(MCS0)_2TX	1.96
802.11ax HEW80_Nss1,(MCS0)_2TX	-1.77

RBW = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;

**For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode
Result**

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-
5260MHz	Pass	13.01	0.73	0.92	3.73	3.99
5300MHz	Pass	13.01	0.70	1.29	3.96	3.99
5320MHz	Pass	13.01	0.54	1.36	3.95	3.99
5500MHz	Pass	13.01	0.52	1.03	3.72	3.99
5580MHz	Pass	13.01	0.62	1.32	3.90	3.99
5700MHz	Pass	13.01	0.11	1.66	3.94	3.99
5720MHz Straddle 5.47-5.725GHz	Pass	13.01	0.09	1.49	3.82	3.99
5720MHz Straddle 5.725-5.85GHz	Pass	13.01	-1.58	-0.21	2.08	22.99
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5260MHz	Pass	13.01	0.80	0.83	3.76	3.99
5300MHz	Pass	13.01	0.63	1.02	3.82	3.99
5320MHz	Pass	13.01	0.44	1.25	3.82	3.99
5500MHz	Pass	13.01	0.51	1.23	3.82	3.99
5580MHz	Pass	13.01	0.53	1.31	3.89	3.99
5700MHz	Pass	13.01	-0.03	1.49	3.78	3.99
5720MHz Straddle 5.47-5.725GHz	Pass	13.01	0.30	1.61	3.96	3.99
5720MHz Straddle 5.725-5.85GHz	Pass	13.01	-1.34	-0.04	2.35	22.99
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5270MHz	Pass	13.01	0.61	0.78	3.68	3.99
5310MHz	Pass	13.01	-0.11	0.62	3.25	3.99
5510MHz	Pass	13.01	-0.86	-0.30	2.39	3.99
5550MHz	Pass	13.01	0.41	0.67	3.46	3.99
5670MHz	Pass	13.01	-0.68	1.03	3.18	3.99
5710MHz Straddle 5.47-5.725GHz	Pass	13.01	0.13	1.50	3.88	3.99
5710MHz Straddle 5.725-5.85GHz	Pass	13.01	-1.74	-0.37	1.96	22.99
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-
5290MHz	Pass	13.01	-2.25	-2.13	0.78	3.99
5530MHz	Pass	13.01	-3.26	-2.28	0.18	3.99
5610MHz	Pass	13.01	-3.46	-1.20	0.76	3.99
5690MHz Straddle 5.47-5.725GHz	Pass	13.01	-3.21	-1.37	0.73	3.99
5690MHz Straddle 5.725-5.85GHz	Pass	13.01	-5.62	-3.90	-1.77	22.99

DG = Directional Gain; **RBW** = 500 kHz for 5.725-5.85GHz band / 1MHz for other band;
PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; **Port X** = Port X power density;




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode




For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode



For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode



For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode



802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz

PSD

15/07/2020

CF

5.71GHz

Span

60MHz

RBW

1MHz

VBW

3MHz

Sweep Time

20ms

Detector Type

RMS


Sum

Port 1

Port 2

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.96	3.96	0.30	1.61

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode



802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz

PSD

15/07/2020

CF
5.31GHz

Span
60MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS




Sum 

Port 1 

Port 2 

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
3.25	3.25	-0.11	0.62

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode



802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz


PSD

15/07/2020

CF	5.67GHz
Span	60MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS

Sum	Port 1	Port 2
(dBm/1MHz)	(dBm/1MHz)	(dBm/1MHz)
3.18	-0.68	1.03

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode



802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz

PSD

15/07/2020

CF
5.29GHz

Span
120MHz

RBW
1MHz

VBW
3MHz

Sweep Time
20ms

Detector Type
RMS


Sum

Port 1

Port 2

Sum (dBm/RBW)	PD (dBm/RBW)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)
0.78	0.78	-2.25	-2.13

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode



802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz


PSD

15/07/2020

CF	5.65GHz
Span	300MHz
RBW	1MHz
VBW	3MHz
Sweep Time	20ms
Detector Type	RMS

Sum	PD	Port 1	Port 2
(dBm/RBW)	(dBm/RBW)	(dBm/RBW)	(dBm/RBW)
0.73	0.73	-3.21	-1.37

For EUT 2 / Radio 3 / External Ant.2_Non-Beamforming Mode





For EUT 1 / Radio 1_Non-Beamforming Mode
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	5.725G	68.14	68.20	-0.06	3	Horizontal	65	1.80	-




For EUT 1 / Radio 1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5260MHz_TX



EUT Y_4TX
Setting 100
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1484G	59.96	74.00	-14.04	55.36	3	Vertical	46	2.02	-	33.90	6.03	35.33
AV	5.1472G	46.91	54.00	-7.09	42.31	3	Vertical	46	2.02	-	33.90	6.03	35.33
PK	5.254G	117.32	Inf	-Inf	112.40	3	Vertical	46	2.02	-	34.06	6.07	35.21
AV	5.254G	106.73	Inf	-Inf	101.81	3	Vertical	46	2.02	-	34.06	6.07	35.21
PK	5.35G	66.03	74.00	-7.97	60.84	3	Vertical	46	2.02	-	34.25	6.03	35.09
AV	5.3512G	49.02	54.00	-4.98	43.84	3	Vertical	46	2.02	-	34.25	6.02	35.09




For EUT 1 / Radio 1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5260MHz_TX




EUT_V_4TX
Setting 100
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	69.63	74.00	-4.37	65.03	3	Horizontal	54	1.93	-	33.90	6.03	35.33
AV	5.1478G	52.81	54.00	-1.19	48.21	3	Horizontal	54	1.93	-	33.90	6.03	35.33
PK	5.2588G	125.05	Inf	-Inf	120.10	3	Horizontal	54	1.93	-	34.08	6.07	35.20
AV	5.2588G	114.46	Inf	-Inf	109.51	3	Horizontal	54	1.93	-	34.08	6.07	35.20
PK	5.35G	72.36	74.00	-1.64	67.17	3	Horizontal	54	1.93	-	34.25	6.03	35.09
AV	5.3506G	53.87	54.00	-0.13	48.69	3	Horizontal	54	1.93	-	34.25	6.02	35.09




For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode




For EUT 1 / Radio 1_Non-Beamforming Mode





For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5500MHz_TX



EUT_V_4TX
Setting 65
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	60.28	74.00	-13.72	54.83	3	Vertical	43	1.09	-	34.35	6.09	34.99
AV	5.4484G	46.46	54.00	-7.54	41.03	3	Vertical	43	1.09	-	34.35	6.08	35.00
PK	5.4696G	64.68	68.20	-3.52	59.18	3	Vertical	43	1.09	-	34.37	6.11	34.98
PK	5.5012G	109.44	Inf	-Inf	103.83	3	Vertical	43	1.09	-	34.40	6.16	34.95
AV	5.5008G	100.20	Inf	-Inf	94.59	3	Vertical	43	1.09	-	34.40	6.16	34.95




For EUT 1 / Radio 1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5500MHz_TX




EUT_V_4TX
Setting 65
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	68.69	74.00	-5.31	63.23	3	Horizontal	48	1.80	-	34.36	6.09	34.99
AV	5.4592G	48.14	54.00	-5.86	42.68	3	Horizontal	48	1.80	-	34.36	6.09	34.99
PK	5.4656G	68.13	68.20	-0.07	62.64	3	Horizontal	48	1.80	-	34.37	6.10	34.98
PK	5.498G	117.23	Inf	-Inf	111.62	3	Horizontal	48	1.80	-	34.40	6.16	34.95
AV	5.498G	107.66	Inf	-Inf	102.05	3	Horizontal	48	1.80	-	34.40	6.16	34.95




For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode




For EUT 1 / Radio 1_Non-Beamforming Mode





For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5580MHz_TX



EUT_Y_4TX
Setting 101
03-A-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1606G	61.89	74.00	-12.11	47.19	3	Vertical	4	2.66	-	38.51	10.72	34.53
AV	11.1606G	48.42	54.00	-5.58	33.72	3	Vertical	4	2.66	-	38.51	10.72	34.53
PK	16.7442G	65.00	68.20	-3.20	48.25	3	Vertical	4	2.66	-	39.29	12.24	34.78




For EUT 1 / Radio 1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020


5580MHz_TX



EUT_V_4TX
Setting 101
03-A-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1552G	62.07	74.00	-11.93	47.37	3	Horizontal	71	1.23	-	38.51	10.72	34.53
AV	11.15472G	48.82	54.00	-5.18	34.11	3	Horizontal	71	1.23	-	38.51	10.72	34.52
PK	16.7442G	68.08	68.20	-0.12	51.33	3	Horizontal	333	1.35	-	39.29	12.24	34.78

For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5700MHz_TX




EUT_Y_4TX
Setting 53
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7038G	113.74	Inf	-Inf	108.18	3	Horizontal	303	2.08	-	34.20	6.30	34.94
AV	5.704G	104.54	Inf	-Inf	98.98	3	Horizontal	303	2.08	-	34.20	6.30	34.94
PK	5.725G	67.85	68.20	-0.35	62.29	3	Horizontal	303	2.08	-	34.20	6.30	34.94




For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode





For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT_V_4TX
Setting 99
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.725G	122.33	Inf	-Inf	116.77	3	Horizontal	303	2.13	-	34.20	6.30	34.94
AV	5.724G	112.28	Inf	-Inf	106.72	3	Horizontal	303	2.13	-	34.20	6.30	34.94
PK	5.851G	64.11	68.20	-4.09	58.41	3	Horizontal	303	2.13	-	34.30	6.33	34.93




For EUT 1 / Radio 1_Non-Beamforming Mode





For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020


5260MHz_TX



EUT_Y_4TX
Setting 92
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	62.82	74.00	-11.18	58.22	3	Vertical	48	2.47	-	33.90	6.03	35.33
AV	5.1466G	47.51	54.00	-6.49	42.91	3	Vertical	48	2.47	-	33.90	6.03	35.33
PK	5.2642G	116.65	Inf	-Inf	111.68	3	Vertical	48	2.47	-	34.09	6.07	35.19
AV	5.2594G	103.97	Inf	-Inf	99.02	3	Vertical	48	2.47	-	34.08	6.07	35.20
PK	5.3542G	64.67	74.00	-9.33	59.49	3	Vertical	48	2.47	-	34.25	6.02	35.09
AV	5.3518G	48.32	54.00	-5.68	43.14	3	Vertical	48	2.47	-	34.25	6.02	35.09

For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode







For EUT 1 / Radio 1_Non-Beamforming Mode



For EUT 1 / Radio 1_Non-Beamforming Mode




For EUT 1 / Radio 1_Non-Beamforming Mode







For EUT 1 / Radio 1_Non-Beamforming Mode




For EUT 1 / Radio 1_Non-Beamforming Mode



For EUT 1 / Radio 1_Non-Beamforming Mode



For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5500MHz_TX



EUT_V_4TX
Setting 58
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.41G	59.93	74.00	-14.07	54.63	3	Vertical	43	2.30	-	34.31	6.02	35.03
PK	5.4692G	62.31	68.20	-5.89	56.81	3	Vertical	43	2.30	-	34.37	6.11	34.98
AV	5.4592G	45.51	54.00	-8.49	40.05	3	Vertical	43	2.30	-	34.36	6.09	34.99
PK	5.5092G	108.15	Inf	-Inf	102.54	3	Vertical	43	2.30	-	34.39	6.17	34.95
AV	5.4992G	96.05	Inf	-Inf	90.44	3	Vertical	43	2.30	-	34.40	6.16	34.95




For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5500MHz_TX




EUT_V_4TX
Setting 58
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	60.31	74.00	-13.69	54.85	3	Horizontal	56	1.91	-	34.36	6.09	34.99
AV	5.4572G	46.73	54.00	-7.27	41.27	3	Horizontal	56	1.91	-	34.36	6.09	34.99
PK	5.4668G	67.88	68.20	-0.32	62.38	3	Horizontal	56	1.91	-	34.37	6.11	34.98
PK	5.4972G	118.13	Inf	-Inf	112.52	3	Horizontal	56	1.91	-	34.40	6.16	34.95
AV	5.4972G	104.21	Inf	-Inf	98.60	3	Horizontal	56	1.91	-	34.40	6.16	34.95




For EUT 1 / Radio 1_Non-Beamforming Mode





For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5580MHz_TX




EUT_Y_4TX
Setting 97
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4256G	60.22	74.00	-13.78	54.87	3	Vertical	57	1.00	-	34.33	6.04	35.02
PK	5.4688G	60.69	68.20	-7.51	55.19	3	Vertical	57	1.00	-	34.37	6.11	34.98
AV	5.4576G	47.00	54.00	-7.00	41.54	3	Vertical	57	1.00	-	34.36	6.09	34.99
PK	5.5728G	115.45	Inf	-Inf	109.80	3	Vertical	57	1.00	-	34.33	6.26	34.94
AV	5.5832G	103.46	Inf	-Inf	97.80	3	Vertical	57	1.00	-	34.32	6.28	34.94
PK	5.7552G	61.58	68.20	-6.62	56.01	3	Vertical	57	1.00	-	34.20	6.30	34.93




For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode





For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

06/07/2020



EUT_Y_4TX
Setting 97
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.713G	113.08	Inf	-Inf	107.52	3	Vertical	320	2.57	-	34.20	6.30	34.94
AV	5.718G	100.66	Inf	-Inf	95.10	3	Vertical	320	2.57	-	34.20	6.30	34.94
PK	5.903G	58.81	68.20	-9.39	52.98	3	Vertical	320	2.57	-	34.41	6.35	34.93



For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TX

06/07/2020




EUT_Y_4TX
Setting 97
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	120.37	Inf	-Inf	114.81	3	Horizontal	302	1.80	-	34.20	6.30	34.94
AV	5.718G	108.90	Inf	-Inf	103.34	3	Horizontal	302	1.80	-	34.20	6.30	34.94
PK	5.851G	63.08	68.20	-5.12	57.38	3	Horizontal	302	1.80	-	34.30	6.33	34.93




For EUT 1 / Radio 1_Non-Beamforming Mode





For EUT 1 / Radio 1_Non-Beamforming Mode




For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5270MHz_TX



EUT_Y_4TX
Setting 71
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1212G	58.18	74.00	-15.82	53.65	3	Vertical	45	1.99	-	33.90	5.99	35.36
AV	5.138G	46.12	54.00	-7.88	41.55	3	Vertical	45	1.99	-	33.90	6.01	35.34
PK	5.267G	111.68	Inf	-Inf	106.70	3	Vertical	45	1.99	-	34.10	6.07	35.19
AV	5.2718G	100.36	Inf	-Inf	95.36	3	Vertical	45	1.99	-	34.12	6.06	35.18
PK	5.3576G	62.63	74.00	-11.37	57.44	3	Vertical	45	1.99	-	34.26	6.02	35.09
AV	5.3516G	49.68	54.00	-4.32	44.50	3	Vertical	45	1.99	-	34.25	6.02	35.09




For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5270MHz_TX




EUT_Y_4TX
Setting 71
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1374G	61.47	74.00	-12.53	56.90	3	Horizontal	50	1.93	-	33.90	6.01	35.34
AV	5.1458G	47.92	54.00	-6.08	43.33	3	Horizontal	50	1.93	-	33.90	6.02	35.33
PK	5.2748G	116.94	Inf	-Inf	111.94	3	Horizontal	50	1.93	-	34.12	6.06	35.18
AV	5.2598G	106.32	Inf	-Inf	101.37	3	Horizontal	50	1.93	-	34.08	6.07	35.20
PK	5.3546G	67.33	74.00	-6.67	62.15	3	Horizontal	50	1.93	-	34.25	6.02	35.09
AV	5.35G	53.82	54.00	-0.18	48.63	3	Horizontal	50	1.93	-	34.25	6.03	35.09




For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode







For EUT 1 / Radio 1_Non-Beamforming Mode




For EUT 1 / Radio 1_Non-Beamforming Mode



For EUT 1 / Radio 1_Non-Beamforming Mode




For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode




For EUT 1 / Radio 1_Non-Beamforming Mode





For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5550MHz_TX



EUT_V_4TX
Setting 69
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.406G	59.44	74.00	-14.56	54.15	3	Vertical	58	1.01	-	34.31	6.01	35.03
PK	5.4672G	62.48	68.20	-5.72	56.98	3	Vertical	58	1.01	-	34.37	6.11	34.98
AV	5.454G	47.26	54.00	-6.74	41.81	3	Vertical	58	1.01	-	34.35	6.09	34.99
PK	5.5434G	109.41	Inf	-Inf	103.78	3	Vertical	58	1.01	-	34.36	6.22	34.95
AV	5.5482G	97.84	Inf	-Inf	92.21	3	Vertical	58	1.01	-	34.35	6.23	34.95




For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5550MHz_TX




EUT V_4TX
Setting 69
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4516G	64.30	74.00	-9.70	58.86	3	Horizontal	54	1.96	-	34.35	6.08	34.99
AV	5.4576G	49.55	54.00	-4.45	44.09	3	Horizontal	54	1.96	-	34.36	6.09	34.99
PK	5.4672G	67.99	68.20	-0.21	62.49	3	Horizontal	54	1.96	-	34.37	6.11	34.98
PK	5.547G	116.80	Inf	-Inf	111.17	3	Horizontal	54	1.96	-	34.35	6.23	34.95
AV	5.5518G	105.19	Inf	-Inf	99.55	3	Horizontal	54	1.96	-	34.35	6.23	34.94




For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode





For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

06/07/2020



EUT_Y_4TX
Setting 87
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4532G	58.18	74.00	-15.82	52.73	3	Vertical	316	1.92	-	34.35	6.09	34.99
AV	5.4184G	46.92	54.00	-7.08	41.59	3	Vertical	316	1.92	-	34.32	6.03	35.02
PK	5.4688G	58.52	68.20	-9.68	53.02	3	Vertical	316	1.92	-	34.37	6.11	34.98
PK	5.7184G	109.33	Inf	-Inf	103.77	3	Vertical	316	1.92	-	34.20	6.30	34.94
AV	5.704G	99.20	Inf	-Inf	93.64	3	Vertical	316	1.92	-	34.20	6.30	34.94
PK	5.8576G	59.91	68.20	-8.29	54.19	3	Vertical	316	1.92	-	34.32	6.33	34.93



For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

06/07/2020




EUT_Y_4TX
Setting 87
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4508G	59.44	74.00	-14.56	54.00	3	Horizontal	304	2.32	-	34.35	6.08	34.99
AV	5.4364G	47.73	54.00	-6.27	42.34	3	Horizontal	304	2.32	-	34.34	6.06	35.01
PK	5.4676G	59.68	68.20	-8.52	54.18	3	Horizontal	304	2.32	-	34.37	6.11	34.98
PK	5.7064G	118.38	Inf	-Inf	112.82	3	Horizontal	304	2.32	-	34.20	6.30	34.94
AV	5.716G	107.98	Inf	-Inf	102.42	3	Horizontal	304	2.32	-	34.20	6.30	34.94
PK	5.8612G	67.83	68.20	-0.37	62.11	3	Horizontal	304	2.32	-	34.32	6.33	34.93



For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX


06/07/2020




EUT_V_4TX
Setting 87
03-A-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41208G	58.07	74.00	-15.93	43.12	3	Horizontal	92	1.24	-	38.69	10.86	34.60
AV	11.4122G	44.72	54.00	-9.28	29.77	3	Horizontal	92	1.24	-	38.69	10.86	34.60
PK	17.1494G	63.87	68.20	-4.33	45.53	3	Horizontal	119	2.03	-	40.68	12.26	34.60


For EUT 1 / Radio 1_Non-Beamforming Mode



For EUT 1 / Radio 1_Non-Beamforming Mode




For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode




For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode





For EUT 1 / Radio 1_Non-Beamforming Mode




For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020

5610MHz_TX



EUT_V_4TX
Setting 67
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	58.38	74.00	-15.62	52.92	3	Vertical	314	2.10	-	34.36	6.09	34.99
AV	5.4228G	47.13	54.00	-6.87	41.79	3	Vertical	314	2.10	-	34.32	6.04	35.02
PK	5.466G	58.09	68.20	-10.11	52.59	3	Vertical	314	2.10	-	34.37	6.11	34.98
PK	5.6132G	104.46	Inf	-Inf	98.81	3	Vertical	314	2.10	-	34.29	6.30	34.94
AV	5.6028G	93.76	Inf	-Inf	88.10	3	Vertical	314	2.10	-	34.30	6.30	34.94
PK	5.7284G	60.31	68.20	-7.89	54.75	3	Vertical	314	2.10	-	34.20	6.30	34.94




For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020

5610MHz_TX




EUT_Y_4TX
Setting 67
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4588G	62.58	74.00	-11.42	57.12	3	Horizontal	306	1.84	-	34.36	6.09	34.99
AV	5.4588G	49.81	54.00	-4.19	44.35	3	Horizontal	306	1.84	-	34.36	6.09	34.99
PK	5.4628G	62.67	68.20	-5.53	57.19	3	Horizontal	306	1.84	-	34.36	6.10	34.98
PK	5.6132G	113.51	Inf	-Inf	107.86	3	Horizontal	306	1.84	-	34.29	6.30	34.94
AV	5.6228G	101.63	Inf	-Inf	95.99	3	Horizontal	306	1.84	-	34.28	6.30	34.94
PK	5.7332G	67.92	68.20	-0.28	62.36	3	Horizontal	306	1.84	-	34.20	6.30	34.94




For EUT 1 / Radio 1_Non-Beamforming Mode





For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

06/07/2020




EUT_Y_4TX
Setting 74
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4236G	59.60	74.00	-14.40	54.26	3	Vertical	316	1.92	-	34.32	6.04	35.02
PK	5.4656G	58.93	68.20	-9.27	53.44	3	Vertical	316	1.92	-	34.37	6.10	34.98
AV	5.4524G	47.04	54.00	-6.96	41.60	3	Vertical	316	1.92	-	34.35	6.08	34.99
PK	5.6936G	106.14	Inf	-Inf	100.57	3	Vertical	316	1.92	-	34.21	6.30	34.94
AV	5.6828G	93.99	Inf	-Inf	88.41	3	Vertical	316	1.92	-	34.22	6.30	34.94
PK	5.8796G	59.37	68.20	-8.83	53.60	3	Vertical	316	1.92	-	34.36	6.34	34.93

For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

06/07/2020




EUT_Y_4TX
Setting 74
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	60.08	74.00	-13.92	54.62	3	Horizontal	305	1.80	-	34.36	6.09	34.99
AV	5.45G	47.70	54.00	-6.30	42.27	3	Horizontal	305	1.80	-	34.35	6.08	35.00
PK	5.4656G	59.57	68.20	-8.63	54.08	3	Horizontal	305	1.80	-	34.37	6.10	34.98
PK	5.6936G	114.04	Inf	-Inf	108.47	3	Horizontal	305	1.80	-	34.21	6.30	34.94
AV	5.7032G	101.62	Inf	-Inf	96.06	3	Horizontal	305	1.80	-	34.20	6.30	34.94
PK	5.8532G	67.86	68.20	-0.34	62.15	3	Horizontal	305	1.80	-	34.31	6.33	34.93



For EUT 1 / Radio 1_Non-Beamforming Mode






For EUT 1 / Radio 1_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

06/07/2020



EUT Y_4TX
Setting 74
03-A-J-7

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3884G	56.80	74.00	-17.20	41.87	3	Horizontal	164	2.34	-	38.67	10.85	34.59
AV	11.38588G	43.41	54.00	-10.59	28.48	3	Horizontal	164	2.34	-	38.67	10.85	34.59
PK	17.0841G	62.55	68.20	-5.65	44.56	3	Horizontal	82	2.74	-	40.34	12.25	34.60



For EUT 1 / Radio 3_Non-Beamforming Mode
Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20_Nss1,(MCS0)_4TX	Pass	PK	17.15184G	68.18	68.20	-0.02	3	Horizontal	51	1.73	-




For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5500MHz_TX




EUT_V_4TX
Setting 62
01-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4192G	58.36	74.00	-15.64	53.38	3	Vertical	360	2.20	-	33.32	6.39	34.73
PK	5.47G	59.20	68.20	-9.00	53.96	3	Vertical	360	2.20	-	33.62	6.37	34.75
AV	5.456G	45.56	54.00	-8.44	40.39	3	Vertical	360	2.20	-	33.54	6.37	34.74
PK	5.5036G	109.60	Inf	-Inf	104.20	3	Vertical	360	2.20	-	33.81	6.35	34.76
AV	5.504G	100.60	Inf	-Inf	95.20	3	Vertical	360	2.20	-	33.81	6.35	34.76




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5580MHz_TX



EUT Y_4TX
Setting 108
01-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	57.85	74.00	-16.15	52.67	3	Vertical	360	2.15	-	33.55	6.37	34.74
AV	5.4552G	46.12	54.00	-7.88	40.96	3	Vertical	360	2.15	-	33.53	6.37	34.74
PK	5.4696G	59.56	68.20	-8.64	54.32	3	Vertical	360	2.15	-	33.62	6.37	34.75
PK	5.5848G	118.86	Inf	-Inf	113.31	3	Vertical	360	2.15	-	33.97	6.31	34.73
AV	5.584G	108.44	Inf	-Inf	102.89	3	Vertical	360	2.15	-	33.97	6.31	34.73
PK	5.7688G	59.19	68.20	-9.01	53.26	3	Vertical	360	2.15	-	34.21	6.38	34.66




For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5580MHz_TX




EUT_V_4TX
Setting 108
01-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	60.70	74.00	-13.30	55.52	3	Horizontal	314	2.01	-	33.55	6.37	34.74
AV	5.4472G	47.50	54.00	-6.50	42.38	3	Horizontal	314	2.01	-	33.48	6.38	34.74
PK	5.4696G	63.66	68.20	-4.54	58.42	3	Horizontal	314	2.01	-	33.62	6.37	34.75
PK	5.584G	124.54	Inf	-Inf	118.99	3	Horizontal	314	2.01	-	33.97	6.31	34.73
AV	5.5824G	113.90	Inf	-Inf	108.36	3	Horizontal	314	2.01	-	33.96	6.31	34.73
PK	5.7472G	62.75	68.20	-5.45	56.91	3	Horizontal	314	2.01	-	34.14	6.37	34.67




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5700MHz_TX




EUT_Y_4TX
Setting 63
01-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6956G	116.61	Inf	-Inf	110.94	3	Horizontal	48	1.78	-	34.00	6.35	34.68
AV	5.6948G	106.91	Inf	-Inf	101.24	3	Horizontal	48	1.78	-	34.00	6.35	34.68
PK	5.7296G	68.16	68.20	-0.04	62.38	3	Horizontal	48	1.78	-	34.09	6.36	34.67




For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5720MHz Straddle 5.47-5.725GHz_TX



EUT_V_4TX
Setting 108
01-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7224G	120.53	Inf	-Inf	114.77	3	Vertical	309	2.78	-	34.07	6.36	34.67
AV	5.7224G	110.52	Inf	-Inf	104.76	3	Vertical	309	2.78	-	34.07	6.36	34.67
PK	5.8528G	63.69	68.20	-4.51	57.33	3	Vertical	309	2.78	-	34.56	6.43	34.63




For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_4TX
Setting 108
01-D-R-5-13

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7144G	126.80	Inf	-Inf	121.08	3	Horizontal	47	1.66	-	34.04	6.36	34.68
AV	5.7152G	116.34	Inf	-Inf	110.61	3	Horizontal	47	1.66	-	34.05	6.36	34.68
PK	5.86G	67.44	68.20	-0.76	61.04	3	Horizontal	47	1.66	-	34.60	6.43	34.63



For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_4TX

06/07/2020

5720MHz Straddle 5.47-5.725GHz_TX



EUT_V_4TX
Setting 108
01-D-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4416G	56.02	74.00	-17.98	43.26	3	Horizontal	43	1.80	-	38.44	9.24	34.92
AV	11.4424G	45.90	54.00	-8.10	33.14	3	Horizontal	43	1.80	-	38.44	9.24	34.92
PK	17.16032G	67.17	68.20	-1.03	49.22	3	Horizontal	290	1.85	-	41.44	10.23	33.72




For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5500MHz_TX




EUT_V_4TX
Setting 61
01-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	58.76	74.00	-15.24	53.57	3	Vertical	331	2.80	-	33.56	6.37	34.74
AV	5.456G	46.31	54.00	-7.69	41.14	3	Vertical	331	2.80	-	33.54	6.37	34.74
PK	5.468G	64.26	68.20	-3.94	59.03	3	Vertical	331	2.80	-	33.61	6.37	34.75
PK	5.5008G	114.86	Inf	-Inf	109.47	3	Vertical	331	2.80	-	33.80	6.35	34.76
AV	5.5008G	102.78	Inf	-Inf	97.39	3	Vertical	331	2.80	-	33.80	6.35	34.76




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5580MHz_TX



EUT_V_4TX
Setting 108
01-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4192G	58.61	74.00	-15.39	53.63	3	Vertical	27	2.24	-	33.32	6.39	34.73
PK	5.468G	59.98	68.20	-8.22	54.75	3	Vertical	27	2.24	-	33.61	6.37	34.75
AV	5.4568G	46.67	54.00	-7.33	41.50	3	Vertical	27	2.24	-	33.54	6.37	34.74
PK	5.5768G	116.98	Inf	-Inf	111.45	3	Vertical	27	2.24	-	33.95	6.31	34.73
AV	5.5848G	105.70	Inf	-Inf	100.15	3	Vertical	27	2.24	-	33.97	6.31	34.73
PK	5.728G	60.73	68.20	-7.47	54.96	3	Vertical	27	2.24	-	34.08	6.36	34.67




For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5580MHz_TX




EUT_Y_4TX
Setting 108
01-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.81	74.00	-10.19	58.62	3	Horizontal	312	1.80	-	33.56	6.37	34.74
AV	5.4568G	49.17	54.00	-4.83	44.00	3	Horizontal	312	1.80	-	33.54	6.37	34.74
PK	5.4696G	64.78	68.20	-3.42	59.54	3	Horizontal	312	1.80	-	33.62	6.37	34.75
PK	5.5856G	123.41	Inf	-Inf	117.86	3	Horizontal	312	1.80	-	33.97	6.31	34.73
AV	5.5856G	112.52	Inf	-Inf	106.97	3	Horizontal	312	1.80	-	33.97	6.31	34.73
PK	5.7368G	64.74	68.20	-3.46	58.93	3	Horizontal	312	1.80	-	34.11	6.37	34.67



For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX
5580MHz_TX

06/07/2020




EUT Y_4TX
Setting 108
01-D-N-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16136G	58.01	74.00	-15.99	45.31	3	Horizontal	334	1.80	-	38.42	9.16	34.88
AV	11.16328G	45.44	54.00	-8.56	32.74	3	Horizontal	334	1.80	-	38.42	9.16	34.88
PK	16.74252G	67.87	68.20	-0.33	51.45	3	Horizontal	305	1.43	-	40.48	10.04	34.10



For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_4TX

06/07/2020

5700MHz_TX




EUT_V_4TX
Setting 53
01-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6932G	115.35	Inf	-Inf	109.68	3	Horizontal	303	1.79	-	34.00	6.35	34.68
AV	5.7028G	103.35	Inf	-Inf	97.67	3	Horizontal	303	1.79	-	34.01	6.35	34.68
PK	5.7256G	68.04	68.20	-0.16	62.27	3	Horizontal	303	1.79	-	34.08	6.36	34.67




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5550MHz_TX



EUT Y_4TX
Setting 79
01-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.445G	59.29	74.00	-14.71	54.18	3	Vertical	336	2.34	-	33.47	6.38	34.74
AV	5.4528G	47.53	54.00	-6.47	42.38	3	Vertical	336	2.34	-	33.52	6.37	34.74
PK	5.4678G	63.56	68.20	-4.64	58.33	3	Vertical	336	2.34	-	33.61	6.37	34.75
PK	5.5332G	113.09	Inf	-Inf	107.64	3	Vertical	336	2.34	-	33.87	6.33	34.75
AV	5.5434G	102.35	Inf	-Inf	96.87	3	Vertical	336	2.34	-	33.89	6.33	34.74




For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX

06/07/2020

5550MHz_TX




EUT Y_4TX
Setting 79
01-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.96	74.00	-10.04	58.77	3	Horizontal	313	1.85	-	33.56	6.37	34.74
AV	5.4594G	50.83	54.00	-3.17	45.64	3	Horizontal	313	1.85	-	33.56	6.37	34.74
PK	5.469G	68.12	68.20	-0.08	62.89	3	Horizontal	313	1.85	-	33.61	6.37	34.75
PK	5.5554G	119.81	Inf	-Inf	114.32	3	Horizontal	313	1.85	-	33.91	6.32	34.74
AV	5.5452G	107.57	Inf	-Inf	102.09	3	Horizontal	313	1.85	-	33.89	6.33	34.74




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

06/07/2020




EUT Y_4TX
Setting 94
01-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4352G	59.97	74.00	-14.03	54.91	3	Vertical	309	2.77	-	33.41	6.38	34.73
AV	5.4388G	46.83	54.00	-7.17	41.76	3	Vertical	309	2.77	-	33.43	6.38	34.74
PK	5.4628G	58.16	68.20	-10.04	52.96	3	Vertical	309	2.77	-	33.58	6.37	34.75
PK	5.7064G	115.02	Inf	-Inf	109.33	3	Vertical	309	2.77	-	34.02	6.35	34.68
AV	5.716G	104.52	Inf	-Inf	98.79	3	Vertical	309	2.77	-	34.05	6.36	34.68
PK	5.854G	62.44	68.20	-5.76	56.07	3	Vertical	309	2.77	-	34.57	6.43	34.63

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX

06/07/2020




EUT_Y_4TX
Setting 94
01-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4484G	59.14	74.00	-14.86	54.01	3	Horizontal	302	1.77	-	33.49	6.38	34.74
AV	5.4556G	47.64	54.00	-6.36	42.48	3	Horizontal	302	1.77	-	33.53	6.37	34.74
PK	5.464G	59.78	68.20	-8.42	54.58	3	Horizontal	302	1.77	-	33.58	6.37	34.75
PK	5.698G	122.30	Inf	-Inf	116.63	3	Horizontal	302	1.77	-	34.00	6.35	34.68
AV	5.6932G	111.01	Inf	-Inf	105.34	3	Horizontal	302	1.77	-	34.00	6.35	34.68
PK	5.85G	67.97	68.20	-0.23	61.62	3	Horizontal	302	1.77	-	34.55	6.43	34.63



For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TX


06/07/2020



EUT_V_4TX
Setting 94
01-D-N-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41972G	55.29	74.00	-18.71	42.54	3	Horizontal	317	1.74	-	38.44	9.23	34.92
AV	11.41088G	43.16	54.00	-10.84	30.41	3	Horizontal	317	1.74	-	38.44	9.23	34.92

For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020

5610MHz_TX



EUT_Y_4TX
Setting 68
01-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4556G	58.78	74.00	-15.22	53.62	3	Vertical	360	2.08	-	33.53	6.37	34.74
AV	5.458G	47.33	54.00	-6.67	42.15	3	Vertical	360	2.08	-	33.55	6.37	34.74
PK	5.4668G	58.74	68.20	-9.46	53.52	3	Vertical	360	2.08	-	33.60	6.37	34.75
PK	5.6212G	107.25	Inf	-Inf	101.65	3	Vertical	360	2.08	-	34.00	6.31	34.71
AV	5.6212G	96.13	Inf	-Inf	90.53	3	Vertical	360	2.08	-	34.00	6.31	34.71
PK	5.746G	61.76	68.20	-6.44	55.92	3	Vertical	360	2.08	-	34.14	6.37	34.67




For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX

06/07/2020

5610MHz_TX




EUT_Y_4TX
Setting 68
01-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	60.35	74.00	-13.65	55.19	3	Horizontal	297	2.53	-	33.53	6.37	34.74
AV	5.4556G	48.81	54.00	-5.19	43.65	3	Horizontal	297	2.53	-	33.53	6.37	34.74
PK	5.466G	63.37	68.20	-4.83	58.15	3	Horizontal	297	2.53	-	33.60	6.37	34.75
PK	5.5908G	113.86	Inf	-Inf	108.30	3	Horizontal	297	2.53	-	33.98	6.30	34.72
AV	5.5956G	102.20	Inf	-Inf	96.63	3	Horizontal	297	2.53	-	33.99	6.30	34.72
PK	5.7252G	68.01	68.20	-0.19	62.24	3	Horizontal	297	2.53	-	34.08	6.36	34.67




For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

06/07/2020



EUT_Y_4TX
Setting 77
01-D-R-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	58.52	74.00	-15.48	53.42	3	Vertical	354	2.46	-	33.46	6.38	34.74
AV	5.4356G	46.85	54.00	-7.15	41.79	3	Vertical	354	2.46	-	33.41	6.38	34.73
PK	5.4656G	57.72	68.20	-10.48	52.51	3	Vertical	354	2.46	-	33.59	6.37	34.75
PK	5.6888G	108.94	Inf	-Inf	103.28	3	Vertical	354	2.46	-	34.00	6.34	34.68
AV	5.6792G	99.31	Inf	-Inf	93.66	3	Vertical	354	2.46	-	34.00	6.34	34.69
PK	5.8508G	61.17	68.20	-7.03	54.82	3	Vertical	354	2.46	-	34.55	6.43	34.63



For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TX

06/07/2020




EUT Y_4TX
Setting 77
01-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.432G	59.28	74.00	-14.72	54.24	3	Horizontal	294	2.12	-	33.39	6.38	34.73
PK	5.46G	58.78	74.00	-15.22	53.59	3	Horizontal	294	2.12	-	33.56	6.37	34.74
AV	5.4572G	47.60	54.00	-6.40	42.43	3	Horizontal	294	2.12	-	33.54	6.37	34.74
PK	5.6804G	116.38	Inf	-Inf	110.73	3	Horizontal	294	2.12	-	34.00	6.34	34.69
AV	5.6804G	105.25	Inf	-Inf	99.60	3	Horizontal	294	2.12	-	34.00	6.34	34.69
PK	5.8544G	67.97	68.20	-0.23	61.60	3	Horizontal	294	2.12	-	34.57	6.43	34.63




For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode
Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.7252G	68.14	68.20	-0.06	3	Horizontal	52	2.00	-

For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5260MHz_TX



EUT X_2TX
Setting 108
03-A-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1214G	59.70	74.00	-14.30	55.17	3	Vertical	15	2.93	-	33.90	5.99	35.36
AV	5.1184G	46.32	54.00	-7.68	41.79	3	Vertical	15	2.93	-	33.90	5.99	35.36
PK	5.2654G	118.40	Inf	-Inf	113.42	3	Vertical	15	2.93	-	34.10	6.07	35.19
AV	5.2552G	105.21	Inf	-Inf	100.27	3	Vertical	15	2.93	-	34.07	6.07	35.20
PK	5.353G	64.71	74.00	-9.29	59.53	3	Vertical	15	2.93	-	34.25	6.02	35.09
AV	5.3506G	49.27	54.00	-4.73	44.09	3	Vertical	15	2.93	-	34.25	6.02	35.09




For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020


5260MHz_TX



EUT X_2TX
Setting 108
03-A-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	63.98	74.00	-10.02	59.38	3	Horizontal	48	2.24	-	33.90	6.03	35.33
AV	5.1478G	48.13	54.00	-5.87	43.53	3	Horizontal	48	2.24	-	33.90	6.03	35.33
PK	5.2648G	122.95	Inf	-Inf	117.98	3	Horizontal	48	2.24	-	34.09	6.07	35.19
AV	5.2648G	108.66	Inf	-Inf	103.69	3	Horizontal	48	2.24	-	34.09	6.07	35.19
PK	5.3632G	65.85	74.00	-8.15	60.65	3	Horizontal	48	2.24	-	34.26	6.02	35.08
AV	5.3536G	50.79	54.00	-3.21	45.61	3	Horizontal	48	2.24	-	34.25	6.02	35.09

For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode



For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5500MHz_TX




EUT X_2TX
Setting 74
03-A-J-7-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	64.16	74.00	-9.84	58.70	3	Horizontal	65	2.27	-	34.36	6.09	34.99
AV	5.4588G	47.33	54.00	-6.67	41.87	3	Horizontal	65	2.27	-	34.36	6.09	34.99
PK	5.468G	67.94	68.20	-0.26	62.44	3	Horizontal	65	2.27	-	34.37	6.11	34.98
PK	5.498G	113.59	Inf	-Inf	107.98	3	Horizontal	65	2.27	-	34.40	6.16	34.95
AV	5.498G	104.49	Inf	-Inf	98.88	3	Horizontal	65	2.27	-	34.40	6.16	34.95




For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020


5580MHz_TX



EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.444G	59.06	74.00	-14.94	53.65	3	Vertical	350	2.90	-	34.34	6.07	35.00
PK	5.468G	58.39	68.20	-9.81	52.89	3	Vertical	350	2.90	-	34.37	6.11	34.98
AV	5.4592G	46.33	54.00	-7.67	40.87	3	Vertical	350	2.90	-	34.36	6.09	34.99
PK	5.5832G	115.77	Inf	-Inf	110.11	3	Vertical	350	2.90	-	34.32	6.28	34.94
AV	5.5824G	105.97	Inf	-Inf	100.31	3	Vertical	350	2.90	-	34.32	6.28	34.94
PK	5.7536G	58.47	68.20	-9.73	52.90	3	Vertical	350	2.90	-	34.20	6.30	34.93

For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode





For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11a_Nss1,(6Mbps)_2TX

06/07/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT X_2TX
Setting 108
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	121.50	Inf	-Inf	115.94	3	Horizontal	54	1.94	-	34.20	6.30	34.94
AV	5.7152G	110.85	Inf	-Inf	105.29	3	Horizontal	54	1.94	-	34.20	6.30	34.94
PK	5.8728G	60.54	68.20	-7.66	54.78	3	Horizontal	54	1.94	-	34.35	6.34	34.93




For EUT 1 / Radio 3_Non-Beamforming Mode




For EUT 1 / Radio 3_Non-Beamforming Mode



For EUT 1 / Radio 3_Non-Beamforming Mode




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode




For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode







For EUT 1 / Radio 3_Non-Beamforming Mode



For EUT 1 / Radio 3_Non-Beamforming Mode



For EUT 1 / Radio 3_Non-Beamforming Mode






For EUT 1 / Radio 3_Non-Beamforming Mode

802.11ax HEW20_Nss1,(MCS0)_2TX

06/07/2020


5500MHz_TX



EUT X_2TX
Setting 72
03-A-J-7-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	60.79	74.00	-13.21	55.33	3	Horizontal	42	1.95	-	34.36	6.09	34.99
AV	5.4596G	47.00	54.00	-7.00	41.53	3	Horizontal	42	1.95	-	34.36	6.10	34.99
PK	5.4684G	68.04	68.20	-0.16	62.54	3	Horizontal	42	1.95	-	34.37	6.11	34.98
PK	5.5012G	113.91	Inf	-Inf	108.30	3	Horizontal	42	1.95	-	34.40	6.16	34.95
AV	5.4984G	102.09	Inf	-Inf	96.48	3	Horizontal	42	1.95	-	34.40	6.16	34.95

For EUT 1 / Radio 3_Non-Beamforming Mode







For EUT 1 / Radio 3_Non-Beamforming Mode



For EUT 1 / Radio 3_Non-Beamforming Mode



For EUT 1 / Radio 3_Non-Beamforming Mode



For EUT 1 / Radio 3_Non-Beamforming Mode

