




5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4548G	40.70	54.00	-13.30	-5.50	3	Vertical	23	1.42	46.20	33.31	5.30	44.11
AV	5.7236G	102.16	Inf	-Inf	-4.65	3	Vertical	23	1.42	106.81	34.04	5.46	44.15
PK	5.4524G	53.97	74.00	-20.03	-5.52	3	Vertical	23	1.42	59.49	33.30	5.29	44.11
PK	5.4632G	52.92	68.20	-15.28	-5.49	3	Vertical	23	1.42	58.41	33.33	5.30	44.12
PK	5.7224G	112.45	Inf	-Inf	-4.67	3	Vertical	23	1.42	117.12	34.02	5.46	44.15
PK	5.9696G	55.77	68.20	-12.43	-4.02	3	Vertical	23	1.42	59.79	34.60	5.56	44.18

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	41.26	54.00	-12.74	-5.52	3	Horizontal	17	1.26	46.78	33.30	5.29	44.11
AV	5.7248G	101.94	Inf	-Inf	-4.64	3	Horizontal	17	1.26	106.58	34.05	5.46	44.15
PK	5.4212G	53.88	74.00	-20.12	-5.60	3	Horizontal	17	1.26	59.48	33.24	5.27	44.11
PK	5.468G	54.54	68.20	-13.66	-5.48	3	Horizontal	17	1.26	60.02	33.34	5.30	44.12
PK	5.7212G	111.93	Inf	-Inf	-4.68	3	Horizontal	17	1.26	116.61	34.01	5.46	44.15
PK	5.9024G	56.10	68.20	-12.10	-4.03	3	Horizontal	17	1.26	60.13	34.60	5.54	44.17



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44292G	38.96	54.00	-15.04	5.59	3	Vertical	274	1.50	33.37	39.14	8.40	41.95
PK	11.43978G	51.54	74.00	-22.46	5.61	3	Vertical	274	1.50	45.93	39.16	8.40	41.95
PK	17.16468G	53.20	68.20	-15.00	5.20	3	Vertical	30	1.59	48.00	37.50	10.85	43.15

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44116G	38.82	54.00	-15.18	5.60	3	Horizontal	215	1.50	33.22	39.15	8.40	41.95
PK	11.4383G	50.65	74.00	-23.35	5.62	3	Horizontal	215	1.50	45.03	39.17	8.40	41.95
PK	17.15796G	53.05	68.20	-15.15	5.20	3	Horizontal	66	1.39	47.85	37.50	10.85	43.15



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4498G	40.57	54.00	-13.43	-5.52	3	Vertical	22	1.31	46.09	33.30	5.29	44.11
AV	5.7486G	102.90	Inf	-Inf	-4.39	3	Vertical	22	1.31	107.29	34.29	5.47	44.15
PK	5.637G	55.23	68.20	-12.97	-5.26	3	Vertical	22	1.31	60.49	33.47	5.41	44.14
PK	5.7498G	112.58	Inf	-Inf	-4.38	3	Vertical	22	1.31	116.96	34.30	5.47	44.15
PK	5.9742G	55.40	68.20	-12.80	-4.02	3	Vertical	22	1.31	59.42	34.60	5.56	44.18

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	41.25	54.00	-12.75	-5.50	3	Horizontal	16	1.31	46.75	33.31	5.30	44.11
AV	5.7426G	102.62	Inf	-Inf	-4.45	3	Horizontal	16	1.31	107.07	34.23	5.47	44.15
PK	5.6466G	54.97	68.20	-13.23	-5.23	3	Horizontal	16	1.31	60.20	33.49	5.42	44.14
PK	5.7474G	112.83	Inf	-Inf	-4.41	3	Horizontal	16	1.31	117.24	34.27	5.47	44.15
PK	6.0066G	55.94	68.20	-12.26	-4.04	3	Horizontal	16	1.31	59.98	34.57	5.57	44.18



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48618G	38.56	54.00	-15.44	5.58	3	Vertical	37	1.50	32.98	39.10	8.41	41.93
PK	11.4903G	51.66	74.00	-22.34	5.58	3	Vertical	37	1.50	46.08	39.10	8.41	41.93
PK	17.23302G	51.70	68.20	-16.50	5.26	3	Vertical	322	1.00	46.44	37.57	10.82	43.13

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.48572G	38.60	54.00	-15.40	5.58	3	Horizontal	324	1.50	33.02	39.10	8.41	41.93
PK	11.49226G	50.95	74.00	-23.05	5.60	3	Horizontal	324	1.50	45.35	39.10	8.42	41.92
PK	17.23472G	51.80	68.20	-16.40	5.26	3	Horizontal	65	1.33	46.54	37.57	10.82	43.13

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78855G	103.24	Inf	-Inf	-4.21	3	Vertical	28	2.80	107.45	34.45	5.49	44.15
PK	5.53929G	56.00	68.20	-12.20	-5.29	3	Vertical	28	2.80	61.29	33.48	5.35	44.12
PK	5.79097G	112.81	Inf	-Inf	-4.19	3	Vertical	28	2.80	117.00	34.46	5.50	44.15
PK	5.94585G	57.24	68.20	-10.96	-4.02	3	Vertical	28	2.80	61.26	34.60	5.55	44.17

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78855G	103.02	Inf	-Inf	-4.21	3	Horizontal	15	1.26	107.23	34.45	5.49	44.15
PK	5.5284G	54.76	68.20	-13.44	-5.32	3	Horizontal	15	1.26	60.08	33.46	5.34	44.12
PK	5.78613G	112.96	Inf	-Inf	-4.22	3	Horizontal	15	1.26	117.18	34.44	5.49	44.15
PK	5.94827G	55.77	68.20	-12.43	-4.02	3	Horizontal	15	1.26	59.79	34.60	5.55	44.17



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5655G	38.56	54.00	-15.44	5.50	3	Vertical	292	1.50	33.06	39.01	8.44	41.95
PK	11.56966G	50.71	74.00	-23.29	5.47	3	Vertical	292	1.50	45.24	38.98	8.44	41.95
PK	17.3592G	51.87	68.20	-16.33	5.38	3	Vertical	38	1.18	46.49	37.71	10.77	43.10

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57406G	38.35	54.00	-15.65	5.45	3	Horizontal	279	1.50	32.90	38.96	8.44	41.95
PK	11.56908G	50.63	74.00	-23.37	5.48	3	Horizontal	279	1.50	45.15	38.99	8.44	41.95
PK	17.35782G	52.22	68.20	-15.98	5.39	3	Horizontal	52	2.31	46.83	37.72	10.77	43.10



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8286G	103.52	Inf	-Inf	-4.21	3	Vertical	28	2.78	107.73	34.44	5.51	44.16
PK	5.6246G	55.27	68.20	-12.93	-5.28	3	Vertical	28	2.78	60.55	33.45	5.40	44.13
PK	5.8274G	113.85	Inf	-Inf	-4.20	3	Vertical	28	2.78	118.05	34.45	5.51	44.16
PK	5.927G	57.39	68.20	-10.81	-4.03	3	Vertical	28	2.78	61.42	34.60	5.54	44.17

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8226G	102.89	Inf	-Inf	-4.20	3	Horizontal	16	1.40	107.09	34.45	5.51	44.16
PK	5.555G	54.57	68.20	-13.63	-5.28	3	Horizontal	16	1.40	59.85	33.49	5.36	44.13
PK	5.8274G	112.95	Inf	-Inf	-4.20	3	Horizontal	16	1.40	117.15	34.45	5.51	44.16
PK	5.925G	56.95	68.20	-11.25	-4.03	3	Horizontal	16	1.40	60.98	34.60	5.54	44.17

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65214G	37.66	54.00	-16.34	5.19	3	Vertical	106	1.50	32.47	38.71	8.46	41.98
PK	11.65266G	51.12	74.00	-22.88	5.19	3	Vertical	106	1.50	45.93	38.71	8.46	41.98
PK	17.4749G	51.16	68.20	-17.04	5.59	3	Vertical	137	2.97	45.57	37.95	10.72	43.08

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65426G	37.67	54.00	-16.33	5.20	3	Horizontal	334	1.38	32.47	38.72	8.46	41.98
PK	11.64742G	50.24	74.00	-23.76	5.19	3	Horizontal	334	1.38	45.05	38.71	8.46	41.98
PK	17.47934G	51.18	68.20	-17.02	5.61	3	Horizontal	264	1.50	45.57	37.96	10.72	43.07





5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.33	54.00	-3.67	-5.41	3	Vertical	346	1.38	55.74	33.50	5.17	44.08
AV	5.183G	95.31	Inf	-Inf	-5.40	3	Vertical	346	1.38	100.71	33.50	5.18	44.08
PK	5.1466G	69.63	74.00	-4.37	-5.41	3	Vertical	346	1.38	75.04	33.50	5.17	44.08
PK	5.177G	109.29	Inf	-Inf	-5.40	3	Vertical	346	1.38	114.69	33.50	5.18	44.08

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.67	54.00	-1.33	-5.41	3	Horizontal	360	2.22	58.08	33.50	5.17	44.08
AV	5.1774G	97.98	Inf	-Inf	-5.40	3	Horizontal	360	2.22	103.38	33.50	5.18	44.08
PK	5.1482G	72.05	74.00	-1.95	-5.41	3	Horizontal	360	2.22	77.46	33.50	5.17	44.08
PK	5.177G	112.47	Inf	-Inf	-5.40	3	Horizontal	360	2.22	117.87	33.50	5.18	44.08



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53804G	39.03	54.00	-14.97	6.11	3	Vertical	231	1.95	32.92	38.30	10.84	43.03
PK	10.36048G	49.88	68.20	-18.32	4.66	3	Vertical	216	1.50	45.22	38.70	8.07	42.11
PK	15.5376G	52.07	74.00	-21.93	6.11	3	Vertical	231	1.95	45.96	38.30	10.84	43.03

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5382G	39.09	54.00	-14.91	6.11	3	Horizontal	273	1.13	32.98	38.30	10.84	43.03
PK	10.36324G	50.57	68.20	-17.63	4.66	3	Horizontal	0	2.47	45.91	38.70	8.07	42.11
PK	15.53718G	52.04	74.00	-21.96	6.11	3	Horizontal	273	1.13	45.93	38.30	10.84	43.03



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.99	54.00	-5.01	-5.41	3	Vertical	357	1.33	54.40	33.50	5.17	44.08
AV	5.2028G	99.61	Inf	-Inf	-5.39	3	Vertical	357	1.33	105.00	33.50	5.19	44.08
PK	5.1432G	67.49	74.00	-6.51	-5.42	3	Vertical	357	1.33	72.91	33.50	5.16	44.08
PK	5.1968G	113.96	Inf	-Inf	-5.39	3	Vertical	357	1.33	119.35	33.50	5.19	44.08

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.47	54.00	-3.53	-5.41	3	Horizontal	360	2.05	55.88	33.50	5.17	44.08
AV	5.2048G	100.52	Inf	-Inf	-5.39	3	Horizontal	360	2.05	105.91	33.50	5.19	44.08
PK	5.1476G	68.76	74.00	-5.24	-5.41	3	Horizontal	360	2.05	74.17	33.50	5.17	44.08
PK	5.1968G	114.70	Inf	-Inf	-5.39	3	Horizontal	360	2.05	120.09	33.50	5.19	44.08

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60254G	38.82	54.00	-15.18	6.23	3	Vertical	0	1.43	32.59	38.38	10.91	43.06
PK	10.3961G	49.65	68.20	-18.55	4.70	3	Vertical	348	2.24	44.95	38.70	8.08	42.08
PK	15.60194G	52.43	74.00	-21.57	6.24	3	Vertical	0	1.43	46.19	38.39	10.91	43.06

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6038G	38.81	54.00	-15.19	6.23	3	Horizontal	186	2.79	32.58	38.38	10.91	43.06
PK	10.40066G	50.58	68.20	-17.62	4.70	3	Horizontal	12	2.67	45.88	38.70	8.08	42.08
PK	15.60386G	51.69	74.00	-22.31	6.23	3	Horizontal	186	2.79	45.46	38.38	10.91	43.06

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1434G	41.44	54.00	-12.56	-5.42	3	Vertical	348	1.25	46.86	33.50	5.16	44.08
AV	5.243G	98.49	Inf	-Inf	-5.38	3	Vertical	348	1.25	103.87	33.50	5.21	44.09
AV	5.35G	41.49	54.00	-12.51	-5.56	3	Vertical	348	1.25	47.05	33.30	5.24	44.10
PK	5.141G	55.34	74.00	-18.66	-5.42	3	Vertical	348	1.25	60.76	33.50	5.16	44.08
PK	5.237G	112.31	Inf	-Inf	-5.39	3	Vertical	348	1.25	117.70	33.50	5.20	44.09
PK	5.378G	55.56	74.00	-18.44	-5.62	3	Vertical	348	1.25	61.18	33.24	5.25	44.11

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1464G	42.11	54.00	-11.89	-5.41	3	Horizontal	321	1.95	47.52	33.50	5.17	44.08
AV	5.243G	101.83	Inf	-Inf	-5.38	3	Horizontal	321	1.95	107.21	33.50	5.21	44.09
AV	5.35G	43.68	54.00	-10.32	-5.56	3	Horizontal	321	1.95	49.24	33.30	5.24	44.10
PK	5.1488G	56.59	74.00	-17.41	-5.41	3	Horizontal	321	1.95	62.00	33.50	5.17	44.08
PK	5.237G	116.13	Inf	-Inf	-5.39	3	Horizontal	321	1.95	121.52	33.50	5.20	44.09
PK	5.35G	56.30	74.00	-17.70	-5.56	3	Horizontal	321	1.95	61.86	33.30	5.24	44.10

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71516G	38.78	54.00	-15.22	6.12	3	Vertical	47	1.50	32.66	38.20	11.03	43.11
PK	10.47758G	50.13	68.20	-18.07	4.74	3	Vertical	195	1.61	45.39	38.66	8.11	42.03
PK	15.71772G	52.65	74.00	-21.35	6.12	3	Vertical	47	1.50	46.53	38.20	11.03	43.11

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71596G	38.77	54.00	-15.23	6.12	3	Horizontal	190	2.79	32.65	38.20	11.03	43.11
PK	10.47562G	51.21	68.20	-16.99	4.73	3	Horizontal	26	1.39	46.48	38.65	8.11	42.03
PK	15.71624G	52.26	74.00	-21.74	6.12	3	Horizontal	190	2.79	46.14	38.20	11.03	43.11



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	40.93	54.00	-13.07	-5.41	3	Vertical	358	1.27	46.34	33.50	5.17	44.08
AV	5.2582G	98.63	Inf	-Inf	-5.41	3	Vertical	358	1.27	104.04	33.47	5.21	44.09
AV	5.3512G	42.08	54.00	-11.92	-5.56	3	Vertical	358	1.27	47.64	33.30	5.24	44.10
PK	5.1322G	53.87	74.00	-20.13	-5.42	3	Vertical	358	1.27	59.29	33.50	5.16	44.08
PK	5.257G	113.27	Inf	-Inf	-5.41	3	Vertical	358	1.27	118.68	33.47	5.21	44.09
PK	5.3644G	55.82	74.00	-18.18	-5.58	3	Vertical	358	1.27	61.40	33.27	5.25	44.10

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	41.50	54.00	-12.50	-5.41	3	Horizontal	308	1.90	46.91	33.50	5.17	44.08
AV	5.263G	101.48	Inf	-Inf	-5.43	3	Horizontal	308	1.90	106.91	33.45	5.21	44.09
AV	5.3524G	44.07	54.00	-9.93	-5.56	3	Horizontal	308	1.90	49.63	33.30	5.24	44.10
PK	5.1496G	54.73	74.00	-19.27	-5.41	3	Horizontal	308	1.90	60.14	33.50	5.17	44.08
PK	5.257G	116.08	Inf	-Inf	-5.41	3	Horizontal	308	1.90	121.49	33.47	5.21	44.09
PK	5.353G	58.21	74.00	-15.79	-5.57	3	Horizontal	308	1.90	63.78	33.29	5.24	44.10

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77534G	38.51	54.00	-15.49	6.10	3	Vertical	119	1.00	32.41	38.15	11.09	43.14
PK	10.51548G	50.43	68.20	-17.77	4.83	3	Vertical	7	1.57	45.60	38.73	8.12	42.02
PK	15.7815G	52.80	74.00	-21.20	6.09	3	Vertical	119	1.00	46.71	38.14	11.10	43.15

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77662G	38.52	54.00	-15.48	6.10	3	Horizontal	73	1.50	32.42	38.15	11.09	43.14
PK	10.51722G	50.33	68.20	-17.87	4.83	3	Horizontal	116	1.53	45.50	38.73	8.12	42.02
PK	15.78342G	51.95	74.00	-22.05	6.08	3	Horizontal	73	1.50	45.87	38.13	11.10	43.15





5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3016G	97.59	Inf	-Inf	-5.57	3	Vertical	360	3.00	103.16	33.30	5.23	44.10
AV	5.35G	47.38	54.00	-6.62	-5.56	3	Vertical	360	3.00	52.94	33.30	5.24	44.10
PK	5.2968G	112.00	Inf	-Inf	-5.57	3	Vertical	360	3.00	117.57	33.31	5.22	44.10
PK	5.3536G	64.55	74.00	-9.45	-5.57	3	Vertical	360	3.00	70.12	33.29	5.24	44.10

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3048G	101.45	Inf	-Inf	-5.57	3	Horizontal	305	1.98	107.02	33.30	5.23	44.10
AV	5.35G	50.35	54.00	-3.65	-5.56	3	Horizontal	305	1.98	55.91	33.30	5.24	44.10
PK	5.2968G	115.75	Inf	-Inf	-5.57	3	Horizontal	305	1.98	121.32	33.31	5.22	44.10
PK	5.3524G	67.79	74.00	-6.21	-5.56	3	Horizontal	305	1.98	73.35	33.30	5.24	44.10

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60044G	37.10	54.00	-16.90	5.10	3	Vertical	101	2.51	32.00	39.00	8.14	42.04
AV	15.8964G	38.79	54.00	-15.21	5.91	3	Vertical	99	2.85	32.88	37.89	11.22	43.20
PK	10.59826G	50.34	68.20	-17.86	5.09	3	Vertical	101	2.51	45.25	38.99	8.14	42.04
PK	15.90302G	52.34	74.00	-21.66	5.94	3	Vertical	99	2.85	46.40	37.91	11.23	43.20

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8951G	38.88	54.00	-15.12	5.90	3	Horizontal	233	1.89	32.98	37.88	11.22	43.20
PK	10.6005G	50.54	74.00	-23.46	5.10	3	Horizontal	197	1.50	45.44	39.00	8.14	42.04
PK	15.90424G	52.77	74.00	-21.23	5.94	3	Horizontal	233	1.89	46.83	37.91	11.23	43.20



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3228G	94.54	Inf	-Inf	-5.57	3	Vertical	345	3.00	100.11	33.30	5.23	44.10
AV	5.3502G	45.01	54.00	-8.99	-5.56	3	Vertical	345	3.00	50.57	33.30	5.24	44.10
PK	5.3168G	109.10	Inf	-Inf	-5.57	3	Vertical	345	3.00	114.67	33.30	5.23	44.10
PK	5.3502G	68.86	74.00	-5.14	-5.56	3	Vertical	345	3.00	74.42	33.30	5.24	44.10

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.323G	99.18	Inf	-Inf	-5.57	3	Horizontal	317	2.10	104.75	33.30	5.23	44.10
AV	5.35G	48.92	54.00	-5.08	-5.56	3	Horizontal	317	2.10	54.48	33.30	5.24	44.10
PK	5.3246G	113.37	Inf	-Inf	-5.57	3	Horizontal	317	2.10	118.94	33.30	5.23	44.10
PK	5.3502G	73.79	74.00	-0.21	-5.56	3	Horizontal	317	2.10	79.35	33.30	5.24	44.10



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64354G	36.86	54.00	-17.14	5.19	3	Vertical	352	1.50	31.67	39.09	8.16	42.06
AV	15.96498G	38.91	54.00	-15.09	6.03	3	Vertical	176	1.50	32.88	37.97	11.29	43.23
PK	10.63954G	49.91	74.00	-24.09	5.18	3	Vertical	352	1.50	44.73	39.08	8.16	42.06
PK	15.95684G	52.35	74.00	-21.65	6.04	3	Vertical	176	1.50	46.31	37.99	11.28	43.23

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64472G	36.84	54.00	-17.16	5.19	3	Horizontal	111	2.42	31.65	39.09	8.16	42.06
AV	15.95538G	38.90	54.00	-15.10	6.04	3	Horizontal	244	1.80	32.86	37.99	11.28	43.23
PK	10.63748G	50.55	74.00	-23.45	5.16	3	Horizontal	111	2.42	45.39	39.07	8.15	42.06
PK	15.95694G	52.35	74.00	-21.65	6.04	3	Horizontal	244	1.80	46.31	37.99	11.28	43.23

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	42.31	54.00	-11.69	-5.50	3	Vertical	56	2.81	47.81	33.32	5.30	44.12
AV	5.4974G	96.05	Inf	-Inf	-5.41	3	Vertical	56	2.81	101.46	33.39	5.32	44.12
PK	5.4578G	59.32	74.00	-14.68	-5.49	3	Vertical	56	2.81	64.81	33.32	5.30	44.11
PK	5.47G	65.33	68.20	-2.87	-5.47	3	Vertical	56	2.81	70.80	33.34	5.31	44.12
PK	5.4968G	110.45	Inf	-Inf	-5.41	3	Vertical	56	2.81	115.86	33.39	5.32	44.12

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	43.32	54.00	-10.68	-5.50	3	Horizontal	324	1.96	48.82	33.32	5.30	44.12
AV	5.4956G	98.37	Inf	-Inf	-5.41	3	Horizontal	324	1.96	103.78	33.39	5.32	44.12
PK	5.4596G	62.58	74.00	-11.42	-5.50	3	Horizontal	324	1.96	68.08	33.32	5.30	44.12
PK	5.4696G	67.52	68.20	-0.68	-5.47	3	Horizontal	324	1.96	72.99	33.34	5.31	44.12
PK	5.497G	112.84	Inf	-Inf	-5.41	3	Horizontal	324	1.96	118.25	33.39	5.32	44.12



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00286G	37.00	54.00	-17.00	4.90	3	Vertical	337	1.50	32.10	38.81	8.27	42.18
PK	11.00072G	49.58	74.00	-24.42	4.89	3	Vertical	337	1.50	44.69	38.80	8.27	42.18
PK	16.5025G	52.94	68.20	-15.26	6.09	3	Vertical	81	1.50	46.85	37.98	11.12	43.01

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00082G	37.09	54.00	-16.91	4.89	3	Horizontal	50	1.50	32.20	38.80	8.27	42.18
PK	11.00022G	50.52	74.00	-23.48	4.89	3	Horizontal	50	1.50	45.63	38.80	8.27	42.18
PK	16.49594G	52.17	68.20	-16.03	6.10	3	Horizontal	216	1.50	46.07	37.99	11.12	43.01

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.457G	40.67	54.00	-13.33	-5.50	3	Vertical	61	2.87	46.17	33.31	5.30	44.11
AV	5.5758G	99.17	Inf	-Inf	-5.31	3	Vertical	61	2.87	104.48	33.45	5.37	44.13
PK	5.4468G	54.14	74.00	-19.86	-5.53	3	Vertical	61	2.87	59.67	33.29	5.29	44.11
PK	5.463G	54.10	68.20	-14.10	-5.49	3	Vertical	61	2.87	59.59	33.33	5.30	44.12
PK	5.5764G	113.01	Inf	-Inf	-5.31	3	Vertical	61	2.87	118.32	33.45	5.37	44.13
PK	5.7264G	54.54	68.20	-13.66	-4.63	3	Vertical	61	2.87	59.17	34.06	5.46	44.15

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	41.54	54.00	-12.46	-5.50	3	Horizontal	323	2.02	47.04	33.32	5.30	44.12
AV	5.5752G	101.40	Inf	-Inf	-5.31	3	Horizontal	323	2.02	106.71	33.45	5.37	44.13
PK	5.4318G	54.82	74.00	-19.18	-5.57	3	Horizontal	323	2.02	60.39	33.26	5.28	44.11
PK	5.4636G	55.71	68.20	-12.49	-5.49	3	Horizontal	323	2.02	61.20	33.33	5.30	44.12
PK	5.577G	115.84	Inf	-Inf	-5.30	3	Horizontal	323	2.02	121.14	33.45	5.38	44.13
PK	5.7252G	54.87	68.20	-13.33	-4.64	3	Horizontal	323	2.02	59.51	34.05	5.46	44.15



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16204G	36.68	54.00	-17.32	5.13	3	Vertical	329	2.67	31.55	38.92	8.31	42.10
PK	11.15918G	50.86	74.00	-23.14	5.13	3	Vertical	329	2.67	45.73	38.92	8.31	42.10
PK	16.7446G	51.87	68.20	-16.33	5.73	3	Vertical	53	1.50	46.14	37.81	11.02	43.10

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16216G	36.69	54.00	-17.31	5.13	3	Horizontal	293	1.50	31.56	38.92	8.31	42.10
PK	11.15862G	50.54	74.00	-23.46	5.13	3	Horizontal	293	1.50	45.41	38.92	8.31	42.10
PK	16.74092G	52.99	68.20	-15.21	5.74	3	Horizontal	326	1.50	47.25	37.82	11.02	43.10



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7028G	94.44	Inf	-Inf	-4.86	3	Vertical	21	2.77	99.30	33.83	5.45	44.14
PK	5.6972G	108.52	Inf	-Inf	-4.92	3	Vertical	21	2.77	113.44	33.78	5.44	44.14
PK	5.7252G	64.24	68.20	-3.96	-4.64	3	Vertical	21	2.77	68.88	34.05	5.46	44.15

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6976G	94.07	Inf	-Inf	-4.91	3	Horizontal	18	1.20	98.98	33.79	5.44	44.14
PK	5.6968G	108.27	Inf	-Inf	-4.92	3	Horizontal	18	1.20	113.19	33.78	5.44	44.14
PK	5.7256G	67.88	68.20	-0.32	-4.63	3	Horizontal	18	1.20	72.51	34.06	5.46	44.15



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39942G	38.29	54.00	-15.71	5.82	3	Vertical	296	1.50	32.47	39.40	8.39	41.97
PK	11.39744G	51.98	74.00	-22.02	5.81	3	Vertical	296	1.50	46.17	39.39	8.39	41.97
PK	17.10326G	50.69	68.20	-17.51	5.20	3	Vertical	138	1.50	45.49	37.50	10.87	43.17

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40024G	38.17	54.00	-15.83	5.82	3	Horizontal	26	1.42	32.35	39.40	8.39	41.97
PK	11.39602G	51.49	74.00	-22.51	5.81	3	Horizontal	26	1.42	45.68	39.39	8.39	41.97
PK	17.09608G	50.47	68.20	-17.73	5.22	3	Horizontal	202	2.58	45.25	37.51	10.88	43.17

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	41.29	54.00	-12.71	-5.50	3	Vertical	22	2.74	46.79	33.32	5.30	44.12
AV	5.7152G	100.52	Inf	-Inf	-4.75	3	Vertical	22	2.74	105.27	33.95	5.45	44.15
PK	5.4488G	54.80	74.00	-19.20	-5.52	3	Vertical	22	2.74	60.32	33.30	5.29	44.11
PK	5.4644G	54.46	68.20	-13.74	-5.49	3	Vertical	22	2.74	59.95	33.33	5.30	44.12
PK	5.7164G	114.89	Inf	-Inf	-4.74	3	Vertical	22	2.74	119.63	33.96	5.45	44.15
PK	5.9708G	55.25	68.20	-12.95	-4.02	3	Vertical	22	2.74	59.27	34.60	5.56	44.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.444G	40.52	54.00	-13.48	-5.53	3	Horizontal	15	1.25	46.05	33.29	5.29	44.11
AV	5.7224G	100.06	Inf	-Inf	-4.67	3	Horizontal	15	1.25	104.73	34.02	5.46	44.15
PK	5.4512G	54.09	74.00	-19.91	-5.52	3	Horizontal	15	1.25	59.61	33.30	5.29	44.11
PK	5.4668G	53.61	68.20	-14.59	-5.49	3	Horizontal	15	1.25	59.10	33.33	5.30	44.12
PK	5.7164G	114.49	Inf	-Inf	-4.74	3	Horizontal	15	1.25	119.23	33.96	5.45	44.15
PK	5.8928G	55.93	68.20	-12.27	-4.07	3	Horizontal	15	1.25	60.00	34.57	5.53	44.17



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43742G	38.06	54.00	-15.94	5.63	3	Vertical	221	1.50	32.43	39.18	8.40	41.95
PK	11.4356G	51.75	74.00	-22.25	5.64	3	Vertical	221	1.50	46.11	39.19	8.40	41.95
PK	17.16146G	52.45	68.20	-15.75	5.20	3	Vertical	331	1.88	47.25	37.50	10.85	43.15

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43542G	38.17	54.00	-15.83	5.64	3	Horizontal	19	1.50	32.53	39.19	8.40	41.95
PK	11.4371G	51.52	74.00	-22.48	5.63	3	Horizontal	19	1.50	45.89	39.18	8.40	41.95
PK	17.1563G	52.43	68.20	-15.77	5.20	3	Horizontal	66	1.37	47.23	37.50	10.85	43.15



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	39.86	54.00	-14.14	-5.50	3	Vertical	21	1.53	45.36	33.32	5.30	44.12
AV	5.7402G	101.00	Inf	-Inf	-4.48	3	Vertical	21	1.53	105.48	34.20	5.47	44.15
PK	5.6406G	55.55	68.20	-12.65	-5.25	3	Vertical	21	1.53	60.80	33.48	5.41	44.14
PK	5.7426G	115.52	Inf	-Inf	-4.45	3	Vertical	21	1.53	119.97	34.23	5.47	44.15
PK	5.9946G	55.86	68.20	-12.34	-4.01	3	Vertical	21	1.53	59.87	34.60	5.57	44.18

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	40.56	54.00	-13.44	-5.50	3	Horizontal	15	1.32	46.06	33.32	5.30	44.12
AV	5.7402G	100.97	Inf	-Inf	-4.48	3	Horizontal	15	1.32	105.45	34.20	5.47	44.15
PK	5.6394G	54.74	68.20	-13.46	-5.25	3	Horizontal	15	1.32	59.99	33.48	5.41	44.14
PK	5.7426G	115.29	Inf	-Inf	-4.45	3	Horizontal	15	1.32	119.74	34.23	5.47	44.15
PK	5.9814G	55.76	68.20	-12.44	-4.02	3	Horizontal	15	1.32	59.78	34.60	5.56	44.18

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49356G	37.85	54.00	-16.15	5.60	3	Vertical	74	2.57	32.25	39.10	8.42	41.92
PK	11.49152G	51.67	74.00	-22.33	5.59	3	Vertical	74	2.57	46.08	39.10	8.41	41.92
PK	17.2345G	51.44	68.20	-16.76	5.26	3	Vertical	28	1.57	46.18	37.57	10.82	43.13

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49406G	37.89	54.00	-16.11	5.60	3	Horizontal	261	1.45	32.29	39.10	8.42	41.92
PK	11.48572G	50.54	74.00	-23.46	5.58	3	Horizontal	261	1.45	44.96	39.10	8.41	41.93
PK	17.2341G	51.41	68.20	-16.79	5.26	3	Horizontal	20	1.46	46.15	37.57	10.82	43.13



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78008G	101.24	Inf	-Inf	-4.24	3	Vertical	22	1.45	105.48	34.42	5.49	44.15
PK	5.6373G	54.87	68.20	-13.33	-5.26	3	Vertical	22	1.45	60.13	33.47	5.41	44.14
PK	5.7825G	115.79	Inf	-Inf	-4.23	3	Vertical	22	1.45	120.02	34.43	5.49	44.15
PK	5.99304G	56.46	68.20	-11.74	-4.01	3	Vertical	22	1.45	60.47	34.60	5.57	44.18

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.78855G	101.11	Inf	-Inf	-4.21	3	Horizontal	16	1.42	105.32	34.45	5.49	44.15
PK	5.61794G	54.06	68.20	-14.14	-5.29	3	Horizontal	16	1.42	59.35	33.44	5.40	44.13
PK	5.78129G	114.92	Inf	-Inf	-4.23	3	Horizontal	16	1.42	119.15	34.43	5.49	44.15
PK	5.93375G	55.95	68.20	-12.25	-4.02	3	Horizontal	16	1.42	59.97	34.60	5.55	44.17



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56526G	37.61	54.00	-16.39	5.50	3	Vertical	53	1.56	32.11	39.01	8.44	41.95
PK	11.56964G	51.72	74.00	-22.28	5.47	3	Vertical	53	1.56	46.25	38.98	8.44	41.95
PK	17.35412G	51.50	68.20	-16.70	5.37	3	Vertical	21	1.00	46.13	37.71	10.77	43.11

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.57232G	37.59	54.00	-16.41	5.46	3	Horizontal	17	2.40	32.13	38.97	8.44	41.95
PK	11.57148G	50.76	74.00	-23.24	5.46	3	Horizontal	17	2.40	45.30	38.97	8.44	41.95
PK	17.3562G	52.00	68.20	-16.20	5.38	3	Horizontal	52	2.31	46.62	37.71	10.77	43.10





5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	101.22	Inf	-Inf	-4.19	3	Vertical	19	1.71	105.41	34.46	5.51	44.16
PK	5.5406G	54.97	68.20	-13.23	-5.29	3	Vertical	19	1.71	60.26	33.48	5.35	44.12
PK	5.8214G	115.67	Inf	-Inf	-4.19	3	Vertical	19	1.71	119.86	34.46	5.51	44.16
PK	5.925G	56.95	68.20	-11.25	-4.03	3	Vertical	19	1.71	60.98	34.60	5.54	44.17

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	101.28	Inf	-Inf	-4.19	3	Horizontal	17	1.40	105.47	34.46	5.51	44.16
PK	5.6258G	54.40	68.20	-13.80	-5.29	3	Horizontal	17	1.40	59.69	33.45	5.40	44.14
PK	5.8226G	115.10	Inf	-Inf	-4.20	3	Horizontal	17	1.40	119.30	34.45	5.51	44.16
PK	5.927G	57.40	68.20	-10.80	-4.03	3	Horizontal	17	1.40	61.43	34.60	5.54	44.17



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6544G	36.95	54.00	-17.05	5.20	3	Vertical	94	1.50	31.75	38.72	8.46	41.98
PK	11.65048G	51.31	74.00	-22.69	5.18	3	Vertical	94	1.50	46.13	38.70	8.46	41.98
PK	17.472G	51.23	68.20	-16.97	5.58	3	Vertical	327	1.50	45.65	37.94	10.72	43.08

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_1TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.6549G	37.01	54.00	-16.99	5.19	3	Horizontal	143	2.84	31.82	38.72	8.46	41.99
PK	11.64542G	50.26	74.00	-23.74	5.19	3	Horizontal	143	2.84	45.07	38.71	8.46	41.98
PK	17.47362G	51.43	68.20	-16.77	5.59	3	Horizontal	69	2.34	45.84	37.95	10.72	43.08



5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.67	54.00	-1.33	-5.41	3	Vertical	356	1.17	58.08	33.50	5.17	44.08
AV	5.1956G	94.33	Inf	-Inf	-5.39	3	Vertical	356	1.17	99.72	33.50	5.19	44.08
PK	5.1496G	68.52	74.00	-5.48	-5.41	3	Vertical	356	1.17	73.93	33.50	5.17	44.08
PK	5.1952G	107.15	Inf	-Inf	-5.39	3	Vertical	356	1.17	112.54	33.50	5.19	44.08

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	53.66	54.00	-0.34	-5.41	3	Horizontal	360	1.87	59.07	33.50	5.17	44.08
AV	5.1964G	95.38	Inf	-Inf	-5.39	3	Horizontal	360	1.87	100.77	33.50	5.19	44.08
PK	5.1464G	70.57	74.00	-3.43	-5.41	3	Horizontal	360	1.87	75.98	33.50	5.17	44.08
PK	5.1952G	107.97	Inf	-Inf	-5.39	3	Horizontal	360	1.87	113.36	33.50	5.19	44.08



5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56152G	40.73	54.00	-13.27	6.15	3	Vertical	287	1.50	34.58	38.32	10.87	43.04
PK	10.37512G	50.47	68.20	-17.73	4.67	3	Vertical	360	1.50	45.80	38.70	8.07	42.10
PK	15.56536G	52.77	74.00	-21.23	6.16	3	Vertical	287	1.50	46.61	38.33	10.87	43.04

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.57236G	40.86	54.00	-13.14	6.18	3	Horizontal	105	1.50	34.68	38.34	10.88	43.04
PK	10.38008G	50.40	68.20	-17.80	4.68	3	Horizontal	191	1.50	45.72	38.70	8.08	42.10
PK	15.57692G	52.56	74.00	-21.44	6.18	3	Horizontal	105	1.50	46.38	38.35	10.88	43.05

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1496G	52.83	54.00	-1.17	-5.41	3	Vertical	360	1.23	58.24	33.50	5.17	44.08
AV	5.2356G	97.42	Inf	-Inf	-5.39	3	Vertical	360	1.23	102.81	33.50	5.20	44.09
PK	5.1488G	65.77	74.00	-8.23	-5.41	3	Vertical	360	1.23	71.18	33.50	5.17	44.08
PK	5.2268G	109.74	Inf	-Inf	-5.39	3	Vertical	360	1.23	115.13	33.50	5.20	44.09

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.92	54.00	-0.08	-5.41	3	Horizontal	319	1.93	59.33	33.50	5.17	44.08
AV	5.2356G	100.78	Inf	-Inf	-5.39	3	Horizontal	319	1.93	106.17	33.50	5.20	44.09
PK	5.1472G	67.78	74.00	-6.22	-5.41	3	Horizontal	319	1.93	73.19	33.50	5.17	44.08
PK	5.2352G	113.08	Inf	-Inf	-5.39	3	Horizontal	319	1.93	118.47	33.50	5.20	44.09

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69528G	40.74	54.00	-13.26	6.10	3	Vertical	345	1.55	34.64	38.19	11.01	43.10
PK	10.46436G	50.69	68.20	-17.51	4.69	3	Vertical	283	1.60	46.00	38.63	8.10	42.04
PK	15.69524G	52.59	74.00	-21.41	6.10	3	Vertical	345	1.55	46.49	38.19	11.01	43.10

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69924G	40.61	54.00	-13.39	6.10	3	Horizontal	256	1.62	34.51	38.20	11.01	43.11
PK	10.45364G	49.86	68.20	-18.34	4.67	3	Horizontal	4	1.50	45.19	38.61	8.10	42.04
PK	15.68864G	51.63	74.00	-22.37	6.08	3	Horizontal	256	1.62	45.55	38.18	11.00	43.10



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2756G	95.77	Inf	-Inf	-5.47	3	Vertical	345	1.18	101.24	33.40	5.22	44.09
AV	5.3504G	49.79	54.00	-4.21	-5.56	3	Vertical	345	1.18	55.35	33.30	5.24	44.10
PK	5.2668G	108.30	Inf	-Inf	-5.45	3	Vertical	345	1.18	113.75	33.43	5.21	44.09
PK	5.3512G	64.25	74.00	-9.75	-5.56	3	Vertical	345	1.18	69.81	33.30	5.24	44.10

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2756G	100.00	Inf	-Inf	-5.47	3	Horizontal	321	1.86	105.47	33.40	5.22	44.09
AV	5.35G	52.96	54.00	-1.04	-5.56	3	Horizontal	321	1.86	58.52	33.30	5.24	44.10
PK	5.2752G	112.20	Inf	-Inf	-5.47	3	Horizontal	321	1.86	117.67	33.40	5.22	44.09
PK	5.3512G	67.82	74.00	-6.18	-5.56	3	Horizontal	321	1.86	73.38	33.30	5.24	44.10



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.81112G	40.54	54.00	-13.46	5.98	3	Vertical	283	1.50	34.56	38.01	11.13	43.16
PK	10.5488G	49.17	68.20	-19.03	4.90	3	Vertical	146	2.23	44.27	38.80	8.13	42.03
PK	15.80076G	51.79	74.00	-22.21	6.06	3	Vertical	283	1.50	45.73	38.09	11.12	43.15

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.80684G	40.18	54.00	-13.82	6.02	3	Horizontal	150	1.50	34.16	38.05	11.13	43.16
PK	10.54816G	49.50	68.20	-18.70	4.90	3	Horizontal	360	1.50	44.60	38.80	8.13	42.03
PK	15.8108G	52.72	74.00	-21.28	5.98	3	Horizontal	150	1.50	46.74	38.01	11.13	43.16





5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3152G	90.99	Inf	-Inf	-5.57	3	Vertical	345	3.00	96.56	33.30	5.23	44.10
AV	5.3512G	47.55	54.00	-6.45	-5.56	3	Vertical	345	3.00	53.11	33.30	5.24	44.10
PK	5.3152G	103.61	Inf	-Inf	-5.57	3	Vertical	345	3.00	109.18	33.30	5.23	44.10
PK	5.3508G	63.54	74.00	-10.46	-5.56	3	Vertical	345	3.00	69.10	33.30	5.24	44.10

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3156G	95.72	Inf	-Inf	-5.57	3	Horizontal	310	1.98	101.29	33.30	5.23	44.10
AV	5.3508G	53.72	54.00	-0.28	-5.56	3	Horizontal	310	1.98	59.28	33.30	5.24	44.10
PK	5.3152G	108.43	Inf	-Inf	-5.57	3	Horizontal	310	1.98	114.00	33.30	5.23	44.10
PK	5.3524G	69.73	74.00	-4.27	-5.56	3	Horizontal	310	1.98	75.29	33.30	5.24	44.10



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61244G	38.93	54.00	-15.07	5.12	3	Vertical	360	1.50	33.81	39.02	8.15	42.05
AV	15.92972G	40.82	54.00	-13.18	6.00	3	Vertical	115	1.50	34.82	37.96	11.26	43.22
PK	10.62984G	50.01	74.00	-23.99	5.16	3	Vertical	360	1.50	44.85	39.06	8.15	42.05
PK	15.92708G	52.15	74.00	-21.85	5.99	3	Vertical	115	1.50	46.16	37.95	11.25	43.21

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.61112G	38.66	54.00	-15.34	5.12	3	Horizontal	189	1.50	33.54	39.02	8.15	42.05
AV	15.9248G	40.83	54.00	-13.17	5.99	3	Horizontal	214	1.32	34.84	37.95	11.25	43.21
PK	10.61932G	50.57	74.00	-23.43	5.14	3	Horizontal	189	1.50	45.43	39.04	8.15	42.05
PK	15.92676G	52.58	74.00	-21.42	5.99	3	Horizontal	214	1.32	46.59	37.95	11.25	43.21



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4588G	44.53	54.00	-9.47	-5.50	3	Vertical	58	2.78	50.03	33.32	5.30	44.12
AV	5.5044G	92.34	Inf	-Inf	-5.38	3	Vertical	58	2.78	97.72	33.41	5.33	44.12
PK	5.4588G	59.12	74.00	-14.88	-5.50	3	Vertical	58	2.78	64.62	33.32	5.30	44.12
PK	5.4692G	63.95	68.20	-4.25	-5.48	3	Vertical	58	2.78	69.43	33.34	5.30	44.12
PK	5.5152G	104.99	Inf	-Inf	-5.36	3	Vertical	58	2.78	110.35	33.43	5.33	44.12

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	46.86	54.00	-7.14	-5.50	3	Horizontal	323	1.98	52.36	33.32	5.30	44.12
AV	5.5156G	95.41	Inf	-Inf	-5.35	3	Horizontal	323	1.98	100.76	33.43	5.34	44.12
PK	5.4588G	63.13	74.00	-10.87	-5.50	3	Horizontal	323	1.98	68.63	33.32	5.30	44.12
PK	5.4696G	68.14	68.20	-0.06	-5.47	3	Horizontal	323	1.98	73.61	33.34	5.31	44.12
PK	5.5152G	108.03	Inf	-Inf	-5.36	3	Horizontal	323	1.98	113.39	33.43	5.33	44.12



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01436G	38.64	54.00	-15.36	4.93	3	Vertical	96	1.50	33.71	38.83	8.27	42.17
PK	11.02952G	49.28	74.00	-24.72	4.97	3	Vertical	96	1.50	44.31	38.86	8.27	42.16
PK	16.53988G	51.49	68.20	-16.71	5.85	3	Vertical	151	1.00	45.64	37.76	11.11	43.02

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01112G	38.39	54.00	-15.61	4.92	3	Horizontal	255	2.58	33.47	38.82	8.27	42.17
PK	11.01376G	50.55	74.00	-23.45	4.93	3	Horizontal	255	2.58	45.62	38.83	8.27	42.17
PK	16.5308G	52.02	68.20	-16.18	5.91	3	Horizontal	223	2.77	46.11	37.82	11.11	43.02

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	50.54	54.00	-3.46	-5.50	3	Vertical	56	2.89	56.04	33.32	5.30	44.12
AV	5.546G	98.40	Inf	-Inf	-5.29	3	Vertical	56	2.89	103.69	33.49	5.35	44.13
PK	5.46G	64.62	74.00	-9.38	-5.50	3	Vertical	56	2.89	70.12	33.32	5.30	44.12
PK	5.4696G	66.47	68.20	-1.73	-5.47	3	Vertical	56	2.89	71.94	33.34	5.31	44.12
PK	5.5468G	110.99	Inf	-Inf	-5.28	3	Vertical	56	2.89	116.27	33.49	5.36	44.13

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	52.28	54.00	-1.72	-5.50	3	Horizontal	324	2.05	57.78	33.32	5.30	44.12
AV	5.546G	100.70	Inf	-Inf	-5.29	3	Horizontal	324	2.05	105.99	33.49	5.35	44.13
PK	5.46G	66.12	74.00	-7.88	-5.50	3	Horizontal	324	2.05	71.62	33.32	5.30	44.12
PK	5.4696G	67.80	68.20	-0.40	-5.47	3	Horizontal	324	2.05	73.27	33.34	5.31	44.12
PK	5.5468G	113.18	Inf	-Inf	-5.28	3	Horizontal	324	2.05	118.46	33.49	5.36	44.13



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09872G	38.71	54.00	-15.29	5.07	3	Vertical	311	1.95	33.64	38.90	8.30	42.13
PK	11.0992G	49.83	74.00	-24.17	5.07	3	Vertical	311	1.95	44.76	38.90	8.30	42.13
PK	16.64932G	53.58	68.20	-14.62	5.80	3	Vertical	58	1.50	47.78	37.80	11.06	43.06

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.09672G	38.90	54.00	-15.10	5.06	3	Horizontal	71	2.18	33.84	38.90	8.29	42.13
PK	11.1052G	50.63	74.00	-23.37	5.07	3	Horizontal	71	2.18	45.56	38.90	8.30	42.13
PK	16.65476G	52.34	68.20	-15.86	5.80	3	Horizontal	326	1.62	46.54	37.81	11.06	43.07



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6754G	97.29	Inf	-Inf	-5.06	3	Vertical	22	2.81	102.35	33.65	5.43	44.14
PK	5.6754G	109.76	Inf	-Inf	-5.06	3	Vertical	22	2.81	114.82	33.65	5.43	44.14
PK	5.7252G	67.69	68.20	-0.51	-4.64	3	Vertical	22	2.81	72.33	34.05	5.46	44.15

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6754G	96.59	Inf	-Inf	-5.06	3	Horizontal	18	1.24	101.65	33.65	5.43	44.14
PK	5.6754G	108.98	Inf	-Inf	-5.06	3	Horizontal	18	1.24	114.04	33.65	5.43	44.14
PK	5.73G	67.51	68.20	-0.69	-4.59	3	Horizontal	18	1.24	72.10	34.10	5.46	44.15



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34208G	39.14	54.00	-14.86	5.67	3	Vertical	206	1.50	33.47	39.30	8.37	42.00
PK	11.33616G	51.40	74.00	-22.60	5.66	3	Vertical	206	1.50	45.74	39.30	8.37	42.01
PK	17.00644G	50.60	68.20	-17.60	5.06	3	Vertical	208	1.00	45.54	37.34	10.91	43.19

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34584G	39.29	54.00	-14.71	5.67	3	Horizontal	33	1.50	33.62	39.30	8.37	42.00
PK	11.34996G	51.69	74.00	-22.31	5.67	3	Horizontal	33	1.50	46.02	39.30	8.37	42.00
PK	17.01956G	50.01	68.20	-18.19	5.14	3	Horizontal	65	1.50	44.87	37.42	10.91	43.19





5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	42.75	54.00	-11.25	-5.50	3	Vertical	23	2.75	48.25	33.31	5.30	44.11
AV	5.7148G	99.38	Inf	-Inf	-4.75	3	Vertical	23	2.75	104.13	33.95	5.45	44.15
PK	5.4472G	54.48	74.00	-19.52	-5.53	3	Vertical	23	2.75	60.01	33.29	5.29	44.11
PK	5.4676G	54.89	68.20	-13.31	-5.48	3	Vertical	23	2.75	60.37	33.34	5.30	44.12
PK	5.7148G	111.61	Inf	-Inf	-4.75	3	Vertical	23	2.75	116.36	33.95	5.45	44.15
PK	5.8636G	57.31	68.20	-10.89	-4.19	3	Vertical	23	2.75	61.50	34.45	5.52	44.16

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4544G	41.90	54.00	-12.10	-5.50	3	Horizontal	17	1.26	47.40	33.31	5.30	44.11
AV	5.716G	99.01	Inf	-Inf	-4.74	3	Horizontal	17	1.26	103.75	33.96	5.45	44.15
PK	5.428G	54.61	74.00	-19.39	-5.57	3	Horizontal	17	1.26	60.18	33.26	5.28	44.11
PK	5.4688G	53.27	68.20	-14.93	-5.48	3	Horizontal	17	1.26	58.75	33.34	5.30	44.12
PK	5.7148G	111.10	Inf	-Inf	-4.75	3	Horizontal	17	1.26	115.85	33.95	5.45	44.15
PK	5.8576G	57.69	68.20	-10.51	-4.21	3	Horizontal	17	1.26	61.90	34.43	5.52	44.16



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.41096G	39.84	54.00	-14.16	5.75	3	Vertical	29	2.85	34.09	39.33	8.39	41.97
PK	11.42108G	51.33	74.00	-22.67	5.70	3	Vertical	29	2.85	45.63	39.27	8.39	41.96
PK	17.13G	50.91	68.20	-17.29	5.20	3	Vertical	33	1.50	45.71	37.50	10.86	43.16

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.42352G	39.98	54.00	-14.02	5.69	3	Horizontal	65	1.00	34.29	39.26	8.39	41.96
PK	11.41892G	51.80	74.00	-22.20	5.72	3	Horizontal	65	1.00	46.08	39.29	8.39	41.96
PK	17.13408G	51.33	68.20	-16.87	5.20	3	Horizontal	66	1.45	46.13	37.50	10.86	43.16



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	41.71	54.00	-12.29	-5.50	3	Vertical	21	1.50	47.21	33.32	5.30	44.12
AV	5.761G	100.05	Inf	-Inf	-4.33	3	Vertical	21	1.50	104.38	34.34	5.48	44.15
PK	5.653G	64.67	70.42	-5.75	-5.20	3	Vertical	21	1.50	69.87	33.52	5.42	44.14
PK	5.7514G	112.23	Inf	-Inf	-4.37	3	Vertical	21	1.50	116.60	34.31	5.47	44.15
PK	5.953G	56.04	68.20	-12.16	-4.02	3	Vertical	21	1.50	60.06	34.60	5.55	44.17

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	42.13	54.00	-11.87	-5.50	3	Horizontal	14	1.37	47.63	33.31	5.30	44.11
AV	5.761G	99.84	Inf	-Inf	-4.33	3	Horizontal	14	1.37	104.17	34.34	5.48	44.15
PK	5.6446G	60.27	68.20	-7.93	-5.24	3	Horizontal	14	1.37	65.51	33.49	5.41	44.14
PK	5.7514G	111.93	Inf	-Inf	-4.37	3	Horizontal	14	1.37	116.30	34.31	5.47	44.15
PK	5.9314G	56.71	68.20	-11.49	-4.02	3	Horizontal	14	1.37	60.73	34.60	5.55	44.17



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51776G	39.43	54.00	-14.57	5.59	3	Vertical	182	2.58	33.84	39.10	8.42	41.93
PK	11.50652G	51.73	74.00	-22.27	5.60	3	Vertical	182	2.58	46.13	39.10	8.42	41.92
PK	17.26072G	51.41	68.20	-16.79	5.30	3	Vertical	320	2.64	46.11	37.62	10.81	43.13

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50136G	39.47	54.00	-14.53	5.60	3	Horizontal	265	1.50	33.87	39.10	8.42	41.92
PK	11.50084G	50.82	74.00	-23.18	5.60	3	Horizontal	265	1.50	45.22	39.10	8.42	41.92
PK	17.26488G	51.83	68.20	-16.37	5.31	3	Horizontal	83	1.50	46.52	37.63	10.81	43.13



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7998G	100.84	Inf	-Inf	-4.16	3	Vertical	29	2.80	105.00	34.50	5.50	44.16
PK	5.6474G	57.82	68.20	-10.38	-5.23	3	Vertical	29	2.80	63.05	33.49	5.42	44.14
PK	5.7914G	113.06	Inf	-Inf	-4.18	3	Vertical	29	2.80	117.24	34.47	5.50	44.15
PK	5.9282G	62.52	68.20	-5.68	-4.03	3	Vertical	29	2.80	66.55	34.60	5.54	44.17

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.801G	100.22	Inf	-Inf	-4.16	3	Horizontal	15	1.38	104.38	34.50	5.50	44.16
PK	5.6474G	55.57	68.20	-12.63	-5.23	3	Horizontal	15	1.38	60.80	33.49	5.42	44.14
PK	5.7998G	112.19	Inf	-Inf	-4.16	3	Horizontal	15	1.38	116.35	34.50	5.50	44.16
PK	5.9282G	61.02	68.20	-7.18	-4.03	3	Horizontal	15	1.38	65.05	34.60	5.54	44.17



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5834G	38.82	54.00	-15.18	5.38	3	Vertical	83	1.50	33.44	38.90	8.44	41.96
PK	11.58052G	49.91	74.00	-24.09	5.41	3	Vertical	83	1.50	44.50	38.92	8.44	41.95
PK	17.3914G	51.11	68.20	-17.09	5.43	3	Vertical	322	1.69	45.68	37.78	10.75	43.10

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_1TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.58332G	38.74	54.00	-15.26	5.39	3	Horizontal	355	2.88	33.35	38.90	8.44	41.95
PK	11.59032G	50.37	74.00	-23.63	5.35	3	Horizontal	355	2.88	45.02	38.86	8.45	41.96
PK	17.37872G	51.64	68.20	-16.56	5.42	3	Horizontal	321	2.35	46.22	37.76	10.76	43.10



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.72	54.00	-2.28	-5.41	3	Vertical	360	1.33	57.13	33.50	5.17	44.08
AV	5.201G	90.72	Inf	-Inf	-5.39	3	Vertical	360	1.33	96.11	33.50	5.19	44.08
AV	5.351G	44.21	54.00	-9.79	-5.56	3	Vertical	360	1.33	49.77	33.30	5.24	44.10
PK	5.149G	66.82	74.00	-7.18	-5.41	3	Vertical	360	1.33	72.23	33.50	5.17	44.08
PK	5.192G	102.24	Inf	-Inf	-5.39	3	Vertical	360	1.33	107.63	33.50	5.19	44.08
PK	5.353G	56.74	74.00	-17.26	-5.57	3	Vertical	360	1.33	62.31	33.29	5.24	44.10

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.146G	53.26	54.00	-0.74	-5.41	3	Horizontal	316	2.06	58.67	33.50	5.17	44.08
AV	5.221G	93.76	Inf	-Inf	-5.39	3	Horizontal	316	2.06	99.15	33.50	5.20	44.09
AV	5.35G	47.62	54.00	-6.38	-5.56	3	Horizontal	316	2.06	53.18	33.30	5.24	44.10
PK	5.147G	68.90	74.00	-5.10	-5.41	3	Horizontal	316	2.06	74.31	33.50	5.17	44.08
PK	5.227G	105.80	Inf	-Inf	-5.39	3	Horizontal	316	2.06	111.19	33.50	5.20	44.09
PK	5.351G	61.35	74.00	-12.65	-5.56	3	Horizontal	316	2.06	66.91	33.30	5.24	44.10



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62088G	40.69	54.00	-13.31	6.13	3	Vertical	303	1.50	34.56	38.27	10.93	43.07
PK	10.42584G	49.89	68.20	-18.31	4.68	3	Vertical	305	1.50	45.21	38.65	8.09	42.06
PK	15.61376G	52.19	74.00	-21.81	6.18	3	Vertical	303	1.50	46.01	38.32	10.92	43.06

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.62296G	40.53	54.00	-13.47	6.12	3	Horizontal	261	1.50	34.41	38.26	10.93	43.07
PK	10.4156G	50.55	68.20	-17.65	4.69	3	Horizontal	172	1.50	45.86	38.67	8.09	42.07
PK	15.62296G	52.28	74.00	-21.72	6.12	3	Horizontal	261	1.50	46.16	38.26	10.93	43.07





5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.137G	41.76	54.00	-12.24	-5.42	3	Vertical	347	1.09	47.18	33.50	5.16	44.08
AV	5.301G	88.53	Inf	-Inf	-5.57	3	Vertical	347	1.09	94.10	33.30	5.23	44.10
AV	5.351G	48.60	54.00	-5.40	-5.56	3	Vertical	347	1.09	54.16	33.30	5.24	44.10
PK	5.087G	53.57	74.00	-20.43	-5.43	3	Vertical	347	1.09	59.00	33.50	5.14	44.07
PK	5.293G	100.55	Inf	-Inf	-5.55	3	Vertical	347	1.09	106.10	33.33	5.22	44.10
PK	5.36G	62.83	74.00	-11.17	-5.57	3	Vertical	347	1.09	68.40	33.28	5.25	44.10
PK	5.466G	54.13	68.20	-14.07	-5.49	3	Vertical	347	1.09	59.62	33.33	5.30	44.12

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.147G	42.43	54.00	-11.57	-5.41	3	Horizontal	309	1.98	47.84	33.50	5.17	44.08
AV	5.301G	92.17	Inf	-Inf	-5.57	3	Horizontal	309	1.98	97.74	33.30	5.23	44.10
AV	5.35G	53.56	54.00	-0.44	-5.56	3	Horizontal	309	1.98	59.12	33.30	5.24	44.10
PK	5.128G	53.86	74.00	-20.14	-5.42	3	Horizontal	309	1.98	59.28	33.50	5.16	44.08
PK	5.293G	104.16	Inf	-Inf	-5.55	3	Horizontal	309	1.98	109.71	33.33	5.22	44.10
PK	5.361G	67.61	74.00	-6.39	-5.57	3	Horizontal	309	1.98	73.18	33.28	5.25	44.10
PK	5.47G	55.47	68.20	-12.73	-5.47	3	Horizontal	309	1.98	60.94	33.34	5.31	44.12

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88848G	40.51	54.00	-13.49	5.86	3	Vertical	181	1.50	34.65	37.85	11.21	43.20
PK	10.586G	51.48	68.20	-16.72	5.04	3	Vertical	274	1.06	46.44	38.94	8.14	42.04
PK	15.8836G	52.53	74.00	-21.47	5.85	3	Vertical	181	1.50	46.68	37.83	11.21	43.19

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.88984G	40.39	54.00	-13.61	5.87	3	Horizontal	65	1.50	34.52	37.86	11.21	43.20
PK	10.59784G	49.94	68.20	-18.26	5.09	3	Horizontal	64	1.79	44.85	38.99	8.14	42.04
PK	15.88536G	52.28	74.00	-21.72	5.86	3	Horizontal	65	1.50	46.42	37.84	11.21	43.19



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	41.33	54.00	-12.67	-5.56	3	Vertical	55	2.93	46.89	33.30	5.24	44.10
AV	5.46G	48.31	54.00	-5.69	-5.50	3	Vertical	55	2.93	53.81	33.32	5.30	44.12
AV	5.541G	89.86	Inf	-Inf	-5.29	3	Vertical	55	2.93	95.15	33.48	5.35	44.12
PK	5.302G	54.45	68.20	-13.75	-5.57	3	Vertical	55	2.93	60.02	33.30	5.23	44.10
PK	5.46G	61.81	74.00	-12.19	-5.50	3	Vertical	55	2.93	67.31	33.32	5.30	44.12
PK	5.47G	64.17	68.20	-4.03	-5.47	3	Vertical	55	2.93	69.64	33.34	5.31	44.12
PK	5.541G	101.60	Inf	-Inf	-5.29	3	Vertical	55	2.93	106.89	33.48	5.35	44.12
PK	5.752G	55.13	68.20	-13.07	-4.37	3	Vertical	55	2.93	59.50	34.31	5.47	44.15

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	42.03	54.00	-11.97	-5.56	3	Horizontal	322	2.07	47.59	33.30	5.24	44.10
AV	5.46G	52.22	54.00	-1.78	-5.50	3	Horizontal	322	2.07	57.72	33.32	5.30	44.12
AV	5.541G	92.60	Inf	-Inf	-5.29	3	Horizontal	322	2.07	97.89	33.48	5.35	44.12
PK	5.345G	54.04	68.20	-14.16	-5.56	3	Horizontal	322	2.07	59.60	33.30	5.24	44.10
PK	5.46G	65.96	74.00	-8.04	-5.50	3	Horizontal	322	2.07	71.46	33.32	5.30	44.12
PK	5.462G	67.38	68.20	-0.82	-5.50	3	Horizontal	322	2.07	72.88	33.32	5.30	44.12
PK	5.501G	105.02	Inf	-Inf	-5.39	3	Horizontal	322	2.07	110.41	33.40	5.33	44.12
PK	5.739G	54.87	68.20	-13.33	-4.49	3	Horizontal	322	2.07	59.36	34.19	5.47	44.15



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0556G	38.81	54.00	-15.19	5.03	3	Vertical	139	1.50	33.78	38.90	8.28	42.15
PK	11.04328G	50.72	74.00	-23.28	5.01	3	Vertical	139	1.50	45.71	38.89	8.28	42.16
PK	16.5948G	52.34	68.20	-15.86	5.56	3	Vertical	310	2.79	46.78	37.52	11.08	43.04

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04272G	38.65	54.00	-15.35	5.01	3	Horizontal	262	1.49	33.64	38.89	8.28	42.16
PK	11.0532G	50.50	74.00	-23.50	5.03	3	Horizontal	262	1.49	45.47	38.90	8.28	42.15
PK	16.5828G	52.49	68.20	-15.71	5.62	3	Horizontal	60	2.92	46.87	37.57	11.09	43.04



5.47-5.725GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_1TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	52.32	54.00	-1.68	-5.50	3	Vertical	19	2.86	57.82	33.32	5.30	44.12
AV	5.621G	95.52	Inf	-Inf	-5.29	3	Vertical	19	2.86	100.81	33.44	5.40	44.13
PK	5.46G	64.87	74.00	-9.13	-5.50	3	Vertical	19	2.86	70.37	33.32	5.30	44.12
PK	5.47G	67.00	68.20	-1.20	-5.47	3	Vertical	19	2.86	72.47	33.34	5.31	44.12
PK	5.612G	108.03	Inf	-Inf	-5.31	3	Vertical	19	2.86	113.34	33.42	5.40	44.13
PK	5.737G	67.60	68.20	-0.60	-4.51	3	Vertical	19	2.86	72.11	34.17	5.47	44.15

5.47-5.725GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_1TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	52.55	54.00	-1.45	-5.50	3	Horizontal	322	2.14	58.05	33.32	5.30	44.12
AV	5.595G	96.17	Inf	-Inf	-5.33	3	Horizontal	322	2.14	101.50	33.41	5.39	44.13
PK	5.46G	64.65	74.00	-9.35	-5.50	3	Horizontal	322	2.14	70.15	33.32	5.30	44.12
PK	5.468G	67.48	68.20	-0.72	-5.48	3	Horizontal	322	2.14	72.96	33.34	5.30	44.12
PK	5.592G	108.56	Inf	-Inf	-5.33	3	Horizontal	322	2.14	113.89	33.42	5.38	44.13
PK	5.733G	67.81	68.20	-0.39	-4.56	3	Horizontal	322	2.14	72.37	34.13	5.46	44.15



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22512G	38.71	54.00	-15.29	5.32	3	Vertical	277	1.50	33.39	39.05	8.33	42.06
PK	11.2316G	50.71	74.00	-23.29	5.34	3	Vertical	277	1.50	45.37	39.06	8.34	42.06
PK	16.81184G	51.07	68.20	-17.13	5.45	3	Vertical	136	1.50	45.62	37.58	10.99	43.12

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.2328G	38.80	54.00	-15.20	5.35	3	Horizontal	260	1.50	33.45	39.07	8.34	42.06
PK	11.22416G	49.81	74.00	-24.19	5.32	3	Horizontal	260	1.50	44.49	39.05	8.33	42.06
PK	16.83328G	50.83	68.20	-17.37	5.38	3	Horizontal	0	1.50	45.45	37.53	10.98	43.13

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	46.38	54.00	-7.62	-5.50	3	Vertical	24	2.76	51.88	33.31	5.30	44.11
AV	5.6792G	95.66	Inf	-Inf	-5.03	3	Vertical	24	2.76	100.69	33.68	5.43	44.14
PK	5.444G	58.72	74.00	-15.28	-5.53	3	Vertical	24	2.76	64.25	33.29	5.29	44.11
PK	5.4692G	59.37	68.20	-8.83	-5.48	3	Vertical	24	2.76	64.85	33.34	5.30	44.12
PK	5.7008G	107.81	Inf	-Inf	-4.88	3	Vertical	24	2.76	112.69	33.81	5.45	44.14
PK	5.85G	63.52	68.20	-4.68	-4.24	3	Vertical	24	2.76	67.76	34.40	5.52	44.16

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	44.88	54.00	-9.12	-5.50	3	Horizontal	17	1.20	50.38	33.32	5.30	44.12
AV	5.7008G	95.62	Inf	-Inf	-4.88	3	Horizontal	17	1.20	100.50	33.81	5.45	44.14
PK	5.4572G	57.83	74.00	-16.17	-5.50	3	Horizontal	17	1.20	63.33	33.31	5.30	44.11
PK	5.4668G	58.00	68.20	-10.20	-5.49	3	Horizontal	17	1.20	63.49	33.33	5.30	44.12
PK	5.6924G	107.88	Inf	-Inf	-4.95	3	Horizontal	17	1.20	112.83	33.75	5.44	44.14
PK	5.85G	63.00	68.20	-5.20	-4.24	3	Horizontal	17	1.20	67.24	34.40	5.52	44.16



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39936G	39.68	54.00	-14.32	5.82	3	Vertical	190	2.80	33.86	39.40	8.39	41.97
PK	11.38328G	52.14	74.00	-21.86	5.77	3	Vertical	190	2.80	46.37	39.37	8.38	41.98
PK	17.08232G	51.42	68.20	-16.78	5.25	3	Vertical	321	1.42	46.17	37.54	10.88	43.17

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39352G	40.13	54.00	-13.87	5.80	3	Horizontal	103	1.39	34.33	39.39	8.39	41.98
PK	11.3928G	51.78	74.00	-22.22	5.79	3	Horizontal	103	1.39	45.99	39.39	8.38	41.98
PK	17.08192G	51.61	68.20	-16.59	5.25	3	Horizontal	67	1.36	46.36	37.54	10.88	43.17





5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7654G	97.64	Inf	-Inf	-4.31	3	Vertical	24	1.41	101.95	34.36	5.48	44.15
PK	5.6478G	67.97	68.20	-0.23	-5.22	3	Vertical	24	1.41	73.19	33.50	5.42	44.14
PK	5.757G	109.18	Inf	-Inf	-4.34	3	Vertical	24	1.41	113.52	34.33	5.48	44.15
PK	5.9226G	66.58	69.98	-3.40	-4.03	3	Vertical	24	1.41	70.61	34.60	5.54	44.17

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7642G	97.61	Inf	-Inf	-4.31	3	Horizontal	24	1.41	101.92	34.36	5.48	44.15
PK	5.6478G	67.51	68.20	-0.69	-5.22	3	Horizontal	24	1.41	72.73	33.50	5.42	44.14
PK	5.757G	109.35	Inf	-Inf	-4.34	3	Horizontal	24	1.41	113.69	34.33	5.48	44.15
PK	5.9226G	66.41	69.98	-3.57	-4.03	3	Horizontal	24	1.41	70.44	34.60	5.54	44.17



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53904G	39.46	54.00	-14.54	5.59	3	Vertical	235	1.26	33.87	39.10	8.43	41.94
PK	11.55056G	50.83	74.00	-23.17	5.59	3	Vertical	235	1.26	45.24	39.10	8.43	41.94
PK	17.345G	50.84	68.20	-17.36	5.36	3	Vertical	128	1.89	45.48	37.70	10.77	43.11

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.55888G	39.51	54.00	-14.49	5.55	3	Horizontal	197	1.84	33.96	39.05	8.44	41.94
PK	11.53648G	51.05	74.00	-22.95	5.59	3	Horizontal	197	1.84	45.46	39.10	8.43	41.94
PK	17.33236G	51.14	68.20	-17.06	5.37	3	Horizontal	360	2.23	45.77	37.70	10.78	43.11



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	17.24059G	59.47	68.20	-8.73	Vertical
Mode 2	Pass	PK	17.475G	61.21	68.20	-6.99	Vertical
Mode 3	Pass	PK	17.2344G	60.64	68.20	-7.56	Vertical
Mode 4	Pass	PK	17.47326G	61.36	68.20	-6.84	Vertical
Mode 5	Pass	PK	17.235G	60.96	68.20	-7.24	Vertical
Mode 6	Pass	PK	17.47452G	61.20	68.20	-7.00	Horizontal



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.80636G	32.12	54.00	-21.88	3	Vertical	300	1.63
Mode 1	Pass	AV	4.82397G	36.62	54.00	-17.38	3	Vertical	328	1.68
Mode 1	Pass	AV	4.87565G	35.24	54.00	-18.76	3	Vertical	329	1.39
Mode 1	Pass	AV	7.31188G	42.36	54.00	-11.64	3	Vertical	68	1.46
Mode 1	Pass	AV	11.48083G	44.25	54.00	-9.75	3	Vertical	184	1.50
Mode 1	Pass	AV	17.23831G	46.50	68.20	-21.70	3	Vertical	163	1.50
Mode 1	Pass	PK	4.80529G	45.13	74.00	-28.87	3	Vertical	300	1.63
Mode 1	Pass	PK	4.82372G	47.05	74.00	-26.95	3	Vertical	328	1.68
Mode 1	Pass	PK	4.87401G	48.43	74.00	-25.57	3	Vertical	329	1.39
Mode 1	Pass	PK	7.30212G	55.86	74.00	-18.14	3	Vertical	68	1.46
Mode 1	Pass	PK	11.49088G	58.14	74.00	-15.86	3	Vertical	184	1.50
Mode 1	Pass	PK	17.24059G	59.47	68.20	-8.73	3	Vertical	163	1.50
Mode 1	Pass	AV	4.80217G	31.95	54.00	-22.05	3	Horizontal	273	1.52
Mode 1	Pass	AV	4.824G	41.35	54.00	-12.65	3	Horizontal	305	1.74
Mode 1	Pass	AV	4.874G	36.15	54.00	-17.85	3	Horizontal	354	1.50
Mode 1	Pass	AV	7.31156G	45.24	54.00	-8.76	3	Horizontal	53	1.72
Mode 1	Pass	AV	11.48064G	44.29	54.00	-9.71	3	Horizontal	23	1.50
Mode 1	Pass	AV	17.24376G	46.42	68.20	-21.78	3	Horizontal	189	1.20
Mode 1	Pass	PK	4.80314G	44.94	74.00	-29.06	3	Horizontal	273	1.52
Mode 1	Pass	PK	4.824G	49.20	74.00	-24.80	3	Horizontal	305	1.74
Mode 1	Pass	PK	4.874G	51.72	74.00	-22.28	3	Horizontal	354	1.50
Mode 1	Pass	PK	7.30888G	59.06	74.00	-14.94	3	Horizontal	53	1.72
Mode 1	Pass	PK	11.48272G	57.26	74.00	-16.74	3	Horizontal	23	1.50
Mode 1	Pass	PK	17.2288G	59.33	68.20	-8.87	3	Horizontal	189	1.20
Mode 2	Pass	AV	4.80304G	32.89	54.00	-21.11	3	Vertical	313	1.46
Mode 2	Pass	AV	4.8826G	33.08	54.00	-20.92	3	Vertical	54	1.50
Mode 2	Pass	AV	7.30928G	43.13	54.00	-10.87	3	Vertical	53	1.96
Mode 2	Pass	AV	11.49436G	44.59	54.00	-9.41	3	Vertical	293	1.53
Mode 2	Pass	AV	11.65G	44.30	54.00	-9.70	3	Vertical	224	1.50
Mode 2	Pass	AV	17.23483G	47.11	68.20	-21.09	3	Vertical	12	1.50
Mode 2	Pass	AV	17.475G	47.88	68.20	-20.32	3	Vertical	169	1.66
Mode 2	Pass	PK	4.80602G	46.21	74.00	-27.79	3	Vertical	313	1.46
Mode 2	Pass	PK	4.86792G	46.81	74.00	-27.19	3	Vertical	54	1.50
Mode 2	Pass	PK	7.30204G	57.50	74.00	-16.50	3	Vertical	53	1.96
Mode 2	Pass	PK	11.48992G	58.69	74.00	-15.31	3	Vertical	293	1.53
Mode 2	Pass	PK	11.65G	57.66	74.00	-16.34	3	Vertical	224	1.50
Mode 2	Pass	PK	17.23513G	61.06	68.20	-7.14	3	Vertical	12	1.50
Mode 2	Pass	PK	17.475G	61.21	68.20	-6.99	3	Vertical	169	1.66
Mode 2	Pass	AV	4.80205G	32.68	54.00	-21.32	3	Horizontal	42	1.42
Mode 2	Pass	AV	4.874G	31.70	54.00	-22.30	3	Horizontal	48	1.50
Mode 2	Pass	AV	7.30888G	45.17	54.00	-8.83	3	Horizontal	51	1.64
Mode 2	Pass	AV	11.49G	44.97	54.00	-9.03	3	Horizontal	63	2.00
Mode 2	Pass	AV	11.65G	44.19	54.00	-9.81	3	Horizontal	289	1.60
Mode 2	Pass	AV	17.235G	46.43	68.20	-21.77	3	Horizontal	347	1.50
Mode 2	Pass	AV	17.475G	47.86	68.20	-20.34	3	Horizontal	312	1.70
Mode 2	Pass	PK	4.80232G	46.40	74.00	-27.60	3	Horizontal	42	1.42
Mode 2	Pass	PK	4.874G	44.84	74.00	-29.16	3	Horizontal	48	1.50
Mode 2	Pass	PK	7.302G	58.51	74.00	-15.49	3	Horizontal	51	1.64
Mode 2	Pass	PK	11.49G	58.73	74.00	-15.27	3	Horizontal	63	2.00
Mode 2	Pass	PK	11.65G	57.43	74.00	-16.57	3	Horizontal	289	1.60



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 2	Pass	PK	17.235G	59.97	68.20	-8.23	3	Horizontal	347	1.50
Mode 2	Pass	PK	17.475G	61.14	68.20	-7.06	3	Horizontal	312	1.70
Mode 3	Pass	AV	4.82392G	42.70	54.00	-11.30	3	Vertical	8	1.26
Mode 3	Pass	AV	4.8734G	38.53	54.00	-15.47	3	Vertical	360	2.68
Mode 3	Pass	AV	4.87804G	39.17	54.00	-14.83	3	Vertical	19	2.68
Mode 3	Pass	AV	7.23672G	48.68	68.20	-19.52	3	Vertical	356	1.58
Mode 3	Pass	AV	7.31064G	42.49	54.00	-11.51	3	Vertical	342	2.97
Mode 3	Pass	AV	7.31728G	41.82	54.00	-12.18	3	Vertical	337	2.96
Mode 3	Pass	AV	11.4943G	40.41	54.00	-13.59	3	Vertical	88	1.93
Mode 3	Pass	AV	17.23422G	46.66	68.20	-21.54	3	Vertical	306.9	1.33
Mode 3	Pass	PK	4.82419G	49.20	74.00	-24.80	3	Vertical	8	1.26
Mode 3	Pass	PK	4.87328G	51.40	74.00	-22.60	3	Vertical	360	2.68
Mode 3	Pass	PK	4.87846G	51.95	74.00	-22.05	3	Vertical	19	2.68
Mode 3	Pass	PK	7.2353G	56.06	68.20	-12.14	3	Vertical	356	1.58
Mode 3	Pass	PK	7.30832G	56.48	74.00	-17.52	3	Vertical	342	2.97
Mode 3	Pass	PK	7.31532G	58.21	74.00	-15.79	3	Vertical	337	2.96
Mode 3	Pass	PK	11.49172G	54.16	74.00	-19.84	3	Vertical	88	1.93
Mode 3	Pass	PK	17.2344G	60.64	68.20	-7.56	3	Vertical	306.9	1.33
Mode 3	Pass	AV	4.82398G	44.29	54.00	-9.71	3	Horizontal	356	1.20
Mode 3	Pass	AV	4.871G	40.33	54.00	-13.67	3	Horizontal	355	2.16
Mode 3	Pass	AV	4.87826G	40.12	54.00	-13.88	3	Horizontal	360	1.92
Mode 3	Pass	AV	7.23672G	47.81	68.20	-20.39	3	Horizontal	338	1.60
Mode 3	Pass	AV	7.31248G	45.81	54.00	-8.19	3	Horizontal	48	2.04
Mode 3	Pass	AV	7.31702G	45.43	54.00	-8.57	3	Horizontal	46	1.99
Mode 3	Pass	AV	11.49168G	40.90	54.00	-13.10	3	Horizontal	93	1.56
Mode 3	Pass	AV	17.23936G	46.91	68.20	-21.29	3	Horizontal	204	1.50
Mode 3	Pass	PK	4.82402G	50.35	74.00	-23.65	3	Horizontal	356	1.20
Mode 3	Pass	PK	4.87392G	55.80	74.00	-18.20	3	Horizontal	355	2.16
Mode 3	Pass	PK	4.87866G	52.47	74.00	-21.53	3	Horizontal	360	1.92
Mode 3	Pass	PK	7.2351G	56.01	68.20	-12.19	3	Horizontal	338	1.60
Mode 3	Pass	PK	7.31486G	60.22	74.00	-13.78	3	Horizontal	48	2.04
Mode 3	Pass	PK	7.31894G	60.95	74.00	-13.05	3	Horizontal	46	1.99
Mode 3	Pass	PK	11.48946G	54.50	74.00	-19.50	3	Horizontal	93	1.56
Mode 3	Pass	PK	17.23766G	60.11	68.20	-8.09	3	Horizontal	204	1.50
Mode 4	Pass	AV	4.87595G	33.97	54.00	-20.03	3	Vertical	0	1.12
Mode 4	Pass	AV	4.87896G	33.82	54.00	-20.18	3	Vertical	360	1.11
Mode 4	Pass	AV	7.30936G	42.21	54.00	-11.79	3	Vertical	347	1.53
Mode 4	Pass	AV	7.31847G	41.72	54.00	-12.28	3	Vertical	346	2.86
Mode 4	Pass	AV	11.48979G	43.65	54.00	-10.35	3	Vertical	85	1.05
Mode 4	Pass	AV	11.64838G	43.46	54.00	-10.54	3	Vertical	144	1.44
Mode 4	Pass	AV	17.237G	46.65	68.20	-21.55	3	Vertical	16	2.73
Mode 4	Pass	AV	17.47631G	47.64	68.20	-20.56	3	Vertical	297	1.48
Mode 4	Pass	PK	4.87221G	48.84	74.00	-25.16	3	Vertical	0	1.12
Mode 4	Pass	PK	4.87921G	47.75	74.00	-26.25	3	Vertical	360	1.11
Mode 4	Pass	PK	7.30951G	55.89	74.00	-18.11	3	Vertical	347	1.53
Mode 4	Pass	PK	7.31856G	57.25	74.00	-16.75	3	Vertical	346	2.86
Mode 4	Pass	PK	11.49138G	57.20	74.00	-16.80	3	Vertical	85	1.05
Mode 4	Pass	PK	11.65141G	56.66	74.00	-17.34	3	Vertical	144	1.44
Mode 4	Pass	PK	17.23714G	59.65	68.20	-8.55	3	Vertical	16	2.73
Mode 4	Pass	PK	17.47326G	61.36	68.20	-6.84	3	Vertical	297	1.48




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 4	Pass	AV	4.87473G	34.22	54.00	-19.78	3	Horizontal	318	1.95
Mode 4	Pass	AV	4.87924G	34.14	54.00	-19.86	3	Horizontal	325	1.64
Mode 4	Pass	AV	7.31056G	46.31	54.00	-7.69	3	Horizontal	55	1.97
Mode 4	Pass	AV	7.31844G	45.34	54.00	-8.66	3	Horizontal	57	2.03
Mode 4	Pass	AV	11.48815G	43.67	54.00	-10.33	3	Horizontal	165	1.41
Mode 4	Pass	AV	11.64906G	43.27	54.00	-10.73	3	Horizontal	277	1.99
Mode 4	Pass	AV	17.23257G	46.48	68.20	-21.72	3	Horizontal	20	1.76
Mode 4	Pass	AV	17.47507G	47.55	68.20	-20.65	3	Horizontal	102	1.46
Mode 4	Pass	PK	4.8746G	48.08	74.00	-25.92	3	Horizontal	318	1.95
Mode 4	Pass	PK	4.87945G	48.02	74.00	-25.98	3	Horizontal	325	1.64
Mode 4	Pass	PK	7.30897G	61.11	74.00	-12.89	3	Horizontal	55	1.97
Mode 4	Pass	PK	7.3184G	61.03	74.00	-12.97	3	Horizontal	57	2.03
Mode 4	Pass	PK	11.49007G	56.70	74.00	-17.30	3	Horizontal	165	1.41
Mode 4	Pass	PK	11.64918G	56.10	74.00	-17.90	3	Horizontal	277	1.99
Mode 4	Pass	PK	17.23376G	59.42	68.20	-8.78	3	Horizontal	20	1.76
Mode 4	Pass	PK	17.47592G	61.04	68.20	-7.16	3	Horizontal	102	1.46
Mode 5	Pass	AV	4.824G	42.63	54.00	-11.37	3	Vertical	360	1.53
Mode 5	Pass	AV	4.87324G	38.60	54.00	-15.40	3	Vertical	359	2.69
Mode 5	Pass	AV	4.87552G	39.19	54.00	-14.81	3	Vertical	15	2.69
Mode 5	Pass	AV	7.23516G	48.19	68.20	-20.01	3	Vertical	352	1.58
Mode 5	Pass	AV	7.31364G	42.96	54.00	-11.04	3	Vertical	314	1.02
Mode 5	Pass	AV	7.31602G	41.77	54.00	-12.23	3	Vertical	342	2.97
Mode 5	Pass	AV	11.48876G	44.06	54.00	-9.94	3	Vertical	57	2.99
Mode 5	Pass	AV	17.23336G	46.51	68.20	-21.69	3	Vertical	242	1.37
Mode 5	Pass	PK	4.82396G	49.38	74.00	-24.62	3	Vertical	360	1.53
Mode 5	Pass	PK	4.87402G	54.68	74.00	-19.32	3	Vertical	359	2.69
Mode 5	Pass	PK	4.87538G	52.32	74.00	-21.68	3	Vertical	15	2.69
Mode 5	Pass	PK	7.2359G	55.82	68.20	-12.38	3	Vertical	352	1.58
Mode 5	Pass	PK	7.31586G	56.86	74.00	-17.14	3	Vertical	314	1.02
Mode 5	Pass	PK	7.31856G	56.84	74.00	-17.16	3	Vertical	342	2.97
Mode 5	Pass	PK	11.49144G	57.61	74.00	-16.39	3	Vertical	57	2.99
Mode 5	Pass	PK	17.235G	60.96	68.20	-7.24	3	Vertical	242	1.37
Mode 5	Pass	AV	4.82396G	44.09	54.00	-9.91	3	Horizontal	349	1.32
Mode 5	Pass	AV	4.87568G	40.20	54.00	-13.80	3	Horizontal	353	1.50
Mode 5	Pass	AV	4.87596G	40.49	54.00	-13.51	3	Horizontal	347	1.90
Mode 5	Pass	AV	7.23678G	47.58	68.20	-20.62	3	Horizontal	331	1.60
Mode 5	Pass	AV	7.30978G	45.57	54.00	-8.43	3	Horizontal	45	2.04
Mode 5	Pass	AV	7.31702G	45.10	54.00	-8.90	3	Horizontal	41	2.08
Mode 5	Pass	AV	11.4916G	45.09	54.00	-8.91	3	Horizontal	92	1.95
Mode 5	Pass	AV	17.23488G	46.57	68.20	-21.63	3	Horizontal	342	1.50
Mode 5	Pass	PK	4.82394G	49.64	74.00	-24.36	3	Horizontal	349	1.32
Mode 5	Pass	PK	4.8739G	54.43	74.00	-19.57	3	Horizontal	353	1.50
Mode 5	Pass	PK	4.88286G	52.71	74.00	-21.29	3	Horizontal	347	1.90
Mode 5	Pass	PK	7.2352G	55.87	68.20	-12.33	3	Horizontal	331	1.60
Mode 5	Pass	PK	7.31514G	61.32	74.00	-12.68	3	Horizontal	45	2.04
Mode 5	Pass	PK	7.31836G	59.50	74.00	-14.50	3	Horizontal	41	2.08
Mode 5	Pass	PK	11.48606G	58.37	74.00	-15.63	3	Horizontal	92	1.95
Mode 5	Pass	PK	17.23492G	59.89	68.20	-8.31	3	Horizontal	342	1.50
Mode 6	Pass	AV	4.87444G	32.44	54.00	-21.56	3	Vertical	23	2.69
Mode 6	Pass	AV	4.87919G	32.46	54.00	-21.54	3	Vertical	181	1.92




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 6	Pass	AV	7.31201G	43.11	54.00	-10.89	3	Vertical	353	2.21
Mode 6	Pass	AV	7.31768G	41.85	54.00	-12.15	3	Vertical	360	2.96
Mode 6	Pass	AV	11.48799G	43.63	54.00	-10.37	3	Vertical	148	2.59
Mode 6	Pass	AV	11.64977G	43.28	54.00	-10.72	3	Vertical	131	2.89
Mode 6	Pass	AV	17.2354G	46.41	68.20	-21.79	3	Vertical	291	2.71
Mode 6	Pass	AV	17.47659G	47.65	68.20	-20.55	3	Vertical	300	1.90
Mode 6	Pass	PK	4.8723G	45.62	74.00	-28.38	3	Vertical	23	2.69
Mode 6	Pass	PK	4.87867G	45.67	74.00	-28.33	3	Vertical	181	1.92
Mode 6	Pass	PK	7.31211G	56.58	74.00	-17.42	3	Vertical	353	2.21
Mode 6	Pass	PK	7.31753G	56.60	74.00	-17.40	3	Vertical	360	2.96
Mode 6	Pass	PK	11.48927G	57.23	74.00	-16.77	3	Vertical	148	2.59
Mode 6	Pass	PK	11.64869G	56.88	74.00	-17.12	3	Vertical	131	2.89
Mode 6	Pass	PK	17.23339G	59.50	68.20	-8.70	3	Vertical	291	2.71
Mode 6	Pass	PK	17.47668G	60.62	68.20	-7.58	3	Vertical	300	1.90
Mode 6	Pass	AV	4.87556G	33.70	54.00	-20.30	3	Horizontal	294	2.92
Mode 6	Pass	AV	4.87918G	34.17	54.00	-19.83	3	Horizontal	320	1.72
Mode 6	Pass	AV	7.31322G	46.11	54.00	-7.89	3	Horizontal	53	1.98
Mode 6	Pass	AV	7.3189G	45.35	54.00	-8.65	3	Horizontal	55	1.89
Mode 6	Pass	AV	11.48978G	43.54	54.00	-10.46	3	Horizontal	22	2.31
Mode 6	Pass	AV	11.65055G	43.42	54.00	-10.58	3	Horizontal	3	1.71
Mode 6	Pass	AV	17.23377G	46.43	68.20	-21.77	3	Horizontal	245	2.05
Mode 6	Pass	AV	17.47679G	47.46	68.20	-20.74	3	Horizontal	270	2.34
Mode 6	Pass	PK	4.87517G	47.63	74.00	-26.37	3	Horizontal	294	2.92
Mode 6	Pass	PK	4.8785G	48.22	74.00	-25.78	3	Horizontal	320	1.72
Mode 6	Pass	PK	7.31156G	60.66	74.00	-13.34	3	Horizontal	53	1.98
Mode 6	Pass	PK	7.31821G	60.92	74.00	-13.08	3	Horizontal	55	1.89
Mode 6	Pass	PK	11.49154G	57.50	74.00	-16.50	3	Horizontal	22	2.31
Mode 6	Pass	PK	11.65169G	56.24	74.00	-17.76	3	Horizontal	3	1.71
Mode 6	Pass	PK	17.23283G	59.35	68.20	-8.85	3	Horizontal	245	2.05
Mode 6	Pass	PK	17.47452G	61.20	68.20	-7.00	3	Horizontal	270	2.34

Radiated Emissions above 1GHz\_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80636G	32.12	54.00	-21.88	3.56	3	Vertical	300	1.63	28.56	32.23	6.16	34.83
AV	4.82397G	36.62	54.00	-17.38	3.66	3	Vertical	328	1.68	32.96	32.30	6.18	34.82
AV	4.87565G	35.24	54.00	-18.76	3.90	3	Vertical	329	1.39	31.34	32.50	6.21	34.81
AV	7.31188G	42.36	54.00	-11.64	9.53	3	Vertical	68	1.46	32.83	36.65	7.80	34.92
AV	11.48083G	44.25	54.00	-9.75	15.84	3	Vertical	184	1.50	28.41	38.86	11.43	34.45
AV	17.23831G	46.50	68.20	-21.70	17.80	3	Vertical	163	1.50	28.70	38.08	13.00	33.28
PK	4.80529G	45.13	74.00	-28.87	3.55	3	Vertical	300	1.63	41.58	32.22	6.16	34.83
PK	4.82372G	47.05	74.00	-26.95	3.65	3	Vertical	328	1.68	43.40	32.29	6.18	34.82
PK	4.87401G	48.43	74.00	-25.57	3.90	3	Vertical	329	1.39	44.53	32.50	6.21	34.81
PK	7.30212G	55.86	74.00	-18.14	9.56	3	Vertical	68	1.46	46.30	36.69	7.79	34.92
PK	11.49088G	58.14	74.00	-15.86	15.86	3	Vertical	184	1.50	42.28	38.88	11.43	34.45
PK	17.24059G	59.47	68.20	-8.73	17.79	3	Vertical	163	1.50	41.68	38.08	13.00	33.29


Radiated Emissions above 1GHz\_Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80217G	31.95	54.00	-22.05	3.54	3	Horizontal	273	1.52	28.41	32.21	6.16	34.83
AV	4.824G	41.35	54.00	-12.65	3.66	3	Horizontal	305	1.74	37.69	32.30	6.18	34.82
AV	4.874G	36.15	54.00	-17.85	3.90	3	Horizontal	354	1.50	32.25	32.50	6.21	34.81
AV	7.31156G	45.24	54.00	-8.76	9.53	3	Horizontal	53	1.72	35.71	36.65	7.80	34.92
AV	11.48064G	44.29	54.00	-9.71	15.84	3	Horizontal	23	1.50	28.45	38.86	11.43	34.45
AV	17.24376G	46.42	68.20	-21.78	17.81	3	Horizontal	189	1.20	28.61	38.09	13.01	33.29
PK	4.80314G	44.94	74.00	-29.06	3.54	3	Horizontal	273	1.52	41.40	32.21	6.16	34.83
PK	4.824G	49.20	74.00	-24.80	3.66	3	Horizontal	305	1.74	45.54	32.30	6.18	34.82
PK	4.874G	51.72	74.00	-22.28	3.90	3	Horizontal	354	1.50	47.82	32.50	6.21	34.81
PK	7.30888G	59.06	74.00	-14.94	9.54	3	Horizontal	53	1.72	49.52	36.66	7.80	34.92
PK	11.48272G	57.26	74.00	-16.74	15.85	3	Horizontal	23	1.50	41.41	38.87	11.43	34.45
PK	17.2288G	59.33	68.20	-8.87	17.78	3	Horizontal	189	1.20	41.55	38.06	13.00	33.28




Radiated Emissions above 1GHz\_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80304G	32.89	54.00	-21.11	4.18	3	Vertical	313	1.46	28.71	32.21	6.16	34.19
AV	4.8826G	33.08	54.00	-20.92	4.59	3	Vertical	54	1.50	28.49	32.53	6.22	34.16
AV	7.30928G	43.13	54.00	-10.87	9.96	3	Vertical	53	1.96	33.17	36.66	7.80	34.50
AV	11.49436G	44.59	54.00	-9.41	16.26	3	Vertical	293	1.53	28.33	38.89	11.43	34.06
AV	11.65G	44.30	54.00	-9.70	15.64	3	Vertical	224	1.50	28.66	38.30	11.49	34.15
AV	17.23483G	47.11	68.20	-21.09	17.78	3	Vertical	12	1.50	29.33	38.07	13.00	33.29
AV	17.475G	47.88	68.20	-20.32	18.05	3	Vertical	169	1.66	29.83	38.30	13.11	33.36
PK	4.80602G	46.21	74.00	-27.79	4.19	3	Vertical	313	1.46	42.02	32.22	6.16	34.19
PK	4.86792G	46.81	74.00	-27.19	4.51	3	Vertical	54	1.50	42.30	32.47	6.21	34.17
PK	7.30204G	57.50	74.00	-16.50	9.98	3	Vertical	53	1.96	47.52	36.69	7.79	34.50
PK	11.48992G	58.69	74.00	-15.31	16.25	3	Vertical	293	1.53	42.44	38.88	11.43	34.06
PK	11.65G	57.66	74.00	-16.34	15.64	3	Vertical	224	1.50	42.02	38.30	11.49	34.15
PK	17.23513G	61.06	68.20	-7.14	17.78	3	Vertical	12	1.50	43.28	38.07	13.00	33.29
PK	17.475G	61.21	68.20	-6.99	18.05	3	Vertical	169	1.66	43.16	38.30	13.11	33.36

Radiated Emissions above 1GHz\_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80205G	32.68	54.00	-21.32	4.18	3	Horizontal	42	1.42	28.50	32.21	6.16	34.19
AV	4.874G	31.70	54.00	-22.30	4.54	3	Horizontal	48	1.50	27.16	32.50	6.21	34.17
AV	7.30888G	45.17	54.00	-8.83	9.96	3	Horizontal	51	1.64	35.21	36.66	7.80	34.50
AV	11.49G	44.97	54.00	-9.03	16.25	3	Horizontal	63	2.00	28.72	38.88	11.43	34.06
AV	11.65G	44.19	54.00	-9.81	15.64	3	Horizontal	289	1.60	28.55	38.30	11.49	34.15
AV	17.235G	46.43	68.20	-21.77	17.78	3	Horizontal	347	1.50	28.65	38.07	13.00	33.29
AV	17.475G	47.86	68.20	-20.34	18.05	3	Horizontal	312	1.70	29.81	38.30	13.11	33.36
PK	4.80232G	46.40	74.00	-27.60	4.18	3	Horizontal	42	1.42	42.22	32.21	6.16	34.19
PK	4.874G	44.84	74.00	-29.16	4.54	3	Horizontal	48	1.50	40.30	32.50	6.21	34.17
PK	7.302G	58.51	74.00	-15.49	9.98	3	Horizontal	51	1.64	48.53	36.69	7.79	34.50
PK	11.49G	58.73	74.00	-15.27	16.25	3	Horizontal	63	2.00	42.48	38.88	11.43	34.06
PK	11.65G	57.43	74.00	-16.57	15.64	3	Horizontal	289	1.60	41.79	38.30	11.49	34.15
PK	17.235G	59.97	68.20	-8.23	17.78	3	Horizontal	347	1.50	42.19	38.07	13.00	33.29
PK	17.475G	61.14	68.20	-7.06	18.05	3	Horizontal	312	1.70	43.09	38.30	13.11	33.36

Radiated Emissions above 1GHz\_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82392G	42.70	54.00	-11.30	3.66	3	Vertical	8	1.26	39.04	32.30	6.18	34.82
AV	4.8734G	38.53	54.00	-15.47	3.89	3	Vertical	360	2.68	34.64	32.49	6.21	34.81
AV	4.87804G	39.17	54.00	-14.83	3.91	3	Vertical	19	2.68	35.26	32.51	6.21	34.81
AV	7.23672G	48.68	68.20	-19.52	9.44	3	Vertical	356	1.58	39.24	36.57	7.75	34.88
AV	7.31064G	42.49	54.00	-11.51	9.54	3	Vertical	342	2.97	32.95	36.66	7.80	34.92
AV	7.31728G	41.82	54.00	-12.18	9.50	3	Vertical	337	2.96	32.32	36.63	7.80	34.93
AV	11.4943G	40.41	54.00	-13.59	15.87	3	Vertical	88	1.93	24.54	38.89	11.43	34.45
AV	17.23422G	46.66	68.20	-21.54	17.79	3	Vertical	306.9	1.33	28.87	38.07	13.00	33.28
PK	4.82419G	49.20	74.00	-24.80	3.66	3	Vertical	8	1.26	45.54	32.30	6.18	34.82
PK	4.87328G	51.40	74.00	-22.60	3.89	3	Vertical	360	2.68	47.51	32.49	6.21	34.81
PK	4.87846G	51.95	74.00	-22.05	3.91	3	Vertical	19	2.68	48.04	32.51	6.21	34.81
PK	7.2353G	56.06	68.20	-12.14	9.44	3	Vertical	356	1.58	46.62	36.57	7.75	34.88
PK	7.30832G	56.48	74.00	-17.52	9.54	3	Vertical	342	2.97	46.94	36.67	7.79	34.92
PK	7.31532G	58.21	74.00	-15.79	9.51	3	Vertical	337	2.96	48.70	36.64	7.80	34.93
PK	11.49172G	54.16	74.00	-19.84	15.86	3	Vertical	88	1.93	38.30	38.88	11.43	34.45
PK	17.2344G	60.64	68.20	-7.56	17.79	3	Vertical	306.9	1.33	42.85	38.07	13.00	33.28

Radiated Emissions above 1GHz\_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82398G	44.29	54.00	-9.71	3.66	3	Horizontal	356	1.20	40.63	32.30	6.18	34.82
AV	4.871G	40.33	54.00	-13.67	3.88	3	Horizontal	355	2.16	36.45	32.48	6.21	34.81
AV	4.87826G	40.12	54.00	-13.88	3.91	3	Horizontal	360	1.92	36.21	32.51	6.21	34.81
AV	7.23672G	47.81	68.20	-20.39	9.44	3	Horizontal	338	1.60	38.37	36.57	7.75	34.88
AV	7.31248G	45.81	54.00	-8.19	9.53	3	Horizontal	48	2.04	36.28	36.65	7.80	34.92
AV	7.31702G	45.43	54.00	-8.57	9.50	3	Horizontal	46	1.99	35.93	36.63	7.80	34.93
AV	11.49168G	40.90	54.00	-13.10	15.86	3	Horizontal	93	1.56	25.04	38.88	11.43	34.45
AV	17.23936G	46.91	68.20	-21.29	17.79	3	Horizontal	204	1.50	29.12	38.08	13.00	33.29
PK	4.82402G	50.35	74.00	-23.65	3.66	3	Horizontal	356	1.20	46.69	32.30	6.18	34.82
PK	4.87392G	55.80	74.00	-18.20	3.90	3	Horizontal	355	2.16	51.90	32.50	6.21	34.81
PK	4.87866G	52.47	74.00	-21.53	3.92	3	Horizontal	360	1.92	48.55	32.51	6.22	34.81
PK	7.2351G	56.01	68.20	-12.19	9.44	3	Horizontal	338	1.60	46.57	36.57	7.75	34.88
PK	7.31486G	60.22	74.00	-13.78	9.51	3	Horizontal	48	2.04	50.71	36.64	7.80	34.93
PK	7.31894G	60.95	74.00	-13.05	9.49	3	Horizontal	46	1.99	51.46	36.62	7.80	34.93
PK	11.48946G	54.50	74.00	-19.50	15.86	3	Horizontal	93	1.56	38.64	38.88	11.43	34.45
PK	17.23766G	60.11	68.20	-8.09	17.80	3	Horizontal	204	1.50	42.31	38.08	13.00	33.28

Radiated Emissions above 1GHz\_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87595G	33.97	54.00	-20.03	3.90	3	Vertical	0	1.12	30.07	32.50	6.21	34.81
AV	4.87896G	33.82	54.00	-20.18	3.93	3	Vertical	360	1.11	29.89	32.52	6.22	34.81
AV	7.30936G	42.21	54.00	-11.79	9.54	3	Vertical	347	1.53	32.67	36.66	7.80	34.92
AV	7.31847G	41.72	54.00	-12.28	9.50	3	Vertical	346	2.86	32.22	36.63	7.80	34.93
AV	11.48979G	43.65	54.00	-10.35	15.86	3	Vertical	85	1.05	27.79	38.88	11.43	34.45
AV	11.64838G	43.46	54.00	-10.54	15.27	3	Vertical	144	1.44	28.19	38.30	11.49	34.52
AV	17.237G	46.65	68.20	-21.55	17.79	3	Vertical	16	2.73	28.86	38.07	13.00	33.28
AV	17.47631G	47.64	68.20	-20.56	18.02	3	Vertical	297	1.48	29.62	38.30	13.11	33.39
PK	4.87221G	48.84	74.00	-25.16	3.89	3	Vertical	0	1.12	44.95	32.49	6.21	34.81
PK	4.87921G	47.75	74.00	-26.25	3.93	3	Vertical	360	1.11	43.82	32.52	6.22	34.81
PK	7.30951G	55.89	74.00	-18.11	9.54	3	Vertical	347	1.53	46.35	36.66	7.80	34.92
PK	7.31856G	57.25	74.00	-16.75	9.50	3	Vertical	346	2.86	47.75	36.63	7.80	34.93
PK	11.49138G	57.20	74.00	-16.80	15.86	3	Vertical	85	1.05	41.34	38.88	11.43	34.45
PK	11.65141G	56.66	74.00	-17.34	15.28	3	Vertical	144	1.44	41.38	38.31	11.49	34.52
PK	17.23714G	59.65	68.20	-8.55	17.79	3	Vertical	16	2.73	41.86	38.07	13.00	33.28
PK	17.47326G	61.36	68.20	-6.84	18.02	3	Vertical	297	1.48	43.34	38.30	13.11	33.39

Radiated Emissions above 1GHz\_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87473G	34.22	54.00	-19.78	3.90	3	Horizontal	318	1.95	30.32	32.50	6.21	34.81
AV	4.87924G	34.14	54.00	-19.86	3.93	3	Horizontal	325	1.64	30.21	32.52	6.22	34.81
AV	7.31056G	46.31	54.00	-7.69	9.54	3	Horizontal	55	1.97	36.77	36.66	7.80	34.92
AV	7.31844G	45.34	54.00	-8.66	9.50	3	Horizontal	57	2.03	35.84	36.63	7.80	34.93
AV	11.48815G	43.67	54.00	-10.33	15.86	3	Horizontal	165	1.41	27.81	38.88	11.43	34.45
AV	11.64906G	43.27	54.00	-10.73	15.27	3	Horizontal	277	1.99	28.00	38.30	11.49	34.52
AV	17.23257G	46.48	68.20	-21.72	17.79	3	Horizontal	20	1.76	28.69	38.07	13.00	33.28
AV	17.47507G	47.55	68.20	-20.65	18.02	3	Horizontal	102	1.46	29.53	38.30	13.11	33.39
PK	4.8746G	48.08	74.00	-25.92	3.90	3	Horizontal	318	1.95	44.18	32.50	6.21	34.81
PK	4.87945G	48.02	74.00	-25.98	3.93	3	Horizontal	325	1.64	44.09	32.52	6.22	34.81
PK	7.30897G	61.11	74.00	-12.89	9.54	3	Horizontal	55	1.97	51.57	36.66	7.80	34.92
PK	7.3184G	61.03	74.00	-12.97	9.50	3	Horizontal	57	2.03	51.53	36.63	7.80	34.93
PK	11.49007G	56.70	74.00	-17.30	15.86	3	Horizontal	165	1.41	40.84	38.88	11.43	34.45
PK	11.64918G	56.10	74.00	-17.90	15.27	3	Horizontal	277	1.99	40.83	38.30	11.49	34.52
PK	17.23376G	59.42	68.20	-8.78	17.79	3	Horizontal	20	1.76	41.63	38.07	13.00	33.28
PK	17.47592G	61.04	68.20	-7.16	18.02	3	Horizontal	102	1.46	43.02	38.30	13.11	33.39

Radiated Emissions above 1GHz\_Mode 5




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.824G	42.63	54.00	-11.37	3.66	3	Vertical	360	1.53	38.97	32.30	6.18	34.82
AV	4.87324G	38.60	54.00	-15.40	3.89	3	Vertical	359	2.69	34.71	32.49	6.21	34.81
AV	4.87552G	39.19	54.00	-14.81	3.90	3	Vertical	15	2.69	35.29	32.50	6.21	34.81
AV	7.23516G	48.19	68.20	-20.01	9.44	3	Vertical	352	1.58	38.75	36.57	7.75	34.88
AV	7.31364G	42.96	54.00	-11.04	9.53	3	Vertical	314	1.02	33.43	36.65	7.80	34.92
AV	7.31602G	41.77	54.00	-12.23	9.51	3	Vertical	342	2.97	32.26	36.64	7.80	34.93
AV	11.48876G	44.06	54.00	-9.94	15.86	3	Vertical	57	2.99	28.20	38.88	11.43	34.45
AV	17.23336G	46.51	68.20	-21.69	17.79	3	Vertical	242	1.37	28.72	38.07	13.00	33.28
PK	4.82396G	49.38	74.00	-24.62	3.66	3	Vertical	360	1.53	45.72	32.30	6.18	34.82
PK	4.87402G	54.68	74.00	-19.32	3.90	3	Vertical	359	2.69	50.78	32.50	6.21	34.81
PK	4.87538G	52.32	74.00	-21.68	3.90	3	Vertical	15	2.69	48.42	32.50	6.21	34.81
PK	7.2359G	55.82	68.20	-12.38	9.44	3	Vertical	352	1.58	46.38	36.57	7.75	34.88
PK	7.31586G	56.86	74.00	-17.14	9.51	3	Vertical	314	1.02	47.35	36.64	7.80	34.93
PK	7.31856G	56.84	74.00	-17.16	9.50	3	Vertical	342	2.97	47.34	36.63	7.80	34.93
PK	11.49144G	57.61	74.00	-16.39	15.86	3	Vertical	57	2.99	41.75	38.88	11.43	34.45
PK	17.235G	60.96	68.20	-7.24	17.79	3	Vertical	242	1.37	43.17	38.07	13.00	33.28

Radiated Emissions above 1GHz\_Mode 5



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82396G	44.09	54.00	-9.91	3.66	3	Horizontal	349	1.32	40.43	32.30	6.18	34.82
AV	4.87568G	40.20	54.00	-13.80	3.90	3	Horizontal	353	1.50	36.30	32.50	6.21	34.81
AV	4.87596G	40.49	54.00	-13.51	3.90	3	Horizontal	347	1.90	36.59	32.50	6.21	34.81
AV	7.23678G	47.58	68.20	-20.62	9.44	3	Horizontal	331	1.60	38.14	36.57	7.75	34.88
AV	7.30978G	45.57	54.00	-8.43	9.54	3	Horizontal	45	2.04	36.03	36.66	7.80	34.92
AV	7.31702G	45.10	54.00	-8.90	9.50	3	Horizontal	41	2.08	35.60	36.63	7.80	34.93
AV	11.4916G	45.09	54.00	-8.91	15.86	3	Horizontal	92	1.95	29.23	38.88	11.43	34.45
AV	17.23488G	46.57	68.20	-21.63	17.79	3	Horizontal	342	1.50	28.78	38.07	13.00	33.28
PK	4.82394G	49.64	74.00	-24.36	3.66	3	Horizontal	349	1.32	45.98	32.30	6.18	34.82
PK	4.8739G	54.43	74.00	-19.57	3.90	3	Horizontal	353	1.50	50.53	32.50	6.21	34.81
PK	4.88286G	52.71	74.00	-21.29	3.94	3	Horizontal	347	1.90	48.77	32.53	6.22	34.81
PK	7.2352G	55.87	68.20	-12.33	9.44	3	Horizontal	331	1.60	46.43	36.57	7.75	34.88
PK	7.31514G	61.32	74.00	-12.68	9.51	3	Horizontal	45	2.04	51.81	36.64	7.80	34.93
PK	7.31836G	59.50	74.00	-14.50	9.50	3	Horizontal	41	2.08	50.00	36.63	7.80	34.93
PK	11.48606G	58.37	74.00	-15.63	15.85	3	Horizontal	92	1.95	42.52	38.87	11.43	34.45
PK	17.23492G	59.89	68.20	-8.31	17.79	3	Horizontal	342	1.50	42.10	38.07	13.00	33.28


Radiated Emissions above 1GHz\_Mode 6



27/10/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87444G	32.44	54.00	-21.56	3.90	3	Vertical	23	2.69	28.54	32.50	6.21	34.81
AV	4.87919G	32.46	54.00	-21.54	3.93	3	Vertical	181	1.92	28.53	32.52	6.22	34.81
AV	7.31201G	43.11	54.00	-10.89	9.53	3	Vertical	353	2.21	33.58	36.65	7.80	34.92
AV	7.31768G	41.85	54.00	-12.15	9.50	3	Vertical	360	2.96	32.35	36.63	7.80	34.93
AV	11.48799G	43.63	54.00	-10.37	15.86	3	Vertical	148	2.59	27.77	38.88	11.43	34.45
AV	11.64977G	43.28	54.00	-10.72	15.27	3	Vertical	131	2.89	28.01	38.30	11.49	34.52
AV	17.2354G	46.41	68.20	-21.79	17.79	3	Vertical	291	2.71	28.62	38.07	13.00	33.28
AV	17.47659G	47.65	68.20	-20.55	18.02	3	Vertical	300	1.90	29.63	38.30	13.11	33.39
PK	4.8723G	45.62	74.00	-28.38	3.89	3	Vertical	23	2.69	41.73	32.49	6.21	34.81
PK	4.87867G	45.67	74.00	-28.33	3.92	3	Vertical	181	1.92	41.75	32.51	6.22	34.81
PK	7.31211G	56.58	74.00	-17.42	9.53	3	Vertical	353	2.21	47.05	36.65	7.80	34.92
PK	7.31753G	56.60	74.00	-17.40	9.50	3	Vertical	360	2.96	47.10	36.63	7.80	34.93
PK	11.48927G	57.23	74.00	-16.77	15.86	3	Vertical	148	2.59	41.37	38.88	11.43	34.45
PK	11.64869G	56.88	74.00	-17.12	15.27	3	Vertical	131	2.89	41.61	38.30	11.49	34.52
PK	17.23339G	59.50	68.20	-8.70	17.79	3	Vertical	291	2.71	41.71	38.07	13.00	33.28
PK	17.47668G	60.62	68.20	-7.58	18.02	3	Vertical	300	1.90	42.60	38.30	13.11	33.39

Radiated Emissions above 1GHz\_Mode 6



27/10/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87556G	33.70	54.00	-20.30	3.90	3	Horizontal	294	2.92	29.80	32.50	6.21	34.81
AV	4.87918G	34.17	54.00	-19.83	3.93	3	Horizontal	320	1.72	30.24	32.52	6.22	34.81
AV	7.31322G	46.11	54.00	-7.89	9.53	3	Horizontal	53	1.98	36.58	36.65	7.80	34.92
AV	7.3189G	45.35	54.00	-8.65	9.49	3	Horizontal	55	1.89	35.86	36.62	7.80	34.93
AV	11.48978G	43.54	54.00	-10.46	15.86	3	Horizontal	22	2.31	27.68	38.88	11.43	34.45
AV	11.65055G	43.42	54.00	-10.58	15.27	3	Horizontal	3	1.71	28.15	38.30	11.49	34.52
AV	17.23377G	46.43	68.20	-21.77	17.79	3	Horizontal	245	2.05	28.64	38.07	13.00	33.28
AV	17.47679G	47.46	68.20	-20.74	18.02	3	Horizontal	270	2.34	29.44	38.30	13.11	33.39
PK	4.87517G	47.63	74.00	-26.37	3.90	3	Horizontal	294	2.92	43.73	32.50	6.21	34.81
PK	4.8785G	48.22	74.00	-25.78	3.91	3	Horizontal	320	1.72	44.31	32.51	6.21	34.81
PK	7.31156G	60.66	74.00	-13.34	9.53	3	Horizontal	53	1.98	51.13	36.65	7.80	34.92
PK	7.31821G	60.92	74.00	-13.08	9.50	3	Horizontal	55	1.89	51.42	36.63	7.80	34.93
PK	11.49154G	57.50	74.00	-16.50	15.86	3	Horizontal	22	2.31	41.64	38.88	11.43	34.45
PK	11.65169G	56.24	74.00	-17.76	15.28	3	Horizontal	3	1.71	40.96	38.31	11.49	34.52
PK	17.23283G	59.35	68.20	-8.85	17.79	3	Horizontal	245	2.05	41.56	38.07	13.00	33.28
PK	17.47452G	61.20	68.20	-7.00	18.02	3	Horizontal	270	2.34	43.18	38.30	13.11	33.39