



Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	6.71	12.23
802.11ax HEW20_Nss1,(MCS0)_2TX	6.25	11.77
802.11ax HEW40_Nss1,(MCS0)_2TX	3.95	9.47
802.11ax HEW80_Nss1,(MCS0)_2TX	-1.87	3.65
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	10.51	16.03
802.11ax HEW20_Nss1,(MCS0)_2TX	10.15	15.67
802.11ax HEW40_Nss1,(MCS0)_2TX	7.10	12.62
802.11ax HEW80_Nss1,(MCS0)_2TX	-1.97	3.55
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	10.20	15.72
802.11ax HEW20_Nss1,(MCS0)_2TX	9.71	15.23
802.11ax HEW40_Nss1,(MCS0)_2TX	7.26	12.78
802.11ax HEW80_Nss1,(MCS0)_2TX	4.07	9.59
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_2TX	10.27	15.79
802.11ax HEW20_Nss1,(MCS0)_2TX	9.83	15.35
802.11ax HEW40_Nss1,(MCS0)_2TX	5.99	11.51
802.11ax HEW80_Nss1,(MCS0)_2TX	2.60	8.12


RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;







Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	Port 2 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	5.52	3.94	3.55	6.66	17.00	12.18	23.00
5200MHz	Pass	5.52	3.97	3.51	6.64	17.00	12.16	23.00
5240MHz	Pass	5.52	4.06	3.76	6.71	17.00	12.23	23.00
5260MHz	Pass	5.52	7.98	7.21	10.51	11.00	16.03	17.00
5300MHz	Pass	5.52	7.73	6.69	10.14	11.00	15.66	17.00
5320MHz	Pass	5.52	7.65	6.77	10.11	11.00	15.63	17.00
5500MHz	Pass	5.52	5.34	5.09	8.08	11.00	13.60	17.00
5580MHz	Pass	5.52	6.32	5.95	9.10	11.00	14.62	17.00
5700MHz	Pass	5.52	4.88	5.10	7.97	11.00	13.49	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.52	7.28	7.40	10.20	11.00	15.72	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.52	5.54	5.53	8.52	30.00	14.04	36.00
5745MHz	Pass	5.52	7.57	7.06	10.27	30.00	15.79	36.00
5785MHz	Pass	5.52	7.09	6.33	9.61	30.00	15.13	36.00
5825MHz	Pass	5.52	5.97	5.66	8.69	30.00	14.21	36.00
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5180MHz	Pass	5.52	3.45	3.05	6.25	17.00	11.77	23.00
5200MHz	Pass	5.52	3.25	2.91	6.03	17.00	11.55	23.00
5240MHz	Pass	5.52	3.45	2.97	6.21	17.00	11.73	23.00
5260MHz	Pass	5.52	7.59	6.70	10.15	11.00	15.67	17.00
5300MHz	Pass	5.52	7.26	6.42	9.85	11.00	15.37	17.00
5320MHz	Pass	5.52	6.13	5.28	8.73	11.00	14.25	17.00
5500MHz	Pass	5.52	4.77	4.45	7.61	11.00	13.13	17.00
5580MHz	Pass	5.52	5.85	5.34	8.60	11.00	14.12	17.00
5700MHz	Pass	5.52	2.18	2.50	5.35	11.00	10.87	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	5.52	6.81	6.65	9.71	11.00	15.23	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	5.52	5.18	4.86	8.03	30.00	13.55	36.00
5745MHz	Pass	5.52	7.15	6.58	9.83	30.00	15.35	36.00
5785MHz	Pass	5.52	6.56	5.79	9.18	30.00	14.70	36.00
5825MHz	Pass	5.52	5.41	5.11	8.26	30.00	13.78	36.00
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5190MHz	Pass	5.52	-1.28	-2.20	1.26	17.00	6.78	23.00
5230MHz	Pass	5.52	1.26	0.63	3.95	17.00	9.47	23.00
5270MHz	Pass	5.52	4.08	4.12	7.10	11.00	12.62	17.00
5310MHz	Pass	5.52	-2.19	-2.14	0.85	11.00	6.37	17.00
5510MHz	Pass	5.52	-0.94	-1.50	1.79	11.00	7.31	17.00
5550MHz	Pass	5.52	3.68	2.89	6.31	11.00	11.83	17.00
5670MHz	Pass	5.52	3.38	3.12	6.25	11.00	11.77	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	5.52	4.48	4.14	7.26	11.00	12.78	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	5.52	2.61	2.02	5.28	30.00	10.80	36.00
5755MHz	Pass	5.52	3.17	2.85	5.99	30.00	11.51	36.00
5795MHz	Pass	5.52	2.84	2.36	5.61	30.00	11.13	36.00
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-
5210MHz	Pass	5.52	-4.88	-4.83	-1.87	17.00	3.65	23.00
5290MHz	Pass	5.52	-4.61	-5.30	-1.97	11.00	3.55	17.00
5530MHz	Pass	5.52	-3.58	-3.80	-0.68	11.00	4.84	17.00
5610MHz	Pass	5.52	1.17	1.08	4.06	11.00	9.58	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	5.52	0.99	1.18	4.07	11.00	9.59	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	5.52	-1.30	-2.02	1.25	30.00	6.77	36.00
5775MHz	Pass	5.52	-0.31	-0.52	2.60	30.00	8.12	36.00



DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;














































































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	6.4	10.66
802.11ax HEW20_Nss1,(MCS0)_1TX	5.74	10.00
802.11ax HEW40_Nss1,(MCS0)_1TX	2.4	6.66
802.11ax HEW80_Nss1,(MCS0)_1TX	-4.69	-0.43
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	6.36	10.62
802.11ax HEW20_Nss1,(MCS0)_1TX	5.61	9.87
802.11ax HEW40_Nss1,(MCS0)_1TX	2.21	6.47
802.11ax HEW80_Nss1,(MCS0)_1TX	-6.4	-2.14
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	7.28	11.54
802.11ax HEW20_Nss1,(MCS0)_1TX	6.48	10.74
802.11ax HEW40_Nss1,(MCS0)_1TX	3.9	8.16
802.11ax HEW80_Nss1,(MCS0)_1TX	1.29	5.55
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	6.01	10.27
802.11ax HEW20_Nss1,(MCS0)_1TX	5.49	9.75
802.11ax HEW40_Nss1,(MCS0)_1TX	2.68	6.94
802.11ax HEW80_Nss1,(MCS0)_1TX	-0.39	3.87



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:






Result


Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	4.26	4.49	4.49	17.00	8.75	23.00
5200MHz	Pass	4.26	6.32	6.32	17.00	10.58	23.00
5240MHz	Pass	4.26	6.4	6.40	17.00	10.66	23.00
5260MHz	Pass	4.26	6.36	6.36	11.00	10.62	17.00
5300MHz	Pass	4.26	6.12	6.12	11.00	10.38	17.00
5320MHz	Pass	4.26	4.02	4.02	11.00	8.28	17.00
5500MHz	Pass	4.26	3.87	3.87	11.00	8.13	17.00
5580MHz	Pass	4.26	6.93	6.93	11.00	11.19	17.00
5700MHz	Pass	4.26	3.11	3.11	11.00	7.37	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.26	7.28	7.28	11.00	11.54	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.26	5.53	5.53	30.00	9.79	36.00
5745MHz	Pass	4.26	5.91	5.91	30.00	10.17	36.00
5785MHz	Pass	4.26	5.97	5.97	30.00	10.23	36.00
5825MHz	Pass	4.26	6.01	6.01	30.00	10.27	36.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	4.26	2.82	2.82	17.00	7.08	23.00
5200MHz	Pass	4.26	5.62	5.62	17.00	9.88	23.00
5240MHz	Pass	4.26	5.74	5.74	17.00	10.00	23.00
5260MHz	Pass	4.26	5.61	5.61	11.00	9.87	17.00
5300MHz	Pass	4.26	5.49	5.49	11.00	9.75	17.00
5320MHz	Pass	4.26	2.41	2.41	11.00	6.67	17.00
5500MHz	Pass	4.26	1.92	1.92	11.00	6.18	17.00
5580MHz	Pass	4.26	6.4	6.40	11.00	10.66	17.00
5700MHz	Pass	4.26	0.62	0.62	11.00	4.88	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.26	6.48	6.48	11.00	10.74	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.26	4.83	4.83	30.00	9.09	36.00
5745MHz	Pass	4.26	5.37	5.37	30.00	9.63	36.00
5785MHz	Pass	4.26	5.43	5.43	30.00	9.69	36.00
5825MHz	Pass	4.26	5.49	5.49	30.00	9.75	36.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz	Pass	4.26	-2.16	-2.16	17.00	2.10	23.00
5230MHz	Pass	4.26	2.4	2.40	17.00	6.66	23.00
5270MHz	Pass	4.26	2.21	2.21	11.00	6.47	17.00
5310MHz	Pass	4.26	-2.87	-2.87	11.00	1.39	17.00
5510MHz	Pass	4.26	-2.73	-2.73	11.00	1.53	17.00
5550MHz	Pass	4.26	3.28	3.28	11.00	7.54	17.00
5670MHz	Pass	4.26	2.53	2.53	11.00	6.79	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.26	3.9	3.90	11.00	8.16	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.26	1.93	1.93	30.00	6.19	36.00
5755MHz	Pass	4.26	2.68	2.68	30.00	6.94	36.00
5795MHz	Pass	4.26	2.66	2.66	30.00	6.92	36.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5210MHz	Pass	4.26	-4.69	-4.69	17.00	-0.43	23.00
5290MHz	Pass	4.26	-6.4	-6.40	11.00	-2.14	17.00
5530MHz	Pass	4.26	-5.9	-5.90	11.00	-1.64	17.00
5610MHz	Pass	4.26	0.4	0.40	11.00	4.66	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.26	1.29	1.29	11.00	5.55	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.26	-1.23	-1.23	30.00	3.03	36.00
5775MHz	Pass	4.26	-0.39	-0.39	30.00	3.87	36.00

DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;




















































































Summary

Mode	PD (dBm/RBW)	EIRP PD (dBm/RBW)
5.15-5.25GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	5.24	9.50
802.11ax HEW20_Nss1,(MCS0)_1TX	4.56	8.82
802.11ax HEW40_Nss1,(MCS0)_1TX	1.27	5.53
802.11ax HEW80_Nss1,(MCS0)_1TX	-4.69	-0.43
5.25-5.35GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	6.36	10.62
802.11ax HEW20_Nss1,(MCS0)_1TX	5.61	9.87
802.11ax HEW40_Nss1,(MCS0)_1TX	2.21	6.47
802.11ax HEW80_Nss1,(MCS0)_1TX	-6.4	-2.14
5.47-5.725GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	7.28	11.54
802.11ax HEW20_Nss1,(MCS0)_1TX	6.48	10.74
802.11ax HEW40_Nss1,(MCS0)_1TX	3.9	8.16
802.11ax HEW80_Nss1,(MCS0)_1TX	1.29	5.55
5.725-5.85GHz	-	-
802.11a_Nss1,(6Mbps)_1TX	6.01	10.27
802.11ax HEW20_Nss1,(MCS0)_1TX	5.49	9.75
802.11ax HEW40_Nss1,(MCS0)_1TX	2.68	6.94
802.11ax HEW80_Nss1,(MCS0)_1TX	-0.39	3.87



RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band:






Result

Mode	Result	DG (dBi)	Port 1 (dBm/RBW)	PD (dBm/RBW)	PD Limit (dBm/RBW)	EIRP PD (dBm/RBW)	EIRP PD Limit (dBm/RBW)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	4.26	4.49	4.49	17.00	8.75	23.00
5200MHz	Pass	4.26	4.69	4.69	17.00	8.95	23.00
5240MHz	Pass	4.26	5.24	5.24	17.00	9.50	23.00
5260MHz	Pass	4.26	6.36	6.36	11.00	10.62	17.00
5300MHz	Pass	4.26	6.12	6.12	11.00	10.38	17.00
5320MHz	Pass	4.26	4.02	4.02	11.00	8.28	17.00
5500MHz	Pass	4.26	3.87	3.87	11.00	8.13	17.00
5580MHz	Pass	4.26	6.93	6.93	11.00	11.19	17.00
5700MHz	Pass	4.26	3.11	3.11	11.00	7.37	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.26	7.28	7.28	11.00	11.54	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.26	5.53	5.53	30.00	9.79	36.00
5745MHz	Pass	4.26	5.91	5.91	30.00	10.17	36.00
5785MHz	Pass	4.26	5.97	5.97	30.00	10.23	36.00
5825MHz	Pass	4.26	6.01	6.01	30.00	10.27	36.00
802.11ax HEW20_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5180MHz	Pass	4.26	2.82	2.82	17.00	7.08	23.00
5200MHz	Pass	4.26	3.94	3.94	17.00	8.20	23.00
5240MHz	Pass	4.26	4.56	4.56	17.00	8.82	23.00
5260MHz	Pass	4.26	5.61	5.61	11.00	9.87	17.00
5300MHz	Pass	4.26	5.49	5.49	11.00	9.75	17.00
5320MHz	Pass	4.26	2.41	2.41	11.00	6.67	17.00
5500MHz	Pass	4.26	1.92	1.92	11.00	6.18	17.00
5580MHz	Pass	4.26	6.4	6.40	11.00	10.66	17.00
5700MHz	Pass	4.26	0.62	0.62	11.00	4.88	17.00
5720MHz Straddle 5.47-5.725GHz	Pass	4.26	6.48	6.48	11.00	10.74	17.00
5720MHz Straddle 5.725-5.85GHz	Pass	4.26	4.83	4.83	30.00	9.09	36.00
5745MHz	Pass	4.26	5.37	5.37	30.00	9.63	36.00
5785MHz	Pass	4.26	5.43	5.43	30.00	9.69	36.00
5825MHz	Pass	4.26	5.49	5.49	30.00	9.75	36.00
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5190MHz	Pass	4.26	-2.16	-2.16	17.00	2.10	23.00
5230MHz	Pass	4.26	1.27	1.27	17.00	5.53	23.00
5270MHz	Pass	4.26	2.21	2.21	11.00	6.47	17.00
5310MHz	Pass	4.26	-2.87	-2.87	11.00	1.39	17.00
5510MHz	Pass	4.26	-2.73	-2.73	11.00	1.53	17.00
5550MHz	Pass	4.26	3.28	3.28	11.00	7.54	17.00
5670MHz	Pass	4.26	2.53	2.53	11.00	6.79	17.00
5710MHz Straddle 5.47-5.725GHz	Pass	4.26	3.9	3.90	11.00	8.16	17.00
5710MHz Straddle 5.725-5.85GHz	Pass	4.26	1.93	1.93	30.00	6.19	36.00
5755MHz	Pass	4.26	2.68	2.68	30.00	6.94	36.00
5795MHz	Pass	4.26	2.66	2.66	30.00	6.92	36.00
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-
5210MHz	Pass	4.26	-4.69	-4.69	17.00	-0.43	23.00
5290MHz	Pass	4.26	-6.4	-6.40	11.00	-2.14	17.00
5530MHz	Pass	4.26	-5.9	-5.90	11.00	-1.64	17.00
5610MHz	Pass	4.26	0.4	0.40	11.00	4.66	17.00
5690MHz Straddle 5.47-5.725GHz	Pass	4.26	1.29	1.29	11.00	5.55	17.00
5690MHz Straddle 5.725-5.85GHz	Pass	4.26	-1.23	-1.23	30.00	3.03	36.00
5775MHz	Pass	4.26	-0.39	-0.39	30.00	3.87	36.00


DG = Directional Gain; RBW = 500kHz for 5.725-5.85GHz band / 1MHz for other band;  
 PD = trace bin-by-bin of each transmits port summing can be performed maximum power density; Port X = Port X Power Density;




















































































Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	43.58M	33.50	40.00	-6.50	3	Vertical	0	1.00




Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW80_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	31.94M	33.33	40.00	-6.67	3	Vertical	0	1.00
5775MHz	Pass	PK	43.58M	33.50	40.00	-6.50	3	Vertical	0	1.00
5775MHz	Pass	PK	86.26M	33.50	40.00	-6.50	3	Vertical	0	1.00
5775MHz	Pass	PK	103.72M	35.24	43.50	-8.26	3	Vertical	0	1.00
5775MHz	Pass	PK	200.72M	26.77	43.50	-16.73	3	Vertical	0	1.00
5775MHz	Pass	PK	249.22M	21.30	46.00	-24.70	3	Vertical	0	1.00
5775MHz	Pass	PK	49.4M	28.57	40.00	-11.43	3	Horizontal	360	1.00
5775MHz	Pass	PK	103.72M	29.61	43.50	-13.89	3	Horizontal	360	1.00
5775MHz	Pass	PK	249.22M	23.07	46.00	-22.93	3	Horizontal	360	1.00
5775MHz	Pass	PK	398.6M	19.87	46.00	-26.13	3	Horizontal	360	1.00
5775MHz	Pass	PK	482.02M	22.46	46.00	-23.54	3	Horizontal	360	1.00
5775MHz	Pass	PK	553.8M	23.48	46.00	-22.52	3	Horizontal	360	1.00



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	31.94M	33.33	40.00	-6.67	-19.29	3	Vertical	0	1.00	52.62	24.52	0.42	44.23
PK	43.58M	33.50	40.00	-6.50	-25.63	3	Vertical	0	1.00	59.13	18.26	0.44	44.33
PK	86.26M	33.50	40.00	-6.50	-29.37	3	Vertical	0	1.00	62.87	14.45	0.61	44.43
PK	103.72M	35.24	43.50	-8.26	-26.97	3	Vertical	0	1.00	62.21	16.76	0.67	44.40
PK	200.72M	26.77	43.50	-16.73	-28.08	3	Vertical	0	1.00	54.85	15.23	0.95	44.26
PK	249.22M	21.30	46.00	-24.70	-24.31	3	Vertical	0	1.00	45.61	18.79	1.08	44.18

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	49.4M	28.57	40.00	-11.43	-28.93	3	Horizontal	360	1.00	57.50	14.96	0.47	44.36
PK	103.72M	29.61	43.50	-13.89	-26.97	3	Horizontal	360	1.00	56.58	16.76	0.67	44.40
PK	249.22M	23.07	46.00	-22.93	-24.31	3	Horizontal	360	1.00	47.38	18.79	1.08	44.18
PK	398.6M	19.87	46.00	-26.13	-20.45	3	Horizontal	360	1.00	40.32	22.14	1.34	43.93
PK	482.02M	22.46	46.00	-23.54	-18.40	3	Horizontal	360	1.00	40.86	23.94	1.49	43.83
PK	553.8M	23.48	46.00	-22.52	-15.84	3	Horizontal	360	1.00	39.32	26.31	1.59	43.74



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.15G	53.63	54.00	-0.37	3	Vertical	218	2.80
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.15G	52.85	54.00	-1.15	3	Vertical	214	2.81
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.15G	53.36	54.00	-0.64	3	Vertical	213	2.75
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.148G	53.52	54.00	-0.48	3	Vertical	213	2.90
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	AV	5.35G	53.63	54.00	-0.37	3	Vertical	224	2.77
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	AV	5.3502G	53.80	54.00	-0.20	3	Vertical	215	3.00
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.89	54.00	-0.11	3	Vertical	233	2.96
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	AV	5.35G	53.31	54.00	-0.69	3	Vertical	215	2.98
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.4694G	67.96	68.20	-0.24	3	Vertical	34	2.75
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.4698G	68.08	68.20	-0.12	3	Vertical	32	2.71
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.7276G	67.86	68.20	-0.34	3	Vertical	49	2.59
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.462G	67.87	68.20	-0.33	3	Vertical	49	2.32
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_2TX	Pass	PK	5.6454G	59.16	68.20	-9.04	3	Vertical	195	2.50
802.11ax HEW20_Nss1,(MCS0)_2TX	Pass	PK	5.649G	61.69	68.20	-6.51	3	Vertical	221	2.79
802.11ax HEW40_Nss1,(MCS0)_2TX	Pass	PK	5.6422G	59.28	68.20	-8.92	3	Horizontal	273	2.86
802.11ax HEW80_Nss1,(MCS0)_2TX	Pass	PK	5.6406G	64.27	68.20	-3.93	3	Vertical	197	2.88





Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	53.63	54.00	-0.37	3	Vertical	218	2.80
5180MHz	Pass	AV	5.1752G	107.30	Inf	-Inf	3	Vertical	218	2.80
5180MHz	Pass	PK	5.1474G	73.32	74.00	-0.68	3	Vertical	218	2.80
5180MHz	Pass	PK	5.1754G	116.73	Inf	-Inf	3	Vertical	218	2.80
5180MHz	Pass	AV	5.15G	50.97	54.00	-3.03	3	Horizontal	94	3.00
5180MHz	Pass	AV	5.1752G	102.73	Inf	-Inf	3	Horizontal	94	3.00
5180MHz	Pass	PK	5.1462G	69.43	74.00	-4.57	3	Horizontal	94	3.00
5180MHz	Pass	PK	5.1794G	112.30	Inf	-Inf	3	Horizontal	94	3.00
5180MHz	Pass	AV	15.53882G	39.74	54.00	-14.26	3	Vertical	204	1.49
5180MHz	Pass	PK	10.35626G	50.89	68.20	-17.31	3	Vertical	111	1.50
5180MHz	Pass	PK	15.53726G	52.32	74.00	-21.68	3	Vertical	204	1.49
5180MHz	Pass	AV	15.53574G	39.74	54.00	-14.26	3	Horizontal	144	1.50
5180MHz	Pass	PK	10.36262G	50.69	68.20	-17.51	3	Horizontal	0	2.34
5180MHz	Pass	PK	15.5421G	52.17	74.00	-21.83	3	Horizontal	144	1.50
5200MHz	Pass	AV	5.1052G	47.69	54.00	-6.31	3	Vertical	215	2.90
5200MHz	Pass	AV	5.1952G	106.97	Inf	-Inf	3	Vertical	215	2.90
5200MHz	Pass	PK	5.1444G	64.43	74.00	-9.57	3	Vertical	215	2.90
5200MHz	Pass	PK	5.2052G	116.76	Inf	-Inf	3	Vertical	215	2.90
5200MHz	Pass	AV	5.1064G	44.56	54.00	-9.44	3	Horizontal	86	3.00
5200MHz	Pass	AV	5.2016G	101.95	Inf	-Inf	3	Horizontal	86	3.00
5200MHz	Pass	PK	5.1404G	60.57	74.00	-13.43	3	Horizontal	86	3.00
5200MHz	Pass	PK	5.2064G	111.78	Inf	-Inf	3	Horizontal	86	3.00
5200MHz	Pass	AV	15.5956G	39.64	54.00	-14.36	3	Vertical	125	1.69
5200MHz	Pass	PK	10.40162G	50.72	68.20	-17.48	3	Vertical	159	1.50
5200MHz	Pass	PK	15.60364G	51.85	74.00	-22.15	3	Vertical	125	1.69
5200MHz	Pass	AV	15.60076G	39.38	54.00	-14.62	3	Horizontal	46	1.50
5200MHz	Pass	PK	10.40178G	50.43	68.20	-17.77	3	Horizontal	211	1.50
5200MHz	Pass	PK	15.60128G	52.15	74.00	-21.85	3	Horizontal	46	1.50
5240MHz	Pass	AV	5.1458G	49.15	54.00	-4.85	3	Vertical	235	3.00
5240MHz	Pass	AV	5.2352G	106.87	Inf	-Inf	3	Vertical	235	3.00
5240MHz	Pass	AV	5.375G	45.80	54.00	-8.20	3	Vertical	235	3.00
5240MHz	Pass	PK	5.1464G	60.79	74.00	-13.21	3	Vertical	235	3.00
5240MHz	Pass	PK	5.2448G	116.82	Inf	-Inf	3	Vertical	235	3.00
5240MHz	Pass	PK	5.3744G	58.91	74.00	-15.09	3	Vertical	235	3.00
5240MHz	Pass	AV	5.1416G	45.08	54.00	-8.92	3	Horizontal	87	2.82
5240MHz	Pass	AV	5.2418G	102.26	Inf	-Inf	3	Horizontal	87	2.82
5240MHz	Pass	AV	5.3534G	43.40	54.00	-10.60	3	Horizontal	87	2.82
5240MHz	Pass	PK	5.1416G	56.79	74.00	-17.21	3	Horizontal	87	2.82
5240MHz	Pass	PK	5.2466G	111.87	Inf	-Inf	3	Horizontal	87	2.82
5240MHz	Pass	PK	5.357G	55.53	74.00	-18.47	3	Horizontal	87	2.82
5240MHz	Pass	AV	15.71646G	39.51	54.00	-14.49	3	Vertical	28	2.77
5240MHz	Pass	PK	10.47806G	50.38	68.20	-17.82	3	Vertical	97	2.00
5240MHz	Pass	PK	15.71608G	51.79	74.00	-22.21	3	Vertical	28	2.77
5240MHz	Pass	AV	15.71568G	39.39	54.00	-14.61	3	Horizontal	103	1.50
5240MHz	Pass	PK	10.47584G	50.27	68.20	-17.93	3	Horizontal	19	2.75
5240MHz	Pass	PK	15.71958G	52.82	74.00	-21.18	3	Horizontal	103	1.50
5260MHz	Pass	AV	5.1484G	44.64	54.00	-9.36	3	Vertical	235	3.00
5260MHz	Pass	AV	5.2552G	107.57	Inf	-Inf	3	Vertical	235	3.00
5260MHz	Pass	AV	5.3596G	51.02	54.00	-2.98	3	Vertical	235	3.00
5260MHz	Pass	PK	5.1436G	58.38	74.00	-15.62	3	Vertical	235	3.00
5260MHz	Pass	PK	5.2654G	117.13	Inf	-Inf	3	Vertical	235	3.00
5260MHz	Pass	PK	5.3644G	62.71	74.00	-11.29	3	Vertical	235	3.00
5260MHz	Pass	AV	5.1484G	41.90	54.00	-12.10	3	Horizontal	85	2.79
5260MHz	Pass	AV	5.2624G	103.13	Inf	-Inf	3	Horizontal	85	2.79
5260MHz	Pass	AV	5.362G	47.81	54.00	-6.19	3	Horizontal	85	2.79
5260MHz	Pass	PK	5.1202G	55.41	74.00	-18.59	3	Horizontal	85	2.79
5260MHz	Pass	PK	5.257G	112.37	Inf	-Inf	3	Horizontal	85	2.79
5260MHz	Pass	PK	5.3614G	59.08	74.00	-14.92	3	Horizontal	85	2.79
5260MHz	Pass	AV	15.7764G	39.17	54.00	-14.83	3	Vertical	299	1.57
5260MHz	Pass	PK	10.52048G	51.07	68.20	-17.13	3	Vertical	171	2.69



RSE TX above 1GHz\_Radio 0

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	15.78164G	52.45	74.00	-21.55	3	Vertical	299	1.57
5260MHz	Pass	AV	15.77616G	39.17	54.00	-14.83	3	Horizontal	100	2.78
5260MHz	Pass	PK	10.52138G	50.16	68.20	-18.04	3	Horizontal	310	2.64
5260MHz	Pass	PK	15.77932G	52.17	74.00	-21.83	3	Horizontal	100	2.78
5300MHz	Pass	AV	5.3024G	106.73	Inf	-Inf	3	Vertical	32	2.95
5300MHz	Pass	AV	5.3928G	50.64	54.00	-3.36	3	Vertical	32	2.95
5300MHz	Pass	PK	5.3028G	115.94	Inf	-Inf	3	Vertical	32	2.95
5300MHz	Pass	PK	5.3976G	61.63	74.00	-12.37	3	Vertical	32	2.95
5300MHz	Pass	AV	5.2956G	103.47	Inf	-Inf	3	Horizontal	91	3.00
5300MHz	Pass	AV	5.3956G	48.65	54.00	-5.35	3	Horizontal	91	3.00
5300MHz	Pass	PK	5.3052G	113.26	Inf	-Inf	3	Horizontal	91	3.00
5300MHz	Pass	PK	5.3956G	59.33	74.00	-14.67	3	Horizontal	91	3.00
5300MHz	Pass	AV	10.60022G	38.02	54.00	-15.98	3	Vertical	87	1.20
5300MHz	Pass	AV	15.8953G	39.53	54.00	-14.47	3	Vertical	132	1.38
5300MHz	Pass	PK	10.60486G	50.53	74.00	-23.47	3	Vertical	87	1.20
5300MHz	Pass	PK	15.90336G	52.19	74.00	-21.81	3	Vertical	132	1.38
5300MHz	Pass	AV	10.60308G	38.00	54.00	-16.00	3	Horizontal	161	1.69
5300MHz	Pass	AV	15.8957G	39.70	54.00	-14.30	3	Horizontal	0	1.86
5300MHz	Pass	PK	10.60164G	50.57	74.00	-23.43	3	Horizontal	161	1.69
5300MHz	Pass	PK	15.90244G	52.79	74.00	-21.21	3	Horizontal	0	1.86
5320MHz	Pass	AV	5.3242G	107.41	Inf	-Inf	3	Vertical	224	2.77
5320MHz	Pass	AV	5.35G	53.63	54.00	-0.37	3	Vertical	224	2.77
5320MHz	Pass	PK	5.3238G	116.10	Inf	-Inf	3	Vertical	224	2.77
5320MHz	Pass	PK	5.35G	71.16	74.00	-2.84	3	Vertical	224	2.77
5320MHz	Pass	AV	5.3258G	104.00	Inf	-Inf	3	Horizontal	91	2.91
5320MHz	Pass	AV	5.3502G	50.93	54.00	-3.07	3	Horizontal	91	2.91
5320MHz	Pass	PK	5.3252G	113.70	Inf	-Inf	3	Horizontal	91	2.91
5320MHz	Pass	PK	5.356G	67.52	74.00	-6.48	3	Horizontal	91	2.91
5320MHz	Pass	AV	10.6351G	37.88	54.00	-16.12	3	Vertical	283	1.89
5320MHz	Pass	AV	15.95668G	39.53	54.00	-14.47	3	Vertical	151	1.50
5320MHz	Pass	PK	10.63574G	50.80	74.00	-23.20	3	Vertical	283	1.89
5320MHz	Pass	PK	15.95688G	52.26	74.00	-21.74	3	Vertical	151	1.50
5320MHz	Pass	AV	10.64278G	37.81	54.00	-16.19	3	Horizontal	174	2.29
5320MHz	Pass	AV	15.96466G	39.59	54.00	-14.41	3	Horizontal	334	2.62
5320MHz	Pass	PK	10.64498G	50.10	74.00	-23.90	3	Horizontal	174	2.29
5320MHz	Pass	PK	15.95946G	52.30	74.00	-21.70	3	Horizontal	334	2.62
5500MHz	Pass	AV	5.4594G	45.67	54.00	-8.33	3	Vertical	34	2.75
5500MHz	Pass	AV	5.504G	104.84	Inf	-Inf	3	Vertical	34	2.75
5500MHz	Pass	PK	5.4592G	60.80	74.00	-13.20	3	Vertical	34	2.75
5500MHz	Pass	PK	5.4694G	67.96	68.20	-0.24	3	Vertical	34	2.75
5500MHz	Pass	PK	5.4938G	113.90	Inf	-Inf	3	Vertical	34	2.75
5500MHz	Pass	AV	5.4596G	42.93	54.00	-11.07	3	Horizontal	95	2.75
5500MHz	Pass	AV	5.4952G	99.22	Inf	-Inf	3	Horizontal	95	2.75
5500MHz	Pass	PK	5.4596G	58.88	74.00	-15.12	3	Horizontal	95	2.75
5500MHz	Pass	PK	5.4696G	66.16	68.20	-2.04	3	Horizontal	95	2.75
5500MHz	Pass	PK	5.505G	108.41	Inf	-Inf	3	Horizontal	95	2.75
5500MHz	Pass	AV	11.00144G	37.38	54.00	-16.62	3	Vertical	97	1.60
5500MHz	Pass	PK	11.00276G	50.93	74.00	-23.07	3	Vertical	97	1.60
5500MHz	Pass	PK	16.49946G	52.19	68.20	-16.01	3	Vertical	171	3.00
5500MHz	Pass	AV	10.99604G	37.42	54.00	-16.58	3	Horizontal	267	2.02
5500MHz	Pass	PK	10.99028G	49.98	74.00	-24.02	3	Horizontal	267	2.02
5500MHz	Pass	PK	16.50456G	50.94	68.20	-17.26	3	Horizontal	290	2.16
5580MHz	Pass	AV	5.4594G	42.48	54.00	-11.52	3	Vertical	49	2.38
5580MHz	Pass	AV	5.5842G	103.89	Inf	-Inf	3	Vertical	49	2.38
5580MHz	Pass	PK	5.4558G	54.92	74.00	-19.08	3	Vertical	49	2.38
5580MHz	Pass	PK	5.4666G	55.04	68.20	-13.16	3	Vertical	49	2.38
5580MHz	Pass	PK	5.5842G	112.51	Inf	-Inf	3	Vertical	49	2.38
5580MHz	Pass	PK	5.727G	56.82	68.20	-11.38	3	Vertical	49	2.38
5580MHz	Pass	AV	5.4576G	41.28	54.00	-12.72	3	Horizontal	277	3.00
5580MHz	Pass	AV	5.5824G	102.20	Inf	-Inf	3	Horizontal	277	3.00
5580MHz	Pass	PK	5.4558G	54.17	74.00	-19.83	3	Horizontal	277	3.00
5580MHz	Pass	PK	5.4678G	54.62	68.20	-13.58	3	Horizontal	277	3.00



RSE TX above 1GHz\_Radio 0

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	PK	5.5776G	111.45	Inf	-Inf	3	Horizontal	277	3.00
5580MHz	Pass	PK	5.7294G	55.39	68.20	-12.81	3	Horizontal	277	3.00
5580MHz	Pass	AV	11.14788G	37.30	54.00	-16.70	3	Vertical	24	1.63
5580MHz	Pass	PK	11.14524G	49.27	74.00	-24.73	3	Vertical	24	1.63
5580MHz	Pass	PK	16.731G	51.94	68.20	-16.26	3	Vertical	297	2.46
5580MHz	Pass	AV	11.16516G	37.11	54.00	-16.89	3	Horizontal	143	1.30
5580MHz	Pass	PK	11.16078G	49.09	74.00	-24.91	3	Horizontal	143	1.30
5580MHz	Pass	PK	16.7265G	50.50	68.20	-17.70	3	Horizontal	21	1.70
5700MHz	Pass	AV	5.7044G	102.48	Inf	-Inf	3	Vertical	48	2.71
5700MHz	Pass	PK	5.7044G	111.37	Inf	-Inf	3	Vertical	48	2.71
5700MHz	Pass	PK	5.73G	67.80	68.20	-0.40	3	Vertical	48	2.71
5700MHz	Pass	AV	5.698G	100.35	Inf	-Inf	3	Horizontal	279	3.00
5700MHz	Pass	PK	5.6932G	109.85	Inf	-Inf	3	Horizontal	279	3.00
5700MHz	Pass	PK	5.7252G	65.15	68.20	-3.05	3	Horizontal	279	3.00
5700MHz	Pass	AV	11.39208G	38.49	54.00	-15.51	3	Vertical	153	1.94
5700MHz	Pass	PK	11.40096G	50.17	74.00	-23.83	3	Vertical	153	1.94
5700MHz	Pass	PK	17.11164G	49.87	68.20	-18.33	3	Vertical	44	1.15
5700MHz	Pass	AV	11.40624G	38.50	54.00	-15.50	3	Horizontal	299	2.02
5700MHz	Pass	PK	11.40378G	50.14	74.00	-23.86	3	Horizontal	299	2.02
5700MHz	Pass	PK	17.09142G	50.74	68.20	-17.46	3	Horizontal	300	2.26
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	41.46	54.00	-12.54	3	Vertical	45	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	104.31	Inf	-Inf	3	Vertical	45	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4584G	54.21	74.00	-19.79	3	Vertical	45	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	52.93	68.20	-15.27	3	Vertical	45	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.714G	113.13	Inf	-Inf	3	Vertical	45	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.906G	54.44	68.20	-13.76	3	Vertical	45	2.96
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4512G	40.40	54.00	-13.60	3	Horizontal	12	2.76
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	99.64	Inf	-Inf	3	Horizontal	12	2.76
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4296G	53.25	74.00	-20.75	3	Horizontal	12	2.76
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4656G	52.65	68.20	-15.55	3	Horizontal	12	2.76
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7248G	109.25	Inf	-Inf	3	Horizontal	12	2.76
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9804G	54.67	68.20	-13.53	3	Horizontal	12	2.76
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44216G	38.04	54.00	-15.96	3	Vertical	293	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.42806G	51.27	74.00	-22.73	3	Vertical	293	1.89
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1633G	49.33	68.20	-18.87	3	Vertical	338	1.65
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43958G	38.03	54.00	-15.97	3	Horizontal	108	2.84
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4289G	50.45	74.00	-23.55	3	Horizontal	108	2.84
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16858G	50.39	68.20	-17.81	3	Horizontal	153	1.00
5745MHz	Pass	AV	5.4522G	42.12	54.00	-11.88	3	Vertical	195	2.50
5745MHz	Pass	AV	5.7402G	104.54	Inf	-Inf	3	Vertical	195	2.50
5745MHz	Pass	PK	5.6454G	59.16	68.20	-9.04	3	Vertical	195	2.50
5745MHz	Pass	PK	5.7402G	113.60	Inf	-Inf	3	Vertical	195	2.50
5745MHz	Pass	PK	5.9442G	54.44	68.20	-13.76	3	Vertical	195	2.50
5745MHz	Pass	AV	5.451G	40.61	54.00	-13.39	3	Horizontal	9	3.00
5745MHz	Pass	AV	5.7402G	100.32	Inf	-Inf	3	Horizontal	9	3.00
5745MHz	Pass	PK	5.649G	56.14	68.20	-12.06	3	Horizontal	9	3.00
5745MHz	Pass	PK	5.7498G	109.83	Inf	-Inf	3	Horizontal	9	3.00
5745MHz	Pass	PK	5.9742G	54.99	68.20	-13.21	3	Horizontal	9	3.00
5745MHz	Pass	AV	11.49156G	38.02	54.00	-15.98	3	Vertical	346	2.97
5745MHz	Pass	PK	11.48196G	49.24	74.00	-24.76	3	Vertical	346	2.97
5745MHz	Pass	PK	17.2458G	49.96	68.20	-18.24	3	Vertical	262	1.54
5745MHz	Pass	AV	11.47746G	37.96	54.00	-16.04	3	Horizontal	321	1.19
5745MHz	Pass	PK	11.47962G	49.88	74.00	-24.12	3	Horizontal	321	1.19
5745MHz	Pass	PK	17.2275G	50.88	68.20	-17.32	3	Horizontal	264	2.95
5785MHz	Pass	AV	5.791G	104.55	Inf	-Inf	3	Vertical	195	2.89
5785MHz	Pass	PK	5.6434G	55.90	68.20	-12.30	3	Vertical	195	2.89
5785MHz	Pass	PK	5.7814G	113.75	Inf	-Inf	3	Vertical	195	2.89
5785MHz	Pass	PK	5.9362G	55.07	68.20	-13.13	3	Vertical	195	2.89
5785MHz	Pass	AV	5.7874G	103.58	Inf	-Inf	3	Horizontal	276	2.98
5785MHz	Pass	PK	5.623G	55.81	68.20	-12.39	3	Horizontal	276	2.98
5785MHz	Pass	PK	5.7814G	112.99	Inf	-Inf	3	Horizontal	276	2.98
5785MHz	Pass	PK	6.025G	55.19	68.20	-13.01	3	Horizontal	276	2.98



RSE TX above 1GHz\_Radio 0

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	AV	11.56586G	38.05	54.00	-15.95	3	Vertical	6	2.34
5785MHz	Pass	PK	11.5631G	50.10	74.00	-23.90	3	Vertical	6	2.34
5785MHz	Pass	PK	17.3505G	49.56	68.20	-18.64	3	Vertical	97	2.20
5785MHz	Pass	AV	11.56832G	38.12	54.00	-15.88	3	Horizontal	179	2.27
5785MHz	Pass	PK	11.56484G	50.43	74.00	-23.57	3	Horizontal	179	2.27
5785MHz	Pass	PK	17.36598G	50.09	68.20	-18.11	3	Horizontal	351	2.68
5825MHz	Pass	AV	5.8202G	105.71	Inf	-Inf	3	Vertical	198	2.83
5825MHz	Pass	PK	5.6318G	55.89	68.20	-12.31	3	Vertical	198	2.83
5825MHz	Pass	PK	5.8298G	115.10	Inf	-Inf	3	Vertical	198	2.83
5825MHz	Pass	PK	6.113G	54.37	68.20	-13.83	3	Vertical	198	2.83
5825MHz	Pass	AV	5.8214G	103.26	Inf	-Inf	3	Horizontal	274	2.90
5825MHz	Pass	PK	5.6438G	56.14	68.20	-12.06	3	Horizontal	274	2.90
5825MHz	Pass	PK	5.8262G	112.78	Inf	-Inf	3	Horizontal	274	2.90
5825MHz	Pass	PK	5.9414G	54.59	68.20	-13.61	3	Horizontal	274	2.90
5825MHz	Pass	AV	11.66266G	37.68	54.00	-16.32	3	Vertical	238	1.95
5825MHz	Pass	PK	11.65876G	49.08	74.00	-24.92	3	Vertical	238	1.95
5825MHz	Pass	PK	17.46612G	50.57	68.20	-17.63	3	Vertical	124	1.68
5825MHz	Pass	AV	11.65684G	37.61	54.00	-16.39	3	Horizontal	242	2.40
5825MHz	Pass	PK	11.66344G	48.88	74.00	-25.12	3	Horizontal	242	2.40
5825MHz	Pass	PK	17.4792G	50.37	68.20	-17.83	3	Horizontal	118	1.08
802.11ax HEW20_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	52.85	54.00	-1.15	3	Vertical	214	2.81
5180MHz	Pass	AV	5.1776G	105.28	Inf	-Inf	3	Vertical	214	2.81
5180MHz	Pass	PK	5.15G	70.42	74.00	-3.58	3	Vertical	214	2.81
5180MHz	Pass	PK	5.1772G	116.71	Inf	-Inf	3	Vertical	214	2.81
5180MHz	Pass	AV	5.15G	50.22	54.00	-3.78	3	Horizontal	91	3.00
5180MHz	Pass	AV	5.1778G	100.90	Inf	-Inf	3	Horizontal	91	3.00
5180MHz	Pass	PK	5.148G	67.53	74.00	-6.47	3	Horizontal	91	3.00
5180MHz	Pass	PK	5.1776G	112.48	Inf	-Inf	3	Horizontal	91	3.00
5180MHz	Pass	AV	15.53564G	39.72	54.00	-14.28	3	Vertical	73	1.50
5180MHz	Pass	PK	10.35612G	50.42	68.20	-17.78	3	Vertical	229	2.11
5180MHz	Pass	PK	15.54156G	52.76	74.00	-21.24	3	Vertical	73	1.50
5180MHz	Pass	AV	15.53876G	39.76	54.00	-14.24	3	Horizontal	158	1.50
5180MHz	Pass	PK	10.36214G	50.15	68.20	-18.05	3	Horizontal	172	1.50
5180MHz	Pass	PK	15.54256G	51.67	74.00	-22.33	3	Horizontal	158	1.50
5200MHz	Pass	AV	5.15G	48.52	54.00	-5.48	3	Vertical	216	2.76
5200MHz	Pass	AV	5.1976G	106.01	Inf	-Inf	3	Vertical	216	2.76
5200MHz	Pass	PK	5.15G	64.04	74.00	-9.96	3	Vertical	216	2.76
5200MHz	Pass	PK	5.1972G	117.98	Inf	-Inf	3	Vertical	216	2.76
5200MHz	Pass	AV	5.1484G	45.42	54.00	-8.58	3	Horizontal	90	2.94
5200MHz	Pass	AV	5.2028G	101.20	Inf	-Inf	3	Horizontal	90	2.94
5200MHz	Pass	PK	5.146G	60.89	74.00	-13.11	3	Horizontal	90	2.94
5200MHz	Pass	PK	5.2052G	112.98	Inf	-Inf	3	Horizontal	90	2.94
5200MHz	Pass	AV	15.59866G	39.35	54.00	-14.65	3	Vertical	208	1.50
5200MHz	Pass	PK	10.4003G	50.03	68.20	-18.17	3	Vertical	325	1.71
5200MHz	Pass	PK	15.59586G	51.66	74.00	-22.34	3	Vertical	208	1.50
5200MHz	Pass	AV	15.59592G	39.43	54.00	-14.57	3	Horizontal	133	1.50
5200MHz	Pass	PK	10.40154G	50.03	68.20	-18.17	3	Horizontal	179	2.36
5200MHz	Pass	PK	15.59546G	51.80	74.00	-22.20	3	Horizontal	133	1.50
5240MHz	Pass	AV	5.1428G	48.60	54.00	-5.40	3	Vertical	233	2.96
5240MHz	Pass	AV	5.2448G	105.85	Inf	-Inf	3	Vertical	233	2.96
5240MHz	Pass	AV	5.35G	48.34	54.00	-5.66	3	Vertical	233	2.96
5240MHz	Pass	PK	5.1332G	61.36	74.00	-12.64	3	Vertical	233	2.96
5240MHz	Pass	PK	5.2424G	116.88	Inf	-Inf	3	Vertical	233	2.96
5240MHz	Pass	PK	5.35G	59.61	74.00	-14.39	3	Vertical	233	2.96
5240MHz	Pass	AV	5.1374G	45.54	54.00	-8.46	3	Horizontal	91	3.00
5240MHz	Pass	AV	5.243G	101.58	Inf	-Inf	3	Horizontal	91	3.00
5240MHz	Pass	AV	5.35G	44.60	54.00	-9.40	3	Horizontal	91	3.00
5240MHz	Pass	PK	5.1326G	57.88	74.00	-16.12	3	Horizontal	91	3.00
5240MHz	Pass	PK	5.2454G	113.69	Inf	-Inf	3	Horizontal	91	3.00
5240MHz	Pass	PK	5.3564G	57.17	74.00	-16.83	3	Horizontal	91	3.00
5240MHz	Pass	AV	15.71748G	39.33	54.00	-14.67	3	Vertical	147	2.48



RSE TX above 1GHz\_Radio 0

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	PK	10.47822G	50.46	68.20	-17.74	3	Vertical	202	1.50
5240MHz	Pass	PK	15.72096G	51.88	74.00	-22.12	3	Vertical	147	2.48
5240MHz	Pass	AV	15.72046G	39.36	54.00	-14.64	3	Horizontal	276	1.66
5240MHz	Pass	PK	10.48012G	50.57	68.20	-17.63	3	Horizontal	66	1.50
5240MHz	Pass	PK	15.72412G	52.26	74.00	-21.74	3	Horizontal	276	1.66
5260MHz	Pass	AV	5.15G	46.31	54.00	-7.69	3	Vertical	235	3.00
5260MHz	Pass	AV	5.2546G	106.79	Inf	-Inf	3	Vertical	235	3.00
5260MHz	Pass	AV	5.3626G	50.43	54.00	-3.57	3	Vertical	235	3.00
5260MHz	Pass	PK	5.15G	57.43	74.00	-16.57	3	Vertical	235	3.00
5260MHz	Pass	PK	5.257G	119.22	Inf	-Inf	3	Vertical	235	3.00
5260MHz	Pass	PK	5.3674G	62.45	74.00	-11.55	3	Vertical	235	3.00
5260MHz	Pass	AV	5.15G	43.09	54.00	-10.91	3	Horizontal	3	2.85
5260MHz	Pass	AV	5.2636G	101.30	Inf	-Inf	3	Horizontal	3	2.85
5260MHz	Pass	AV	5.359G	46.44	54.00	-7.56	3	Horizontal	3	2.85
5260MHz	Pass	PK	5.1298G	54.99	74.00	-19.01	3	Horizontal	3	2.85
5260MHz	Pass	PK	5.2612G	113.17	Inf	-Inf	3	Horizontal	3	2.85
5260MHz	Pass	PK	5.3566G	57.80	74.00	-16.20	3	Horizontal	3	2.85
5260MHz	Pass	AV	15.7769G	39.24	54.00	-14.76	3	Vertical	109	1.50
5260MHz	Pass	PK	10.5245G	50.39	68.20	-17.81	3	Vertical	195	2.35
5260MHz	Pass	PK	15.7776G	51.80	74.00	-22.20	3	Vertical	109	1.50
5260MHz	Pass	AV	15.77524G	39.15	54.00	-14.85	3	Horizontal	98	1.50
5260MHz	Pass	PK	10.52358G	50.05	68.20	-18.15	3	Horizontal	23	1.50
5260MHz	Pass	PK	15.78216G	52.31	74.00	-21.69	3	Horizontal	98	1.50
5300MHz	Pass	AV	5.3048G	106.30	Inf	-Inf	3	Vertical	215	2.96
5300MHz	Pass	AV	5.3948G	50.35	54.00	-3.65	3	Vertical	215	2.96
5300MHz	Pass	PK	5.2972G	118.37	Inf	-Inf	3	Vertical	215	2.96
5300MHz	Pass	PK	5.35G	63.39	74.00	-10.61	3	Vertical	215	2.96
5300MHz	Pass	AV	5.3028G	103.19	Inf	-Inf	3	Horizontal	89	2.94
5300MHz	Pass	AV	5.3956G	48.03	54.00	-5.97	3	Horizontal	89	2.94
5300MHz	Pass	PK	5.3052G	114.91	Inf	-Inf	3	Horizontal	89	2.94
5300MHz	Pass	PK	5.35G	61.23	74.00	-12.77	3	Horizontal	89	2.94
5300MHz	Pass	AV	10.60278G	38.07	54.00	-15.93	3	Vertical	102	1.50
5300MHz	Pass	AV	15.90378G	38.93	54.00	-15.07	3	Vertical	227	1.03
5300MHz	Pass	PK	10.60128G	51.25	74.00	-22.75	3	Vertical	102	1.50
5300MHz	Pass	PK	15.91398G	51.12	74.00	-22.88	3	Vertical	227	1.03
5300MHz	Pass	AV	10.60174G	37.91	54.00	-16.09	3	Horizontal	44	1.45
5300MHz	Pass	AV	15.89982G	39.47	54.00	-14.53	3	Horizontal	305	2.00
5300MHz	Pass	PK	10.6006G	49.36	74.00	-24.64	3	Horizontal	44	1.45
5300MHz	Pass	PK	15.9039G	51.71	74.00	-22.29	3	Horizontal	305	2.00
5320MHz	Pass	AV	5.325G	105.34	Inf	-Inf	3	Vertical	215	3.00
5320MHz	Pass	AV	5.3502G	53.80	54.00	-0.20	3	Vertical	215	3.00
5320MHz	Pass	PK	5.317G	117.82	Inf	-Inf	3	Vertical	215	3.00
5320MHz	Pass	PK	5.3502G	72.24	74.00	-1.76	3	Vertical	215	3.00
5320MHz	Pass	AV	5.3228G	102.24	Inf	-Inf	3	Horizontal	91	2.96
5320MHz	Pass	AV	5.3508G	51.20	54.00	-2.80	3	Horizontal	91	2.96
5320MHz	Pass	PK	5.3254G	114.51	Inf	-Inf	3	Horizontal	91	2.96
5320MHz	Pass	PK	5.3508G	69.10	74.00	-4.90	3	Horizontal	91	2.96
5320MHz	Pass	AV	10.65212G	37.97	54.00	-16.03	3	Vertical	360	1.99
5320MHz	Pass	AV	15.97122G	39.70	54.00	-14.30	3	Vertical	167	1.19
5320MHz	Pass	PK	10.64834G	50.00	74.00	-24.00	3	Vertical	360	1.99
5320MHz	Pass	PK	15.95346G	51.69	74.00	-22.31	3	Vertical	167	1.19
5320MHz	Pass	AV	10.6484G	38.00	54.00	-16.00	3	Horizontal	255	2.98
5320MHz	Pass	AV	15.97446G	39.72	54.00	-14.28	3	Horizontal	161	2.00
5320MHz	Pass	PK	10.63568G	49.29	74.00	-24.71	3	Horizontal	255	2.98
5320MHz	Pass	PK	15.97296G	52.17	74.00	-21.83	3	Horizontal	161	2.00
5500MHz	Pass	AV	5.4596G	46.79	54.00	-7.21	3	Vertical	32	2.71
5500MHz	Pass	AV	5.4944G	103.67	Inf	-Inf	3	Vertical	32	2.71
5500MHz	Pass	PK	5.46G	61.09	74.00	-12.91	3	Vertical	32	2.71
5500MHz	Pass	PK	5.4698G	68.08	68.20	-0.12	3	Vertical	32	2.71
5500MHz	Pass	PK	5.497G	117.06	Inf	-Inf	3	Vertical	32	2.71
5500MHz	Pass	AV	5.4598G	43.57	54.00	-10.43	3	Horizontal	94	2.82
5500MHz	Pass	AV	5.4928G	98.69	Inf	-Inf	3	Horizontal	94	2.82



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	PK	5.4534G	57.06	74.00	-16.94	3	Horizontal	94	2.82
5500MHz	Pass	PK	5.468G	64.48	68.20	-3.72	3	Horizontal	94	2.82
5500MHz	Pass	PK	5.493G	110.69	Inf	-Inf	3	Horizontal	94	2.82
5500MHz	Pass	AV	10.99964G	37.82	54.00	-16.18	3	Vertical	121	2.68
5500MHz	Pass	PK	10.99256G	49.84	74.00	-24.16	3	Vertical	121	2.68
5500MHz	Pass	PK	16.48944G	51.28	68.20	-16.92	3	Vertical	286	2.03
5500MHz	Pass	AV	11.0057G	37.74	54.00	-16.26	3	Horizontal	155	1.91
5500MHz	Pass	PK	11.00864G	51.03	74.00	-22.97	3	Horizontal	155	1.91
5500MHz	Pass	PK	16.50606G	52.61	68.20	-15.59	3	Horizontal	266	1.04
5580MHz	Pass	AV	5.4594G	42.09	54.00	-11.91	3	Vertical	50	2.53
5580MHz	Pass	AV	5.5746G	103.05	Inf	-Inf	3	Vertical	50	2.53
5580MHz	Pass	PK	5.4498G	55.23	74.00	-18.77	3	Vertical	50	2.53
5580MHz	Pass	PK	5.4654G	56.40	68.20	-11.80	3	Vertical	50	2.53
5580MHz	Pass	PK	5.577G	116.26	Inf	-Inf	3	Vertical	50	2.53
5580MHz	Pass	PK	5.7258G	56.24	68.20	-11.96	3	Vertical	50	2.53
5580MHz	Pass	AV	5.4582G	41.28	54.00	-12.72	3	Horizontal	278	2.89
5580MHz	Pass	AV	5.5788G	101.18	Inf	-Inf	3	Horizontal	278	2.89
5580MHz	Pass	PK	5.4414G	54.76	74.00	-19.24	3	Horizontal	278	2.89
5580MHz	Pass	PK	5.4624G	53.68	68.20	-14.52	3	Horizontal	278	2.89
5580MHz	Pass	PK	5.5818G	113.26	Inf	-Inf	3	Horizontal	278	2.89
5580MHz	Pass	PK	5.73G	55.02	68.20	-13.18	3	Horizontal	278	2.89
5580MHz	Pass	AV	11.16456G	37.35	54.00	-16.65	3	Vertical	144	2.17
5580MHz	Pass	PK	11.16834G	48.36	74.00	-25.64	3	Vertical	144	2.17
5580MHz	Pass	PK	16.74816G	50.90	68.20	-17.30	3	Vertical	41	1.18
5580MHz	Pass	AV	11.1483G	37.31	54.00	-16.69	3	Horizontal	271	2.77
5580MHz	Pass	PK	11.16006G	48.75	74.00	-25.25	3	Horizontal	271	2.77
5580MHz	Pass	PK	16.75308G	51.56	68.20	-16.64	3	Horizontal	264	1.18
5700MHz	Pass	AV	5.6948G	99.46	Inf	-Inf	3	Vertical	46	2.69
5700MHz	Pass	PK	5.6972G	112.27	Inf	-Inf	3	Vertical	46	2.69
5700MHz	Pass	PK	5.7276G	66.95	68.20	-1.25	3	Vertical	46	2.69
5700MHz	Pass	AV	5.696G	97.91	Inf	-Inf	3	Horizontal	274	3.00
5700MHz	Pass	PK	5.7012G	109.61	Inf	-Inf	3	Horizontal	274	3.00
5700MHz	Pass	PK	5.726G	65.51	68.20	-2.69	3	Horizontal	274	3.00
5700MHz	Pass	AV	11.4027G	38.57	54.00	-15.43	3	Vertical	337	2.90
5700MHz	Pass	PK	11.39124G	49.95	74.00	-24.05	3	Vertical	337	2.90
5700MHz	Pass	PK	17.10096G	50.96	68.20	-17.24	3	Vertical	360	2.27
5700MHz	Pass	AV	11.40726G	38.50	54.00	-15.50	3	Horizontal	58	2.89
5700MHz	Pass	PK	11.39316G	50.35	74.00	-23.65	3	Horizontal	58	2.89
5700MHz	Pass	PK	17.10972G	50.41	68.20	-17.79	3	Horizontal	272	2.22
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4356G	41.44	54.00	-12.56	3	Vertical	45	2.67
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	103.54	Inf	-Inf	3	Vertical	45	2.67
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4452G	54.72	74.00	-19.28	3	Vertical	45	2.67
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	54.47	68.20	-13.73	3	Vertical	45	2.67
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	116.03	Inf	-Inf	3	Vertical	45	2.67
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9792G	54.16	68.20	-14.04	3	Vertical	45	2.67
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	40.79	54.00	-13.21	3	Horizontal	275	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7212G	101.48	Inf	-Inf	3	Horizontal	275	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4284G	53.05	74.00	-20.95	3	Horizontal	275	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.462G	53.77	68.20	-14.43	3	Horizontal	275	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	112.68	Inf	-Inf	3	Horizontal	275	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9624G	55.22	68.20	-12.98	3	Horizontal	275	3.00
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.4418G	38.63	54.00	-15.37	3	Vertical	60	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43736G	50.59	74.00	-23.41	3	Vertical	60	2.68
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.14926G	49.63	68.20	-18.57	3	Vertical	356	1.81
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44408G	38.59	54.00	-15.41	3	Horizontal	327	1.31
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.44942G	49.55	74.00	-24.45	3	Horizontal	327	1.31
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15748G	49.91	68.20	-18.29	3	Horizontal	219	1.37
5745MHz	Pass	AV	5.4546G	42.53	54.00	-11.47	3	Vertical	221	2.79
5745MHz	Pass	AV	5.7486G	104.17	Inf	-Inf	3	Vertical	221	2.79
5745MHz	Pass	PK	5.649G	61.69	68.20	-6.51	3	Vertical	221	2.79
5745MHz	Pass	PK	5.7462G	116.30	Inf	-Inf	3	Vertical	221	2.79
5745MHz	Pass	PK	5.9946G	54.71	68.20	-13.49	3	Vertical	221	2.79



RSE TX above 1GHz\_Radio 0

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	AV	5.4534G	40.56	54.00	-13.44	3	Horizontal	12	2.69
5745MHz	Pass	AV	5.7474G	100.42	Inf	-Inf	3	Horizontal	12	2.69
5745MHz	Pass	PK	5.6478G	55.51	68.20	-12.69	3	Horizontal	12	2.69
5745MHz	Pass	PK	5.7498G	111.94	Inf	-Inf	3	Horizontal	12	2.69
5745MHz	Pass	PK	5.9982G	54.72	68.20	-13.48	3	Horizontal	12	2.69
5745MHz	Pass	AV	11.50428G	38.35	54.00	-15.65	3	Vertical	145	2.60
5745MHz	Pass	PK	11.50458G	50.02	74.00	-23.98	3	Vertical	145	2.60
5745MHz	Pass	PK	17.23926G	49.99	68.20	-18.21	3	Vertical	320	1.23
5745MHz	Pass	AV	11.47998G	38.28	54.00	-15.72	3	Horizontal	213	2.22
5745MHz	Pass	PK	11.50314G	49.81	74.00	-24.19	3	Horizontal	213	2.22
5745MHz	Pass	PK	17.23146G	49.91	68.20	-18.29	3	Horizontal	359	2.88
5785MHz	Pass	AV	5.7874G	104.19	Inf	-Inf	3	Vertical	196	2.89
5785MHz	Pass	PK	5.6206G	56.68	68.20	-11.52	3	Vertical	196	2.89
5785MHz	Pass	PK	5.7898G	115.40	Inf	-Inf	3	Vertical	196	2.89
5785MHz	Pass	PK	6.0286G	54.88	68.20	-13.32	3	Vertical	196	2.89
5785MHz	Pass	AV	5.7874G	101.14	Inf	-Inf	3	Horizontal	10	2.87
5785MHz	Pass	PK	5.5474G	54.10	68.20	-14.10	3	Horizontal	10	2.87
5785MHz	Pass	PK	5.7874G	112.47	Inf	-Inf	3	Horizontal	10	2.87
5785MHz	Pass	PK	5.9722G	54.78	68.20	-13.42	3	Horizontal	10	2.87
5785MHz	Pass	AV	11.56874G	38.24	54.00	-15.76	3	Vertical	280	2.94
5785MHz	Pass	PK	11.56988G	50.38	74.00	-23.62	3	Vertical	280	2.94
5785MHz	Pass	PK	17.35248G	50.22	68.20	-17.98	3	Vertical	156	2.83
5785MHz	Pass	AV	11.56622G	38.35	54.00	-15.65	3	Horizontal	332	1.93
5785MHz	Pass	PK	11.56394G	50.25	74.00	-23.75	3	Horizontal	332	1.93
5785MHz	Pass	PK	17.34216G	50.75	68.20	-17.45	3	Horizontal	355	2.76
5825MHz	Pass	AV	5.8202G	103.10	Inf	-Inf	3	Vertical	208	3.00
5825MHz	Pass	PK	5.6414G	56.46	68.20	-11.74	3	Vertical	208	3.00
5825MHz	Pass	PK	5.8214G	116.29	Inf	-Inf	3	Vertical	208	3.00
5825MHz	Pass	PK	6.0926G	54.93	68.20	-13.27	3	Vertical	208	3.00
5825MHz	Pass	AV	5.8178G	100.67	Inf	-Inf	3	Horizontal	11	2.91
5825MHz	Pass	PK	5.615G	54.71	68.20	-13.49	3	Horizontal	11	2.91
5825MHz	Pass	PK	5.8178G	111.74	Inf	-Inf	3	Horizontal	11	2.91
5825MHz	Pass	PK	6.0398G	55.44	68.20	-12.76	3	Horizontal	11	2.91
5825MHz	Pass	AV	11.65726G	38.12	54.00	-15.88	3	Vertical	191	2.01
5825MHz	Pass	PK	11.63626G	50.50	74.00	-23.50	3	Vertical	191	2.01
5825MHz	Pass	PK	17.46816G	52.26	68.20	-15.94	3	Vertical	111	1.03
5825MHz	Pass	AV	11.662G	38.05	54.00	-15.95	3	Horizontal	313	2.28
5825MHz	Pass	PK	11.66446G	50.42	74.00	-23.58	3	Horizontal	313	2.28
5825MHz	Pass	PK	17.46708G	51.78	68.20	-16.42	3	Horizontal	121	1.17
802.11ax HEW40_Nss1,(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.15G	53.36	54.00	-0.64	3	Vertical	213	2.75
5190MHz	Pass	AV	5.1952G	98.60	Inf	-Inf	3	Vertical	213	2.75
5190MHz	Pass	PK	5.1444G	68.26	74.00	-5.74	3	Vertical	213	2.75
5190MHz	Pass	PK	5.1952G	110.97	Inf	-Inf	3	Vertical	213	2.75
5190MHz	Pass	AV	5.15G	46.14	54.00	-7.86	3	Horizontal	0	3.00
5190MHz	Pass	AV	5.1856G	92.49	Inf	-Inf	3	Horizontal	0	3.00
5190MHz	Pass	PK	5.1448G	59.04	74.00	-14.96	3	Horizontal	0	3.00
5190MHz	Pass	PK	5.1856G	103.22	Inf	-Inf	3	Horizontal	0	3.00
5190MHz	Pass	AV	15.56312G	40.79	54.00	-13.21	3	Vertical	248	2.53
5190MHz	Pass	PK	10.37056G	50.55	68.20	-17.65	3	Vertical	42	2.76
5190MHz	Pass	PK	15.5702G	52.15	74.00	-21.85	3	Vertical	248	2.53
5190MHz	Pass	AV	15.56552G	40.76	54.00	-13.24	3	Horizontal	360	1.50
5190MHz	Pass	PK	10.37056G	50.19	68.20	-18.01	3	Horizontal	320	2.44
5190MHz	Pass	PK	15.56852G	51.98	74.00	-22.02	3	Horizontal	360	1.50
5230MHz	Pass	AV	5.1492G	51.82	54.00	-2.18	3	Vertical	234	3.00
5230MHz	Pass	AV	5.2352G	104.30	Inf	-Inf	3	Vertical	234	3.00
5230MHz	Pass	PK	5.1472G	66.55	74.00	-7.45	3	Vertical	234	3.00
5230MHz	Pass	PK	5.2224G	116.30	Inf	-Inf	3	Vertical	234	3.00
5230MHz	Pass	AV	5.1484G	47.22	54.00	-6.78	3	Horizontal	7	2.78
5230MHz	Pass	AV	5.2364G	97.95	Inf	-Inf	3	Horizontal	7	2.78
5230MHz	Pass	PK	5.1484G	61.76	74.00	-12.24	3	Horizontal	7	2.78
5230MHz	Pass	PK	5.2268G	109.55	Inf	-Inf	3	Horizontal	7	2.78





RSE TX above 1GHz\_Radio 0

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	AV	15.69016G	40.19	54.00	-13.81	3	Vertical	167	1.50
5230MHz	Pass	PK	10.4654G	50.17	68.20	-18.03	3	Vertical	334	1.50
5230MHz	Pass	PK	15.68724G	52.08	74.00	-21.92	3	Vertical	167	1.50
5230MHz	Pass	AV	15.68984G	40.36	54.00	-13.64	3	Horizontal	78	1.50
5230MHz	Pass	PK	10.45404G	50.07	68.20	-18.13	3	Horizontal	11	2.43
5230MHz	Pass	PK	15.699G	53.52	74.00	-20.48	3	Horizontal	78	1.50
5270MHz	Pass	AV	5.2748G	104.31	Inf	-Inf	3	Vertical	234	3.00
5270MHz	Pass	AV	5.352G	52.18	54.00	-1.82	3	Vertical	234	3.00
5270MHz	Pass	PK	5.2576G	115.88	Inf	-Inf	3	Vertical	234	3.00
5270MHz	Pass	PK	5.3516G	65.44	74.00	-8.56	3	Vertical	234	3.00
5270MHz	Pass	AV	5.2756G	101.31	Inf	-Inf	3	Horizontal	88	2.97
5270MHz	Pass	AV	5.35G	50.31	54.00	-3.69	3	Horizontal	88	2.97
5270MHz	Pass	PK	5.2756G	113.15	Inf	-Inf	3	Horizontal	88	2.97
5270MHz	Pass	PK	5.3504G	64.77	74.00	-9.23	3	Horizontal	88	2.97
5270MHz	Pass	AV	15.79698G	39.82	54.00	-14.18	3	Vertical	211	2.28
5270MHz	Pass	PK	10.55086G	49.76	68.20	-18.44	3	Vertical	26	1.60
5270MHz	Pass	PK	15.80646G	51.19	74.00	-22.81	3	Vertical	211	2.28
5270MHz	Pass	AV	15.79848G	39.97	54.00	-14.03	3	Horizontal	191	2.76
5270MHz	Pass	PK	10.53442G	49.38	68.20	-18.82	3	Horizontal	126	2.55
5270MHz	Pass	PK	15.80244G	50.94	74.00	-23.06	3	Horizontal	191	2.76
5310MHz	Pass	AV	5.3148G	98.75	Inf	-Inf	3	Vertical	233	2.96
5310MHz	Pass	AV	5.35G	53.89	54.00	-0.11	3	Vertical	233	2.96
5310MHz	Pass	PK	5.2976G	110.14	Inf	-Inf	3	Vertical	233	2.96
5310MHz	Pass	PK	5.35G	67.72	74.00	-6.28	3	Vertical	233	2.96
5310MHz	Pass	AV	5.3156G	95.57	Inf	-Inf	3	Horizontal	89	2.95
5310MHz	Pass	AV	5.3508G	48.83	54.00	-5.17	3	Horizontal	89	2.95
5310MHz	Pass	PK	5.3152G	107.49	Inf	-Inf	3	Horizontal	89	2.95
5310MHz	Pass	PK	5.3512G	60.87	74.00	-13.13	3	Horizontal	89	2.95
5310MHz	Pass	AV	10.60536G	38.52	54.00	-15.48	3	Vertical	355	1.31
5310MHz	Pass	AV	15.93198G	40.49	54.00	-13.51	3	Vertical	53	2.70
5310MHz	Pass	PK	10.6332G	49.94	74.00	-24.06	3	Vertical	355	1.31
5310MHz	Pass	PK	15.9318G	51.32	74.00	-22.68	3	Vertical	53	2.70
5310MHz	Pass	AV	10.6092G	38.60	54.00	-15.40	3	Horizontal	290	2.19
5310MHz	Pass	AV	15.92436G	40.43	54.00	-13.57	3	Horizontal	236	2.01
5310MHz	Pass	PK	10.61124G	49.02	74.00	-24.98	3	Horizontal	290	2.19
5310MHz	Pass	PK	15.93126G	51.09	74.00	-22.91	3	Horizontal	236	2.01
5510MHz	Pass	AV	5.46G	48.23	54.00	-5.77	3	Vertical	33	2.76
5510MHz	Pass	AV	5.5044G	99.15	Inf	-Inf	3	Vertical	33	2.76
5510MHz	Pass	PK	5.4576G	62.38	74.00	-11.62	3	Vertical	33	2.76
5510MHz	Pass	PK	5.4696G	67.73	68.20	-0.47	3	Vertical	33	2.76
5510MHz	Pass	PK	5.5068G	111.09	Inf	-Inf	3	Vertical	33	2.76
5510MHz	Pass	AV	5.4584G	44.40	54.00	-9.60	3	Horizontal	270	2.91
5510MHz	Pass	AV	5.5156G	96.49	Inf	-Inf	3	Horizontal	270	2.91
5510MHz	Pass	PK	5.4588G	56.40	74.00	-17.60	3	Horizontal	270	2.91
5510MHz	Pass	PK	5.47G	61.20	68.20	-7.00	3	Horizontal	270	2.91
5510MHz	Pass	PK	5.5152G	107.81	Inf	-Inf	3	Horizontal	270	2.91
5510MHz	Pass	AV	11.01088G	38.13	54.00	-15.87	3	Vertical	277	1.81
5510MHz	Pass	PK	11.00866G	50.84	74.00	-23.16	3	Vertical	277	1.81
5510MHz	Pass	PK	16.52814G	52.90	68.20	-15.30	3	Vertical	282	2.07
5510MHz	Pass	AV	11.01538G	38.35	54.00	-15.65	3	Horizontal	41	2.13
5510MHz	Pass	PK	11.02216G	50.65	74.00	-23.35	3	Horizontal	41	2.13
5510MHz	Pass	PK	16.51722G	52.27	68.20	-15.93	3	Horizontal	224	1.55
5550MHz	Pass	AV	5.4568G	47.56	54.00	-6.44	3	Vertical	50	2.45
5550MHz	Pass	AV	5.5444G	101.94	Inf	-Inf	3	Vertical	50	2.45
5550MHz	Pass	PK	5.4592G	59.55	74.00	-14.45	3	Vertical	50	2.45
5550MHz	Pass	PK	5.4692G	60.21	68.20	-7.99	3	Vertical	50	2.45
5550MHz	Pass	PK	5.5468G	113.87	Inf	-Inf	3	Vertical	50	2.45
5550MHz	Pass	AV	5.456G	45.48	54.00	-8.52	3	Horizontal	272	3.00
5550MHz	Pass	AV	5.5556G	100.05	Inf	-Inf	3	Horizontal	272	3.00
5550MHz	Pass	PK	5.458G	57.06	74.00	-16.94	3	Horizontal	272	3.00
5550MHz	Pass	PK	5.466G	57.96	68.20	-10.24	3	Horizontal	272	3.00
5550MHz	Pass	PK	5.5432G	112.28	Inf	-Inf	3	Horizontal	272	3.00





Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz	Pass	AV	11.10216G	38.13	54.00	-15.87	3	Vertical	78	2.18
5550MHz	Pass	PK	11.08812G	49.50	74.00	-24.50	3	Vertical	78	2.18
5550MHz	Pass	PK	16.65942G	50.21	68.20	-17.99	3	Vertical	123	2.50
5550MHz	Pass	AV	11.0937G	38.07	54.00	-15.93	3	Horizontal	153	1.84
5550MHz	Pass	PK	11.09232G	49.86	74.00	-24.14	3	Horizontal	153	1.84
5550MHz	Pass	PK	16.64364G	50.75	68.20	-17.45	3	Horizontal	196	2.23
5670MHz	Pass	AV	5.6748G	100.65	Inf	-Inf	3	Vertical	49	2.59
5670MHz	Pass	PK	5.6676G	112.09	Inf	-Inf	3	Vertical	49	2.59
5670MHz	Pass	PK	5.7276G	67.86	68.20	-0.34	3	Vertical	49	2.59
5670MHz	Pass	AV	5.676G	99.46	Inf	-Inf	3	Horizontal	273	3.00
5670MHz	Pass	PK	5.6634G	109.66	Inf	-Inf	3	Horizontal	273	3.00
5670MHz	Pass	PK	5.7264G	63.67	68.20	-4.53	3	Horizontal	273	3.00
5670MHz	Pass	AV	11.34762G	39.01	54.00	-14.99	3	Vertical	158	2.53
5670MHz	Pass	PK	11.34114G	50.73	74.00	-23.27	3	Vertical	158	2.53
5670MHz	Pass	PK	17.00538G	49.97	68.20	-18.23	3	Vertical	49	2.84
5670MHz	Pass	AV	11.34258G	38.67	54.00	-15.33	3	Horizontal	228	2.93
5670MHz	Pass	PK	11.33238G	50.32	74.00	-23.68	3	Horizontal	228	2.93
5670MHz	Pass	PK	17.00712G	50.11	68.20	-18.09	3	Horizontal	93	2.12
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4388G	42.77	54.00	-11.23	3	Vertical	49	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7052G	101.90	Inf	-Inf	3	Vertical	49	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.446G	54.62	74.00	-19.38	3	Vertical	49	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.464G	54.63	68.20	-13.57	3	Vertical	49	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	113.60	Inf	-Inf	3	Vertical	49	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8612G	55.05	68.20	-13.15	3	Vertical	49	2.72
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4592G	41.97	54.00	-12.03	3	Horizontal	277	2.97
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.6944G	99.99	Inf	-Inf	3	Horizontal	277	2.97
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4544G	54.12	74.00	-19.88	3	Horizontal	277	2.97
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4652G	53.53	68.20	-14.67	3	Horizontal	277	2.97
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7064G	111.87	Inf	-Inf	3	Horizontal	277	2.97
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.9248G	55.38	68.20	-12.82	3	Horizontal	277	2.97
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40878G	39.20	54.00	-14.80	3	Vertical	202	2.40
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.40866G	50.95	74.00	-23.05	3	Vertical	202	2.40
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.12946G	50.37	68.20	-17.83	3	Vertical	14	2.55
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.40854G	39.11	54.00	-14.89	3	Horizontal	225	2.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.429G	50.48	74.00	-23.52	3	Horizontal	225	2.33
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13534G	49.61	68.20	-18.59	3	Horizontal	289	1.40
5755MHz	Pass	AV	5.4562G	42.95	54.00	-11.05	3	Vertical	44	2.93
5755MHz	Pass	AV	5.749G	102.04	Inf	-Inf	3	Vertical	44	2.93
5755MHz	Pass	PK	5.6362G	59.13	68.20	-9.07	3	Vertical	44	2.93
5755MHz	Pass	PK	5.7514G	113.49	Inf	-Inf	3	Vertical	44	2.93
5755MHz	Pass	PK	5.9914G	54.70	68.20	-13.50	3	Vertical	44	2.93
5755MHz	Pass	AV	5.455G	42.13	54.00	-11.87	3	Horizontal	273	2.86
5755MHz	Pass	AV	5.761G	100.97	Inf	-Inf	3	Horizontal	273	2.86
5755MHz	Pass	PK	5.6422G	59.28	68.20	-8.92	3	Horizontal	273	2.86
5755MHz	Pass	PK	5.7598G	112.22	Inf	-Inf	3	Horizontal	273	2.86
5755MHz	Pass	PK	5.9698G	54.82	68.20	-13.38	3	Horizontal	273	2.86
5755MHz	Pass	AV	11.525G	39.00	54.00	-15.00	3	Vertical	259	1.98
5755MHz	Pass	PK	11.51054G	50.12	74.00	-23.88	3	Vertical	259	1.98
5755MHz	Pass	PK	17.27568G	50.50	68.20	-17.70	3	Vertical	14	1.64
5755MHz	Pass	AV	11.51684G	38.99	54.00	-15.01	3	Horizontal	321	1.64
5755MHz	Pass	PK	11.5064G	49.78	74.00	-24.22	3	Horizontal	321	1.64
5755MHz	Pass	PK	17.27922G	50.17	68.20	-18.03	3	Horizontal	182	2.63
5795MHz	Pass	AV	5.7902G	102.69	Inf	-Inf	3	Vertical	199	2.90
5795MHz	Pass	PK	5.6474G	57.25	68.20	-10.95	3	Vertical	199	2.90
5795MHz	Pass	PK	5.7998G	114.97	Inf	-Inf	3	Vertical	199	2.90
5795MHz	Pass	PK	5.975G	54.51	68.20	-13.69	3	Vertical	199	2.90
5795MHz	Pass	AV	5.7902G	101.13	Inf	-Inf	3	Horizontal	274	3.00
5795MHz	Pass	PK	5.6498G	56.71	68.20	-11.49	3	Horizontal	274	3.00
5795MHz	Pass	PK	5.7902G	112.57	Inf	-Inf	3	Horizontal	274	3.00
5795MHz	Pass	PK	6.0626G	54.93	68.20	-13.27	3	Horizontal	274	3.00
5795MHz	Pass	AV	11.59888G	38.79	54.00	-15.21	3	Vertical	191	2.69
5795MHz	Pass	PK	11.5852G	50.79	74.00	-23.21	3	Vertical	191	2.69



RSE TX above 1GHz\_Radio 0

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz	Pass	PK	17.3826G	50.59	68.20	-17.61	3	Vertical	298	1.47
5795MHz	Pass	AV	11.5849G	38.59	54.00	-15.41	3	Horizontal	351	2.94
5795MHz	Pass	PK	11.57548G	50.03	74.00	-23.97	3	Horizontal	351	2.94
5795MHz	Pass	PK	17.37456G	50.17	68.20	-18.03	3	Horizontal	158	1.37
802.11ax HEW80_Nss1.(MCS0)_2TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.148G	53.52	54.00	-0.48	3	Vertical	213	2.90
5210MHz	Pass	AV	5.195G	95.30	Inf	-Inf	3	Vertical	213	2.90
5210MHz	Pass	AV	5.35G	45.29	54.00	-8.71	3	Vertical	213	2.90
5210MHz	Pass	PK	5.15G	66.30	74.00	-7.70	3	Vertical	213	2.90
5210MHz	Pass	PK	5.212G	106.76	Inf	-Inf	3	Vertical	213	2.90
5210MHz	Pass	PK	5.375G	57.83	74.00	-16.17	3	Vertical	213	2.90
5210MHz	Pass	AV	5.145G	46.31	54.00	-7.69	3	Horizontal	0	2.88
5210MHz	Pass	AV	5.221G	88.77	Inf	-Inf	3	Horizontal	0	2.88
5210MHz	Pass	AV	5.411G	42.77	54.00	-11.23	3	Horizontal	0	2.88
5210MHz	Pass	PK	5.15G	57.92	74.00	-16.08	3	Horizontal	0	2.88
5210MHz	Pass	PK	5.213G	100.61	Inf	-Inf	3	Horizontal	0	2.88
5210MHz	Pass	PK	5.372G	54.96	74.00	-19.04	3	Horizontal	0	2.88
5210MHz	Pass	AV	15.61208G	40.53	54.00	-13.47	3	Vertical	305	1.50
5210MHz	Pass	PK	10.41584G	50.94	68.20	-17.26	3	Vertical	293	1.49
5210MHz	Pass	PK	15.6152G	52.03	74.00	-21.97	3	Vertical	305	1.50
5210MHz	Pass	AV	15.6136G	40.42	54.00	-13.58	3	Horizontal	198	1.50
5210MHz	Pass	PK	10.41416G	50.56	68.20	-17.64	3	Horizontal	255	2.50
5210MHz	Pass	PK	15.64624G	52.78	74.00	-21.22	3	Horizontal	198	1.50
5290MHz	Pass	AV	5.149G	44.47	54.00	-9.53	3	Vertical	215	2.98
5290MHz	Pass	AV	5.305G	95.11	Inf	-Inf	3	Vertical	215	2.98
5290MHz	Pass	AV	5.35G	53.31	54.00	-0.69	3	Vertical	215	2.98
5290MHz	Pass	PK	5.128G	56.58	74.00	-17.42	3	Vertical	215	2.98
5290MHz	Pass	PK	5.307G	107.11	Inf	-Inf	3	Vertical	215	2.98
5290MHz	Pass	PK	5.352G	65.88	74.00	-8.12	3	Vertical	215	2.98
5290MHz	Pass	PK	5.482G	57.70	68.20	-10.50	3	Vertical	215	2.98
5290MHz	Pass	AV	5.129G	42.35	54.00	-11.65	3	Horizontal	90	3.00
5290MHz	Pass	AV	5.298G	91.91	Inf	-Inf	3	Horizontal	90	3.00
5290MHz	Pass	AV	5.35G	48.42	54.00	-5.58	3	Horizontal	90	3.00
5290MHz	Pass	PK	5.14G	54.20	74.00	-19.80	3	Horizontal	90	3.00
5290MHz	Pass	PK	5.293G	103.29	Inf	-Inf	3	Horizontal	90	3.00
5290MHz	Pass	PK	5.351G	60.52	74.00	-13.48	3	Horizontal	90	3.00
5290MHz	Pass	PK	5.468G	55.59	68.20	-12.61	3	Horizontal	90	3.00
5290MHz	Pass	AV	15.8793G	40.32	54.00	-13.68	3	Vertical	37	2.76
5290MHz	Pass	PK	10.57136G	49.81	68.20	-18.39	3	Vertical	149	2.28
5290MHz	Pass	PK	15.86886G	51.56	74.00	-22.44	3	Vertical	37	2.76
5290MHz	Pass	AV	15.85548G	40.06	54.00	-13.94	3	Horizontal	223	2.89
5290MHz	Pass	PK	10.56986G	50.06	68.20	-18.14	3	Horizontal	264	2.84
5290MHz	Pass	PK	15.87228G	51.72	74.00	-22.28	3	Horizontal	223	2.89
5530MHz	Pass	AV	5.35G	41.75	54.00	-12.25	3	Vertical	49	2.32
5530MHz	Pass	AV	5.459G	53.21	54.00	-0.79	3	Vertical	49	2.32
5530MHz	Pass	AV	5.52G	95.69	Inf	-Inf	3	Vertical	49	2.32
5530MHz	Pass	PK	5.33G	54.25	68.20	-13.95	3	Vertical	49	2.32
5530MHz	Pass	PK	5.46G	64.42	74.00	-9.58	3	Vertical	49	2.32
5530MHz	Pass	PK	5.462G	67.87	68.20	-0.33	3	Vertical	49	2.32
5530MHz	Pass	PK	5.527G	107.39	Inf	-Inf	3	Vertical	49	2.32
5530MHz	Pass	PK	5.758G	57.44	68.20	-10.76	3	Vertical	49	2.32
5530MHz	Pass	AV	5.35G	41.00	54.00	-13.00	3	Horizontal	271	2.96
5530MHz	Pass	AV	5.46G	49.99	54.00	-4.01	3	Horizontal	271	2.96
5530MHz	Pass	AV	5.538G	93.73	Inf	-Inf	3	Horizontal	271	2.96
5530MHz	Pass	PK	5.301G	52.82	68.20	-15.38	3	Horizontal	271	2.96
5530MHz	Pass	PK	5.456G	61.53	74.00	-12.47	3	Horizontal	271	2.96
5530MHz	Pass	PK	5.469G	62.97	68.20	-5.23	3	Horizontal	271	2.96
5530MHz	Pass	PK	5.533G	105.50	Inf	-Inf	3	Horizontal	271	2.96
5530MHz	Pass	PK	5.741G	55.74	68.20	-12.46	3	Horizontal	271	2.96
5530MHz	Pass	AV	11.04956G	38.22	54.00	-15.78	3	Vertical	89	2.74
5530MHz	Pass	PK	11.05244G	49.28	74.00	-24.72	3	Vertical	89	2.74
5530MHz	Pass	PK	16.58358G	51.43	68.20	-16.77	3	Vertical	134	1.31




RSE TX above 1GHz\_Radio 0

Appendix E.2

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5530MHz	Pass	AV	11.04932G	38.31	54.00	-15.69	3	Horizontal	271	2.70
5530MHz	Pass	PK	11.05004G	50.12	74.00	-23.88	3	Horizontal	271	2.70
5530MHz	Pass	PK	16.59648G	50.47	68.20	-17.73	3	Horizontal	353	2.72
5610MHz	Pass	AV	5.46G	45.93	54.00	-8.07	3	Vertical	50	2.47
5610MHz	Pass	AV	5.622G	98.56	Inf	-Inf	3	Vertical	50	2.47
5610MHz	Pass	PK	5.45G	57.51	74.00	-16.49	3	Vertical	50	2.47
5610MHz	Pass	PK	5.467G	59.12	68.20	-9.08	3	Vertical	50	2.47
5610MHz	Pass	PK	5.647G	110.97	Inf	-Inf	3	Vertical	50	2.47
5610MHz	Pass	PK	5.725G	63.92	68.20	-4.28	3	Vertical	50	2.47
5610MHz	Pass	AV	5.459G	44.56	54.00	-9.44	3	Horizontal	274	2.98
5610MHz	Pass	AV	5.621G	97.05	Inf	-Inf	3	Horizontal	274	2.98
5610MHz	Pass	PK	5.457G	55.96	74.00	-18.04	3	Horizontal	274	2.98
5610MHz	Pass	PK	5.469G	56.29	68.20	-11.91	3	Horizontal	274	2.98
5610MHz	Pass	PK	5.613G	108.85	Inf	-Inf	3	Horizontal	274	2.98
5610MHz	Pass	PK	5.736G	63.39	68.20	-4.81	3	Horizontal	274	2.98
5610MHz	Pass	AV	11.22354G	38.16	54.00	-15.84	3	Vertical	15	2.41
5610MHz	Pass	PK	11.22828G	49.47	74.00	-24.53	3	Vertical	15	2.41
5610MHz	Pass	PK	16.83366G	49.40	68.20	-18.80	3	Vertical	105	1.03
5610MHz	Pass	AV	11.21222G	37.97	54.00	-16.03	3	Horizontal	296	1.49
5610MHz	Pass	PK	11.21244G	48.97	74.00	-25.03	3	Horizontal	296	1.49
5610MHz	Pass	PK	16.82196G	49.98	68.20	-18.22	3	Horizontal	240	2.58
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	43.05	54.00	-10.95	3	Vertical	44	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6792G	99.34	Inf	-Inf	3	Vertical	44	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4596G	54.66	74.00	-19.34	3	Vertical	44	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	55.15	68.20	-13.05	3	Vertical	44	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.672G	111.45	Inf	-Inf	3	Vertical	44	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.85G	58.24	68.20	-9.96	3	Vertical	44	2.97
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	41.99	54.00	-12.01	3	Horizontal	274	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6816G	98.32	Inf	-Inf	3	Horizontal	274	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4392G	54.30	74.00	-19.70	3	Horizontal	274	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	54.16	68.20	-14.04	3	Horizontal	274	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6936G	110.01	Inf	-Inf	3	Horizontal	274	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.858G	56.91	68.20	-11.29	3	Horizontal	274	3.00
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39278G	39.22	54.00	-14.78	3	Vertical	83	1.26
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38678G	51.93	74.00	-22.07	3	Vertical	83	1.26
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.06694G	50.02	68.20	-18.18	3	Vertical	47	2.11
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.3839G	39.10	54.00	-14.90	3	Horizontal	126	2.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3827G	50.34	74.00	-23.66	3	Horizontal	126	2.54
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.07354G	49.61	68.20	-18.59	3	Horizontal	204	2.32
5775MHz	Pass	AV	5.7678G	97.24	Inf	-Inf	3	Vertical	197	2.88
5775MHz	Pass	PK	5.6406G	64.27	68.20	-3.93	3	Vertical	197	2.88
5775MHz	Pass	PK	5.7774G	110.02	Inf	-Inf	3	Vertical	197	2.88
5775MHz	Pass	PK	5.9838G	55.06	68.20	-13.14	3	Vertical	197	2.88
5775MHz	Pass	AV	5.7858G	96.29	Inf	-Inf	3	Horizontal	277	2.96
5775MHz	Pass	PK	5.6502G	63.38	68.35	-4.97	3	Horizontal	277	2.96
5775MHz	Pass	PK	5.7786G	109.32	Inf	-Inf	3	Horizontal	277	2.96
5775MHz	Pass	PK	5.9406G	54.80	68.20	-13.40	3	Horizontal	277	2.96
5775MHz	Pass	AV	11.5524G	38.16	54.00	-15.84	3	Vertical	59	1.80
5775MHz	Pass	PK	11.53872G	49.73	74.00	-24.27	3	Vertical	59	1.80
5775MHz	Pass	PK	17.33922G	49.99	68.20	-18.21	3	Vertical	357	1.33
5775MHz	Pass	AV	11.53854G	38.24	54.00	-15.76	3	Horizontal	284	2.70
5775MHz	Pass	PK	11.54628G	49.68	74.00	-24.32	3	Horizontal	284	2.70
5775MHz	Pass	PK	17.32446G	50.06	68.20	-18.14	3	Horizontal	99	2.89

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.63	54.00	-0.37	-5.41	3	Vertical	218	2.80	59.04	33.50	5.17	44.08
AV	5.1752G	107.30	Inf	-Inf	-5.40	3	Vertical	218	2.80	112.70	33.50	5.18	44.08
PK	5.1474G	73.32	74.00	-0.68	-5.41	3	Vertical	218	2.80	78.73	33.50	5.17	44.08
PK	5.1754G	116.73	Inf	-Inf	-5.40	3	Vertical	218	2.80	122.13	33.50	5.18	44.08

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.97	54.00	-3.03	-5.41	3	Horizontal	94	3.00	56.38	33.50	5.17	44.08
AV	5.1752G	102.73	Inf	-Inf	-5.40	3	Horizontal	94	3.00	108.13	33.50	5.18	44.08
PK	5.1462G	69.43	74.00	-4.57	-5.41	3	Horizontal	94	3.00	74.84	33.50	5.17	44.08
PK	5.1794G	112.30	Inf	-Inf	-5.40	3	Horizontal	94	3.00	117.70	33.50	5.18	44.08

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53882G	39.74	54.00	-14.26	6.11	3	Vertical	204	1.49	33.63	38.30	10.84	43.03
PK	10.35626G	50.89	68.20	-17.31	4.66	3	Vertical	111	1.50	46.23	38.70	8.07	42.11
PK	15.53726G	52.32	74.00	-21.68	6.11	3	Vertical	204	1.49	46.21	38.30	10.84	43.03

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53574G	39.74	54.00	-14.26	6.11	3	Horizontal	144	1.50	33.63	38.30	10.84	43.03
PK	10.36262G	50.69	68.20	-17.51	4.66	3	Horizontal	0	2.34	46.03	38.70	8.07	42.11
PK	15.5421G	52.17	74.00	-21.83	6.11	3	Horizontal	144	1.50	46.06	38.30	10.84	43.03



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1052G	47.69	54.00	-6.31	-5.42	3	Vertical	215	2.90	53.11	33.50	5.15	44.07
AV	5.1952G	106.97	Inf	-Inf	-5.39	3	Vertical	215	2.90	112.36	33.50	5.19	44.08
PK	5.1444G	64.43	74.00	-9.57	-5.42	3	Vertical	215	2.90	69.85	33.50	5.16	44.08
PK	5.2052G	116.76	Inf	-Inf	-5.39	3	Vertical	215	2.90	122.15	33.50	5.19	44.08

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1064G	44.56	54.00	-9.44	-5.42	3	Horizontal	86	3.00	49.98	33.50	5.15	44.07
AV	5.2016G	101.95	Inf	-Inf	-5.39	3	Horizontal	86	3.00	107.34	33.50	5.19	44.08
PK	5.1404G	60.57	74.00	-13.43	-5.42	3	Horizontal	86	3.00	65.99	33.50	5.16	44.08
PK	5.2064G	111.78	Inf	-Inf	-5.39	3	Horizontal	86	3.00	117.17	33.50	5.19	44.08



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.5956G	39.64	54.00	-14.36	6.23	3	Vertical	125	1.69	33.41	38.39	10.90	43.06
PK	10.40162G	50.72	68.20	-17.48	4.70	3	Vertical	159	1.50	46.02	38.70	8.08	42.08
PK	15.60364G	51.85	74.00	-22.15	6.23	3	Vertical	125	1.69	45.62	38.38	10.91	43.06

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60076G	39.38	54.00	-14.62	6.25	3	Horizontal	46	1.50	33.13	38.40	10.91	43.06
PK	10.40178G	50.43	68.20	-17.77	4.70	3	Horizontal	211	1.50	45.73	38.70	8.08	42.08
PK	15.60128G	52.15	74.00	-21.85	6.24	3	Horizontal	46	1.50	45.91	38.39	10.91	43.06



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1458G	49.15	54.00	-4.85	-5.41	3	Vertical	235	3.00	54.56	33.50	5.17	44.08
AV	5.2352G	106.87	Inf	-Inf	-5.39	3	Vertical	235	3.00	112.26	33.50	5.20	44.09
AV	5.375G	45.80	54.00	-8.20	-5.60	3	Vertical	235	3.00	51.40	33.25	5.25	44.10
PK	5.1464G	60.79	74.00	-13.21	-5.41	3	Vertical	235	3.00	66.20	33.50	5.17	44.08
PK	5.2448G	116.82	Inf	-Inf	-5.38	3	Vertical	235	3.00	122.20	33.50	5.21	44.09
PK	5.3744G	58.91	74.00	-15.09	-5.60	3	Vertical	235	3.00	64.51	33.25	5.25	44.10

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1416G	45.08	54.00	-8.92	-5.42	3	Horizontal	87	2.82	50.50	33.50	5.16	44.08
AV	5.2418G	102.26	Inf	-Inf	-5.39	3	Horizontal	87	2.82	107.65	33.50	5.20	44.09
AV	5.3534G	43.40	54.00	-10.60	-5.57	3	Horizontal	87	2.82	48.97	33.29	5.24	44.10
PK	5.1416G	56.79	74.00	-17.21	-5.42	3	Horizontal	87	2.82	62.21	33.50	5.16	44.08
PK	5.2466G	111.87	Inf	-Inf	-5.38	3	Horizontal	87	2.82	117.25	33.50	5.21	44.09
PK	5.357G	55.53	74.00	-18.47	-5.57	3	Horizontal	87	2.82	61.10	33.29	5.24	44.10





5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71646G	39.51	54.00	-14.49	6.12	3	Vertical	28	2.77	33.39	38.20	11.03	43.11
PK	10.47806G	50.38	68.20	-17.82	4.74	3	Vertical	97	2.00	45.64	38.66	8.11	42.03
PK	15.71608G	51.79	74.00	-22.21	6.12	3	Vertical	28	2.77	45.67	38.20	11.03	43.11

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71568G	39.39	54.00	-14.61	6.12	3	Horizontal	103	1.50	33.27	38.20	11.03	43.11
PK	10.47584G	50.27	68.20	-17.93	4.73	3	Horizontal	19	2.75	45.54	38.65	8.11	42.03
PK	15.71958G	52.82	74.00	-21.18	6.11	3	Horizontal	103	1.50	46.71	38.20	11.03	43.12

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	44.64	54.00	-9.36	-5.41	3	Vertical	235	3.00	50.05	33.50	5.17	44.08
AV	5.2552G	107.57	Inf	-Inf	-5.40	3	Vertical	235	3.00	112.97	33.48	5.21	44.09
AV	5.3596G	51.02	54.00	-2.98	-5.57	3	Vertical	235	3.00	56.59	33.28	5.25	44.10
PK	5.1436G	58.38	74.00	-15.62	-5.42	3	Vertical	235	3.00	63.80	33.50	5.16	44.08
PK	5.2654G	117.13	Inf	-Inf	-5.44	3	Vertical	235	3.00	122.57	33.44	5.21	44.09
PK	5.3644G	62.71	74.00	-11.29	-5.58	3	Vertical	235	3.00	68.29	33.27	5.25	44.10

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	41.90	54.00	-12.10	-5.41	3	Horizontal	85	2.79	47.31	33.50	5.17	44.08
AV	5.2624G	103.13	Inf	-Inf	-5.43	3	Horizontal	85	2.79	108.56	33.45	5.21	44.09
AV	5.362G	47.81	54.00	-6.19	-5.57	3	Horizontal	85	2.79	53.38	33.28	5.25	44.10
PK	5.1202G	55.41	74.00	-18.59	-5.42	3	Horizontal	85	2.79	60.83	33.50	5.15	44.07
PK	5.257G	112.37	Inf	-Inf	-5.41	3	Horizontal	85	2.79	117.78	33.47	5.21	44.09
PK	5.3614G	59.08	74.00	-14.92	-5.57	3	Horizontal	85	2.79	64.65	33.28	5.25	44.10



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7764G	39.17	54.00	-14.83	6.10	3	Vertical	299	1.57	33.07	38.15	11.09	43.14
PK	10.52048G	51.07	68.20	-17.13	4.84	3	Vertical	171	2.69	46.23	38.74	8.12	42.02
PK	15.78164G	52.45	74.00	-21.55	6.09	3	Vertical	299	1.57	46.36	38.14	11.10	43.15

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77616G	39.17	54.00	-14.83	6.10	3	Horizontal	100	2.78	33.07	38.15	11.09	43.14
PK	10.52138G	50.16	68.20	-18.04	4.84	3	Horizontal	310	2.64	45.32	38.74	8.12	42.02
PK	15.77932G	52.17	74.00	-21.83	6.10	3	Horizontal	100	2.78	46.07	38.14	11.10	43.14



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	106.73	Inf	-Inf	-5.57	3	Vertical	32	2.95	112.30	33.30	5.23	44.10
AV	5.3928G	50.64	54.00	-3.36	-5.64	3	Vertical	32	2.95	56.28	33.21	5.26	44.11
PK	5.3028G	115.94	Inf	-Inf	-5.57	3	Vertical	32	2.95	121.51	33.30	5.23	44.10
PK	5.3976G	61.63	74.00	-12.37	-5.65	3	Vertical	32	2.95	67.28	33.20	5.26	44.11

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2956G	103.47	Inf	-Inf	-5.56	3	Horizontal	91	3.00	109.03	33.32	5.22	44.10
AV	5.3956G	48.65	54.00	-5.35	-5.64	3	Horizontal	91	3.00	54.29	33.21	5.26	44.11
PK	5.3052G	113.26	Inf	-Inf	-5.57	3	Horizontal	91	3.00	118.83	33.30	5.23	44.10
PK	5.3956G	59.33	74.00	-14.67	-5.64	3	Horizontal	91	3.00	64.97	33.21	5.26	44.11



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60022G	38.02	54.00	-15.98	5.10	3	Vertical	87	1.20	32.92	39.00	8.14	42.04
AV	15.8953G	39.53	54.00	-14.47	5.90	3	Vertical	132	1.38	33.63	37.88	11.22	43.20
PK	10.60486G	50.53	74.00	-23.47	5.10	3	Vertical	87	1.20	45.43	39.01	8.14	42.05
PK	15.90336G	52.19	74.00	-21.81	5.94	3	Vertical	132	1.38	46.25	37.91	11.23	43.20

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60308G	38.00	54.00	-16.00	5.10	3	Horizontal	161	1.69	32.90	39.01	8.14	42.05
AV	15.8957G	39.70	54.00	-14.30	5.90	3	Horizontal	0	1.86	33.80	37.88	11.22	43.20
PK	10.60164G	50.57	74.00	-23.43	5.10	3	Horizontal	161	1.69	45.47	39.00	8.14	42.04
PK	15.90244G	52.79	74.00	-21.21	5.93	3	Horizontal	0	1.86	46.86	37.90	11.23	43.20

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3242G	107.41	Inf	-Inf	-5.57	3	Vertical	224	2.77	112.98	33.30	5.23	44.10
AV	5.35G	53.63	54.00	-0.37	-5.56	3	Vertical	224	2.77	59.19	33.30	5.24	44.10
PK	5.3238G	116.10	Inf	-Inf	-5.57	3	Vertical	224	2.77	121.67	33.30	5.23	44.10
PK	5.35G	71.16	74.00	-2.84	-5.56	3	Vertical	224	2.77	76.72	33.30	5.24	44.10

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3258G	104.00	Inf	-Inf	-5.57	3	Horizontal	91	2.91	109.57	33.30	5.23	44.10
AV	5.3502G	50.93	54.00	-3.07	-5.56	3	Horizontal	91	2.91	56.49	33.30	5.24	44.10
PK	5.3252G	113.70	Inf	-Inf	-5.57	3	Horizontal	91	2.91	119.27	33.30	5.23	44.10
PK	5.356G	67.52	74.00	-6.48	-5.57	3	Horizontal	91	2.91	73.09	33.29	5.24	44.10



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX



Legend for the spectrum plot:


- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Green line)
- AV (Black line)

29/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6351G	37.88	54.00	-16.12	5.16	3	Vertical	283	1.89	32.72	39.07	8.15	42.06
AV	15.95668G	39.53	54.00	-14.47	6.04	3	Vertical	151	1.50	33.49	37.99	11.28	43.23
PK	10.63574G	50.80	74.00	-23.20	5.16	3	Vertical	283	1.89	45.64	39.07	8.15	42.06
PK	15.95688G	52.26	74.00	-21.74	6.04	3	Vertical	151	1.50	46.22	37.99	11.28	43.23

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5320MHz\_TX



Legend for the spectrum plot:

- Lim.PK (Red line)
- PK (Blue line)
- Lim.AV (Green line)
- AV (Black line)


29/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64278G	37.81	54.00	-16.19	5.19	3	Horizontal	174	2.29	32.62	39.09	8.16	42.06
AV	15.96466G	39.59	54.00	-14.41	6.03	3	Horizontal	334	2.62	33.56	37.97	11.29	43.23
PK	10.64498G	50.10	74.00	-23.90	5.19	3	Horizontal	174	2.29	44.91	39.09	8.16	42.06
PK	15.95946G	52.30	74.00	-21.70	6.04	3	Horizontal	334	2.62	46.26	37.98	11.29	43.23



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	45.67	54.00	-8.33	-5.50	3	Vertical	34	2.75	51.17	33.32	5.30	44.12
AV	5.504G	104.84	Inf	-Inf	-5.38	3	Vertical	34	2.75	110.22	33.41	5.33	44.12
PK	5.4592G	60.80	74.00	-13.20	-5.50	3	Vertical	34	2.75	66.30	33.32	5.30	44.12
PK	5.4694G	67.96	68.20	-0.24	-5.47	3	Vertical	34	2.75	73.43	33.34	5.31	44.12
PK	5.4938G	113.90	Inf	-Inf	-5.41	3	Vertical	34	2.75	119.31	33.39	5.32	44.12

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	42.93	54.00	-11.07	-5.50	3	Horizontal	95	2.75	48.43	33.32	5.30	44.12
AV	5.4952G	99.22	Inf	-Inf	-5.41	3	Horizontal	95	2.75	104.63	33.39	5.32	44.12
PK	5.4596G	58.88	74.00	-15.12	-5.50	3	Horizontal	95	2.75	64.38	33.32	5.30	44.12
PK	5.4696G	66.16	68.20	-2.04	-5.47	3	Horizontal	95	2.75	71.63	33.34	5.31	44.12
PK	5.505G	108.41	Inf	-Inf	-5.38	3	Horizontal	95	2.75	113.79	33.41	5.33	44.12





5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00144G	37.38	54.00	-16.62	4.89	3	Vertical	97	1.60	32.49	38.80	8.27	42.18
PK	11.00276G	50.93	74.00	-23.07	4.90	3	Vertical	97	1.60	46.03	38.81	8.27	42.18
PK	16.49946G	52.19	68.20	-16.01	6.11	3	Vertical	171	3.00	46.08	38.00	11.12	43.01

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99604G	37.42	54.00	-16.58	4.90	3	Horizontal	267	2.02	32.52	38.82	8.26	42.18
PK	10.99028G	49.98	74.00	-24.02	4.92	3	Horizontal	267	2.02	45.06	38.84	8.26	42.18
PK	16.50456G	50.94	68.20	-17.26	6.08	3	Horizontal	290	2.16	44.86	37.97	11.12	43.01



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	42.48	54.00	-11.52	-5.50	3	Vertical	49	2.38	47.98	33.32	5.30	44.12
AV	5.5842G	103.89	Inf	-Inf	-5.32	3	Vertical	49	2.38	109.21	33.43	5.38	44.13
PK	5.4558G	54.92	74.00	-19.08	-5.50	3	Vertical	49	2.38	60.42	33.31	5.30	44.11
PK	5.4666G	55.04	68.20	-13.16	-5.49	3	Vertical	49	2.38	60.53	33.33	5.30	44.12
PK	5.5842G	112.51	Inf	-Inf	-5.32	3	Vertical	49	2.38	117.83	33.43	5.38	44.13
PK	5.727G	56.82	68.20	-11.38	-4.62	3	Vertical	49	2.38	61.44	34.07	5.46	44.15

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4576G	41.28	54.00	-12.72	-5.49	3	Horizontal	277	3.00	46.77	33.32	5.30	44.11
AV	5.5824G	102.20	Inf	-Inf	-5.31	3	Horizontal	277	3.00	107.51	33.44	5.38	44.13
PK	5.4558G	54.17	74.00	-19.83	-5.50	3	Horizontal	277	3.00	59.67	33.31	5.30	44.11
PK	5.4678G	54.62	68.20	-13.58	-5.48	3	Horizontal	277	3.00	60.10	33.34	5.30	44.12
PK	5.5776G	111.45	Inf	-Inf	-5.31	3	Horizontal	277	3.00	116.76	33.44	5.38	44.13
PK	5.7294G	55.39	68.20	-12.81	-4.60	3	Horizontal	277	3.00	59.99	34.09	5.46	44.15



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.14788G	37.30	54.00	-16.70	5.11	3	Vertical	24	1.63	32.19	38.90	8.31	42.10
PK	11.14524G	49.27	74.00	-24.73	5.11	3	Vertical	24	1.63	44.16	38.90	8.31	42.10
PK	16.731G	51.94	68.20	-16.26	5.78	3	Vertical	297	2.46	46.16	37.84	11.03	43.09

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16516G	37.11	54.00	-16.89	5.16	3	Horizontal	143	1.30	31.95	38.93	8.32	42.09
PK	11.16078G	49.09	74.00	-24.91	5.13	3	Horizontal	143	1.30	43.96	38.92	8.31	42.10
PK	16.7265G	50.50	68.20	-17.70	5.79	3	Horizontal	21	1.70	44.71	37.85	11.03	43.09



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7044G	102.48	Inf	-Inf	-4.85	3	Vertical	48	2.71	107.33	33.84	5.45	44.14
PK	5.7044G	111.37	Inf	-Inf	-4.85	3	Vertical	48	2.71	116.22	33.84	5.45	44.14
PK	5.73G	67.80	68.20	-0.40	-4.59	3	Vertical	48	2.71	72.39	34.10	5.46	44.15

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.698G	100.35	Inf	-Inf	-4.91	3	Horizontal	279	3.00	105.26	33.79	5.44	44.14
PK	5.6932G	109.85	Inf	-Inf	-4.94	3	Horizontal	279	3.00	114.79	33.76	5.44	44.14
PK	5.7252G	65.15	68.20	-3.05	-4.64	3	Horizontal	279	3.00	69.79	34.05	5.46	44.15



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39208G	38.49	54.00	-15.51	5.78	3	Vertical	153	1.94	32.71	39.38	8.38	41.98
PK	11.40096G	50.17	74.00	-23.83	5.81	3	Vertical	153	1.94	44.36	39.39	8.39	41.97
PK	17.11164G	49.87	68.20	-18.33	5.21	3	Vertical	44	1.15	44.66	37.50	10.87	43.16

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40624G	38.50	54.00	-15.50	5.78	3	Horizontal	299	2.02	32.72	39.36	8.39	41.97
PK	11.40378G	50.14	74.00	-23.86	5.80	3	Horizontal	299	2.02	44.34	39.38	8.39	41.97
PK	17.09142G	50.74	68.20	-17.46	5.23	3	Horizontal	300	2.26	45.51	37.52	10.88	43.17



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.45G	41.46	54.00	-12.54	-5.52	3	Vertical	45	2.96	46.98	33.30	5.29	44.11
AV	5.7236G	104.31	Inf	-Inf	-4.65	3	Vertical	45	2.96	108.96	34.04	5.46	44.15
PK	5.4584G	54.21	74.00	-19.79	-5.50	3	Vertical	45	2.96	59.71	33.32	5.30	44.12
PK	5.4632G	52.93	68.20	-15.27	-5.49	3	Vertical	45	2.96	58.42	33.33	5.30	44.12
PK	5.714G	113.13	Inf	-Inf	-4.76	3	Vertical	45	2.96	117.89	33.94	5.45	44.15
PK	5.906G	54.44	68.20	-13.76	-4.03	3	Vertical	45	2.96	58.47	34.60	5.54	44.17

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4512G	40.40	54.00	-13.60	-5.52	3	Horizontal	12	2.76	45.92	33.30	5.29	44.11
AV	5.7152G	99.64	Inf	-Inf	-4.75	3	Horizontal	12	2.76	104.39	33.95	5.45	44.15
PK	5.4296G	53.25	74.00	-20.75	-5.57	3	Horizontal	12	2.76	58.82	33.26	5.28	44.11
PK	5.4656G	52.65	68.20	-15.55	-5.49	3	Horizontal	12	2.76	58.14	33.33	5.30	44.12
PK	5.7248G	109.25	Inf	-Inf	-4.64	3	Horizontal	12	2.76	113.89	34.05	5.46	44.15
PK	5.9804G	54.67	68.20	-13.53	-4.02	3	Horizontal	12	2.76	58.69	34.60	5.56	44.18



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44216G	38.04	54.00	-15.96	5.60	3	Vertical	293	1.89	32.44	39.15	8.40	41.95
PK	11.42806G	51.27	74.00	-22.73	5.67	3	Vertical	293	1.89	45.60	39.23	8.40	41.96
PK	17.16333G	49.33	68.20	-18.87	5.20	3	Vertical	338	1.65	44.13	37.50	10.85	43.15

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.43958G	38.03	54.00	-15.97	5.61	3	Horizontal	108	2.84	32.42	39.16	8.40	41.95
PK	11.4289G	50.45	74.00	-23.55	5.67	3	Horizontal	108	2.84	44.78	39.23	8.40	41.96
PK	17.16858G	50.39	68.20	-17.81	5.20	3	Horizontal	153	1.00	45.19	37.50	10.85	43.15



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4522G	42.12	54.00	-11.88	-5.52	3	Vertical	195	2.50	47.64	33.30	5.29	44.11
AV	5.7402G	104.54	Inf	-Inf	-4.48	3	Vertical	195	2.50	109.02	34.20	5.47	44.15
PK	5.6454G	59.16	68.20	-9.04	-5.24	3	Vertical	195	2.50	64.40	33.49	5.41	44.14
PK	5.7402G	113.60	Inf	-Inf	-4.48	3	Vertical	195	2.50	118.08	34.20	5.47	44.15
PK	5.9442G	54.44	68.20	-13.76	-4.02	3	Vertical	195	2.50	58.46	34.60	5.55	44.17

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.451G	40.61	54.00	-13.39	-5.52	3	Horizontal	9	3.00	46.13	33.30	5.29	44.11
AV	5.7402G	100.32	Inf	-Inf	-4.48	3	Horizontal	9	3.00	104.80	34.20	5.47	44.15
PK	5.649G	56.14	68.20	-12.06	-5.22	3	Horizontal	9	3.00	61.36	33.50	5.42	44.14
PK	5.7498G	109.83	Inf	-Inf	-4.38	3	Horizontal	9	3.00	114.21	34.30	5.47	44.15
PK	5.9742G	54.99	68.20	-13.21	-4.02	3	Horizontal	9	3.00	59.01	34.60	5.56	44.18





5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.49156G	38.02	54.00	-15.98	5.59	3	Vertical	346	2.97	32.43	39.10	8.41	41.92
PK	11.48196G	49.24	74.00	-24.76	5.58	3	Vertical	346	2.97	43.66	39.10	8.41	41.93
PK	17.2458G	49.96	68.20	-18.24	5.27	3	Vertical	262	1.54	44.69	37.59	10.81	43.13

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.47746G	37.96	54.00	-16.04	5.58	3	Horizontal	321	1.19	32.38	39.10	8.41	41.93
PK	11.47962G	49.88	74.00	-24.12	5.58	3	Horizontal	321	1.19	44.30	39.10	8.41	41.93
PK	17.2275G	50.88	68.20	-17.32	5.23	3	Horizontal	264	2.95	45.65	37.55	10.82	43.14



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.791G	104.55	Inf	-Inf	-4.19	3	Vertical	195	2.89	108.74	34.46	5.50	44.15
PK	5.6434G	55.90	68.20	-12.30	-5.24	3	Vertical	195	2.89	61.14	33.49	5.41	44.14
PK	5.7814G	113.75	Inf	-Inf	-4.23	3	Vertical	195	2.89	117.98	34.43	5.49	44.15
PK	5.9362G	55.07	68.20	-13.13	-4.02	3	Vertical	195	2.89	59.09	34.60	5.55	44.17

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	103.58	Inf	-Inf	-4.21	3	Horizontal	276	2.98	107.79	34.45	5.49	44.15
PK	5.623G	55.81	68.20	-12.39	-5.28	3	Horizontal	276	2.98	61.09	33.45	5.40	44.13
PK	5.7814G	112.99	Inf	-Inf	-4.23	3	Horizontal	276	2.98	117.22	34.43	5.49	44.15
PK	6.025G	55.19	68.20	-13.01	-4.10	3	Horizontal	276	2.98	59.29	34.50	5.58	44.18



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56386G	38.05	54.00	-15.95	5.49	3	Vertical	6	2.34	32.56	39.00	8.44	41.95
PK	11.5631G	50.10	74.00	-23.90	5.51	3	Vertical	6	2.34	44.59	39.02	8.44	41.95
PK	17.3505G	49.56	68.20	-18.64	5.36	3	Vertical	97	2.20	44.20	37.70	10.77	43.11

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56832G	38.12	54.00	-15.88	5.48	3	Horizontal	179	2.27	32.64	38.99	8.44	41.95
PK	11.56484G	50.43	74.00	-23.57	5.50	3	Horizontal	179	2.27	44.93	39.01	8.44	41.95
PK	17.36598G	50.09	68.20	-18.11	5.39	3	Horizontal	351	2.68	44.70	37.73	10.76	43.10



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	105.71	Inf	-Inf	-4.19	3	Vertical	198	2.83	109.90	34.46	5.51	44.16
PK	5.6318G	55.89	68.20	-12.31	-5.27	3	Vertical	198	2.83	61.16	33.46	5.41	44.14
PK	5.8298G	115.10	Inf	-Inf	-4.21	3	Vertical	198	2.83	119.31	34.44	5.51	44.16
PK	6.113G	54.37	68.20	-13.83	-4.11	3	Vertical	198	2.83	58.48	34.43	5.63	44.17

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8214G	103.26	Inf	-Inf	-4.19	3	Horizontal	274	2.90	107.45	34.46	5.51	44.16
PK	5.6438G	56.14	68.20	-12.06	-5.24	3	Horizontal	274	2.90	61.38	33.49	5.41	44.14
PK	5.8262G	112.78	Inf	-Inf	-4.20	3	Horizontal	274	2.90	116.98	34.45	5.51	44.16
PK	5.9414G	54.59	68.20	-13.61	-4.02	3	Horizontal	274	2.90	58.61	34.60	5.55	44.17



5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.66266G	37.68	54.00	-16.32	5.23	3	Vertical	238	1.95	32.45	38.75	8.47	41.99
PK	11.65876G	49.08	74.00	-24.92	5.22	3	Vertical	238	1.95	43.86	38.74	8.47	41.99
PK	17.46612G	50.57	68.20	-17.63	5.57	3	Vertical	124	1.68	45.00	37.93	10.72	43.08

5.725-5.85GHz\_802.11a\_Nss1,(6Mbps)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65684G	37.61	54.00	-16.39	5.21	3	Horizontal	242	2.40	32.40	38.73	8.47	41.99
PK	11.66344G	48.88	74.00	-25.12	5.23	3	Horizontal	242	2.40	43.65	38.75	8.47	41.99
PK	17.4792G	50.37	68.20	-17.83	5.61	3	Horizontal	118	1.08	44.76	37.96	10.72	43.07



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	52.85	54.00	-1.15	-5.41	3	Vertical	214	2.81	58.26	33.50	5.17	44.08
AV	5.1776G	105.28	Inf	-Inf	-5.40	3	Vertical	214	2.81	110.68	33.50	5.18	44.08
PK	5.15G	70.42	74.00	-3.58	-5.41	3	Vertical	214	2.81	75.83	33.50	5.17	44.08
PK	5.1772G	116.71	Inf	-Inf	-5.40	3	Vertical	214	2.81	122.11	33.50	5.18	44.08

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	50.22	54.00	-3.78	-5.41	3	Horizontal	91	3.00	55.63	33.50	5.17	44.08
AV	5.1776G	100.90	Inf	-Inf	-5.40	3	Horizontal	91	3.00	106.30	33.50	5.18	44.08
PK	5.148G	67.53	74.00	-6.47	-5.41	3	Horizontal	91	3.00	72.94	33.50	5.17	44.08
PK	5.1776G	112.48	Inf	-Inf	-5.40	3	Horizontal	91	3.00	117.88	33.50	5.18	44.08



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53564G	39.72	54.00	-14.28	6.11	3	Vertical	73	1.50	33.61	38.30	10.84	43.03
PK	10.35612G	50.42	68.20	-17.78	4.66	3	Vertical	229	2.11	45.76	38.70	8.07	42.11
PK	15.54156G	52.76	74.00	-21.24	6.11	3	Vertical	73	1.50	46.65	38.30	10.84	43.03

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53876G	39.76	54.00	-14.24	6.11	3	Horizontal	158	1.50	33.65	38.30	10.84	43.03
PK	10.36214G	50.15	68.20	-18.05	4.66	3	Horizontal	172	1.50	45.49	38.70	8.07	42.11
PK	15.54256G	51.67	74.00	-22.33	6.12	3	Horizontal	158	1.50	45.55	38.30	10.85	43.03



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.52	54.00	-5.48	-5.41	3	Vertical	216	2.76	53.93	33.50	5.17	44.08
AV	5.1976G	106.01	Inf	-Inf	-5.39	3	Vertical	216	2.76	111.40	33.50	5.19	44.08
PK	5.15G	64.04	74.00	-9.96	-5.41	3	Vertical	216	2.76	69.45	33.50	5.17	44.08
PK	5.1972G	117.98	Inf	-Inf	-5.39	3	Vertical	216	2.76	123.37	33.50	5.19	44.08

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	45.42	54.00	-8.58	-5.41	3	Horizontal	90	2.94	50.83	33.50	5.17	44.08
AV	5.2028G	101.20	Inf	-Inf	-5.39	3	Horizontal	90	2.94	106.59	33.50	5.19	44.08
PK	5.146G	60.89	74.00	-13.11	-5.41	3	Horizontal	90	2.94	66.30	33.50	5.17	44.08
PK	5.2052G	112.98	Inf	-Inf	-5.39	3	Horizontal	90	2.94	118.37	33.50	5.19	44.08





5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59866G	39.35	54.00	-14.65	6.24	3	Vertical	208	1.50	33.11	38.40	10.90	43.06
PK	10.4003G	50.03	68.20	-18.17	4.70	3	Vertical	325	1.71	45.33	38.70	8.08	42.08
PK	15.59586G	51.66	74.00	-22.34	6.23	3	Vertical	208	1.50	45.43	38.39	10.90	43.06

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.59592G	39.43	54.00	-14.57	6.23	3	Horizontal	133	1.50	33.20	38.39	10.90	43.06
PK	10.40154G	50.03	68.20	-18.17	4.70	3	Horizontal	179	2.36	45.33	38.70	8.08	42.08
PK	15.59546G	51.80	74.00	-22.20	6.23	3	Horizontal	133	1.50	45.57	38.39	10.90	43.06



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1428G	48.60	54.00	-5.40	-5.42	3	Vertical	233	2.96	54.02	33.50	5.16	44.08
AV	5.2448G	105.85	Inf	-Inf	-5.38	3	Vertical	233	2.96	111.23	33.50	5.21	44.09
AV	5.35G	48.34	54.00	-5.66	-5.56	3	Vertical	233	2.96	53.90	33.30	5.24	44.10
PK	5.1332G	61.36	74.00	-12.64	-5.42	3	Vertical	233	2.96	66.78	33.50	5.16	44.08
PK	5.2424G	116.88	Inf	-Inf	-5.39	3	Vertical	233	2.96	122.27	33.50	5.20	44.09
PK	5.35G	59.61	74.00	-14.39	-5.56	3	Vertical	233	2.96	65.17	33.30	5.24	44.10

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1374G	45.54	54.00	-8.46	-5.42	3	Horizontal	91	3.00	50.96	33.50	5.16	44.08
AV	5.243G	101.58	Inf	-Inf	-5.38	3	Horizontal	91	3.00	106.96	33.50	5.21	44.09
AV	5.35G	44.60	54.00	-9.40	-5.56	3	Horizontal	91	3.00	50.16	33.30	5.24	44.10
PK	5.1326G	57.88	74.00	-16.12	-5.42	3	Horizontal	91	3.00	63.30	33.50	5.16	44.08
PK	5.2454G	113.69	Inf	-Inf	-5.38	3	Horizontal	91	3.00	119.07	33.50	5.21	44.09
PK	5.3564G	57.17	74.00	-16.83	-5.57	3	Horizontal	91	3.00	62.74	33.29	5.24	44.10



5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71748G	39.33	54.00	-14.67	6.12	3	Vertical	147	2.48	33.21	38.20	11.03	43.11
PK	10.47822G	50.46	68.20	-17.74	4.74	3	Vertical	202	1.50	45.72	38.66	8.11	42.03
PK	15.72096G	51.88	74.00	-22.12	6.11	3	Vertical	147	2.48	45.77	38.20	11.03	43.12

5.15-5.25GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.72046G	39.36	54.00	-14.64	6.11	3	Horizontal	276	1.66	33.25	38.20	11.03	43.12
PK	10.48012G	50.57	68.20	-17.63	4.75	3	Horizontal	66	1.50	45.82	38.66	8.11	42.02
PK	15.72412G	52.26	74.00	-21.74	6.12	3	Horizontal	276	1.66	46.14	38.20	11.04	43.12



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.31	54.00	-7.69	-5.41	3	Vertical	235	3.00	51.72	33.50	5.17	44.08
AV	5.2546G	106.79	Inf	-Inf	-5.40	3	Vertical	235	3.00	112.19	33.48	5.21	44.09
AV	5.3626G	50.43	54.00	-3.57	-5.58	3	Vertical	235	3.00	56.01	33.27	5.25	44.10
PK	5.15G	57.43	74.00	-16.57	-5.41	3	Vertical	235	3.00	62.84	33.50	5.17	44.08
PK	5.257G	119.22	Inf	-Inf	-5.41	3	Vertical	235	3.00	124.63	33.47	5.21	44.09
PK	5.3674G	62.45	74.00	-11.55	-5.58	3	Vertical	235	3.00	68.03	33.27	5.25	44.10

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	43.09	54.00	-10.91	-5.41	3	Horizontal	3	2.85	48.50	33.50	5.17	44.08
AV	5.2636G	101.30	Inf	-Inf	-5.43	3	Horizontal	3	2.85	106.73	33.45	5.21	44.09
AV	5.359G	46.44	54.00	-7.56	-5.57	3	Horizontal	3	2.85	52.01	33.28	5.25	44.10
PK	5.1298G	54.99	74.00	-19.01	-5.42	3	Horizontal	3	2.85	60.41	33.50	5.16	44.08
PK	5.2612G	113.17	Inf	-Inf	-5.42	3	Horizontal	3	2.85	118.59	33.46	5.21	44.09
PK	5.3566G	57.80	74.00	-16.20	-5.57	3	Horizontal	3	2.85	63.37	33.29	5.24	44.10



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.7769G	39.24	54.00	-14.76	6.10	3	Vertical	109	1.50	33.14	38.15	11.09	43.14
PK	10.5245G	50.39	68.20	-17.81	4.85	3	Vertical	195	2.35	45.54	38.75	8.12	42.02
PK	15.7776G	51.80	74.00	-22.20	6.09	3	Vertical	109	1.50	45.71	38.14	11.09	43.14

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77524G	39.15	54.00	-14.85	6.10	3	Horizontal	98	1.50	33.05	38.15	11.09	43.14
PK	10.52358G	50.05	68.20	-18.15	4.85	3	Horizontal	23	1.50	45.20	38.75	8.12	42.02
PK	15.78216G	52.31	74.00	-21.69	6.09	3	Horizontal	98	1.50	46.22	38.14	11.10	43.15



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3048G	106.30	Inf	-Inf	-5.57	3	Vertical	215	2.96	111.87	33.30	5.23	44.10
AV	5.3948G	50.35	54.00	-3.65	-5.64	3	Vertical	215	2.96	55.99	33.21	5.26	44.11
PK	5.2972G	118.37	Inf	-Inf	-5.57	3	Vertical	215	2.96	123.94	33.31	5.22	44.10
PK	5.35G	63.39	74.00	-10.61	-5.56	3	Vertical	215	2.96	68.95	33.30	5.24	44.10

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3028G	103.19	Inf	-Inf	-5.57	3	Horizontal	89	2.94	108.76	33.30	5.23	44.10
AV	5.3956G	48.03	54.00	-5.97	-5.64	3	Horizontal	89	2.94	53.67	33.21	5.26	44.11
PK	5.3052G	114.91	Inf	-Inf	-5.57	3	Horizontal	89	2.94	120.48	33.30	5.23	44.10
PK	5.35G	61.23	74.00	-12.77	-5.56	3	Horizontal	89	2.94	66.79	33.30	5.24	44.10



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60278G	38.07	54.00	-15.93	5.11	3	Vertical	102	1.50	32.96	39.01	8.14	42.04
AV	15.90378G	38.93	54.00	-15.07	5.94	3	Vertical	227	1.03	32.99	37.91	11.23	43.20
PK	10.60128G	51.25	74.00	-22.75	5.10	3	Vertical	102	1.50	46.15	39.00	8.14	42.04
PK	15.91398G	51.12	74.00	-22.88	5.96	3	Vertical	227	1.03	45.16	37.93	11.24	43.21

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60174G	37.91	54.00	-16.09	5.10	3	Horizontal	44	1.45	32.81	39.00	8.14	42.04
AV	15.89982G	39.47	54.00	-14.53	5.92	3	Horizontal	305	2.00	33.55	37.90	11.22	43.20
PK	10.6006G	49.36	74.00	-24.64	5.10	3	Horizontal	44	1.45	44.26	39.00	8.14	42.04
PK	15.9039G	51.71	74.00	-22.29	5.94	3	Horizontal	305	2.00	45.77	37.91	11.23	43.20



5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.325G	105.34	Inf	-Inf	-5.57	3	Vertical	215	3.00	110.91	33.30	5.23	44.10
AV	5.3502G	53.80	54.00	-0.20	-5.56	3	Vertical	215	3.00	59.36	33.30	5.24	44.10
PK	5.317G	117.82	Inf	-Inf	-5.57	3	Vertical	215	3.00	123.39	33.30	5.23	44.10
PK	5.3502G	72.24	74.00	-1.76	-5.56	3	Vertical	215	3.00	77.80	33.30	5.24	44.10

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3228G	102.24	Inf	-Inf	-5.57	3	Horizontal	91	2.96	107.81	33.30	5.23	44.10
AV	5.3508G	51.20	54.00	-2.80	-5.56	3	Horizontal	91	2.96	56.76	33.30	5.24	44.10
PK	5.3254G	114.51	Inf	-Inf	-5.57	3	Horizontal	91	2.96	120.08	33.30	5.23	44.10
PK	5.3508G	69.10	74.00	-4.90	-5.56	3	Horizontal	91	2.96	74.66	33.30	5.24	44.10





5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.65212G	37.97	54.00	-16.03	5.20	3	Vertical	360	1.99	32.77	39.10	8.16	42.06
AV	15.97122G	39.70	54.00	-14.30	6.02	3	Vertical	167	1.19	33.68	37.96	11.30	43.24
PK	10.64834G	50.00	74.00	-24.00	5.20	3	Vertical	360	1.99	44.80	39.10	8.16	42.06
PK	15.95346G	51.69	74.00	-22.31	6.04	3	Vertical	167	1.19	45.65	37.99	11.28	43.23

5.25-5.35GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6484G	38.00	54.00	-16.00	5.20	3	Horizontal	255	2.98	32.80	39.10	8.16	42.06
AV	15.97446G	39.72	54.00	-14.28	6.01	3	Horizontal	161	2.00	33.71	37.95	11.30	43.24
PK	10.63568G	49.29	74.00	-24.71	5.16	3	Horizontal	255	2.98	44.13	39.07	8.15	42.06
PK	15.97296G	52.17	74.00	-21.83	6.01	3	Horizontal	161	2.00	46.16	37.95	11.30	43.24

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	46.79	54.00	-7.21	-5.50	3	Vertical	32	2.71	52.29	33.32	5.30	44.12
AV	5.4944G	103.67	Inf	-Inf	-5.41	3	Vertical	32	2.71	109.08	33.39	5.32	44.12
PK	5.46G	61.09	74.00	-12.91	-5.50	3	Vertical	32	2.71	66.59	33.32	5.30	44.12
PK	5.4698G	68.08	68.20	-0.12	-5.47	3	Vertical	32	2.71	73.55	33.34	5.31	44.12
PK	5.497G	117.06	Inf	-Inf	-5.41	3	Vertical	32	2.71	122.47	33.39	5.32	44.12

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	43.57	54.00	-10.43	-5.50	3	Horizontal	94	2.82	49.07	33.32	5.30	44.12
AV	5.4928G	98.69	Inf	-Inf	-5.41	3	Horizontal	94	2.82	104.10	33.39	5.32	44.12
PK	5.4534G	57.06	74.00	-16.94	-5.51	3	Horizontal	94	2.82	62.57	33.31	5.29	44.11
PK	5.468G	64.48	68.20	-3.72	-5.48	3	Horizontal	94	2.82	69.96	33.34	5.30	44.12
PK	5.493G	110.69	Inf	-Inf	-5.41	3	Horizontal	94	2.82	116.10	33.39	5.32	44.12



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99964G	37.82	54.00	-16.18	4.88	3	Vertical	121	2.68	32.94	38.80	8.26	42.18
PK	10.99256G	49.84	74.00	-24.16	4.91	3	Vertical	121	2.68	44.93	38.83	8.26	42.18
PK	16.48944G	51.28	68.20	-16.92	6.09	3	Vertical	286	2.03	45.19	37.98	11.13	43.02

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0057G	37.74	54.00	-16.26	4.90	3	Horizontal	155	1.91	32.84	38.81	8.27	42.18
PK	11.00864G	51.03	74.00	-22.97	4.91	3	Horizontal	155	1.91	46.12	38.82	8.27	42.18
PK	16.50606G	52.61	68.20	-15.59	6.07	3	Horizontal	266	1.04	46.54	37.96	11.12	43.01



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	42.09	54.00	-11.91	-5.50	3	Vertical	50	2.53	47.59	33.32	5.30	44.12
AV	5.5746G	103.05	Inf	-Inf	-5.31	3	Vertical	50	2.53	108.36	33.45	5.37	44.13
PK	5.4498G	55.23	74.00	-18.77	-5.52	3	Vertical	50	2.53	60.75	33.30	5.29	44.11
PK	5.4654G	56.40	68.20	-11.80	-5.49	3	Vertical	50	2.53	61.89	33.33	5.30	44.12
PK	5.577G	116.26	Inf	-Inf	-5.30	3	Vertical	50	2.53	121.56	33.45	5.38	44.13
PK	5.7258G	56.24	68.20	-11.96	-4.63	3	Vertical	50	2.53	60.87	34.06	5.46	44.15

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4582G	41.28	54.00	-12.72	-5.49	3	Horizontal	278	2.89	46.77	33.32	5.30	44.11
AV	5.5788G	101.18	Inf	-Inf	-5.31	3	Horizontal	278	2.89	106.49	33.44	5.38	44.13
PK	5.4414G	54.76	74.00	-19.24	-5.54	3	Horizontal	278	2.89	60.30	33.28	5.29	44.11
PK	5.4624G	53.68	68.20	-14.52	-5.50	3	Horizontal	278	2.89	59.18	33.32	5.30	44.12
PK	5.5818G	113.26	Inf	-Inf	-5.31	3	Horizontal	278	2.89	118.57	33.44	5.38	44.13
PK	5.73G	55.02	68.20	-13.18	-4.59	3	Horizontal	278	2.89	59.61	34.10	5.46	44.15



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16456G	37.35	54.00	-16.65	5.16	3	Vertical	144	2.17	32.19	38.93	8.32	42.09
PK	11.16834G	48.36	74.00	-25.64	5.17	3	Vertical	144	2.17	43.19	38.94	8.32	42.09
PK	16.74816G	50.90	68.20	-17.30	5.72	3	Vertical	41	1.18	45.18	37.80	11.02	43.10

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5580MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1483G	37.31	54.00	-16.69	5.11	3	Horizontal	271	2.77	32.20	38.90	8.31	42.10
PK	11.16006G	48.75	74.00	-25.25	5.13	3	Horizontal	271	2.77	43.62	38.92	8.31	42.10
PK	16.75308G	51.56	68.20	-16.64	5.71	3	Horizontal	264	1.18	45.85	37.79	11.02	43.10



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6948G	99.46	Inf	-Inf	-4.93	3	Vertical	46	2.69	104.39	33.77	5.44	44.14
PK	5.6972G	112.27	Inf	-Inf	-4.92	3	Vertical	46	2.69	117.19	33.78	5.44	44.14
PK	5.7276G	66.95	68.20	-1.25	-4.61	3	Vertical	46	2.69	71.56	34.08	5.46	44.15

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.696G	97.91	Inf	-Inf	-4.92	3	Horizontal	274	3.00	102.83	33.78	5.44	44.14
PK	5.7012G	109.61	Inf	-Inf	-4.88	3	Horizontal	274	3.00	114.49	33.81	5.45	44.14
PK	5.726G	65.51	68.20	-2.69	-4.63	3	Horizontal	274	3.00	70.14	34.06	5.46	44.15



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4027G	38.57	54.00	-15.43	5.80	3	Vertical	337	2.90	32.77	39.38	8.39	41.97
PK	11.39124G	49.95	74.00	-24.05	5.78	3	Vertical	337	2.90	44.17	39.38	8.38	41.98
PK	17.10096G	50.96	68.20	-17.24	5.20	3	Vertical	360	2.27	45.76	37.50	10.87	43.17

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40726G	38.50	54.00	-15.50	5.78	3	Horizontal	58	2.89	32.72	39.36	8.39	41.97
PK	11.39316G	50.35	74.00	-23.65	5.79	3	Horizontal	58	2.89	44.56	39.39	8.38	41.98
PK	17.10972G	50.41	68.20	-17.79	5.21	3	Horizontal	272	2.22	45.20	37.50	10.87	43.16



5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4356G	41.44	54.00	-12.56	-5.56	3	Vertical	45	2.67	47.00	33.27	5.28	44.11
AV	5.7152G	103.54	Inf	-Inf	-4.75	3	Vertical	45	2.67	108.29	33.95	5.45	44.15
PK	5.4452G	54.72	74.00	-19.28	-5.53	3	Vertical	45	2.67	60.25	33.29	5.29	44.11
PK	5.468G	54.47	68.20	-13.73	-5.48	3	Vertical	45	2.67	59.95	33.34	5.30	44.12
PK	5.7164G	116.03	Inf	-Inf	-4.74	3	Vertical	45	2.67	120.77	33.96	5.45	44.15
PK	5.9792G	54.16	68.20	-14.04	-4.02	3	Vertical	45	2.67	58.18	34.60	5.56	44.18

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	40.79	54.00	-13.21	-5.50	3	Horizontal	275	3.00	46.29	33.32	5.30	44.12
AV	5.7212G	101.48	Inf	-Inf	-4.68	3	Horizontal	275	3.00	106.16	34.01	5.46	44.15
PK	5.4284G	53.05	74.00	-20.95	-5.57	3	Horizontal	275	3.00	58.62	33.26	5.28	44.11
PK	5.462G	53.77	68.20	-14.43	-5.50	3	Horizontal	275	3.00	59.27	33.32	5.30	44.12
PK	5.7212G	112.68	Inf	-Inf	-4.68	3	Horizontal	275	3.00	117.36	34.01	5.46	44.15
PK	5.9624G	55.22	68.20	-12.98	-4.02	3	Horizontal	275	3.00	59.24	34.60	5.56	44.18





5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5720MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.4418G	38.63	54.00	-15.37	5.60	3	Vertical	60	2.68	33.03	39.15	8.40	41.95
PK	11.43736G	50.59	74.00	-23.41	5.63	3	Vertical	60	2.68	44.96	39.18	8.40	41.95
PK	17.14926G	49.63	68.20	-18.57	5.20	3	Vertical	356	1.81	44.43	37.50	10.85	43.15

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5720MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.44408G	38.59	54.00	-15.41	5.59	3	Horizontal	327	1.31	33.00	39.14	8.40	41.95
PK	11.44942G	49.55	74.00	-24.45	5.55	3	Horizontal	327	1.31	44.00	39.10	8.40	41.95
PK	17.15748G	49.91	68.20	-18.29	5.20	3	Horizontal	219	1.37	44.71	37.50	10.85	43.15



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4546G	42.53	54.00	-11.47	-5.50	3	Vertical	221	2.79	48.03	33.31	5.30	44.11
AV	5.7486G	104.17	Inf	-Inf	-4.39	3	Vertical	221	2.79	108.56	34.29	5.47	44.15
PK	5.649G	61.69	68.20	-6.51	-5.22	3	Vertical	221	2.79	66.91	33.50	5.42	44.14
PK	5.7462G	116.30	Inf	-Inf	-4.42	3	Vertical	221	2.79	120.72	34.26	5.47	44.15
PK	5.9946G	54.71	68.20	-13.49	-4.01	3	Vertical	221	2.79	58.72	34.60	5.57	44.18

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4534G	40.56	54.00	-13.44	-5.51	3	Horizontal	12	2.69	46.07	33.31	5.29	44.11
AV	5.7474G	100.42	Inf	-Inf	-4.41	3	Horizontal	12	2.69	104.83	34.27	5.47	44.15
PK	5.6478G	55.51	68.20	-12.69	-5.22	3	Horizontal	12	2.69	60.73	33.50	5.42	44.14
PK	5.7498G	111.94	Inf	-Inf	-4.38	3	Horizontal	12	2.69	116.32	34.30	5.47	44.15
PK	5.9982G	54.72	68.20	-13.48	-4.01	3	Horizontal	12	2.69	58.73	34.60	5.57	44.18



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5745MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.50428G	38.35	54.00	-15.65	5.60	3	Vertical	145	2.60	32.75	39.10	8.42	41.92
PK	11.50458G	50.02	74.00	-23.98	5.60	3	Vertical	145	2.60	44.42	39.10	8.42	41.92
PK	17.23926G	49.99	68.20	-18.21	5.27	3	Vertical	320	1.23	44.72	37.58	10.82	43.13

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5745MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.47998G	38.28	54.00	-15.72	5.58	3	Horizontal	213	2.22	32.70	39.10	8.41	41.93
PK	11.50314G	49.81	74.00	-24.19	5.60	3	Horizontal	213	2.22	44.21	39.10	8.42	41.92
PK	17.23146G	49.91	68.20	-18.29	5.25	3	Horizontal	359	2.88	44.66	37.56	10.82	43.13



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	104.19	Inf	-Inf	-4.21	3	Vertical	196	2.89	108.40	34.45	5.49	44.15
PK	5.6206G	56.68	68.20	-11.52	-5.29	3	Vertical	196	2.89	61.97	33.44	5.40	44.13
PK	5.7898G	115.40	Inf	-Inf	-4.20	3	Vertical	196	2.89	119.60	34.46	5.49	44.15
PK	6.0286G	54.88	68.20	-13.32	-4.10	3	Vertical	196	2.89	58.98	34.49	5.59	44.18

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7874G	101.14	Inf	-Inf	-4.21	3	Horizontal	10	2.87	105.35	34.45	5.49	44.15
PK	5.5474G	54.10	68.20	-14.10	-5.28	3	Horizontal	10	2.87	59.38	33.49	5.36	44.13
PK	5.7874G	112.47	Inf	-Inf	-4.21	3	Horizontal	10	2.87	116.68	34.45	5.49	44.15
PK	5.9722G	54.78	68.20	-13.42	-4.02	3	Horizontal	10	2.87	58.80	34.60	5.56	44.18



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5785MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56874G	38.24	54.00	-15.76	5.48	3	Vertical	280	2.94	32.76	38.99	8.44	41.95
PK	11.56988G	50.38	74.00	-23.62	5.47	3	Vertical	280	2.94	44.91	38.98	8.44	41.95
PK	17.35248G	50.22	68.20	-17.98	5.36	3	Vertical	156	2.83	44.86	37.70	10.77	43.11

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.56622G	38.35	54.00	-15.65	5.49	3	Horizontal	332	1.93	32.86	39.00	8.44	41.95
PK	11.56394G	50.25	74.00	-23.75	5.51	3	Horizontal	332	1.93	44.74	39.02	8.44	41.95
PK	17.34216G	50.75	68.20	-17.45	5.36	3	Horizontal	355	2.76	45.39	37.70	10.77	43.11



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8202G	103.10	Inf	-Inf	-4.19	3	Vertical	208	3.00	107.29	34.46	5.51	44.16
PK	5.6414G	56.46	68.20	-11.74	-5.25	3	Vertical	208	3.00	61.71	33.48	5.41	44.14
PK	5.8214G	116.29	Inf	-Inf	-4.19	3	Vertical	208	3.00	120.48	34.46	5.51	44.16
PK	6.0926G	54.93	68.20	-13.27	-4.15	3	Vertical	208	3.00	59.08	34.40	5.62	44.17

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.8178G	100.67	Inf	-Inf	-4.19	3	Horizontal	11	2.91	104.86	34.46	5.51	44.16
PK	5.615G	54.71	68.20	-13.49	-5.30	3	Horizontal	11	2.91	60.01	33.43	5.40	44.13
PK	5.8178G	111.74	Inf	-Inf	-4.19	3	Horizontal	11	2.91	115.93	34.46	5.51	44.16
PK	6.0398G	55.44	68.20	-12.76	-4.15	3	Horizontal	11	2.91	59.59	34.44	5.59	44.18



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX


5825MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.65726G	38.12	54.00	-15.88	5.21	3	Vertical	191	2.01	32.91	38.73	8.47	41.99
PK	11.63626G	50.50	74.00	-23.50	5.21	3	Vertical	191	2.01	45.29	38.73	8.46	41.98
PK	17.46816G	52.26	68.20	-15.94	5.58	3	Vertical	111	1.03	46.68	37.94	10.72	43.08

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.662G	38.05	54.00	-15.95	5.23	3	Horizontal	313	2.28	32.82	38.75	8.47	41.99
PK	11.66446G	50.42	74.00	-23.58	5.24	3	Horizontal	313	2.28	45.18	38.76	8.47	41.99
PK	17.46708G	51.78	68.20	-16.42	5.57	3	Horizontal	121	1.17	46.21	37.93	10.72	43.08



5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.36	54.00	-0.64	-5.41	3	Vertical	213	2.75	58.77	33.50	5.17	44.08
AV	5.1952G	98.60	Inf	-Inf	-5.39	3	Vertical	213	2.75	103.99	33.50	5.19	44.08
PK	5.1444G	68.26	74.00	-5.74	-5.42	3	Vertical	213	2.75	73.68	33.50	5.16	44.08
PK	5.1952G	110.97	Inf	-Inf	-5.39	3	Vertical	213	2.75	116.36	33.50	5.19	44.08

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	46.14	54.00	-7.86	-5.41	3	Horizontal	0	3.00	51.55	33.50	5.17	44.08
AV	5.1856G	92.49	Inf	-Inf	-5.40	3	Horizontal	0	3.00	97.89	33.50	5.18	44.08
PK	5.1448G	59.04	74.00	-14.96	-5.41	3	Horizontal	0	3.00	64.45	33.50	5.17	44.08
PK	5.1856G	103.22	Inf	-Inf	-5.40	3	Horizontal	0	3.00	108.62	33.50	5.18	44.08





5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56312G	40.79	54.00	-13.21	6.16	3	Vertical	248	2.53	34.63	38.33	10.87	43.04
PK	10.37056G	50.55	68.20	-17.65	4.67	3	Vertical	42	2.76	45.88	38.70	8.07	42.10
PK	15.5702G	52.15	74.00	-21.85	6.17	3	Vertical	248	2.53	45.98	38.34	10.87	43.04

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5190MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.56552G	40.76	54.00	-13.24	6.16	3	Horizontal	360	1.50	34.60	38.33	10.87	43.04
PK	10.37056G	50.19	68.20	-18.01	4.67	3	Horizontal	320	2.44	45.52	38.70	8.07	42.10
PK	15.56852G	51.98	74.00	-22.02	6.17	3	Horizontal	360	1.50	45.81	38.34	10.87	43.04

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1492G	51.82	54.00	-2.18	-5.41	3	Vertical	234	3.00	57.23	33.50	5.17	44.08
AV	5.2352G	104.30	Inf	-Inf	-5.39	3	Vertical	234	3.00	109.69	33.50	5.20	44.09
PK	5.1472G	66.55	74.00	-7.45	-5.41	3	Vertical	234	3.00	71.96	33.50	5.17	44.08
PK	5.2224G	116.30	Inf	-Inf	-5.39	3	Vertical	234	3.00	121.69	33.50	5.20	44.09

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1484G	47.22	54.00	-6.78	-5.41	3	Horizontal	7	2.78	52.63	33.50	5.17	44.08
AV	5.2364G	97.95	Inf	-Inf	-5.39	3	Horizontal	7	2.78	103.34	33.50	5.20	44.09
PK	5.1484G	61.76	74.00	-12.24	-5.41	3	Horizontal	7	2.78	67.17	33.50	5.17	44.08
PK	5.2268G	109.55	Inf	-Inf	-5.39	3	Horizontal	7	2.78	114.94	33.50	5.20	44.09



5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5230MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.69016G	40.19	54.00	-13.81	6.08	3	Vertical	167	1.50	34.11	38.18	11.00	43.10
PK	10.4654G	50.17	68.20	-18.03	4.70	3	Vertical	334	1.50	45.47	38.63	8.10	42.03
PK	15.68724G	52.08	74.00	-21.92	6.07	3	Vertical	167	1.50	46.01	38.17	11.00	43.10

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.68984G	40.36	54.00	-13.64	6.08	3	Horizontal	78	1.50	34.28	38.18	11.00	43.10
PK	10.45404G	50.07	68.20	-18.13	4.67	3	Horizontal	11	2.43	45.40	38.61	8.10	42.04
PK	15.699G	53.52	74.00	-20.48	6.10	3	Horizontal	78	1.50	47.42	38.20	11.01	43.11



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2748G	104.31	Inf	-Inf	-5.47	3	Vertical	234	3.00	109.78	33.40	5.22	44.09
AV	5.352G	52.18	54.00	-1.82	-5.56	3	Vertical	234	3.00	57.74	33.30	5.24	44.10
PK	5.2576G	115.88	Inf	-Inf	-5.41	3	Vertical	234	3.00	121.29	33.47	5.21	44.09
PK	5.3516G	65.44	74.00	-8.56	-5.56	3	Vertical	234	3.00	71.00	33.30	5.24	44.10

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.2756G	101.31	Inf	-Inf	-5.47	3	Horizontal	88	2.97	106.78	33.40	5.22	44.09
AV	5.35G	50.31	54.00	-3.69	-5.56	3	Horizontal	88	2.97	55.87	33.30	5.24	44.10
PK	5.2756G	113.15	Inf	-Inf	-5.47	3	Horizontal	88	2.97	118.62	33.40	5.22	44.09
PK	5.3504G	64.77	74.00	-9.23	-5.56	3	Horizontal	88	2.97	70.33	33.30	5.24	44.10



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5270MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.79698G	39.82	54.00	-14.18	6.07	3	Vertical	211	2.28	33.75	38.11	11.11	43.15
PK	10.55086G	49.76	68.20	-18.44	4.90	3	Vertical	26	1.60	44.86	38.80	8.13	42.03
PK	15.80646G	51.19	74.00	-22.81	6.01	3	Vertical	211	2.28	45.18	38.05	11.12	43.16

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.79848G	39.97	54.00	-14.03	6.07	3	Horizontal	191	2.76	33.90	38.10	11.12	43.15
PK	10.53442G	49.38	68.20	-18.82	4.87	3	Horizontal	126	2.55	44.51	38.77	8.12	42.02
PK	15.80244G	50.94	74.00	-23.06	6.04	3	Horizontal	191	2.76	44.90	38.08	11.12	43.16



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3148G	98.75	Inf	-Inf	-5.57	3	Vertical	233	2.96	104.32	33.30	5.23	44.10
AV	5.35G	53.89	54.00	-0.11	-5.56	3	Vertical	233	2.96	59.45	33.30	5.24	44.10
PK	5.2976G	110.14	Inf	-Inf	-5.57	3	Vertical	233	2.96	115.71	33.31	5.22	44.10
PK	5.35G	67.72	74.00	-6.28	-5.56	3	Vertical	233	2.96	73.28	33.30	5.24	44.10

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3156G	95.57	Inf	-Inf	-5.57	3	Horizontal	89	2.95	101.14	33.30	5.23	44.10
AV	5.3508G	48.83	54.00	-5.17	-5.56	3	Horizontal	89	2.95	54.39	33.30	5.24	44.10
PK	5.3152G	107.49	Inf	-Inf	-5.57	3	Horizontal	89	2.95	113.06	33.30	5.23	44.10
PK	5.3512G	60.87	74.00	-13.13	-5.56	3	Horizontal	89	2.95	66.43	33.30	5.24	44.10



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5310MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.60536G	38.52	54.00	-15.48	5.10	3	Vertical	355	1.31	33.42	39.01	8.14	42.05
AV	15.93198G	40.49	54.00	-13.51	6.00	3	Vertical	53	2.70	34.49	37.96	11.26	43.22
PK	10.6332G	49.94	74.00	-24.06	5.16	3	Vertical	355	1.31	44.78	39.07	8.15	42.06
PK	15.9318G	51.32	74.00	-22.68	6.00	3	Vertical	53	2.70	45.32	37.96	11.26	43.22

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.6092G	38.60	54.00	-15.40	5.12	3	Horizontal	290	2.19	33.48	39.02	8.15	42.05
AV	15.92436G	40.43	54.00	-13.57	5.99	3	Horizontal	236	2.01	34.44	37.95	11.25	43.21
PK	10.61124G	49.02	74.00	-24.98	5.12	3	Horizontal	290	2.19	43.90	39.02	8.15	42.05
PK	15.93126G	51.09	74.00	-22.91	6.00	3	Horizontal	236	2.01	45.09	37.96	11.26	43.22



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	48.23	54.00	-5.77	-5.50	3	Vertical	33	2.76	53.73	33.32	5.30	44.12
AV	5.5044G	99.15	Inf	-Inf	-5.38	3	Vertical	33	2.76	104.53	33.41	5.33	44.12
PK	5.4576G	62.38	74.00	-11.62	-5.49	3	Vertical	33	2.76	67.87	33.32	5.30	44.11
PK	5.4696G	67.73	68.20	-0.47	-5.47	3	Vertical	33	2.76	73.20	33.34	5.31	44.12
PK	5.5068G	111.09	Inf	-Inf	-5.38	3	Vertical	33	2.76	116.47	33.41	5.33	44.12

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4584G	44.40	54.00	-9.60	-5.50	3	Horizontal	270	2.91	49.90	33.32	5.30	44.12
AV	5.5156G	96.49	Inf	-Inf	-5.35	3	Horizontal	270	2.91	101.84	33.43	5.34	44.12
PK	5.4588G	56.40	74.00	-17.60	-5.50	3	Horizontal	270	2.91	61.90	33.32	5.30	44.12
PK	5.47G	61.20	68.20	-7.00	-5.47	3	Horizontal	270	2.91	66.67	33.34	5.31	44.12
PK	5.5152G	107.81	Inf	-Inf	-5.36	3	Horizontal	270	2.91	113.17	33.43	5.33	44.12





5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01088G	38.13	54.00	-15.87	4.92	3	Vertical	277	1.81	33.21	38.82	8.27	42.17
PK	11.00866G	50.84	74.00	-23.16	4.91	3	Vertical	277	1.81	45.93	38.82	8.27	42.18
PK	16.52814G	52.90	68.20	-15.30	5.92	3	Vertical	282	2.07	46.98	37.83	11.11	43.02

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5510MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.01538G	38.35	54.00	-15.65	4.93	3	Horizontal	41	2.13	33.42	38.83	8.27	42.17
PK	11.02216G	50.65	74.00	-23.35	4.94	3	Horizontal	41	2.13	45.71	38.84	8.27	42.17
PK	16.51722G	52.27	68.20	-15.93	6.00	3	Horizontal	224	1.55	46.27	37.90	11.12	43.02

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4568G	47.56	54.00	-6.44	-5.50	3	Vertical	50	2.45	53.06	33.31	5.30	44.11
AV	5.5444G	101.94	Inf	-Inf	-5.29	3	Vertical	50	2.45	107.23	33.49	5.35	44.13
PK	5.4592G	59.55	74.00	-14.45	-5.50	3	Vertical	50	2.45	65.05	33.32	5.30	44.12
PK	5.4692G	60.21	68.20	-7.99	-5.48	3	Vertical	50	2.45	65.69	33.34	5.30	44.12
PK	5.5468G	113.87	Inf	-Inf	-5.28	3	Vertical	50	2.45	119.15	33.49	5.36	44.13

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.456G	45.48	54.00	-8.52	-5.50	3	Horizontal	272	3.00	50.98	33.31	5.30	44.11
AV	5.5556G	100.05	Inf	-Inf	-5.28	3	Horizontal	272	3.00	105.33	33.49	5.36	44.13
PK	5.458G	57.06	74.00	-16.94	-5.49	3	Horizontal	272	3.00	62.55	33.32	5.30	44.11
PK	5.466G	57.96	68.20	-10.24	-5.49	3	Horizontal	272	3.00	63.45	33.33	5.30	44.12
PK	5.5432G	112.28	Inf	-Inf	-5.29	3	Horizontal	272	3.00	117.57	33.49	5.35	44.13



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.10216G	38.13	54.00	-15.87	5.07	3	Vertical	78	2.18	33.06	38.90	8.30	42.13
PK	11.08812G	49.50	74.00	-24.50	5.06	3	Vertical	78	2.18	44.44	38.90	8.29	42.13
PK	16.65942G	50.21	68.20	-17.99	5.81	3	Vertical	123	2.50	44.40	37.82	11.06	43.07

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5550MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.0937G	38.07	54.00	-15.93	5.06	3	Horizontal	153	1.84	33.01	38.90	8.29	42.13
PK	11.09232G	49.86	74.00	-24.14	5.06	3	Horizontal	153	1.84	44.80	38.90	8.29	42.13
PK	16.64364G	50.75	68.20	-17.45	5.76	3	Horizontal	196	2.23	44.99	37.76	11.06	43.06

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6748G	100.65	Inf	-Inf	-5.06	3	Vertical	49	2.59	105.71	33.65	5.43	44.14
PK	5.6676G	112.09	Inf	-Inf	-5.10	3	Vertical	49	2.59	117.19	33.61	5.43	44.14
PK	5.7276G	67.86	68.20	-0.34	-4.61	3	Vertical	49	2.59	72.47	34.08	5.46	44.15

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.676G	99.46	Inf	-Inf	-5.05	3	Horizontal	273	3.00	104.51	33.66	5.43	44.14
PK	5.6634G	109.66	Inf	-Inf	-5.14	3	Horizontal	273	3.00	114.80	33.58	5.42	44.14
PK	5.7264G	63.67	68.20	-4.53	-4.63	3	Horizontal	273	3.00	68.30	34.06	5.46	44.15



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5670MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34762G	39.01	54.00	-14.99	5.67	3	Vertical	158	2.53	33.34	39.30	8.37	42.00
PK	11.34114G	50.73	74.00	-23.27	5.67	3	Vertical	158	2.53	45.06	39.30	8.37	42.00
PK	17.00538G	49.97	68.20	-18.23	5.05	3	Vertical	49	2.84	44.92	37.33	10.91	43.19

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.34258G	38.67	54.00	-15.33	5.67	3	Horizontal	228	2.93	33.00	39.30	8.37	42.00
PK	11.33238G	50.32	74.00	-23.68	5.66	3	Horizontal	228	2.93	44.66	39.30	8.37	42.01
PK	17.00712G	50.11	68.20	-18.09	5.06	3	Horizontal	93	2.12	45.05	37.34	10.91	43.19



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4388G	42.77	54.00	-11.23	-5.54	3	Vertical	49	2.72	48.31	33.28	5.29	44.11
AV	5.7052G	101.90	Inf	-Inf	-4.84	3	Vertical	49	2.72	106.74	33.85	5.45	44.14
PK	5.446G	54.62	74.00	-19.38	-5.53	3	Vertical	49	2.72	60.15	33.29	5.29	44.11
PK	5.464G	54.63	68.20	-13.57	-5.49	3	Vertical	49	2.72	60.12	33.33	5.30	44.12
PK	5.7064G	113.60	Inf	-Inf	-4.83	3	Vertical	49	2.72	118.43	33.86	5.45	44.14
PK	5.8612G	55.05	68.20	-13.15	-4.20	3	Vertical	49	2.72	59.25	34.44	5.52	44.16

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4592G	41.97	54.00	-12.03	-5.50	3	Horizontal	277	2.97	47.47	33.32	5.30	44.12
AV	5.6944G	99.99	Inf	-Inf	-4.93	3	Horizontal	277	2.97	104.92	33.77	5.44	44.14
PK	5.4544G	54.12	74.00	-19.88	-5.50	3	Horizontal	277	2.97	59.62	33.31	5.30	44.11
PK	5.4652G	53.53	68.20	-14.67	-5.49	3	Horizontal	277	2.97	59.02	33.33	5.30	44.12
PK	5.7064G	111.87	Inf	-Inf	-4.83	3	Horizontal	277	2.97	116.70	33.86	5.45	44.14
PK	5.9248G	55.38	68.20	-12.82	-4.03	3	Horizontal	277	2.97	59.41	34.60	5.54	44.17



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5710MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40878G	39.20	54.00	-14.80	5.77	3	Vertical	202	2.40	33.43	39.35	8.39	41.97
PK	11.40866G	50.95	74.00	-23.05	5.77	3	Vertical	202	2.40	45.18	39.35	8.39	41.97
PK	17.12946G	50.37	68.20	-17.83	5.20	3	Vertical	14	2.55	45.17	37.50	10.86	43.16

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.40854G	39.11	54.00	-14.89	5.77	3	Horizontal	225	2.33	33.34	39.35	8.39	41.97
PK	11.429G	50.48	74.00	-23.52	5.67	3	Horizontal	225	2.33	44.81	39.23	8.40	41.96
PK	17.13534G	49.61	68.20	-18.59	5.20	3	Horizontal	289	1.40	44.41	37.50	10.86	43.16



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4562G	42.95	54.00	-11.05	-5.50	3	Vertical	44	2.93	48.45	33.31	5.30	44.11
AV	5.749G	102.04	Inf	-Inf	-4.39	3	Vertical	44	2.93	106.43	34.29	5.47	44.15
PK	5.6362G	59.13	68.20	-9.07	-5.26	3	Vertical	44	2.93	64.39	33.47	5.41	44.14
PK	5.7514G	113.49	Inf	-Inf	-4.37	3	Vertical	44	2.93	117.86	34.31	5.47	44.15
PK	5.9914G	54.70	68.20	-13.50	-4.01	3	Vertical	44	2.93	58.71	34.60	5.57	44.18

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.455G	42.13	54.00	-11.87	-5.50	3	Horizontal	273	2.86	47.63	33.31	5.30	44.11
AV	5.761G	100.97	Inf	-Inf	-4.33	3	Horizontal	273	2.86	105.30	34.34	5.48	44.15
PK	5.6422G	59.28	68.20	-8.92	-5.25	3	Horizontal	273	2.86	64.53	33.48	5.41	44.14
PK	5.7598G	112.22	Inf	-Inf	-4.33	3	Horizontal	273	2.86	116.55	34.34	5.48	44.15
PK	5.9698G	54.82	68.20	-13.38	-4.02	3	Horizontal	273	2.86	58.84	34.60	5.56	44.18





5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5755MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.525G	39.00	54.00	-15.00	5.60	3	Vertical	259	1.98	33.40	39.10	8.43	41.93
PK	11.51054G	50.12	74.00	-23.88	5.60	3	Vertical	259	1.98	44.52	39.10	8.42	41.92
PK	17.27568G	50.50	68.20	-17.70	5.33	3	Vertical	14	1.64	45.17	37.65	10.80	43.12

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.51684G	38.99	54.00	-15.01	5.59	3	Horizontal	321	1.64	33.40	39.10	8.42	41.93
PK	11.5064G	49.78	74.00	-24.22	5.60	3	Horizontal	321	1.64	44.18	39.10	8.42	41.92
PK	17.27922G	50.17	68.20	-18.03	5.34	3	Horizontal	182	2.63	44.83	37.66	10.80	43.12



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	102.69	Inf	-Inf	-4.20	3	Vertical	199	2.90	106.89	34.46	5.49	44.15
PK	5.6474G	57.25	68.20	-10.95	-5.23	3	Vertical	199	2.90	62.48	33.49	5.42	44.14
PK	5.7998G	114.97	Inf	-Inf	-4.16	3	Vertical	199	2.90	119.13	34.50	5.50	44.16
PK	5.975G	54.51	68.20	-13.69	-4.02	3	Vertical	199	2.90	58.53	34.60	5.56	44.18

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7902G	101.13	Inf	-Inf	-4.20	3	Horizontal	274	3.00	105.33	34.46	5.49	44.15
PK	5.6498G	56.71	68.20	-11.49	-5.22	3	Horizontal	274	3.00	61.93	33.50	5.42	44.14
PK	5.7902G	112.57	Inf	-Inf	-4.20	3	Horizontal	274	3.00	116.77	34.46	5.49	44.15
PK	6.0626G	54.93	68.20	-13.27	-4.17	3	Horizontal	274	3.00	59.10	34.40	5.60	44.17



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX


5795MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.59888G	38.79	54.00	-15.21	5.30	3	Vertical	191	2.69	33.49	38.81	8.45	41.96
PK	11.5852G	50.79	74.00	-23.21	5.37	3	Vertical	191	2.69	45.42	38.89	8.44	41.96
PK	17.3826G	50.59	68.20	-17.61	5.43	3	Vertical	298	1.47	45.16	37.77	10.76	43.10

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5849G	38.59	54.00	-15.41	5.37	3	Horizontal	351	2.94	33.22	38.89	8.44	41.96
PK	11.57548G	50.03	74.00	-23.97	5.44	3	Horizontal	351	2.94	44.59	38.95	8.44	41.95
PK	17.37456G	50.17	68.20	-18.03	5.41	3	Horizontal	158	1.37	44.76	37.75	10.76	43.10



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.148G	53.52	54.00	-0.48	-5.41	3	Vertical	213	2.90	58.93	33.50	5.17	44.08
AV	5.195G	95.30	Inf	-Inf	-5.39	3	Vertical	213	2.90	100.69	33.50	5.19	44.08
AV	5.35G	45.29	54.00	-8.71	-5.56	3	Vertical	213	2.90	50.85	33.30	5.24	44.10
PK	5.15G	66.30	74.00	-7.70	-5.41	3	Vertical	213	2.90	71.71	33.50	5.17	44.08
PK	5.212G	106.76	Inf	-Inf	-5.40	3	Vertical	213	2.90	112.16	33.50	5.19	44.09
PK	5.375G	57.83	74.00	-16.17	-5.60	3	Vertical	213	2.90	63.43	33.25	5.25	44.10

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.145G	46.31	54.00	-7.69	-5.41	3	Horizontal	0	2.88	51.72	33.50	5.17	44.08
AV	5.221G	88.77	Inf	-Inf	-5.39	3	Horizontal	0	2.88	94.16	33.50	5.20	44.09
AV	5.411G	42.77	54.00	-11.23	-5.62	3	Horizontal	0	2.88	48.39	33.22	5.27	44.11
PK	5.15G	57.92	74.00	-16.08	-5.41	3	Horizontal	0	2.88	63.33	33.50	5.17	44.08
PK	5.213G	100.61	Inf	-Inf	-5.40	3	Horizontal	0	2.88	106.01	33.50	5.19	44.09
PK	5.372G	54.96	74.00	-19.04	-5.59	3	Horizontal	0	2.88	60.55	33.26	5.25	44.10



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5210MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.61208G	40.53	54.00	-13.47	6.19	3	Vertical	305	1.50	34.34	38.33	10.92	43.06
PK	10.41584G	50.94	68.20	-17.26	4.69	3	Vertical	293	1.49	46.25	38.67	8.09	42.07
PK	15.6152G	52.03	74.00	-21.97	6.16	3	Vertical	305	1.50	45.87	38.31	10.92	43.07

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.6136G	40.42	54.00	-13.58	6.18	3	Horizontal	198	1.50	34.24	38.32	10.92	43.06
PK	10.41416G	50.56	68.20	-17.64	4.69	3	Horizontal	255	2.50	45.87	38.67	8.09	42.07
PK	15.64624G	52.78	74.00	-21.22	6.00	3	Horizontal	198	1.50	46.78	38.12	10.96	43.08



5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.149G	44.47	54.00	-9.53	-5.41	3	Vertical	215	2.98	49.88	33.50	5.17	44.08
AV	5.305G	95.11	Inf	-Inf	-5.57	3	Vertical	215	2.98	100.68	33.30	5.23	44.10
AV	5.35G	53.31	54.00	-0.69	-5.56	3	Vertical	215	2.98	58.87	33.30	5.24	44.10
PK	5.128G	56.58	74.00	-17.42	-5.42	3	Vertical	215	2.98	62.00	33.50	5.16	44.08
PK	5.307G	107.11	Inf	-Inf	-5.57	3	Vertical	215	2.98	112.68	33.30	5.23	44.10
PK	5.352G	65.88	74.00	-8.12	-5.56	3	Vertical	215	2.98	71.44	33.30	5.24	44.10
PK	5.482G	57.70	68.20	-10.50	-5.45	3	Vertical	215	2.98	63.15	33.36	5.31	44.12

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.129G	42.35	54.00	-11.65	-5.42	3	Horizontal	90	3.00	47.77	33.50	5.16	44.08
AV	5.298G	91.91	Inf	-Inf	-5.57	3	Horizontal	90	3.00	97.48	33.31	5.22	44.10
AV	5.35G	48.42	54.00	-5.58	-5.56	3	Horizontal	90	3.00	53.98	33.30	5.24	44.10
PK	5.14G	54.20	74.00	-19.80	-5.42	3	Horizontal	90	3.00	59.62	33.50	5.16	44.08
PK	5.293G	103.29	Inf	-Inf	-5.55	3	Horizontal	90	3.00	108.84	33.33	5.22	44.10
PK	5.351G	60.52	74.00	-13.48	-5.56	3	Horizontal	90	3.00	66.08	33.30	5.24	44.10
PK	5.468G	55.59	68.20	-12.61	-5.48	3	Horizontal	90	3.00	61.07	33.34	5.30	44.12



5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5290MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.8793G	40.32	54.00	-13.68	5.83	3	Vertical	37	2.76	34.49	37.82	11.20	43.19
PK	10.57136G	49.81	68.20	-18.39	4.99	3	Vertical	149	2.28	44.82	38.89	8.13	42.03
PK	15.86886G	51.56	74.00	-22.44	5.78	3	Vertical	37	2.76	45.78	37.78	11.19	43.19

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.85548G	40.06	54.00	-13.94	5.72	3	Horizontal	223	2.89	34.34	37.72	11.18	43.18
PK	10.56986G	50.06	68.20	-18.14	4.98	3	Horizontal	264	2.84	45.08	38.88	8.13	42.03
PK	15.87228G	51.72	74.00	-22.28	5.79	3	Horizontal	223	2.89	45.93	37.79	11.19	43.19



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	41.75	54.00	-12.25	-5.56	3	Vertical	49	2.32	47.31	33.30	5.24	44.10
AV	5.459G	53.21	54.00	-0.79	-5.50	3	Vertical	49	2.32	58.71	33.32	5.30	44.12
AV	5.52G	95.69	Inf	-Inf	-5.34	3	Vertical	49	2.32	101.03	33.44	5.34	44.12
PK	5.33G	54.25	68.20	-13.95	-5.56	3	Vertical	49	2.32	59.81	33.30	5.24	44.10
PK	5.46G	64.42	74.00	-9.58	-5.50	3	Vertical	49	2.32	69.92	33.32	5.30	44.12
PK	5.462G	67.87	68.20	-0.33	-5.50	3	Vertical	49	2.32	73.37	33.32	5.30	44.12
PK	5.527G	107.39	Inf	-Inf	-5.33	3	Vertical	49	2.32	112.72	33.45	5.34	44.12
PK	5.758G	57.44	68.20	-10.76	-4.34	3	Vertical	49	2.32	61.78	34.33	5.48	44.15

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.35G	41.00	54.00	-13.00	-5.56	3	Horizontal	271	2.96	46.56	33.30	5.24	44.10
AV	5.46G	49.99	54.00	-4.01	-5.50	3	Horizontal	271	2.96	55.49	33.32	5.30	44.12
AV	5.538G	93.73	Inf	-Inf	-5.29	3	Horizontal	271	2.96	99.02	33.48	5.35	44.12
PK	5.301G	52.82	68.20	-15.38	-5.57	3	Horizontal	271	2.96	58.39	33.30	5.23	44.10
PK	5.456G	61.53	74.00	-12.47	-5.50	3	Horizontal	271	2.96	67.03	33.31	5.30	44.11
PK	5.469G	62.97	68.20	-5.23	-5.48	3	Horizontal	271	2.96	68.45	33.34	5.30	44.12
PK	5.533G	105.50	Inf	-Inf	-5.30	3	Horizontal	271	2.96	110.80	33.47	5.35	44.12
PK	5.741G	55.74	68.20	-12.46	-4.47	3	Horizontal	271	2.96	60.21	34.21	5.47	44.15





5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04956G	38.22	54.00	-15.78	5.03	3	Vertical	89	2.74	33.19	38.90	8.28	42.15
PK	11.05244G	49.28	74.00	-24.72	5.03	3	Vertical	89	2.74	44.25	38.90	8.28	42.15
PK	16.58358G	51.43	68.20	-16.77	5.62	3	Vertical	134	1.31	45.81	37.57	11.09	43.04

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5530MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.04932G	38.31	54.00	-15.69	5.03	3	Horizontal	271	2.70	33.28	38.90	8.28	42.15
PK	11.05004G	50.12	74.00	-23.88	5.03	3	Horizontal	271	2.70	45.09	38.90	8.28	42.15
PK	16.59648G	50.47	68.20	-17.73	5.55	3	Horizontal	353	2.72	44.92	37.51	11.08	43.04

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	45.93	54.00	-8.07	-5.50	3	Vertical	50	2.47	51.43	33.32	5.30	44.12
AV	5.622G	98.56	Inf	-Inf	-5.29	3	Vertical	50	2.47	103.85	33.44	5.40	44.13
PK	5.45G	57.51	74.00	-16.49	-5.52	3	Vertical	50	2.47	63.03	33.30	5.29	44.11
PK	5.467G	59.12	68.20	-9.08	-5.49	3	Vertical	50	2.47	64.61	33.33	5.30	44.12
PK	5.647G	110.97	Inf	-Inf	-5.23	3	Vertical	50	2.47	116.20	33.49	5.42	44.14
PK	5.725G	63.92	68.20	-4.28	-4.64	3	Vertical	50	2.47	68.56	34.05	5.46	44.15

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.459G	44.56	54.00	-9.44	-5.50	3	Horizontal	274	2.98	50.06	33.32	5.30	44.12
AV	5.621G	97.05	Inf	-Inf	-5.29	3	Horizontal	274	2.98	102.34	33.44	5.40	44.13
PK	5.457G	55.96	74.00	-18.04	-5.50	3	Horizontal	274	2.98	61.46	33.31	5.30	44.11
PK	5.469G	56.29	68.20	-11.91	-5.48	3	Horizontal	274	2.98	61.77	33.34	5.30	44.12
PK	5.613G	108.85	Inf	-Inf	-5.30	3	Horizontal	274	2.98	114.15	33.43	5.40	44.13
PK	5.736G	63.39	68.20	-4.81	-4.53	3	Horizontal	274	2.98	67.92	34.16	5.46	44.15



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5610MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.22354G	38.16	54.00	-15.84	5.32	3	Vertical	15	2.41	32.84	39.05	8.33	42.06
PK	11.22828G	49.47	74.00	-24.53	5.33	3	Vertical	15	2.41	44.14	39.06	8.33	42.06
PK	16.83366G	49.40	68.20	-18.80	5.38	3	Vertical	105	1.03	44.02	37.53	10.98	43.13

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.21222G	37.97	54.00	-16.03	5.28	3	Horizontal	296	1.49	32.69	39.02	8.33	42.07
PK	11.21244G	48.97	74.00	-25.03	5.28	3	Horizontal	296	1.49	43.69	39.02	8.33	42.07
PK	16.82196G	49.98	68.20	-18.22	5.42	3	Horizontal	240	2.58	44.56	37.56	10.99	43.13



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4572G	43.05	54.00	-10.95	-5.50	3	Vertical	44	2.97	48.55	33.31	5.30	44.11
AV	5.6792G	99.34	Inf	-Inf	-5.03	3	Vertical	44	2.97	104.37	33.68	5.43	44.14
PK	5.4596G	54.66	74.00	-19.34	-5.50	3	Vertical	44	2.97	60.16	33.32	5.30	44.12
PK	5.4692G	55.15	68.20	-13.05	-5.48	3	Vertical	44	2.97	60.63	33.34	5.30	44.12
PK	5.672G	111.45	Inf	-Inf	-5.08	3	Vertical	44	2.97	116.53	33.63	5.43	44.14
PK	5.85G	58.24	68.20	-9.96	-4.24	3	Vertical	44	2.97	62.48	34.40	5.52	44.16

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4596G	41.99	54.00	-12.01	-5.50	3	Horizontal	274	3.00	47.49	33.32	5.30	44.12
AV	5.6816G	98.32	Inf	-Inf	-5.02	3	Horizontal	274	3.00	103.34	33.69	5.43	44.14
PK	5.4392G	54.30	74.00	-19.70	-5.54	3	Horizontal	274	3.00	59.84	33.28	5.29	44.11
PK	5.4668G	54.16	68.20	-14.04	-5.49	3	Horizontal	274	3.00	59.65	33.33	5.30	44.12
PK	5.6936G	110.01	Inf	-Inf	-4.94	3	Horizontal	274	3.00	114.95	33.76	5.44	44.14
PK	5.858G	56.91	68.20	-11.29	-4.21	3	Horizontal	274	3.00	61.12	34.43	5.52	44.16



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5690MHz Straddle 5.47-5.725GHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39278G	39.22	54.00	-14.78	5.79	3	Vertical	83	1.26	33.43	39.39	8.38	41.98
PK	11.38678G	51.93	74.00	-22.07	5.77	3	Vertical	83	1.26	46.16	39.37	8.38	41.98
PK	17.06694G	50.02	68.20	-18.18	5.29	3	Vertical	47	2.11	44.73	37.57	10.89	43.17

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3839G	39.10	54.00	-14.90	5.77	3	Horizontal	126	2.54	33.33	39.37	8.38	41.98
PK	11.3827G	50.34	74.00	-23.66	5.77	3	Horizontal	126	2.54	44.57	39.37	8.38	41.98
PK	17.07354G	49.61	68.20	-18.59	5.26	3	Horizontal	204	2.32	44.35	37.55	10.88	43.17



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7678G	97.24	Inf	-Inf	-4.30	3	Vertical	197	2.88	101.54	34.37	5.48	44.15
PK	5.6406G	64.27	68.20	-3.93	-5.25	3	Vertical	197	2.88	69.52	33.48	5.41	44.14
PK	5.7774G	110.02	Inf	-Inf	-4.25	3	Vertical	197	2.88	114.27	34.41	5.49	44.15
PK	5.9838G	55.06	68.20	-13.14	-4.02	3	Vertical	197	2.88	59.08	34.60	5.56	44.18

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7858G	96.29	Inf	-Inf	-4.22	3	Horizontal	277	2.96	100.51	34.44	5.49	44.15
PK	5.6502G	63.38	68.35	-4.97	-5.22	3	Horizontal	277	2.96	68.60	33.50	5.42	44.14
PK	5.7786G	109.32	Inf	-Inf	-4.25	3	Horizontal	277	2.96	113.57	34.41	5.49	44.15
PK	5.9406G	54.80	68.20	-13.40	-4.02	3	Horizontal	277	2.96	58.82	34.60	5.55	44.17



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX


5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.5524G	38.16	54.00	-15.84	5.58	3	Vertical	59	1.80	32.58	39.09	8.43	41.94
PK	11.53872G	49.73	74.00	-24.27	5.59	3	Vertical	59	1.80	44.14	39.10	8.43	41.94
PK	17.33922G	49.99	68.20	-18.21	5.36	3	Vertical	357	1.33	44.63	37.70	10.77	43.11

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.53854G	38.24	54.00	-15.76	5.59	3	Horizontal	284	2.70	32.65	39.10	8.43	41.94
PK	11.54628G	49.68	74.00	-24.32	5.59	3	Horizontal	284	2.70	44.09	39.10	8.43	41.94
PK	17.32446G	50.06	68.20	-18.14	5.37	3	Horizontal	99	2.89	44.69	37.70	10.78	43.11



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	33.88M	35.63	40.00	-4.37	3	Vertical	0	1.00






Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11ax HEW80_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5775MHz	Pass	PK	33.88M	35.63	40.00	-4.37	3	Vertical	0	1.00
5775MHz	Pass	PK	103.72M	25.63	43.50	-17.87	3	Vertical	0	1.00
5775MHz	Pass	PK	167.74M	25.91	43.50	-17.59	3	Vertical	0	1.00
5775MHz	Pass	PK	210.42M	30.30	43.50	-13.20	3	Vertical	0	1.00
5775MHz	Pass	PK	264.74M	28.06	46.00	-17.94	3	Vertical	0	1.00
5775MHz	Pass	PK	388.9M	29.52	46.00	-16.48	3	Vertical	0	1.00
5775MHz	Pass	PK	43.58M	31.89	40.00	-8.11	3	Horizontal	360	1.00
5775MHz	Pass	PK	99.84M	29.46	43.50	-14.04	3	Horizontal	360	1.00
5775MHz	Pass	PK	169.68M	31.17	43.50	-12.33	3	Horizontal	360	1.00
5775MHz	Pass	PK	204.6M	35.96	43.50	-7.54	3	Horizontal	360	1.00
5775MHz	Pass	PK	249.22M	32.38	46.00	-13.62	3	Horizontal	360	1.00
5775MHz	Pass	PK	388.9M	29.28	46.00	-16.72	3	Horizontal	360	1.00



5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX


5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	33.88M	35.63	40.00	-4.37	-20.32	3	Vertical	0	1.00	55.95	23.51	0.43	44.26
PK	103.72M	25.63	43.50	-17.87	-26.97	3	Vertical	0	1.00	52.60	16.76	0.67	44.40
PK	167.74M	25.91	43.50	-17.59	-27.45	3	Vertical	0	1.00	53.36	16.00	0.86	44.31
PK	210.42M	30.30	43.50	-13.20	-27.80	3	Vertical	0	1.00	58.10	15.46	0.98	44.24
PK	264.74M	28.06	46.00	-17.94	-22.55	3	Vertical	0	1.00	50.61	20.50	1.11	44.16
PK	388.9M	29.52	46.00	-16.48	-20.87	3	Vertical	0	1.00	50.39	21.76	1.32	43.95

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_1TX

5775MHz\_PoE



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
PK	43.58M	31.89	40.00	-8.11	-25.63	3	Horizontal	360	1.00	57.52	18.26	0.44	44.33
PK	99.84M	29.46	43.50	-14.04	-27.64	3	Horizontal	360	1.00	57.10	16.12	0.65	44.41
PK	169.68M	31.17	43.50	-12.33	-27.68	3	Horizontal	360	1.00	58.85	15.76	0.87	44.31
PK	204.6M	35.96	43.50	-7.54	-27.94	3	Horizontal	360	1.00	63.90	15.35	0.96	44.25
PK	249.22M	32.38	46.00	-13.62	-24.31	3	Horizontal	360	1.00	56.69	18.79	1.08	44.18
PK	388.9M	29.28	46.00	-16.72	-20.87	3	Horizontal	360	1.00	50.15	21.76	1.32	43.95



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	AV	5.15G	53.36	54.00	-0.64	3	Horizontal	360	1.94
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	AV	5.15G	52.67	54.00	-1.33	3	Horizontal	360	2.22
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.15G	53.92	54.00	-0.08	3	Horizontal	319	1.93
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.146G	53.26	54.00	-0.74	3	Horizontal	316	2.06
5.25-5.35GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.35G	72.96	74.00	-1.04	3	Horizontal	316	1.86
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.3502G	73.79	74.00	-0.21	3	Horizontal	317	2.10
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	AV	5.3508G	53.72	54.00	-0.28	3	Horizontal	310	1.98
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	AV	5.35G	53.56	54.00	-0.44	3	Horizontal	309	1.98
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.7268G	67.44	68.20	-0.76	3	Horizontal	17	1.20
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.7256G	67.88	68.20	-0.32	3	Horizontal	18	1.20
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.4696G	68.14	68.20	-0.06	3	Horizontal	323	1.98
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.733G	67.81	68.20	-0.39	3	Horizontal	322	2.14
5.725-5.85GHz	-	-	-	-	-	-	-	-	-	-
802.11a_Nss1,(6Mbps)_1TX	Pass	PK	5.927G	57.39	68.20	-10.81	3	Vertical	28	2.78
802.11ax HEW20_Nss1,(MCS0)_1TX	Pass	PK	5.927G	57.40	68.20	-10.80	3	Horizontal	17	1.40
802.11ax HEW40_Nss1,(MCS0)_1TX	Pass	PK	5.9282G	62.52	68.20	-5.68	3	Vertical	29	2.80
802.11ax HEW80_Nss1,(MCS0)_1TX	Pass	PK	5.6478G	67.97	68.20	-0.23	3	Vertical	24	1.41



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
802.11a_Nss1,(6Mbps)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	51.68	54.00	-2.32	3	Vertical	360	1.39
5180MHz	Pass	AV	5.184G	99.13	Inf	-Inf	3	Vertical	360	1.39
5180MHz	Pass	PK	5.149G	69.85	74.00	-4.15	3	Vertical	360	1.39
5180MHz	Pass	PK	5.1824G	109.25	Inf	-Inf	3	Vertical	360	1.39
5180MHz	Pass	AV	5.15G	53.36	54.00	-0.64	3	Horizontal	360	1.94
5180MHz	Pass	AV	5.184G	100.29	Inf	-Inf	3	Horizontal	360	1.94
5180MHz	Pass	PK	5.15G	71.47	74.00	-2.53	3	Horizontal	360	1.94
5180MHz	Pass	PK	5.1824G	110.58	Inf	-Inf	3	Horizontal	360	1.94
5180MHz	Pass	AV	15.54132G	39.88	54.00	-14.12	3	Vertical	18	1.44
5180MHz	Pass	PK	10.35632G	50.00	68.20	-18.20	3	Vertical	172	1.50
5180MHz	Pass	PK	15.54158G	52.02	74.00	-21.98	3	Vertical	18	1.44
5180MHz	Pass	AV	15.53928G	39.96	54.00	-14.04	3	Horizontal	265	1.50
5180MHz	Pass	PK	10.36368G	49.58	68.20	-18.62	3	Horizontal	360	1.50
5180MHz	Pass	PK	15.54394G	52.67	74.00	-21.33	3	Horizontal	265	1.50
5200MHz	Pass	AV	5.15G	47.39	54.00	-6.61	3	Vertical	355	1.00
5200MHz	Pass	AV	5.204G	101.61	Inf	-Inf	3	Vertical	355	1.00
5200MHz	Pass	PK	5.1496G	66.13	74.00	-7.87	3	Vertical	355	1.00
5200MHz	Pass	PK	5.2016G	111.62	Inf	-Inf	3	Vertical	355	1.00
5200MHz	Pass	AV	5.15G	48.27	54.00	-5.73	3	Horizontal	0	2.06
5200MHz	Pass	AV	5.2024G	102.10	Inf	-Inf	3	Horizontal	0	2.06
5200MHz	Pass	PK	5.15G	68.60	74.00	-5.40	3	Horizontal	0	2.06
5200MHz	Pass	PK	5.2024G	112.43	Inf	-Inf	3	Horizontal	0	2.06
5200MHz	Pass	AV	15.60324G	39.58	54.00	-14.42	3	Vertical	84	1.50
5200MHz	Pass	PK	10.4012G	49.97	68.20	-18.23	3	Vertical	0	1.50
5200MHz	Pass	PK	15.60458G	51.84	74.00	-22.16	3	Vertical	84	1.50
5200MHz	Pass	AV	15.60328G	39.56	54.00	-14.44	3	Horizontal	305	1.50
5200MHz	Pass	PK	10.40024G	50.23	68.20	-17.97	3	Horizontal	229	2.14
5200MHz	Pass	PK	15.6045G	51.34	74.00	-22.66	3	Horizontal	305	1.50
5240MHz	Pass	AV	5.144G	42.29	54.00	-11.71	3	Vertical	356	1.24
5240MHz	Pass	AV	5.2442G	100.72	Inf	-Inf	3	Vertical	356	1.24
5240MHz	Pass	AV	5.35G	42.00	54.00	-12.00	3	Vertical	356	1.24
5240MHz	Pass	PK	5.1326G	55.60	74.00	-18.40	3	Vertical	356	1.24
5240MHz	Pass	PK	5.2424G	110.78	Inf	-Inf	3	Vertical	356	1.24
5240MHz	Pass	PK	5.3774G	54.83	74.00	-19.17	3	Vertical	356	1.24
5240MHz	Pass	AV	5.1434G	43.08	54.00	-10.92	3	Horizontal	305	1.96
5240MHz	Pass	AV	5.2442G	103.26	Inf	-Inf	3	Horizontal	305	1.96
5240MHz	Pass	AV	5.3528G	43.09	54.00	-10.91	3	Horizontal	305	1.96
5240MHz	Pass	PK	5.1488G	55.65	74.00	-18.35	3	Horizontal	305	1.96
5240MHz	Pass	PK	5.2424G	113.38	Inf	-Inf	3	Horizontal	305	1.96
5240MHz	Pass	PK	5.351G	57.10	74.00	-16.90	3	Horizontal	305	1.96
5240MHz	Pass	AV	15.71808G	39.67	54.00	-14.33	3	Vertical	50	1.50
5240MHz	Pass	PK	10.48306G	51.96	68.20	-16.24	3	Vertical	0	1.50
5240MHz	Pass	PK	15.71518G	52.05	74.00	-21.95	3	Vertical	50	1.50
5240MHz	Pass	AV	15.71826G	39.57	54.00	-14.43	3	Horizontal	179	1.50
5240MHz	Pass	PK	10.48308G	49.75	68.20	-18.45	3	Horizontal	220	1.50
5240MHz	Pass	PK	15.71836G	52.01	74.00	-21.99	3	Horizontal	179	1.50
5260MHz	Pass	AV	5.143G	40.90	54.00	-13.10	3	Vertical	345	1.19
5260MHz	Pass	AV	5.2642G	99.51	Inf	-Inf	3	Vertical	345	1.19
5260MHz	Pass	AV	5.3596G	42.77	54.00	-11.23	3	Vertical	345	1.19
5260MHz	Pass	PK	5.1328G	54.04	74.00	-19.96	3	Vertical	345	1.19
5260MHz	Pass	PK	5.2624G	109.29	Inf	-Inf	3	Vertical	345	1.19
5260MHz	Pass	PK	5.3566G	55.87	74.00	-18.13	3	Vertical	345	1.19
5260MHz	Pass	AV	5.1346G	41.63	54.00	-12.37	3	Horizontal	319	1.88
5260MHz	Pass	AV	5.2624G	103.62	Inf	-Inf	3	Horizontal	319	1.88
5260MHz	Pass	AV	5.3566G	45.20	54.00	-8.80	3	Horizontal	319	1.88
5260MHz	Pass	PK	5.1376G	54.33	74.00	-19.67	3	Horizontal	319	1.88
5260MHz	Pass	PK	5.2624G	113.91	Inf	-Inf	3	Horizontal	319	1.88
5260MHz	Pass	PK	5.3572G	57.64	74.00	-16.36	3	Horizontal	319	1.88
5260MHz	Pass	AV	15.77694G	39.43	54.00	-14.57	3	Vertical	3	1.50
5260MHz	Pass	PK	10.51902G	49.92	68.20	-18.28	3	Vertical	27	2.25



RSE TX above 1GHz\_Radio 2

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5260MHz	Pass	PK	15.7781G	53.18	74.00	-20.82	3	Vertical	3	1.50
5260MHz	Pass	AV	15.77666G	39.46	54.00	-14.54	3	Horizontal	45	1.50
5260MHz	Pass	PK	10.51878G	50.17	68.20	-18.03	3	Horizontal	248	1.43
5260MHz	Pass	PK	15.78374G	51.48	74.00	-22.52	3	Horizontal	45	1.50
5300MHz	Pass	AV	5.3024G	99.39	Inf	-Inf	3	Vertical	360	2.99
5300MHz	Pass	AV	5.35G	45.89	54.00	-8.11	3	Vertical	360	2.99
5300MHz	Pass	PK	5.3024G	109.70	Inf	-Inf	3	Vertical	360	2.99
5300MHz	Pass	PK	5.35G	63.43	74.00	-10.57	3	Vertical	360	2.99
5300MHz	Pass	AV	5.304G	104.26	Inf	-Inf	3	Horizontal	318	1.97
5300MHz	Pass	AV	5.3504G	49.36	54.00	-4.64	3	Horizontal	318	1.97
5300MHz	Pass	PK	5.3024G	114.42	Inf	-Inf	3	Horizontal	318	1.97
5300MHz	Pass	PK	5.35G	67.39	74.00	-6.61	3	Horizontal	318	1.97
5300MHz	Pass	AV	15.89652G	39.70	54.00	-14.30	3	Vertical	360	1.08
5300MHz	Pass	PK	10.59812G	50.93	68.20	-17.27	3	Vertical	0	1.50
5300MHz	Pass	PK	15.90226G	51.88	74.00	-22.12	3	Vertical	360	1.08
5300MHz	Pass	AV	15.89544G	39.73	54.00	-14.27	3	Horizontal	177	1.50
5300MHz	Pass	PK	10.6018G	50.74	74.00	-23.26	3	Horizontal	169	1.50
5300MHz	Pass	PK	15.8951G	52.53	74.00	-21.47	3	Horizontal	177	1.50
5320MHz	Pass	AV	5.3242G	97.49	Inf	-Inf	3	Vertical	345	3.00
5320MHz	Pass	AV	5.3502G	47.29	54.00	-6.71	3	Vertical	345	3.00
5320MHz	Pass	PK	5.3224G	107.79	Inf	-Inf	3	Vertical	345	3.00
5320MHz	Pass	PK	5.3544G	66.04	74.00	-7.96	3	Vertical	345	3.00
5320MHz	Pass	AV	5.324G	102.04	Inf	-Inf	3	Horizontal	316	1.86
5320MHz	Pass	AV	5.35G	51.71	54.00	-2.29	3	Horizontal	316	1.86
5320MHz	Pass	PK	5.3224G	112.16	Inf	-Inf	3	Horizontal	316	1.86
5320MHz	Pass	PK	5.35G	72.96	74.00	-1.04	3	Horizontal	316	1.86
5320MHz	Pass	AV	10.643G	37.70	54.00	-16.30	3	Vertical	186	1.50
5320MHz	Pass	AV	15.95514G	39.69	54.00	-14.31	3	Vertical	117	2.34
5320MHz	Pass	PK	10.63594G	50.76	74.00	-23.24	3	Vertical	186	1.50
5320MHz	Pass	PK	15.96022G	52.91	74.00	-21.09	3	Vertical	117	2.34
5320MHz	Pass	AV	10.64376G	37.65	54.00	-16.35	3	Horizontal	220	1.50
5320MHz	Pass	AV	15.96498G	39.75	54.00	-14.25	3	Horizontal	214	1.50
5320MHz	Pass	PK	10.64216G	50.37	74.00	-23.63	3	Horizontal	220	1.50
5320MHz	Pass	PK	15.96442G	52.20	74.00	-21.80	3	Horizontal	214	1.50
5500MHz	Pass	AV	5.4586G	43.55	54.00	-10.45	3	Vertical	53	2.82
5500MHz	Pass	AV	5.4952G	98.50	Inf	-Inf	3	Vertical	53	2.82
5500MHz	Pass	PK	5.4576G	63.91	74.00	-10.09	3	Vertical	53	2.82
5500MHz	Pass	PK	5.4682G	65.33	68.20	-2.87	3	Vertical	53	2.82
5500MHz	Pass	PK	5.5024G	108.74	Inf	-Inf	3	Vertical	53	2.82
5500MHz	Pass	AV	5.4598G	44.57	54.00	-9.43	3	Horizontal	325	1.98
5500MHz	Pass	AV	5.5042G	101.06	Inf	-Inf	3	Horizontal	325	1.98
5500MHz	Pass	PK	5.4586G	64.50	74.00	-9.50	3	Horizontal	325	1.98
5500MHz	Pass	PK	5.4688G	67.10	68.20	-1.10	3	Horizontal	325	1.98
5500MHz	Pass	PK	5.5024G	111.29	Inf	-Inf	3	Horizontal	325	1.98
5500MHz	Pass	AV	11.00132G	37.81	54.00	-16.19	3	Vertical	287	1.50
5500MHz	Pass	PK	11.00432G	50.63	74.00	-23.37	3	Vertical	287	1.50
5500MHz	Pass	PK	16.49664G	51.99	68.20	-16.21	3	Vertical	80	1.50
5500MHz	Pass	AV	10.99848G	37.99	54.00	-16.01	3	Horizontal	192	1.50
5500MHz	Pass	PK	11.00192G	50.86	74.00	-23.14	3	Horizontal	192	1.50
5500MHz	Pass	PK	16.49698G	51.85	68.20	-16.35	3	Horizontal	301	1.50
5580MHz	Pass	AV	5.46G	41.38	54.00	-12.62	3	Vertical	56	2.88
5580MHz	Pass	AV	5.5782G	100.90	Inf	-Inf	3	Vertical	56	2.88
5580MHz	Pass	PK	5.4522G	54.25	74.00	-19.75	3	Vertical	56	2.88
5580MHz	Pass	PK	5.4606G	53.82	68.20	-14.38	3	Vertical	56	2.88
5580MHz	Pass	PK	5.5848G	110.73	Inf	-Inf	3	Vertical	56	2.88
5580MHz	Pass	PK	5.7282G	54.79	68.20	-13.41	3	Vertical	56	2.88
5580MHz	Pass	AV	5.4594G	42.17	54.00	-11.83	3	Horizontal	323	2.02
5580MHz	Pass	AV	5.5842G	103.07	Inf	-Inf	3	Horizontal	323	2.02
5580MHz	Pass	PK	5.451G	55.11	74.00	-18.89	3	Horizontal	323	2.02
5580MHz	Pass	PK	5.4678G	55.24	68.20	-12.96	3	Horizontal	323	2.02
5580MHz	Pass	PK	5.5818G	113.06	Inf	-Inf	3	Horizontal	323	2.02
5580MHz	Pass	PK	5.7276G	55.04	68.20	-13.16	3	Horizontal	323	2.02



RSE TX above 1GHz\_Radio 2

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5580MHz	Pass	AV	11.1638G	37.50	54.00	-16.50	3	Vertical	130	1.50
5580MHz	Pass	PK	11.1612G	49.62	74.00	-24.38	3	Vertical	130	1.50
5580MHz	Pass	PK	16.73538G	51.98	68.20	-16.22	3	Vertical	10	1.00
5580MHz	Pass	AV	11.16308G	37.61	54.00	-16.39	3	Horizontal	108	1.95
5580MHz	Pass	PK	11.16254G	50.32	74.00	-23.68	3	Horizontal	108	1.95
5580MHz	Pass	PK	16.74002G	52.76	68.20	-15.44	3	Horizontal	327	1.58
5700MHz	Pass	AV	5.7044G	98.14	Inf	-Inf	3	Vertical	22	2.78
5700MHz	Pass	PK	5.7024G	108.48	Inf	-Inf	3	Vertical	22	2.78
5700MHz	Pass	PK	5.7264G	66.40	68.20	-1.80	3	Vertical	22	2.78
5700MHz	Pass	AV	5.6952G	97.87	Inf	-Inf	3	Horizontal	17	1.20
5700MHz	Pass	PK	5.7016G	107.85	Inf	-Inf	3	Horizontal	17	1.20
5700MHz	Pass	PK	5.7268G	67.44	68.20	-0.76	3	Horizontal	17	1.20
5700MHz	Pass	AV	11.39792G	39.19	54.00	-14.81	3	Vertical	183	1.50
5700MHz	Pass	PK	11.39958G	51.74	74.00	-22.26	3	Vertical	183	1.50
5700MHz	Pass	PK	17.10076G	50.59	68.20	-17.61	3	Vertical	0	2.93
5700MHz	Pass	AV	11.3976G	39.07	54.00	-14.93	3	Horizontal	51	1.12
5700MHz	Pass	PK	11.403G	51.93	74.00	-22.07	3	Horizontal	51	1.12
5700MHz	Pass	PK	17.09692G	50.63	68.20	-17.57	3	Horizontal	246	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4548G	40.70	54.00	-13.30	3	Vertical	23	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7236G	102.16	Inf	-Inf	3	Vertical	23	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4524G	53.97	74.00	-20.03	3	Vertical	23	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4632G	52.92	68.20	-15.28	3	Vertical	23	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7224G	112.45	Inf	-Inf	3	Vertical	23	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9696G	55.77	68.20	-12.43	3	Vertical	23	1.42
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.45G	41.26	54.00	-12.74	3	Horizontal	17	1.26
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7248G	101.94	Inf	-Inf	3	Horizontal	17	1.26
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4212G	53.88	74.00	-20.12	3	Horizontal	17	1.26
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.468G	54.54	68.20	-13.66	3	Horizontal	17	1.26
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7212G	111.93	Inf	-Inf	3	Horizontal	17	1.26
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9024G	56.10	68.20	-12.10	3	Horizontal	17	1.26
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44292G	38.96	54.00	-15.04	3	Vertical	274	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.43978G	51.54	74.00	-22.46	3	Vertical	274	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16468G	53.20	68.20	-15.00	3	Vertical	30	1.59
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.44116G	38.82	54.00	-15.18	3	Horizontal	215	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4383G	50.65	74.00	-23.35	3	Horizontal	215	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.15796G	53.05	68.20	-15.15	3	Horizontal	66	1.39
5745MHz	Pass	AV	5.4498G	40.57	54.00	-13.43	3	Vertical	22	1.31
5745MHz	Pass	AV	5.7486G	102.90	Inf	-Inf	3	Vertical	22	1.31
5745MHz	Pass	PK	5.637G	55.23	68.20	-12.97	3	Vertical	22	1.31
5745MHz	Pass	PK	5.7498G	112.58	Inf	-Inf	3	Vertical	22	1.31
5745MHz	Pass	PK	5.9742G	55.40	68.20	-12.80	3	Vertical	22	1.31
5745MHz	Pass	AV	5.457G	41.25	54.00	-12.75	3	Horizontal	16	1.31
5745MHz	Pass	AV	5.7426G	102.62	Inf	-Inf	3	Horizontal	16	1.31
5745MHz	Pass	PK	5.6466G	54.97	68.20	-13.23	3	Horizontal	16	1.31
5745MHz	Pass	PK	5.7474G	112.83	Inf	-Inf	3	Horizontal	16	1.31
5745MHz	Pass	PK	6.0066G	55.94	68.20	-12.26	3	Horizontal	16	1.31
5745MHz	Pass	AV	11.48618G	38.56	54.00	-15.44	3	Vertical	37	1.50
5745MHz	Pass	PK	11.4903G	51.66	74.00	-22.34	3	Vertical	37	1.50
5745MHz	Pass	PK	17.23302G	51.70	68.20	-16.50	3	Vertical	322	1.00
5745MHz	Pass	AV	11.48572G	38.60	54.00	-15.40	3	Horizontal	324	1.50
5745MHz	Pass	PK	11.49226G	50.95	74.00	-23.05	3	Horizontal	324	1.50
5745MHz	Pass	PK	17.23472G	51.80	68.20	-16.40	3	Horizontal	65	1.33
5785MHz	Pass	AV	5.78855G	103.24	Inf	-Inf	3	Vertical	28	2.80
5785MHz	Pass	PK	5.53929G	56.00	68.20	-12.20	3	Vertical	28	2.80
5785MHz	Pass	PK	5.79097G	112.81	Inf	-Inf	3	Vertical	28	2.80
5785MHz	Pass	PK	5.94585G	57.24	68.20	-10.96	3	Vertical	28	2.80
5785MHz	Pass	AV	5.78855G	103.02	Inf	-Inf	3	Horizontal	15	1.26
5785MHz	Pass	PK	5.5284G	54.76	68.20	-13.44	3	Horizontal	15	1.26
5785MHz	Pass	PK	5.78613G	112.96	Inf	-Inf	3	Horizontal	15	1.26
5785MHz	Pass	PK	5.94827G	55.77	68.20	-12.43	3	Horizontal	15	1.26
5785MHz	Pass	AV	11.5655G	38.56	54.00	-15.44	3	Vertical	292	1.50
5785MHz	Pass	PK	11.56966G	50.71	74.00	-23.29	3	Vertical	292	1.50



RSE TX above 1GHz\_Radio 2

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5785MHz	Pass	PK	17.35592G	51.87	68.20	-16.33	3	Vertical	38	1.18
5785MHz	Pass	AV	11.57406G	38.35	54.00	-15.65	3	Horizontal	279	1.50
5785MHz	Pass	PK	11.56908G	50.63	74.00	-23.37	3	Horizontal	279	1.50
5785MHz	Pass	PK	17.35782G	52.22	68.20	-15.98	3	Horizontal	52	2.31
5825MHz	Pass	AV	5.8286G	103.52	Inf	-Inf	3	Vertical	28	2.78
5825MHz	Pass	PK	5.6246G	55.27	68.20	-12.93	3	Vertical	28	2.78
5825MHz	Pass	PK	5.8274G	113.85	Inf	-Inf	3	Vertical	28	2.78
5825MHz	Pass	PK	5.927G	57.39	68.20	-10.81	3	Vertical	28	2.78
5825MHz	Pass	AV	5.8226G	102.89	Inf	-Inf	3	Horizontal	16	1.40
5825MHz	Pass	PK	5.555G	54.57	68.20	-13.63	3	Horizontal	16	1.40
5825MHz	Pass	PK	5.8274G	112.95	Inf	-Inf	3	Horizontal	16	1.40
5825MHz	Pass	PK	5.925G	56.95	68.20	-11.25	3	Horizontal	16	1.40
5825MHz	Pass	AV	11.65214G	37.66	54.00	-16.34	3	Vertical	106	1.50
5825MHz	Pass	PK	11.65266G	51.12	74.00	-22.88	3	Vertical	106	1.50
5825MHz	Pass	PK	17.4749G	51.16	68.20	-17.04	3	Vertical	137	2.97
5825MHz	Pass	AV	11.65426G	37.67	54.00	-16.33	3	Horizontal	334	1.38
5825MHz	Pass	PK	11.64742G	50.24	74.00	-23.76	3	Horizontal	334	1.38
5825MHz	Pass	PK	17.47934G	51.18	68.20	-17.02	3	Horizontal	264	1.50
802.11ax HEW20_Nss1_(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5180MHz	Pass	AV	5.15G	50.33	54.00	-3.67	3	Vertical	346	1.38
5180MHz	Pass	AV	5.183G	95.31	Inf	-Inf	3	Vertical	346	1.38
5180MHz	Pass	PK	5.1466G	69.63	74.00	-4.37	3	Vertical	346	1.38
5180MHz	Pass	PK	5.177G	109.29	Inf	-Inf	3	Vertical	346	1.38
5180MHz	Pass	AV	5.15G	52.67	54.00	-1.33	3	Horizontal	360	2.22
5180MHz	Pass	AV	5.1774G	97.98	Inf	-Inf	3	Horizontal	360	2.22
5180MHz	Pass	PK	5.1482G	72.05	74.00	-1.95	3	Horizontal	360	2.22
5180MHz	Pass	PK	5.177G	112.47	Inf	-Inf	3	Horizontal	360	2.22
5180MHz	Pass	AV	15.53804G	39.03	54.00	-14.97	3	Vertical	231	1.95
5180MHz	Pass	PK	10.36048G	49.88	68.20	-18.32	3	Vertical	216	1.50
5180MHz	Pass	PK	15.5376G	52.07	74.00	-21.93	3	Vertical	231	1.95
5180MHz	Pass	AV	15.5382G	39.09	54.00	-14.91	3	Horizontal	273	1.13
5180MHz	Pass	PK	10.36324G	50.57	68.20	-17.63	3	Horizontal	0	2.47
5180MHz	Pass	PK	15.53718G	52.04	74.00	-21.96	3	Horizontal	273	1.13
5200MHz	Pass	AV	5.15G	48.99	54.00	-5.01	3	Vertical	357	1.33
5200MHz	Pass	AV	5.2028G	99.61	Inf	-Inf	3	Vertical	357	1.33
5200MHz	Pass	PK	5.1432G	67.49	74.00	-6.51	3	Vertical	357	1.33
5200MHz	Pass	PK	5.1968G	113.96	Inf	-Inf	3	Vertical	357	1.33
5200MHz	Pass	AV	5.15G	50.47	54.00	-3.53	3	Horizontal	360	2.05
5200MHz	Pass	AV	5.2048G	100.52	Inf	-Inf	3	Horizontal	360	2.05
5200MHz	Pass	PK	5.1476G	68.76	74.00	-5.24	3	Horizontal	360	2.05
5200MHz	Pass	PK	5.1968G	114.70	Inf	-Inf	3	Horizontal	360	2.05
5200MHz	Pass	AV	15.60254G	38.82	54.00	-15.18	3	Vertical	0	1.43
5200MHz	Pass	PK	10.3961G	49.65	68.20	-18.55	3	Vertical	348	2.24
5200MHz	Pass	PK	15.60194G	52.43	74.00	-21.57	3	Vertical	0	1.43
5200MHz	Pass	AV	15.6038G	38.81	54.00	-15.19	3	Horizontal	186	2.79
5200MHz	Pass	PK	10.40066G	50.58	68.20	-17.62	3	Horizontal	12	2.67
5200MHz	Pass	PK	15.60386G	51.69	74.00	-22.31	3	Horizontal	186	2.79
5240MHz	Pass	AV	5.1434G	41.44	54.00	-12.56	3	Vertical	348	1.25
5240MHz	Pass	AV	5.243G	98.49	Inf	-Inf	3	Vertical	348	1.25
5240MHz	Pass	AV	5.35G	41.49	54.00	-12.51	3	Vertical	348	1.25
5240MHz	Pass	PK	5.141G	55.34	74.00	-18.66	3	Vertical	348	1.25
5240MHz	Pass	PK	5.237G	112.31	Inf	-Inf	3	Vertical	348	1.25
5240MHz	Pass	PK	5.378G	55.56	74.00	-18.44	3	Vertical	348	1.25
5240MHz	Pass	AV	5.1464G	42.11	54.00	-11.89	3	Horizontal	321	1.95
5240MHz	Pass	AV	5.243G	101.83	Inf	-Inf	3	Horizontal	321	1.95
5240MHz	Pass	AV	5.35G	43.68	54.00	-10.32	3	Horizontal	321	1.95
5240MHz	Pass	PK	5.1488G	56.59	74.00	-17.41	3	Horizontal	321	1.95
5240MHz	Pass	PK	5.237G	116.13	Inf	-Inf	3	Horizontal	321	1.95
5240MHz	Pass	PK	5.35G	56.30	74.00	-17.70	3	Horizontal	321	1.95
5240MHz	Pass	AV	15.71516G	38.78	54.00	-15.22	3	Vertical	47	1.50
5240MHz	Pass	PK	10.47758G	50.13	68.20	-18.07	3	Vertical	195	1.61
5240MHz	Pass	PK	15.71772G	52.65	74.00	-21.35	3	Vertical	47	1.50



RSE TX above 1GHz\_Radio 2

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5240MHz	Pass	AV	15.71596G	38.77	54.00	-15.23	3	Horizontal	190	2.79
5240MHz	Pass	PK	10.47562G	51.21	68.20	-16.99	3	Horizontal	26	1.39
5240MHz	Pass	PK	15.71624G	52.26	74.00	-21.74	3	Horizontal	190	2.79
5260MHz	Pass	AV	5.15G	40.93	54.00	-13.07	3	Vertical	358	1.27
5260MHz	Pass	AV	5.2582G	98.63	Inf	-Inf	3	Vertical	358	1.27
5260MHz	Pass	AV	5.3512G	42.08	54.00	-11.92	3	Vertical	358	1.27
5260MHz	Pass	PK	5.1322G	53.87	74.00	-20.13	3	Vertical	358	1.27
5260MHz	Pass	PK	5.257G	113.27	Inf	-Inf	3	Vertical	358	1.27
5260MHz	Pass	PK	5.3644G	55.82	74.00	-18.18	3	Vertical	358	1.27
5260MHz	Pass	AV	5.15G	41.50	54.00	-12.50	3	Horizontal	308	1.90
5260MHz	Pass	AV	5.263G	101.48	Inf	-Inf	3	Horizontal	308	1.90
5260MHz	Pass	AV	5.3524G	44.07	54.00	-9.93	3	Horizontal	308	1.90
5260MHz	Pass	PK	5.1496G	54.73	74.00	-19.27	3	Horizontal	308	1.90
5260MHz	Pass	PK	5.257G	116.08	Inf	-Inf	3	Horizontal	308	1.90
5260MHz	Pass	PK	5.353G	58.21	74.00	-15.79	3	Horizontal	308	1.90
5260MHz	Pass	AV	15.77534G	38.51	54.00	-15.49	3	Vertical	119	1.00
5260MHz	Pass	PK	10.51548G	50.43	68.20	-17.77	3	Vertical	7	1.57
5260MHz	Pass	PK	15.7815G	52.80	74.00	-21.20	3	Vertical	119	1.00
5260MHz	Pass	AV	15.77662G	38.52	54.00	-15.48	3	Horizontal	73	1.50
5260MHz	Pass	PK	10.51722G	50.33	68.20	-17.87	3	Horizontal	116	1.53
5260MHz	Pass	PK	15.78342G	51.95	74.00	-22.05	3	Horizontal	73	1.50
5300MHz	Pass	AV	5.3016G	97.59	Inf	-Inf	3	Vertical	360	3.00
5300MHz	Pass	AV	5.35G	47.38	54.00	-6.62	3	Vertical	360	3.00
5300MHz	Pass	PK	5.2968G	112.00	Inf	-Inf	3	Vertical	360	3.00
5300MHz	Pass	PK	5.3536G	64.55	74.00	-9.45	3	Vertical	360	3.00
5300MHz	Pass	AV	5.3048G	101.45	Inf	-Inf	3	Horizontal	305	1.98
5300MHz	Pass	AV	5.35G	50.35	54.00	-3.65	3	Horizontal	305	1.98
5300MHz	Pass	PK	5.2968G	115.75	Inf	-Inf	3	Horizontal	305	1.98
5300MHz	Pass	PK	5.3524G	67.79	74.00	-6.21	3	Horizontal	305	1.98
5300MHz	Pass	AV	10.60044G	37.10	54.00	-16.90	3	Vertical	101	2.51
5300MHz	Pass	AV	15.8964G	38.79	54.00	-15.21	3	Vertical	99	2.85
5300MHz	Pass	PK	10.59826G	50.34	68.20	-17.86	3	Vertical	101	2.51
5300MHz	Pass	PK	15.90302G	52.34	74.00	-21.66	3	Vertical	99	2.85
5300MHz	Pass	AV	15.8951G	38.88	54.00	-15.12	3	Horizontal	233	1.89
5300MHz	Pass	PK	10.6005G	50.54	74.00	-23.46	3	Horizontal	197	1.50
5300MHz	Pass	PK	15.90424G	52.77	74.00	-21.23	3	Horizontal	233	1.89
5320MHz	Pass	AV	5.3228G	94.54	Inf	-Inf	3	Vertical	345	3.00
5320MHz	Pass	AV	5.3502G	45.01	54.00	-8.99	3	Vertical	345	3.00
5320MHz	Pass	PK	5.3168G	109.10	Inf	-Inf	3	Vertical	345	3.00
5320MHz	Pass	PK	5.3502G	68.86	74.00	-5.14	3	Vertical	345	3.00
5320MHz	Pass	AV	5.323G	99.18	Inf	-Inf	3	Horizontal	317	2.10
5320MHz	Pass	AV	5.35G	48.92	54.00	-5.08	3	Horizontal	317	2.10
5320MHz	Pass	PK	5.3246G	113.37	Inf	-Inf	3	Horizontal	317	2.10
5320MHz	Pass	PK	5.3502G	73.79	74.00	-0.21	3	Horizontal	317	2.10
5320MHz	Pass	AV	10.64354G	36.86	54.00	-17.14	3	Vertical	352	1.50
5320MHz	Pass	AV	15.96498G	38.91	54.00	-15.09	3	Vertical	176	1.50
5320MHz	Pass	PK	10.63954G	49.91	74.00	-24.09	3	Vertical	352	1.50
5320MHz	Pass	PK	15.95684G	52.35	74.00	-21.65	3	Vertical	176	1.50
5320MHz	Pass	AV	10.64472G	36.84	54.00	-17.16	3	Horizontal	111	2.42
5320MHz	Pass	AV	15.95538G	38.90	54.00	-15.10	3	Horizontal	244	1.80
5320MHz	Pass	PK	10.63748G	50.55	74.00	-23.45	3	Horizontal	111	2.42
5320MHz	Pass	PK	15.95694G	52.35	74.00	-21.65	3	Horizontal	244	1.80
5500MHz	Pass	AV	5.46G	42.31	54.00	-11.69	3	Vertical	56	2.81
5500MHz	Pass	AV	5.4974G	96.05	Inf	-Inf	3	Vertical	56	2.81
5500MHz	Pass	PK	5.4578G	59.32	74.00	-14.68	3	Vertical	56	2.81
5500MHz	Pass	PK	5.47G	65.33	68.20	-2.87	3	Vertical	56	2.81
5500MHz	Pass	PK	5.4968G	110.45	Inf	-Inf	3	Vertical	56	2.81
5500MHz	Pass	AV	5.46G	43.32	54.00	-10.68	3	Horizontal	324	1.96
5500MHz	Pass	AV	5.4956G	98.37	Inf	-Inf	3	Horizontal	324	1.96
5500MHz	Pass	PK	5.4596G	62.58	74.00	-11.42	3	Horizontal	324	1.96
5500MHz	Pass	PK	5.4696G	67.52	68.20	-0.68	3	Horizontal	324	1.96
5500MHz	Pass	PK	5.497G	112.84	Inf	-Inf	3	Horizontal	324	1.96





RSE TX above 1GHz\_Radio 2

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5500MHz	Pass	AV	11.00286G	37.00	54.00	-17.00	3	Vertical	337	1.50
5500MHz	Pass	PK	11.00072G	49.58	74.00	-24.42	3	Vertical	337	1.50
5500MHz	Pass	PK	16.5025G	52.94	68.20	-15.26	3	Vertical	81	1.50
5500MHz	Pass	AV	11.00082G	37.09	54.00	-16.91	3	Horizontal	50	1.50
5500MHz	Pass	PK	11.00022G	50.52	74.00	-23.48	3	Horizontal	50	1.50
5500MHz	Pass	PK	16.49594G	52.17	68.20	-16.03	3	Horizontal	216	1.50
5580MHz	Pass	AV	5.457G	40.67	54.00	-13.33	3	Vertical	61	2.87
5580MHz	Pass	AV	5.5758G	99.17	Inf	-Inf	3	Vertical	61	2.87
5580MHz	Pass	PK	5.4468G	54.14	74.00	-19.86	3	Vertical	61	2.87
5580MHz	Pass	PK	5.463G	54.10	68.20	-14.10	3	Vertical	61	2.87
5580MHz	Pass	PK	5.5764G	113.01	Inf	-Inf	3	Vertical	61	2.87
5580MHz	Pass	PK	5.7264G	54.54	68.20	-13.66	3	Vertical	61	2.87
5580MHz	Pass	AV	5.46G	41.54	54.00	-12.46	3	Horizontal	323	2.02
5580MHz	Pass	AV	5.5752G	101.40	Inf	-Inf	3	Horizontal	323	2.02
5580MHz	Pass	PK	5.4318G	54.82	74.00	-19.18	3	Horizontal	323	2.02
5580MHz	Pass	PK	5.4636G	55.71	68.20	-12.49	3	Horizontal	323	2.02
5580MHz	Pass	PK	5.577G	115.84	Inf	-Inf	3	Horizontal	323	2.02
5580MHz	Pass	PK	5.7252G	54.87	68.20	-13.33	3	Horizontal	323	2.02
5580MHz	Pass	AV	11.16204G	36.68	54.00	-17.32	3	Vertical	329	2.67
5580MHz	Pass	PK	11.15918G	50.86	74.00	-23.14	3	Vertical	329	2.67
5580MHz	Pass	PK	16.7446G	51.87	68.20	-16.33	3	Vertical	53	1.50
5580MHz	Pass	AV	11.16216G	36.69	54.00	-17.31	3	Horizontal	293	1.50
5580MHz	Pass	PK	11.15862G	50.54	74.00	-23.46	3	Horizontal	293	1.50
5580MHz	Pass	PK	16.74092G	52.99	68.20	-15.21	3	Horizontal	326	1.50
5700MHz	Pass	AV	5.7028G	94.44	Inf	-Inf	3	Vertical	21	2.77
5700MHz	Pass	PK	5.6972G	108.52	Inf	-Inf	3	Vertical	21	2.77
5700MHz	Pass	PK	5.7252G	64.24	68.20	-3.96	3	Vertical	21	2.77
5700MHz	Pass	AV	5.6976G	94.07	Inf	-Inf	3	Horizontal	18	1.20
5700MHz	Pass	PK	5.6968G	108.27	Inf	-Inf	3	Horizontal	18	1.20
5700MHz	Pass	PK	5.7256G	67.88	68.20	-0.32	3	Horizontal	18	1.20
5700MHz	Pass	AV	11.39942G	38.29	54.00	-15.71	3	Vertical	296	1.50
5700MHz	Pass	PK	11.39744G	51.98	74.00	-22.02	3	Vertical	296	1.50
5700MHz	Pass	PK	17.10326G	50.69	68.20	-17.51	3	Vertical	138	1.50
5700MHz	Pass	AV	11.40024G	38.17	54.00	-15.83	3	Horizontal	26	1.42
5700MHz	Pass	PK	11.39602G	51.49	74.00	-22.51	3	Horizontal	26	1.42
5700MHz	Pass	PK	17.09608G	50.47	68.20	-17.73	3	Horizontal	202	2.58
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	41.29	54.00	-12.71	3	Vertical	22	2.74
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7152G	100.52	Inf	-Inf	3	Vertical	22	2.74
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4488G	54.80	74.00	-19.20	3	Vertical	22	2.74
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4644G	54.46	68.20	-13.74	3	Vertical	22	2.74
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	114.89	Inf	-Inf	3	Vertical	22	2.74
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.9708G	55.25	68.20	-12.95	3	Vertical	22	2.74
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.444G	40.52	54.00	-13.48	3	Horizontal	15	1.25
5720MHz Straddle 5.47-5.725GHz	Pass	AV	5.7224G	100.06	Inf	-Inf	3	Horizontal	15	1.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4512G	54.09	74.00	-19.91	3	Horizontal	15	1.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	53.61	68.20	-14.59	3	Horizontal	15	1.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.7164G	114.49	Inf	-Inf	3	Horizontal	15	1.25
5720MHz Straddle 5.47-5.725GHz	Pass	PK	5.8928G	55.93	68.20	-12.27	3	Horizontal	15	1.25
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43742G	38.06	54.00	-15.94	3	Vertical	221	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4356G	51.75	74.00	-22.25	3	Vertical	221	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.16146G	52.45	68.20	-15.75	3	Vertical	331	1.88
5720MHz Straddle 5.47-5.725GHz	Pass	AV	11.43542G	38.17	54.00	-15.83	3	Horizontal	19	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	11.4371G	51.52	74.00	-22.48	3	Horizontal	19	1.50
5720MHz Straddle 5.47-5.725GHz	Pass	PK	17.1563G	52.43	68.20	-15.77	3	Horizontal	66	1.37
5745MHz	Pass	AV	5.4594G	39.86	54.00	-14.14	3	Vertical	21	1.53
5745MHz	Pass	AV	5.7402G	101.00	Inf	-Inf	3	Vertical	21	1.53
5745MHz	Pass	PK	5.6406G	55.55	68.20	-12.65	3	Vertical	21	1.53
5745MHz	Pass	PK	5.7426G	115.52	Inf	-Inf	3	Vertical	21	1.53
5745MHz	Pass	PK	5.9946G	55.86	68.20	-12.34	3	Vertical	21	1.53
5745MHz	Pass	AV	5.4594G	40.56	54.00	-13.44	3	Horizontal	15	1.32
5745MHz	Pass	AV	5.7402G	100.97	Inf	-Inf	3	Horizontal	15	1.32
5745MHz	Pass	PK	5.6394G	54.74	68.20	-13.46	3	Horizontal	15	1.32



RSE TX above 1GHz\_Radio 2

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5745MHz	Pass	PK	5.7426G	115.29	Inf	-Inf	3	Horizontal	15	1.32
5745MHz	Pass	PK	5.9814G	55.76	68.20	-12.44	3	Horizontal	15	1.32
5745MHz	Pass	AV	11.49356G	37.85	54.00	-16.15	3	Vertical	74	2.57
5745MHz	Pass	PK	11.49152G	51.67	74.00	-22.33	3	Vertical	74	2.57
5745MHz	Pass	PK	17.2345G	51.44	68.20	-16.76	3	Vertical	28	1.57
5745MHz	Pass	AV	11.49406G	37.89	54.00	-16.11	3	Horizontal	261	1.45
5745MHz	Pass	PK	11.48572G	50.54	74.00	-23.46	3	Horizontal	261	1.45
5745MHz	Pass	PK	17.2341G	51.41	68.20	-16.79	3	Horizontal	20	1.46
5785MHz	Pass	AV	5.78008G	101.24	Inf	-Inf	3	Vertical	22	1.45
5785MHz	Pass	PK	5.6373G	54.87	68.20	-13.33	3	Vertical	22	1.45
5785MHz	Pass	PK	5.7825G	115.79	Inf	-Inf	3	Vertical	22	1.45
5785MHz	Pass	PK	5.99304G	56.46	68.20	-11.74	3	Vertical	22	1.45
5785MHz	Pass	AV	5.78855G	101.11	Inf	-Inf	3	Horizontal	16	1.42
5785MHz	Pass	PK	5.61794G	54.06	68.20	-14.14	3	Horizontal	16	1.42
5785MHz	Pass	PK	5.78129G	114.92	Inf	-Inf	3	Horizontal	16	1.42
5785MHz	Pass	PK	5.93375G	55.95	68.20	-12.25	3	Horizontal	16	1.42
5785MHz	Pass	AV	11.56526G	37.61	54.00	-16.39	3	Vertical	53	1.56
5785MHz	Pass	PK	11.56964G	51.72	74.00	-22.28	3	Vertical	53	1.56
5785MHz	Pass	PK	17.35412G	51.50	68.20	-16.70	3	Vertical	21	1.00
5785MHz	Pass	AV	11.57232G	37.59	54.00	-16.41	3	Horizontal	17	2.40
5785MHz	Pass	PK	11.57148G	50.76	74.00	-23.24	3	Horizontal	17	2.40
5785MHz	Pass	PK	17.3562G	52.00	68.20	-16.20	3	Horizontal	52	2.31
5825MHz	Pass	AV	5.8202G	101.22	Inf	-Inf	3	Vertical	19	1.71
5825MHz	Pass	PK	5.5406G	54.97	68.20	-13.23	3	Vertical	19	1.71
5825MHz	Pass	PK	5.8214G	115.67	Inf	-Inf	3	Vertical	19	1.71
5825MHz	Pass	PK	5.925G	56.95	68.20	-11.25	3	Vertical	19	1.71
5825MHz	Pass	AV	5.8202G	101.28	Inf	-Inf	3	Horizontal	17	1.40
5825MHz	Pass	PK	5.6258G	54.40	68.20	-13.80	3	Horizontal	17	1.40
5825MHz	Pass	PK	5.8226G	115.10	Inf	-Inf	3	Horizontal	17	1.40
5825MHz	Pass	PK	5.927G	57.40	68.20	-10.80	3	Horizontal	17	1.40
5825MHz	Pass	AV	11.6544G	36.95	54.00	-17.05	3	Vertical	94	1.50
5825MHz	Pass	PK	11.65048G	51.31	74.00	-22.69	3	Vertical	94	1.50
5825MHz	Pass	PK	17.472G	51.23	68.20	-16.97	3	Vertical	327	1.50
5825MHz	Pass	AV	11.6549G	37.01	54.00	-16.99	3	Horizontal	143	2.84
5825MHz	Pass	PK	11.64542G	50.26	74.00	-23.74	3	Horizontal	143	2.84
5825MHz	Pass	PK	17.47362G	51.43	68.20	-16.77	3	Horizontal	69	2.34
802.11ax HEW40_Nss1,(MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5190MHz	Pass	AV	5.1496G	52.67	54.00	-1.33	3	Vertical	356	1.17
5190MHz	Pass	AV	5.1956G	94.33	Inf	-Inf	3	Vertical	356	1.17
5190MHz	Pass	PK	5.1496G	68.52	74.00	-5.48	3	Vertical	356	1.17
5190MHz	Pass	PK	5.1952G	107.15	Inf	-Inf	3	Vertical	356	1.17
5190MHz	Pass	AV	5.1492G	53.66	54.00	-0.34	3	Horizontal	360	1.87
5190MHz	Pass	AV	5.1964G	95.38	Inf	-Inf	3	Horizontal	360	1.87
5190MHz	Pass	PK	5.1464G	70.57	74.00	-3.43	3	Horizontal	360	1.87
5190MHz	Pass	PK	5.1952G	107.97	Inf	-Inf	3	Horizontal	360	1.87
5190MHz	Pass	AV	15.56152G	40.73	54.00	-13.27	3	Vertical	287	1.50
5190MHz	Pass	PK	10.37512G	50.47	68.20	-17.73	3	Vertical	360	1.50
5190MHz	Pass	PK	15.56536G	52.77	74.00	-21.23	3	Vertical	287	1.50
5190MHz	Pass	AV	15.57236G	40.86	54.00	-13.14	3	Horizontal	105	1.50
5190MHz	Pass	PK	10.38008G	50.40	68.20	-17.80	3	Horizontal	191	1.50
5190MHz	Pass	PK	15.57692G	52.56	74.00	-21.44	3	Horizontal	105	1.50
5230MHz	Pass	AV	5.1496G	52.83	54.00	-1.17	3	Vertical	360	1.23
5230MHz	Pass	AV	5.2356G	97.42	Inf	-Inf	3	Vertical	360	1.23
5230MHz	Pass	PK	5.1488G	65.77	74.00	-8.23	3	Vertical	360	1.23
5230MHz	Pass	PK	5.2268G	109.74	Inf	-Inf	3	Vertical	360	1.23
5230MHz	Pass	AV	5.15G	53.92	54.00	-0.08	3	Horizontal	319	1.93
5230MHz	Pass	AV	5.2356G	100.78	Inf	-Inf	3	Horizontal	319	1.93
5230MHz	Pass	PK	5.1472G	67.78	74.00	-6.22	3	Horizontal	319	1.93
5230MHz	Pass	PK	5.2352G	113.08	Inf	-Inf	3	Horizontal	319	1.93
5230MHz	Pass	AV	15.69528G	40.74	54.00	-13.26	3	Vertical	345	1.55
5230MHz	Pass	PK	10.46436G	50.69	68.20	-17.51	3	Vertical	283	1.60
5230MHz	Pass	PK	15.69524G	52.59	74.00	-21.41	3	Vertical	345	1.55



RSE TX above 1GHz\_Radio 2

Appendix E.4

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5230MHz	Pass	AV	15.69924G	40.61	54.00	-13.39	3	Horizontal	256	1.62
5230MHz	Pass	PK	10.45364G	49.86	68.20	-18.34	3	Horizontal	4	1.50
5230MHz	Pass	PK	15.68864G	51.63	74.00	-22.37	3	Horizontal	256	1.62
5270MHz	Pass	AV	5.2756G	95.77	Inf	-Inf	3	Vertical	345	1.18
5270MHz	Pass	AV	5.3504G	49.79	54.00	-4.21	3	Vertical	345	1.18
5270MHz	Pass	PK	5.2668G	108.30	Inf	-Inf	3	Vertical	345	1.18
5270MHz	Pass	PK	5.3512G	64.25	74.00	-9.75	3	Vertical	345	1.18
5270MHz	Pass	AV	5.2756G	100.00	Inf	-Inf	3	Horizontal	321	1.86
5270MHz	Pass	AV	5.35G	52.96	54.00	-1.04	3	Horizontal	321	1.86
5270MHz	Pass	PK	5.2752G	112.20	Inf	-Inf	3	Horizontal	321	1.86
5270MHz	Pass	PK	5.3512G	67.82	74.00	-6.18	3	Horizontal	321	1.86
5270MHz	Pass	AV	15.81112G	40.54	54.00	-13.46	3	Vertical	283	1.50
5270MHz	Pass	PK	10.5488G	49.17	68.20	-19.03	3	Vertical	146	2.23
5270MHz	Pass	PK	15.80076G	51.79	74.00	-22.21	3	Vertical	283	1.50
5270MHz	Pass	AV	15.80684G	40.18	54.00	-13.82	3	Horizontal	150	1.50
5270MHz	Pass	PK	10.54816G	49.50	68.20	-18.70	3	Horizontal	360	1.50
5270MHz	Pass	PK	15.8108G	52.72	74.00	-21.28	3	Horizontal	150	1.50
5310MHz	Pass	AV	5.3152G	90.99	Inf	-Inf	3	Vertical	345	3.00
5310MHz	Pass	AV	5.3512G	47.55	54.00	-6.45	3	Vertical	345	3.00
5310MHz	Pass	PK	5.3152G	103.61	Inf	-Inf	3	Vertical	345	3.00
5310MHz	Pass	PK	5.3508G	63.54	74.00	-10.46	3	Vertical	345	3.00
5310MHz	Pass	AV	5.3156G	95.72	Inf	-Inf	3	Horizontal	310	1.98
5310MHz	Pass	AV	5.3508G	53.72	54.00	-0.28	3	Horizontal	310	1.98
5310MHz	Pass	PK	5.3152G	108.43	Inf	-Inf	3	Horizontal	310	1.98
5310MHz	Pass	PK	5.3524G	69.73	74.00	-4.27	3	Horizontal	310	1.98
5310MHz	Pass	AV	10.61244G	38.93	54.00	-15.07	3	Vertical	360	1.50
5310MHz	Pass	AV	15.92972G	40.82	54.00	-13.18	3	Vertical	115	1.50
5310MHz	Pass	PK	10.62984G	50.01	74.00	-23.99	3	Vertical	360	1.50
5310MHz	Pass	PK	15.92708G	52.15	74.00	-21.85	3	Vertical	115	1.50
5310MHz	Pass	AV	10.61112G	38.66	54.00	-15.34	3	Horizontal	189	1.50
5310MHz	Pass	AV	15.9248G	40.83	54.00	-13.17	3	Horizontal	214	1.32
5310MHz	Pass	PK	10.61932G	50.57	74.00	-23.43	3	Horizontal	189	1.50
5310MHz	Pass	PK	15.92676G	52.58	74.00	-21.42	3	Horizontal	214	1.32
5510MHz	Pass	AV	5.4588G	44.53	54.00	-9.47	3	Vertical	58	2.78
5510MHz	Pass	AV	5.5044G	92.34	Inf	-Inf	3	Vertical	58	2.78
5510MHz	Pass	PK	5.4588G	59.12	74.00	-14.88	3	Vertical	58	2.78
5510MHz	Pass	PK	5.4692G	63.95	68.20	-4.25	3	Vertical	58	2.78
5510MHz	Pass	PK	5.5152G	104.99	Inf	-Inf	3	Vertical	58	2.78
5510MHz	Pass	AV	5.4592G	46.86	54.00	-7.14	3	Horizontal	323	1.98
5510MHz	Pass	AV	5.5156G	95.41	Inf	-Inf	3	Horizontal	323	1.98
5510MHz	Pass	PK	5.4588G	63.13	74.00	-10.87	3	Horizontal	323	1.98
5510MHz	Pass	PK	5.4696G	68.14	68.20	-0.06	3	Horizontal	323	1.98
5510MHz	Pass	PK	5.5152G	108.03	Inf	-Inf	3	Horizontal	323	1.98
5510MHz	Pass	AV	11.01436G	38.64	54.00	-15.36	3	Vertical	96	1.50
5510MHz	Pass	PK	11.02952G	49.28	74.00	-24.72	3	Vertical	96	1.50
5510MHz	Pass	PK	16.53988G	51.49	68.20	-16.71	3	Vertical	151	1.00
5510MHz	Pass	AV	11.01112G	38.39	54.00	-15.61	3	Horizontal	255	2.58
5510MHz	Pass	PK	11.01376G	50.55	74.00	-23.45	3	Horizontal	255	2.58
5510MHz	Pass	PK	16.5308G	52.02	68.20	-16.18	3	Horizontal	223	2.77
5550MHz	Pass	AV	5.4596G	50.54	54.00	-3.46	3	Vertical	56	2.89
5550MHz	Pass	AV	5.546G	98.40	Inf	-Inf	3	Vertical	56	2.89
5550MHz	Pass	PK	5.46G	64.62	74.00	-9.38	3	Vertical	56	2.89
5550MHz	Pass	PK	5.4696G	66.47	68.20	-1.73	3	Vertical	56	2.89
5550MHz	Pass	PK	5.5468G	110.99	Inf	-Inf	3	Vertical	56	2.89
5550MHz	Pass	AV	5.4596G	52.28	54.00	-1.72	3	Horizontal	324	2.05
5550MHz	Pass	AV	5.546G	100.70	Inf	-Inf	3	Horizontal	324	2.05
5550MHz	Pass	PK	5.46G	66.12	74.00	-7.88	3	Horizontal	324	2.05
5550MHz	Pass	PK	5.4696G	67.80	68.20	-0.40	3	Horizontal	324	2.05
5550MHz	Pass	PK	5.5468G	113.18	Inf	-Inf	3	Horizontal	324	2.05
5550MHz	Pass	AV	11.09872G	38.71	54.00	-15.29	3	Vertical	311	1.95
5550MHz	Pass	PK	11.0992G	49.83	74.00	-24.17	3	Vertical	311	1.95
5550MHz	Pass	PK	16.64932G	53.58	68.20	-14.62	3	Vertical	58	1.50



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5550MHz	Pass	AV	11.09672G	38.90	54.00	-15.10	3	Horizontal	71	2.18
5550MHz	Pass	PK	11.1052G	50.63	74.00	-23.37	3	Horizontal	71	2.18
5550MHz	Pass	PK	16.65476G	52.34	68.20	-15.86	3	Horizontal	326	1.62
5670MHz	Pass	AV	5.6754G	97.29	Inf	-Inf	3	Vertical	22	2.81
5670MHz	Pass	PK	5.6754G	109.76	Inf	-Inf	3	Vertical	22	2.81
5670MHz	Pass	PK	5.7252G	67.69	68.20	-0.51	3	Vertical	22	2.81
5670MHz	Pass	AV	5.6754G	96.59	Inf	-Inf	3	Horizontal	18	1.24
5670MHz	Pass	PK	5.6754G	108.98	Inf	-Inf	3	Horizontal	18	1.24
5670MHz	Pass	PK	5.73G	67.51	68.20	-0.69	3	Horizontal	18	1.24
5670MHz	Pass	AV	11.34208G	39.14	54.00	-14.86	3	Vertical	206	1.50
5670MHz	Pass	PK	11.33616G	51.40	74.00	-22.60	3	Vertical	206	1.50
5670MHz	Pass	PK	17.00644G	50.60	68.20	-17.60	3	Vertical	208	1.00
5670MHz	Pass	AV	11.34584G	39.29	54.00	-14.71	3	Horizontal	33	1.50
5670MHz	Pass	PK	11.34996G	51.69	74.00	-22.31	3	Horizontal	33	1.50
5670MHz	Pass	PK	17.01956G	50.01	68.20	-18.19	3	Horizontal	65	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	42.75	54.00	-11.25	3	Vertical	23	2.75
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.7148G	99.38	Inf	-Inf	3	Vertical	23	2.75
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4472G	54.48	74.00	-19.52	3	Vertical	23	2.75
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4676G	54.89	68.20	-13.31	3	Vertical	23	2.75
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7148G	111.61	Inf	-Inf	3	Vertical	23	2.75
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8636G	57.31	68.20	-10.89	3	Vertical	23	2.75
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.4544G	41.90	54.00	-12.10	3	Horizontal	17	1.26
5710MHz Straddle 5.47-5.725GHz	Pass	AV	5.716G	99.01	Inf	-Inf	3	Horizontal	17	1.26
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.428G	54.61	74.00	-19.39	3	Horizontal	17	1.26
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.4688G	53.27	68.20	-14.93	3	Horizontal	17	1.26
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.7148G	111.10	Inf	-Inf	3	Horizontal	17	1.26
5710MHz Straddle 5.47-5.725GHz	Pass	PK	5.8576G	57.69	68.20	-10.51	3	Horizontal	17	1.26
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.41096G	39.84	54.00	-14.16	3	Vertical	29	2.85
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.42108G	51.33	74.00	-22.67	3	Vertical	29	2.85
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13G	50.91	68.20	-17.29	3	Vertical	33	1.50
5710MHz Straddle 5.47-5.725GHz	Pass	AV	11.42352G	39.98	54.00	-14.02	3	Horizontal	65	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	11.41892G	51.80	74.00	-22.20	3	Horizontal	65	1.00
5710MHz Straddle 5.47-5.725GHz	Pass	PK	17.13408G	51.33	68.20	-16.87	3	Horizontal	66	1.45
5755MHz	Pass	AV	5.4586G	41.71	54.00	-12.29	3	Vertical	21	1.50
5755MHz	Pass	AV	5.761G	100.05	Inf	-Inf	3	Vertical	21	1.50
5755MHz	Pass	PK	5.653G	64.67	70.42	-5.75	3	Vertical	21	1.50
5755MHz	Pass	PK	5.7514G	112.23	Inf	-Inf	3	Vertical	21	1.50
5755MHz	Pass	PK	5.953G	56.04	68.20	-12.16	3	Vertical	21	1.50
5755MHz	Pass	AV	5.455G	42.13	54.00	-11.87	3	Horizontal	14	1.37
5755MHz	Pass	AV	5.761G	99.84	Inf	-Inf	3	Horizontal	14	1.37
5755MHz	Pass	PK	5.6446G	60.27	68.20	-7.93	3	Horizontal	14	1.37
5755MHz	Pass	PK	5.7514G	111.93	Inf	-Inf	3	Horizontal	14	1.37
5755MHz	Pass	PK	5.9314G	56.71	68.20	-11.49	3	Horizontal	14	1.37
5755MHz	Pass	AV	11.51776G	39.43	54.00	-14.57	3	Vertical	182	2.58
5755MHz	Pass	PK	11.50652G	51.73	74.00	-22.27	3	Vertical	182	2.58
5755MHz	Pass	PK	17.26072G	51.41	68.20	-16.79	3	Vertical	320	2.64
5755MHz	Pass	AV	11.50136G	39.47	54.00	-14.53	3	Horizontal	265	1.50
5755MHz	Pass	PK	11.50084G	50.82	74.00	-23.18	3	Horizontal	265	1.50
5755MHz	Pass	PK	17.26488G	51.83	68.20	-16.37	3	Horizontal	83	1.50
5795MHz	Pass	AV	5.7998G	100.84	Inf	-Inf	3	Vertical	29	2.80
5795MHz	Pass	PK	5.6474G	57.82	68.20	-10.38	3	Vertical	29	2.80
5795MHz	Pass	PK	5.7914G	113.06	Inf	-Inf	3	Vertical	29	2.80
5795MHz	Pass	PK	5.9282G	62.52	68.20	-5.68	3	Vertical	29	2.80
5795MHz	Pass	AV	5.801G	100.22	Inf	-Inf	3	Horizontal	15	1.38
5795MHz	Pass	PK	5.6474G	55.57	68.20	-12.63	3	Horizontal	15	1.38
5795MHz	Pass	PK	5.7998G	112.19	Inf	-Inf	3	Horizontal	15	1.38
5795MHz	Pass	PK	5.9282G	61.02	68.20	-7.18	3	Horizontal	15	1.38
5795MHz	Pass	AV	11.5834G	38.82	54.00	-15.18	3	Vertical	83	1.50
5795MHz	Pass	PK	11.58052G	49.91	74.00	-24.09	3	Vertical	83	1.50
5795MHz	Pass	PK	17.3914G	51.11	68.20	-17.09	3	Vertical	322	1.69
5795MHz	Pass	AV	11.58332G	38.74	54.00	-15.26	3	Horizontal	355	2.88
5795MHz	Pass	PK	11.59032G	50.37	74.00	-23.63	3	Horizontal	355	2.88



RSE TX above 1GHz\_Radio 2

Appendix E.4


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5795MHz	Pass	PK	17.37872G	51.64	68.20	-16.56	3	Horizontal	321	2.35
802.11ax HEW80_Nss1 (MCS0)_1TX	-	-	-	-	-	-	-	-	-	-
5210MHz	Pass	AV	5.19G	51.72	54.00	-2.28	3	Vertical	360	1.33
5210MHz	Pass	AV	5.201G	90.72	Inf	-Inf	3	Vertical	360	1.33
5210MHz	Pass	AV	5.351G	44.21	54.00	-9.79	3	Vertical	360	1.33
5210MHz	Pass	PK	5.149G	66.82	74.00	-7.18	3	Vertical	360	1.33
5210MHz	Pass	PK	5.192G	102.24	Inf	-Inf	3	Vertical	360	1.33
5210MHz	Pass	PK	5.353G	56.74	74.00	-17.26	3	Vertical	360	1.33
5210MHz	Pass	AV	5.146G	53.26	54.00	-0.74	3	Horizontal	316	2.06
5210MHz	Pass	AV	5.221G	93.76	Inf	-Inf	3	Horizontal	316	2.06
5210MHz	Pass	AV	5.35G	47.62	54.00	-6.38	3	Horizontal	316	2.06
5210MHz	Pass	PK	5.147G	68.90	74.00	-5.10	3	Horizontal	316	2.06
5210MHz	Pass	PK	5.227G	105.80	Inf	-Inf	3	Horizontal	316	2.06
5210MHz	Pass	PK	5.351G	61.35	74.00	-12.65	3	Horizontal	316	2.06
5210MHz	Pass	AV	15.62088G	40.69	54.00	-13.31	3	Vertical	303	1.50
5210MHz	Pass	PK	10.42584G	49.89	68.20	-18.31	3	Vertical	305	1.50
5210MHz	Pass	PK	15.61376G	52.19	74.00	-21.81	3	Vertical	303	1.50
5210MHz	Pass	AV	15.62296G	40.53	54.00	-13.47	3	Horizontal	261	1.50
5210MHz	Pass	PK	10.4156G	50.55	68.20	-17.65	3	Horizontal	172	1.50
5210MHz	Pass	PK	15.62296G	52.28	74.00	-21.72	3	Horizontal	261	1.50
5290MHz	Pass	AV	5.137G	41.76	54.00	-12.24	3	Vertical	347	1.09
5290MHz	Pass	AV	5.301G	88.53	Inf	-Inf	3	Vertical	347	1.09
5290MHz	Pass	AV	5.351G	48.60	54.00	-5.40	3	Vertical	347	1.09
5290MHz	Pass	PK	5.087G	53.57	74.00	-20.43	3	Vertical	347	1.09
5290MHz	Pass	PK	5.293G	100.55	Inf	-Inf	3	Vertical	347	1.09
5290MHz	Pass	PK	5.36G	62.83	74.00	-11.17	3	Vertical	347	1.09
5290MHz	Pass	PK	5.466G	54.13	68.20	-14.07	3	Vertical	347	1.09
5290MHz	Pass	AV	5.147G	42.43	54.00	-11.57	3	Horizontal	309	1.98
5290MHz	Pass	AV	5.301G	92.17	Inf	-Inf	3	Horizontal	309	1.98
5290MHz	Pass	AV	5.35G	53.56	54.00	-0.44	3	Horizontal	309	1.98
5290MHz	Pass	PK	5.128G	53.86	74.00	-20.14	3	Horizontal	309	1.98
5290MHz	Pass	PK	5.293G	104.16	Inf	-Inf	3	Horizontal	309	1.98
5290MHz	Pass	PK	5.361G	67.61	74.00	-6.39	3	Horizontal	309	1.98
5290MHz	Pass	PK	5.47G	55.47	68.20	-12.73	3	Horizontal	309	1.98
5290MHz	Pass	AV	15.88848G	40.51	54.00	-13.49	3	Vertical	181	1.50
5290MHz	Pass	PK	10.586G	51.48	68.20	-16.72	3	Vertical	274	1.06
5290MHz	Pass	PK	15.8836G	52.53	74.00	-21.47	3	Vertical	181	1.50
5290MHz	Pass	AV	15.88984G	40.39	54.00	-13.61	3	Horizontal	65	1.50
5290MHz	Pass	PK	10.59784G	49.94	68.20	-18.26	3	Horizontal	64	1.79
5290MHz	Pass	PK	15.88536G	52.28	74.00	-21.72	3	Horizontal	65	1.50
5530MHz	Pass	AV	5.35G	41.33	54.00	-12.67	3	Vertical	55	2.93
5530MHz	Pass	AV	5.46G	48.31	54.00	-5.69	3	Vertical	55	2.93
5530MHz	Pass	AV	5.541G	89.86	Inf	-Inf	3	Vertical	55	2.93
5530MHz	Pass	PK	5.302G	54.45	68.20	-13.75	3	Vertical	55	2.93
5530MHz	Pass	PK	5.46G	61.81	74.00	-12.19	3	Vertical	55	2.93
5530MHz	Pass	PK	5.47G	64.17	68.20	-4.03	3	Vertical	55	2.93
5530MHz	Pass	PK	5.541G	101.60	Inf	-Inf	3	Vertical	55	2.93
5530MHz	Pass	PK	5.752G	55.13	68.20	-13.07	3	Vertical	55	2.93
5530MHz	Pass	AV	5.35G	42.03	54.00	-11.97	3	Horizontal	322	2.07
5530MHz	Pass	AV	5.46G	52.22	54.00	-1.78	3	Horizontal	322	2.07
5530MHz	Pass	AV	5.541G	92.60	Inf	-Inf	3	Horizontal	322	2.07
5530MHz	Pass	PK	5.345G	54.04	68.20	-14.16	3	Horizontal	322	2.07
5530MHz	Pass	PK	5.46G	65.96	74.00	-8.04	3	Horizontal	322	2.07
5530MHz	Pass	PK	5.462G	67.38	68.20	-0.82	3	Horizontal	322	2.07
5530MHz	Pass	PK	5.501G	105.02	Inf	-Inf	3	Horizontal	322	2.07
5530MHz	Pass	PK	5.739G	54.87	68.20	-13.33	3	Horizontal	322	2.07
5530MHz	Pass	AV	11.0556G	38.81	54.00	-15.19	3	Vertical	139	1.50
5530MHz	Pass	PK	11.04328G	50.72	74.00	-23.28	3	Vertical	139	1.50
5530MHz	Pass	PK	16.5948G	52.34	68.20	-15.86	3	Vertical	310	2.79
5530MHz	Pass	AV	11.04272G	38.65	54.00	-15.35	3	Horizontal	262	1.49
5530MHz	Pass	PK	11.0532G	50.50	74.00	-23.50	3	Horizontal	262	1.49
5530MHz	Pass	PK	16.5828G	52.49	68.20	-15.71	3	Horizontal	60	2.92



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
5610MHz	Pass	AV	5.459G	52.32	54.00	-1.68	3	Vertical	19	2.86
5610MHz	Pass	AV	5.621G	95.52	Inf	-Inf	3	Vertical	19	2.86
5610MHz	Pass	PK	5.46G	64.87	74.00	-9.13	3	Vertical	19	2.86
5610MHz	Pass	PK	5.47G	67.00	68.20	-1.20	3	Vertical	19	2.86
5610MHz	Pass	PK	5.612G	108.03	Inf	-Inf	3	Vertical	19	2.86
5610MHz	Pass	PK	5.737G	67.60	68.20	-0.60	3	Vertical	19	2.86
5610MHz	Pass	AV	5.459G	52.55	54.00	-1.45	3	Horizontal	322	2.14
5610MHz	Pass	AV	5.595G	96.17	Inf	-Inf	3	Horizontal	322	2.14
5610MHz	Pass	PK	5.46G	64.65	74.00	-9.35	3	Horizontal	322	2.14
5610MHz	Pass	PK	5.468G	67.48	68.20	-0.72	3	Horizontal	322	2.14
5610MHz	Pass	PK	5.592G	108.56	Inf	-Inf	3	Horizontal	322	2.14
5610MHz	Pass	PK	5.733G	67.81	68.20	-0.39	3	Horizontal	322	2.14
5610MHz	Pass	AV	11.22512G	38.71	54.00	-15.29	3	Vertical	277	1.50
5610MHz	Pass	PK	11.2316G	50.71	74.00	-23.29	3	Vertical	277	1.50
5610MHz	Pass	PK	16.81184G	51.07	68.20	-17.13	3	Vertical	136	1.50
5610MHz	Pass	AV	11.2328G	38.80	54.00	-15.20	3	Horizontal	260	1.50
5610MHz	Pass	PK	11.22416G	49.81	74.00	-24.19	3	Horizontal	260	1.50
5610MHz	Pass	PK	16.83328G	50.83	68.20	-17.37	3	Horizontal	0	1.50
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4572G	46.38	54.00	-7.62	3	Vertical	24	2.76
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.6792G	95.66	Inf	-Inf	3	Vertical	24	2.76
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.444G	58.72	74.00	-15.28	3	Vertical	24	2.76
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4692G	59.37	68.20	-8.83	3	Vertical	24	2.76
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.7008G	107.81	Inf	-Inf	3	Vertical	24	2.76
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.85G	63.52	68.20	-4.68	3	Vertical	24	2.76
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.4596G	44.88	54.00	-9.12	3	Horizontal	17	1.20
5690MHz Straddle 5.47-5.725GHz	Pass	AV	5.7008G	95.62	Inf	-Inf	3	Horizontal	17	1.20
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4572G	57.83	74.00	-16.17	3	Horizontal	17	1.20
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.4668G	58.00	68.20	-10.20	3	Horizontal	17	1.20
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.6924G	107.88	Inf	-Inf	3	Horizontal	17	1.20
5690MHz Straddle 5.47-5.725GHz	Pass	PK	5.85G	63.00	68.20	-5.20	3	Horizontal	17	1.20
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39936G	39.68	54.00	-14.32	3	Vertical	190	2.80
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.38328G	52.14	74.00	-21.86	3	Vertical	190	2.80
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.08232G	51.42	68.20	-16.78	3	Vertical	321	1.42
5690MHz Straddle 5.47-5.725GHz	Pass	AV	11.39352G	40.13	54.00	-13.87	3	Horizontal	103	1.39
5690MHz Straddle 5.47-5.725GHz	Pass	PK	11.3928G	51.78	74.00	-22.22	3	Horizontal	103	1.39
5690MHz Straddle 5.47-5.725GHz	Pass	PK	17.08192G	51.61	68.20	-16.59	3	Horizontal	67	1.36
5775MHz	Pass	AV	5.7654G	97.64	Inf	-Inf	3	Vertical	24	1.41
5775MHz	Pass	PK	5.6478G	67.97	68.20	-0.23	3	Vertical	24	1.41
5775MHz	Pass	PK	5.757G	109.18	Inf	-Inf	3	Vertical	24	1.41
5775MHz	Pass	PK	5.9226G	66.58	69.98	-3.40	3	Vertical	24	1.41
5775MHz	Pass	AV	5.7642G	97.61	Inf	-Inf	3	Horizontal	24	1.41
5775MHz	Pass	PK	5.6478G	67.51	68.20	-0.69	3	Horizontal	24	1.41
5775MHz	Pass	PK	5.757G	109.35	Inf	-Inf	3	Horizontal	24	1.41
5775MHz	Pass	PK	5.9226G	66.41	69.98	-3.57	3	Horizontal	24	1.41
5775MHz	Pass	AV	11.53904G	39.46	54.00	-14.54	3	Vertical	235	1.26
5775MHz	Pass	PK	11.55056G	50.83	74.00	-23.17	3	Vertical	235	1.26
5775MHz	Pass	PK	17.345G	50.84	68.20	-17.36	3	Vertical	128	1.89
5775MHz	Pass	AV	11.55888G	39.51	54.00	-14.49	3	Horizontal	197	1.84
5775MHz	Pass	PK	11.53648G	51.05	74.00	-22.95	3	Horizontal	197	1.84
5775MHz	Pass	PK	17.33236G	51.14	68.20	-17.06	3	Horizontal	360	2.23

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	51.68	54.00	-2.32	-5.41	3	Vertical	360	1.39	57.09	33.50	5.17	44.08
AV	5.184G	99.13	Inf	-Inf	-5.40	3	Vertical	360	1.39	104.53	33.50	5.18	44.08
PK	5.149G	69.85	74.00	-4.15	-5.41	3	Vertical	360	1.39	75.26	33.50	5.17	44.08
PK	5.1824G	109.25	Inf	-Inf	-5.40	3	Vertical	360	1.39	114.65	33.50	5.18	44.08

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	53.36	54.00	-0.64	-5.41	3	Horizontal	360	1.94	58.77	33.50	5.17	44.08
AV	5.184G	100.29	Inf	-Inf	-5.40	3	Horizontal	360	1.94	105.69	33.50	5.18	44.08
PK	5.15G	71.47	74.00	-2.53	-5.41	3	Horizontal	360	1.94	76.88	33.50	5.17	44.08
PK	5.1824G	110.58	Inf	-Inf	-5.40	3	Horizontal	360	1.94	115.98	33.50	5.18	44.08



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5180MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.54132G	39.88	54.00	-14.12	6.11	3	Vertical	18	1.44	33.77	38.30	10.84	43.03
PK	10.35632G	50.00	68.20	-18.20	4.66	3	Vertical	172	1.50	45.34	38.70	8.07	42.11
PK	15.54158G	52.02	74.00	-21.98	6.11	3	Vertical	18	1.44	45.91	38.30	10.84	43.03

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5180MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.53928G	39.96	54.00	-14.04	6.11	3	Horizontal	265	1.50	33.85	38.30	10.84	43.03
PK	10.36368G	49.58	68.20	-18.62	4.66	3	Horizontal	360	1.50	44.92	38.70	8.07	42.11
PK	15.54394G	52.67	74.00	-21.33	6.12	3	Horizontal	265	1.50	46.55	38.30	10.85	43.03





5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	47.39	54.00	-6.61	-5.41	3	Vertical	355	1.00	52.80	33.50	5.17	44.08
AV	5.204G	101.61	Inf	-Inf	-5.39	3	Vertical	355	1.00	107.00	33.50	5.19	44.08
PK	5.1496G	66.13	74.00	-7.87	-5.41	3	Vertical	355	1.00	71.54	33.50	5.17	44.08
PK	5.2016G	111.62	Inf	-Inf	-5.39	3	Vertical	355	1.00	117.01	33.50	5.19	44.08

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.15G	48.27	54.00	-5.73	-5.41	3	Horizontal	0	2.06	53.68	33.50	5.17	44.08
AV	5.2024G	102.10	Inf	-Inf	-5.39	3	Horizontal	0	2.06	107.49	33.50	5.19	44.08
PK	5.15G	68.60	74.00	-5.40	-5.41	3	Horizontal	0	2.06	74.01	33.50	5.17	44.08
PK	5.2024G	112.43	Inf	-Inf	-5.39	3	Horizontal	0	2.06	117.82	33.50	5.19	44.08



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5200MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60324G	39.58	54.00	-14.42	6.23	3	Vertical	84	1.50	33.35	38.38	10.91	43.06
PK	10.4012G	49.97	68.20	-18.23	4.70	3	Vertical	0	1.50	45.27	38.70	8.08	42.08
PK	15.60458G	51.84	74.00	-22.16	6.22	3	Vertical	84	1.50	45.62	38.37	10.91	43.06

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5200MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.60328G	39.56	54.00	-14.44	6.23	3	Horizontal	305	1.50	33.33	38.38	10.91	43.06
PK	10.40024G	50.23	68.20	-17.97	4.70	3	Horizontal	229	2.14	45.53	38.70	8.08	42.08
PK	15.6045G	51.34	74.00	-22.66	6.22	3	Horizontal	305	1.50	45.12	38.37	10.91	43.06



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.144G	42.29	54.00	-11.71	-5.42	3	Vertical	356	1.24	47.71	33.50	5.16	44.08
AV	5.2442G	100.72	Inf	-Inf	-5.38	3	Vertical	356	1.24	106.10	33.50	5.21	44.09
AV	5.35G	42.00	54.00	-12.00	-5.56	3	Vertical	356	1.24	47.56	33.30	5.24	44.10
PK	5.1326G	55.60	74.00	-18.40	-5.42	3	Vertical	356	1.24	61.02	33.50	5.16	44.08
PK	5.2424G	110.78	Inf	-Inf	-5.39	3	Vertical	356	1.24	116.17	33.50	5.20	44.09
PK	5.3774G	54.83	74.00	-19.17	-5.61	3	Vertical	356	1.24	60.44	33.25	5.25	44.11

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5240MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1434G	43.08	54.00	-10.92	-5.42	3	Horizontal	305	1.96	48.50	33.50	5.16	44.08
AV	5.2442G	103.26	Inf	-Inf	-5.38	3	Horizontal	305	1.96	108.64	33.50	5.21	44.09
AV	5.3528G	43.09	54.00	-10.91	-5.57	3	Horizontal	305	1.96	48.66	33.29	5.24	44.10
PK	5.1488G	55.65	74.00	-18.35	-5.41	3	Horizontal	305	1.96	61.06	33.50	5.17	44.08
PK	5.2424G	113.38	Inf	-Inf	-5.39	3	Horizontal	305	1.96	118.77	33.50	5.20	44.09
PK	5.351G	57.10	74.00	-16.90	-5.56	3	Horizontal	305	1.96	62.66	33.30	5.24	44.10



5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71808G	39.67	54.00	-14.33	6.12	3	Vertical	50	1.50	33.55	38.20	11.03	43.11
PK	10.48306G	51.96	68.20	-16.24	4.76	3	Vertical	0	1.50	47.20	38.67	8.11	42.02
PK	15.71518G	52.05	74.00	-21.95	6.12	3	Vertical	50	1.50	45.93	38.20	11.03	43.11

5.15-5.25GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5240MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.71826G	39.57	54.00	-14.43	6.12	3	Horizontal	179	1.50	33.45	38.20	11.03	43.11
PK	10.48308G	49.75	68.20	-18.45	4.76	3	Horizontal	220	1.50	44.99	38.67	8.11	42.02
PK	15.71836G	52.01	74.00	-21.99	6.12	3	Horizontal	179	1.50	45.89	38.20	11.03	43.11

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.143G	40.90	54.00	-13.10	-5.42	3	Vertical	345	1.19	46.32	33.50	5.16	44.08
AV	5.2642G	99.51	Inf	-Inf	-5.44	3	Vertical	345	1.19	104.95	33.44	5.21	44.09
AV	5.3596G	42.77	54.00	-11.23	-5.57	3	Vertical	345	1.19	48.34	33.28	5.25	44.10
PK	5.1328G	54.04	74.00	-19.96	-5.42	3	Vertical	345	1.19	59.46	33.50	5.16	44.08
PK	5.2624G	109.29	Inf	-Inf	-5.43	3	Vertical	345	1.19	114.72	33.45	5.21	44.09
PK	5.3566G	55.87	74.00	-18.13	-5.57	3	Vertical	345	1.19	61.44	33.29	5.24	44.10

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.1346G	41.63	54.00	-12.37	-5.42	3	Horizontal	319	1.88	47.05	33.50	5.16	44.08
AV	5.2624G	103.62	Inf	-Inf	-5.43	3	Horizontal	319	1.88	109.05	33.45	5.21	44.09
AV	5.3566G	45.20	54.00	-8.80	-5.57	3	Horizontal	319	1.88	50.77	33.29	5.24	44.10
PK	5.1376G	54.33	74.00	-19.67	-5.42	3	Horizontal	319	1.88	59.75	33.50	5.16	44.08
PK	5.2624G	113.91	Inf	-Inf	-5.43	3	Horizontal	319	1.88	119.34	33.45	5.21	44.09
PK	5.3572G	57.64	74.00	-16.36	-5.56	3	Horizontal	319	1.88	63.20	33.29	5.25	44.10

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5260MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77694G	39.43	54.00	-14.57	6.10	3	Vertical	3	1.50	33.33	38.15	11.09	43.14
PK	10.51902G	49.92	68.20	-18.28	4.84	3	Vertical	27	2.25	45.08	38.74	8.12	42.02
PK	15.7781G	53.18	74.00	-20.82	6.09	3	Vertical	3	1.50	47.09	38.14	11.09	43.14

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5260MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.77666G	39.46	54.00	-14.54	6.10	3	Horizontal	45	1.50	33.36	38.15	11.09	43.14
PK	10.51878G	50.17	68.20	-18.03	4.84	3	Horizontal	248	1.43	45.33	38.74	8.12	42.02
PK	15.78374G	51.48	74.00	-22.52	6.08	3	Horizontal	45	1.50	45.40	38.13	11.10	43.15



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3024G	99.39	Inf	-Inf	-5.57	3	Vertical	360	2.99	104.96	33.30	5.23	44.10
AV	5.35G	45.89	54.00	-8.11	-5.56	3	Vertical	360	2.99	51.45	33.30	5.24	44.10
PK	5.3024G	109.70	Inf	-Inf	-5.57	3	Vertical	360	2.99	115.27	33.30	5.23	44.10
PK	5.35G	63.43	74.00	-10.57	-5.56	3	Vertical	360	2.99	68.99	33.30	5.24	44.10

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.304G	104.26	Inf	-Inf	-5.57	3	Horizontal	318	1.97	109.83	33.30	5.23	44.10
AV	5.3504G	49.36	54.00	-4.64	-5.56	3	Horizontal	318	1.97	54.92	33.30	5.24	44.10
PK	5.3024G	114.42	Inf	-Inf	-5.57	3	Horizontal	318	1.97	119.99	33.30	5.23	44.10
PK	5.35G	67.39	74.00	-6.61	-5.56	3	Horizontal	318	1.97	72.95	33.30	5.24	44.10



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5300MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89652G	39.70	54.00	-14.30	5.91	3	Vertical	360	1.08	33.79	37.89	11.22	43.20
PK	10.59812G	50.93	68.20	-17.27	5.09	3	Vertical	0	1.50	45.84	38.99	8.14	42.04
PK	15.90226G	51.88	74.00	-22.12	5.93	3	Vertical	360	1.08	45.95	37.90	11.23	43.20

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5300MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	15.89544G	39.73	54.00	-14.27	5.90	3	Horizontal	177	1.50	33.83	37.88	11.22	43.20
PK	10.6018G	50.74	74.00	-23.26	5.10	3	Horizontal	169	1.50	45.64	39.00	8.14	42.04
PK	15.8951G	52.53	74.00	-21.47	5.90	3	Horizontal	177	1.50	46.63	37.88	11.22	43.20





5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.3242G	97.49	Inf	-Inf	-5.57	3	Vertical	345	3.00	103.06	33.30	5.23	44.10
AV	5.3502G	47.29	54.00	-6.71	-5.56	3	Vertical	345	3.00	52.85	33.30	5.24	44.10
PK	5.3224G	107.79	Inf	-Inf	-5.57	3	Vertical	345	3.00	113.36	33.30	5.23	44.10
PK	5.3544G	66.04	74.00	-7.96	-5.57	3	Vertical	345	3.00	71.61	33.29	5.24	44.10

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.324G	102.04	Inf	-Inf	-5.57	3	Horizontal	316	1.86	107.61	33.30	5.23	44.10
AV	5.35G	51.71	54.00	-2.29	-5.56	3	Horizontal	316	1.86	57.27	33.30	5.24	44.10
PK	5.3224G	112.16	Inf	-Inf	-5.57	3	Horizontal	316	1.86	117.73	33.30	5.23	44.10
PK	5.35G	72.96	74.00	-1.04	-5.56	3	Horizontal	316	1.86	78.52	33.30	5.24	44.10



5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5320MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.643G	37.70	54.00	-16.30	5.19	3	Vertical	186	1.50	32.51	39.09	8.16	42.06
AV	15.95514G	39.69	54.00	-14.31	6.04	3	Vertical	117	2.34	33.65	37.99	11.28	43.23
PK	10.63594G	50.76	74.00	-23.24	5.16	3	Vertical	186	1.50	45.60	39.07	8.15	42.06
PK	15.96022G	52.91	74.00	-21.09	6.04	3	Vertical	117	2.34	46.87	37.98	11.29	43.23

5.25-5.35GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5320MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.64376G	37.65	54.00	-16.35	5.19	3	Horizontal	220	1.50	32.46	39.09	8.16	42.06
AV	15.96498G	39.75	54.00	-14.25	6.03	3	Horizontal	214	1.50	33.72	37.97	11.29	43.23
PK	10.64216G	50.37	74.00	-23.63	5.18	3	Horizontal	220	1.50	45.19	39.08	8.16	42.06
PK	15.96442G	52.20	74.00	-21.80	6.03	3	Horizontal	214	1.50	46.17	37.97	11.29	43.23



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4586G	43.55	54.00	-10.45	-5.50	3	Vertical	53	2.82	49.05	33.32	5.30	44.12
AV	5.4952G	98.50	Inf	-Inf	-5.41	3	Vertical	53	2.82	103.91	33.39	5.32	44.12
PK	5.4576G	63.91	74.00	-10.09	-5.49	3	Vertical	53	2.82	69.40	33.32	5.30	44.11
PK	5.4682G	65.33	68.20	-2.87	-5.48	3	Vertical	53	2.82	70.81	33.34	5.30	44.12
PK	5.5024G	108.74	Inf	-Inf	-5.39	3	Vertical	53	2.82	114.13	33.40	5.33	44.12

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5500MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4598G	44.57	54.00	-9.43	-5.50	3	Horizontal	325	1.98	50.07	33.32	5.30	44.12
AV	5.5042G	101.06	Inf	-Inf	-5.38	3	Horizontal	325	1.98	106.44	33.41	5.33	44.12
PK	5.4586G	64.50	74.00	-9.50	-5.50	3	Horizontal	325	1.98	70.00	33.32	5.30	44.12
PK	5.4688G	67.10	68.20	-1.10	-5.48	3	Horizontal	325	1.98	72.58	33.34	5.30	44.12
PK	5.5024G	111.29	Inf	-Inf	-5.39	3	Horizontal	325	1.98	116.68	33.40	5.33	44.12



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.00132G	37.81	54.00	-16.19	4.89	3	Vertical	287	1.50	32.92	38.80	8.27	42.18
PK	11.00432G	50.63	74.00	-23.37	4.90	3	Vertical	287	1.50	45.73	38.81	8.27	42.18
PK	16.49664G	51.99	68.20	-16.21	6.10	3	Vertical	80	1.50	45.89	37.99	11.12	43.01

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5500MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	10.99848G	37.99	54.00	-16.01	4.89	3	Horizontal	192	1.50	33.10	38.81	8.26	42.18
PK	11.00192G	50.86	74.00	-23.14	4.89	3	Horizontal	192	1.50	45.97	38.80	8.27	42.18
PK	16.49698G	51.85	68.20	-16.35	6.10	3	Horizontal	301	1.50	45.75	37.99	11.12	43.01

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.46G	41.38	54.00	-12.62	-5.50	3	Vertical	56	2.88	46.88	33.32	5.30	44.12
AV	5.5782G	100.90	Inf	-Inf	-5.31	3	Vertical	56	2.88	106.21	33.44	5.38	44.13
PK	5.4522G	54.25	74.00	-19.75	-5.52	3	Vertical	56	2.88	59.77	33.30	5.29	44.11
PK	5.4606G	53.82	68.20	-14.38	-5.50	3	Vertical	56	2.88	59.32	33.32	5.30	44.12
PK	5.5848G	110.73	Inf	-Inf	-5.32	3	Vertical	56	2.88	116.05	33.43	5.38	44.13
PK	5.7282G	54.79	68.20	-13.41	-4.61	3	Vertical	56	2.88	59.40	34.08	5.46	44.15

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.4594G	42.17	54.00	-11.83	-5.50	3	Horizontal	323	2.02	47.67	33.32	5.30	44.12
AV	5.5842G	103.07	Inf	-Inf	-5.32	3	Horizontal	323	2.02	108.39	33.43	5.38	44.13
PK	5.451G	55.11	74.00	-18.89	-5.52	3	Horizontal	323	2.02	60.63	33.30	5.29	44.11
PK	5.4678G	55.24	68.20	-12.96	-5.48	3	Horizontal	323	2.02	60.72	33.34	5.30	44.12
PK	5.5818G	113.06	Inf	-Inf	-5.31	3	Horizontal	323	2.02	118.37	33.44	5.38	44.13
PK	5.7276G	55.04	68.20	-13.16	-4.61	3	Horizontal	323	2.02	59.65	34.08	5.46	44.15

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.1638G	37.50	54.00	-16.50	5.15	3	Vertical	130	1.50	32.35	38.93	8.31	42.09
PK	11.1612G	49.62	74.00	-24.38	5.13	3	Vertical	130	1.50	44.49	38.92	8.31	42.10
PK	16.73538G	51.98	68.20	-16.22	5.76	3	Vertical	10	1.00	46.22	37.83	11.02	43.09

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5580MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.16308G	37.61	54.00	-16.39	5.14	3	Horizontal	108	1.95	32.47	38.93	8.31	42.10
PK	11.16254G	50.32	74.00	-23.68	5.14	3	Horizontal	108	1.95	45.18	38.93	8.31	42.10
PK	16.74002G	52.76	68.20	-15.44	5.74	3	Horizontal	327	1.58	47.02	37.82	11.02	43.10

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.7044G	98.14	Inf	-Inf	-4.85	3	Vertical	22	2.78	102.99	33.84	5.45	44.14
PK	5.7024G	108.48	Inf	-Inf	-4.87	3	Vertical	22	2.78	113.35	33.82	5.45	44.14
PK	5.7264G	66.40	68.20	-1.80	-4.63	3	Vertical	22	2.78	71.03	34.06	5.46	44.15

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	5.6952G	97.87	Inf	-Inf	-4.93	3	Horizontal	17	1.20	102.80	33.77	5.44	44.14
PK	5.7016G	107.85	Inf	-Inf	-4.87	3	Horizontal	17	1.20	112.72	33.82	5.45	44.14
PK	5.7268G	67.44	68.20	-0.76	-4.62	3	Horizontal	17	1.20	72.06	34.07	5.46	44.15



5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX


5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.39792G	39.19	54.00	-14.81	5.82	3	Vertical	183	1.50	33.37	39.40	8.39	41.97
PK	11.39958G	51.74	74.00	-22.26	5.82	3	Vertical	183	1.50	45.92	39.40	8.39	41.97
PK	17.10076G	50.59	68.20	-17.61	5.20	3	Vertical	0	2.93	45.39	37.50	10.87	43.17

5.47-5.725GHz\_802.11a\_Nss1,(6Mbps)\_1TX

5700MHz\_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	11.3976G	39.07	54.00	-14.93	5.82	3	Horizontal	51	1.12	33.25	39.40	8.39	41.97
PK	11.403G	51.93	74.00	-22.07	5.80	3	Horizontal	51	1.12	46.13	39.38	8.39	41.97
PK	17.09692G	50.63	68.20	-17.57	5.21	3	Horizontal	246	1.50	45.42	37.51	10.87	43.17