




2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	51.04	54.00	-2.96	-5.89	3	Vertical	346	1.60	56.93	33.10	5.05	44.04
AV	7.38528G	49.11	54.00	-4.89	-0.79	3	Vertical	3	1.50	49.90	36.79	6.27	43.85
PK	4.92388G	53.26	74.00	-20.74	-5.89	3	Vertical	346	1.60	59.15	33.10	5.05	44.04
PK	7.38498G	54.48	74.00	-19.52	-0.79	3	Vertical	3	1.50	55.27	36.79	6.27	43.85

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_1TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	50.43	54.00	-3.57	-5.89	3	Horizontal	57	1.78	56.32	33.10	5.05	44.04
AV	7.38528G	50.28	54.00	-3.72	-0.79	3	Horizontal	295	1.73	51.07	36.79	6.27	43.85
PK	4.92394G	52.65	74.00	-21.35	-5.89	3	Horizontal	57	1.78	58.54	33.10	5.05	44.04
PK	7.3869G	55.23	74.00	-18.77	-0.80	3	Horizontal	295	1.73	56.03	36.78	6.27	43.85



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.08	54.00	-5.92	30.85	3	Vertical	3	3.00	17.23	27.50	3.35	-
AV	2.4128G	109.36	Inf	-Inf	30.90	3	Vertical	3	3.00	78.46	27.53	3.37	-
PK	2.39G	61.04	74.00	-12.96	30.85	3	Vertical	3	3.00	30.19	27.50	3.35	-
PK	2.413G	112.18	Inf	-Inf	30.90	3	Vertical	3	3.00	81.28	27.53	3.37	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.25	54.00	-4.75	30.85	3	Horizontal	323	2.23	18.40	27.50	3.35	-
AV	2.4128G	112.84	Inf	-Inf	30.90	3	Horizontal	323	2.23	81.94	27.53	3.37	-
PK	2.3898G	61.10	74.00	-12.90	30.85	3	Horizontal	323	2.23	30.25	27.50	3.35	-
PK	2.411G	115.52	Inf	-Inf	30.88	3	Horizontal	323	2.23	84.64	27.51	3.37	-



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82396G	45.24	54.00	-8.76	-6.33	3	Vertical	316	1.58	51.57	32.70	4.99	44.02
PK	4.82404G	48.90	74.00	-25.10	-6.33	3	Vertical	316	1.58	55.23	32.70	4.99	44.02

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82404G	46.53	54.00	-7.47	-6.33	3	Horizontal	0	1.61	52.86	32.70	4.99	44.02
PK	4.82398G	49.92	74.00	-24.08	-6.33	3	Horizontal	0	1.61	56.25	32.70	4.99	44.02

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	45.63	54.00	-8.37	30.85	3	Vertical	4	3.00	14.78	27.50	3.35	-
AV	2.4362G	110.47	Inf	-Inf	31.09	3	Vertical	4	3.00	79.38	27.70	3.39	-
AV	2.491G	45.32	54.00	-8.68	31.45	3	Vertical	4	3.00	13.87	28.01	3.44	-
PK	2.3898G	58.33	74.00	-15.67	30.85	3	Vertical	4	3.00	27.48	27.50	3.35	-
PK	2.4362G	113.11	Inf	-Inf	31.09	3	Vertical	4	3.00	82.02	27.70	3.39	-
PK	2.4838G	58.58	74.00	-15.42	31.37	3	Vertical	4	3.00	27.21	27.94	3.43	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	46.79	54.00	-7.21	30.85	3	Horizontal	329	2.42	15.94	27.50	3.35	-
AV	2.4362G	113.59	Inf	-Inf	31.09	3	Horizontal	329	2.42	82.50	27.70	3.39	-
AV	2.4835G	45.69	54.00	-8.31	31.36	3	Horizontal	329	2.42	14.33	27.93	3.43	-
PK	2.3882G	60.32	74.00	-13.68	30.85	3	Horizontal	329	2.42	29.47	27.50	3.35	-
PK	2.4362G	116.22	Inf	-Inf	31.09	3	Horizontal	329	2.42	85.13	27.70	3.39	-
PK	2.4842G	59.35	74.00	-14.65	31.37	3	Horizontal	329	2.42	27.98	27.94	3.43	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	46.37	54.00	-7.63	-6.11	3	Vertical	0	1.00	52.48	32.90	5.02	44.03
AV	7.31172G	51.59	54.00	-2.41	-0.53	3	Vertical	33	1.74	52.12	37.15	6.22	43.90
PK	4.87394G	49.70	74.00	-24.30	-6.11	3	Vertical	0	1.00	55.81	32.90	5.02	44.03
PK	7.3119G	56.24	74.00	-17.76	-0.53	3	Vertical	33	1.74	56.77	37.15	6.22	43.90

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.874G	49.56	54.00	-4.44	-6.11	3	Horizontal	360	1.90	55.67	32.90	5.02	44.03
AV	7.31022G	50.51	54.00	-3.49	-0.52	3	Horizontal	8	1.50	51.03	37.16	6.22	43.90
PK	4.87406G	51.98	74.00	-22.02	-6.11	3	Horizontal	360	1.90	58.09	32.90	5.02	44.03
PK	7.31022G	55.65	74.00	-18.35	-0.52	3	Horizontal	8	1.50	56.17	37.16	6.22	43.90

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4562G	104.70	Inf	-Inf	31.17	3	Vertical	329	1.21	73.53	27.76	3.41	-
AV	2.4835G	44.42	54.00	-9.58	31.37	3	Vertical	329	1.21	13.05	27.94	3.43	-
PK	2.4562G	107.31	Inf	-Inf	31.17	3	Vertical	329	1.21	76.14	27.76	3.41	-
PK	2.4902G	58.19	74.00	-15.81	31.44	3	Vertical	329	1.21	26.75	28.00	3.44	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4576G	113.95	Inf	-Inf	31.19	3	Horizontal	47	2.02	82.76	27.78	3.41	-
AV	2.4838G	48.56	54.00	-5.44	31.37	3	Horizontal	47	2.02	17.19	27.94	3.43	-
PK	2.456G	116.65	Inf	-Inf	31.17	3	Horizontal	47	2.02	85.48	27.76	3.41	-
PK	2.4892G	61.36	74.00	-12.64	31.43	3	Horizontal	47	2.02	29.93	27.99	3.44	-



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91398G	45.90	54.00	-8.10	-5.94	3	Vertical	309	1.28	51.84	33.06	5.04	44.04
AV	7.3717G	53.10	54.00	-0.90	-0.73	3	Vertical	42	1.50	53.83	36.87	6.26	43.86
PK	4.91391G	49.72	74.00	-24.28	-5.94	3	Vertical	309	1.28	55.66	33.06	5.04	44.04
PK	7.36996G	57.73	74.00	-16.27	-0.72	3	Vertical	42	1.50	58.45	36.88	6.26	43.86

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91396G	50.45	54.00	-3.55	-5.94	3	Horizontal	352	1.72	56.39	33.06	5.04	44.04
AV	7.37174G	53.18	54.00	-0.82	-0.73	3	Horizontal	323	1.05	53.91	36.87	6.26	43.86
PK	4.91403G	53.25	74.00	-20.75	-5.94	3	Horizontal	352	1.72	59.19	33.06	5.04	44.04
PK	7.37004G	57.82	74.00	-16.18	-0.72	3	Horizontal	323	1.05	58.54	36.88	6.26	43.86



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




27/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	110.93	Inf	-Inf	31.21	3	Vertical	0	3.00	79.72	27.80	3.41	-
AV	2.4836G	47.95	54.00	-6.05	31.37	3	Vertical	0	3.00	16.58	27.94	3.43	-
PK	2.4628G	113.64	Inf	-Inf	31.21	3	Vertical	0	3.00	82.43	27.80	3.41	-
PK	2.4914G	60.40	74.00	-13.60	31.45	3	Vertical	0	3.00	28.95	28.01	3.44	-

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




27/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	112.19	Inf	-Inf	31.21	3	Horizontal	325	2.06	80.98	27.80	3.41	-
AV	2.4838G	48.38	54.00	-5.62	31.37	3	Horizontal	325	2.06	17.01	27.94	3.43	-
PK	2.4612G	115.04	Inf	-Inf	31.21	3	Horizontal	325	2.06	83.83	27.80	3.41	-
PK	2.4916G	60.72	74.00	-13.28	31.46	3	Horizontal	325	2.06	29.26	28.02	3.44	-



2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.924G	47.32	54.00	-6.68	-5.89	3	Vertical	360	1.03	53.21	33.10	5.05	44.04
AV	7.38674G	53.88	54.00	-0.12	-0.80	3	Vertical	40	1.58	54.68	36.78	6.27	43.85
PK	4.92388G	50.94	74.00	-23.06	-5.89	3	Vertical	360	1.03	56.83	33.10	5.05	44.04
PK	7.38684G	58.14	74.00	-15.86	-0.80	3	Vertical	40	1.58	58.94	36.78	6.27	43.85

2.4-2.4835GHz_802.11b_Nss1,(1Mbps)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92404G	50.17	54.00	-3.83	-5.89	3	Horizontal	356	2.09	56.06	33.10	5.05	44.04
AV	7.38672G	52.70	54.00	-1.30	-0.80	3	Horizontal	326	1.50	53.50	36.78	6.27	43.85
PK	4.92396G	53.06	74.00	-20.94	-5.89	3	Horizontal	356	2.09	58.95	33.10	5.05	44.04
PK	7.38684G	57.20	74.00	-16.80	-0.80	3	Horizontal	326	1.50	58.00	36.78	6.27	43.85



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	44.49	54.00	-9.51	30.85	3	Vertical	347	2.97	13.64	27.50	3.35	-
AV	2.4162G	96.67	Inf	-Inf	30.93	3	Vertical	347	2.97	65.74	27.56	3.37	-
PK	2.39G	66.03	74.00	-7.97	30.85	3	Vertical	347	2.97	35.18	27.50	3.35	-
PK	2.4144G	107.15	Inf	-Inf	30.91	3	Vertical	347	2.97	76.24	27.54	3.37	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	47.53	54.00	-6.47	30.85	3	Horizontal	42	2.27	16.68	27.50	3.35	-
AV	2.4162G	100.63	Inf	-Inf	30.93	3	Horizontal	42	2.27	69.70	27.56	3.37	-
PK	2.39G	73.12	74.00	-0.88	30.85	3	Horizontal	42	2.27	42.27	27.50	3.35	-
PK	2.4144G	111.04	Inf	-Inf	30.91	3	Horizontal	42	2.27	80.13	27.54	3.37	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




Lim.PK
 PK
 Lim.AV
 AV

27/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82564G	31.88	54.00	-22.12	-6.33	3	Vertical	0	2.00	38.21	32.70	4.99	44.02
PK	4.82518G	44.95	74.00	-29.05	-6.33	3	Vertical	0	2.00	51.28	32.70	4.99	44.02

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2412MHz_TX




Lim.PK
 PK
 Lim.AV
 AV

27/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8253G	30.91	54.00	-23.09	-6.33	3	Horizontal	57	1.98	37.24	32.70	4.99	44.02
PK	4.82308G	43.94	74.00	-30.06	-6.34	3	Horizontal	57	1.98	50.28	32.69	4.99	44.02

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.12	54.00	-5.88	30.85	3	Vertical	348	3.00	17.27	27.50	3.35	-
AV	2.421G	98.98	Inf	-Inf	30.99	3	Vertical	348	3.00	67.99	27.61	3.38	-
PK	2.3892G	65.53	74.00	-8.47	30.85	3	Vertical	348	3.00	34.68	27.50	3.35	-
PK	2.4194G	109.22	Inf	-Inf	30.97	3	Vertical	348	3.00	78.25	27.59	3.38	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	53.13	54.00	-0.87	30.85	3	Horizontal	42	2.27	22.28	27.50	3.35	-
AV	2.421G	102.97	Inf	-Inf	30.99	3	Horizontal	42	2.27	71.98	27.61	3.38	-
PK	2.3894G	72.78	74.00	-1.22	30.85	3	Horizontal	42	2.27	41.93	27.50	3.35	-
PK	2.4122G	113.45	Inf	-Inf	30.89	3	Horizontal	42	2.27	82.56	27.52	3.37	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	44.66	54.00	-9.34	30.85	3	Vertical	345	2.91	13.81	27.50	3.35	-
AV	2.441G	99.60	Inf	-Inf	31.09	3	Vertical	345	2.91	68.51	27.70	3.39	-
AV	2.4894G	45.25	54.00	-8.75	31.43	3	Vertical	345	2.91	13.82	27.99	3.44	-
PK	2.389G	59.04	74.00	-14.96	30.85	3	Vertical	345	2.91	28.19	27.50	3.35	-
PK	2.4394G	110.03	Inf	-Inf	31.09	3	Vertical	345	2.91	78.94	27.70	3.39	-
PK	2.4846G	59.89	74.00	-14.11	31.38	3	Vertical	345	2.91	28.51	27.95	3.43	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.11	54.00	-6.89	30.85	3	Horizontal	42	1.50	16.26	27.50	3.35	-
AV	2.4322G	103.30	Inf	-Inf	31.09	3	Horizontal	42	1.50	72.21	27.70	3.39	-
AV	2.4835G	47.45	54.00	-6.55	31.36	3	Horizontal	42	1.50	16.09	27.93	3.43	-
PK	2.377G	63.12	74.00	-10.88	30.85	3	Horizontal	42	1.50	32.27	27.50	3.35	-
PK	2.4322G	113.50	Inf	-Inf	31.09	3	Horizontal	42	1.50	82.41	27.70	3.39	-
PK	2.4835G	62.69	74.00	-11.31	31.36	3	Horizontal	42	1.50	31.33	27.93	3.43	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87532G	35.30	54.00	-18.70	-6.11	3	Vertical	0	2.19	41.41	32.90	5.02	44.03
AV	7.3124G	41.30	54.00	-12.70	-0.53	3	Vertical	5	1.59	41.83	37.15	6.22	43.90
PK	4.8785G	48.64	74.00	-25.36	-6.10	3	Vertical	0	2.19	54.74	32.91	5.02	44.03
PK	7.31246G	57.44	74.00	-16.56	-0.53	3	Vertical	5	1.59	57.97	37.15	6.22	43.90

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87552G	34.18	54.00	-19.82	-6.11	3	Horizontal	55	1.77	40.29	32.90	5.02	44.03
AV	7.3137G	41.33	54.00	-12.67	-0.53	3	Horizontal	350	1.52	41.86	37.15	6.22	43.90
PK	4.87878G	48.02	74.00	-25.98	-6.09	3	Horizontal	55	1.77	54.11	32.92	5.02	44.03
PK	7.31236G	57.79	74.00	-16.21	-0.53	3	Horizontal	350	1.52	58.32	37.15	6.22	43.90



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.452G	98.50	Inf	-Inf	31.12	3	Vertical	345	2.80	67.38	27.72	3.40	-
AV	2.4836G	47.24	54.00	-6.76	31.37	3	Vertical	345	2.80	15.87	27.94	3.43	-
PK	2.4504G	108.54	Inf	-Inf	31.10	3	Vertical	345	2.80	77.44	27.70	3.40	-
PK	2.4842G	66.06	74.00	-7.94	31.37	3	Vertical	345	2.80	34.69	27.94	3.43	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4612G	103.07	Inf	-Inf	31.21	3	Horizontal	47	1.18	71.86	27.80	3.41	-
AV	2.4836G	52.21	54.00	-1.79	31.37	3	Horizontal	47	1.18	20.84	27.94	3.43	-
PK	2.4594G	113.54	Inf	-Inf	31.20	3	Horizontal	47	1.18	82.34	27.79	3.41	-
PK	2.4835G	73.56	74.00	-0.44	31.36	3	Horizontal	47	1.18	42.20	27.93	3.43	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4572G	96.19	Inf	-Inf	31.18	3	Vertical	345	2.97	65.01	27.77	3.41	-
AV	2.4846G	45.84	54.00	-8.16	31.38	3	Vertical	345	2.97	14.46	27.95	3.43	-
PK	2.4554G	106.31	Inf	-Inf	31.16	3	Vertical	345	2.97	75.15	27.75	3.41	-
PK	2.4835G	67.74	74.00	-6.26	31.36	3	Vertical	345	2.97	36.38	27.93	3.43	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.466G	100.95	Inf	-Inf	31.22	3	Horizontal	47	1.18	69.73	27.80	3.42	-
AV	2.4835G	48.73	54.00	-5.27	31.36	3	Horizontal	47	1.18	17.37	27.93	3.43	-
PK	2.4644G	111.29	Inf	-Inf	31.21	3	Horizontal	47	1.18	80.08	27.80	3.41	-
PK	2.4836G	72.99	74.00	-1.01	31.37	3	Horizontal	47	1.18	41.62	27.94	3.43	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92606G	35.19	54.00	-18.81	-5.89	3	Vertical	343	1.61	41.08	33.10	5.05	44.04
AV	7.38538G	37.92	54.00	-16.08	-0.79	3	Vertical	5	1.51	38.71	36.79	6.27	43.85
PK	4.92172G	49.49	74.00	-24.51	-5.90	3	Vertical	343	1.61	55.39	33.09	5.05	44.04
PK	7.38742G	55.08	74.00	-18.92	-0.80	3	Vertical	5	1.51	55.88	36.78	6.27	43.85

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_1TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92556G	34.97	54.00	-19.03	-5.89	3	Horizontal	59	1.79	40.86	33.10	5.05	44.04
AV	7.38634G	38.42	54.00	-15.58	-0.80	3	Horizontal	297	1.79	39.22	36.78	6.27	43.85
PK	4.92196G	49.04	74.00	-24.96	-5.90	3	Horizontal	59	1.79	54.94	33.09	5.05	44.04
PK	7.38746G	55.59	74.00	-18.41	-0.80	3	Horizontal	297	1.79	56.39	36.78	6.27	43.85



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.40	54.00	-6.60	30.85	3	Vertical	14	3.00	16.55	27.50	3.35	-
AV	2.4162G	100.55	Inf	-Inf	30.93	3	Vertical	14	3.00	69.62	27.56	3.37	-
PK	2.39G	71.82	74.00	-2.18	30.85	3	Vertical	14	3.00	40.97	27.50	3.35	-
PK	2.406G	109.64	Inf	-Inf	30.91	3	Vertical	14	3.00	78.73	27.54	3.37	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	49.22	54.00	-4.78	30.85	3	Horizontal	332	1.23	18.37	27.50	3.35	-
AV	2.416G	103.40	Inf	-Inf	30.93	3	Horizontal	332	1.23	72.47	27.56	3.37	-
PK	2.3898G	73.18	74.00	-0.82	30.85	3	Horizontal	332	1.23	42.33	27.50	3.35	-
PK	2.4156G	112.48	Inf	-Inf	30.93	3	Horizontal	332	1.23	81.55	27.56	3.37	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82634G	30.91	54.00	-23.09	-6.32	3	Vertical	356	1.09	37.23	32.71	4.99	44.02
PK	4.82148G	45.07	74.00	-28.93	-6.35	3	Vertical	356	1.09	51.42	32.69	4.98	44.02

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82484G	29.40	54.00	-24.60	-6.33	3	Horizontal	90	1.00	35.73	32.70	4.99	44.02
PK	4.83042G	43.18	74.00	-30.82	-6.31	3	Horizontal	90	1.00	49.49	32.72	4.99	44.02



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




26/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	46.95	54.00	-7.05	30.85	3	Vertical	0	2.86	16.10	27.50	3.35	-
AV	2.4228G	101.29	Inf	-Inf	31.01	3	Vertical	0	2.86	70.28	27.63	3.38	-
PK	2.3834G	69.96	74.00	-4.04	30.85	3	Vertical	0	2.86	39.11	27.50	3.35	-
PK	2.422G	110.97	Inf	-Inf	31.00	3	Vertical	0	2.86	79.97	27.62	3.38	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2417MHz_TX




26/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	49.46	54.00	-4.54	30.85	3	Horizontal	329	1.06	18.61	27.50	3.35	-
AV	2.4228G	104.71	Inf	-Inf	31.01	3	Horizontal	329	1.06	73.70	27.63	3.38	-
PK	2.3842G	73.34	74.00	-0.66	30.85	3	Horizontal	329	1.06	42.49	27.50	3.35	-
PK	2.4234G	114.18	Inf	-Inf	31.01	3	Horizontal	329	1.06	83.17	27.63	3.38	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	46.34	54.00	-7.66	30.85	3	Vertical	14	3.00	15.49	27.50	3.35	-
AV	2.4326G	104.29	Inf	-Inf	31.09	3	Vertical	14	3.00	73.20	27.70	3.39	-
AV	2.4838G	46.83	54.00	-7.17	31.37	3	Vertical	14	3.00	15.46	27.94	3.43	-
PK	2.3774G	64.27	74.00	-9.73	30.85	3	Vertical	14	3.00	33.42	27.50	3.35	-
PK	2.4326G	113.81	Inf	-Inf	31.09	3	Vertical	14	3.00	82.72	27.70	3.39	-
PK	2.4838G	62.27	74.00	-11.73	31.37	3	Vertical	14	3.00	30.90	27.94	3.43	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3882G	48.19	54.00	-5.81	30.85	3	Horizontal	330	1.37	17.34	27.50	3.35	-
AV	2.433G	106.38	Inf	-Inf	31.09	3	Horizontal	330	1.37	75.29	27.70	3.39	-
AV	2.4835G	47.50	54.00	-6.50	31.36	3	Horizontal	330	1.37	16.14	27.93	3.43	-
PK	2.3774G	65.13	74.00	-8.87	30.85	3	Horizontal	330	1.37	34.28	27.50	3.35	-
PK	2.433G	116.17	Inf	-Inf	31.09	3	Horizontal	330	1.37	85.08	27.70	3.39	-
PK	2.4835G	64.75	74.00	-9.25	31.36	3	Horizontal	330	1.37	33.39	27.93	3.43	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87454G	31.24	54.00	-22.76	-6.11	3	Vertical	318	1.07	37.35	32.90	5.02	44.03
AV	7.31304G	42.32	54.00	-11.68	-0.53	3	Vertical	4	1.00	42.85	37.15	6.22	43.90
PK	4.87004G	44.27	74.00	-29.73	-6.13	3	Vertical	318	1.07	50.40	32.88	5.02	44.03
PK	7.31256G	58.89	74.00	-15.11	-0.53	3	Vertical	4	1.00	59.42	37.15	6.22	43.90

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87526G	30.55	54.00	-23.45	-6.11	3	Horizontal	87	1.00	36.66	32.90	5.02	44.03
AV	7.31112G	40.41	54.00	-13.59	-0.52	3	Horizontal	206	1.00	40.93	37.16	6.22	43.90
PK	4.8749G	44.02	74.00	-29.98	-6.11	3	Horizontal	87	1.00	50.13	32.90	5.02	44.03
PK	7.32144G	56.03	74.00	-17.97	-0.55	3	Horizontal	206	1.00	56.58	37.11	6.23	43.89

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




26/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4626G	103.04	Inf	-Inf	31.21	3	Vertical	0	3.00	71.83	27.80	3.41	-
AV	2.4835G	48.69	54.00	-5.31	31.36	3	Vertical	0	3.00	17.33	27.93	3.43	-
PK	2.462G	113.20	Inf	-Inf	31.21	3	Vertical	0	3.00	81.99	27.80	3.41	-
PK	2.4862G	69.89	74.00	-4.11	31.39	3	Vertical	0	3.00	38.50	27.96	3.43	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2457MHz_TX




26/09/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.458G	105.15	Inf	-Inf	31.19	3	Horizontal	328	1.05	73.96	27.78	3.41	-
AV	2.4836G	51.23	54.00	-2.77	31.37	3	Horizontal	328	1.05	19.86	27.94	3.43	-
PK	2.4584G	114.78	Inf	-Inf	31.19	3	Horizontal	328	1.05	83.59	27.78	3.41	-
PK	2.4835G	73.55	74.00	-0.45	31.36	3	Horizontal	328	1.05	42.19	27.93	3.43	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4642G	100.56	Inf	-Inf	31.21	3	Vertical	340	3.00	69.35	27.80	3.41	-
AV	2.4842G	47.09	54.00	-6.91	31.37	3	Vertical	340	3.00	15.72	27.94	3.43	-
PK	2.4594G	110.02	Inf	-Inf	31.20	3	Vertical	340	3.00	78.82	27.79	3.41	-
PK	2.484G	72.15	74.00	-1.85	31.37	3	Vertical	340	3.00	40.78	27.94	3.43	-

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.466G	104.19	Inf	-Inf	31.22	3	Horizontal	326	1.09	72.97	27.80	3.42	-
AV	2.4854G	49.64	54.00	-4.36	31.38	3	Horizontal	326	1.09	18.26	27.95	3.43	-
PK	2.4656G	113.71	Inf	-Inf	31.22	3	Horizontal	326	1.09	82.49	27.80	3.42	-
PK	2.4854G	73.79	74.00	-0.21	31.38	3	Horizontal	326	1.09	42.41	27.95	3.43	-



2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.927G	31.89	54.00	-22.11	-5.88	3	Vertical	38	1.26	37.77	33.11	5.05	44.04
AV	7.3884G	46.08	54.00	-7.92	-0.81	3	Vertical	7	1.00	46.89	36.77	6.27	43.85
PK	4.92628G	45.16	74.00	-28.84	-5.88	3	Vertical	38	1.26	51.04	33.11	5.05	44.04
PK	7.38792G	61.43	74.00	-12.57	-0.81	3	Vertical	7	1.00	62.24	36.77	6.27	43.85

2.4-2.4835GHz_802.11g_Nss1,(6Mbps)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9252G	31.56	54.00	-22.44	-5.89	3	Horizontal	97	1.00	37.45	33.10	5.05	44.04
AV	7.38672G	41.93	54.00	-12.07	-0.80	3	Horizontal	206	1.03	42.73	36.78	6.27	43.85
PK	4.92514G	45.68	74.00	-28.32	-5.89	3	Horizontal	97	1.00	51.57	33.10	5.05	44.04
PK	7.3875G	57.76	74.00	-16.24	-0.80	3	Horizontal	206	1.03	58.56	36.78	6.27	43.85



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.38G	44.04	54.00	-9.96	30.85	3	Vertical	348	3.00	13.19	27.50	3.35	-
AV	2.415G	93.37	Inf	-Inf	30.92	3	Vertical	348	3.00	62.45	27.55	3.37	-
PK	2.3896G	66.10	74.00	-7.90	30.85	3	Vertical	348	3.00	35.25	27.50	3.35	-
PK	2.4164G	106.08	Inf	-Inf	30.93	3	Vertical	348	3.00	75.15	27.56	3.37	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3806G	47.07	54.00	-6.93	30.85	3	Horizontal	42	2.28	16.22	27.50	3.35	-
AV	2.415G	97.63	Inf	-Inf	30.92	3	Horizontal	42	2.28	66.71	27.55	3.37	-
PK	2.3894G	72.44	74.00	-1.56	30.85	3	Horizontal	42	2.28	41.59	27.50	3.35	-
PK	2.4102G	111.35	Inf	-Inf	30.87	3	Horizontal	42	2.28	80.48	27.50	3.37	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82234G	30.41	54.00	-23.59	-6.35	3	Vertical	0	1.96	36.76	32.69	4.98	44.02
PK	4.82398G	43.70	74.00	-30.30	-6.33	3	Vertical	0	1.96	50.03	32.70	4.99	44.02

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8273G	29.83	54.00	-24.17	-6.32	3	Horizontal	59	2.01	36.15	32.71	4.99	44.02
PK	4.82368G	43.12	74.00	-30.88	-6.34	3	Horizontal	59	2.01	49.46	32.69	4.99	44.02



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	46.05	54.00	-7.95	30.85	3	Vertical	344	3.00	15.20	27.50	3.35	-
AV	2.422G	97.50	Inf	-Inf	31.00	3	Vertical	344	3.00	66.50	27.62	3.38	-
PK	2.3898G	65.85	74.00	-8.15	30.85	3	Vertical	344	3.00	35.00	27.50	3.35	-
PK	2.414G	110.35	Inf	-Inf	30.91	3	Vertical	344	3.00	79.44	27.54	3.37	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	50.33	54.00	-3.67	30.85	3	Horizontal	41	2.28	19.48	27.50	3.35	-
AV	2.42G	101.46	Inf	-Inf	30.98	3	Horizontal	41	2.28	70.48	27.60	3.38	-
PK	2.3878G	72.54	74.00	-1.46	30.85	3	Horizontal	41	2.28	41.69	27.50	3.35	-
PK	2.4154G	114.97	Inf	-Inf	30.92	3	Horizontal	41	2.28	84.05	27.55	3.37	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	44.97	54.00	-9.03	30.85	3	Vertical	343	3.00	14.12	27.50	3.35	-
AV	2.4298G	99.28	Inf	-Inf	31.09	3	Vertical	343	3.00	68.19	27.70	3.39	-
AV	2.4842G	46.18	54.00	-7.82	31.37	3	Vertical	343	3.00	14.81	27.94	3.43	-
PK	2.377G	58.67	74.00	-15.33	30.85	3	Vertical	343	3.00	27.82	27.50	3.35	-
PK	2.4338G	112.28	Inf	-Inf	31.09	3	Vertical	343	3.00	81.19	27.70	3.39	-
PK	2.4846G	62.55	74.00	-11.45	31.38	3	Vertical	343	3.00	31.17	27.95	3.43	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.59	54.00	-5.41	30.85	3	Horizontal	42	1.45	17.74	27.50	3.35	-
AV	2.435G	103.37	Inf	-Inf	31.09	3	Horizontal	42	1.45	72.28	27.70	3.39	-
AV	2.4835G	48.85	54.00	-5.15	31.36	3	Horizontal	42	1.45	17.49	27.93	3.43	-
PK	2.389G	66.82	74.00	-7.18	30.85	3	Horizontal	42	1.45	35.97	27.50	3.35	-
PK	2.4338G	116.80	Inf	-Inf	31.09	3	Horizontal	42	1.45	85.71	27.70	3.39	-
PK	2.4835G	67.78	74.00	-6.22	31.36	3	Horizontal	42	1.45	36.42	27.93	3.43	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87708G	34.38	54.00	-19.62	-6.10	3	Vertical	0	1.79	40.48	32.91	5.02	44.03
AV	7.31056G	40.91	54.00	-13.09	-0.52	3	Vertical	0	1.59	41.43	37.16	6.22	43.90
PK	4.87674G	47.49	74.00	-26.51	-6.10	3	Vertical	0	1.79	53.59	32.91	5.02	44.03
PK	7.31426G	55.47	74.00	-18.53	-0.54	3	Vertical	0	1.59	56.01	37.14	6.22	43.90

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87714G	33.48	54.00	-20.52	-6.10	3	Horizontal	52	1.77	39.58	32.91	5.02	44.03
AV	7.3126G	41.41	54.00	-12.59	-0.53	3	Horizontal	348	1.50	41.94	37.15	6.22	43.90
PK	4.8766G	47.26	74.00	-26.74	-6.10	3	Horizontal	52	1.77	53.36	32.91	5.02	44.03
PK	7.31122G	56.02	74.00	-17.98	-0.52	3	Horizontal	348	1.50	56.54	37.16	6.22	43.90



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4498G	96.79	Inf	-Inf	31.10	3	Vertical	346	2.78	65.69	27.70	3.40	-
AV	2.4835G	45.99	54.00	-8.01	31.36	3	Vertical	346	2.78	14.63	27.93	3.43	-
PK	2.454G	109.73	Inf	-Inf	31.15	3	Vertical	346	2.78	78.58	27.74	3.41	-
PK	2.4836G	64.98	74.00	-9.02	31.37	3	Vertical	346	2.78	33.61	27.94	3.43	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2457MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.46G	101.17	Inf	-Inf	31.21	3	Horizontal	47	1.18	69.96	27.80	3.41	-
AV	2.4838G	50.16	54.00	-3.84	31.37	3	Horizontal	47	1.18	18.79	27.94	3.43	-
PK	2.4538G	114.25	Inf	-Inf	31.15	3	Horizontal	47	1.18	83.10	27.74	3.41	-
PK	2.4838G	73.76	74.00	-0.24	31.37	3	Horizontal	47	1.18	42.39	27.94	3.43	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4548G	93.88	Inf	-Inf	31.16	3	Vertical	346	2.81	62.72	27.75	3.41	-
AV	2.493G	44.83	54.00	-9.17	31.47	3	Vertical	346	2.81	13.36	28.03	3.44	-
PK	2.455G	106.53	Inf	-Inf	31.16	3	Vertical	346	2.81	75.37	27.75	3.41	-
PK	2.4844G	66.23	74.00	-7.77	31.37	3	Vertical	346	2.81	34.86	27.94	3.43	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4576G	98.41	Inf	-Inf	31.19	3	Horizontal	47	1.18	67.22	27.78	3.41	-
AV	2.4842G	46.84	54.00	-7.16	31.37	3	Horizontal	47	1.18	15.47	27.94	3.43	-
PK	2.4588G	111.72	Inf	-Inf	31.20	3	Horizontal	47	1.18	80.52	27.79	3.41	-
PK	2.4835G	73.13	74.00	-0.87	31.36	3	Horizontal	47	1.18	41.77	27.93	3.43	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92566G	33.02	54.00	-20.98	-5.89	3	Vertical	12	1.98	38.91	33.10	5.05	44.04
AV	7.388G	35.09	54.00	-18.91	-0.81	3	Vertical	360	1.50	35.90	36.77	6.27	43.85
PK	4.92318G	47.10	74.00	-26.90	-5.90	3	Vertical	12	1.98	53.00	33.09	5.05	44.04
PK	7.38716G	49.93	74.00	-24.07	-0.80	3	Vertical	360	1.50	50.73	36.78	6.27	43.85

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_1TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9256G	32.98	54.00	-21.02	-5.89	3	Horizontal	55	1.77	38.87	33.10	5.05	44.04
AV	7.385G	35.67	54.00	-18.33	-0.79	3	Horizontal	298	1.80	36.46	36.79	6.27	43.85
PK	4.92694G	46.55	74.00	-27.45	-5.88	3	Horizontal	55	1.77	52.43	33.11	5.05	44.04
PK	7.39038G	52.11	74.00	-21.89	-0.82	3	Horizontal	298	1.80	52.93	36.76	6.27	43.85



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	47.22	54.00	-6.78	30.85	3	Vertical	16	3.00	16.37	27.50	3.35	-
AV	2.415G	97.83	Inf	-Inf	30.92	3	Vertical	16	3.00	66.91	27.55	3.37	-
PK	2.39G	71.85	74.00	-2.15	30.85	3	Vertical	16	3.00	41.00	27.50	3.35	-
PK	2.405G	110.59	Inf	-Inf	30.91	3	Vertical	16	3.00	79.68	27.55	3.36	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.63	54.00	-5.37	30.85	3	Horizontal	329	1.26	17.78	27.50	3.35	-
AV	2.415G	100.49	Inf	-Inf	30.92	3	Horizontal	329	1.26	69.57	27.55	3.37	-
PK	2.39G	73.62	74.00	-0.38	30.85	3	Horizontal	329	1.26	42.77	27.50	3.35	-
PK	2.405G	113.20	Inf	-Inf	30.91	3	Horizontal	329	1.26	82.29	27.55	3.36	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2412MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82766G	30.59	54.00	-23.41	-6.32	3	Vertical	357	1.08	36.91	32.71	4.99	44.02
PK	4.8297G	44.43	74.00	-29.57	-6.31	3	Vertical	357	1.08	50.74	32.72	4.99	44.02

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2412MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.82964G	28.97	54.00	-25.03	-6.31	3	Horizontal	90	1.10	35.28	32.72	4.99	44.02
PK	4.83204G	42.44	74.00	-31.56	-6.30	3	Horizontal	90	1.10	48.74	32.73	4.99	44.02



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2417MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	48.60	54.00	-5.40	30.85	3	Vertical	13	3.00	17.75	27.50	3.35	-
AV	2.4188G	100.63	Inf	-Inf	30.97	3	Vertical	13	3.00	69.66	27.59	3.38	-
PK	2.389G	67.86	74.00	-6.14	30.85	3	Vertical	13	3.00	37.01	27.50	3.35	-
PK	2.4138G	113.61	Inf	-Inf	30.91	3	Vertical	13	3.00	82.70	27.54	3.37	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2417MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	50.36	54.00	-3.64	30.85	3	Horizontal	329	1.25	19.51	27.50	3.35	-
AV	2.4138G	103.06	Inf	-Inf	30.91	3	Horizontal	329	1.25	72.15	27.54	3.37	-
PK	2.3896G	71.39	74.00	-2.61	30.85	3	Horizontal	329	1.25	40.54	27.50	3.35	-
PK	2.414G	116.41	Inf	-Inf	30.91	3	Horizontal	329	1.25	85.50	27.54	3.37	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.44	54.00	-6.56	30.85	3	Vertical	17	3.00	16.59	27.50	3.35	-
AV	2.435G	103.59	Inf	-Inf	31.09	3	Vertical	17	3.00	72.50	27.70	3.39	-
AV	2.4854G	47.42	54.00	-6.58	31.38	3	Vertical	17	3.00	16.04	27.95	3.43	-
PK	2.3878G	65.17	74.00	-8.83	30.85	3	Vertical	17	3.00	34.32	27.50	3.35	-
PK	2.4302G	115.92	Inf	-Inf	31.09	3	Vertical	17	3.00	84.83	27.70	3.39	-
PK	2.485G	65.00	74.00	-9.00	31.38	3	Vertical	17	3.00	33.62	27.95	3.43	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	48.96	54.00	-5.04	30.85	3	Horizontal	329	1.13	18.11	27.50	3.35	-
AV	2.4326G	105.72	Inf	-Inf	31.09	3	Horizontal	329	1.13	74.63	27.70	3.39	-
AV	2.4854G	48.03	54.00	-5.97	31.38	3	Horizontal	329	1.13	16.65	27.95	3.43	-
PK	2.3858G	66.12	74.00	-7.88	30.85	3	Horizontal	329	1.13	35.27	27.50	3.35	-
PK	2.4302G	118.26	Inf	-Inf	31.09	3	Horizontal	329	1.13	87.17	27.70	3.39	-
PK	2.485G	66.35	74.00	-7.65	31.38	3	Horizontal	329	1.13	34.97	27.95	3.43	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.86782G	30.86	54.00	-23.14	-6.15	3	Vertical	0	1.00	37.01	32.87	5.01	44.03
AV	7.31196G	42.32	54.00	-11.68	-0.53	3	Vertical	5	1.00	42.85	37.15	6.22	43.90
PK	4.87016G	44.29	74.00	-29.71	-6.13	3	Vertical	0	1.00	50.42	32.88	5.02	44.03
PK	7.3023G	57.53	74.00	-16.47	-0.50	3	Vertical	5	1.00	58.03	37.19	6.22	43.91

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87724G	30.17	54.00	-23.83	-6.10	3	Horizontal	94	1.07	36.27	32.91	5.02	44.03
AV	7.31082G	40.30	54.00	-13.70	-0.52	3	Horizontal	207	1.00	40.82	37.16	6.22	43.90
PK	4.8824G	44.06	74.00	-29.94	-6.08	3	Horizontal	94	1.07	50.14	32.93	5.02	44.03
PK	7.31838G	55.80	74.00	-18.20	-0.54	3	Horizontal	207	1.00	56.34	37.13	6.23	43.90



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.46G	102.28	Inf	-Inf	31.21	3	Vertical	17	3.00	71.07	27.80	3.41	-
AV	2.4835G	50.54	54.00	-3.46	31.36	3	Vertical	17	3.00	19.18	27.93	3.43	-
PK	2.45G	114.64	Inf	-Inf	31.10	3	Vertical	17	3.00	83.54	27.70	3.40	-
PK	2.4835G	72.13	74.00	-1.87	31.36	3	Vertical	17	3.00	40.77	27.93	3.43	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2457MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.46G	104.36	Inf	-Inf	31.21	3	Horizontal	326	1.06	73.15	27.80	3.41	-
AV	2.4835G	51.90	54.00	-2.10	31.36	3	Horizontal	326	1.06	20.54	27.93	3.43	-
PK	2.45G	116.44	Inf	-Inf	31.10	3	Horizontal	326	1.06	85.34	27.70	3.40	-
PK	2.4835G	73.77	74.00	-0.23	31.36	3	Horizontal	326	1.06	42.41	27.93	3.43	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.465G	99.43	Inf	-Inf	31.22	3	Vertical	9	3.00	68.21	27.80	3.42	-
AV	2.4848G	46.18	54.00	-7.82	31.38	3	Vertical	9	3.00	14.80	27.95	3.43	-
PK	2.4674G	112.03	Inf	-Inf	31.22	3	Vertical	9	3.00	80.81	27.80	3.42	-
PK	2.4852G	71.69	74.00	-2.31	31.38	3	Vertical	9	3.00	40.31	27.95	3.43	-

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.4574G	101.19	Inf	-Inf	31.18	3	Horizontal	327	1.06	70.01	27.77	3.41	-
AV	2.4835G	47.45	54.00	-6.55	31.36	3	Horizontal	327	1.06	16.09	27.93	3.43	-
PK	2.4552G	113.91	Inf	-Inf	31.16	3	Horizontal	327	1.06	82.75	27.75	3.41	-
PK	2.4854G	73.28	74.00	-0.72	31.38	3	Horizontal	327	1.06	41.90	27.95	3.43	-



2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX


2462MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.92652G	32.00	54.00	-22.00	-5.88	3	Vertical	44	1.00	37.88	33.11	5.05	44.04
AV	7.38726G	46.35	54.00	-7.65	-0.80	3	Vertical	7	1.00	47.15	36.78	6.27	43.85
PK	4.92664G	46.13	74.00	-27.87	-5.88	3	Vertical	44	1.00	52.01	33.11	5.05	44.04
PK	7.37706G	61.69	74.00	-12.31	-0.75	3	Vertical	7	1.00	62.44	36.84	6.27	43.86

2.4-2.4835GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

2462MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9252G	31.30	54.00	-22.70	-5.89	3	Horizontal	99	1.00	37.19	33.10	5.05	44.04
AV	7.38624G	41.88	54.00	-12.12	-0.80	3	Horizontal	217	1.00	42.68	36.78	6.27	43.85
PK	4.9252G	45.23	74.00	-28.77	-5.89	3	Horizontal	99	1.00	51.12	33.10	5.05	44.04
PK	7.38618G	56.52	74.00	-17.48	-0.80	3	Horizontal	217	1.00	57.32	36.78	6.27	43.85



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.388G	45.54	54.00	-8.46	30.85	3	Vertical	349	3.00	14.69	27.50	3.35	-
AV	2.4272G	92.82	Inf	-Inf	31.05	3	Vertical	349	3.00	61.77	27.67	3.38	-
AV	2.4908G	45.32	54.00	-8.68	31.45	3	Vertical	349	3.00	13.87	28.01	3.44	-
PK	2.3884G	63.34	74.00	-10.66	30.85	3	Vertical	349	3.00	32.49	27.50	3.35	-
PK	2.4272G	105.57	Inf	-Inf	31.05	3	Vertical	349	3.00	74.52	27.67	3.38	-
PK	2.484G	57.82	74.00	-16.18	31.37	3	Vertical	349	3.00	26.45	27.94	3.43	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	49.88	54.00	-4.12	30.85	3	Horizontal	39	2.28	19.03	27.50	3.35	-
AV	2.4192G	96.62	Inf	-Inf	30.97	3	Horizontal	39	2.28	65.65	27.59	3.38	-
AV	2.4948G	46.12	54.00	-7.88	31.49	3	Horizontal	39	2.28	14.63	28.05	3.44	-
PK	2.39G	73.45	74.00	-0.55	30.85	3	Horizontal	39	2.28	42.60	27.50	3.35	-
PK	2.4188G	109.17	Inf	-Inf	30.97	3	Horizontal	39	2.28	78.20	27.59	3.38	-
PK	2.4964G	58.76	74.00	-15.24	31.50	3	Horizontal	39	2.28	27.26	28.06	3.44	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84588G	31.28	54.00	-22.72	-6.25	3	Vertical	8	1.77	37.53	32.78	5.00	44.03
AV	7.27264G	35.60	54.00	-18.40	-0.48	3	Vertical	0	1.50	36.08	37.25	6.20	43.93
PK	4.83616G	43.72	74.00	-30.28	-6.29	3	Vertical	8	1.77	50.01	32.74	4.99	44.02
PK	7.25868G	47.51	74.00	-26.49	-0.46	3	Vertical	0	1.50	47.97	37.28	6.19	43.93

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84696G	30.95	54.00	-23.05	-6.24	3	Horizontal	54	1.86	37.19	32.79	5.00	44.03
AV	7.27292G	35.91	54.00	-18.09	-0.48	3	Horizontal	58	1.00	36.39	37.25	6.20	43.93
PK	4.83468G	43.22	74.00	-30.78	-6.29	3	Horizontal	54	1.86	49.51	32.74	4.99	44.02
PK	7.2742G	49.38	74.00	-24.62	-0.47	3	Horizontal	58	1.00	49.85	37.25	6.20	43.92



2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	47.68	54.00	-6.32	30.85	3	Vertical	343	3.00	16.83	27.50	3.35	-
AV	2.4254G	94.34	Inf	-Inf	31.03	3	Vertical	343	3.00	63.31	27.65	3.38	-
AV	2.4838G	46.15	54.00	-7.85	31.37	3	Vertical	343	3.00	14.78	27.94	3.43	-
PK	2.3894G	64.79	74.00	-9.21	30.85	3	Vertical	343	3.00	33.94	27.50	3.35	-
PK	2.4238G	106.86	Inf	-Inf	31.02	3	Vertical	343	3.00	75.84	27.64	3.38	-
PK	2.4846G	60.70	74.00	-13.30	31.38	3	Vertical	343	3.00	29.32	27.95	3.43	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

2427MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.01	54.00	-0.99	30.85	3	Horizontal	43	1.46	22.16	27.50	3.35	-
AV	2.4326G	98.32	Inf	-Inf	31.09	3	Horizontal	43	1.46	67.23	27.70	3.39	-
AV	2.4858G	48.24	54.00	-5.76	31.39	3	Horizontal	43	1.46	16.85	27.96	3.43	-
PK	2.3894G	73.70	74.00	-0.30	30.85	3	Horizontal	43	1.46	42.85	27.50	3.35	-
PK	2.4322G	110.94	Inf	-Inf	31.09	3	Horizontal	43	1.46	79.85	27.70	3.39	-
PK	2.4835G	64.53	74.00	-9.47	31.36	3	Horizontal	43	1.46	33.17	27.93	3.43	-



2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.389G	47.81	54.00	-6.19	30.85	3	Vertical	348	3.00	16.96	27.50	3.35	-
AV	2.423G	94.61	Inf	-Inf	31.01	3	Vertical	348	3.00	63.60	27.63	3.38	-
AV	2.4842G	49.29	54.00	-4.71	31.37	3	Vertical	348	3.00	17.92	27.94	3.43	-
PK	2.3898G	63.25	74.00	-10.75	30.85	3	Vertical	348	3.00	32.40	27.50	3.35	-
PK	2.4338G	106.77	Inf	-Inf	31.09	3	Vertical	348	3.00	75.68	27.70	3.39	-
PK	2.4835G	64.52	74.00	-9.48	31.36	3	Vertical	348	3.00	33.16	27.93	3.43	-

2.4-2.4835GHz_802.11ax_HEW40_Nss1,(MCS0)_1TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3894G	52.59	54.00	-1.41	30.85	3	Horizontal	44	1.00	21.74	27.50	3.35	-
AV	2.4354G	98.80	Inf	-Inf	31.09	3	Horizontal	44	1.00	67.71	27.70	3.39	-
AV	2.4842G	53.92	54.00	-0.08	31.37	3	Horizontal	44	1.00	22.55	27.94	3.43	-
PK	2.3886G	71.10	74.00	-2.90	30.85	3	Horizontal	44	1.00	40.25	27.50	3.35	-
PK	2.4422G	111.41	Inf	-Inf	31.10	3	Horizontal	44	1.00	80.31	27.70	3.40	-
PK	2.4846G	69.86	74.00	-4.14	31.38	3	Horizontal	44	1.00	38.48	27.95	3.43	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8766G	32.94	54.00	-21.06	-6.10	3	Vertical	11	1.89	39.04	32.91	5.02	44.03
AV	7.32032G	37.09	54.00	-16.91	-0.54	3	Vertical	6	1.72	37.63	37.12	6.23	43.89
PK	4.8802G	46.02	74.00	-27.98	-6.09	3	Vertical	11	1.89	52.11	32.92	5.02	44.03
PK	7.31636G	49.69	74.00	-24.31	-0.54	3	Vertical	6	1.72	50.23	37.13	6.23	43.90

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8756G	32.27	54.00	-21.73	-6.11	3	Horizontal	55	1.54	38.38	32.90	5.02	44.03
AV	7.31916G	36.97	54.00	-17.03	-0.55	3	Horizontal	351	1.54	37.52	37.12	6.23	43.90
PK	4.8734G	45.29	74.00	-28.71	-6.12	3	Horizontal	55	1.54	51.41	32.89	5.02	44.03
PK	7.3174G	50.94	74.00	-23.06	-0.54	3	Horizontal	351	1.54	51.48	37.13	6.23	43.90



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3862G	45.46	54.00	-8.54	30.85	3	Vertical	344	2.77	14.61	27.50	3.35	-
AV	2.4454G	93.71	Inf	-Inf	31.10	3	Vertical	344	2.77	62.61	27.70	3.40	-
AV	2.4835G	48.11	54.00	-5.89	31.36	3	Vertical	344	2.77	16.75	27.93	3.43	-
PK	2.3794G	58.09	74.00	-15.91	30.85	3	Vertical	344	2.77	27.24	27.50	3.35	-
PK	2.4438G	106.26	Inf	-Inf	31.10	3	Vertical	344	2.77	75.16	27.70	3.40	-
PK	2.4854G	66.54	74.00	-7.46	31.38	3	Vertical	344	2.77	35.16	27.95	3.43	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

2447MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	47.67	54.00	-6.33	30.85	3	Horizontal	45	1.18	16.82	27.50	3.35	-
AV	2.4526G	97.76	Inf	-Inf	31.13	3	Horizontal	45	1.18	66.63	27.73	3.40	-
AV	2.4835G	53.41	54.00	-0.59	31.36	3	Horizontal	45	1.18	22.05	27.93	3.43	-
PK	2.3822G	60.51	74.00	-13.49	30.85	3	Horizontal	45	1.18	29.66	27.50	3.35	-
PK	2.4522G	110.44	Inf	-Inf	31.12	3	Horizontal	45	1.18	79.32	27.72	3.40	-
PK	2.485G	73.03	74.00	-0.97	31.38	3	Horizontal	45	1.18	41.65	27.95	3.43	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	45.47	54.00	-8.53	30.85	3	Vertical	344	2.77	14.62	27.50	3.35	-
AV	2.4464G	93.85	Inf	-Inf	31.10	3	Vertical	344	2.77	62.75	27.70	3.40	-
AV	2.488G	48.46	54.00	-5.54	31.41	3	Vertical	344	2.77	17.05	27.98	3.43	-
PK	2.3828G	57.52	74.00	-16.48	30.85	3	Vertical	344	2.77	26.67	27.50	3.35	-
PK	2.4488G	106.11	Inf	-Inf	31.10	3	Vertical	344	2.77	75.01	27.70	3.40	-
PK	2.49G	67.06	74.00	-6.94	31.44	3	Vertical	344	2.77	35.62	28.00	3.44	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.388G	47.54	54.00	-6.46	30.85	3	Horizontal	38	1.70	16.69	27.50	3.35	-
AV	2.4464G	97.64	Inf	-Inf	31.10	3	Horizontal	38	1.70	66.54	27.70	3.40	-
AV	2.4835G	53.51	54.00	-0.49	31.36	3	Horizontal	38	1.70	22.15	27.93	3.43	-
PK	2.3884G	60.09	74.00	-13.91	30.85	3	Horizontal	38	1.70	29.24	27.50	3.35	-
PK	2.4572G	110.07	Inf	-Inf	31.18	3	Horizontal	38	1.70	78.89	27.77	3.41	-
PK	2.4904G	72.37	74.00	-1.63	31.44	3	Horizontal	38	1.70	40.93	28.00	3.44	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.9072G	33.39	54.00	-20.61	-5.97	3	Vertical	8	1.87	39.36	33.03	5.04	44.04
AV	7.3508G	36.30	54.00	-17.70	-0.63	3	Vertical	0	1.60	36.93	37.00	6.25	43.88
PK	4.9052G	45.95	74.00	-28.05	-5.98	3	Vertical	8	1.87	51.93	33.02	5.04	44.04
PK	7.3524G	49.50	74.00	-24.50	-0.63	3	Vertical	0	1.60	50.13	36.99	6.25	43.87

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_1TX

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.90684G	32.81	54.00	-21.19	-5.97	3	Horizontal	60	1.88	38.78	33.03	5.04	44.04
AV	7.35756G	37.08	54.00	-16.92	-0.67	3	Horizontal	297	1.74	37.75	36.95	6.25	43.87
PK	4.90636G	45.41	74.00	-28.59	-5.97	3	Horizontal	60	1.88	51.38	33.03	5.04	44.04
PK	7.35236G	51.57	74.00	-22.43	-0.63	3	Horizontal	297	1.74	52.20	36.99	6.25	43.87



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3888G	50.03	54.00	-3.97	30.85	3	Vertical	13	3.00	19.18	27.50	3.35	-
AV	2.4284G	97.01	Inf	-Inf	31.06	3	Vertical	13	3.00	65.95	27.68	3.38	-
AV	2.4908G	46.45	54.00	-7.55	31.45	3	Vertical	13	3.00	15.00	28.01	3.44	-
PK	2.39G	72.66	74.00	-1.34	30.85	3	Vertical	13	3.00	41.81	27.50	3.35	-
PK	2.4188G	109.85	Inf	-Inf	30.97	3	Vertical	13	3.00	78.88	27.59	3.38	-
PK	2.4835G	60.10	74.00	-13.90	31.36	3	Vertical	13	3.00	28.74	27.93	3.43	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3892G	52.42	54.00	-1.58	30.85	3	Horizontal	330	1.24	21.57	27.50	3.35	-
AV	2.4164G	99.74	Inf	-Inf	30.93	3	Horizontal	330	1.24	68.81	27.56	3.37	-
AV	2.4888G	47.08	54.00	-6.92	31.43	3	Horizontal	330	1.24	15.65	27.99	3.44	-
PK	2.39G	73.84	74.00	-0.16	30.85	3	Horizontal	330	1.24	42.99	27.50	3.35	-
PK	2.4188G	111.98	Inf	-Inf	30.97	3	Horizontal	330	1.24	81.01	27.59	3.38	-
PK	2.4848G	61.81	74.00	-12.19	31.38	3	Horizontal	330	1.24	30.43	27.95	3.43	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2422MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84508G	29.39	54.00	-24.61	-6.25	3	Vertical	355	1.06	35.64	32.78	5.00	44.03
AV	7.26684G	38.32	54.00	-15.68	-0.47	3	Vertical	1	1.06	38.79	37.27	6.19	43.93
PK	4.8446G	42.71	74.00	-31.29	-6.25	3	Vertical	355	1.06	48.96	32.78	5.00	44.03
PK	7.26216G	52.02	74.00	-21.98	-0.46	3	Vertical	1	1.06	52.48	37.28	6.19	43.93

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2422MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.84844G	28.55	54.00	-25.45	-6.24	3	Horizontal	74	1.00	34.79	32.79	5.00	44.03
AV	7.26708G	39.82	54.00	-14.18	-0.47	3	Horizontal	105	1.00	40.29	37.27	6.19	43.93
PK	4.83296G	42.19	74.00	-31.81	-6.30	3	Horizontal	74	1.00	48.49	32.73	4.99	44.02
PK	7.2624G	53.78	74.00	-20.22	-0.46	3	Horizontal	105	1.00	54.24	37.28	6.19	43.93



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	50.89	54.00	-3.11	30.85	3	Vertical	0	2.79	20.04	27.50	3.35	-
AV	2.4326G	97.22	Inf	-Inf	31.09	3	Vertical	0	2.79	66.13	27.70	3.39	-
AV	2.4858G	46.19	54.00	-7.81	31.39	3	Vertical	0	2.79	14.80	27.96	3.43	-
PK	2.387G	68.92	74.00	-5.08	30.85	3	Vertical	0	2.79	38.07	27.50	3.35	-
PK	2.4322G	109.51	Inf	-Inf	31.09	3	Vertical	0	2.79	78.42	27.70	3.39	-
PK	2.4835G	61.70	74.00	-12.30	31.36	3	Vertical	0	2.79	30.34	27.93	3.43	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2427MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3898G	53.52	54.00	-0.48	30.85	3	Horizontal	330	1.05	22.67	27.50	3.35	-
AV	2.4226G	100.61	Inf	-Inf	31.01	3	Horizontal	330	1.05	69.60	27.63	3.38	-
AV	2.4835G	47.73	54.00	-6.27	31.36	3	Horizontal	330	1.05	16.37	27.93	3.43	-
PK	2.389G	71.87	74.00	-2.13	30.85	3	Horizontal	330	1.05	41.02	27.50	3.35	-
PK	2.4202G	113.44	Inf	-Inf	30.98	3	Horizontal	330	1.05	82.46	27.60	3.38	-
PK	2.4842G	66.04	74.00	-7.96	31.37	3	Horizontal	330	1.05	34.67	27.94	3.43	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	51.38	54.00	-2.62	30.85	3	Vertical	16	3.00	20.53	27.50	3.35	-
AV	2.4314G	98.87	Inf	-Inf	31.09	3	Vertical	16	3.00	67.78	27.70	3.39	-
AV	2.4842G	52.22	54.00	-1.78	31.37	3	Vertical	16	3.00	20.85	27.94	3.43	-
PK	2.3894G	69.50	74.00	-4.50	30.85	3	Vertical	16	3.00	38.65	27.50	3.35	-
PK	2.4338G	111.78	Inf	-Inf	31.09	3	Vertical	16	3.00	80.69	27.70	3.39	-
PK	2.4838G	70.38	74.00	-3.62	31.37	3	Vertical	16	3.00	39.01	27.94	3.43	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3886G	53.76	54.00	-0.24	30.85	3	Horizontal	329	1.11	22.91	27.50	3.35	-
AV	2.4314G	101.38	Inf	-Inf	31.09	3	Horizontal	329	1.11	70.29	27.70	3.39	-
AV	2.4842G	53.04	54.00	-0.96	31.37	3	Horizontal	329	1.11	21.67	27.94	3.43	-
PK	2.3898G	71.63	74.00	-2.37	30.85	3	Horizontal	329	1.11	40.78	27.50	3.35	-
PK	2.4338G	114.02	Inf	-Inf	31.09	3	Horizontal	329	1.11	82.93	27.70	3.39	-
PK	2.491G	70.40	74.00	-3.60	31.45	3	Horizontal	329	1.11	38.95	28.01	3.44	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2437MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.87904G	29.13	54.00	-24.87	-6.09	3	Vertical	320	1.22	35.22	32.92	5.02	44.03
AV	7.32072G	40.30	54.00	-13.70	-0.54	3	Vertical	5	1.00	40.84	37.12	6.23	43.89
PK	4.87928G	42.59	74.00	-31.41	-6.09	3	Vertical	320	1.22	48.68	32.92	5.02	44.03
PK	7.32036G	54.30	74.00	-19.70	-0.54	3	Vertical	5	1.00	54.84	37.12	6.23	43.89

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2437MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.88036G	29.19	54.00	-24.81	-6.09	3	Horizontal	96	1.06	35.28	32.92	5.02	44.03
AV	7.31724G	38.23	54.00	-15.77	-0.54	3	Horizontal	206	1.00	38.77	37.13	6.23	43.90
PK	4.88204G	42.61	74.00	-31.39	-6.08	3	Horizontal	96	1.06	48.69	32.93	5.02	44.03
PK	7.31976G	51.89	74.00	-22.11	-0.55	3	Horizontal	206	1.00	52.44	37.12	6.23	43.90



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3806G	46.70	54.00	-7.30	30.85	3	Vertical	18	3.00	15.85	27.50	3.35	-
AV	2.4526G	97.64	Inf	-Inf	31.13	3	Vertical	18	3.00	66.51	27.73	3.40	-
AV	2.485G	51.83	54.00	-2.17	31.38	3	Vertical	18	3.00	20.45	27.95	3.43	-
PK	2.3878G	59.54	74.00	-14.46	30.85	3	Vertical	18	3.00	28.69	27.50	3.35	-
PK	2.4526G	109.72	Inf	-Inf	31.13	3	Vertical	18	3.00	78.59	27.73	3.40	-
PK	2.4838G	69.27	74.00	-4.73	31.37	3	Vertical	18	3.00	37.90	27.94	3.43	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2447MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3878G	47.84	54.00	-6.16	30.85	3	Horizontal	325	1.26	16.99	27.50	3.35	-
AV	2.4526G	99.62	Inf	-Inf	31.13	3	Horizontal	325	1.26	68.49	27.73	3.40	-
AV	2.485G	53.56	54.00	-0.44	31.38	3	Horizontal	325	1.26	22.18	27.95	3.43	-
PK	2.3874G	59.82	74.00	-14.18	30.85	3	Horizontal	325	1.26	28.97	27.50	3.35	-
PK	2.4522G	111.84	Inf	-Inf	31.12	3	Horizontal	325	1.26	80.72	27.72	3.40	-
PK	2.4838G	71.08	74.00	-2.92	31.37	3	Horizontal	325	1.26	39.71	27.94	3.43	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.3896G	46.42	54.00	-7.58	30.85	3	Vertical	19	3.00	15.57	27.50	3.35	-
AV	2.4576G	98.09	Inf	-Inf	31.19	3	Vertical	19	3.00	66.90	27.78	3.41	-
AV	2.488G	51.83	54.00	-2.17	31.41	3	Vertical	19	3.00	20.42	27.98	3.43	-
PK	2.3848G	58.50	74.00	-15.50	30.85	3	Vertical	19	3.00	27.65	27.50	3.35	-
PK	2.4572G	109.75	Inf	-Inf	31.18	3	Vertical	19	3.00	78.57	27.77	3.41	-
PK	2.4896G	70.21	74.00	-3.79	31.44	3	Vertical	19	3.00	38.77	28.00	3.44	-

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	2.39G	48.07	54.00	-5.93	30.85	3	Horizontal	326	1.07	17.22	27.50	3.35	-
AV	2.4576G	100.23	Inf	-Inf	31.19	3	Horizontal	326	1.07	69.04	27.78	3.41	-
AV	2.4856G	53.90	54.00	-0.10	31.39	3	Horizontal	326	1.07	22.51	27.96	3.43	-
PK	2.388G	59.84	74.00	-14.16	30.85	3	Horizontal	326	1.07	28.99	27.50	3.35	-
PK	2.4572G	112.15	Inf	-Inf	31.18	3	Horizontal	326	1.07	80.97	27.77	3.41	-
PK	2.4944G	72.07	74.00	-1.93	31.48	3	Horizontal	326	1.07	40.59	28.04	3.44	-



2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX


2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.91108G	29.86	54.00	-24.14	-5.96	3	Vertical	29	1.13	35.82	33.04	5.04	44.04
AV	7.35696G	42.43	54.00	-11.57	-0.66	3	Vertical	9	1.00	43.09	36.96	6.25	43.87
PK	4.90256G	43.18	74.00	-30.82	-5.99	3	Vertical	29	1.13	49.17	33.01	5.04	44.04
PK	7.3524G	56.18	74.00	-17.82	-0.63	3	Vertical	9	1.00	56.81	36.99	6.25	43.87

2.4-2.4835GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

2452MHz_TX



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV)	AF (dB)	CL (dB)	PA (dB)
AV	4.8974G	29.80	54.00	-24.20	-6.02	3	Horizontal	95	1.05	35.82	32.99	5.03	44.04
AV	7.35612G	39.42	54.00	-14.58	-0.66	3	Horizontal	207	1.00	40.08	36.96	6.25	43.87
PK	4.9052G	43.17	74.00	-30.83	-5.98	3	Horizontal	95	1.05	49.15	33.02	5.04	44.04
PK	7.36896G	53.30	74.00	-20.70	-0.71	3	Horizontal	207	1.00	54.01	36.89	6.26	43.86



Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	PK	17.24059G	59.47	68.20	-8.73	Vertical
Mode 2	Pass	PK	17.475G	61.21	68.20	-6.99	Vertical
Mode 3	Pass	PK	17.2344G	60.64	68.20	-7.56	Vertical
Mode 4	Pass	PK	17.47326G	61.36	68.20	-6.84	Vertical
Mode 5	Pass	PK	17.235G	60.96	68.20	-7.24	Vertical
Mode 6	Pass	PK	17.47452G	61.20	68.20	-7.00	Horizontal



Result

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 1	Pass	AV	4.80636G	32.12	54.00	-21.88	3	Vertical	300	1.63
Mode 1	Pass	AV	4.82397G	36.62	54.00	-17.38	3	Vertical	328	1.68
Mode 1	Pass	AV	4.87565G	35.24	54.00	-18.76	3	Vertical	329	1.39
Mode 1	Pass	AV	7.31188G	42.36	54.00	-11.64	3	Vertical	68	1.46
Mode 1	Pass	AV	11.48083G	44.25	54.00	-9.75	3	Vertical	184	1.50
Mode 1	Pass	AV	17.23831G	46.50	68.20	-21.70	3	Vertical	163	1.50
Mode 1	Pass	PK	4.80529G	45.13	74.00	-28.87	3	Vertical	300	1.63
Mode 1	Pass	PK	4.82372G	47.05	74.00	-26.95	3	Vertical	328	1.68
Mode 1	Pass	PK	4.87401G	48.43	74.00	-25.57	3	Vertical	329	1.39
Mode 1	Pass	PK	7.30212G	55.86	74.00	-18.14	3	Vertical	68	1.46
Mode 1	Pass	PK	11.49088G	58.14	74.00	-15.86	3	Vertical	184	1.50
Mode 1	Pass	PK	17.24059G	59.47	68.20	-8.73	3	Vertical	163	1.50
Mode 1	Pass	AV	4.80217G	31.95	54.00	-22.05	3	Horizontal	273	1.52
Mode 1	Pass	AV	4.824G	41.35	54.00	-12.65	3	Horizontal	305	1.74
Mode 1	Pass	AV	4.874G	36.15	54.00	-17.85	3	Horizontal	354	1.50
Mode 1	Pass	AV	7.31156G	45.24	54.00	-8.76	3	Horizontal	53	1.72
Mode 1	Pass	AV	11.48064G	44.29	54.00	-9.71	3	Horizontal	23	1.50
Mode 1	Pass	AV	17.24376G	46.42	68.20	-21.78	3	Horizontal	189	1.20
Mode 1	Pass	PK	4.80314G	44.94	74.00	-29.06	3	Horizontal	273	1.52
Mode 1	Pass	PK	4.824G	49.20	74.00	-24.80	3	Horizontal	305	1.74
Mode 1	Pass	PK	4.874G	51.72	74.00	-22.28	3	Horizontal	354	1.50
Mode 1	Pass	PK	7.30888G	59.06	74.00	-14.94	3	Horizontal	53	1.72
Mode 1	Pass	PK	11.48272G	57.26	74.00	-16.74	3	Horizontal	23	1.50
Mode 1	Pass	PK	17.2288G	59.33	68.20	-8.87	3	Horizontal	189	1.20
Mode 2	Pass	AV	4.80304G	32.89	54.00	-21.11	3	Vertical	313	1.46
Mode 2	Pass	AV	4.8826G	33.08	54.00	-20.92	3	Vertical	54	1.50
Mode 2	Pass	AV	7.30928G	43.13	54.00	-10.87	3	Vertical	53	1.96
Mode 2	Pass	AV	11.49436G	44.59	54.00	-9.41	3	Vertical	293	1.53
Mode 2	Pass	AV	11.65G	44.30	54.00	-9.70	3	Vertical	224	1.50
Mode 2	Pass	AV	17.23483G	47.11	68.20	-21.09	3	Vertical	12	1.50
Mode 2	Pass	AV	17.475G	47.88	68.20	-20.32	3	Vertical	169	1.66
Mode 2	Pass	PK	4.80602G	46.21	74.00	-27.79	3	Vertical	313	1.46
Mode 2	Pass	PK	4.86792G	46.81	74.00	-27.19	3	Vertical	54	1.50
Mode 2	Pass	PK	7.30204G	57.50	74.00	-16.50	3	Vertical	53	1.96
Mode 2	Pass	PK	11.48992G	58.69	74.00	-15.31	3	Vertical	293	1.53
Mode 2	Pass	PK	11.65G	57.66	74.00	-16.34	3	Vertical	224	1.50
Mode 2	Pass	PK	17.23513G	61.06	68.20	-7.14	3	Vertical	12	1.50
Mode 2	Pass	PK	17.475G	61.21	68.20	-6.99	3	Vertical	169	1.66
Mode 2	Pass	AV	4.80205G	32.68	54.00	-21.32	3	Horizontal	42	1.42
Mode 2	Pass	AV	4.874G	31.70	54.00	-22.30	3	Horizontal	48	1.50
Mode 2	Pass	AV	7.30888G	45.17	54.00	-8.83	3	Horizontal	51	1.64
Mode 2	Pass	AV	11.49G	44.97	54.00	-9.03	3	Horizontal	63	2.00
Mode 2	Pass	AV	11.65G	44.19	54.00	-9.81	3	Horizontal	289	1.60
Mode 2	Pass	AV	17.235G	46.43	68.20	-21.77	3	Horizontal	347	1.50
Mode 2	Pass	AV	17.475G	47.86	68.20	-20.34	3	Horizontal	312	1.70
Mode 2	Pass	PK	4.80232G	46.40	74.00	-27.60	3	Horizontal	42	1.42
Mode 2	Pass	PK	4.874G	44.84	74.00	-29.16	3	Horizontal	48	1.50
Mode 2	Pass	PK	7.302G	58.51	74.00	-15.49	3	Horizontal	51	1.64
Mode 2	Pass	PK	11.49G	58.73	74.00	-15.27	3	Horizontal	63	2.00
Mode 2	Pass	PK	11.65G	57.43	74.00	-16.57	3	Horizontal	289	1.60



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 2	Pass	PK	17.235G	59.97	68.20	-8.23	3	Horizontal	347	1.50
Mode 2	Pass	PK	17.475G	61.14	68.20	-7.06	3	Horizontal	312	1.70
Mode 3	Pass	AV	4.82392G	42.70	54.00	-11.30	3	Vertical	8	1.26
Mode 3	Pass	AV	4.8734G	38.53	54.00	-15.47	3	Vertical	360	2.68
Mode 3	Pass	AV	4.87804G	39.17	54.00	-14.83	3	Vertical	19	2.68
Mode 3	Pass	AV	7.23672G	48.68	68.20	-19.52	3	Vertical	356	1.58
Mode 3	Pass	AV	7.31064G	42.49	54.00	-11.51	3	Vertical	342	2.97
Mode 3	Pass	AV	7.31728G	41.82	54.00	-12.18	3	Vertical	337	2.96
Mode 3	Pass	AV	11.4943G	40.41	54.00	-13.59	3	Vertical	88	1.93
Mode 3	Pass	AV	17.23422G	46.66	68.20	-21.54	3	Vertical	306.9	1.33
Mode 3	Pass	PK	4.82419G	49.20	74.00	-24.80	3	Vertical	8	1.26
Mode 3	Pass	PK	4.87328G	51.40	74.00	-22.60	3	Vertical	360	2.68
Mode 3	Pass	PK	4.87846G	51.95	74.00	-22.05	3	Vertical	19	2.68
Mode 3	Pass	PK	7.2353G	56.06	68.20	-12.14	3	Vertical	356	1.58
Mode 3	Pass	PK	7.30832G	56.48	74.00	-17.52	3	Vertical	342	2.97
Mode 3	Pass	PK	7.31532G	58.21	74.00	-15.79	3	Vertical	337	2.96
Mode 3	Pass	PK	11.49172G	54.16	74.00	-19.84	3	Vertical	88	1.93
Mode 3	Pass	PK	17.2344G	60.64	68.20	-7.56	3	Vertical	306.9	1.33
Mode 3	Pass	AV	4.82398G	44.29	54.00	-9.71	3	Horizontal	356	1.20
Mode 3	Pass	AV	4.871G	40.33	54.00	-13.67	3	Horizontal	355	2.16
Mode 3	Pass	AV	4.87826G	40.12	54.00	-13.88	3	Horizontal	360	1.92
Mode 3	Pass	AV	7.23672G	47.81	68.20	-20.39	3	Horizontal	338	1.60
Mode 3	Pass	AV	7.31248G	45.81	54.00	-8.19	3	Horizontal	48	2.04
Mode 3	Pass	AV	7.31702G	45.43	54.00	-8.57	3	Horizontal	46	1.99
Mode 3	Pass	AV	11.49168G	40.90	54.00	-13.10	3	Horizontal	93	1.56
Mode 3	Pass	AV	17.23936G	46.91	68.20	-21.29	3	Horizontal	204	1.50
Mode 3	Pass	PK	4.82402G	50.35	74.00	-23.65	3	Horizontal	356	1.20
Mode 3	Pass	PK	4.87392G	55.80	74.00	-18.20	3	Horizontal	355	2.16
Mode 3	Pass	PK	4.87866G	52.47	74.00	-21.53	3	Horizontal	360	1.92
Mode 3	Pass	PK	7.2351G	56.01	68.20	-12.19	3	Horizontal	338	1.60
Mode 3	Pass	PK	7.31486G	60.22	74.00	-13.78	3	Horizontal	48	2.04
Mode 3	Pass	PK	7.31894G	60.95	74.00	-13.05	3	Horizontal	46	1.99
Mode 3	Pass	PK	11.48946G	54.50	74.00	-19.50	3	Horizontal	93	1.56
Mode 3	Pass	PK	17.23766G	60.11	68.20	-8.09	3	Horizontal	204	1.50
Mode 4	Pass	AV	4.87595G	33.97	54.00	-20.03	3	Vertical	0	1.12
Mode 4	Pass	AV	4.87896G	33.82	54.00	-20.18	3	Vertical	360	1.11
Mode 4	Pass	AV	7.30936G	42.21	54.00	-11.79	3	Vertical	347	1.53
Mode 4	Pass	AV	7.31847G	41.72	54.00	-12.28	3	Vertical	346	2.86
Mode 4	Pass	AV	11.48979G	43.65	54.00	-10.35	3	Vertical	85	1.05
Mode 4	Pass	AV	11.64838G	43.46	54.00	-10.54	3	Vertical	144	1.44
Mode 4	Pass	AV	17.237G	46.65	68.20	-21.55	3	Vertical	16	2.73
Mode 4	Pass	AV	17.47631G	47.64	68.20	-20.56	3	Vertical	297	1.48
Mode 4	Pass	PK	4.87221G	48.84	74.00	-25.16	3	Vertical	0	1.12
Mode 4	Pass	PK	4.87921G	47.75	74.00	-26.25	3	Vertical	360	1.11
Mode 4	Pass	PK	7.30951G	55.89	74.00	-18.11	3	Vertical	347	1.53
Mode 4	Pass	PK	7.31856G	57.25	74.00	-16.75	3	Vertical	346	2.86
Mode 4	Pass	PK	11.49138G	57.20	74.00	-16.80	3	Vertical	85	1.05
Mode 4	Pass	PK	11.65141G	56.66	74.00	-17.34	3	Vertical	144	1.44
Mode 4	Pass	PK	17.23714G	59.65	68.20	-8.55	3	Vertical	16	2.73
Mode 4	Pass	PK	17.47326G	61.36	68.20	-6.84	3	Vertical	297	1.48




Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 4	Pass	AV	4.87473G	34.22	54.00	-19.78	3	Horizontal	318	1.95
Mode 4	Pass	AV	4.87924G	34.14	54.00	-19.86	3	Horizontal	325	1.64
Mode 4	Pass	AV	7.31056G	46.31	54.00	-7.69	3	Horizontal	55	1.97
Mode 4	Pass	AV	7.31844G	45.34	54.00	-8.66	3	Horizontal	57	2.03
Mode 4	Pass	AV	11.48815G	43.67	54.00	-10.33	3	Horizontal	165	1.41
Mode 4	Pass	AV	11.64906G	43.27	54.00	-10.73	3	Horizontal	277	1.99
Mode 4	Pass	AV	17.23257G	46.48	68.20	-21.72	3	Horizontal	20	1.76
Mode 4	Pass	AV	17.47507G	47.55	68.20	-20.65	3	Horizontal	102	1.46
Mode 4	Pass	PK	4.8746G	48.08	74.00	-25.92	3	Horizontal	318	1.95
Mode 4	Pass	PK	4.87945G	48.02	74.00	-25.98	3	Horizontal	325	1.64
Mode 4	Pass	PK	7.30897G	61.11	74.00	-12.89	3	Horizontal	55	1.97
Mode 4	Pass	PK	7.3184G	61.03	74.00	-12.97	3	Horizontal	57	2.03
Mode 4	Pass	PK	11.49007G	56.70	74.00	-17.30	3	Horizontal	165	1.41
Mode 4	Pass	PK	11.64918G	56.10	74.00	-17.90	3	Horizontal	277	1.99
Mode 4	Pass	PK	17.23376G	59.42	68.20	-8.78	3	Horizontal	20	1.76
Mode 4	Pass	PK	17.47592G	61.04	68.20	-7.16	3	Horizontal	102	1.46
Mode 5	Pass	AV	4.824G	42.63	54.00	-11.37	3	Vertical	360	1.53
Mode 5	Pass	AV	4.87324G	38.60	54.00	-15.40	3	Vertical	359	2.69
Mode 5	Pass	AV	4.87552G	39.19	54.00	-14.81	3	Vertical	15	2.69
Mode 5	Pass	AV	7.23516G	48.19	68.20	-20.01	3	Vertical	352	1.58
Mode 5	Pass	AV	7.31364G	42.96	54.00	-11.04	3	Vertical	314	1.02
Mode 5	Pass	AV	7.31602G	41.77	54.00	-12.23	3	Vertical	342	2.97
Mode 5	Pass	AV	11.48876G	44.06	54.00	-9.94	3	Vertical	57	2.99
Mode 5	Pass	AV	17.23336G	46.51	68.20	-21.69	3	Vertical	242	1.37
Mode 5	Pass	PK	4.82396G	49.38	74.00	-24.62	3	Vertical	360	1.53
Mode 5	Pass	PK	4.87402G	54.68	74.00	-19.32	3	Vertical	359	2.69
Mode 5	Pass	PK	4.87538G	52.32	74.00	-21.68	3	Vertical	15	2.69
Mode 5	Pass	PK	7.2359G	55.82	68.20	-12.38	3	Vertical	352	1.58
Mode 5	Pass	PK	7.31586G	56.86	74.00	-17.14	3	Vertical	314	1.02
Mode 5	Pass	PK	7.31856G	56.84	74.00	-17.16	3	Vertical	342	2.97
Mode 5	Pass	PK	11.49144G	57.61	74.00	-16.39	3	Vertical	57	2.99
Mode 5	Pass	PK	17.235G	60.96	68.20	-7.24	3	Vertical	242	1.37
Mode 5	Pass	AV	4.82396G	44.09	54.00	-9.91	3	Horizontal	349	1.32
Mode 5	Pass	AV	4.87568G	40.20	54.00	-13.80	3	Horizontal	353	1.50
Mode 5	Pass	AV	4.87596G	40.49	54.00	-13.51	3	Horizontal	347	1.90
Mode 5	Pass	AV	7.23678G	47.58	68.20	-20.62	3	Horizontal	331	1.60
Mode 5	Pass	AV	7.30978G	45.57	54.00	-8.43	3	Horizontal	45	2.04
Mode 5	Pass	AV	7.31702G	45.10	54.00	-8.90	3	Horizontal	41	2.08
Mode 5	Pass	AV	11.4916G	45.09	54.00	-8.91	3	Horizontal	92	1.95
Mode 5	Pass	AV	17.23488G	46.57	68.20	-21.63	3	Horizontal	342	1.50
Mode 5	Pass	PK	4.82394G	49.64	74.00	-24.36	3	Horizontal	349	1.32
Mode 5	Pass	PK	4.8739G	54.43	74.00	-19.57	3	Horizontal	353	1.50
Mode 5	Pass	PK	4.88286G	52.71	74.00	-21.29	3	Horizontal	347	1.90
Mode 5	Pass	PK	7.2352G	55.87	68.20	-12.33	3	Horizontal	331	1.60
Mode 5	Pass	PK	7.31514G	61.32	74.00	-12.68	3	Horizontal	45	2.04
Mode 5	Pass	PK	7.31836G	59.50	74.00	-14.50	3	Horizontal	41	2.08
Mode 5	Pass	PK	11.48606G	58.37	74.00	-15.63	3	Horizontal	92	1.95
Mode 5	Pass	PK	17.23492G	59.89	68.20	-8.31	3	Horizontal	342	1.50
Mode 6	Pass	AV	4.87444G	32.44	54.00	-21.56	3	Vertical	23	2.69
Mode 6	Pass	AV	4.87919G	32.46	54.00	-21.54	3	Vertical	181	1.92



Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)
Mode 6	Pass	AV	7.31201G	43.11	54.00	-10.89	3	Vertical	353	2.21
Mode 6	Pass	AV	7.31768G	41.85	54.00	-12.15	3	Vertical	360	2.96
Mode 6	Pass	AV	11.48799G	43.63	54.00	-10.37	3	Vertical	148	2.59
Mode 6	Pass	AV	11.64977G	43.28	54.00	-10.72	3	Vertical	131	2.89
Mode 6	Pass	AV	17.2354G	46.41	68.20	-21.79	3	Vertical	291	2.71
Mode 6	Pass	AV	17.47659G	47.65	68.20	-20.55	3	Vertical	300	1.90
Mode 6	Pass	PK	4.8723G	45.62	74.00	-28.38	3	Vertical	23	2.69
Mode 6	Pass	PK	4.87867G	45.67	74.00	-28.33	3	Vertical	181	1.92
Mode 6	Pass	PK	7.31211G	56.58	74.00	-17.42	3	Vertical	353	2.21
Mode 6	Pass	PK	7.31753G	56.60	74.00	-17.40	3	Vertical	360	2.96
Mode 6	Pass	PK	11.48927G	57.23	74.00	-16.77	3	Vertical	148	2.59
Mode 6	Pass	PK	11.64869G	56.88	74.00	-17.12	3	Vertical	131	2.89
Mode 6	Pass	PK	17.23339G	59.50	68.20	-8.70	3	Vertical	291	2.71
Mode 6	Pass	PK	17.47668G	60.62	68.20	-7.58	3	Vertical	300	1.90
Mode 6	Pass	AV	4.87556G	33.70	54.00	-20.30	3	Horizontal	294	2.92
Mode 6	Pass	AV	4.87918G	34.17	54.00	-19.83	3	Horizontal	320	1.72
Mode 6	Pass	AV	7.31322G	46.11	54.00	-7.89	3	Horizontal	53	1.98
Mode 6	Pass	AV	7.3189G	45.35	54.00	-8.65	3	Horizontal	55	1.89
Mode 6	Pass	AV	11.48978G	43.54	54.00	-10.46	3	Horizontal	22	2.31
Mode 6	Pass	AV	11.65055G	43.42	54.00	-10.58	3	Horizontal	3	1.71
Mode 6	Pass	AV	17.23377G	46.43	68.20	-21.77	3	Horizontal	245	2.05
Mode 6	Pass	AV	17.47679G	47.46	68.20	-20.74	3	Horizontal	270	2.34
Mode 6	Pass	PK	4.87517G	47.63	74.00	-26.37	3	Horizontal	294	2.92
Mode 6	Pass	PK	4.8785G	48.22	74.00	-25.78	3	Horizontal	320	1.72
Mode 6	Pass	PK	7.31156G	60.66	74.00	-13.34	3	Horizontal	53	1.98
Mode 6	Pass	PK	7.31821G	60.92	74.00	-13.08	3	Horizontal	55	1.89
Mode 6	Pass	PK	11.49154G	57.50	74.00	-16.50	3	Horizontal	22	2.31
Mode 6	Pass	PK	11.65169G	56.24	74.00	-17.76	3	Horizontal	3	1.71
Mode 6	Pass	PK	17.23283G	59.35	68.20	-8.85	3	Horizontal	245	2.05
Mode 6	Pass	PK	17.47452G	61.20	68.20	-7.00	3	Horizontal	270	2.34




Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80636G	32.12	54.00	-21.88	3.56	3	Vertical	300	1.63	28.56	32.23	6.16	34.83
AV	4.82397G	36.62	54.00	-17.38	3.66	3	Vertical	328	1.68	32.96	32.30	6.18	34.82
AV	4.87565G	35.24	54.00	-18.76	3.90	3	Vertical	329	1.39	31.34	32.50	6.21	34.81
AV	7.31188G	42.36	54.00	-11.64	9.53	3	Vertical	68	1.46	32.83	36.65	7.80	34.92
AV	11.48083G	44.25	54.00	-9.75	15.84	3	Vertical	184	1.50	28.41	38.86	11.43	34.45
AV	17.23831G	46.50	68.20	-21.70	17.80	3	Vertical	163	1.50	28.70	38.08	13.00	33.28
PK	4.80529G	45.13	74.00	-28.87	3.55	3	Vertical	300	1.63	41.58	32.22	6.16	34.83
PK	4.82372G	47.05	74.00	-26.95	3.65	3	Vertical	328	1.68	43.40	32.29	6.18	34.82
PK	4.87401G	48.43	74.00	-25.57	3.90	3	Vertical	329	1.39	44.53	32.50	6.21	34.81
PK	7.30212G	55.86	74.00	-18.14	9.56	3	Vertical	68	1.46	46.30	36.69	7.79	34.92
PK	11.49088G	58.14	74.00	-15.86	15.86	3	Vertical	184	1.50	42.28	38.88	11.43	34.45
PK	17.24059G	59.47	68.20	-8.73	17.79	3	Vertical	163	1.50	41.68	38.08	13.00	33.29

Radiated Emissions above 1GHz_Mode 1




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80217G	31.95	54.00	-22.05	3.54	3	Horizontal	273	1.52	28.41	32.21	6.16	34.83
AV	4.824G	41.35	54.00	-12.65	3.66	3	Horizontal	305	1.74	37.69	32.30	6.18	34.82
AV	4.874G	36.15	54.00	-17.85	3.90	3	Horizontal	354	1.50	32.25	32.50	6.21	34.81
AV	7.31156G	45.24	54.00	-8.76	9.53	3	Horizontal	53	1.72	35.71	36.65	7.80	34.92
AV	11.48064G	44.29	54.00	-9.71	15.84	3	Horizontal	23	1.50	28.45	38.86	11.43	34.45
AV	17.24376G	46.42	68.20	-21.78	17.81	3	Horizontal	189	1.20	28.61	38.09	13.01	33.29
PK	4.80314G	44.94	74.00	-29.06	3.54	3	Horizontal	273	1.52	41.40	32.21	6.16	34.83
PK	4.824G	49.20	74.00	-24.80	3.66	3	Horizontal	305	1.74	45.54	32.30	6.18	34.82
PK	4.874G	51.72	74.00	-22.28	3.90	3	Horizontal	354	1.50	47.82	32.50	6.21	34.81
PK	7.30888G	59.06	74.00	-14.94	9.54	3	Horizontal	53	1.72	49.52	36.66	7.80	34.92
PK	11.48272G	57.26	74.00	-16.74	15.85	3	Horizontal	23	1.50	41.41	38.87	11.43	34.45
PK	17.2288G	59.33	68.20	-8.87	17.78	3	Horizontal	189	1.20	41.55	38.06	13.00	33.28

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80304G	32.89	54.00	-21.11	4.18	3	Vertical	313	1.46	28.71	32.21	6.16	34.19
AV	4.8826G	33.08	54.00	-20.92	4.59	3	Vertical	54	1.50	28.49	32.53	6.22	34.16
AV	7.30928G	43.13	54.00	-10.87	9.96	3	Vertical	53	1.96	33.17	36.66	7.80	34.50
AV	11.49436G	44.59	54.00	-9.41	16.26	3	Vertical	293	1.53	28.33	38.89	11.43	34.06
AV	11.65G	44.30	54.00	-9.70	15.64	3	Vertical	224	1.50	28.66	38.30	11.49	34.15
AV	17.23483G	47.11	68.20	-21.09	17.78	3	Vertical	12	1.50	29.33	38.07	13.00	33.29
AV	17.475G	47.88	68.20	-20.32	18.05	3	Vertical	169	1.66	29.83	38.30	13.11	33.36
PK	4.80602G	46.21	74.00	-27.79	4.19	3	Vertical	313	1.46	42.02	32.22	6.16	34.19
PK	4.86792G	46.81	74.00	-27.19	4.51	3	Vertical	54	1.50	42.30	32.47	6.21	34.17
PK	7.30204G	57.50	74.00	-16.50	9.98	3	Vertical	53	1.96	47.52	36.69	7.79	34.50
PK	11.48992G	58.69	74.00	-15.31	16.25	3	Vertical	293	1.53	42.44	38.88	11.43	34.06
PK	11.65G	57.66	74.00	-16.34	15.64	3	Vertical	224	1.50	42.02	38.30	11.49	34.15
PK	17.23513G	61.06	68.20	-7.14	17.78	3	Vertical	12	1.50	43.28	38.07	13.00	33.29
PK	17.475G	61.21	68.20	-6.99	18.05	3	Vertical	169	1.66	43.16	38.30	13.11	33.36

Radiated Emissions above 1GHz_Mode 2




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.80205G	32.68	54.00	-21.32	4.18	3	Horizontal	42	1.42	28.50	32.21	6.16	34.19
AV	4.874G	31.70	54.00	-22.30	4.54	3	Horizontal	48	1.50	27.16	32.50	6.21	34.17
AV	7.30888G	45.17	54.00	-8.83	9.96	3	Horizontal	51	1.64	35.21	36.66	7.80	34.50
AV	11.49G	44.97	54.00	-9.03	16.25	3	Horizontal	63	2.00	28.72	38.88	11.43	34.06
AV	11.65G	44.19	54.00	-9.81	15.64	3	Horizontal	289	1.60	28.55	38.30	11.49	34.15
AV	17.235G	46.43	68.20	-21.77	17.78	3	Horizontal	347	1.50	28.65	38.07	13.00	33.29
AV	17.475G	47.86	68.20	-20.34	18.05	3	Horizontal	312	1.70	29.81	38.30	13.11	33.36
PK	4.80232G	46.40	74.00	-27.60	4.18	3	Horizontal	42	1.42	42.22	32.21	6.16	34.19
PK	4.874G	44.84	74.00	-29.16	4.54	3	Horizontal	48	1.50	40.30	32.50	6.21	34.17
PK	7.302G	58.51	74.00	-15.49	9.98	3	Horizontal	51	1.64	48.53	36.69	7.79	34.50
PK	11.49G	58.73	74.00	-15.27	16.25	3	Horizontal	63	2.00	42.48	38.88	11.43	34.06
PK	11.65G	57.43	74.00	-16.57	15.64	3	Horizontal	289	1.60	41.79	38.30	11.49	34.15
PK	17.235G	59.97	68.20	-8.23	17.78	3	Horizontal	347	1.50	42.19	38.07	13.00	33.29
PK	17.475G	61.14	68.20	-7.06	18.05	3	Horizontal	312	1.70	43.09	38.30	13.11	33.36

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82392G	42.70	54.00	-11.30	3.66	3	Vertical	8	1.26	39.04	32.30	6.18	34.82
AV	4.8734G	38.53	54.00	-15.47	3.89	3	Vertical	360	2.68	34.64	32.49	6.21	34.81
AV	4.87804G	39.17	54.00	-14.83	3.91	3	Vertical	19	2.68	35.26	32.51	6.21	34.81
AV	7.23672G	48.68	68.20	-19.52	9.44	3	Vertical	356	1.58	39.24	36.57	7.75	34.88
AV	7.31064G	42.49	54.00	-11.51	9.54	3	Vertical	342	2.97	32.95	36.66	7.80	34.92
AV	7.31728G	41.82	54.00	-12.18	9.50	3	Vertical	337	2.96	32.32	36.63	7.80	34.93
AV	11.4943G	40.41	54.00	-13.59	15.87	3	Vertical	88	1.93	24.54	38.89	11.43	34.45
AV	17.23422G	46.66	68.20	-21.54	17.79	3	Vertical	306.9	1.33	28.87	38.07	13.00	33.28
PK	4.82419G	49.20	74.00	-24.80	3.66	3	Vertical	8	1.26	45.54	32.30	6.18	34.82
PK	4.87328G	51.40	74.00	-22.60	3.89	3	Vertical	360	2.68	47.51	32.49	6.21	34.81
PK	4.87846G	51.95	74.00	-22.05	3.91	3	Vertical	19	2.68	48.04	32.51	6.21	34.81
PK	7.2353G	56.06	68.20	-12.14	9.44	3	Vertical	356	1.58	46.62	36.57	7.75	34.88
PK	7.30832G	56.48	74.00	-17.52	9.54	3	Vertical	342	2.97	46.94	36.67	7.79	34.92
PK	7.31532G	58.21	74.00	-15.79	9.51	3	Vertical	337	2.96	48.70	36.64	7.80	34.93
PK	11.49172G	54.16	74.00	-19.84	15.86	3	Vertical	88	1.93	38.30	38.88	11.43	34.45
PK	17.2344G	60.64	68.20	-7.56	17.79	3	Vertical	306.9	1.33	42.85	38.07	13.00	33.28

Radiated Emissions above 1GHz_Mode 3




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82398G	44.29	54.00	-9.71	3.66	3	Horizontal	356	1.20	40.63	32.30	6.18	34.82
AV	4.871G	40.33	54.00	-13.67	3.88	3	Horizontal	355	2.16	36.45	32.48	6.21	34.81
AV	4.87826G	40.12	54.00	-13.88	3.91	3	Horizontal	360	1.92	36.21	32.51	6.21	34.81
AV	7.23672G	47.81	68.20	-20.39	9.44	3	Horizontal	338	1.60	38.37	36.57	7.75	34.88
AV	7.31248G	45.81	54.00	-8.19	9.53	3	Horizontal	48	2.04	36.28	36.65	7.80	34.92
AV	7.31702G	45.43	54.00	-8.57	9.50	3	Horizontal	46	1.99	35.93	36.63	7.80	34.93
AV	11.49168G	40.90	54.00	-13.10	15.86	3	Horizontal	93	1.56	25.04	38.88	11.43	34.45
AV	17.23936G	46.91	68.20	-21.29	17.79	3	Horizontal	204	1.50	29.12	38.08	13.00	33.29
PK	4.82402G	50.35	74.00	-23.65	3.66	3	Horizontal	356	1.20	46.69	32.30	6.18	34.82
PK	4.87392G	55.80	74.00	-18.20	3.90	3	Horizontal	355	2.16	51.90	32.50	6.21	34.81
PK	4.87866G	52.47	74.00	-21.53	3.92	3	Horizontal	360	1.92	48.55	32.51	6.22	34.81
PK	7.2351G	56.01	68.20	-12.19	9.44	3	Horizontal	338	1.60	46.57	36.57	7.75	34.88
PK	7.31486G	60.22	74.00	-13.78	9.51	3	Horizontal	48	2.04	50.71	36.64	7.80	34.93
PK	7.31894G	60.95	74.00	-13.05	9.49	3	Horizontal	46	1.99	51.46	36.62	7.80	34.93
PK	11.48946G	54.50	74.00	-19.50	15.86	3	Horizontal	93	1.56	38.64	38.88	11.43	34.45
PK	17.23766G	60.11	68.20	-8.09	17.80	3	Horizontal	204	1.50	42.31	38.08	13.00	33.28

Radiated Emissions above 1GHz_Mode 4




Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87595G	33.97	54.00	-20.03	3.90	3	Vertical	0	1.12	30.07	32.50	6.21	34.81
AV	4.87896G	33.82	54.00	-20.18	3.93	3	Vertical	360	1.11	29.89	32.52	6.22	34.81
AV	7.30936G	42.21	54.00	-11.79	9.54	3	Vertical	347	1.53	32.67	36.66	7.80	34.92
AV	7.31847G	41.72	54.00	-12.28	9.50	3	Vertical	346	2.86	32.22	36.63	7.80	34.93
AV	11.48979G	43.65	54.00	-10.35	15.86	3	Vertical	85	1.05	27.79	38.88	11.43	34.45
AV	11.64838G	43.46	54.00	-10.54	15.27	3	Vertical	144	1.44	28.19	38.30	11.49	34.52
AV	17.237G	46.65	68.20	-21.55	17.79	3	Vertical	16	2.73	28.86	38.07	13.00	33.28
AV	17.47631G	47.64	68.20	-20.56	18.02	3	Vertical	297	1.48	29.62	38.30	13.11	33.39
PK	4.87221G	48.84	74.00	-25.16	3.89	3	Vertical	0	1.12	44.95	32.49	6.21	34.81
PK	4.87921G	47.75	74.00	-26.25	3.93	3	Vertical	360	1.11	43.82	32.52	6.22	34.81
PK	7.30951G	55.89	74.00	-18.11	9.54	3	Vertical	347	1.53	46.35	36.66	7.80	34.92
PK	7.31856G	57.25	74.00	-16.75	9.50	3	Vertical	346	2.86	47.75	36.63	7.80	34.93
PK	11.49138G	57.20	74.00	-16.80	15.86	3	Vertical	85	1.05	41.34	38.88	11.43	34.45
PK	11.65141G	56.66	74.00	-17.34	15.28	3	Vertical	144	1.44	41.38	38.31	11.49	34.52
PK	17.23714G	59.65	68.20	-8.55	17.79	3	Vertical	16	2.73	41.86	38.07	13.00	33.28
PK	17.47326G	61.36	68.20	-6.84	18.02	3	Vertical	297	1.48	43.34	38.30	13.11	33.39

Radiated Emissions above 1GHz_Mode 4



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87473G	34.22	54.00	-19.78	3.90	3	Horizontal	318	1.95	30.32	32.50	6.21	34.81
AV	4.87924G	34.14	54.00	-19.86	3.93	3	Horizontal	325	1.64	30.21	32.52	6.22	34.81
AV	7.31056G	46.31	54.00	-7.69	9.54	3	Horizontal	55	1.97	36.77	36.66	7.80	34.92
AV	7.31844G	45.34	54.00	-8.66	9.50	3	Horizontal	57	2.03	35.84	36.63	7.80	34.93
AV	11.48815G	43.67	54.00	-10.33	15.86	3	Horizontal	165	1.41	27.81	38.88	11.43	34.45
AV	11.64906G	43.27	54.00	-10.73	15.27	3	Horizontal	277	1.99	28.00	38.30	11.49	34.52
AV	17.23257G	46.48	68.20	-21.72	17.79	3	Horizontal	20	1.76	28.69	38.07	13.00	33.28
AV	17.47507G	47.55	68.20	-20.65	18.02	3	Horizontal	102	1.46	29.53	38.30	13.11	33.39
PK	4.8746G	48.08	74.00	-25.92	3.90	3	Horizontal	318	1.95	44.18	32.50	6.21	34.81
PK	4.87945G	48.02	74.00	-25.98	3.93	3	Horizontal	325	1.64	44.09	32.52	6.22	34.81
PK	7.30897G	61.11	74.00	-12.89	9.54	3	Horizontal	55	1.97	51.57	36.66	7.80	34.92
PK	7.3184G	61.03	74.00	-12.97	9.50	3	Horizontal	57	2.03	51.53	36.63	7.80	34.93
PK	11.49007G	56.70	74.00	-17.30	15.86	3	Horizontal	165	1.41	40.84	38.88	11.43	34.45
PK	11.64918G	56.10	74.00	-17.90	15.27	3	Horizontal	277	1.99	40.83	38.30	11.49	34.52
PK	17.23376G	59.42	68.20	-8.78	17.79	3	Horizontal	20	1.76	41.63	38.07	13.00	33.28
PK	17.47592G	61.04	68.20	-7.16	18.02	3	Horizontal	102	1.46	43.02	38.30	13.11	33.39


Radiated Emissions above 1GHz_Mode 5



26/10/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.824G	42.63	54.00	-11.37	3.66	3	Vertical	360	1.53	38.97	32.30	6.18	34.82
AV	4.87324G	38.60	54.00	-15.40	3.89	3	Vertical	359	2.69	34.71	32.49	6.21	34.81
AV	4.87552G	39.19	54.00	-14.81	3.90	3	Vertical	15	2.69	35.29	32.50	6.21	34.81
AV	7.23516G	48.19	68.20	-20.01	9.44	3	Vertical	352	1.58	38.75	36.57	7.75	34.88
AV	7.31364G	42.96	54.00	-11.04	9.53	3	Vertical	314	1.02	33.43	36.65	7.80	34.92
AV	7.31602G	41.77	54.00	-12.23	9.51	3	Vertical	342	2.97	32.26	36.64	7.80	34.93
AV	11.48876G	44.06	54.00	-9.94	15.86	3	Vertical	57	2.99	28.20	38.88	11.43	34.45
AV	17.23336G	46.51	68.20	-21.69	17.79	3	Vertical	242	1.37	28.72	38.07	13.00	33.28
PK	4.82396G	49.38	74.00	-24.62	3.66	3	Vertical	360	1.53	45.72	32.30	6.18	34.82
PK	4.87402G	54.68	74.00	-19.32	3.90	3	Vertical	359	2.69	50.78	32.50	6.21	34.81
PK	4.87538G	52.32	74.00	-21.68	3.90	3	Vertical	15	2.69	48.42	32.50	6.21	34.81
PK	7.2359G	55.82	68.20	-12.38	9.44	3	Vertical	352	1.58	46.38	36.57	7.75	34.88
PK	7.31586G	56.86	74.00	-17.14	9.51	3	Vertical	314	1.02	47.35	36.64	7.80	34.93
PK	7.31856G	56.84	74.00	-17.16	9.50	3	Vertical	342	2.97	47.34	36.63	7.80	34.93
PK	11.49144G	57.61	74.00	-16.39	15.86	3	Vertical	57	2.99	41.75	38.88	11.43	34.45
PK	17.235G	60.96	68.20	-7.24	17.79	3	Vertical	242	1.37	43.17	38.07	13.00	33.28


Radiated Emissions above 1GHz_Mode 5



26/10/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.82396G	44.09	54.00	-9.91	3.66	3	Horizontal	349	1.32	40.43	32.30	6.18	34.82
AV	4.87568G	40.20	54.00	-13.80	3.90	3	Horizontal	353	1.50	36.30	32.50	6.21	34.81
AV	4.87596G	40.49	54.00	-13.51	3.90	3	Horizontal	347	1.90	36.59	32.50	6.21	34.81
AV	7.23678G	47.58	68.20	-20.62	9.44	3	Horizontal	331	1.60	38.14	36.57	7.75	34.88
AV	7.30978G	45.57	54.00	-8.43	9.54	3	Horizontal	45	2.04	36.03	36.66	7.80	34.92
AV	7.31702G	45.10	54.00	-8.90	9.50	3	Horizontal	41	2.08	35.60	36.63	7.80	34.93
AV	11.4916G	45.09	54.00	-8.91	15.86	3	Horizontal	92	1.95	29.23	38.88	11.43	34.45
AV	17.23488G	46.57	68.20	-21.63	17.79	3	Horizontal	342	1.50	28.78	38.07	13.00	33.28
PK	4.82394G	49.64	74.00	-24.36	3.66	3	Horizontal	349	1.32	45.98	32.30	6.18	34.82
PK	4.8739G	54.43	74.00	-19.57	3.90	3	Horizontal	353	1.50	50.53	32.50	6.21	34.81
PK	4.88286G	52.71	74.00	-21.29	3.94	3	Horizontal	347	1.90	48.77	32.53	6.22	34.81
PK	7.2352G	55.87	68.20	-12.33	9.44	3	Horizontal	331	1.60	46.43	36.57	7.75	34.88
PK	7.31514G	61.32	74.00	-12.68	9.51	3	Horizontal	45	2.04	51.81	36.64	7.80	34.93
PK	7.31836G	59.50	74.00	-14.50	9.50	3	Horizontal	41	2.08	50.00	36.63	7.80	34.93
PK	11.48606G	58.37	74.00	-15.63	15.85	3	Horizontal	92	1.95	42.52	38.87	11.43	34.45
PK	17.23492G	59.89	68.20	-8.31	17.79	3	Horizontal	342	1.50	42.10	38.07	13.00	33.28


Radiated Emissions above 1GHz_Mode 6



27/10/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87444G	32.44	54.00	-21.56	3.90	3	Vertical	23	2.69	28.54	32.50	6.21	34.81
AV	4.87919G	32.46	54.00	-21.54	3.93	3	Vertical	181	1.92	28.53	32.52	6.22	34.81
AV	7.31201G	43.11	54.00	-10.89	9.53	3	Vertical	353	2.21	33.58	36.65	7.80	34.92
AV	7.31768G	41.85	54.00	-12.15	9.50	3	Vertical	360	2.96	32.35	36.63	7.80	34.93
AV	11.48799G	43.63	54.00	-10.37	15.86	3	Vertical	148	2.59	27.77	38.88	11.43	34.45
AV	11.64977G	43.28	54.00	-10.72	15.27	3	Vertical	131	2.89	28.01	38.30	11.49	34.52
AV	17.2354G	46.41	68.20	-21.79	17.79	3	Vertical	291	2.71	28.62	38.07	13.00	33.28
AV	17.47659G	47.65	68.20	-20.55	18.02	3	Vertical	300	1.90	29.63	38.30	13.11	33.39
PK	4.8723G	45.62	74.00	-28.38	3.89	3	Vertical	23	2.69	41.73	32.49	6.21	34.81
PK	4.87867G	45.67	74.00	-28.33	3.92	3	Vertical	181	1.92	41.75	32.51	6.22	34.81
PK	7.31211G	56.58	74.00	-17.42	9.53	3	Vertical	353	2.21	47.05	36.65	7.80	34.92
PK	7.31753G	56.60	74.00	-17.40	9.50	3	Vertical	360	2.96	47.10	36.63	7.80	34.93
PK	11.48927G	57.23	74.00	-16.77	15.86	3	Vertical	148	2.59	41.37	38.88	11.43	34.45
PK	11.64869G	56.88	74.00	-17.12	15.27	3	Vertical	131	2.89	41.61	38.30	11.49	34.52
PK	17.23339G	59.50	68.20	-8.70	17.79	3	Vertical	291	2.71	41.71	38.07	13.00	33.28
PK	17.47668G	60.62	68.20	-7.58	18.02	3	Vertical	300	1.90	42.60	38.30	13.11	33.39

Radiated Emissions above 1GHz_Mode 6



27/10/2023

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
AV	4.87556G	33.70	54.00	-20.30	3.90	3	Horizontal	294	2.92	29.80	32.50	6.21	34.81
AV	4.87918G	34.17	54.00	-19.83	3.93	3	Horizontal	320	1.72	30.24	32.52	6.22	34.81
AV	7.31322G	46.11	54.00	-7.89	9.53	3	Horizontal	53	1.98	36.58	36.65	7.80	34.92
AV	7.3189G	45.35	54.00	-8.65	9.49	3	Horizontal	55	1.89	35.86	36.62	7.80	34.93
AV	11.48978G	43.54	54.00	-10.46	15.86	3	Horizontal	22	2.31	27.68	38.88	11.43	34.45
AV	11.65055G	43.42	54.00	-10.58	15.27	3	Horizontal	3	1.71	28.15	38.30	11.49	34.52
AV	17.23377G	46.43	68.20	-21.77	17.79	3	Horizontal	245	2.05	28.64	38.07	13.00	33.28
AV	17.47679G	47.46	68.20	-20.74	18.02	3	Horizontal	270	2.34	29.44	38.30	13.11	33.39
PK	4.87517G	47.63	74.00	-26.37	3.90	3	Horizontal	294	2.92	43.73	32.50	6.21	34.81
PK	4.8785G	48.22	74.00	-25.78	3.91	3	Horizontal	320	1.72	44.31	32.51	6.21	34.81
PK	7.31156G	60.66	74.00	-13.34	9.53	3	Horizontal	53	1.98	51.13	36.65	7.80	34.92
PK	7.31821G	60.92	74.00	-13.08	9.50	3	Horizontal	55	1.89	51.42	36.63	7.80	34.93
PK	11.49154G	57.50	74.00	-16.50	15.86	3	Horizontal	22	2.31	41.64	38.88	11.43	34.45
PK	11.65169G	56.24	74.00	-17.76	15.28	3	Horizontal	3	1.71	40.96	38.31	11.49	34.52
PK	17.23283G	59.35	68.20	-8.85	17.79	3	Horizontal	245	2.05	41.56	38.07	13.00	33.28
PK	17.47452G	61.20	68.20	-7.00	18.02	3	Horizontal	270	2.34	43.18	38.30	13.11	33.39