

**FCC Part 15.247****Test Information:**

<b>Serial No.:</b>	2GPP-3	<b>Test Date:</b>	2024/02/03~2024/02/29
<b>Test Site:</b>	RF	<b>Test Mode:</b>	Transmitting
<b>Tester:</b>	Lingling Li	<b>Test Result:</b>	Pass

**Environmental Conditions:**

<b>Temperature:</b> (°C)	24.8-25.7	<b>Relative Humidity:</b> (%)	57-62	<b>ATM Pressure:</b> (kPa)	101.1-101.3
-----------------------------	-----------	----------------------------------	-------	-------------------------------	-------------

**Test Equipment List and Details:**

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSU26	100147	2023/03/31	2024/03/30
zhuoxiang	Coaxial Cable	SMA-178	211003	Each time	N/A
eastsheep	Coaxial Attenuator	2W-SMA-JK-18G	21060302	Each time	N/A


\* Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

**6dB Emission Bandwidth**

<b>Mode</b>	<b>Value (MHz)</b>	<b>Limit (MHz)</b>	<b>Result</b>
b_2412MHz_Chain 0	10.136	0.5	Pass
b_2412MHz_Chain 1	10.136	0.5	Pass
b_2437MHz_Chain 0	10.136	0.5	Pass
b_2437MHz_Chain 1	10.136	0.5	Pass
b_2462MHz_Chain 0	10.104	0.5	Pass
b_2462MHz_Chain 1	10.136	0.5	Pass
g_2412MHz_Chain 0	16.435	0.5	Pass
g_2412MHz_Chain 1	16.435	0.5	Pass
g_2437MHz_Chain 0	16.435	0.5	Pass
g_2437MHz_Chain 1	16.435	0.5	Pass
g_2462MHz_Chain 0	16.467	0.5	Pass
g_2462MHz_Chain 1	16.435	0.5	Pass
n20_2412MHz_Chain 0	17.650	0.5	Pass
n20_2412MHz_Chain 1	17.650	0.5	Pass
n20_2437MHz_Chain 0	17.650	0.5	Pass
n20_2437MHz_Chain 1	17.650	0.5	Pass
n20_2462MHz_Chain 0	17.650	0.5	Pass
n20_2462MHz_Chain 1	17.618	0.5	Pass
n40_2422MHz_Chain 0	35.939	0.5	Pass
n40_2422MHz_Chain 1	36.323	0.5	Pass
n40_2437MHz_Chain 0	36.195	0.5	Pass
n40_2437MHz_Chain 1	36.259	0.5	Pass
n40_2452MHz_Chain 0	36.451	0.5	Pass
n40_2452MHz_Chain 1	36.515	0.5	Pass


2.4G

b\_2412MHz\_Chain 0 10.136 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:05:19

b\_2412MHz\_Chain 1 10.136 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:08:10

b\_2437MHz\_Chain 0 10.136 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:07:15

b\_2437MHz\_Chain 1 10.136 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:09:12

b\_2462MHz\_Chain 0 10.104 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:10:04

b\_2462MHz\_Chain 1 10.136 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:11:48

g\_2412MHz\_Chain 0 16.435 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:12:55

g\_2412MHz\_Chain 1 16.435 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:14:41

g\_2437MHz\_Chain 0 16.435 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:14:26

g\_2437MHz\_Chain 1 16.435 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:15:50

g\_2462MHz\_Chain 0 16.467 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:16:58

g\_2462MHz\_Chain 1 16.435 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:18:00

n20\_2412MHz\_Chain 0 17.650 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
 Date: 3.FEB.2024 16:20:17

n20\_2412MHz\_Chain 1 17.650 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
 Date: 3.FEB.2024 17:29:19

n20\_2437MHz\_Chain 0 17.650 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
 Date: 3.FEB.2024 16:21:51

n20\_2437MHz\_Chain 1 17.650 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
 Date: 3.FEB.2024 17:30:39

n20\_2462MHz\_Chain 0 17.650 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
 Date: 3.FEB.2024 16:24:59

n20\_2462MHz\_Chain 1 17.618 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
 Date: 3.FEB.2024 17:33:18

n40\_2422MHz\_Chain 0 35.939 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:27:52

n40\_2422MHz\_Chain 1 36.323 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:36:36

n40\_2437MHz\_Chain 0 36.195 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:29:32

n40\_2437MHz\_Chain 1 36.259 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:37:55

n40\_2452MHz\_Chain 0 36.451 MHz



Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:32:23

n40\_2452MHz\_Chain 1 36.515 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:40:21

**99% Occupied Bandwidth**

<b>Mode</b>	<b>99% OBW (MHz)</b>
b_2412MHz_Chain 0	12.096
b_2437MHz_Chain 0	12.096
b_2462MHz_Chain 0	12.096
g_2412MHz_Chain 0	16.768
g_2437MHz_Chain 0	16.768
g_2462MHz_Chain 0	16.800
n20_2412MHz_Chain 0	17.632
n20_2437MHz_Chain 0	17.632
n20_2462MHz_Chain 0	17.664
n40_2422MHz_Chain 0	36.608
n40_2437MHz_Chain 0	36.608
n40_2452MHz_Chain 0	36.608


2.4G

b\_2412MHz\_Chain 0 12.096 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:05:33

b\_2437MHz\_Chain 0 12.096 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:07:32

b\_2462MHz\_Chain 0 12.096 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:10:25

g\_2412MHz\_Chain 0 16.768 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:13:21

g\_2437MHz\_Chain 0 16.768 MHz



Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:14:49


g\_2462MHz\_Chain 0 16.800 MHz



Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:17:20




n20\_2412MHz\_Chain 0 17.632 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:20:39

n20\_2437MHz\_Chain 0 17.632 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:22:18

n20\_2462MHz\_Chain 0 17.664 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:25:25

n40\_2422MHz\_Chain 0 36.608 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:28:17

n40\_2437MHz\_Chain 0 36.608 MHz



Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:29:54

n40\_2452MHz\_Chain 0 36.608 MHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:32:46

**100 kHz Bandwidth of Frequency Band Edge**

<b>Mode</b>	<b>Value (dB)</b>	<b>Limit (dB)</b>	<b>Result</b>
b_2412MHz_Chain 0	42.64	20.00	Pass
b_2412MHz_Chain 1	41.64	20.00	Pass
b_2462MHz_Chain 0	47.83	20.00	Pass
b_2462MHz_Chain 1	48.87	20.00	Pass
g_2412MHz_Chain 0	35.79	20.00	Pass
g_2412MHz_Chain 1	34.70	20.00	Pass
g_2462MHz_Chain 0	42.51	20.00	Pass
g_2462MHz_Chain 1	44.17	20.00	Pass
n20_2412MHz_Chain 0	37.72	20.00	Pass
n20_2412MHz_Chain 1	36.14	20.00	Pass
n20_2462MHz_Chain 0	41.50	20.00	Pass
n20_2462MHz_Chain 1	43.95	20.00	Pass
n40_2422MHz_Chain 0	31.42	20.00	Pass
n40_2422MHz_Chain 1	30.80	20.00	Pass
n40_2452MHz_Chain 0	36.44	20.00	Pass
n40_2452MHz_Chain 1	36.76	20.00	Pass


2.4G

b\_2412MHz\_Chain 0 42.64 dB




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:04:54

b\_2412MHz\_Chain 1 41.64 dB




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:07:47

b\_2462MHz\_Chain 0 47.83 dB




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:09:38

b\_2462MHz\_Chain 1 48.87 dB




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:11:23

g\_2412MHz\_Chain 0 35.79 dB




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:12:27

g\_2412MHz\_Chain 1 34.70 dB




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 29.FEB.2024 10:52:07

g\_2462MHz\_Chain 0 42.51 dB




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:16:28

g\_2462MHz\_Chain 1 44.17 dB




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:17:26

n20\_2412MHz\_Chain 0 37.72 dB




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:19:49

n20\_2412MHz\_Chain 1 36.14 dB




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 29.FEB.2024 10:58:22

n20\_2462MHz\_Chain 0 41.50 dB




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:24:31

n20\_2462MHz\_Chain 1 43.95 dB




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:32:47

n40\_2422MHz\_Chain 0 31.42 dB




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
 Date: 3.FEB.2024 16:27:22

n40\_2422MHz\_Chain 1 30.80 dB




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
 Date: 3.FEB.2024 17:36:06

n40\_2452MHz\_Chain 0 36.44 dB



Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
 Date: 3.FEB.2024 16:31:58

n40\_2452MHz\_Chain 1 36.76 dB




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
 Date: 3.FEB.2024 17:39:52

**Power Spectral Density**

<b>Mode</b>	<b>Value (dBm/3kHz)</b>	<b>Limit (dBm/3kHz)</b>	<b>Result</b>
b_2412MHz_Chain 0	6.83	8.00	Pass
b_2412MHz_Chain 1	6.38	8.00	Pass
b_2437MHz_Chain 0	6.04	8.00	Pass
b_2437MHz_Chain 1	5.07	8.00	Pass
b_2462MHz_Chain 0	5.14	8.00	Pass
b_2462MHz_Chain 1	5.86	8.00	Pass
g_2412MHz_Chain 0	-13.45	8.00	Pass
g_2412MHz_Chain 1	-11.89	8.00	Pass
g_2437MHz_Chain 0	-14.71	8.00	Pass
g_2437MHz_Chain 1	-12.73	8.00	Pass
g_2462MHz_Chain 0	-14.59	8.00	Pass
g_2462MHz_Chain 1	-13.98	8.00	Pass
n20_2412MHz_Chain 0	-13.01	8.00	Pass
n20_2412MHz_Chain 1	-11.36	8.00	Pass
n20_2437MHz_Chain 0	-13.53	8.00	Pass
n20_2437MHz_Chain 1	-11.79	8.00	Pass
n20_2462MHz_Chain 0	-13.44	8.00	Pass
n20_2462MHz_Chain 1	-12.75	8.00	Pass
n40_2422MHz_Chain 0	-17.46	8.00	Pass
n40_2422MHz_Chain 1	-14.38	8.00	Pass
n40_2437MHz_Chain 0	-17.63	8.00	Pass
n40_2437MHz_Chain 1	-15.29	8.00	Pass
n40_2452MHz_Chain 0	-18.08	8.00	Pass
n40_2452MHz_Chain 1	-15.24	8.00	Pass


2.4G

b\_2412MHz\_Chain 0 6.83 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:06:09

b\_2412MHz\_Chain 1 6.38 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 29.FEB.2024 11:36:10

b\_2437MHz\_Chain 0 6.04 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:35:29

b\_2437MHz\_Chain 1 5.07 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:09:45

b\_2462MHz\_Chain 0 5.14 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:10:51

b\_2462MHz\_Chain 1 5.86 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:12:17

g\_2412MHz\_Chain 0 -13.45 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:13:44

g\_2412MHz\_Chain 1 -11.89 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:15:01

g\_2437MHz\_Chain 0 -14.71 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:15:11

g\_2437MHz\_Chain 1 -12.73 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:16:06

g\_2462MHz\_Chain 0 -14.59 dBm/3kHz



Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:17:42


g\_2462MHz\_Chain 1 -13.98 dBm/3kHz



Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:18:21




n20\_2412MHz\_Chain 0 -13.01 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:21:08

n20\_2412MHz\_Chain 1 -11.36 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:29:54

n20\_2437MHz\_Chain 0 -13.53 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:22:51

n20\_2437MHz\_Chain 1 -11.79 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:31:03

n20\_2462MHz\_Chain 0 -13.44 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:25:49

n20\_2462MHz\_Chain 1 -12.75 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:33:45

n40\_2422MHz\_Chain 0 -17.46 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:28:48

n40\_2422MHz\_Chain 1 -14.38 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:37:10

n40\_2437MHz\_Chain 0 -17.63 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:30:24

n40\_2437MHz\_Chain 1 -15.29 dBm/3kHz




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:38:31

n40\_2452MHz\_Chain 0 -18.08 dBm/3kHz



Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:33:17

n40\_2452MHz\_Chain 1 -15.24 dBm/3kHz



Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 17:40:52


**Duty Cycle**

<b>Mode</b>	<b>Ton (ms)</b>	<b>Ton+Toff (ms)</b>	<b>Duty Cycle (%)</b>	<b>Duty Cycle Factor (dB)</b>	<b>1/Ton (Hz)</b>	<b>VBW Setting (kHz)</b>
b_2437MHz_Chain 0	8.750	8.894	98.38	0.07	114	0.20
g_2437MHz_Chain 0	1.458	1.635	89.17	0.50	686	1
n20_2437MHz_Chain 0	0.704	0.896	78.57	1.05	1421	2
n40_2437MHz_Chain 0	0.369	0.561	65.78	1.82	2713	3

**Duty Cycle = Ton/(Ton+Toff)\*100%**


2.4G

b\_2437MHz\_Chain 0  
8.750 ms,8.894ms




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 15:59:31

g\_2437MHz\_Chain 0  
1.458 ms,1.635ms




Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:00:41

n20\_2437MHz\_Chain 0  
0.704 ms,0.896ms



Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:01:44

n40\_2437MHz\_Chain 0  
0.369 ms,0.561ms



Comment: ProjectNo.:CR240103476-RF Tester:Lingling Li  
Date: 3.FEB.2024 16:02:47