









IEEE 802.11n Channel 120 20MHz Antenna 0

IEEE 802.11n Channel 140 20MHz Antenna 0










IEEE 802.11ac Channel 58 80MHz Antenna 0

IEEE 802.11ac Channel 106 80MHz Antenna 0



IEEE 802.11ac Channel 122 80MHz Antenna 0

APPENDIX VIII. Conducted Out Of Band Emission**Test Result**

Mode	Channel	Ant.	OOB Emission Frequency (MHz)	OOB Emission Level (dBm)	Limit (dBm)	Over Limit (dB)	Result
IEEE 802.11a	36	0	32.30	-49.453	-27	-22.450	PASS
			5149.92	-37.372	-27	-10	PASS
			5150.00	-37.372	-27	-10	PASS
			5350.00	-35.912	-27	-9	PASS
			5457.12	-35.071	-27	-8	PASS
			24913.0	-39.399	-27	-12.400	PASS
	40		5146.67	-29.068	-27	-2.070	PASS
			5147.04	-36.989	-27	-10	PASS
			5150.00	-37.396	-27	-10	PASS
			5350.00	-34.703	-27	-8	PASS
			5390.88	-34.569	-27	-8	PASS
			24998.0	-38.167	-27	-11.170	PASS
	48		5148.72	-39.186	-27	-12.190	PASS
			5149.92	-38.179	-27	-11	PASS
			5150.00	-38.179	-27	-11	PASS
			5350.00	-36.575	-27	-10	PASS
			5460.00	-36.230	-27	-9	PASS
			24980.3	-40.254	-27	-13.250	PASS
	52		50.35	-42.132	-27	-15.130	PASS
			5149.92	-38.673	-27	-12	PASS
			5150.00	-38.673	-27	-12	PASS
			5350.00	-37.049	-27	-10	PASS
			5460.00	-36.078	-27	-9	PASS
			24849.2	-40.140	-27	-13.140	PASS
	56		4224.54	-40.697	-27	-13.700	PASS
			5149.92	-37.231	-27	-10	PASS
			5150.00	-37.231	-27	-10	PASS
			5350.00	-37.230	-27	-10	PASS
			5351.97	-33.156	-27	-6.160	PASS
			5460.00	-36.752	-27	-10	PASS
	64		4255.77	-46.374	-27	-19.370	PASS
			5147.04	-36.122	-27	-9	PASS
			5150.00	-36.334	-27	-9	PASS
			5350.00	-33.631	-27	-7	PASS
			24999.5	-39.614	-27	-12.610	PASS
			37.48	-45.546	-27	-18.550	PASS
	100		5469.49	-37.456	-27	-10	PASS
			5470.00	-37.456	-27	-10	PASS
			5725.00	-37.507	-27	-11	PASS
			6225.00	-37.271	-27	-10	PASS
			24961.4	-39.961	-27	-12.960	PASS
			49.18	-46.341	-27	-19.340	PASS
	120		5466.98	-36.822	-27	-10	PASS
			5470.00	-37.358	-27	-10	PASS
			5725.00	-37.123	-27	-10	PASS
			6218.73	-37.103	-27	-10	PASS
			24961.4	-39.911	-27	-12.910	PASS
			30.68	-47.057	-27	-20.060	PASS
	140		5469.49	-36.638	-27	-10	PASS
			5470.00	-36.638	-27	-10	PASS
			5725.00	-37.737	-27	-11	PASS
			6222.49	-37.617	-27	-11	PASS
			24834.7	-39.698	-27	-12.700	PASS
			5140.02	-27.106	-27	-0.110	PASS
IEEE 802.11n_20	36		5146.08	-29.175	-27	-2	PASS
			5150.00	-29.485	-27	-2	PASS
			5350.00	-35.873	-27	-9	PASS
			5459.04	-35.749	-27	-9	PASS
			24988.2	-39.673	-27	-12.670	PASS
			5148.46	-32.232	-27	-5.230	PASS
	40		5149.92	-37.038	-27	-10	PASS

IEEE 802.11n_40	48	5150.00	-37.038	-27	-10	PASS	
		5350.00	-36.030	-27	-9	PASS	
		5459.04	-35.951	-27	-9	PASS	
		24939.6	-39.707	-27	-12.710	PASS	
		5138.35	-39.459	-27	-12.460	PASS	
		5148.00	-36.350	-27	-9	PASS	
		52	5150.00	-37.248	-27	-10	PASS
			5350.00	-35.814	-27	-9	PASS
			5450.40	-35.594	-27	-9	PASS
			24908.6	-40.019	-27	-13.020	PASS
			5140.91	-45.991	-27	-18.990	PASS
			5149.92	-37.835	-27	-11	PASS
	5150.00		-37.835	-27	-11	PASS	
	5350.00		-36.087	-27	-9	PASS	
	56	5397.16	-35.710	-27	-8.710	PASS	
		5455.20	-35.585	-27	-9	PASS	
		5133.49	-40.394	-27	-13.390	PASS	
		5148.96	-38.429	-27	-11	PASS	
		5150.00	-38.470	-27	-11	PASS	
		5350.00	-37.047	-27	-10	PASS	
		5352.46	-34.344	-27	-7.340	PASS	
		5459.04	-36.804	-27	-10	PASS	
	64	4255.90	-41.894	-27	-14.890	PASS	
		5148.00	-36.403	-27	-9	PASS	
		5150.00	-37.789	-27	-11	PASS	
		5350.00	-36.396	-27	-9	PASS	
		5459.04	-36.043	-27	-9	PASS	
		24969.5	-40.014	-27	-13.010	PASS	
		49.58	-40.905	-27	-13.910	PASS	
		5469.49	-38.220	-27	-11	PASS	
	100	5470.00	-38.220	-27	-11	PASS	
		5725.00	-37.075	-27	-10	PASS	
		6221.23	-36.216	-27	-9	PASS	
		24909.9	-40.356	-27	-13.360	PASS	
		38.57	-42.030	-27	-15.030	PASS	
		5469.49	-37.374	-27	-10	PASS	
		5470.00	-37.375	-27	-10	PASS	
		5725.00	-37.052	-27	-10	PASS	
	120	6211.19	-36.978	-27	-10	PASS	
		24870.4	-39.813	-27	-12.810	PASS	
		51.22	-45.736	-27	-18.740	PASS	
		5465.73	-37.366	-27	-10	PASS	
		5470.00	-37.583	-27	-11	PASS	
		5725.00	-36.291	-27	-9	PASS	
		6225.00	-35.965	-27	-9	PASS	
		24947.5	-38.412	-27	-11.410	PASS	
	140	2635.44	-52.933	-27	-25.930	PASS	
		5149.92	-33.449	-27	-6	PASS	
		5150.00	-33.449	-27	-6	PASS	
		5350.00	-37.090	-27	-10	PASS	
		5460.00	-36.544	-27	-10	PASS	
		24942.0	-39.600	-27	-12.600	PASS	
		3254.66	-52.366	-27	-25.370	PASS	
		5149.92	-34.395	-27	-7	PASS	
	38	5150.00	-34.396	-27	-7	PASS	
		5350.00	-36.695	-27	-10	PASS	
		5460.00	-36.631	-27	-10	PASS	
		24924.3	-39.710	-27	-12.710	PASS	
		33.97	-46.152	-27	-19.150	PASS	
		5148.96	-37.043	-27	-10	PASS	
		5150.00	-37.205	-27	-10	PASS	
		5350.00	-37.167	-27	-10	PASS	
	46	5460.00	-36.626	-27	-10	PASS	
		24903.2	-39.724	-27	-12.720	PASS	
39.47		-48.855	-27	-21.850	PASS		
5149.92		-37.546	-27	-11	PASS		
5150.00		-37.546	-27	-11	PASS		
5350.00		-36.458	-27	-9	PASS		
5460.00		-36.626	-27	-10	PASS		
24903.2		-39.724	-27	-12.720	PASS		
54	39.47	-48.855	-27	-21.850	PASS		
	5149.92	-37.546	-27	-11	PASS		
	5150.00	-37.546	-27	-11	PASS		
	5350.00	-36.458	-27	-9	PASS		
	5460.00	-36.626	-27	-10	PASS		
	24903.2	-39.724	-27	-12.720	PASS		
	39.47	-48.855	-27	-21.850	PASS		
	5149.92	-37.546	-27	-11	PASS		
62	5150.00	-37.546	-27	-11	PASS		
	5350.00	-36.458	-27	-9	PASS		
	5460.00	-36.626	-27	-10	PASS		
	24903.2	-39.724	-27	-12.720	PASS		
	39.47	-48.855	-27	-21.850	PASS		
	5149.92	-37.546	-27	-11	PASS		
	5150.00	-37.546	-27	-11	PASS		
	5350.00	-36.458	-27	-9	PASS		

			5352.46	-31.867	-27	-4.870	PASS
			5460.00	-36.425	-27	-9	PASS
	102		5454.36	-43.616	-27	-16.620	PASS
			5469.49	-38.048	-27	-11	PASS
			5470.00	-38.048	-27	-11	PASS
			5725.00	-38.148	-27	-11	PASS
			6225.00	-36.831	-27	-10	PASS
			24920.5	-40.096	-27	-13.100	PASS
	118		5468.23	-36.442	-27	-9	PASS
			5469.32	-42.150	-27	-15.150	PASS
			5470.00	-37.117	-27	-10	PASS
			5725.00	-37.425	-27	-10	PASS
			6223.74	-37.197	-27	-10	PASS
			24914.7	-39.906	-27	-12.910	PASS
	134		30.68	-46.137	-27	-19.140	PASS
			5468.23	-36.441	-27	-9	PASS
			5470.00	-36.573	-27	-10	PASS
			5725.00	-36.792	-27	-10	PASS
			6221.23	-36.570	-27	-10	PASS
		24885.8	-40.182	-27	-13.180	PASS	
IEEE 802.11ac_20	36		5144.37	-27.654	-27	-0.650	PASS
			5148.96	-34.574	-27	-8	PASS
			5150.00	-36.672	-27	-10	PASS
			5350.00	-36.527	-27	-10	PASS
			5458.08	-36.359	-27	-9	PASS
			24992.1	-39.653	-27	-12.650	PASS
	40		5146.42	-32.257	-27	-5.260	PASS
			5149.92	-36.566	-27	-10	PASS
			5150.00	-36.566	-27	-10	PASS
			5350.00	-36.055	-27	-9	PASS
			5460.00	-35.191	-27	-8	PASS
			24925.8	-39.626	-27	-12.630	PASS
	48		5149.36	-36.902	-27	-9.900	PASS
			5149.92	-38.863	-27	-12	PASS
			5150.00	-38.863	-27	-12	PASS
			5350.00	-35.130	-27	-8	PASS
			5454.24	-35.074	-27	-8	PASS
			24978.9	-39.511	-27	-12.510	PASS
	52		210.36	-49.967	-27	-22.970	PASS
			5149.92	-37.718	-27	-11	PASS
			5150.00	-37.718	-27	-11	PASS
			5350.00	-36.974	-27	-10	PASS
			5460.00	-35.838	-27	-9	PASS
			24970.0	-39.139	-27	-12.140	PASS
	56		50.86	-38.413	-27	-11.410	PASS
			5149.92	-36.659	-27	-10	PASS
			5150.00	-36.659	-27	-10	PASS
			5350.00	-35.448	-27	-8	PASS
			5350.49	-37.353	-27	-10.350	PASS
			5443.68	-35.444	-27	-8	PASS
	64		47.66	-49.924	-27	-22.920	PASS
			5149.92	-37.602	-27	-11	PASS
			5150.00	-37.602	-27	-11	PASS
			5350.00	-36.516	-27	-10	PASS
			5459.04	-36.367	-27	-9	PASS
			24999.5	-38.977	-27	-11.980	PASS
	100		38.57	-42.989	-27	-15.990	PASS
			5469.49	-38.991	-27	-12	PASS
			5470.00	-38.991	-27	-12	PASS
			5725.00	-37.030	-27	-10	PASS
			6209.94	-36.620	-27	-10	PASS
			24868.4	-40.958	-27	-13.960	PASS
	120		5437.22	-39.947	-27	-12.950	PASS
			5465.73	-37.057	-27	-10	PASS
			5470.00	-37.169	-27	-10	PASS
			5725.00	-36.326	-27	-9	PASS
			6222.49	-35.696	-27	-9	PASS
			24558.1	-39.920	-27	-12.920	PASS

	140		30.82	-40.904	-27	-13.900	PASS
			5465.73	-36.376	-27	-9	PASS
			5470.00	-37.038	-27	-10	PASS
			5725.00	-37.606	-27	-11	PASS
			6225.00	-37.415	-27	-10	PASS
IEEE 802.11ac_40	38		24935.9	-39.850	-27	-12.850	PASS
			3086.46	-52.928	-27	-25.930	PASS
			5148.96	-35.705	-27	-9	PASS
			5150.00	-36.235	-27	-9	PASS
			5350.00	-36.937	-27	-10	PASS
	46		5460.00	-35.785	-27	-9	PASS
			24909.1	-39.940	-27	-12.940	PASS
			5147.57	-29.000	-27	-2.000	PASS
			5149.92	-37.334	-27	-10	PASS
			5150.00	-37.334	-27	-10	PASS
	54		5350.00	-36.397	-27	-9	PASS
			5356.39	-36.377	-27	-9.380	PASS
			5456.16	-36.080	-27	-9	PASS
			5143.86	-40.431	-27	-13.430	PASS
			5148.96	-36.497	-27	-9	PASS
	62		5150.00	-37.361	-27	-10	PASS
			5350.00	-36.832	-27	-10	PASS
			5352.46	-27.381	-27	-0.380	PASS
			5458.08	-36.328	-27	-9	PASS
			48.30	-48.788	-27	-21.790	PASS
	102		5148.96	-37.609	-27	-11	PASS
			5150.00	-37.671	-27	-11	PASS
			5350.00	-36.263	-27	-9	PASS
			5459.04	-35.875	-27	-9	PASS
			24951.4	-40.000	-27	-13.000	PASS
	118		48.50	-46.457	-27	-19.460	PASS
			5469.49	-37.287	-27	-10	PASS
			5470.00	-37.287	-27	-10	PASS
			5725.00	-37.956	-27	-11	PASS
			6219.98	-36.937	-27	-10	PASS
	134		24930.6	-38.511	-27	-11.510	PASS
			33.94	-46.978	-27	-19.980	PASS
			5469.49	-38.057	-27	-11	PASS
			5470.00	-38.057	-27	-11	PASS
			5725.00	-37.032	-27	-10	PASS
IEEE 802.11ac_80	42		6216.22	-36.848	-27	-10	PASS
			24985.5	-39.395	-27	-12.400	PASS
			50.40	-43.733	-27	-16.730	PASS
			5469.49	-37.352	-27	-10	PASS
			5470.00	-37.352	-27	-10	PASS
	58		5725.00	-31.151	-27	-4	PASS
			5728.02	-29.709	-27	-3	PASS
			5728.86	-29.456	-27	-2.460	PASS
			5145.14	-49.004	-27	-22.000	PASS
			5148.96	-37.312	-27	-10	PASS
	106		5150.00	-37.631	-27	-11	PASS
			5350.00	-37.666	-27	-11	PASS
			5460.00	-36.437	-27	-9	PASS
			24990.2	-39.753	-27	-12.750	PASS
			31.15	-43.913	-27	-16.910	PASS
	122		5149.92	-37.540	-27	-11	PASS
			5150.00	-37.540	-27	-11	PASS
			5350.00	-36.570	-27	-10	PASS
			5460.00	-36.022	-27	-9	PASS
			24965.1	-39.059	-27	-12.060	PASS
			30.54	-48.553	-27	-21.550	PASS
			5464.47	-37.126	-27	-10	PASS
			5470.00	-37.498	-27	-10	PASS
			5725.00	-38.334	-27	-11	PASS
			6225.00	-38.164	-27	-11	PASS
			24978.8	-39.931	-27	-12.930	PASS
			5409.21	-38.697	-27	-11.700	PASS
			5468.23	-35.380	-27	-8	PASS