



福州市瀚宇正达电子有限公司

Word Easy Electronics Co.,Ltd.

规格承认书

SPECIFICATION FOR APPROVAL

日期 2021/12/23
Date

编号 21122301
File No

版本 1.0
Revision

客户 星网

CUSTOMER: _____

客户料号 C319

CUSTOMER NO: _____

品名 Zigbee Antenna L=260mm MHF

PART NAME: _____

供方料号 WE007N.F0112.V01

SUPPLIER NO: _____

送样日期Date: 送样数量Q “TY:

客户确认CUSTOMER APPROVED BY		
APPROVAL	CHIEF	SUPERVISOR
供方确认 SUPPLIER SIGNATURE		
APPROVAL	CHECK	DESIGN
	Zhou Hongtao	Liang

WE-RD-F01-A




承认书项目表

NO.	内容 (Contents)	页数 (Number of Page)	页码 (Page Code)
1	承认书封面 (Spec Cover)	1	1
2	承认书项目表 (Spec Item)	1	2
3	工程成品图 (Drawing)	1	3
4	天线规格 (Antenna Specification)	1	4
5	S参数测试 (S Parameter)	1	5
6	无源测试 (Passive Test)	2	6 ~ 7
7	天线装配图 (Antenna Profile)	2	8 ~ 9
8	RoHS报告 (RoHS Test Report)	**	**
9	N/A	N/A	N/A
10	-	-	-
11	-	-	-
12	-	-	-

RoHS
Compatible

REV.	DESCRIPTION	DATE
△	首次发行	2021.12.23



4	Acetate Cloth	10.0*8.0MM	Acetate Cloth	FAB0002.V01	1
3	FPCB	44.0*7.2*T0.4MM	FPCB	FPC0260.V01	1
2	Coaxial Cable	O.D.1.13 Gray	O.D.1.13	CAB0113.V02	1
1	Mini Connector	Au Plated 1代	Cu	MET0XD1.V01	1
NO	PART NAME	DESCRIPTION	Material	Part Number	Q.TY


福州市瀚宇正达电子有限公司
 World Easy Electronics Co.,Ltd.

Tel :0591-22628085
 Fax:0591-22627656

PART NAME: Zigbee Antenna L=260mm MHF
PART NO.: WE007N.F0112.V01 **DATE: 2021-12-23**

APPROVED BY	CHECKED BY	DESIGNED BY	 Tolerance X.X ±0.50 X.XX±0.15 X° ±3°
		周红涛	UNITS: mm SCALE: 1/1 REVISION: A



天线规格


Antenna Specification

Electrical Properties	
Frequency	2400-2500MHz
Impedance	50 Ohm Nominal
V.S.W.R	<1.5
Return Loss	<-13dB
Radiation	Omni-directional
Gain (Peak)	2.5dBi
Polarization	Linear
Connector	I-PEX
Physical Properties	
Antenna Material	FPC
Cable Type	O.D.1.13//L=260mm
Operating Temp.	-10 ~ +60 °C
Storage Temp.	-10 ~ +70 °C
Cable Color	Gray




Antenna Performance Test

Agilent E5071C





S Parameter Test // Zigbee





Antenna Passive Test





Passive Test For Zigbee

Freq (MHz)	Effi (%)	Effi (dB)	Gain (dBi)
2400	54.9	-2.6	2.5
2410	56.0	-2.5	2.4
2420	55.6	-2.6	2.3
2430	56.5	-2.5	2.2
2440	55.0	-2.6	2.0
2450	52.9	-2.8	1.8
2460	51.5	-2.9	1.5
2470	48.9	-3.1	1.3
2480	47.4	-3.2	1.2
2490	51.8	-2.9	1.5
2500	46.2	-3.4	1.0



Antenna Profile

Device




*Antenna
Zigbee*





Assembly Drawing



Zigbee Antenna