



n20\_5700MHz\_Chain 0




ProjectNo.: XMDN231122-69423E-RF Testers:Jojo Zhou  
Date: 27.FEB.2024 10:35:50

n20\_5720MHz\_Chain 0




ProjectNo.: XMDN231122-69423E-RF Testers:Jojo Zhou  
Date: 27.FEB.2024 11:00:57

n40\_5510MHz\_Chain 0




ProjectNo.: XMDN231122-69423E-RF Testers:Jojo Zhou  
Date: 27.FEB.2024 10:36:50

n40\_5550MHz\_Chain 0




ProjectNo.: XMDN231122-69423E-RF Testers:Jojo Zhou  
Date: 27.FEB.2024 10:37:37

n40\_5670MHz\_Chain 0




ProjectNo.: XMDN231122-69423E-RF Testers:Jojo Zhou  
Date: 27.FEB.2024 10:38:21

n40\_5710MHz\_Chain 0




ProjectNo.: XMDN231122-69423E-RF Testers:Jojo Zhou  
Date: 27.FEB.2024 11:03:22

ac80\_5530MHz\_Chain 0




ProjectNo.: XMDN231122-69423E-RF Testers:Jojo Zhou  
Date: 27.FEB.2024 10:39:52

ac80\_5610MHz\_Chain 0



ProjectNo.: XMDN231122-69423E-RF Testers:Jojo Zhou  
Date: 27.FEB.2024 11:07:15


ac80\_5690MHz\_Chain 0



ProjectNo.: XMDN231122-69423E-RF Testers:Jojo Zhou  
Date: 27.FEB.2024 10:41:06


5725-5850MHz:

a\_ 5745 MHz\_Chain 0




ProjectNo.: XMDN231122-69423E-RFTester:Jojo Zhou  
Date: 27.FEB.2024 10:42:07

a\_ 5785MHz\_Chain 0




ProjectNo.: XMDN231122-69423E-RFTester:Jojo Zhou  
Date: 27.FEB.2024 10:42:46

a\_ 5825MHz\_Chain 0




ProjectNo.: XMDN231122-69423E-RFTester:Jojo Zhou  
Date: 27.FEB.2024 10:43:12

n20\_ 5745MHz\_Chain 0




ProjectNo.: XMDN231122-69423E-RFTester:Jojo Zhou  
Date: 27.FEB.2024 10:44:49

n20\_ 5785MHz\_Chain 0




ProjectNo.: XMDN231122-69423E-RFTester:Jojo Zhou  
Date: 27.FEB.2024 10:49:37

n20\_ 5825MHz\_Chain 0




ProjectNo.: XMDN231122-69423E-RFTester:Jojo Zhou  
Date: 27.FEB.2024 10:50:55

n40\_5755MHz\_Chain 0




ProjectNo.:XMDN231122-69423E-RFTester:Jojo Zhou  
Date: 28.APR.2024 16:46:16

n40\_5795MHz\_Chain 0



ProjectNo.:XMDN231122-69423E-RFTester:Jojo Zhou  
Date: 27.FEB.2024 10:53:22

ac80\_5775MHz\_Chain 0



ProjectNo.:XMDN231122-69423E-RFTester:Jojo Zhou  
Date: 28.APR.2024 16:50:34

**5.5 Maximum Conducted Output Power**

<b>Serial No.:</b>	2EB1-1	<b>Test Date:</b>	2024/02/24~2024/04/28
<b>Test Site:</b>	RF	<b>Test Mode:</b>	Transmitting
<b>Tester:</b>	Jojo Zhou	<b>Test Result:</b>	Pass

**Environmental Conditions:**

<b>Temperature:</b> (°C)	23.7~25.6	<b>Relative Humidity:</b> (%)	45~56	<b>ATM Pressure:</b> (kPa)	100.6~101.2
-----------------------------	-----------	----------------------------------	-------	-------------------------------	-------------

**Test Equipment List and Details:**

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Anritsu	Microwave Peak Power Sensor	MA24418A	12618	2023/09/04	2024/09/03
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM502	2023/09/10	2024/09/09

\* *Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

**Test Data:****5150-5250 MHz:**

Mode	Average Conducted Output Power (dBm)	Limit (dBm)	Result
a_5180MHz_Chain 0	15.35	24	Pass
a_5200MHz_Chain 0	15.23	24	Pass
a_5240MHz_Chain 0	14.07	24	Pass
n20_5180MHz_Chain 0	16.06	24	Pass
n20_5200MHz_Chain 0	15.88	24	Pass
n20_5240MHz_Chain 0	13.07	24	Pass
n40_5190MHz_Chain 0	11.24	24	Pass
n40_5230MHz_Chain 0	9.57	24	Pass
ac80_5210MHz_Chain 0	10.66	24	Pass

**5250-5350 MHz:**

Mode	Average Conducted Output Power (dBm)	Limit (dBm)	Result
a_5260MHz_Chain 0	15.74	24	Pass
a_5280MHz_Chain 0	15.61	24	Pass
a_5320MHz_Chain 0	15.53	24	Pass
n20_5260MHz_Chain 0	15.70	24	Pass
n20_5280MHz_Chain 0	15.65	24	Pass
n20_5320MHz_Chain 0	15.53	24	Pass
n40_5270MHz_Chain 0	12.47	24	Pass
n40_5310MHz_Chain 0	13.23	24	Pass
ac80_5290MHz_Chain 0	11.69	24	Pass

**5470-5725 MHz:**

Mode	Average Conducted Output Power (dBm)	Limit (dBm)	Result
a_5500MHz_Chain 0	9.21	24	Pass
a_5580MHz_Chain 0	8.72	24	Pass
a_5700MHz_Chain 0	9.40	24	Pass
a_5720MHz_Chain 0	9.66	24	Pass
n20_5500MHz_Chain 0	9.21	24	Pass
n20_5580MHz_Chain 0	8.81	24	Pass
n20_5700MHz_Chain 0	9.44	24	Pass
n20_5720MHz_Chain 0	9.70	24	Pass
n40_5500MHz_Chain 0	7.65	24	Pass
n40_5550MHz_Chain 0	7.50	24	Pass
n40_5670MHz_Chain 0	7.70	24	Pass
n40_5710MHz_Chain 0	8.07	24	Pass
ac80_5530MHz_Chain 0	7.88	24	Pass
ac80_5610MHz_Chain 0	7.74	24	Pass
ac80_5690MHz_Chain 0	8.25	24	Pass

<b>5725-5850 MHz</b>			
<b>Mode</b>	<b>Average Conducted Output Power (dBm)</b>	<b>Limit (dBm)</b>	<b>Result</b>
a_5745MHz_Chain 0	15.79	30	Pass
a_5785MHz_Chain 0	16.24	30	Pass
a_5825MHz_Chain 0	15.75	30	Pass
n20_5745MHz_Chain 0	15.82	30	Pass
n20_5785MHz_Chain 0	16.29	30	Pass
n20_5825MHz_Chain 0	15.72	30	Pass
n40_5755MHz_Chain 0	11.73	30	Pass
n40_5795MHz_Chain 0	13.68	30	Pass
ac80_5775MHz_Chain 0	7.88	30	Pass

**5.6 Maximum power spectral density**

<b>Serial No.:</b>	2EB1-1	<b>Test Date:</b>	2024/02/24~2024/04/28
<b>Test Site:</b>	RF	<b>Test Mode:</b>	Transmitting
<b>Tester:</b>	Jojo Zhou	<b>Test Result:</b>	Pass

**Environmental Conditions:**

<b>Temperature:</b> (°C)	23.7~25.6	<b>Relative Humidity:</b> (%)	45~56	<b>ATM Pressure:</b> (kPa)	100.6~101.2
-----------------------------	-----------	----------------------------------	-------	-------------------------------	-------------

**Test Equipment List and Details:**

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSV40	101947	2023/10/18	2024/10/17
Eastsheep	Coaxial Attenuator	5W-N-JK-6G-10dB	F-08-EM502	2023/09/10	2024/09/09

\* *Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*



**Test Data:****5150-5250 MHz:**

Mode	Value (dBm/MHz)	Duty Cycle Factor (dB)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
a_5180MHz_Chain 0	4.37	0.75	5.12	11.00	Pass
a_5200MHz_Chain 0	4.17	0.75	4.92	11.00	Pass
a_5240MHz_Chain 0	2.33	0.75	3.08	11.00	Pass
n20_5180MHz_Chain 0	4.86	0.79	5.65	11.00	Pass
n20_5200MHz_Chain 0	4.83	0.79	5.62	11.00	Pass
n20_5240MHz_Chain 0	4.24	0.79	5.03	11.00	Pass
n40_5190MHz_Chain 0	-1.30	1.47	0.17	11.00	Pass
n40_5230MHz_Chain 0	-2.15	1.47	-0.68	11.00	Pass
ac80_5210MHz_Chain 0	-4.24	2.54	-1.70	11.00	Pass

**5250-5350 MHz:**

Mode	Value (dBm/MHz)	Duty Cycle Factor (dB)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
a_5260MHz_Chain 0	4.54	0.75	5.29	11.00	Pass
a_5280MHz_Chain 0	4.57	0.75	5.32	11.00	Pass
a_5320MHz_Chain 0	4.30	0.75	5.05	11.00	Pass
n20_5260MHz_Chain 0	4.25	0.79	5.04	11.00	Pass
n20_5280MHz_Chain 0	4.33	0.79	5.12	11.00	Pass
n20_5320MHz_Chain 0	4.25	0.79	5.04	11.00	Pass
n40_5270MHz_Chain 0	-1.91	1.47	-0.44	11.00	Pass
n40_5310MHz_Chain 0	-1.66	1.47	-0.19	11.00	Pass
ac80_5290MHz_Chain 0	-5.08	2.54	-2.54	11.00	Pass

**5470-5725 MHz:**


Mode	Value (dBm/MHz)	Duty Cycle Factor (dB)	PSD (dBm/MHz)	Limit (dBm/MHz)	Result
a_5500MHz_Chain 0	-2.82	0.75	-2.07	11.00	Pass
a_5580MHz_Chain 0	-3.30	0.75	-2.55	11.00	Pass
a_5700MHz_Chain 0	-2.62	0.75	-1.87	11.00	Pass
a_5720MHz_Chain 0	-2.50	0.75	-1.75	11.00	Pass
n20_5500MHz_Chain 0	-3.35	0.79	-2.56	11.00	Pass
n20_5580MHz_Chain 0	-3.93	0.79	-3.14	11.00	Pass
n20_5700MHz_Chain 0	-3.26	0.79	-2.47	11.00	Pass
n20_5720MHz_Chain 0	-2.33	0.79	-1.54	11.00	Pass
n40_5510MHz_Chain 0	-7.44	1.47	-5.97	11.00	Pass
n40_5550MHz_Chain 0	-7.91	1.47	-6.44	11.00	Pass
n40_5670MHz_Chain 0	-7.38	1.47	-5.91	11.00	Pass
n40_5710MHz_Chain 0	-7.23	1.47	-5.76	11.00	Pass
ac80_5530MHz_Chain 0	-9.47	2.54	-6.93	11.00	Pass
ac80_5610MHz_Chain 0	-10.76	2.54	-8.22	11.00	Pass
ac80_5690MHz_Chain 0	-8.91	2.54	-6.37	11.00	Pass

**5725-5850 MHz**

Mode	Value (dBm/500kHz)	Duty Cycle Factor (dB)	PSD (dBm/500kHz)	Limit (dBm/500kHz)	Result
a_5745MHz_Chain 0	1.29	0.75	2.04	30.00	Pass
a_5785MHz_Chain 0	2.03	0.75	2.78	30.00	Pass
a_5825MHz_Chain 0	1.69	0.75	2.44	30.00	Pass
n20_5745MHz_Chain 0	1.96	0.79	2.75	30.00	Pass
n20_5785MHz_Chain 0	2.14	0.79	2.93	30.00	Pass
n20_5825MHz_Chain 0	1.73	0.79	2.52	30.00	Pass
n40_5755MHz_Chain 0	-3.43	1.47	-1.96	30.00	Pass
n40_5795MHz_Chain 0	-3.72	1.47	-2.25	30.00	Pass
ac80_5775MHz_Chain 0	-11.01	2.54	-8.47	30.00	Pass


5150-5250 MHz:

a\_5180MHz\_Chain 0




ProjectNo.:XMDN231122-69423E-RF Tester:Jojo Zhou  
Date: 27.FEB.2024 09:09:04

a\_5200MHz\_Chain 0




ProjectNo.:XMDN231122-69423E-RF Tester:Jojo Zhou  
Date: 27.FEB.2024 09:11:16

a\_5240MHz\_Chain 0




ProjectNo.:XMDN231122-69423E-RF Tester:Jojo Zhou  
Date: 28.APR.2024 18:03:00

n20\_5180MHz\_Chain 0




ProjectNo.:XMDN231122-69423E-RF Tester:Jojo Zhou  
Date: 27.FEB.2024 09:11:19

n20\_5200MHz\_Chain 0




ProjectNo.:XMDN231122-69423E-RF Tester:Jojo Zhou  
Date: 27.FEB.2024 09:19:57

n20\_5240MHz\_Chain 0




ProjectNo.:XMDN231122-69423E-RF Tester:Jojo Zhou  
Date: 28.APR.2024 18:03:38

n40\_5190MHz\_Chain 0




ProjectNo.:XMDN231122-69423E-RF Tester:Jojo Zhou  
Date: 27.FEB.2024 09:24:32

n40\_5230MHz\_Chain 0



ProjectNo.:XMDN231122-69423E-RF Tester:Jojo Zhou  
Date: 28.APR.2024 18:04:25

ac80\_5210MHz\_Chain 0



ProjectNo.:XMDN231122-69423E-RF Tester:Jojo Zhou  
Date: 28.APR.2024 18:05:14