BSH HOME APPLIANCES CORPORATION

Request for Modular/Limited Modular Approval

Date: November 23, 2021

Subject: Manufacturer's Declaration for 🛛 - Modular Approval 🗍 - Split Modular Approval 🗍 - Limited Modular Approval - Limited Split Modular Approval


Confidentiality Request for: 2AHES-M2

8 Basic Requirements – FCC Part 15.212(a)(1)			
For Items Marked "NO(*)", the Limited Module Description Must be Filled Out on the	Following	Pages	
Modular Approval Requirement		Requirement Met	
 The modular transmitter must have its own RF shielding. This is intended to ensure that the module does not have to rely upon the shielding provided by the device into which it is installed in order for all modular transmitter emissions to comply with FCC limits. It is also intended to prevent coupling between the RF circuitry of the module and any wires or circuits in the device into which the module is installed. Such coupling may result in non-compliant operation. The physical crystal and tuning capacitors may be located external to the shielded radio elements. 15.212(a)(1)(i) 	🛛 - YES	🗆 - NO(*)	
Details: The module contains a metal shield (SD1000) which covers all RF components and circuit on the top of the board.	ry. The shiel	d is located	
 The modular transmitter must have buffered modulation/data inputs (if such inputs are provided) to ensure that the module will comply with FCC requirements under conditions of excessive data rates or over-modulation. 15.212(a)(1)(ii) 	🛛 - YES	□ - NO(*)	
Details: Data to the modulation circuit is buffered as described in the operational description provid	led with the a	pplication.	
3. The modular transmitter must have its own power supply regulation on the module. This is intended to ensure that the module will comply with FCC requirements regardless of the design of the power supplying circuitry in the device into which the module is installed. 15.212(a)(1)(iii)	🛛 - YES	□ - NO(*)	
Details: The module contains its own power supply regulation. Please refer to schematic filed with t	his applicatio	n.	
4. The modular transmitter must comply with the antenna and transmission system requirements of §§ 15.203, 15.204(b), 15.204(c), 15.212(a), and 2.929(b). The antenna must either be permanently attached or employ a "unique" antenna coupler (at all connections between the module and the antenna, including the cable). The "professional installation" provision of § 15.203 is not applicable to modules but can apply to limited modular approvals under paragraph 15.212(b). 15.212(a)(1)(iv)	⊠ - YES	□ - NO(*)	
Details: The module has its own PCB antenna. Please refer to antenna description filed with this ap	plication.		

BSH HOME APPLIANCES CORPORATION

Company Letterhead.docx

5. The modular transmitter must be tested in a stand-alone configuration, i.e., the module must not be inside another device during testing. This is intended to demonstrate that the module is capable of complying with Part 15 emission limits regardless of the device into which it is eventually installed. Unless the transmitter module will be battery powered, it must comply with the AC line conducted requirements found in Section 15.207. AC or DC power lines and data input/output lines connected to the module must not contain ferrites, unless they will be marketed with the module (see Section 🛛 - YES 15.27(a)). The length of these lines shall be length typical of actual use or, if that length is unknown, at least 10 centimeters to insure that there is no coupling between the case of the module and supporting equipment. Any accessories, peripherals, or support equipment connected to the module during testing shall be unmodified or commercially available (see Section 15.31(i)). 15.212(a)(1)(v)



Details: The module was tested stand-alone as shown in test setup photographs filed with this application.

Head1

Modular Approval Requirement	Requir	ement Met
 6. The modular transmitter must be labeled with its own FCC ID number, or use an electron display (see KDB Publication 784748). If using a permanently affixed label with its own FCC ID number, if the FCC ID is not visible when the module is installed inside another device, then the outside of the device into which the module is installed must also display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains Transmitter Module FCC ID: XYZMODEL1" or "Contains FCC ID: XYZMODEL1." Any similar wording that expresses the same meaning may be used. The Grantee may either provide such a label, an example of which must be included in the application for equipment authorization, or, must provide adequate instructions along with the module which explain this requirement. In the latter case, a copy of these instructions must be included in the application for equipment authorization. If the modular transmitter uses an electronic display of the FCC identification number, the information must be readily accessible and visible on the modular transmitter or on the device in which it is installed. If the module is installed inside another device, then the outside of the device into which the module is installed must display a label referring to the enclosed module. This exterior label can use wording such as the following: "Contains FCC certified transmitter module(s)." Any similar wording that expresses the same meaning may be used. The user manual must include instructions on how to access the electronic display. A copy of these instructions must be included in the application for equipment authorization. 	⊠ - YES	□ - NO(*)
Details: There is a laser marking on the module as shown in the labeling exhibit filed with this app labeling instructions are shown in the installation guide, filed with this application.	lication. Host	specific
7. The modular transmitter must comply with all specific rule or operating requirements applicable to the transmitter, including all the conditions provided in the integration instructions by the grantee. A copy of these instructions must be included in the application for equipment authorization. For example, there are very strict operational and timing requirements that must be met before a transmitter is authorized for operation under Section 15.231. For instance, data transmission is prohibited, except for operation under Section 15.231(e), in which case there are separate field strength level and timing requirements. Compliance with these requirements must be assured. 15.212(a)(1)(vii)	⊠ - YES	□ - NO(*)
Details: The module complies with FCC Part 15C requirements. Instructions to the OEM installer installation guide filed with this application.	are provided i	n the
8. The modular transmitter must comply with any applicable RF exposure requirements. For example, FCC Rules in Sections 2.1091, 2.1093 and specific Sections of Part 15, including 15.319(i), 15.407(f), 15.253(f) and 15.255(g), require that Unlicensed PCS, UNII and millimeter wave devices perform routine environmental evaluation for RF Exposure to demonstrate compliance. In addition, spread spectrum transmitters operating under Section 15.247 are required to address RF Exposure compliance in accordance with Section 15.247(b)(4). Modular transmitters approved under other Sections of Part 15, when necessary, may also need to address certain RF Exposure concerns, typically by providing specific installation and operating instructions for users, installers and other interested parties to ensure compliance. 15.212(a)(1)(viii)	⊠ - YES	□ - NO(*)
Details: the module will be used outside of 20cm from the user, see all details in the MPE report		
Limited Module Description – When Applicable		

* If a module does NOT meet one or more of the above 8 requirements, the applicant may request Limited Modular

Head1

Approval (LMA). This Limited Modular Approval (LMA) is applied with the understanding that the applicant will demonstrate and will retain control over the final installation of the device, such that compliance of the end product is always assured. The operating condition(s) for the LMA; the module is only approved for use when installed in devices produced by grantee. A description regarding how control of the end product, into which the module will be installed, will be maintained by the applicant/manufacturer, such that full compliance of the end product is always ensured should be provided here.

Details: N/A

	Software Considerations - KDB 594280 / KDB 442812 (One of the follo	wing 2 items must be app	olied)
	Requirement	Requirement N	let
1.	For <u>non-Software Defined Radio</u> transmitter modules where software is used to ensure compliance of the device, technical description must be provided about how such control is implemented to ensure prevention of third-party modification; see KDB Publication 594280.	☑ - Provided in Separate Cover Letter	🗆 - N/A
	Details: The firmware of the device can not be modified or adjusted by the end user	as described in the installation	on guide
2.	For <u>Software Defined Radio (SDR)</u> devices, transmitter module applications must provide a software security description; see KDB Publication 442812.	- Provided in Separate Cover Letter	🖾 - N/A
	Details: N/A		

Split Modular Requirements			
Requirement	Provided in Manual		
 For split modular transmitters, specific descriptions for secure communications between front-end and control sections, including authentication and restrictions on third-party modifications; also, instructions to third-party integrators on how control is maintained. 	□ - Provided in Separate Cover Letter	🗆 - N/A	
Details: N/A			

Head1

OEN	Integration Manual Gui	dance – KDB 996369 D03 Section 2		
		ng the Conditions, Limitations, and F ntegrate the module into a host devic		
Requirement				
		⊠ - No.		
Is this module intended for sale to third parties?	🗆 - YES	If No, and LMA applies, the application to not make the following detailed there still needs to be basic integ users manual and the information included in the operational descrimination wishes to keep this info confider separate statement cover letter exp for sale to third parties and that interview.	d info public. However ration instructions for a on below must still be iption. If the applicant tial, this will require a laining the module is no egration instructions are	
ltomo r	anning to be in the man	internal confidential d		
		ual – See KDB 996369 D03, Section 2 ing information to be in the installation		
tranomittar applicants should	include information	heir instructions for all these items in	on manual, wodular	
 List of applicable FCC rules. k a. Only list rules re 	but this should include a DB 996369 D03, Section 2. elated to the transmitter.		 All Items shown to the left are 	
 Conditions such systems, profess 	 e the specific operational use conditions. KDB 996369 D03, Section 2.3 a. Conditions such as limits on antennas, cable loss, reduction of power for point to point systems, professional installation info 			
 3. Limited Module Procedures. KDB 996369 D03, Section 2.4 a. Describe alternative means that the grantee uses to verify the host meets the necessary limiting conditions b. When RF exposure evaluation is necessary, state how control will be maintained such that compliance is ensured, such as Class II for new hosts, etc. 			Modular Integration Guide (or UM) for Full Modular Approval (MA) or LMA.	
 Trace antenna designs. KDB 99 Layout of trace of design verification confidential, the 	96369 D03, Section 2.5 lesign, parts list, antenna, con on, and production test proce	nnectors, isolation requirements, tests for dures for ensuring compliance. If ential must be identified and information	 An LMA applies and is approved ONLY for use by the graptee in their own 	
 RF exposure considerations. KI a. Clearly and expli- module. Two typ define conditions 	DB 996369 D03, Section 2.6 icitly state conditions that all bes of instructions are necess	ow host manufacturers to use the sary: first to the host manufacturer to rom body) and second additional text ost product manuals	grantee in their own products, and not intended for sale to 3 rd parties as provided in a separate cover	
 Antennas. KDB 996369 D03, Se a. List of antennas i instructions when 	ection 2.7 ncluded in the application ar a applicable. The antenna list	nd all applicable professional installer shall also identify the antenna types ni-directional" is not considered a type)	in a separate cover letter. Therefore the information shown to the left is found in the	

Head1

 Label and compliance information. KDB 996369 D03, Section 2.8 	theory of operation.
a. Advice to host integrators that they need to provide a physical or e-label stating	
"Contains FCC ID: " with their finished product	Section of the sectio
 Information on test modes and additional testing requirements. KDB 996369 D03, Section 2.9 	
 Test modes that should be taken into consideration by host integrators including 	
clarifications necessary for stand-alone and simultaneous configurations.	
 Provide information on how to configure test modes for evaluation 	
Additional testing, Part 15 Subpart B disclaimer. KDB 996369 D03, Section 2.10	 Mar. 2, 19
av i son norske stran av stra 🗸 provinskom kan kan stranskom verska (1999). Balani so fra 20. sov at de Balani so stra be	and the second second

By:

Sincerely, (Signature/Title¹)

Mr. Michael Meall

¹ - Must be signed by applicant contact given for applicant on the FCC site, or by the authorized agent if an appropriate authorized agent letter has been provided. Letters should be placed on appropriate letterhead.