







EXHIBIT 2 - EUT EXTERNAL PHOTOGRAPHS

<p>EUT View 1</p>	 A photograph showing the front view of a white, rectangular electronic unit (EUT) with rounded corners. The unit is placed on a blue textured surface. A black ruler with white markings is positioned vertically to the left of the unit, showing measurements in millimeters. The unit features a small semi-circular notch on the left side and two vertical slots on the right side. The ruler markings are visible from 0 to 100 mm.
<p>EUT View 2</p>	 A photograph showing the back view of the same white electronic unit (EUT). The unit is placed on a blue textured surface. A black ruler with white markings is positioned vertically to the left of the unit, showing measurements in millimeters. The back of the unit features three circular components: a larger one at the top and two smaller ones below it. The ruler markings are visible from 0 to 100 mm.

<p>EUT View 3</p>	
<p>EUT View 4</p>	

<p>EUT View 5</p>	 A photograph showing a white, rectangular component with three pins protruding from its top surface. The component is positioned on a blue textured background. To the left of the component is a black ruler with white markings, showing measurements in millimeters. The ruler is oriented vertically, with the 0 mark at the top and the 100 mark at the bottom. The component's height is approximately 20 mm, and its width is approximately 40 mm.
<p>EUT View 6</p>	 A photograph showing the same white, rectangular component from a different perspective. The component is positioned on a blue textured background. To the left of the component is a black ruler with white markings, showing measurements in millimeters. The ruler is oriented vertically, with the 0 mark at the top and the 100 mark at the bottom. The component's height is approximately 20 mm, and its width is approximately 40 mm.