

Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72




Fig.73




Fig.74




Fig.75




Fig.76




Fig.77




Fig.78




Fig.79




Fig.80




Fig.81




Fig.82




Fig.83




Fig.84




Fig.85




Fig.86




Fig.87




Fig.88




Fig.89




Fig.90




Fig.91




Fig.92




Fig.93




Fig.94




Fig.95




Fig.96




Fig.97




Fig.98




Fig.99




Fig.100




Fig.101




Fig.102




Fig.103




Fig.104




Fig.105




Fig.106



Fig.107




Fig.108

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
2	1860	18700	20	1	0	Fig.1
	1880	18900		1	0	Fig.2
	1900	19100		1	0	Fig.3




Fig.1




Fig.2




Fig.3

6 Band Edges Compliance

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
2	1850.7	18607	1.4	1	0	Fig.1
				6	0	Fig.2
	1909.3	19193		1	5	Fig.3
				6	0	Fig.4
	1851.5	18615	3	1	0	Fig.5
				15	0	Fig.6
	1908.5	19185		1	14	Fig.7
				15	0	Fig.8
	1852.5	18625	5	1	0	Fig.9
				25	0	Fig.10
	1907.5	19175		1	24	Fig.11
				25	0	Fig.12
	1855	18650	10	1	0	Fig.13
				50	0	Fig.14
	1905	19150		1	49	Fig.15
				50	0	Fig.16
	1857.5	18675	15	1	0	Fig.17
				75	0	Fig.18
	1902.5	19125		1	74	Fig.19
				75	0	Fig.20
	1860	18700	20	1	0	Fig.21
				100	0	Fig.22
	1900	19100		1	99	Fig.23
				100	0	Fig.24




Fig.1




Fig.2




Fig.3




Fig.4




Fig.5




Fig.6




Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band2 Low Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-10	NV	-0.015	-0.009	-0.020	0.006	0.014	-0.006
0	NV	-0.009	-0.007	-0.023	-0.012	0.015	-0.016
+10	NV	-0.014	-0.007	-0.022	-0.003	-0.004	-0.005
+20	NV	0.000	0.000	0.000	0.000	0.000	0.000
+30	NV	-0.009	-0.007	-0.014	0.013	0.019	0.008
+40	NV	0.000	-0.003	-0.023	-0.018	-0.009	0.005
+50	NV	-0.018	-0.004	-0.024	-0.017	-0.006	-0.013
+55	NV	-0.011	-0.003	-0.018	-0.013	-0.007	-0.010
+20	LV	-0.003	-0.017	-0.020	0.005	-0.005	-0.017
+20	HV	-0.003	-0.016	0.002	0.000	0.013	-0.011

Temperature(°C)	Voltage	Test Result (ppm) Band2 High Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-10	NV	-0.017	0.000	-0.013	-0.009	-0.016	-0.014
0	NV	-0.020	-0.030	-0.010	-0.010	-0.015	-0.012
+10	NV	-0.025	0.003	-0.005	-0.018	-0.010	-0.005
+20	NV	0.000	0.000	0.000	0.000	0.000	0.000
+30	NV	-0.016	-0.014	-0.007	-0.021	-0.013	-0.012
+40	NV	0.001	-0.019	-0.014	-0.016	-0.019	-0.011
+50	NV	-0.019	-0.005	-0.005	-0.022	-0.014	-0.011
+55	NV	-0.014	-0.003	-0.004	-0.018	-0.012	-0.010
+20	LV	-0.009	-0.011	0.001	-0.010	-0.003	-0.012
+20	HV	-0.014	-0.004	-0.013	-0.004	-0.009	-0.002

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1850.7	18607	1.4	1	0	24.28	23.08	0.203
				1	3	24.20	23.00	0.200
				1	5	24.25	23.05	0.202
				3	0	24.13	22.93	0.196
				3	1	24.14	22.94	0.197
				3	3	24.27	23.07	0.203
	6	0		23.05	21.85	0.153		
	1	0		23.86	22.66	0.185		
	1	3		23.92	22.72	0.187		
	1	5		23.90	22.70	0.186		
	3	0		23.39	22.19	0.166		
	3	1		23.43	22.23	0.167		
	3	3		23.42	22.22	0.167		
	6	0		22.44	21.24	0.133		
	1	0		24.00	22.80	0.191		
	1	3		23.83	22.63	0.183		
	1	5		23.88	22.68	0.185		
	3	0		23.01	21.81	0.152		
3	1	23.05	21.85	0.153				
3	3	23.02	21.82	0.152				
6	0	22.18	20.98	0.125				
16QAM	1850.7	18607	1.4	1	0	22.80	21.60	0.145
				1	3	22.86	21.66	0.147
				1	5	22.84	21.64	0.146
				3	0	22.33	21.13	0.130
				3	1	22.37	21.17	0.131
				3	3	22.36	21.16	0.131
	6	0		21.38	20.18	0.104		
	1	0		22.29	21.09	0.129		
	1	3		22.26	21.06	0.128		
	1	5		22.31	21.11	0.129		
	3	0		21.67	20.47	0.111		
	3	1		21.75	20.55	0.114		
	3	3		21.88	20.68	0.117		
	6	0		20.86	19.66	0.092		
	1	0		22.94	21.74	0.149		
	1	3		22.77	21.57	0.144		
	1	5		22.82	21.62	0.145		
	3	0		21.95	20.75	0.119		
3	1	21.99	20.79	0.120				
3	3	21.96	20.76	0.119				
6	0	21.12	19.92	0.098				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1850.7	18607	1.4	1	0	22.35	21.15	0.130
				1	3	22.44	21.24	0.133
				1	5	22.43	21.23	0.133
				3	0	22.43	21.23	0.133
				3	1	22.42	21.22	0.132
				3	3	22.42	21.22	0.132
				6	0	22.42	21.22	0.132
	1880	18900		1	0	21.91	20.71	0.118
				1	3	22.02	20.82	0.121
				1	5	22.10	20.90	0.123
				3	0	22.01	20.81	0.121
				3	1	21.99	20.79	0.120
				3	3	21.99	20.79	0.120
				6	0	22.02	20.82	0.121
	1909.3	19193		1	0	22.28	21.08	0.128
				1	3	22.27	21.07	0.128
				1	5	22.26	21.06	0.128
				3	0	22.25	21.05	0.127
				3	1	22.24	21.04	0.127
				3	3	22.23	21.03	0.127
				6	0	22.23	21.03	0.127

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1851.5	18615	3	1	0	23.88	22.68	0.185
				1	8	23.80	22.60	0.182
				1	14	23.94	22.74	0.188
				8	0	22.98	21.78	0.151
				8	4	22.92	21.72	0.149
				8	7	22.90	21.70	0.148
				15	0	22.91	21.71	0.148
	1880	18900		1	0	23.79	22.59	0.182
				1	8	23.69	22.49	0.177
				1	14	23.82	22.62	0.183
				8	0	22.83	21.63	0.146
				8	4	22.77	21.57	0.144
				8	7	22.77	21.57	0.144
				15	0	22.81	21.61	0.145
	1908.5	19185		1	0	24.07	22.87	0.194
				1	8	24.22	23.02	0.200
				1	14	24.19	22.99	0.199
				8	0	23.18	21.98	0.158
				8	4	23.07	21.87	0.154
				8	7	23.07	21.87	0.154
				15	0	23.15	21.95	0.157
16QAM	1851.5	18615	1	0	23.02	21.82	0.152	
			1	8	22.94	21.74	0.149	
			1	14	22.91	21.71	0.148	
			8	0	22.37	21.17	0.131	
			8	4	22.31	21.11	0.129	
			8	7	22.30	21.10	0.129	
			15	0	22.30	21.10	0.129	
	1880	18900	1	0	23.05	21.85	0.153	
			1	8	23.04	21.84	0.153	
			1	14	23.05	21.85	0.153	
			8	0	22.23	21.03	0.127	
			8	4	22.29	21.09	0.129	
			8	7	22.30	21.10	0.129	
			15	0	21.98	20.78	0.120	
	1908.5	19185	1	0	23.29	22.09	0.162	
			1	8	23.39	22.19	0.166	
			1	14	23.93	22.73	0.187	
			8	0	22.27	21.07	0.128	
			8	4	22.35	21.15	0.130	
			8	7	22.39	21.19	0.132	
			15	0	22.14	20.94	0.124	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1851.5	18615	3	1	0	22.29	21.09	0.129
				1	8	22.29	21.09	0.129
				1	14	22.28	21.08	0.128
				8	0	22.27	21.07	0.128
				8	4	22.27	21.07	0.128
				8	7	22.26	21.06	0.128
				15	0	22.26	21.06	0.128
	1880	18900		1	0	21.98	20.78	0.120
				1	8	21.98	20.78	0.120
				1	14	21.99	20.79	0.120
				8	0	21.98	20.78	0.120
				8	4	21.98	20.78	0.120
				8	7	21.98	20.78	0.120
				15	0	21.98	20.78	0.120
	1908.5	19185		1	0	22.14	20.94	0.124
				1	8	22.19	20.99	0.126
				1	14	22.19	20.99	0.126
				8	0	22.14	20.94	0.124
				8	4	22.19	20.99	0.126
				8	7	22.19	20.99	0.126
				15	0	22.19	20.99	0.126

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
QPSK	1852.5	18625	5	1	0	24.22	23.02	0.200	
				1	12	24.04	22.84	0.192	
				1	24	24.03	22.83	0.192	
				12	0	23.28	22.08	0.161	
				12	7	23.09	21.89	0.155	
				12	13	23.09	21.89	0.155	
				25	0	23.01	21.81	0.152	
	1880	18900		1	0	23.93	22.73	0.187	
				1	12	23.97	22.77	0.189	
				1	24	23.96	22.76	0.189	
				12	0	22.88	21.68	0.147	
				12	7	22.79	21.59	0.144	
				12	13	22.78	21.58	0.144	
				25	0	22.84	21.64	0.146	
	1907.5	19175		1	0	24.01	22.81	0.191	
				1	12	23.96	22.76	0.189	
				1	24	24.05	22.85	0.193	
				12	0	23.11	21.91	0.155	
				12	7	23.08	21.88	0.154	
				12	13	23.18	21.98	0.158	
				25	0	23.14	21.94	0.156	
	16QAM	1852.5		18625	1	0	22.45	21.25	0.133
					1	12	22.30	21.10	0.129
					1	24	22.30	21.10	0.129
12			0		22.26	21.06	0.128		
12			7		22.11	20.91	0.123		
12			13		22.11	20.91	0.123		
25			0		22.29	21.09	0.129		
1880		18900	1	0	23.00	21.80	0.151		
			1	12	23.18	21.98	0.158		
			1	24	23.17	21.97	0.157		
			12	0	21.96	20.76	0.119		
			12	7	21.97	20.77	0.119		
			12	13	21.97	20.77	0.119		
			25	0	21.99	20.79	0.120		
1907.5		19175	1	0	23.13	21.93	0.156		
			1	12	23.20	22.00	0.158		
			1	24	23.10	21.90	0.155		
			12	0	22.00	20.80	0.120		
			12	7	22.04	20.84	0.121		
			12	13	22.07	20.87	0.122		
			25	0	22.15	20.95	0.124		

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1852.5	18625	5	1	0	22.33	21.13	0.130
				1	12	22.25	21.05	0.127
				1	24	22.33	21.13	0.130
				12	0	22.30	21.10	0.129
				12	7	22.33	21.13	0.130
				12	13	22.25	21.05	0.127
				25	0	22.33	21.13	0.130
	1880	18900		1	0	21.99	20.79	0.120
				1	12	21.99	20.79	0.120
				1	24	22.00	20.80	0.120
				12	0	22.00	20.80	0.120
				12	7	22.00	20.80	0.120
				12	13	22.00	20.80	0.120
				25	0	22.00	20.80	0.120
	1907.5	19175		1	0	22.15	20.95	0.124
				1	12	22.05	20.85	0.122
				1	24	22.06	20.86	0.122
				12	0	22.06	20.86	0.122
				12	7	22.06	20.86	0.122
				12	13	22.06	20.86	0.122
				25	0	22.06	20.86	0.122

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1855	18650	10	1	0	24.14	22.94	0.197
				1	25	23.94	22.74	0.188
				1	49	23.95	22.75	0.188
				25	0	22.96	21.76	0.150
				25	12	23.06	21.86	0.153
				25	25	23.06	21.86	0.153
	50	0		23.07	21.87	0.154		
	1880	18900		1	0	23.91	22.71	0.187
				1	25	23.96	22.76	0.189
				1	49	23.99	22.79	0.190
				25	0	22.87	21.67	0.147
				25	12	22.94	21.74	0.149
				25	25	22.94	21.74	0.149
	1905	19150		50	0	22.90	21.70	0.148
				1	0	24.05	22.85	0.193
				1	25	24.16	22.96	0.198
				1	49	24.12	22.92	0.196
				25	0	23.09	21.89	0.155
25			12	23.15	21.95	0.157		
16QAM	1855	18650	25	25	23.15	21.95	0.157	
			50	0	23.09	21.89	0.155	
			1	0	23.67	22.47	0.177	
			1	25	23.48	22.28	0.169	
			1	49	23.49	22.29	0.169	
			25	0	22.15	20.95	0.124	
	1880	18900	25	12	22.16	20.96	0.125	
			25	25	22.16	20.96	0.125	
			50	0	22.15	20.95	0.124	
			1	0	23.01	21.81	0.152	
			1	25	23.69	22.49	0.177	
			1	49	23.68	22.48	0.177	
	1905	19150	25	0	22.01	20.81	0.121	
			25	12	21.96	20.76	0.119	
			25	25	21.97	20.77	0.119	
			50	0	22.01	20.81	0.121	
			1	0	22.92	21.72	0.149	
			1	25	23.15	21.95	0.157	
			1	49	23.01	21.81	0.152	
			25	0	22.44	21.24	0.133	
			25	12	22.37	21.17	0.131	
			25	25	22.37	21.17	0.131	
			50	0	22.22	21.02	0.126	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1855	18650	10	1	0	22.14	20.94	0.124
				1	25	22.15	20.95	0.124
				1	49	22.14	20.94	0.124
				25	0	22.14	20.94	0.124
				25	12	22.15	20.95	0.124
				25	25	22.15	20.95	0.124
				50	0	22.14	20.94	0.124
	1880	18900		1	0	21.97	20.77	0.119
				1	25	22.01	20.81	0.121
				1	49	21.95	20.75	0.119
				25	0	21.94	20.74	0.119
				25	12	21.95	20.75	0.119
				25	25	21.98	20.78	0.120
				50	0	21.95	20.75	0.119
	1905	19150		1	0	22.28	21.08	0.128
				1	25	22.29	21.09	0.129
				1	49	22.23	21.03	0.127
				25	0	22.29	21.09	0.129
				25	12	22.29	21.09	0.129
				25	25	22.34	21.14	0.130
				50	0	22.18	20.98	0.125

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1857.5	18675	15	1	0	23.97	22.77	0.189
				1	37	23.96	22.76	0.189
				1	74	23.98	22.78	0.190
				36	0	23.11	21.91	0.155
				36	29	23.15	21.95	0.157
				36	30	23.16	21.96	0.157
	75	0		23.10	21.90	0.155		
	1	0		23.71	22.51	0.178		
	1	37		23.77	22.57	0.181		
	1	74		23.76	22.56	0.180		
	36	0		22.83	21.63	0.146		
	36	29		22.97	21.77	0.150		
	36	30		22.96	21.76	0.150		
	75	0		22.85	21.65	0.146		
	1	0		23.95	22.75	0.188		
	1	37		24.22	23.02	0.200		
	1	74		24.23	23.03	0.201		
	16QAM	1857.5		18675	15	36	0	23.03
36			29			23.13	21.93	0.156
36			30			23.12	21.92	0.156
75			0			23.07	21.87	0.154
1			0			23.55	22.35	0.172
1			37			23.29	22.09	0.162
1		74	23.37	22.17		0.165		
36		0	22.17	20.97		0.125		
36		29	22.05	20.85		0.122		
36		30	22.04	20.84		0.121		
75		0	22.05	20.85		0.122		
1		0	23.33	22.13		0.163		
1		37	23.33	22.13		0.163		
1		74	23.32	22.12		0.163		
36		0	21.99	20.79		0.120		
36		29	22.00	20.80		0.120		
36		30	21.99	20.79		0.120		
75		0	21.98	20.78		0.120		
1	0	23.77	22.57	0.181				
1	37	24.10	22.90	0.195				
1	74	23.98	22.78	0.190				
36	0	22.17	20.97	0.125				
36	29	22.11	20.91	0.123				
36	30	22.11	20.91	0.123				
75	0	22.24	21.04	0.127				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1857.5	18675	15	1	0	22.05	20.85	0.122
				1	37	22.04	20.84	0.121
				1	74	22.04	20.84	0.121
				36	0	22.15	20.95	0.124
				36	29	22.14	20.94	0.124
				36	30	22.14	20.94	0.124
				75	0	22.02	20.82	0.121
	1880	18900		1	0	21.99	20.79	0.120
				1	37	21.99	20.79	0.120
				1	74	21.99	20.79	0.120
				36	0	21.99	20.79	0.120
				36	29	21.98	20.78	0.120
				36	30	21.98	20.78	0.120
				75	0	21.98	20.78	0.120
	1902.5	19125		1	0	22.24	21.04	0.127
				1	37	22.24	21.04	0.127
				1	74	22.25	21.05	0.127
				36	0	22.25	21.05	0.127
				36	29	22.25	21.05	0.127
				36	30	22.25	21.05	0.127
				75	0	22.25	21.05	0.127

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1860	18700	20	1	0	24.31	23.11	0.205
				1	49	24.06	22.86	0.193
				1	99	24.06	22.86	0.193
				50	0	22.92	21.72	0.149
				50	24	22.95	21.75	0.150
				50	50	22.95	21.75	0.150
	100	0		23.00	21.80	0.151		
	1	0		24.05	22.85	0.193		
	1	49		24.13	22.93	0.196		
	1	99		24.11	22.91	0.195		
	50	0		22.78	21.58	0.144		
	50	24		22.88	21.68	0.147		
	50	50		22.87	21.67	0.147		
	100	0		22.80	21.60	0.145		
	1	0		23.98	22.78	0.190		
	1	49		24.30	23.10	0.204		
	1	99		24.18	22.98	0.199		
	50	0		23.03	21.83	0.152		
50	24	23.19	21.99	0.158				
50	50	23.19	21.99	0.158				
100	0	23.21	22.01	0.159				
16QAM	1860	18700	1	0	23.38	22.18	0.165	
			1	49	23.07	21.87	0.154	
			1	99	23.08	21.88	0.154	
			50	0	22.17	20.97	0.125	
			50	24	22.09	20.89	0.123	
			50	50	22.09	20.89	0.123	
	100	0	22.10	20.90	0.123			
	1	0	22.81	21.61	0.145			
	1	49	22.87	21.67	0.147			
	1	99	22.99	21.79	0.151			
	50	0	22.04	20.84	0.121			
	50	24	22.00	20.80	0.120			
	50	50	22.00	20.80	0.120			
	100	0	21.95	20.75	0.119			
	1	0	23.66	22.46	0.176			
	1	49	23.97	22.77	0.189			
	1	99	23.96	22.76	0.189			
	50	0	22.06	20.86	0.122			
50	24	22.26	21.06	0.128				
50	50	22.27	21.07	0.128				
100	0	22.24	21.04	0.127				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1860	18700	20	1	0	22.10	20.90	0.123
				1	49	22.10	20.90	0.123
				1	99	22.10	20.90	0.123
				50	0	22.11	20.91	0.123
				50	24	22.11	20.91	0.123
				50	50	22.12	20.92	0.124
				100	0	22.11	20.91	0.123
	1880	18900		1	0	21.96	20.76	0.119
				1	49	21.96	20.76	0.119
				1	99	21.96	20.76	0.119
				50	0	21.96	20.76	0.119
				50	24	21.96	20.76	0.119
				50	50	21.96	20.76	0.119
				100	0	21.95	20.75	0.119
	1900	19100		1	0	22.36	21.16	0.131
				1	49	22.25	21.05	0.127
				1	99	22.25	21.05	0.127
				50	0	22.25	21.05	0.127
				50	24	22.25	21.05	0.127
				50	50	22.25	21.05	0.127
				100	0	22.25	21.05	0.127