

Fig.67




Fig.68




Fig.69




Fig.70




Fig.71




Fig.72




Fig.73




Fig.74




Fig.75




Fig.76




Fig.77




Fig.78




Fig.79




Fig.80




Fig.81




Fig.82




Fig.83




Fig.84




Fig.85




Fig.86




Fig.87




Fig.88




Fig.89




Fig.90




Fig.91




Fig.92




Fig.93




Fig.94




Fig.95




Fig.96




Fig.97




Fig.98




Fig.99




Fig.100




Fig.101




Fig.102




Fig.103




Fig.104




Fig.105




Fig.106




Fig.107




Fig.108

5 Spurious Emissions at antenna terminal

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Conducted Spurious Plot
						QPSK
4	1720	20050	20	1	0	Fig.1
	1732.5	20175		1	0	Fig.2
	1745	20300		1	0	Fig.3




Fig.1




Fig.2









Fig.3

6 Band Edges Compliance

Band	Carrier frequency (MHz)	Channel	BW	RB Size	RB Offset	Band Edges Plot
						QPSK
4	1710.7	19957	1.4	1	0	Fig.1
				6	0	Fig.2
	1754.3	20393		1	5	Fig.3
				6	0	Fig.4
	1711.5	19965	3	1	0	Fig.5
				15	0	Fig.6
	1753.5	20385		1	14	Fig.7
				15	0	Fig.8
	1712.5	19975	5	1	0	Fig.9
				25	0	Fig.10
	1752.5	20375		1	24	Fig.11
				25	0	Fig.12
	1715	20000	10	1	0	Fig.13
				50	0	Fig.14
	1750	20350		1	49	Fig.15
				50	0	Fig.16
	1717.5	20025	15	1	0	Fig.17
				75	0	Fig.18
	1747.5	20325		1	74	Fig.19
				75	0	Fig.20
	1720	20050	20	1	0	Fig.21
				100	0	Fig.22
	1745	20300		1	99	Fig.23
				100	0	Fig.24






Fig.7




Fig.8




Fig.9




Fig.10




Fig.11




Fig.12




Fig.13




Fig.14




Fig.15




Fig.16




Fig.17




Fig.18




Fig.19




Fig.20




Fig.21




Fig.22




Fig.23




Fig.24

7 Frequency Stability

Temperature(°C)	Voltage	Test Result (ppm) Band4 Low Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-10	NV	-0.013	-0.016	-0.023	-0.022	-0.019	-0.020
0	NV	-0.026	-0.009	-0.024	-0.012	-0.020	-0.003
+10	NV	-0.015	-0.016	-0.014	-0.013	-0.027	0.001
+20	NV	0.000	0.000	0.000	0.000	0.000	0.000
+30	NV	-0.003	-0.021	-0.007	-0.020	-0.006	0.001
+40	NV	-0.010	-0.026	-0.011	-0.006	-0.015	0.002
+50	NV	-0.004	-0.008	-0.011	-0.008	0.002	-0.007
+55	NV	-0.003	-0.006	-0.010	-0.009	0.006	-0.004
+20	LV	-0.015	-0.021	-0.003	-0.011	-0.021	-0.014
+20	HV	-0.002	-0.016	-0.011	0.001	-0.005	-0.022

Temperature(°C)	Voltage	Test Result (ppm) Band4 High Channel QPSK					
		1.4M	3M	5M	10M	15M	20M
-10	NV	-0.017	-0.019	-0.005	-0.020	-0.021	-0.019
0	NV	-0.006	-0.012	-0.027	-0.003	0.000	-0.012
+10	NV	-0.009	-0.017	-0.007	0.001	0.000	-0.022
+20	NV	0.000	0.000	0.000	0.000	0.000	0.000
+30	NV	-0.022	-0.022	-0.026	-0.001	-0.019	-0.011
+40	NV	-0.017	-0.017	0.000	-0.010	-0.017	-0.008
+50	NV	-0.009	-0.022	-0.022	-0.019	-0.016	-0.022
+55	NV	-0.0011	-0.018	-0.011	-0.014	-0.015	-0.018
+20	LV	0.007	-0.008	-0.016	-0.018	0.001	0.003
+20	HV	-0.016	-0.011	-0.021	-0.007	-0.014	-0.025

8 Effective Radiated Power and Effective Isotropic Radiated Power

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)		
QPSK	1710.7	19957	1.4	1	0	24.12	22.92	0.196		
				1	3	23.99	22.79	0.190		
				1	5	24.02	22.82	0.191		
				3	0	24.15	22.95	0.197		
				3	1	24.11	22.91	0.195		
				3	3	24.10	22.90	0.195		
	1732.5	20175		6	0	22.89	21.69	0.148		
				1	0	24.24	23.04	0.201		
				1	3	24.05	22.85	0.193		
				1	5	24.14	22.94	0.197		
				3	0	24.27	23.07	0.203		
				3	1	24.19	22.99	0.199		
				3	3	24.16	22.96	0.198		
				6	0	22.95	21.75	0.150		
				1754.3	20393	1	0	24.19	22.99	0.199
						1	3	24.01	22.81	0.191
						1	5	24.05	22.85	0.193
						3	0	24.16	22.96	0.198
	3	1				24.14	22.94	0.197		
	3	3				24.17	22.97	0.198		
	16QAM	1710.7		19957	6	0	22.96	21.76	0.150	
					1	0	23.63	22.43	0.175	
					1	3	23.71	22.51	0.178	
					1	5	23.70	22.50	0.178	
3			0		23.12	21.92	0.156			
3			1		23.09	21.89	0.155			
1732.5		20175	3	3	23.18	21.98	0.158			
			6	0	22.28	21.08	0.128			
			1	0	23.60	22.40	0.174			
			1	3	23.61	22.41	0.174			
			1	5	23.62	22.42	0.175			
			3	0	22.81	21.61	0.145			
			1754.3	20393	3	1	22.86	21.66	0.147	
					3	3	22.86	21.66	0.147	
					6	0	22.01	20.81	0.121	
					1	0	23.84	22.64	0.184	
					1	3	23.78	22.58	0.181	
					1	5	23.83	22.63	0.183	
				3	0	23.21	22.01	0.159		
				3	1	22.91	21.71	0.148		
				3	3	22.89	21.69	0.148		
				6	0	22.31	21.11	0.129		

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)	
64QAM	1710.7	19957	1.4	1	0	22.33	21.13	0.130	
				1	3	22.28	21.08	0.128	
				1	5	22.33	21.13	0.130	
				3	0	22.33	21.13	0.130	
				3	1	22.23	21.03	0.127	
				3	3	22.33	21.13	0.130	
	1732.5	20175		6	0	22.34	21.14	0.130	
				1	0	22.00	20.80	0.120	
				1	3	22.12	20.92	0.124	
				1	5	22.03	20.83	0.121	
				3	0	22.10	20.90	0.123	
				3	1	22.10	20.90	0.123	
	1754.3	20393		3	3	22.09	20.89	0.123	
				6	0	22.09	20.89	0.123	
				1	0	22.30	21.10	0.129	
				1	3	22.29	21.09	0.129	
				1	5	22.29	21.09	0.129	
				3	0	22.35	21.15	0.130	
					3	1	22.32	21.12	0.129
					3	3	22.35	21.15	0.130
					6	0	22.34	21.14	0.130

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1711.5	19965	3	1	0	23.98	22.78	0.190
				1	8	23.90	22.70	0.186
				1	14	23.85	22.65	0.184
				8	0	23.01	21.81	0.152
				8	4	22.93	21.73	0.149
				8	7	22.93	21.73	0.149
	15	0		22.97	21.77	0.150		
	1732.5	20175		1	0	23.86	22.66	0.185
				1	8	23.89	22.69	0.186
				1	14	23.88	22.68	0.185
				8	0	22.91	21.71	0.148
				8	4	22.94	21.74	0.149
				8	7	22.94	21.74	0.149
	15	0		22.88	21.68	0.147		
	1753.5	20385		1	0	24.36	23.16	0.207
				1	8	24.40	23.20	0.209
				1	14	24.42	23.22	0.210
				8	0	23.18	21.98	0.158
8			4	23.20	22.00	0.158		
8			7	23.20	22.00	0.158		
15	0	23.24	22.04	0.160				
16QAM	1711.5	19965	1	0	23.45	22.25	0.168	
			1	8	23.40	22.20	0.166	
			1	14	23.39	22.19	0.166	
			8	0	22.31	21.11	0.129	
			8	4	22.35	21.15	0.130	
			8	7	22.35	21.15	0.130	
	15	0	22.07	20.87	0.122			
	1732.5	20175	1	0	23.81	22.61	0.182	
			1	8	23.68	22.48	0.177	
			1	14	23.79	22.59	0.182	
			8	0	22.08	20.88	0.122	
			8	4	22.20	21.00	0.126	
			8	7	22.20	21.00	0.126	
	15	0	21.95	20.75	0.119			
	1753.5	20385	1	0	23.36	22.16	0.164	
			1	8	23.36	22.16	0.164	
			1	14	23.36	22.16	0.164	
			8	0	22.47	21.27	0.134	
8			4	22.51	21.31	0.135		
8			7	22.51	21.31	0.135		
15	0	22.36	21.16	0.131				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1711.5	19965	3	1	0	22.07	20.87	0.122
				1	8	22.07	20.87	0.122
				1	14	22.07	20.87	0.122
				8	0	22.06	20.86	0.122
				8	4	22.06	20.86	0.122
				8	7	22.05	20.85	0.122
				15	0	22.06	20.86	0.122
	1732.5	20175		1	0	22.08	20.88	0.122
				1	8	22.08	20.88	0.122
				1	14	22.08	20.88	0.122
				8	0	22.08	20.88	0.122
				8	4	22.08	20.88	0.122
				8	7	22.08	20.88	0.122
				15	0	22.08	20.88	0.122
	1753.5	20385		1	0	22.35	21.15	0.130
				1	8	22.36	21.16	0.131
				1	14	22.36	21.16	0.131
				8	0	22.32	21.12	0.129
				8	4	22.27	21.07	0.128
				8	7	22.27	21.07	0.128
				15	0	22.28	21.08	0.128

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1712.5	19975	5	1	0	24.05	22.85	0.193
				1	12	23.94	22.74	0.188
				1	24	24.03	22.83	0.192
				12	0	23.05	21.85	0.153
				12	7	22.96	21.76	0.150
				12	13	22.95	21.75	0.150
	25	0		23.00	21.80	0.151		
	1732.5	20175		1	0	23.98	22.78	0.190
				1	12	24.05	22.85	0.193
				1	24	24.05	22.85	0.193
				12	0	22.97	21.77	0.150
				12	7	22.96	21.76	0.150
				12	13	22.96	21.76	0.150
	25	0		23.01	21.81	0.152		
	1752.5	20375		1	0	23.96	22.76	0.189
				1	12	24.04	22.84	0.192
				1	24	24.07	22.87	0.194
				12	0	23.13	21.93	0.156
12			7	23.09	21.89	0.155		
12			13	23.09	21.89	0.155		
25	0	23.17	21.97	0.157				
16QAM	1712.5	19975	1	0	22.34	21.14	0.130	
			1	12	22.27	21.07	0.128	
			1	24	22.27	21.07	0.128	
			12	0	22.05	20.85	0.122	
			12	7	22.07	20.87	0.122	
			12	13	22.12	20.92	0.124	
	25	0	22.24	21.04	0.127			
	1732.5	20175	1	0	23.05	21.85	0.153	
			1	12	23.13	21.93	0.156	
			1	24	22.98	21.78	0.151	
			12	0	22.03	20.83	0.121	
			12	7	22.05	20.85	0.122	
			12	13	22.05	20.85	0.122	
	25	0	22.02	20.82	0.121			
	1752.5	20375	1	0	22.71	21.51	0.142	
			1	12	22.78	21.58	0.144	
			1	24	22.74	21.54	0.143	
			12	0	22.03	20.83	0.121	
12			7	22.10	20.90	0.123		
12			13	22.10	20.90	0.123		
25	0	22.12	20.92	0.124				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1712.5	19975	5	1	0	22.18	20.98	0.125
				1	12	22.24	21.04	0.127
				1	24	22.24	21.04	0.127
				12	0	22.19	20.99	0.126
				12	7	22.24	21.04	0.127
				12	13	22.24	21.04	0.127
				25	0	22.21	21.01	0.126
	1732.5	20175		1	0	22.02	20.82	0.121
				1	12	22.02	20.82	0.121
				1	24	22.03	20.83	0.121
				12	0	22.02	20.82	0.121
				12	7	21.99	20.79	0.120
				12	13	21.92	20.72	0.118
				25	0	22.00	20.80	0.120
	1752.5	20375		1	0	22.12	20.92	0.124
				1	12	22.13	20.93	0.124
				1	24	22.13	20.93	0.124
				12	0	22.13	20.93	0.124
				12	7	22.13	20.93	0.124
				12	13	22.14	20.94	0.124
				25	0	22.38	21.18	0.131

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1715	20000	10	1	0	24.02	22.82	0.191
				1	25	23.86	22.66	0.185
				1	49	23.84	22.64	0.184
				25	0	22.95	21.75	0.150
				25	12	22.87	21.67	0.147
				25	25	22.86	21.66	0.147
	1732.5	20175		50	0	23.07	21.87	0.154
				1	0	23.90	22.70	0.186
				1	25	24.02	22.82	0.191
				1	49	24.02	22.82	0.191
				25	0	22.89	21.69	0.148
				25	12	22.86	21.66	0.147
	1750	20350		25	25	22.86	21.66	0.147
				50	0	22.91	21.71	0.148
				1	0	24.26	23.06	0.202
				1	25	24.35	23.15	0.207
				1	49	24.33	23.13	0.206
				25	0	23.12	21.92	0.156
16QAM	1715	20000	25	12	23.09	21.89	0.155	
			25	25	23.09	21.89	0.155	
			50	0	23.11	21.91	0.155	
			1	0	23.22	22.02	0.159	
			1	25	23.17	21.97	0.157	
			1	49	23.16	21.96	0.157	
	1732.5	20175	25	0	22.11	20.91	0.123	
			25	12	22.07	20.87	0.122	
			25	25	22.07	20.87	0.122	
			50	0	22.15	20.95	0.124	
			1	0	23.02	21.82	0.152	
			1	25	23.08	21.88	0.154	
	1750	20350	1	49	23.05	21.85	0.153	
			25	0	22.17	20.97	0.125	
			25	12	22.17	20.97	0.125	
			25	25	22.15	20.95	0.124	
			50	0	22.07	20.87	0.122	
			1	0	23.06	21.86	0.153	
			1	25	23.00	21.80	0.151	
			1	49	23.03	21.83	0.152	
			25	0	22.43	21.23	0.133	
			25	12	22.41	21.21	0.132	
			25	25	22.41	21.21	0.132	
			50	0	22.36	21.16	0.131	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1715	20000	10	1	0	22.16	20.96	0.125
				1	25	22.15	20.95	0.124
				1	49	22.16	20.96	0.125
				25	0	22.15	20.95	0.124
				25	12	22.15	20.95	0.124
				25	25	22.15	20.95	0.124
				50	0	22.15	20.95	0.124
	1732.5	20175		1	0	22.07	20.87	0.122
				1	25	22.07	20.87	0.122
				1	49	22.07	20.87	0.122
				25	0	22.07	20.87	0.122
				25	12	22.07	20.87	0.122
				25	25	22.07	20.87	0.122
				50	0	22.07	20.87	0.122
	1750	20350		1	0	22.36	21.16	0.131
				1	25	22.36	21.16	0.131
				1	49	22.36	21.16	0.131
				25	0	22.47	21.27	0.134
				25	12	22.19	20.99	0.126
				25	25	22.33	21.13	0.130
				50	0	22.37	21.17	0.131

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1717.5	20025	15	1	0	23.97	22.77	0.189
				1	37	23.75	22.55	0.180
				1	74	23.82	22.62	0.183
				36	0	23.07	21.87	0.154
				36	29	22.93	21.73	0.149
				36	30	22.93	21.73	0.149
				75	0	22.93	21.73	0.149
	1732.5	20175		1	0	24.03	22.83	0.192
				1	37	23.98	22.78	0.190
				1	74	23.99	22.79	0.190
				36	0	22.97	21.77	0.150
				36	29	22.93	21.73	0.149
				36	30	22.93	21.73	0.149
				75	0	22.95	21.75	0.150
	1747.5	20325		1	0	24.09	22.89	0.195
				1	37	24.19	22.99	0.199
				1	74	24.23	23.03	0.201
				36	0	23.13	21.93	0.156
				36	29	23.06	21.86	0.153
				36	30	23.06	21.86	0.153
				75	0	23.20	22.00	0.158
16QAM	1717.5	20025	1	0	23.47	22.27	0.169	
			1	37	23.29	22.09	0.162	
			1	74	23.33	22.13	0.163	
			36	0	21.99	20.79	0.120	
			36	29	21.95	20.75	0.119	
			36	30	21.95	20.75	0.119	
			75	0	22.07	20.87	0.122	
	1732.5	20175	1	0	23.07	21.87	0.154	
			1	37	23.12	21.92	0.156	
			1	74	23.12	21.92	0.156	
			36	0	22.13	20.93	0.124	
			36	29	22.12	20.92	0.124	
			36	30	22.12	20.92	0.124	
			75	0	22.03	20.83	0.121	
	1747.5	20325	1	0	23.48	22.28	0.169	
			1	37	23.56	22.36	0.172	
			1	74	23.55	22.35	0.172	
			36	0	22.19	20.99	0.126	
			36	29	22.25	21.05	0.127	
			36	30	22.26	21.06	0.128	
			75	0	22.14	20.94	0.124	

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1717.5	20025	15	1	0	21.92	20.72	0.118
				1	37	22.12	20.92	0.124
				1	74	22.12	20.92	0.124
				36	0	22.13	20.93	0.124
				36	29	22.12	20.92	0.124
				36	30	22.12	20.92	0.124
				75	0	22.12	20.92	0.124
	1732.5	20175		1	0	22.02	20.82	0.121
				1	37	22.02	20.82	0.121
				1	74	22.02	20.82	0.121
				36	0	22.03	20.83	0.121
				36	29	22.02	20.82	0.121
				36	30	22.02	20.82	0.121
				75	0	22.02	20.82	0.121
	1747.5	20325		1	0	22.14	20.94	0.124
				1	37	22.14	20.94	0.124
				1	74	22.15	20.95	0.124
				36	0	22.19	20.99	0.126
				36	29	22.31	21.11	0.129
				36	30	22.15	20.95	0.124
				75	0	22.27	21.07	0.128

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
QPSK	1720	20050	20	1	0	24.11	22.91	0.195
				1	49	24.22	23.02	0.200
				1	99	24.20	23.00	0.200
				50	0	22.95	21.75	0.150
				50	24	23.01	21.81	0.152
				50	50	23.05	21.85	0.153
	100	0		23.03	21.83	0.152		
	1732.5	20175		1	0	24.07	22.87	0.194
				1	49	24.15	22.95	0.197
				1	99	24.15	22.95	0.197
				50	0	22.91	21.71	0.148
				50	24	22.99	21.79	0.151
				50	50	23.00	21.80	0.151
	100	0		23.02	21.82	0.152		
	1745	20300		1	0	24.03	22.83	0.192
				1	49	24.55	23.35	0.216
				1	99	24.54	23.34	0.216
				50	0	23.04	21.84	0.153
50			24	23.18	21.98	0.158		
50			50	23.18	21.98	0.158		
100	0	23.09	21.89	0.155				
16QAM	1720	20050	1	0	23.70	22.50	0.178	
			1	49	23.60	22.40	0.174	
			1	99	23.55	22.35	0.172	
			50	0	22.00	20.80	0.120	
			50	24	22.00	20.80	0.120	
			50	50	21.99	20.79	0.120	
	100	0	22.18	20.98	0.125			
	1732.5	20175	1	0	22.84	21.64	0.146	
			1	49	22.97	21.77	0.150	
			1	99	22.98	21.78	0.151	
			50	0	22.00	20.80	0.120	
			50	24	22.14	20.94	0.124	
			50	50	22.15	20.95	0.124	
	100	0	22.08	20.88	0.122			
	1745	20300	1	0	23.67	22.47	0.177	
			1	49	23.86	22.66	0.185	
			1	99	23.87	22.67	0.185	
			50	0	22.14	20.94	0.124	
50			24	22.40	21.20	0.132		
50			50	22.32	21.12	0.129		
100	0	22.06	20.86	0.122				

Modulation	Carrier frequency (MHz)	UL Channel	BW	RB Size	RB Offset	Conduct ed power (dBm)	ERP/ EIRP (dBm)	ERP/ EIRP (W)
64QAM	1720	20050	20	1	0	22.18	20.98	0.125
				1	49	22.16	20.96	0.125
				1	99	22.16	20.96	0.125
				50	0	22.15	20.95	0.124
				50	24	22.15	20.95	0.124
				50	50	22.15	20.95	0.124
				100	0	22.02	20.82	0.121
	1732.5	20175		1	0	22.07	20.87	0.122
				1	49	22.07	20.87	0.122
				1	99	22.06	20.86	0.122
				50	0	22.06	20.86	0.122
				50	24	22.06	20.86	0.122
				50	50	22.07	20.87	0.122
				100	0	22.07	20.87	0.122
	1745	20300		1	0	22.09	20.89	0.123
				1	49	22.24	21.04	0.127
				1	99	22.07	20.87	0.122
				50	0	22.07	20.87	0.122
				50	24	22.08	20.88	0.122
				50	50	22.09	20.89	0.123
				100	0	22.09	20.89	0.123