


A.6 Conducted Spurious Emission

ANTENNA 0

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	364.941	-71.39	-27	Pass	9699
1000	5150	1	Peak	5132.996	-40.18	-27	Pass	4150
5150	5350	1	Peak	5177	10.4	24	Pass	401
5350	10300	1	Peak	6906.314	-29.03	-27	Pass	4950
10300	10700	1	Peak	10677	-41.43	-27	Pass	401
10700	25000	1	Peak	24599.935	-37.78	-27	Pass	14300



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	480.555	-71.04	-27	Pass	9699
1000	5150	1	Peak	4808.918	-40.6	-27	Pass	4150
5150	5350	1	Peak	5222.5	10.44	24	Pass	401
5350	10300	1	Peak	6960.325	-29.93	-27	Pass	4950
10300	10700	1	Peak	10694	-41.76	-27	Pass	401
10700	25000	1	Peak	24987.998	-37.58	-27	Pass	14300



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	870.729	-70.73	-27	Pass	9699
1000	5150	1	Peak	3341.564	-40.83	-27	Pass	4150
5150	5350	1	Peak	5237	10.48	24	Pass	401
5350	10300	1	Peak	6986.331	-30.14	-27	Pass	4950
10300	10700	1	Peak	10532	-41.68	-27	Pass	401
10700	25000	1	Peak	24878.98	-37.17	-27	Pass	14300



4. 802.11a_20M_Band2_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	876.536	-71.08	-27	Pass	9699
1000	5150	1	Peak	4877.934	-40.57	-27	Pass	4150
5150	5350	1	Peak	5257	10.64	24	Pass	401
5350	10300	1	Peak	7013.336	-30.51	-27	Pass	4950
10300	10700	1	Peak	10684	-40.76	-27	Pass	401
10700	25000	1	Peak	14194.427	-38.08	-27	Pass	14300



5. 802.11a_20M_Band2_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	378.943	-71.24	-27	Pass	9699
1000	5150	1	Peak	4933.948	-41.35	-27	Pass	4150
5150	5350	1	Peak	5297.5	10.31	24	Pass	401
5350	10300	1	Peak	7066.347	-30.36	-27	Pass	4950
10300	10700	1	Peak	10520	-41.83	-27	Pass	401
10700	25000	1	Peak	24585.932	-37.85	-27	Pass	14300



6. 802.11a_20M_Band2_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	625.273	-70.92	-27	Pass	9699
1000	5150	1	Peak	3273.548	-41.12	-27	Pass	4150
5150	5350	1	Peak	5322	10.57	24	Pass	401
5350	10300	1	Peak	7093.352	-30.41	-27	Pass	4950
10300	10700	1	Peak	10613	-41.81	-27	Pass	401
10700	25000	1	Peak	24919.987	-37.73	-27	Pass	14300



7. 802.11a_20M_Band3_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	611.871	-71.09	-27	Pass	9699
1000	5470	1	Peak	5460.998	-39.68	-27	Pass	4470
5470	5725	1	Peak	5501.238	10.6	24	Pass	401
5725	10940	1	Peak	7333.308	-33	-27	Pass	5215
10940	11450	1	Peak	11257.623	-41.43	-27	Pass	510
11450	25000	1	Peak	24882.978	-37.79	-27	Pass	13550



8. 802.11a_20M_Band3_M

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	608.271	-71	-27	Pass	9699
1000	5470	1	Peak	3268.507	-41.02	-27	Pass	4470
5470	5725	1	Peak	5582.2	10.75	24	Pass	401
5725	10940	1	Peak	7440.329	-34.12	-27	Pass	5215
10940	11450	1	Peak	10962.043	-41.53	-27	Pass	510
11450	25000	1	Peak	24970.995	-37.47	-27	Pass	13550



9. 802.11a_20M_Band3_H

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	835.598	-71.29	-27	Pass	9699
1000	5470	1	Peak	3242.502	-40.88	-27	Pass	4470
5470	5725	1	Peak	5697.588	10.5	24	Pass	401
5725	10940	1	Peak	7600.36	-35.66	-27	Pass	5215
10940	11450	1	Peak	11221.552	-41.6	-27	Pass	510
11450	25000	1	Peak	24882.978	-37.58	-27	Pass	13550



10. 802.11a_20M_Band4_L

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	494.757	-71.39	-27	Pass	9699
1000	5650	1	Peak	3242.482	-41.17	-27	Pass	4650
5650	5700	1	Peak	5650.375	-42.12	-26.72	Pass	401
5700	5720	1	Peak	5700.2	-40.14	10.06	Pass	401
5720	5725	1	Peak	5720.275	-39.88	16.23	Pass	401
5725	5850	1	Peak	5742.188	10.32	30	Pass	401
5850	5855	1	Peak	5854.713	-43.21	16.26	Pass	401
5855	5875	1	Peak	5874.6	-42.85	10.11	Pass	401
5875	5925	1	Peak	5924.625	-43.24	-26.72	Pass	401
5925	25000	1	Peak	7660.212	-36.73	-27	Pass	19075



11. 802.11a_20M_Band4_M

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	473.254	-71.25	-27	Pass	9699
1000	5650	1	Peak	3230.48	-41.28	-27	Pass	4650
5650	5700	1	Peak	5650.75	-43.18	-26.45	Pass	401
5700	5720	1	Peak	5701.1	-42.92	10.31	Pass	401
5720	5725	1	Peak	5720.013	-41.68	15.63	Pass	401
5725	5850	1	Peak	5782.188	10.81	30	Pass	401
5850	5855	1	Peak	5854.95	-42.91	15.71	Pass	401
5855	5875	1	Peak	5874.85	-43.27	10.04	Pass	401
5875	5925	1	Peak	5924.75	-43.28	-26.81	Pass	401
5925	25000	1	Peak	7713.218	-37.36	-27	Pass	19075



12. 802.11a_20M_Band4_H

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	897.965	-62.8	-27	Pass	9699
1000	5650	1	Peak	4754.807	-40.65	-27	Pass	4650
5650	5700	1	Peak	5650.25	-43.66	-26.82	Pass	401
5700	5720	1	Peak	5702.85	-42.35	10.8	Pass	401
5720	5725	1	Peak	5720.213	-42.25	16.08	Pass	401
5725	5850	1	Peak	5822.188	10.45	30	Pass	401
5850	5855	1	Peak	5854.875	-40.54	15.88	Pass	401
5855	5875	1	Peak	5874.4	-41.8	10.17	Pass	401
5875	5925	1	Peak	5924.125	-41.81	-26.35	Pass	401
5925	25000	1	Peak	7766.225	-37.76	-27	Pass	19075



13. 802.11ac_20M_Band1_L

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	830.998	-70.49	-27	Pass	9699
1000	5150	1	Peak	5133.996	-40.14	-27	Pass	4150
5150	5350	1	Peak	5177.5	10.29	24	Pass	401
5350	10300	1	Peak	6906.314	-29.06	-27	Pass	4950
10300	10700	1	Peak	10361	-41.82	-27	Pass	401
10700	25000	1	Peak	13673.363	-36.74	-27	Pass	14300



14. 802.11ac_20M_Band1_M

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	358.24	-70.93	-27	Pass	9699
1000	5150	1	Peak	3275.548	-40.37	-27	Pass	4150
5150	5350	1	Peak	5217.5	10.4	24	Pass	401
5350	10300	1	Peak	6960.325	-30.64	-27	Pass	4950
10300	10700	1	Peak	10617	-41.57	-27	Pass	401
10700	25000	1	Peak	24301.886	-37.86	-27	Pass	14300



15. 802.11ac_20M_Band1_H

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	243.626	-71.06	-27	Pass	9699
1000	5150	1	Peak	3289.552	-40.83	-27	Pass	4150
5150	5350	1	Peak	5237.5	10.39	24	Pass	401
5350	10300	1	Peak	6986.331	-30.63	-27	Pass	4950
10300	10700	1	Peak	10480	-41.06	-27	Pass	401
10700	25000	1	Peak	14193.426	-37.83	-27	Pass	14300



16. 802.11ac_20M_Band2_L

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	490.356	-71.17	-27	Pass	9699
1000	5150	1	Peak	3290.552	-40.25	-27	Pass	4150
5150	5350	1	Peak	5257.5	10.43	24	Pass	401
5350	10300	1	Peak	7013.336	-30.89	-27	Pass	4950
10300	10700	1	Peak	10389	-41.87	-27	Pass	401
10700	25000	1	Peak	24967.995	-37.28	-27	Pass	14300



17. 802.11ac_20M_Band2_M

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	432.349	-71.19	-27	Pass	9699
1000	5150	1	Peak	3296.553	-41.55	-27	Pass	4150
5150	5350	1	Peak	5297.5	10.53	24	Pass	401
5350	10300	1	Peak	7067.347	-30.7	-27	Pass	4950
10300	10700	1	Peak	10584	-41.83	-27	Pass	401
10700	25000	1	Peak	14202.428	-36.83	-27	Pass	14300



18. 802.11ac_20M_Band2_H

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	848.8	-71.46	-27	Pass	9699
1000	5150	1	Peak	3208.532	-41.4	-27	Pass	4150
5150	5350	1	Peak	5317.5	10.29	24	Pass	401
5350	10300	1	Peak	7093.352	-30.52	-27	Pass	4950
10300	10700	1	Peak	10682	-41.28	-27	Pass	401
10700	25000	1	Peak	24406.903	-38.01	-27	Pass	14300



19. 802.11ac_20M_Band3_L

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	368.541	-70.22	-27	Pass	9699
1000	5470	1	Peak	5462.998	-40.41	-27	Pass	4470
5470	5725	1	Peak	5497.413	10.46	24	Pass	401
5725	10940	1	Peak	7333.308	-33.53	-27	Pass	5215
10940	11450	1	Peak	11292.692	-41.33	-27	Pass	510
11450	25000	1	Peak	13684.273	-38.02	-27	Pass	13550



20. 802.11ac_20M_Band3_M

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	629.173	-71.28	-27	Pass	9699
1000	5470	1	Peak	3306.516	-41.16	-27	Pass	4470
5470	5725	1	Peak	5577.738	10.68	24	Pass	401
5725	10940	1	Peak	7440.329	-34.49	-27	Pass	5215
10940	11450	1	Peak	11284.676	-41.65	-27	Pass	510
11450	25000	1	Peak	14205.336	-36.8	-27	Pass	13550



21. 802.11ac_20M_Band3_H

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	249.927	-70.54	-27	Pass	9699
1000	5470	1	Peak	3281.51	-41.14	-27	Pass	4470
5470	5725	1	Peak	5697.588	10.52	24	Pass	401
5725	10940	1	Peak	7600.36	-35.77	-27	Pass	5215
10940	11450	1	Peak	11233.576	-41.64	-27	Pass	510
11450	25000	1	Peak	14215.338	-37.83	-27	Pass	13550



22. 802.11ac_20M_Band4_L

22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	425.148	-64.45	-27	Pass	9699
1000	5650	1	Peak	3304.496	-34.6	-27	Pass	4650
5650	5700	1	Peak	5650.25	-36.62	-26.82	Pass	401
5700	5720	1	Peak	5704.7	-33.06	11.32	Pass	401
5720	5725	1	Peak	5720.038	-33.4	15.69	Pass	401
5725	5850	1	Peak	5742.188	17.03	30	Pass	401
5850	5855	1	Peak	5854.85	-36.96	15.94	Pass	401
5855	5875	1	Peak	5874.8	-36.9	10.06	Pass	401
5875	5925	1	Peak	5925	-36.98	-27	Pass	401
5925	25000	1	Peak	7660.212	-29.88	-27	Pass	19075



23. 802.11ac_20M_Band4_M

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	411.147	-64.72	-27	Pass	9699
1000	5650	1	Peak	3328.501	-34.42	-27	Pass	4650
5650	5700	1	Peak	5650.25	-36.99	-26.82	Pass	401
5700	5720	1	Peak	5700.6	-35.53	10.17	Pass	401
5720	5725	1	Peak	5720.038	-35.28	15.69	Pass	401
5725	5850	1	Peak	5782.813	16.86	30	Pass	401
5850	5855	1	Peak	5854.95	-35.24	15.71	Pass	401
5855	5875	1	Peak	5873	-36.55	10.56	Pass	401
5875	5925	1	Peak	5925	-37.08	-27	Pass	401
5925	25000	1	Peak	7713.218	-30.28	-27	Pass	19075



24. 802.11ac_20M_Band4_H

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	364.541	-64.35	-27	Pass	9699
1000	5650	1	Peak	3362.508	-34.82	-27	Pass	4650
5650	5700	1	Peak	5651.125	-36.85	-26.17	Pass	401
5700	5720	1	Peak	5700	-36.32	10	Pass	401
5720	5725	1	Peak	5720.163	-35.85	15.97	Pass	401
5725	5850	1	Peak	5822.5	17.01	30	Pass	401
5850	5855	1	Peak	5854.9	-33.96	15.83	Pass	401
5855	5875	1	Peak	5873.7	-35.24	10.36	Pass	401
5875	5925	1	Peak	5925	-37.26	-27	Pass	401
5925	25000	1	Peak	7766.225	-30.43	-27	Pass	19075



25. 802.11n_20M_Band1_L

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	373.342	-70.81	-27	Pass	9699
1000	5150	1	Peak	5136.997	-39.25	-27	Pass	4150
5150	5350	1	Peak	5178	9.78	24	Pass	401
5350	10300	1	Peak	6907.315	-28.71	-27	Pass	4950
10300	10700	1	Peak	10642	-41.84	-27	Pass	401
10700	25000	1	Peak	14712.49	-37.96	-27	Pass	14300



26. 802.11n_20M_Band1_M

26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	418.047	-71.48	-27	Pass	9699
1000	5150	1	Peak	4877.934	-40.6	-27	Pass	4150
5150	5350	1	Peak	5218.5	9.96	24	Pass	401
5350	10300	1	Peak	6960.325	-29.95	-27	Pass	4950
10300	10700	1	Peak	10575	-41.83	-27	Pass	401
10700	25000	1	Peak	24885.981	-37.65	-27	Pass	14300



27. 802.11n_20M_Band1_H

27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	337.838	-71.23	-27	Pass	9699
1000	5150	1	Peak	3328.561	-41.33	-27	Pass	4150
5150	5350	1	Peak	5239	9.99	24	Pass	401
5350	10300	1	Peak	6986.331	-30.1	-27	Pass	4950
10300	10700	1	Peak	10375	-41.49	-27	Pass	401
10700	25000	1	Peak	24857.977	-37.85	-27	Pass	14300



28. 802.11n_20M_Band2_L

28.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	825.697	-71.26	-27	Pass	9699
1000	5150	1	Peak	3302.555	-41.06	-27	Pass	4150
5150	5350	1	Peak	5263	10.02	24	Pass	401
5350	10300	1	Peak	7013.336	-30.35	-27	Pass	4950
10300	10700	1	Peak	10695	-41.55	-27	Pass	401
10700	25000	1	Peak	14203.428	-37.18	-27	Pass	14300



29. 802.11n_20M_Band2_M

29.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	773.891	-71.56	-27	Pass	9699
1000	5150	1	Peak	3263.545	-40.85	-27	Pass	4150
5150	5350	1	Peak	5302.5	10.09	24	Pass	401
5350	10300	1	Peak	7066.347	-30.8	-27	Pass	4950
10300	10700	1	Peak	10676	-42.13	-27	Pass	401
10700	25000	1	Peak	24694.95	-37.83	-27	Pass	14300



30. 802.11n_20M_Band2_H

30.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	157.116	-71.48	-27	Pass	9699
1000	5150	1	Peak	4232.779	-41.22	-27	Pass	4150
5150	5350	1	Peak	5322.5	10.06	24	Pass	401
5350	10300	1	Peak	7093.352	-30.95	-27	Pass	4950
10300	10700	1	Peak	10383	-42.11	-27	Pass	401
10700	25000	1	Peak	24928.988	-37.62	-27	Pass	14300



31. 802.11n_20M_Band3_L

31.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	551.364	-71.02	-27	Pass	9699
1000	5470	1	Peak	5468	-40.49	-27	Pass	4470
5470	5725	1	Peak	5501.238	10.12	24	Pass	401
5725	10940	1	Peak	7333.308	-33.33	-27	Pass	5215
10940	11450	1	Peak	11285.678	-42.03	-27	Pass	510
11450	25000	1	Peak	24147.841	-37.25	-27	Pass	13550



32. 802.11n_20M_Band3_M

32.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	763.49	-64.73	-27	Pass	9699
1000	5470	1	Peak	3272.508	-34.6	-27	Pass	4470
5470	5725	1	Peak	5579.013	16.9	24	Pass	401
5725	10940	1	Peak	7440.329	-28.44	-27	Pass	5215
10940	11450	1	Peak	11307.721	-35.01	-27	Pass	510
11450	25000	1	Peak	14182.334	-31.11	-27	Pass	13550



33. 802.11n_20M_Band3_H

33.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	430.749	-64.5	-27	Pass	9699
1000	5470	1	Peak	3268.507	-34.72	-27	Pass	4470
5470	5725	1	Peak	5696.95	16.55	24	Pass	401
5725	10940	1	Peak	7600.36	-29.91	-27	Pass	5215
10940	11450	1	Peak	11294.695	-34.58	-27	Pass	510
11450	25000	1	Peak	24916.985	-31.28	-27	Pass	13550



34. 802.11n_20M_Band4_L

34.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	990.988	-64.57	-27	Pass	9699
1000	5650	1	Peak	4899.839	-34.36	-27	Pass	4650
5650	5700	1	Peak	5650.5	-35.59	-26.63	Pass	401
5700	5720	1	Peak	5700.9	-34	10.25	Pass	401
5720	5725	1	Peak	5720.2	-32.91	16.06	Pass	401
5725	5850	1	Peak	5743.125	16.52	30	Pass	401
5850	5855	1	Peak	5854.825	-36.67	16	Pass	401
5855	5875	1	Peak	5874.4	-37.44	10.17	Pass	401
5875	5925	1	Peak	5924.75	-36.35	-26.81	Pass	401
5925	25000	1	Peak	7660.212	-30.55	-27	Pass	19075



35. 802.11n_20M_Band4_M

35.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	363.541	-65.16	-27	Pass	9699
1000	5650	1	Peak	3271.488	-34.15	-27	Pass	4650
5650	5700	1	Peak	5650.75	-37.04	-26.45	Pass	401
5700	5720	1	Peak	5701.6	-35.74	10.45	Pass	401
5720	5725	1	Peak	5720.025	-35.56	15.66	Pass	401
5725	5850	1	Peak	5784.375	16.78	30	Pass	401
5850	5855	1	Peak	5854.7	-35.35	16.28	Pass	401
5855	5875	1	Peak	5874.1	-36.51	10.25	Pass	401
5875	5925	1	Peak	5925	-36.33	-27	Pass	401
5925	25000	1	Peak	7713.218	-30.6	-27	Pass	19075



36. 802.11n_20M_Band4_H

36.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	478.955	-64.87	-27	Pass	9699
1000	5650	1	Peak	3159.464	-34.63	-27	Pass	4650
5650	5700	1	Peak	5650	-36.2	-27	Pass	401
5700	5720	1	Peak	5700.45	-35.88	10.13	Pass	401
5720	5725	1	Peak	5720.125	-35.67	15.88	Pass	401
5725	5850	1	Peak	5823.125	16.61	30	Pass	401
5850	5855	1	Peak	5854.863	-34.44	15.91	Pass	401
5855	5875	1	Peak	5872.5	-34.6	10.7	Pass	401
5875	5925	1	Peak	5924.875	-36.85	-26.91	Pass	401
5925	25000	1	Peak	14692.07	-30.83	-27	Pass	19075



37. 802.11ac_40M_Band1_L

37.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	388.844	-71.05	-27	Pass	9699
1000	5150	1	Peak	5125.994	-37.9	-27	Pass	4150
5150	5350	1	Peak	5225.5	8.1	24	Pass	401
5350	10300	1	Peak	6973.328	-29.44	-27	Pass	4950
10300	10700	1	Peak	10376	-41.7	-27	Pass	401
10700	25000	1	Peak	13701.366	-37.53	-27	Pass	14300



38. 802.11ac_40M_Band1_H

38.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	878.539	-71.49	-27	Pass	9699
1000	5150	1	Peak	5140.998	-37.29	-27	Pass	4150
5150	5350	1	Peak	5225.5	8.29	24	Pass	401
5350	10300	1	Peak	6973.328	-29.82	-27	Pass	4950
10300	10700	1	Peak	10686	-41.52	-27	Pass	401
10700	25000	1	Peak	24923.988	-38.08	-27	Pass	14300



39. 802.11ac_40M_Band2_L

39.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	397.845	-70.96	-27	Pass	9699
1000	5150	1	Peak	5135.997	-38.68	-27	Pass	4150
5150	5350	1	Peak	5265.5	8.26	24	Pass	401
5350	10300	1	Peak	7027.339	-30.22	-27	Pass	4950
10300	10700	1	Peak	10650	-41.45	-27	Pass	401
10700	25000	1	Peak	24374.898	-37.11	-27	Pass	14300



40. 802.11ac_40M_Band2_H

40.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	430.749	-70.74	-27	Pass	9699
1000	5150	1	Peak	3319.559	-41.38	-27	Pass	4150
5150	5350	1	Peak	5305.5	8.19	24	Pass	401
5350	10300	1	Peak	5350	-29.6	-27	Pass	4950
10300	10700	1	Peak	10524	-42.03	-27	Pass	401
10700	25000	1	Peak	24832.973	-38.18	-27	Pass	14300



41. 802.11ac_40M_Band3_L

41.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	853.105	-64.62	-27	Pass	9699
1000	5470	1	Peak	5470	-27.87	-27	Pass	4470
5470	5725	1	Peak	5505.7	14.91	24	Pass	401
5725	10940	1	Peak	7346.311	-27.82	-27	Pass	5215
10940	11450	1	Peak	10977.073	-34.67	-27	Pass	510
11450	25000	1	Peak	14206.336	-31.46	-27	Pass	13550



42. 802.11ac_40M_Band3_H

42.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	327.336	-71.24	-27	Pass	9699
1000	5470	1	Peak	5463.999	-32.49	-27	Pass	4470
5470	5725	1	Peak	5505.7	8.26	24	Pass	401
5725	10940	1	Peak	7346.311	-33.33	-27	Pass	5215
10940	11450	1	Peak	10969.057	-41.52	-27	Pass	510
11450	25000	1	Peak	24983.997	-37.35	-27	Pass	13550



43. 802.11ac_40M_Band4_L

43.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	343.638	-64.81	-27	Pass	9699
1000	5650	1	Peak	5635.997	-33.13	-27	Pass	4650
5650	5700	1	Peak	5651.125	-29.75	-26.17	Pass	401
5700	5720	1	Peak	5702.25	-23.78	10.63	Pass	401
5720	5725	1	Peak	5720.05	-19.41	15.71	Pass	401
5725	5850	1	Peak	5750.313	14.73	30	Pass	401
5850	5855	1	Peak	5854.538	-30.26	16.65	Pass	401
5855	5875	1	Peak	5869.85	-30.71	11.44	Pass	401
5875	5925	1	Peak	5924.125	-34.19	-26.35	Pass	401
5925	25000	1	Peak	7673.213	-30.43	-27	Pass	19075



44. 802.11ac_40M_Band4_H

44.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	427.148	-64.91	-27	Pass	9699
1000	5650	1	Peak	5628.995	-34.13	-27	Pass	4650
5650	5700	1	Peak	5650.125	-32.55	-26.91	Pass	401
5700	5720	1	Peak	5700.95	-29.08	10.27	Pass	401
5720	5725	1	Peak	5720.088	-27.47	15.8	Pass	401
5725	5850	1	Peak	5790.313	14.66	30	Pass	401
5850	5855	1	Peak	5854.638	-25.06	16.43	Pass	401
5855	5875	1	Peak	5875	-28.72	10	Pass	401
5875	5925	1	Peak	5924.875	-32.77	-26.91	Pass	401
5925	25000	1	Peak	7726.22	-30.42	-27	Pass	19075



45. 802.11ac_80M_Band1_M

45.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	508.758	-71.72	-27	Pass	9699
1000	5150	1	Peak	5145.999	-37.27	-27	Pass	4150
5150	5350	1	Peak	5197.5	5.3	24	Pass	401
5350	10300	1	Peak	6946.322	-29.04	-27	Pass	4950
10300	10700	1	Peak	10681	-41.59	-27	Pass	401
10700	25000	1	Peak	13755.373	-38.07	-27	Pass	14300



46. 802.11ac_80M_Band2_M

46.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	491.156	-70.67	-27	Pass	9699
1000	5150	1	Peak	5149	-40.61	-27	Pass	4150
5150	5350	1	Peak	5277.5	5.28	24	Pass	401
5350	10300	1	Peak	7053.344	-30.07	-27	Pass	4950
10300	10700	1	Peak	10330	-42.25	-27	Pass	401
10700	25000	1	Peak	14183.425	-37.74	-27	Pass	14300



47. 802.11ac_80M_Band3_M

47.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	850.001	-64.55	-27	Pass	9699
1000	5470	1	Peak	5470	-29.55	-27	Pass	4470
5470	5725	1	Peak	5517.813	11.98	24	Pass	401
5725	10940	1	Peak	7373.316	-27.14	-27	Pass	5215
10940	11450	1	Peak	11335.776	-34.86	-27	Pass	510
11450	25000	1	Peak	13652.269	-31.32	-27	Pass	13550



48. 802.11ac_80M_Band4_M

48.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	809.595	-64.06	-27	Pass	9699
1000	5650	1	Peak	3272.489	-34.08	-27	Pass	4650
5650	5700	1	Peak	5650	-34.69	-27	Pass	401
5700	5720	1	Peak	5701.1	-28.39	10.31	Pass	401
5720	5725	1	Peak	5720.05	-27.83	15.71	Pass	401
5725	5850	1	Peak	5762.813	11.93	30	Pass	401
5850	5855	1	Peak	5854.725	-32.23	16.23	Pass	401
5855	5875	1	Peak	5874.1	-33.47	10.25	Pass	401
5875	5925	1	Peak	5924.875	-36.99	-26.91	Pass	401
5925	25000	1	Peak	24973.99	-30.13	-27	Pass	19075



49. 802.11n_40M_Band1_L

49.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency(MHz)	Stop Frequency(MHz)	RBW(MHz)	Detector	Frequency(MHz)	Power(dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	962.596144	-57.06	-27	Pass	9700
1000	5150	1	Peak	5141.998072	-31.08	-27	Pass	4150
5150	5350	1	Peak	5186.521739	7.37	24	Pass	691
5350	10300	1	Peak	6906.314407	-27.67	-27	Pass	4950
10300	10700	1	Peak	10652.46377	-39.89	-27	Pass	691
10700	25000	1	Peak	19393.60795	-37.86	-27	Pass	14300



50. 802.11n_40M_Band1_H

50.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	534.062	-71.04	-27	Pass	9699
1000	5150	1	Peak	5123.994	-37.26	-27	Pass	4150
5150	5350	1	Peak	5234	7.87	24	Pass	401
5350	10300	1	Peak	6973.328	-30.02	-27	Pass	4950
10300	10700	1	Peak	10626	-41.84	-27	Pass	401
10700	25000	1	Peak	24641.941	-37.37	-27	Pass	14300



51. 802.11n_40M_Band2_H

51.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	362.041	-71.39	-27	Pass	9699
1000	5150	1	Peak	4848.927	-41.41	-27	Pass	4150
5150	5350	1	Peak	5317.5	7.74	24	Pass	401
5350	10300	1	Peak	5351	-29.24	-27	Pass	4950
10300	10700	1	Peak	10512	-41.88	-27	Pass	401
10700	25000	1	Peak	14186.426	-37.41	-27	Pass	14300



52. 802.11n_40M_Band3_H

52.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	307.734	-71.65	-27	Pass	9699
1000	5470	1	Peak	5470	-36.11	-27	Pass	4470
5470	5725	1	Peak	5557.338	8.07	24	Pass	401
5725	10940	1	Peak	7400.321	-33.95	-27	Pass	5215
10940	11450	1	Peak	11037.191	-41.69	-27	Pass	510
11450	25000	1	Peak	24883.978	-37.46	-27	Pass	13550



53. 802.11n_40M_Band4_L

53.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	521.56	-64.63	-27	Pass	9699
1000	5650	1	Peak	5640.998	-31.75	-27	Pass	4650
5650	5700	1	Peak	5650.25	-30.41	-26.82	Pass	401
5700	5720	1	Peak	5708.45	-22.49	12.37	Pass	401
5720	5725	1	Peak	5720.2	-19.1	16.06	Pass	401
5725	5850	1	Peak	5759.375	13.96	30	Pass	401
5850	5855	1	Peak	5854.788	-30.95	16.08	Pass	401
5855	5875	1	Peak	5868.2	-30.97	11.9	Pass	401
5875	5925	1	Peak	5924.75	-34.14	-26.81	Pass	401
5925	25000	1	Peak	7673.213	-30.43	-27	Pass	19075



54. 802.11n_40M_Band4_H

54.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	718.984	-64.44	-27	Pass	9699
1000	5650	1	Peak	5639.998	-32.43	-27	Pass	4650
5650	5700	1	Peak	5650.125	-32.96	-26.91	Pass	401
5700	5720	1	Peak	5702.15	-28.5	10.6	Pass	401
5720	5725	1	Peak	5720.163	-27.13	15.97	Pass	401
5725	5850	1	Peak	5789.688	14.09	30	Pass	401
5850	5855	1	Peak	5854.963	-25.09	15.69	Pass	401
5855	5875	1	Peak	5870.7	-27.63	11.2	Pass	401
5875	5925	1	Peak	5924.875	-32.03	-26.91	Pass	401
5925	25000	1	Peak	7727.22	-30	-27	Pass	19075



55. 802.11n_40M_Band2_L

55.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	142.914	-71.04	-27	Pass	9699
1000	5150	1	Peak	5139.998	-38.75	-27	Pass	4150
5150	5350	1	Peak	5270.5	7.62	24	Pass	401
5350	10300	1	Peak	7027.339	-30.78	-27	Pass	4950
10300	10700	1	Peak	10700	-41.98	-27	Pass	401
10700	25000	1	Peak	14175.424	-38.04	-27	Pass	14300



56. 802.11n_40M_Band3_L

56.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	953.739	-71.69	-27	Pass	9699
1000	5470	1	Peak	5462.998	-29.5	-27	Pass	4470
5470	5725	1	Peak	5517.175	8.14	24	Pass	401
5725	10940	1	Peak	7347.311	-33.35	-27	Pass	5215
10940	11450	1	Peak	10999.116	-41.66	-27	Pass	510
11450	25000	1	Peak	24944.99	-37.64	-27	Pass	13550




ANTENNA 1

1. 802.11a_20M_Band1_L

1.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	485.656	-71.3	-27	Pass	9699
1000	5150	1	Peak	5143.999	-39.53	-27	Pass	4150
5150	5350	1	Peak	5182.5	10.42	24	Pass	401
5350	10300	1	Peak	6906.314	-29.29	-27	Pass	4950
10300	10700	1	Peak	10504	-41.24	-27	Pass	401
10700	25000	1	Peak	14197.427	-37.45	-27	Pass	14300



2. 802.11a_20M_Band1_M

2.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	920.194	-71.47	-27	Pass	9699
1000	5150	1	Peak	3249.542	-41.66	-27	Pass	4150
5150	5350	1	Peak	5222.5	10.64	24	Pass	401
5350	10300	1	Peak	6960.325	-30.33	-27	Pass	4950
10300	10700	1	Peak	10425	-41.92	-27	Pass	401
10700	25000	1	Peak	14244.433	-37.39	-27	Pass	14300



3. 802.11a_20M_Band1_H

3.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	639.674	-70.93	-27	Pass	9699
1000	5150	1	Peak	3273.548	-41.03	-27	Pass	4150
5150	5350	1	Peak	5237.5	10.26	24	Pass	401
5350	10300	1	Peak	6986.331	-30.63	-27	Pass	4950
10300	10700	1	Peak	10694	-42.31	-27	Pass	401
10700	25000	1	Peak	24854.976	-37.71	-27	Pass	14300



4. 802.11a_20M_Band2_L

4.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	604.97	-71.73	-27	Pass	9699
1000	5150	1	Peak	3288.551	-41.01	-27	Pass	4150
5150	5350	1	Peak	5257	10.78	24	Pass	401
5350	10300	1	Peak	7013.336	-30.85	-27	Pass	4950
10300	10700	1	Peak	10593	-41.08	-27	Pass	401
10700	25000	1	Peak	14191.426	-37.74	-27	Pass	14300



5. 802.11a_20M_Band2_M

5.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	718.884	-70.14	-27	Pass	9699
1000	5150	1	Peak	3204.531	-41.43	-27	Pass	4150
5150	5350	1	Peak	5297	10.37	24	Pass	401
5350	10300	1	Peak	7067.347	-31.09	-27	Pass	4950
10300	10700	1	Peak	10321	-41.45	-27	Pass	401
10700	25000	1	Peak	24885.981	-37.59	-27	Pass	14300



6. 802.11a_20M_Band2_H

6.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	774.291	-71.1	-27	Pass	9699
1000	5150	1	Peak	3054.495	-41.48	-27	Pass	4150
5150	5350	1	Peak	5321.5	10.19	24	Pass	401
5350	10300	1	Peak	7093.352	-31.17	-27	Pass	4950
10300	10700	1	Peak	10614	-41.68	-27	Pass	401
10700	25000	1	Peak	24630.94	-38.24	-27	Pass	14300



7. 802.11a_20M_Band3_L

7.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	382.143	-71.02	-27	Pass	9699
1000	5470	1	Peak	5465.999	-40.3	-27	Pass	4470
5470	5725	1	Peak	5496.775	10.38	24	Pass	401
5725	10940	1	Peak	7333.308	-33.71	-27	Pass	5215
10940	11450	1	Peak	11323.752	-41.48	-27	Pass	510
11450	25000	1	Peak	14201.336	-37.4	-27	Pass	13550



8. 802.11a_20M_Band3_M

8.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	508.458	-71.46	-27	Pass	9699
1000	5470	1	Peak	3312.517	-40.99	-27	Pass	4470
5470	5725	1	Peak	5577.1	10.57	24	Pass	401
5725	10940	1	Peak	7440.329	-34.86	-27	Pass	5215
10940	11450	1	Peak	11316.739	-41.5	-27	Pass	510
11450	25000	1	Peak	24919.985	-37.67	-27	Pass	13550



9. 802.11a_20M_Band3_H

9.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	382.543	-71.18	-27	Pass	9699
1000	5470	1	Peak	3300.515	-41.07	-27	Pass	4470
5470	5725	1	Peak	5702.05	10.79	24	Pass	401
5725	10940	1	Peak	7600.36	-36.17	-27	Pass	5215
10940	11450	1	Peak	11044.204	-41.13	-27	Pass	510
11450	25000	1	Peak	14208.337	-37.61	-27	Pass	13550



10. 802.11ac_20M_Band1_L

10.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	435.449	-71.47	-27	Pass	9699
1000	5150	1	Peak	5144.999	-39.82	-27	Pass	4150
5150	5350	1	Peak	5177	10.2	24	Pass	401
5350	10300	1	Peak	6906.314	-29.62	-27	Pass	4950
10300	10700	1	Peak	10662	-41.55	-27	Pass	401
10700	25000	1	Peak	24623.938	-38	-27	Pass	14300



11. 802.11ac_20M_Band1_M

11.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	808.195	-70.29	-27	Pass	9699
1000	5150	1	Peak	3285.551	-40.64	-27	Pass	4150
5150	5350	1	Peak	5217.5	10.38	24	Pass	401
5350	10300	1	Peak	6960.325	-30.77	-27	Pass	4950
10300	10700	1	Peak	10695	-41.45	-27	Pass	401
10700	25000	1	Peak	24792.966	-38.23	-27	Pass	14300



12. 802.11ac_20M_Band1_H

12.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	895.361	-64.3	-27	Pass	9699
1000	5150	1	Peak	5032.972	-40.59	-27	Pass	4150
5150	5350	1	Peak	5238	10.42	24	Pass	401
5350	10300	1	Peak	6986.331	-30.85	-27	Pass	4950
10300	10700	1	Peak	10595	-41.28	-27	Pass	401
10700	25000	1	Peak	14187.426	-37.44	-27	Pass	14300



13. 802.11ac_20M_Band2_L

13.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	440.65	-71.04	-27	Pass	9699
1000	5150	1	Peak	3313.557	-41.72	-27	Pass	4150
5150	5350	1	Peak	5257.5	10.37	24	Pass	401
5350	10300	1	Peak	7013.336	-31.1	-27	Pass	4950
10300	10700	1	Peak	10326	-41.23	-27	Pass	401
10700	25000	1	Peak	24832.973	-37.03	-27	Pass	14300



14. 802.11ac_20M_Band2_M

14.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	893.258	-67.29	-27	Pass	9699
1000	5150	1	Peak	3289.552	-41.3	-27	Pass	4150
5150	5350	1	Peak	5300	10.34	24	Pass	401
5350	10300	1	Peak	7066.347	-31.41	-27	Pass	4950
10300	10700	1	Peak	10455	-41.01	-27	Pass	401
10700	25000	1	Peak	24750.959	-37.75	-27	Pass	14300



15. 802.11ac_20M_Band2_H

15.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	498.557	-71.23	-27	Pass	9699
1000	5150	1	Peak	3158.52	-41.26	-27	Pass	4150
5150	5350	1	Peak	5317.5	10.26	24	Pass	401
5350	10300	1	Peak	7093.352	-31.07	-27	Pass	4950
10300	10700	1	Peak	10600	-41.67	-27	Pass	401
10700	25000	1	Peak	24947.991	-37.37	-27	Pass	14300



16. 802.11ac_20M_Band3_L

16.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	550.464	-71.2	-27	Pass	9699
1000	5470	1	Peak	5468	-38.84	-27	Pass	4470
5470	5725	1	Peak	5497.413	10.45	24	Pass	401
5725	10940	1	Peak	7333.308	-33.62	-27	Pass	5215
10940	11450	1	Peak	10999.116	-40.37	-27	Pass	510
11450	25000	1	Peak	24957.992	-37.67	-27	Pass	13550



17. 802.11ac_20M_Band3_M

17.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	489.956	-71.14	-27	Pass	9699
1000	5470	1	Peak	3271.508	-41.31	-27	Pass	4470
5470	5725	1	Peak	5575.825	10.96	24	Pass	401
5725	10940	1	Peak	7440.329	-34.87	-27	Pass	5215
10940	11450	1	Peak	11007.132	-40.94	-27	Pass	510
11450	25000	1	Peak	14269.344	-38.03	-27	Pass	13550



18. 802.11ac_20M_Band3_H

18.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	376.842	-71.25	-27	Pass	9699
1000	5470	1	Peak	3287.512	-41.41	-27	Pass	4470
5470	5725	1	Peak	5697.588	10.54	24	Pass	401
5725	10940	1	Peak	7600.36	-36.03	-27	Pass	5215
10940	11450	1	Peak	11062.24	-41.51	-27	Pass	510
11450	25000	1	Peak	24742.952	-37.92	-27	Pass	13550



19. 802.11n_20M_Band1_L

19.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	371.442	-71.08	-27	Pass	9699
1000	5150	1	Peak	5150	-40.73	-27	Pass	4150
5150	5350	1	Peak	5178	9.92	24	Pass	401
5350	10300	1	Peak	6906.314	-29.72	-27	Pass	4950
10300	10700	1	Peak	10473	-41.45	-27	Pass	401
10700	25000	1	Peak	14225.43	-37.44	-27	Pass	14300



20. 802.11n_20M_Band1_M

20.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	725.085	-70.45	-27	Pass	9699
1000	5150	1	Peak	3293.553	-41.01	-27	Pass	4150
5150	5350	1	Peak	5218.5	10.48	24	Pass	401
5350	10300	1	Peak	6960.325	-30.38	-27	Pass	4950
10300	10700	1	Peak	10655	-41.64	-27	Pass	401
10700	25000	1	Peak	13647.36	-37.91	-27	Pass	14300



21. 802.11n_20M_Band1_H

21.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	442.95	-71.28	-27	Pass	9699
1000	5150	1	Peak	3075.5	-41	-27	Pass	4150
5150	5350	1	Peak	5237.5	10.43	24	Pass	401
5350	10300	1	Peak	6986.331	-30.87	-27	Pass	4950
10300	10700	1	Peak	10673	-41.11	-27	Pass	401
10700	25000	1	Peak	14203.428	-37.14	-27	Pass	14300



22. 802.11n_20M_Band2_L

22.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	60.804	-71.39	-27	Pass	9699
1000	5150	1	Peak	3307.556	-40.36	-27	Pass	4150
5150	5350	1	Peak	5261.5	10.08	24	Pass	401
5350	10300	1	Peak	7013.336	-30.93	-27	Pass	4950
10300	10700	1	Peak	10487	-40.9	-27	Pass	401
10700	25000	1	Peak	24654.944	-37.99	-27	Pass	14300



23. 802.11n_20M_Band2_M

23.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	891.356	-70.72	-27	Pass	9699
1000	5150	1	Peak	3208.532	-41.45	-27	Pass	4150
5150	5350	1	Peak	5298	10.09	24	Pass	401
5350	10300	1	Peak	7066.347	-30.93	-27	Pass	4950
10300	10700	1	Peak	10697	-42.01	-27	Pass	401
10700	25000	1	Peak	24004.837	-37.17	-27	Pass	14300



24. 802.11n_20M_Band2_H

24.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	556.864	-71.05	-27	Pass	9699
1000	5150	1	Peak	3374.572	-40.99	-27	Pass	4150
5150	5350	1	Peak	5322	10.29	24	Pass	401
5350	10300	1	Peak	7093.352	-30.91	-27	Pass	4950
10300	10700	1	Peak	10318	-41.26	-27	Pass	401
10700	25000	1	Peak	13702.367	-37.6	-27	Pass	14300



25. 802.11n_20M_Band3_L

25.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	311.834	-70.49	-27	Pass	9699
1000	5470	1	Peak	5457.997	-39.64	-27	Pass	4470
5470	5725	1	Peak	5502.513	10.16	24	Pass	401
5725	10940	1	Peak	7333.308	-33.11	-27	Pass	5215
10940	11450	1	Peak	11324.754	-40.82	-27	Pass	510
11450	25000	1	Peak	24907.983	-37.54	-27	Pass	13550



26. 802.11n_20M_Band3_M

26.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	893.258	-69.09	-27	Pass	9699
1000	5470	1	Peak	3259.505	-40.49	-27	Pass	4470
5470	5725	1	Peak	5581.563	10.44	24	Pass	401
5725	10940	1	Peak	7440.329	-34.26	-27	Pass	5215
10940	11450	1	Peak	11328.762	-41.31	-27	Pass	510
11450	25000	1	Peak	13651.269	-37.15	-27	Pass	13550



27. 802.11n_20M_Band3_H

27.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	379.643	-71.17	-27	Pass	9699
1000	5470	1	Peak	3304.516	-41.06	-27	Pass	4470
5470	5725	1	Peak	5696.95	10.24	24	Pass	401
5725	10940	1	Peak	7600.36	-36.24	-27	Pass	5215
10940	11450	1	Peak	11160.432	-41.34	-27	Pass	510
11450	25000	1	Peak	14183.334	-37.74	-27	Pass	13550



28. 802.11ac_40M_Band1_L

28.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	445.151	-71.06	-27	Pass	9699
1000	5150	1	Peak	5133.996	-32.44	-27	Pass	4150
5150	5350	1	Peak	5185.5	8.16	24	Pass	401
5350	10300	1	Peak	6920.317	-29.16	-27	Pass	4950
10300	10700	1	Peak	10543	-41.68	-27	Pass	401
10700	25000	1	Peak	24944.991	-37.22	-27	Pass	14300



29. 802.11ac_40M_Band1_H

29.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	983.178	-70.98	-27	Pass	9699
1000	5150	1	Peak	5134.996	-37.2	-27	Pass	4150
5150	5350	1	Peak	5225.5	8.31	24	Pass	401
5350	10300	1	Peak	6973.328	-30.66	-27	Pass	4950
10300	10700	1	Peak	10578	-41.86	-27	Pass	401
10700	25000	1	Peak	14183.425	-37.94	-27	Pass	14300



30. 802.11ac_40M_Band2_L

30.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	341.338	-71.21	-27	Pass	9699
1000	5150	1	Peak	5140.998	-39.13	-27	Pass	4150
5150	5350	1	Peak	5265.5	8.31	24	Pass	401
5350	10300	1	Peak	7026.339	-31.14	-27	Pass	4950
10300	10700	1	Peak	10357	-41.91	-27	Pass	401
10700	25000	1	Peak	24946.991	-38.04	-27	Pass	14300



31. 802.11ac_40M_Band2_H

31.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	383.943	-70.99	-27	Pass	9699
1000	5150	1	Peak	3337.563	-41.09	-27	Pass	4150
5150	5350	1	Peak	5305.5	8.31	24	Pass	401
5350	10300	1	Peak	5350	-30.34	-27	Pass	4950
10300	10700	1	Peak	10551	-41.73	-27	Pass	401
10700	25000	1	Peak	24948.992	-37.81	-27	Pass	14300



32. 802.11ac_40M_Band3_L

32.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	507.658	-71.46	-27	Pass	9699
1000	5470	1	Peak	5463.999	-31.6	-27	Pass	4470
5470	5725	1	Peak	5505.7	8.32	24	Pass	401
5725	10940	1	Peak	7346.311	-33.46	-27	Pass	5215
10940	11450	1	Peak	11179.47	-41.85	-27	Pass	510
11450	25000	1	Peak	24824.967	-37.91	-27	Pass	13550



33. 802.11ac_40M_Band3_H

33.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	842.399	-70.53	-27	Pass	9699
1000	5470	1	Peak	5447.995	-36.59	-27	Pass	4470
5470	5725	1	Peak	5545.225	8.52	24	Pass	401
5725	10940	1	Peak	7400.321	-34.31	-27	Pass	5215
10940	11450	1	Peak	11285.678	-41.5	-27	Pass	510
11450	25000	1	Peak	14202.336	-37.66	-27	Pass	13550



34. 802.11n_40M_Band1_L

34.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	605.37	-70.29	-27	Pass	9699
1000	5150	1	Peak	5144.999	-34.19	-27	Pass	4150
5150	5350	1	Peak	5186	5.51	24	Pass	401
5350	10300	1	Peak	7215.377	-40.26	-27	Pass	4950
10300	10700	1	Peak	10433	-41.63	-27	Pass	401
10700	25000	1	Peak	14216.429	-37.76	-27	Pass	14300



35. 802.11n_40M_Band1_H

35.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	887.25	-71.46	-27	Pass	9699
1000	5150	1	Peak	5106.99	-39.3	-27	Pass	4150
5150	5350	1	Peak	5226	5.47	24	Pass	401
5350	10300	1	Peak	7029.339	-39.71	-27	Pass	4950
10300	10700	1	Peak	10698	-41.5	-27	Pass	401
10700	25000	1	Peak	24858.977	-37.82	-27	Pass	14300



36. 802.11n_40M_Band2_L

36.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	733.886	-71.25	-27	Pass	9699
1000	5150	1	Peak	3307.556	-41.33	-27	Pass	4150
5150	5350	1	Peak	5277	5.8	24	Pass	401
5350	10300	1	Peak	7003.334	-39.37	-27	Pass	4950
10300	10700	1	Peak	10549	-41.64	-27	Pass	401
10700	25000	1	Peak	23963.83	-37.4	-27	Pass	14300



37. 802.11n_40M_Band2_H

37.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	740.987	-71.02	-27	Pass	9699
1000	5150	1	Peak	3074.5	-41.44	-27	Pass	4150
5150	5350	1	Peak	5306	4.82	24	Pass	401
5350	10300	1	Peak	5356.001	-34.16	-27	Pass	4950
10300	10700	1	Peak	10390	-41.35	-27	Pass	401
10700	25000	1	Peak	24931.989	-37.39	-27	Pass	14300



38. 802.11n_40M_Band3_L

38.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	402.645	-70.59	-27	Pass	9699
1000	5470	1	Peak	5440.994	-36.11	-27	Pass	4470
5470	5725	1	Peak	5503.788	5.96	24	Pass	401
5725	10940	1	Peak	6958.236	-39.2	-27	Pass	5215
10940	11450	1	Peak	11386.876	-41.61	-27	Pass	510
11450	25000	1	Peak	14836.413	-37.4	-27	Pass	13550



39. 802.11n_40M_Band3_H

39.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	372.742	-71.12	-27	Pass	9699
1000	5470	1	Peak	5462.998	-39.19	-27	Pass	4470
5470	5725	1	Peak	5545.863	5.63	24	Pass	401
5725	10940	1	Peak	7161.275	-39.9	-27	Pass	5215
10940	11450	1	Peak	11277.662	-41.56	-27	Pass	510
11450	25000	1	Peak	24638.933	-37.33	-27	Pass	13550



40. 802.11ac_80M_Band1_M

40.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	585.768	-71.14	-27	Pass	9699
1000	5150	1	Peak	5138.997	-38.68	-27	Pass	4150
5150	5350	1	Peak	5200.5	2.98	24	Pass	401
5350	10300	1	Peak	7248.384	-40.41	-27	Pass	4950
10300	10700	1	Peak	10696	-41.33	-27	Pass	401
10700	25000	1	Peak	24925.988	-37.67	-27	Pass	14300



41. 802.11ac_80M_Band2_M

41.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	451.751	-71.26	-27	Pass	9699
1000	5150	1	Peak	3287.551	-40.61	-27	Pass	4150
5150	5350	1	Peak	5283	2.49	24	Pass	401
5350	10300	1	Peak	7362.407	-39.89	-27	Pass	4950
10300	10700	1	Peak	10654	-41.9	-27	Pass	401
10700	25000	1	Peak	24897.983	-37.97	-27	Pass	14300



42. 802.11ac_80M_Band3_M

42.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	385.543	-71.18	-27	Pass	9699
1000	5470	1	Peak	5455.997	-38.87	-27	Pass	4470
5470	5725	1	Peak	5522.275	3.17	24	Pass	401
5725	10940	1	Peak	7242.291	-40.12	-27	Pass	5215
10940	11450	1	Peak	11281.67	-41.56	-27	Pass	510
11450	25000	1	Peak	24947.99	-37.29	-27	Pass	13550



43. 802.11a_20M_Band4_L

43.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	346.739	-70.97	-27	Pass	9699
1000	5650	1	Peak	3294.493	-41.19	-27	Pass	4650
5650	5700	1	Peak	5650.25	-42.59	-26.82	Pass	401
5700	5720	1	Peak	5701.3	-41.33	10.36	Pass	401
5720	5725	1	Peak	5720.075	-41.39	15.77	Pass	401
5725	5850	1	Peak	5747.188	8.8	30	Pass	401
5850	5855	1	Peak	5854.8	-43.36	16.06	Pass	401
5855	5875	1	Peak	5873.45	-42.8	10.43	Pass	401
5875	5925	1	Peak	5924.625	-43.24	-26.72	Pass	401
5925	25000	1	Peak	14194.009	-37.59	-27	Pass	19075



44. 802.11a_20M_Band4_M

44.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	993.491	-71.52	-27	Pass	9699
1000	5650	1	Peak	3056.442	-41.29	-27	Pass	4650
5650	5700	1	Peak	5650.125	-44.18	-26.91	Pass	401
5700	5720	1	Peak	5701.4	-42.93	10.39	Pass	401
5720	5725	1	Peak	5720.813	-40.66	17.45	Pass	401
5725	5850	1	Peak	5782.813	9.21	30	Pass	401
5850	5855	1	Peak	5854.963	-43.08	15.69	Pass	401
5855	5875	1	Peak	5874.2	-43.05	10.22	Pass	401
5875	5925	1	Peak	5924.125	-42.74	-26.35	Pass	401
5925	25000	1	Peak	13703.95	-38.02	-27	Pass	19075



45. 802.11a_20M_Band4_H

45.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	428.149	-71.48	-27	Pass	9699
1000	5650	1	Peak	3331.501	-41.46	-27	Pass	4650
5650	5700	1	Peak	5650.25	-43.87	-26.82	Pass	401
5700	5720	1	Peak	5700.4	-42.67	10.11	Pass	401
5720	5725	1	Peak	5720.363	-42.14	16.43	Pass	401
5725	5850	1	Peak	5826.875	8.98	30	Pass	401
5850	5855	1	Peak	5854.8	-41.98	16.06	Pass	401
5855	5875	1	Peak	5873	-41.77	10.56	Pass	401
5875	5925	1	Peak	5924.875	-43.62	-26.91	Pass	401
5925	25000	1	Peak	24890.959	-38.07	-27	Pass	19075



46. 802.11ac_20M_Band4_L

46.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	287.931	-71.29	-27	Pass	9699
1000	5650	1	Peak	3287.492	-41.67	-27	Pass	4650
5650	5700	1	Peak	5650.375	-43.54	-26.72	Pass	401
5700	5720	1	Peak	5700.4	-42.21	10.11	Pass	401
5720	5725	1	Peak	5720	-41.11	15.6	Pass	401
5725	5850	1	Peak	5746.563	8.15	30	Pass	401
5850	5855	1	Peak	5854.975	-43.13	15.66	Pass	401
5855	5875	1	Peak	5874.85	-43.29	10.04	Pass	401
5875	5925	1	Peak	5924.75	-43.81	-26.81	Pass	401
5925	25000	1	Peak	14183.008	-37.55	-27	Pass	19075



47. 802.11ac_20M_Band4_M

47.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	371.742	-70.97	-27	Pass	9699
1000	5650	1	Peak	3908.626	-41.16	-27	Pass	4650
5650	5700	1	Peak	5650.375	-42.76	-26.72	Pass	401
5700	5720	1	Peak	5702.35	-42.57	10.66	Pass	401
5720	5725	1	Peak	5720	-43.11	15.6	Pass	401
5725	5850	1	Peak	5786.563	8.51	30	Pass	401
5850	5855	1	Peak	5854.963	-42.69	15.69	Pass	401
5855	5875	1	Peak	5873.95	-43.44	10.29	Pass	401
5875	5925	1	Peak	5924.375	-42.49	-26.54	Pass	401
5925	25000	1	Peak	14214.012	-37.42	-27	Pass	19075



48. 802.11ac_20M_Band4_H

48.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	496.657	-71.01	-27	Pass	9699
1000	5650	1	Peak	3190.471	-41.24	-27	Pass	4650
5650	5700	1	Peak	5650	-43.76	-27	Pass	401
5700	5720	1	Peak	5701.7	-42.36	10.48	Pass	401
5720	5725	1	Peak	5720.075	-42.4	15.77	Pass	401
5725	5850	1	Peak	5826.563	8.51	30	Pass	401
5850	5855	1	Peak	5855	-42.01	15.6	Pass	401
5855	5875	1	Peak	5873.45	-42.03	10.43	Pass	401
5875	5925	1	Peak	5924.625	-43	-26.72	Pass	401
5925	25000	1	Peak	24940.978	-37.79	-27	Pass	19075



49. 802.11ac_40M_Band4_L

49.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	377.242	-70.77	-27	Pass	9699
1000	5650	1	Peak	5640.998	-38.99	-27	Pass	4650
5650	5700	1	Peak	5650.625	-39.04	-26.54	Pass	401
5700	5720	1	Peak	5703	-32.94	10.84	Pass	401
5720	5725	1	Peak	5720.225	-27.69	16.11	Pass	401
5725	5850	1	Peak	5760	5.68	30	Pass	401
5850	5855	1	Peak	5854.925	-38.62	15.77	Pass	401
5855	5875	1	Peak	5871.55	-39.25	10.97	Pass	401
5875	5925	1	Peak	5925	-42.92	-27	Pass	401
5925	25000	1	Peak	14186.008	-37.77	-27	Pass	19075



50. 802.11ac_40M_Band4_H

50.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	509.659	-71.2	-27	Pass	9699
1000	5650	1	Peak	3065.444	-41.34	-27	Pass	4650
5650	5700	1	Peak	5650.125	-40.81	-26.91	Pass	401
5700	5720	1	Peak	5701.5	-37.83	10.42	Pass	401
5720	5725	1	Peak	5720.013	-35.78	15.63	Pass	401
5725	5850	1	Peak	5790.938	5.97	30	Pass	401
5850	5855	1	Peak	5854.988	-34.03	15.63	Pass	401
5855	5875	1	Peak	5874.85	-36.75	10.04	Pass	401
5875	5925	1	Peak	5923.875	-38.93	-26.17	Pass	401
5925	25000	1	Peak	24701.889	-38.26	-27	Pass	19075



51. 802.11ac_80M_Band4_M

51.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	502.258	-70.8	-27	Pass	9699
1000	5650	1	Peak	3342.504	-41	-27	Pass	4650
5650	5700	1	Peak	5651.25	-40.54	-26.07	Pass	401
5700	5720	1	Peak	5701.1	-37.57	10.31	Pass	401
5720	5725	1	Peak	5720.35	-35.18	16.4	Pass	401
5725	5850	1	Peak	5763.75	2.58	30	Pass	401
5850	5855	1	Peak	5854.763	-40.27	16.14	Pass	401
5855	5875	1	Peak	5873.95	-41.82	10.29	Pass	401
5875	5925	1	Peak	5924.5	-43.19	-26.63	Pass	401
5925	25000	1	Peak	24575.842	-37.48	-27	Pass	19075



52. 802.11n_20M_Band4_L

52.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	405.446	-70.94	-27	Pass	9699
1000	5650	1	Peak	3287.492	-40.8	-27	Pass	4650
5650	5700	1	Peak	5650.25	-43.64	-26.82	Pass	401
5700	5720	1	Peak	5700.5	-41.93	10.14	Pass	401
5720	5725	1	Peak	5720.05	-41.32	15.71	Pass	401
5725	5850	1	Peak	5746.875	8.34	30	Pass	401
5850	5855	1	Peak	5854.913	-42.75	15.8	Pass	401
5855	5875	1	Peak	5873.7	-43.41	10.36	Pass	401
5875	5925	1	Peak	5924.75	-43.49	-26.81	Pass	401
5925	25000	1	Peak	14661.066	-37.89	-27	Pass	19075



53. 802.11n_20M_Band4_H

53.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	936.916	-70.8	-27	Pass	9699
1000	5650	1	Peak	3325.5	-40.88	-27	Pass	4650
5650	5700	1	Peak	5650.125	-43.85	-26.91	Pass	401
5700	5720	1	Peak	5700.5	-43.07	10.14	Pass	401
5720	5725	1	Peak	5720.1	-42.29	15.83	Pass	401
5725	5850	1	Peak	5826.563	8.68	30	Pass	401
5850	5855	1	Peak	5854.988	-42.18	15.63	Pass	401
5855	5875	1	Peak	5873	-41.97	10.56	Pass	401
5875	5925	1	Peak	5924.875	-43.67	-26.91	Pass	401
5925	25000	1	Peak	14224.013	-37.79	-27	Pass	19075



54. 802.11n_20M_Band4_M

54.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	819.896	-70.96	-27	Pass	9699
1000	5650	1	Peak	3279.49	-41.08	-27	Pass	4650
5650	5700	1	Peak	5650.625	-43.56	-26.54	Pass	401
5700	5720	1	Peak	5703.05	-42.5	10.85	Pass	401
5720	5725	1	Peak	5720.063	-42.6	15.74	Pass	401
5725	5850	1	Peak	5786.563	8.56	30	Pass	401
5850	5855	1	Peak	5855	-43.43	15.6	Pass	401
5855	5875	1	Peak	5874.2	-43.45	10.22	Pass	401
5875	5925	1	Peak	5925	-43.29	-27	Pass	401
5925	25000	1	Peak	15417.159	-37.5	-27	Pass	19075



55. 802.11n_40M_Band4_L

55.1. A.6-Conducted Spurious Emission(NTNV)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	235.725	-70.49	-27	Pass	9699
1000	5650	1	Peak	3320.499	-41.19	-27	Pass	4650
5650	5700	1	Peak	5650.25	-40.12	-26.82	Pass	401
5700	5720	1	Peak	5703.35	-33.68	10.94	Pass	401
5720	5725	1	Peak	5720.313	-28.92	16.31	Pass	401
5725	5850	1	Peak	5747.5	5.37	30	Pass	401
5850	5855	1	Peak	5854.75	-39.82	16.17	Pass	401
5855	5875	1	Peak	5872.55	-40.54	10.69	Pass	401
5875	5925	1	Peak	5923.875	-42.86	-26.17	Pass	401
5925	25000	1	Peak	14184.008	-37.83	-27	Pass	19075



56. 802.11n_40M_Band4_H

56.1. A.6-Conducted Spurious Emission(NTNV)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
30	1000	0.1	Peak	897.965	-70.06	-27	Pass	9699
1000	5650	1	Peak	5650	-41.32	-27	Pass	4650
5650	5700	1	Peak	5650.375	-41.97	-26.72	Pass	401
5700	5720	1	Peak	5703.25	-38.1	10.91	Pass	401
5720	5725	1	Peak	5720.013	-37.6	15.63	Pass	401
5725	5850	1	Peak	5790.938	5.61	30	Pass	401
5850	5855	1	Peak	5854.863	-34.94	15.91	Pass	401
5855	5875	1	Peak	5871.4	-36.72	11.01	Pass	401
5875	5925	1	Peak	5923.375	-41	-25.8	Pass	401
5925	25000	1	Peak	14192.009	-37.67	-27	Pass	19075



END