



**28.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:38225, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.23	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.99	-25	Pass	2985
30	1000	0.1	RMS	887.15	-61.55	-25	Pass	9699
1000	2560	1	RMS	2557.999	-48.19	-25	Pass	1560
2560	2630	1	RMS	2615.125	21.17	60	Pass	401
2630	3000	1	RMS	2630	-46.43	-25	Pass	401
3000	12000	1	RMS	11519.405	-50.93	-25	Pass	9000
12000	26500	1	RMS	25900.905	-37.96	-25	Pass	14500




**28.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:38225, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-70.52	-25	Pass	401
0.15	30	0.01	RMS	0.22	-70.16	-25	Pass	2985
30	1000	0.1	RMS	870.829	-61.59	-25	Pass	9699
1000	2560	1	RMS	2550.994	-48.26	-25	Pass	1560
2560	2630	1	RMS	2615.125	20.75	60	Pass	401
2630	3000	1	RMS	2630	-46.55	-25	Pass	401
3000	12000	1	RMS	7241.518	-49.14	-25	Pass	9000
12000	26500	1	RMS	25900.905	-38.12	-25	Pass	14500




28.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:37800, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.39	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.27	-25	Pass	2985
30	1000	0.1	RMS	872.531	-61.44	-25	Pass	9699
1000	2560	1	RMS	2556.998	-44.78	-25	Pass	1560
2560	2630	1	RMS	2570.675	21	60	Pass	401
2630	3000	1	RMS	2950.05	-47.67	-25	Pass	401
3000	12000	1	RMS	11525.413	-50.94	-25	Pass	9000
12000	26500	1	RMS	25896.904	-38.19	-25	Pass	14500




**28.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:37800, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.96	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.01	-25	Pass	2985
30	1000	0.1	RMS	876.837	-61.46	-25	Pass	9699
1000	2560	1	RMS	2557.999	-44.2	-25	Pass	1560
2560	2630	1	RMS	2570.675	19.93	60	Pass	401
2630	3000	1	RMS	2949.125	-47.67	-25	Pass	401
3000	12000	1	RMS	11519.405	-50.98	-25	Pass	9000
12000	26500	1	RMS	25882.902	-38.21	-25	Pass	14500




28.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:38000, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.03	-25	Pass	401
0.15	30	0.01	RMS	0.17	-70.11	-25	Pass	2985
30	1000	0.1	RMS	907.878	-61.6	-25	Pass	9699
1000	2560	1	RMS	2557.999	-47.38	-25	Pass	1560
2560	2630	1	RMS	2590.625	21.35	60	Pass	401
2630	3000	1	RMS	2843.675	-47.68	-25	Pass	401
3000	12000	1	RMS	11521.408	-50.99	-25	Pass	9000
12000	26500	1	RMS	25903.906	-38.12	-25	Pass	14500




28.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:38000, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.21	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.15	-25	Pass	2985
30	1000	0.1	RMS	896.863	-61.51	-25	Pass	9699
1000	2560	1	RMS	2556.998	-48.02	-25	Pass	1560
2560	2630	1	RMS	2590.45	19.88	60	Pass	401
2630	3000	1	RMS	2948.2	-47.65	-25	Pass	401
3000	12000	1	RMS	11520.406	-51.03	-25	Pass	9000
12000	26500	1	RMS	25892.904	-38.14	-25	Pass	14500




28.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:38200, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.85	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.67	-25	Pass	2985
30	1000	0.1	RMS	993.592	-61.51	-25	Pass	9699
1000	2560	1	RMS	2557.999	-48.02	-25	Pass	1560
2560	2630	1	RMS	2610.575	20.98	60	Pass	401
2630	3000	1	RMS	2630	-46.22	-25	Pass	401
3000	12000	1	RMS	7242.518	-49.07	-25	Pass	9000
12000	26500	1	RMS	25901.905	-37.99	-25	Pass	14500




**28.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:38200, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.26	-25	Pass	401
0.15	30	0.01	RMS	0.34	-70.15	-25	Pass	2985
30	1000	0.1	RMS	906.376	-61.7	-25	Pass	9699
1000	2560	1	RMS	2560	-48.06	-25	Pass	1560
2560	2630	1	RMS	2610.4	20.58	60	Pass	401
2630	3000	1	RMS	2630	-46.18	-25	Pass	401
3000	12000	1	RMS	11520.406	-51.01	-25	Pass	9000
12000	26500	1	RMS	25900.905	-38.06	-25	Pass	14500




28.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:37825, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.63	-25	Pass	401
0.15	30	0.01	RMS	0.28	-70.14	-25	Pass	2985
30	1000	0.1	RMS	887.551	-61.6	-25	Pass	9699
1000	2560	1	RMS	2557.999	-43.72	-25	Pass	1560
2560	2630	1	RMS	2570.675	20.43	60	Pass	401
2630	3000	1	RMS	2947.275	-47.68	-25	Pass	401
3000	12000	1	RMS	11520.406	-50.91	-25	Pass	9000
12000	26500	1	RMS	25885.903	-38.12	-25	Pass	14500




**28.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:37825, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.38	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.09	-25	Pass	2985
30	1000	0.1	RMS	881.042	-61.44	-25	Pass	9699
1000	2560	1	RMS	2557.999	-42.99	-25	Pass	1560
2560	2630	1	RMS	2570.85	19.68	60	Pass	401
2630	3000	1	RMS	2952.825	-47.64	-25	Pass	401
3000	12000	1	RMS	11598.503	-51.03	-25	Pass	9000
12000	26500	1	RMS	25898.905	-38.14	-25	Pass	14500




28.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:38000, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.92	-25	Pass	401
0.15	30	0.01	RMS	0.26	-69.98	-25	Pass	2985
30	1000	0.1	RMS	966.355	-61.55	-25	Pass	9699
1000	2560	1	RMS	2560	-46.93	-25	Pass	1560
2560	2630	1	RMS	2588.175	20.93	60	Pass	401
2630	3000	1	RMS	2950.05	-47.65	-25	Pass	401
3000	12000	1	RMS	11520.406	-50.97	-25	Pass	9000
12000	26500	1	RMS	25898.905	-38.08	-25	Pass	14500




**28.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:38000, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-71.51	-25	Pass	401
0.15	30	0.01	RMS	0.3	-70.03	-25	Pass	2985
30	1000	0.1	RMS	847.8	-61.62	-25	Pass	9699
1000	2560	1	RMS	2560	-47.89	-25	Pass	1560
2560	2630	1	RMS	2588.175	20.19	60	Pass	401
2630	3000	1	RMS	2948.2	-47.67	-25	Pass	401
3000	12000	1	RMS	7255.519	-49.71	-25	Pass	9000
12000	26500	1	RMS	25888.903	-38.08	-25	Pass	14500




28.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:38175, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.06	-25	Pass	401
0.15	30	0.01	RMS	0.24	-69.89	-25	Pass	2985
30	1000	0.1	RMS	974.666	-61.58	-25	Pass	9699
1000	2560	1	RMS	2558.999	-48.04	-25	Pass	1560
2560	2630	1	RMS	2605.85	21.39	60	Pass	401
2630	3000	1	RMS	2630.925	-46.84	-25	Pass	401
3000	12000	1	RMS	11525.413	-51.02	-25	Pass	9000
12000	26500	1	RMS	25900.905	-37.95	-25	Pass	14500




**28.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:38175, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.29	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.73	-25	Pass	2985
30	1000	0.1	RMS	877.137	-61.55	-25	Pass	9699
1000	2560	1	RMS	2560	-47.79	-25	Pass	1560
2560	2630	1	RMS	2605.675	20.58	60	Pass	401
2630	3000	1	RMS	2631.85	-46.63	-25	Pass	401
3000	12000	1	RMS	11516.401	-50.98	-25	Pass	9000
12000	26500	1	RMS	25898.905	-38.06	-25	Pass	14500




28.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:37850, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.96	-25	Pass	401
0.15	30	0.01	RMS	0.19	-70.07	-25	Pass	2985
30	1000	0.1	RMS	997.997	-61.58	-25	Pass	9699
1000	2560	1	RMS	2560	-41.61	-25	Pass	1560
2560	2630	1	RMS	2570.85	20.58	60	Pass	401
2630	3000	1	RMS	2948.2	-47.66	-25	Pass	401
3000	12000	1	RMS	11607.514	-51.01	-25	Pass	9000
12000	26500	1	RMS	25882.902	-38.09	-25	Pass	14500




**28.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:37850, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.8	-25	Pass	401
0.15	30	0.01	RMS	0.34	-69.72	-25	Pass	2985
30	1000	0.1	RMS	872.331	-61.53	-25	Pass	9699
1000	2560	1	RMS	2560	-42.63	-25	Pass	1560
2560	2630	1	RMS	2570.85	19.76	60	Pass	401
2630	3000	1	RMS	2840.9	-47.67	-25	Pass	401
3000	12000	1	RMS	11605.512	-51	-25	Pass	9000
12000	26500	1	RMS	25880.902	-38.17	-25	Pass	14500




28.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:38000, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.91	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.38	-25	Pass	2985
30	1000	0.1	RMS	871.429	-61.59	-25	Pass	9699
1000	2560	1	RMS	2558.999	-47.44	-25	Pass	1560
2560	2630	1	RMS	2586.075	20.46	60	Pass	401
2630	3000	1	RMS	2962.075	-47.7	-25	Pass	401
3000	12000	1	RMS	7250.519	-49.5	-25	Pass	9000
12000	26500	1	RMS	25872.901	-38.13	-25	Pass	14500




**28.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:38000, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.44	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.02	-25	Pass	2985
30	1000	0.1	RMS	878.038	-61.53	-25	Pass	9699
1000	2560	1	RMS	2558.999	-47.14	-25	Pass	1560
2560	2630	1	RMS	2586.075	19.52	60	Pass	401
2630	3000	1	RMS	2945.425	-47.66	-25	Pass	401
3000	12000	1	RMS	11521.408	-50.9	-25	Pass	9000
12000	26500	1	RMS	25899.905	-38.1	-25	Pass	14500




28.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:38150, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.83	-25	Pass	401
0.15	30	0.01	RMS	0.43	-69.84	-25	Pass	2985
30	1000	0.1	RMS	874.534	-61.52	-25	Pass	9699
1000	2560	1	RMS	2560	-47.86	-25	Pass	1560
2560	2630	1	RMS	2600.95	21.42	60	Pass	401
2630	3000	1	RMS	2630	-47.03	-25	Pass	401
3000	12000	1	RMS	11524.411	-50.96	-25	Pass	9000
12000	26500	1	RMS	25882.902	-38.12	-25	Pass	14500



**28.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:38150, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.51	-25	Pass	401
0.15	30	0.01	RMS	0.42	-69.82	-25	Pass	2985
30	1000	0.1	RMS	873.532	-61.47	-25	Pass	9699
1000	2560	1	RMS	2557.999	-47.98	-25	Pass	1560
2560	2630	1	RMS	2601.125	19.94	60	Pass	401
2630	3000	1	RMS	2632.775	-47.25	-25	Pass	401
3000	12000	1	RMS	11607.514	-51.08	-25	Pass	9000
12000	26500	1	RMS	25895.904	-38.12	-25	Pass	14500



29. LTE_Band41


29.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:40165, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.07	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.32	-25	Pass	2985
30	1000	0.1	RMS	999.099	-61.43	-25	Pass	9699
1000	2486	1	RMS	2486	-48.66	-25	Pass	1486
2486	2700	1	RMS	2545.385	20.76	60	Pass	401
2700	3000	1	RMS	2950.5	-47.64	-25	Pass	401
3000	12000	1	RMS	7247.518	-49.04	-25	Pass	9000
12000	27000	1	RMS	25897.838	-38.08	-25	Pass	15000




**29.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2,
Channel:40165, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.4	-25	Pass	401
0.15	30	0.01	RMS	0.16	-70.27	-25	Pass	2985
30	1000	0.1	RMS	899.066	-61.45	-25	Pass	9699
1000	2486	1	RMS	2486	-48.67	-25	Pass	1486
2486	2700	1	RMS	2544.85	19.41	60	Pass	401
2700	3000	1	RMS	2948.25	-47.68	-25	Pass	401
3000	12000	1	RMS	11520.406	-50.86	-25	Pass	9000
12000	27000	1	RMS	25880.836	-38.11	-25	Pass	15000




**29.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:40690, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.73	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.59	-25	Pass	2985
30	1000	0.1	RMS	848.9	-61.56	-25	Pass	9699
1000	2486	1	RMS	2477.995	-48.83	-25	Pass	1486
2486	2700	1	RMS	2597.28	20.49	60	Pass	401
2700	3000	1	RMS	2948.25	-47.66	-25	Pass	401
3000	12000	1	RMS	7252.519	-49.27	-25	Pass	9000
12000	27000	1	RMS	25899.838	-38.1	-25	Pass	15000




**29.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4,
Channel:40690, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.7	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.15	-25	Pass	2985
30	1000	0.1	RMS	868.025	-61.43	-25	Pass	9699
1000	2486	1	RMS	2484.999	-48.76	-25	Pass	1486
2486	2700	1	RMS	2597.28	19.7	60	Pass	401
2700	3000	1	RMS	2951.25	-47.65	-25	Pass	401
3000	12000	1	RMS	11519.405	-51.05	-25	Pass	9000
12000	27000	1	RMS	25888.837	-38.04	-25	Pass	15000




**29.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5,
Channel:41215, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.11	-25	Pass	401
0.15	30	0.01	RMS	0.52	-69.87	-25	Pass	2985
30	1000	0.1	RMS	882.744	-61.64	-25	Pass	9699
1000	2486	1	RMS	2486	-48.78	-25	Pass	1486
2486	2700	1	RMS	2650.245	20.34	60	Pass	401
2700	3000	1	RMS	2953.5	-47.67	-25	Pass	401
3000	12000	1	RMS	11515.4	-51.03	-25	Pass	9000
12000	27000	1	RMS	25899.838	-38.18	-25	Pass	15000




**29.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6,
Channel:41215, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.49	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.49	-25	Pass	2985
30	1000	0.1	RMS	864.42	-61.42	-25	Pass	9699
1000	2486	1	RMS	2483.999	-48.79	-25	Pass	1486
2486	2700	1	RMS	2650.245	20.75	60	Pass	401
2700	3000	1	RMS	2952	-47.66	-25	Pass	401
3000	12000	1	RMS	7246.518	-49.53	-25	Pass	9000
12000	27000	1	RMS	25904.839	-38.04	-25	Pass	15000




29.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:40190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.92	-25	Pass	401
0.15	30	0.01	RMS	0.76	-70.12	-25	Pass	2985
30	1000	0.1	RMS	912.384	-61.36	-25	Pass	9699
1000	2486	1	RMS	2483.999	-48.83	-25	Pass	1486
2486	2700	1	RMS	2545.385	20.85	60	Pass	401
2700	3000	1	RMS	2950.5	-47.64	-25	Pass	401
3000	12000	1	RMS	7235.517	-49.71	-25	Pass	9000
12000	27000	1	RMS	25900.839	-38.04	-25	Pass	15000




**29.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:40190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.48	-25	Pass	401
0.15	30	0.01	RMS	0.18	-69.92	-25	Pass	2985
30	1000	0.1	RMS	990.888	-61.57	-25	Pass	9699
1000	2486	1	RMS	2483.999	-48.75	-25	Pass	1486
2486	2700	1	RMS	2545.385	21.26	60	Pass	401
2700	3000	1	RMS	2950.5	-47.64	-25	Pass	401
3000	12000	1	RMS	11519.405	-51.02	-25	Pass	9000
12000	27000	1	RMS	25896.838	-38.06	-25	Pass	15000




29.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:40690, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.43	-25	Pass	401
0.15	30	0.01	RMS	0.19	-69.42	-25	Pass	2985
30	1000	0.1	RMS	634.874	-61.4	-25	Pass	9699
1000	2486	1	RMS	2484.999	-48.82	-25	Pass	1486
2486	2700	1	RMS	2595.14	20.58	60	Pass	401
2700	3000	1	RMS	2922.75	-47.68	-25	Pass	401
3000	12000	1	RMS	11519.405	-51	-25	Pass	9000
12000	27000	1	RMS	25898.838	-38.06	-25	Pass	15000




29.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10, Channel:40690, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.33	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.82	-25	Pass	2985
30	1000	0.1	RMS	865.422	-61.53	-25	Pass	9699
1000	2486	1	RMS	2481.997	-48.89	-25	Pass	1486
2486	2700	1	RMS	2595.14	19.8	60	Pass	401
2700	3000	1	RMS	2946.75	-47.68	-25	Pass	401
3000	12000	1	RMS	7225.516	-49.68	-25	Pass	9000
12000	27000	1	RMS	25891.837	-38.04	-25	Pass	15000




29.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:41190, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.63	-25	Pass	401
0.15	30	0.01	RMS	0.17	-69.21	-25	Pass	2985
30	1000	0.1	RMS	870.328	-61.52	-25	Pass	9699
1000	2486	1	RMS	2483.999	-48.8	-25	Pass	1486
2486	2700	1	RMS	2645.43	20.64	60	Pass	401
2700	3000	1	RMS	2950.5	-47.64	-25	Pass	401
3000	12000	1	RMS	11520.406	-50.94	-25	Pass	9000
12000	27000	1	RMS	25900.839	-38.04	-25	Pass	15000




**29.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:41190, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-70.96	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.81	-25	Pass	2985
30	1000	0.1	RMS	902.17	-61.48	-25	Pass	9699
1000	2486	1	RMS	2486	-48.64	-25	Pass	1486
2486	2700	1	RMS	2645.43	20.11	60	Pass	401
2700	3000	1	RMS	2951.25	-47.52	-25	Pass	401
3000	12000	1	RMS	11582.483	-50.84	-25	Pass	9000
12000	27000	1	RMS	25882.836	-38.05	-25	Pass	15000




29.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:40215, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.21	-25	Pass	401
0.15	30	0.01	RMS	0.43	-70.2	-25	Pass	2985
30	1000	0.1	RMS	886.249	-61.38	-25	Pass	9699
1000	2486	1	RMS	2484.999	-48.72	-25	Pass	1486
2486	2700	1	RMS	2545.385	20.05	60	Pass	401
2700	3000	1	RMS	2836.5	-47.68	-25	Pass	401
3000	12000	1	RMS	11522.409	-50.91	-25	Pass	9000
12000	27000	1	RMS	25892.837	-38.09	-25	Pass	15000




**29.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:40215, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.63	-25	Pass	401
0.15	30	0.01	RMS	0.21	-70.38	-25	Pass	2985
30	1000	0.1	RMS	856.61	-61.41	-25	Pass	9699
1000	2486	1	RMS	2483.999	-48.82	-25	Pass	1486
2486	2700	1	RMS	2545.385	20.09	60	Pass	401
2700	3000	1	RMS	2947.5	-47.68	-25	Pass	401
3000	12000	1	RMS	7235.517	-49.85	-25	Pass	9000
12000	27000	1	RMS	25888.837	-38.14	-25	Pass	15000




29.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:40690, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.25	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.01	-25	Pass	2985
30	1000	0.1	RMS	872.03	-61.55	-25	Pass	9699
1000	2486	1	RMS	2483.999	-48.88	-25	Pass	1486
2486	2700	1	RMS	2593	21.48	60	Pass	401
2700	3000	1	RMS	2954.25	-47.69	-25	Pass	401
3000	12000	1	RMS	7229.516	-49.66	-25	Pass	9000
12000	27000	1	RMS	25901.839	-38.08	-25	Pass	15000




**29.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:40690, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.18	-25	Pass	401
0.15	30	0.01	RMS	0.45	-69.48	-25	Pass	2985
30	1000	0.1	RMS	870.528	-61.6	-25	Pass	9699
1000	2486	1	RMS	2483.999	-48.82	-25	Pass	1486
2486	2700	1	RMS	2593	19	60	Pass	401
2700	3000	1	RMS	2951.25	-47.64	-25	Pass	401
3000	12000	1	RMS	11520.406	-50.98	-25	Pass	9000
12000	27000	1	RMS	25897.838	-38.04	-25	Pass	15000




29.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:41165, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.9	-25	Pass	401
0.15	30	0.01	RMS	0.16	-69.26	-25	Pass	2985
30	1000	0.1	RMS	867.524	-61.41	-25	Pass	9699
1000	2486	1	RMS	2486	-48.77	-25	Pass	1486
2486	2700	1	RMS	2640.615	20.86	60	Pass	401
2700	3000	1	RMS	2951.25	-47.67	-25	Pass	401
3000	12000	1	RMS	11601.507	-50.98	-25	Pass	9000
12000	27000	1	RMS	25898.838	-38.15	-25	Pass	15000




**29.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:41165, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.74	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.99	-25	Pass	2985
30	1000	0.1	RMS	870.729	-61.5	-25	Pass	9699
1000	2486	1	RMS	2479.996	-48.86	-25	Pass	1486
2486	2700	1	RMS	2640.615	20.29	60	Pass	401
2700	3000	1	RMS	2951.25	-47.66	-25	Pass	401
3000	12000	1	RMS	7244.518	-49.56	-25	Pass	9000
12000	27000	1	RMS	25901.839	-38.1	-25	Pass	15000




29.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:40240, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.01	-25	Pass	401
0.15	30	0.01	RMS	0.15	-70.21	-25	Pass	2985
30	1000	0.1	RMS	845.4	-61.59	-25	Pass	9699
1000	2486	1	RMS	2486	-48.74	-25	Pass	1486
2486	2700	1	RMS	2545.92	20.8	60	Pass	401
2700	3000	1	RMS	2945.25	-47.68	-25	Pass	401
3000	12000	1	RMS	11608.515	-50.91	-25	Pass	9000
12000	27000	1	RMS	25876.835	-38.12	-25	Pass	15000




**29.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:40240, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.23	-25	Pass	401
0.15	30	0.01	RMS	0.15	-69.32	-25	Pass	2985
30	1000	0.1	RMS	873.232	-61.59	-25	Pass	9699
1000	2486	1	RMS	2483.999	-48.72	-25	Pass	1486
2486	2700	1	RMS	2545.92	20.66	60	Pass	401
2700	3000	1	RMS	2947.5	-47.67	-25	Pass	401
3000	12000	1	RMS	7239.518	-49.65	-25	Pass	9000
12000	27000	1	RMS	25900.839	-38.01	-25	Pass	15000




29.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:40690, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.09	-25	Pass	401
0.15	30	0.01	RMS	0.25	-70.08	-25	Pass	2985
30	1000	0.1	RMS	870.228	-61.59	-25	Pass	9699
1000	2486	1	RMS	2486	-48.82	-25	Pass	1486
2486	2700	1	RMS	2590.86	20.35	60	Pass	401
2700	3000	1	RMS	2919.75	-47.68	-25	Pass	401
3000	12000	1	RMS	11613.522	-50.95	-25	Pass	9000
12000	27000	1	RMS	25899.838	-38.08	-25	Pass	15000




**29.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:40690, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-70.35	-25	Pass	401
0.15	30	0.01	RMS	0.21	-69.7	-25	Pass	2985
30	1000	0.1	RMS	872.13	-61.58	-25	Pass	9699
1000	2486	1	RMS	2486	-48.8	-25	Pass	1486
2486	2700	1	RMS	2590.86	19.76	60	Pass	401
2700	3000	1	RMS	2919.75	-47.66	-25	Pass	401
3000	12000	1	RMS	11600.506	-50.94	-25	Pass	9000
12000	27000	1	RMS	25899.838	-38.11	-25	Pass	15000




29.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:41140, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.61	-25	Pass	401
0.15	30	0.01	RMS	0.23	-69.44	-25	Pass	2985
30	1000	0.1	RMS	878.839	-61.57	-25	Pass	9699
1000	2486	1	RMS	2484.999	-48.76	-25	Pass	1486
2486	2700	1	RMS	2635.8	21.37	60	Pass	401
2700	3000	1	RMS	2951.25	-47.66	-25	Pass	401
3000	12000	1	RMS	7218.515	-49.39	-25	Pass	9000
12000	27000	1	RMS	25894.838	-37.99	-25	Pass	15000



**29.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:41140, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.16	-25	Pass	401
0.15	30	0.01	RMS	0.29	-69.77	-25	Pass	2985
30	1000	0.1	RMS	888.452	-61.54	-25	Pass	9699
1000	2486	1	RMS	2481.997	-48.66	-25	Pass	1486
2486	2700	1	RMS	2635.8	20.05	60	Pass	401
2700	3000	1	RMS	2946.75	-47.67	-25	Pass	401
3000	12000	1	RMS	11603.509	-50.93	-25	Pass	9000
12000	27000	1	RMS	25898.838	-38.04	-25	Pass	15000



30. LTE_Band66


30.1. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:1, Channel:131979, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.69	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.76	-13	Pass	2985
30	1000	0.1	RMS	988.184	-63.56	-13	Pass	9699
1000	1700	1	RMS	1700	-51.97	-13	Pass	700
1700	1790	1	RMS	1710.125	22.3	60	Pass	401
1790	3000	1	RMS	2843.871	-49.6	-13	Pass	1210
3000	12000	1	RMS	7266.521	-41.74	-13	Pass	9000
12000	20000	1	RMS	19768.971	-34.76	-13	Pass	8000




30.2. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:2, Channel:131979, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.15	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-13	Pass	2985
30	1000	0.1	RMS	876.036	-63.46	-13	Pass	9699
1000	1700	1	RMS	1700	-52.07	-13	Pass	700
1700	1790	1	RMS	1710.125	21.53	60	Pass	401
1790	3000	1	RMS	2949.959	-49.59	-13	Pass	1210
3000	12000	1	RMS	11430.295	-43.16	-13	Pass	9000
12000	20000	1	RMS	19787.973	-36.56	-13	Pass	8000




**30.3. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:3,
Channel:132322, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB
Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.93	-13	Pass	2985
30	1000	0.1	RMS	903.672	-63.59	-13	Pass	9699
1000	1700	1	RMS	1700	-52.88	-13	Pass	700
1700	1790	1	RMS	1744.325	22.18	60	Pass	401
1790	3000	1	RMS	2841.869	-49.65	-13	Pass	1210
3000	12000	1	RMS	11435.301	-43.1	-13	Pass	9000
12000	20000	1	RMS	19803.975	-36.48	-13	Pass	8000




30.4. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:4, Channel:132322, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.09	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.48	-13	Pass	2985
30	1000	0.1	RMS	869.827	-63.56	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.81	-13	Pass	700
1700	1790	1	RMS	1744.325	21.31	60	Pass	401
1790	3000	1	RMS	2948.958	-49.63	-13	Pass	1210
3000	12000	1	RMS	11423.286	-43.22	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.5	-13	Pass	8000




30.5. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:5, Channel:132665, Bandwidth:1.4, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.92	-13	Pass	401
0.15	30	0.01	RMS	0.2	-71.67	-13	Pass	2985
30	1000	0.1	RMS	821.697	-63.54	-13	Pass	9699
1000	1700	1	RMS	1693.991	-52.87	-13	Pass	700
1700	1790	1	RMS	1778.75	22.31	60	Pass	401
1790	3000	1	RMS	2951.96	-49.66	-13	Pass	1210
3000	12000	1	RMS	11434.3	-43.19	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.52	-13	Pass	8000




30.6. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:6, Channel:132665, Bandwidth:1.4, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.03	-13	Pass	401
0.15	30	0.01	RMS	0.19	-71.11	-13	Pass	2985
30	1000	0.1	RMS	988.385	-63.42	-13	Pass	9699
1000	1700	1	RMS	1695.994	-52.88	-13	Pass	700
1700	1790	1	RMS	1778.75	21.42	60	Pass	401
1790	3000	1	RMS	2950.959	-49.61	-13	Pass	1210
3000	12000	1	RMS	11852.818	-40.7	-13	Pass	9000
12000	20000	1	RMS	19802.975	-36.57	-13	Pass	8000




30.7. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:7, Channel:131987, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.84	-13	Pass	401
0.15	30	0.01	RMS	0.24	-71.84	-13	Pass	2985
30	1000	0.1	RMS	870.228	-63.62	-13	Pass	9699
1000	1700	1	RMS	1700	-51.85	-13	Pass	700
1700	1790	1	RMS	1710.125	22.41	60	Pass	401
1790	3000	1	RMS	2949.959	-49.65	-13	Pass	1210
3000	12000	1	RMS	11340.183	-43.2	-13	Pass	9000
12000	20000	1	RMS	19776.972	-34.65	-13	Pass	8000




**30.8. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:8,
Channel:131987, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.019	-73.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.84	-13	Pass	2985
30	1000	0.1	RMS	867.424	-63.51	-13	Pass	9699
1000	1700	1	RMS	1700	-52.03	-13	Pass	700
1700	1790	1	RMS	1710.125	21.73	60	Pass	401
1790	3000	1	RMS	2944.955	-49.65	-13	Pass	1210
3000	12000	1	RMS	11427.291	-43.16	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.5	-13	Pass	8000




30.9. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:9, Channel:132322, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.16	-13	Pass	401
0.15	30	0.01	RMS	0.21	-71.84	-13	Pass	2985
30	1000	0.1	RMS	871.129	-63.58	-13	Pass	9699
1000	1700	1	RMS	1700	-52.82	-13	Pass	700
1700	1790	1	RMS	1743.65	22.32	60	Pass	401
1790	3000	1	RMS	2948.958	-49.58	-13	Pass	1210
3000	12000	1	RMS	11441.309	-43.13	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.4	-13	Pass	8000




**30.10. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:10,
Channel:132322, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.31	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.95	-13	Pass	2985
30	1000	0.1	RMS	977.57	-63.61	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.85	-13	Pass	700
1700	1790	1	RMS	1743.65	21.67	60	Pass	401
1790	3000	1	RMS	2952.961	-49.57	-13	Pass	1210
3000	12000	1	RMS	11428.292	-43.06	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.43	-13	Pass	8000




30.11. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:11, Channel:132657, Bandwidth:3, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-74.33	-13	Pass	401
0.15	30	0.01	RMS	0.22	-72.17	-13	Pass	2985
30	1000	0.1	RMS	852.004	-63.52	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.88	-13	Pass	700
1700	1790	1	RMS	1777.175	22.41	60	Pass	401
1790	3000	1	RMS	2845.873	-49.64	-13	Pass	1210
3000	12000	1	RMS	11848.813	-40.34	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.51	-13	Pass	8000




**30.12. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:12,
Channel:132657, Bandwidth:3, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.47	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.4	-13	Pass	2985
30	1000	0.1	RMS	918.292	-63.45	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.89	-13	Pass	700
1700	1790	1	RMS	1777.175	21.46	60	Pass	401
1790	3000	1	RMS	2955.964	-49.64	-13	Pass	1210
3000	12000	1	RMS	11439.306	-43.11	-13	Pass	9000
12000	20000	1	RMS	19804.976	-36.39	-13	Pass	8000




30.13. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:13, Channel:131997, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.76	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.3	-13	Pass	2985
30	1000	0.1	RMS	984.68	-63.59	-13	Pass	9699
1000	1700	1	RMS	1700	-51.77	-13	Pass	700
1700	1790	1	RMS	1710.125	22.16	60	Pass	401
1790	3000	1	RMS	2956.964	-49.65	-13	Pass	1210
3000	12000	1	RMS	11429.294	-43.2	-13	Pass	9000
12000	20000	1	RMS	19770.971	-34.65	-13	Pass	8000




**30.14. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:14,
Channel:131997, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-13	Pass	2985
30	1000	0.1	RMS	898.465	-63.61	-13	Pass	9699
1000	1700	1	RMS	1700	-52	-13	Pass	700
1700	1790	1	RMS	1710.125	21.45	60	Pass	401
1790	3000	1	RMS	2842.87	-49.63	-13	Pass	1210
3000	12000	1	RMS	11435.301	-43.15	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.53	-13	Pass	8000




30.15. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:15, Channel:132322, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.81	-13	Pass	2985
30	1000	0.1	RMS	870.028	-63.53	-13	Pass	9699
1000	1700	1	RMS	1700	-52.83	-13	Pass	700
1700	1790	1	RMS	1742.75	22.29	60	Pass	401
1790	3000	1	RMS	2927.94	-49.69	-13	Pass	1210
3000	12000	1	RMS	11441.309	-43.2	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.49	-13	Pass	8000




**30.16. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:16,
Channel:132322, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.72	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.84	-13	Pass	2985
30	1000	0.1	RMS	865.321	-63.47	-13	Pass	9699
1000	1700	1	RMS	1694.993	-52.83	-13	Pass	700
1700	1790	1	RMS	1742.75	21.62	60	Pass	401
1790	3000	1	RMS	2849.876	-49.6	-13	Pass	1210
3000	12000	1	RMS	11835.797	-40.34	-13	Pass	9000
12000	20000	1	RMS	19790.974	-36.52	-13	Pass	8000




30.17. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:17, Channel:132647, Bandwidth:5, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.89	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2985
30	1000	0.1	RMS	873.432	-63.59	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.8	-13	Pass	700
1700	1790	1	RMS	1775.15	22.39	60	Pass	401
1790	3000	1	RMS	2950.959	-49.67	-13	Pass	1210
3000	12000	1	RMS	11433.299	-43.22	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.58	-13	Pass	8000




**30.18. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:18,
Channel:132647, Bandwidth:5, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.41	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.92	-13	Pass	2985
30	1000	0.1	RMS	878.639	-63.44	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.92	-13	Pass	700
1700	1790	1	RMS	1775.15	21.69	60	Pass	401
1790	3000	1	RMS	2921.935	-49.62	-13	Pass	1210
3000	12000	1	RMS	11429.294	-43.17	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.49	-13	Pass	8000




30.19. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:19, Channel:132022, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.71	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-13	Pass	2985
30	1000	0.1	RMS	892.958	-63.62	-13	Pass	9699
1000	1700	1	RMS	1700	-51.42	-13	Pass	700
1700	1790	1	RMS	1710.575	22.43	60	Pass	401
1790	3000	1	RMS	2844.872	-49.65	-13	Pass	1210
3000	12000	1	RMS	11429.294	-43.17	-13	Pass	9000
12000	20000	1	RMS	19769.971	-34.77	-13	Pass	8000




**30.20. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:20,
Channel:132022, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.69	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.38	-13	Pass	2985
30	1000	0.1	RMS	879.44	-63.55	-13	Pass	9699
1000	1700	1	RMS	1700	-51.75	-13	Pass	700
1700	1790	1	RMS	1710.575	21.58	60	Pass	401
1790	3000	1	RMS	2845.873	-49.62	-13	Pass	1210
3000	12000	1	RMS	11433.299	-43.19	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.53	-13	Pass	8000




30.21. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:21, Channel:132322, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.22	-13	Pass	401
0.15	30	0.01	RMS	0.15	-70.88	-13	Pass	2985
30	1000	0.1	RMS	880.441	-63.55	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.64	-13	Pass	700
1700	1790	1	RMS	1740.5	22.32	60	Pass	401
1790	3000	1	RMS	2950.959	-49.57	-13	Pass	1210
3000	12000	1	RMS	11851.817	-40.61	-13	Pass	9000
12000	20000	1	RMS	19799.975	-36.57	-13	Pass	8000




**30.22. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:22,
Channel:132322, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.8	-13	Pass	401
0.15	30	0.01	RMS	0.16	-71.43	-13	Pass	2985
30	1000	0.1	RMS	878.339	-63.53	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.7	-13	Pass	700
1700	1790	1	RMS	1740.5	21.5	60	Pass	401
1790	3000	1	RMS	2841.869	-49.65	-13	Pass	1210
3000	12000	1	RMS	11434.3	-43.19	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.58	-13	Pass	8000




30.23. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:23, Channel:132622, Bandwidth:10, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.49	-13	Pass	401
0.15	30	0.01	RMS	0.34	-71.29	-13	Pass	2985
30	1000	0.1	RMS	872.631	-63.54	-13	Pass	9699
1000	1700	1	RMS	1690.987	-52.86	-13	Pass	700
1700	1790	1	RMS	1770.425	22.34	60	Pass	401
1790	3000	1	RMS	2930.943	-49.62	-13	Pass	1210
3000	12000	1	RMS	11340.183	-43.13	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.56	-13	Pass	8000




**30.24. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:24,
Channel:132622, Bandwidth:10, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.46	-13	Pass	401
0.15	30	0.01	RMS	0.42	-71.92	-13	Pass	2985
30	1000	0.1	RMS	996.796	-63.64	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.76	-13	Pass	700
1700	1790	1	RMS	1770.425	21.64	60	Pass	401
1790	3000	1	RMS	2946.956	-49.63	-13	Pass	1210
3000	12000	1	RMS	11447.316	-43.22	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.46	-13	Pass	8000




30.25. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:25, Channel:132047, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.6	-13	Pass	401
0.15	30	0.01	RMS	0.17	-71.52	-13	Pass	2985
30	1000	0.1	RMS	885.949	-63.59	-13	Pass	9699
1000	1700	1	RMS	1697.997	-48.88	-13	Pass	700
1700	1790	1	RMS	1710.8	22.22	60	Pass	401
1790	3000	1	RMS	2945.955	-49.67	-13	Pass	1210
3000	12000	1	RMS	11427.291	-43.28	-13	Pass	9000
12000	20000	1	RMS	19752.969	-34.61	-13	Pass	8000




**30.26. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:26,
Channel:132047, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.16	-70.68	-13	Pass	2985
30	1000	0.1	RMS	886.249	-63.46	-13	Pass	9699
1000	1700	1	RMS	1697.997	-49.38	-13	Pass	700
1700	1790	1	RMS	1710.8	21.09	60	Pass	401
1790	3000	1	RMS	2949.959	-49.62	-13	Pass	1210
3000	12000	1	RMS	11831.792	-40.3	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.46	-13	Pass	8000




30.27. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:27, Channel:132322, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-74.44	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.6	-13	Pass	2985
30	1000	0.1	RMS	901.77	-63.53	-13	Pass	9699
1000	1700	1	RMS	1700	-52.72	-13	Pass	700
1700	1790	1	RMS	1738.25	22.2	60	Pass	401
1790	3000	1	RMS	2949.959	-49.52	-13	Pass	1210
3000	12000	1	RMS	11431.296	-43.19	-13	Pass	9000
12000	20000	1	RMS	19791.974	-36.51	-13	Pass	8000




**30.28. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:28,
Channel:132322, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.44	-13	Pass	401
0.15	30	0.01	RMS	0.18	-71.6	-13	Pass	2985
30	1000	0.1	RMS	876.737	-63.58	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.75	-13	Pass	700
1700	1790	1	RMS	1738.25	21.43	60	Pass	401
1790	3000	1	RMS	2838.867	-49.62	-13	Pass	1210
3000	12000	1	RMS	11430.295	-43.22	-13	Pass	9000
12000	20000	1	RMS	19806.976	-36.51	-13	Pass	8000




30.29. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:29, Channel:132597, Bandwidth:15, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.34	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.39	-13	Pass	2985
30	1000	0.1	RMS	875.835	-63.59	-13	Pass	9699
1000	1700	1	RMS	1696.996	-52.82	-13	Pass	700
1700	1790	1	RMS	1765.7	22.41	60	Pass	401
1790	3000	1	RMS	2946.956	-49.59	-13	Pass	1210
3000	12000	1	RMS	11431.296	-43.16	-13	Pass	9000
12000	20000	1	RMS	19797.975	-36.42	-13	Pass	8000




**30.30. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:30,
Channel:132597, Bandwidth:15, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.91	-13	Pass	401
0.15	30	0.01	RMS	0.42	-72.1	-13	Pass	2985
30	1000	0.1	RMS	868.726	-63.51	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.81	-13	Pass	700
1700	1790	1	RMS	1765.7	21.66	60	Pass	401
1790	3000	1	RMS	2950.959	-49.65	-13	Pass	1210
3000	12000	1	RMS	11432.297	-43.18	-13	Pass	9000
12000	20000	1	RMS	19798.975	-36.51	-13	Pass	8000




30.31. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:31, Channel:132072, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.56	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.72	-13	Pass	2985
30	1000	0.1	RMS	860.415	-63.45	-13	Pass	9699
1000	1700	1	RMS	1700	-48.31	-13	Pass	700
1700	1790	1	RMS	1711.025	22.42	60	Pass	401
1790	3000	1	RMS	2951.96	-49.63	-13	Pass	1210
3000	12000	1	RMS	11825.784	-40.42	-13	Pass	9000
12000	20000	1	RMS	19741.968	-34.97	-13	Pass	8000




30.32. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:32, Channel:132072, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.85	-13	Pass	401
0.15	30	0.01	RMS	0.16	-72	-13	Pass	2985
30	1000	0.1	RMS	844.699	-63.66	-13	Pass	9699
1000	1700	1	RMS	1692.99	-49.99	-13	Pass	700
1700	1790	1	RMS	1711.025	21.18	60	Pass	401
1790	3000	1	RMS	2947.957	-49.66	-13	Pass	1210
3000	12000	1	RMS	11429.294	-43.18	-13	Pass	9000
12000	20000	1	RMS	19809.976	-36.54	-13	Pass	8000




30.33. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:33, Channel:132322, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.42	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	Pass	2985
30	1000	0.1	RMS	887.351	-63.58	-13	Pass	9699
1000	1700	1	RMS	1700	-52.57	-13	Pass	700
1700	1790	1	RMS	1736	22.16	60	Pass	401
1790	3000	1	RMS	2838.867	-49.61	-13	Pass	1210
3000	12000	1	RMS	11341.185	-43.14	-13	Pass	9000
12000	20000	1	RMS	19794.974	-36.51	-13	Pass	8000




**30.34. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:34,
Channel:132322, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-73.16	-13	Pass	401
0.15	30	0.01	RMS	0.19	-70.97	-13	Pass	2985
30	1000	0.1	RMS	860.815	-63.5	-13	Pass	9699
1000	1700	1	RMS	1700	-52.57	-13	Pass	700
1700	1790	1	RMS	1736	21.4	60	Pass	401
1790	3000	1	RMS	2951.96	-49.62	-13	Pass	1210
3000	12000	1	RMS	11427.291	-43.23	-13	Pass	9000
12000	20000	1	RMS	19796.975	-36.55	-13	Pass	8000




30.35. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:35, Channel:132572, Bandwidth:20, Modulation:QPSK, RB Number: 1, RB Position:LOW)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.37	-13	Pass	401
0.15	30	0.01	RMS	0.22	-71.56	-13	Pass	2985
30	1000	0.1	RMS	837.099	-63.66	-13	Pass	9699
1000	1700	1	RMS	1698.999	-52.78	-13	Pass	700
1700	1790	1	RMS	1760.975	22.34	60	Pass	401
1790	3000	1	RMS	2950.959	-49.64	-13	Pass	1210
3000	12000	1	RMS	11435.301	-43.21	-13	Pass	9000
12000	20000	1	RMS	19800.975	-36.35	-13	Pass	8000



**30.36. LTE Spurious Emission at Antenna Terminals(NTNV)(Subtest:36,
Channel:132572, Bandwidth:20, Modulation:Q16, RB Number: 1, RB Position:LOW)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.38	-13	Pass	401
0.15	30	0.01	RMS	0.15	-71.37	-13	Pass	2985
30	1000	0.1	RMS	845.099	-63.49	-13	Pass	9699
1000	1700	1	RMS	1697.997	-52.8	-13	Pass	700
1700	1790	1	RMS	1760.975	21.5	60	Pass	401
1790	3000	1	RMS	2836.865	-49.58	-13	Pass	1210
3000	12000	1	RMS	11832.793	-40.03	-13	Pass	9000
12000	20000	1	RMS	19801.975	-36.49	-13	Pass	8000




NR

31. n41 30kHz


31.1. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:1, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-61.99	-25	Pass	401
0.15	30	0.01	RMS	0.18	-58.19	-25	Pass	2985
30	1000	0.1	RMS	880.542	-51.22	-25	Pass	9699
1000	2486	1	RMS	2486	-40.62	-25	Pass	1486
2486	2700	1	RMS	2508.47	14.54	60	Pass	401
2700	3000	1	RMS	2877.75	-39	-25	Pass	401
3000	6500	1	RMS	6209.917	-64.01	-25	Pass	3500
6500	27000	1	RMS	25799.708	-43.59	-25	Pass	20500




31.2. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:2, Channel:501204, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-60.93	-25	Pass	401
0.15	30	0.01	RMS	0.26	-60.43	-25	Pass	2985
30	1000	0.1	RMS	994.893	-51.45	-25	Pass	9699
1000	2486	1	RMS	2484.999	-40.29	-25	Pass	1486
2486	2700	1	RMS	2509.005	14.71	60	Pass	401
2700	3000	1	RMS	2874.75	-38.94	-25	Pass	401
3000	6500	1	RMS	6132.895	-64.29	-25	Pass	3500
6500	27000	1	RMS	25515.639	-44	-25	Pass	20500




31.3. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:3, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-55.22	-25	Pass	401
0.15	30	0.01	RMS	0.27	-58.75	-25	Pass	2985
30	1000	0.1	RMS	919.693	-51.7	-25	Pass	9699
1000	2486	1	RMS	2451.977	-40.94	-25	Pass	1486
2486	2700	1	RMS	2590.325	13.75	60	Pass	401
2700	3000	1	RMS	2868.75	-39.03	-25	Pass	401
3000	6500	1	RMS	6218.92	-63.99	-25	Pass	3500
6500	27000	1	RMS	26213.809	-43.98	-25	Pass	20500




31.4. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:4, Channel:518598, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.047	-54.64	-25	Pass	401
0.15	30	0.01	RMS	0.29	-58.9	-25	Pass	2985
30	1000	0.1	RMS	927.804	-51.41	-25	Pass	9699
1000	2486	1	RMS	2458.982	-40.91	-25	Pass	1486
2486	2700	1	RMS	2596.21	13.66	60	Pass	401
2700	3000	1	RMS	2866.5	-38.97	-25	Pass	401
3000	6500	1	RMS	6074.879	-64.2	-25	Pass	3500
6500	27000	1	RMS	25921.738	-43.5	-25	Pass	20500




**31.5. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:5,
Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:25, RB Position:12)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-57.45	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.42	-25	Pass	2985
30	1000	0.1	RMS	894.76	-51.27	-25	Pass	9699
1000	2486	1	RMS	2477.995	-40.94	-25	Pass	1486
2486	2700	1	RMS	2677.53	13.5	60	Pass	401
2700	3000	1	RMS	2875.5	-39.03	-25	Pass	401
3000	6500	1	RMS	6220.92	-64.3	-25	Pass	3500
6500	27000	1	RMS	26965.99 2	-44.06	-25	Pass	20500




31.6. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:6, Channel:535998, Bandwidth:20, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:25, RB Position:12)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-55.98	-25	Pass	401
0.15	30	0.01	RMS	0.3	-60.46	-25	Pass	2985
30	1000	0.1	RMS	879.841	-51.67	-25	Pass	9699
1000	2486	1	RMS	2461.984	-40.87	-25	Pass	1486
2486	2700	1	RMS	2676.995	13.14	60	Pass	401
2700	3000	1	RMS	2875.5	-39	-25	Pass	401
3000	6500	1	RMS	6211.918	-64.06	-25	Pass	3500
6500	27000	1	RMS	25172.556	-44.12	-25	Pass	20500



**31.7. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:7,
Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.032	-57.88	-25	Pass	401
0.15	30	0.01	RMS	0.17	-60.64	-25	Pass	2985
30	1000	0.1	RMS	858.312	-51.28	-25	Pass	9699
1000	2486	1	RMS	2486	-38.1	-25	Pass	1486
2486	2700	1	RMS	2537.895	8.79	60	Pass	401
2700	3000	1	RMS	2878.5	-39.03	-25	Pass	401
3000	6500	1	RMS	6214.919	-64.25	-25	Pass	3500
6500	27000	1	RMS	25448.623	-43.96	-25	Pass	20500




31.8. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:8, Channel:505200, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-56.1	-25	Pass	401
0.15	30	0.01	RMS	0.21	-60.13	-25	Pass	2985
30	1000	0.1	RMS	932.711	-51.85	-25	Pass	9699
1000	2486	1	RMS	2486	-36.6	-25	Pass	1486
2486	2700	1	RMS	2532.545	8.71	60	Pass	401
2700	3000	1	RMS	2874.75	-39	-25	Pass	401
3000	6500	1	RMS	6226.922	-64.34	-25	Pass	3500
6500	27000	1	RMS	25184.559	-43.82	-25	Pass	20500




**31.9. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:9,
Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-48.65	-25	Pass	401
0.15	30	0.01	RMS	0.15	-60.11	-25	Pass	2985
30	1000	0.1	RMS	970.861	-51.74	-25	Pass	9699
1000	2486	1	RMS	2484.999	-40.88	-25	Pass	1486
2486	2700	1	RMS	2604.77	8.84	60	Pass	401
2700	3000	1	RMS	2878.5	-38.94	-25	Pass	401
3000	6500	1	RMS	6075.879	-64.22	-25	Pass	3500
6500	27000	1	RMS	25871.726	-44.04	-25	Pass	20500




31.10. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:10, Channel:518598, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.044	-49.25	-25	Pass	401
0.15	30	0.01	RMS	0.23	-59.31	-25	Pass	2985
30	1000	0.1	RMS	919.293	-51.31	-25	Pass	9699
1000	2486	1	RMS	2476.994	-40.87	-25	Pass	1486
2486	2700	1	RMS	2604.77	8.78	60	Pass	401
2700	3000	1	RMS	2878.5	-39.03	-25	Pass	401
3000	6500	1	RMS	6204.916	-64.3	-25	Pass	3500
6500	27000	1	RMS	26750.939	-43.94	-25	Pass	20500




**31.11. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:11,
Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:81, RB Position:40)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-48.84	-25	Pass	401
0.15	30	0.01	RMS	0.28	-60.53	-25	Pass	2985
30	1000	0.1	RMS	537.762	-51.88	-25	Pass	9699
1000	2486	1	RMS	2463.985	-40.86	-25	Pass	1486
2486	2700	1	RMS	2671.645	8.3	60	Pass	401
2700	3000	1	RMS	2868	-38.91	-25	Pass	401
3000	6500	1	RMS	6216.919	-64.21	-25	Pass	3500
6500	27000	1	RMS	25467.628	-43.74	-25	Pass	20500




31.12. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:12, Channel:531996, Bandwidth:60, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:81, RB Position:40)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.042	-51.21	-25	Pass	401
0.15	30	0.01	RMS	0.16	-58.75	-25	Pass	2985
30	1000	0.1	RMS	977.37	-51.43	-25	Pass	9699
1000	2486	1	RMS	2486	-40.92	-25	Pass	1486
2486	2700	1	RMS	2666.295	8.29	60	Pass	401
2700	3000	1	RMS	2700	-37.46	-25	Pass	401
3000	6500	1	RMS	6036.868	-64.18	-25	Pass	3500
6500	27000	1	RMS	26954.989	-43.92	-25	Pass	20500



**31.13. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:13,
Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.045	-47.6	-25	Pass	401
0.15	30	0.01	RMS	0.19	-59.24	-25	Pass	2985
30	1000	0.1	RMS	943.525	-51.56	-25	Pass	9699
1000	2486	1	RMS	2486	-39.34	-25	Pass	1486
2486	2700	1	RMS	2529.87	6.24	60	Pass	401
2700	3000	1	RMS	2879.25	-38.99	-25	Pass	401
3000	6500	1	RMS	6217.919	-64.2	-25	Pass	3500
6500	27000	1	RMS	25507.637	-43.75	-25	Pass	20500




31.14. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:14, Channel:509202, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.035	-50.7	-25	Pass	401
0.15	30	0.01	RMS	0.38	-59.37	-25	Pass	2985
30	1000	0.1	RMS	729.185	-50.98	-25	Pass	9699
1000	2486	1	RMS	2486	-37.95	-25	Pass	1486
2486	2700	1	RMS	2532.01	6.24	60	Pass	401
2700	3000	1	RMS	2866.5	-38.94	-25	Pass	401
3000	6500	1	RMS	6226.922	-64.26	-25	Pass	3500
6500	27000	1	RMS	25477.63	-43.86	-25	Pass	20500




31.15. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:15, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:PI2-BPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-49.26	-25	Pass	401
0.15	30	0.01	RMS	0.38	-57.63	-25	Pass	2985
30	1000	0.1	RMS	917.491	-51.57	-25	Pass	9699
1000	2486	1	RMS	2486	-40.84	-25	Pass	1486
2486	2700	1	RMS	2611.19	6.4	60	Pass	401
2700	3000	1	RMS	2874	-39.03	-25	Pass	401
3000	6500	1	RMS	6080.88	-64.25	-25	Pass	3500
6500	27000	1	RMS	25514.639	-43.43	-25	Pass	20500




31.16. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:16, Channel:518598, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-50.05	-25	Pass	401
0.15	30	0.01	RMS	0.15	-61.03	-25	Pass	2985
30	1000	0.1	RMS	905.074	-51.04	-25	Pass	9699
1000	2486	1	RMS	2482.998	-40.8	-25	Pass	1486
2486	2700	1	RMS	2610.12	6.42	60	Pass	401
2700	3000	1	RMS	2880	-38.97	-25	Pass	401
3000	6500	1	RMS	6216.919	-64.27	-25	Pass	3500
6500	27000	1	RMS	25812.712	-43.65	-25	Pass	20500




**31.17. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:17,
Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM,
Modulation:PI2-BPSK, RB Number:135, RB Position:67)**

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.03	-49.22	-25	Pass	401
0.15	30	0.01	RMS	0.32	-59.87	-25	Pass	2985
30	1000	0.1	RMS	987.984	-51.62	-25	Pass	9699
1000	2486	1	RMS	2484.999	-40.92	-25	Pass	1486
2486	2700	1	RMS	2624.03	6.18	60	Pass	401
2700	3000	1	RMS	2867.25	-38.98	-25	Pass	401
3000	6500	1	RMS	6220.92	-64.11	-25	Pass	3500
6500	27000	1	RMS	25544.64 6	-43.72	-25	Pass	20500



31.18. Spurious Emission at Antenna Terminals for SA(NTNV)(Subtest:18, Channel:528000, Bandwidth:100, SCS:30, OFDM:DFT-s-OFDM, Modulation:QPSK, RB Number:135, RB Position:67)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.031	-48.57	-25	Pass	401
0.15	30	0.01	RMS	0.16	-58.92	-25	Pass	2985
30	1000	0.1	RMS	867.925	-51.72	-25	Pass	9699
1000	2486	1	RMS	2484.999	-40.9	-25	Pass	1486
2486	2700	1	RMS	2626.17	6.21	60	Pass	401
2700	3000	1	RMS	2700	-38.09	-25	Pass	401
3000	6500	1	RMS	6214.919	-64.16	-25	Pass	3500
6500	27000	1	RMS	25828.715	-44.02	-25	Pass	20500



32. DC_2A_n41A_SCS30


32.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, P12-BPSK, NR RB:25@12, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detect or	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.1	-25	Pass	401
0.15	30	0.01	RMS	0.27	-59.91	-25	Pass	2985
30	1000	0.1	RMS	998.899	-51.9	-25	Pass	9699
1000	2486	1	RMS	2486	-40.67	-25	Pass	1486
2486	2700	1	RMS	2508.47	14.1	60	Pass	401
2700	3000	1	RMS	2876.25	-38.96	-25	Pass	401
3000	6500	1	RMS	6216.919	-64.12	-25	Pass	3500
6500	27000	1	RMS	25805.71	-43.85	-25	Pass	20500




32.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-63.81	-25	Pass	401
0.15	30	0.01	RMS	0.16	-59.11	-25	Pass	2985
30	1000	0.1	RMS	956.642	-51.1	-25	Pass	9699
1000	2486	1	RMS	2486	-40.46	-25	Pass	1486
2486	2700	1	RMS	2509.005	14.19	60	Pass	401
2700	3000	1	RMS	2867.25	-38.89	-25	Pass	401
3000	6500	1	RMS	6200.915	-64.17	-25	Pass	3500
6500	27000	1	RMS	25850.721	-43.61	-25	Pass	20500




32.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, P12-BPSK, NR RB:25@12, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.47	-25	Pass	401
0.15	30	0.01	RMS	0.6	-59.2	-25	Pass	2985
30	1000	0.1	RMS	955.04	-51.48	-25	Pass	9699
1000	2486	1	RMS	2482.998	-40.86	-25	Pass	1486
2486	2700	1	RMS	2590.325	13.56	60	Pass	401
2700	3000	1	RMS	2867.25	-38.94	-25	Pass	401
3000	6500	1	RMS	6197.914	-64.1	-25	Pass	3500
6500	27000	1	RMS	25812.712	-43.63	-25	Pass	20500




32.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.68	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.76	-25	Pass	2985
30	1000	0.1	RMS	762.489	-51.48	-25	Pass	9699
1000	2486	1	RMS	2483.999	-40.88	-25	Pass	1486
2486	2700	1	RMS	2595.675	13.53	60	Pass	401
2700	3000	1	RMS	2869.5	-38.92	-25	Pass	401
3000	6500	1	RMS	6212.918	-64.07	-25	Pass	3500
6500	27000	1	RMS	26885.972	-43.72	-25	Pass	20500




32.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, P12-BPSK, NR RB:25@12, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-61.79	-25	Pass	401
0.15	30	0.01	RMS	0.23	-60.22	-25	Pass	2985
30	1000	0.1	RMS	886.349	-51.61	-25	Pass	9699
1000	2486	1	RMS	2480.997	-40.91	-25	Pass	1486
2486	2700	1	RMS	2676.995	13.64	60	Pass	401
2700	3000	1	RMS	2874	-38.9	-25	Pass	401
3000	6500	1	RMS	5857.817	-64.22	-25	Pass	3500
6500	27000	1	RMS	26957.99	-43.73	-25	Pass	20500




32.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-62.51	-25	Pass	401
0.15	30	0.01	RMS	0.17	-60.87	-25	Pass	2985
30	1000	0.1	RMS	930.608	-51.33	-25	Pass	9699
1000	2486	1	RMS	2479.996	-40.84	-25	Pass	1486
2486	2700	1	RMS	2682.88	13.67	60	Pass	401
2700	3000	1	RMS	2874.75	-38.91	-25	Pass	401
3000	6500	1	RMS	6212.918	-63.85	-25	Pass	3500
6500	27000	1	RMS	25829.716	-44.01	-25	Pass	20500




32.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, P12-BPSK, NR RB:81@40, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-61.54	-25	Pass	401
0.15	30	0.01	RMS	0.15	-59.33	-25	Pass	2985
30	1000	0.1	RMS	942.924	-51.34	-25	Pass	9699
1000	2486	1	RMS	2486	-38.45	-25	Pass	1486
2486	2700	1	RMS	2537.36	8.68	60	Pass	401
2700	3000	1	RMS	2871	-38.93	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.02	-25	Pass	3500
6500	27000	1	RMS	25825.715	-43.83	-25	Pass	20500




32.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.3	-25	Pass	401
0.15	30	0.01	RMS	0.15	-58.38	-25	Pass	2985
30	1000	0.1	RMS	986.082	-51.82	-25	Pass	9699
1000	2486	1	RMS	2486	-37.07	-25	Pass	1486
2486	2700	1	RMS	2532.01	8.76	60	Pass	401
2700	3000	1	RMS	2872.5	-38.89	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.14	-25	Pass	3500
6500	27000	1	RMS	25871.726	-43.5	-25	Pass	20500




32.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:9, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, P12-BPSK, NR RB:81@40, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.38	-25	Pass	401
0.15	30	0.01	RMS	0.53	-59.45	-25	Pass	2985
30	1000	0.1	RMS	498.257	-51.35	-25	Pass	9699
1000	2486	1	RMS	2448.975	-40.98	-25	Pass	1486
2486	2700	1	RMS	2604.77	8.64	60	Pass	401
2700	3000	1	RMS	2871	-38.91	-25	Pass	401
3000	6500	1	RMS	6082.881	-63.93	-25	Pass	3500
6500	27000	1	RMS	25841.719	-43.88	-25	Pass	20500




32.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:10, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.66	-25	Pass	401
0.15	30	0.01	RMS	0.22	-59.01	-25	Pass	2985
30	1000	0.1	RMS	895.862	-51.41	-25	Pass	9699
1000	2486	1	RMS	2484.999	-41	-25	Pass	1486
2486	2700	1	RMS	2605.305	8.65	60	Pass	401
2700	3000	1	RMS	2868	-38.9	-25	Pass	401
3000	6500	1	RMS	6220.92	-64.09	-25	Pass	3500
6500	27000	1	RMS	25190.56	-43.74	-25	Pass	20500




32.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:11, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:81@40, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-62.25	-25	Pass	401
0.15	30	0.01	RMS	0.37	-59.58	-25	Pass	2985
30	1000	0.1	RMS	730.285	-51.36	-25	Pass	9699
1000	2486	1	RMS	2461.984	-40.89	-25	Pass	1486
2486	2700	1	RMS	2649.175	8.52	60	Pass	401
2700	3000	1	RMS	2880.75	-38.91	-25	Pass	401
3000	6500	1	RMS	6201.915	-63.98	-25	Pass	3500
6500	27000	1	RMS	25872.726	-43.76	-25	Pass	20500



32.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:12, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.07	-25	Pass	401
0.15	30	0.01	RMS	0.23	-59.73	-25	Pass	2985
30	1000	0.1	RMS	738.586	-50.94	-25	Pass	9699
1000	2486	1	RMS	2482.998	-40.87	-25	Pass	1486
2486	2700	1	RMS	2666.295	8.51	60	Pass	401
2700	3000	1	RMS	2700	-36.47	-25	Pass	401
3000	6500	1	RMS	6214.919	-64.2	-25	Pass	3500
6500	27000	1	RMS	25907.735	-43.68	-25	Pass	20500




32.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:13, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:135@67, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.89	-25	Pass	401
0.15	30	0.01	RMS	0.18	-59.49	-25	Pass	2985
30	1000	0.1	RMS	893.759	-51.89	-25	Pass	9699
1000	2486	1	RMS	2486	-39.46	-25	Pass	1486
2486	2700	1	RMS	2529.87	6.18	60	Pass	401
2700	3000	1	RMS	2870.25	-38.88	-25	Pass	401
3000	6500	1	RMS	6220.92	-64.05	-25	Pass	3500
6500	27000	1	RMS	25500.636	-43.67	-25	Pass	20500




32.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:14, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:18700, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.84	-25	Pass	401
0.15	30	0.01	RMS	0.38	-59.12	-25	Pass	2985
30	1000	0.1	RMS	889.253	-51.14	-25	Pass	9699
1000	2486	1	RMS	2486	-38.57	-25	Pass	1486
2486	2700	1	RMS	2532.01	6.18	60	Pass	401
2700	3000	1	RMS	2874.75	-38.93	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.14	-25	Pass	3500
6500	27000	1	RMS	25912.736	-43.45	-25	Pass	20500




32.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:15, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:135@67, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.35	-25	Pass	401
0.15	30	0.01	RMS	0.31	-60.24	-25	Pass	2985
30	1000	0.1	RMS	925.701	-51.71	-25	Pass	9699
1000	2486	1	RMS	2481.997	-40.88	-25	Pass	1486
2486	2700	1	RMS	2611.19	6.37	60	Pass	401
2700	3000	1	RMS	2865	-38.98	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.08	-25	Pass	3500
6500	27000	1	RMS	25906.734	-43.84	-25	Pass	20500




32.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:16, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:18900, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.6	-25	Pass	401
0.15	30	0.01	RMS	0.16	-58.05	-25	Pass	2985
30	1000	0.1	RMS	937.417	-51.64	-25	Pass	9699
1000	2486	1	RMS	2482.998	-40.87	-25	Pass	1486
2486	2700	1	RMS	2611.725	6.45	60	Pass	401
2700	3000	1	RMS	2871.75	-38.92	-25	Pass	401
3000	6500	1	RMS	6076.879	-64.19	-25	Pass	3500
6500	27000	1	RMS	25771.702	-43.95	-25	Pass	20500




32.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:17, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:135@67, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-63.75	-25	Pass	401
0.15	30	0.01	RMS	0.21	-59.78	-25	Pass	2985
30	1000	0.1	RMS	765.39	-51.68	-25	Pass	9699
1000	2486	1	RMS	2486	-40.93	-25	Pass	1486
2486	2700	1	RMS	2624.03	6.4	60	Pass	401
2700	3000	1	RMS	2872.5	-38.97	-25	Pass	401
3000	6500	1	RMS	6075.879	-64.14	-25	Pass	3500
6500	27000	1	RMS	25496.635	-43.54	-25	Pass	20500



32.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:18, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:19100, LTE BW:20, QPSK, LTE RB:100@0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.36	-25	Pass	401
0.15	30	0.01	RMS	0.21	-59.47	-25	Pass	2985
30	1000	0.1	RMS	882.644	-51.15	-25	Pass	9699
1000	2486	1	RMS	2484.999	-40.85	-25	Pass	1486
2486	2700	1	RMS	2626.17	6.3	60	Pass	401
2700	3000	1	RMS	2700	-38.41	-25	Pass	401
3000	6500	1	RMS	6068.877	-64.14	-25	Pass	3500
6500	27000	1	RMS	25797.708	-43.86	-25	Pass	20500



33. DC_66A_n41A_SCS30


33.1. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:1, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:25@12, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.1	-25	Pass	401
0.15	30	0.01	RMS	0.27	-59.2	-25	Pass	2985
30	1000	0.1	RMS	892.457	-51.45	-25	Pass	9699
1000	2486	1	RMS	2486	-40.71	-25	Pass	1486
2486	2700	1	RMS	2508.47	13.76	60	Pass	401
2700	3000	1	RMS	2880.75	-38.91	-25	Pass	401
3000	6500	1	RMS	6207.917	-64.22	-25	Pass	3500
6500	27000	1	RMS	26949.988	-43.82	-25	Pass	20500




33.2. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:2, NR Ch:501204, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.37	-25	Pass	401
0.15	30	0.01	RMS	0.18	-59.48	-25	Pass	2985
30	1000	0.1	RMS	879.04	-51.41	-25	Pass	9699
1000	2486	1	RMS	2484.999	-40.37	-25	Pass	1486
2486	2700	1	RMS	2509.005	14.06	60	Pass	401
2700	3000	1	RMS	2871	-38.94	-25	Pass	401
3000	6500	1	RMS	6079.88	-64.22	-25	Pass	3500
6500	27000	1	RMS	25834.717	-43.93	-25	Pass	20500




33.3. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:3, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, P12-BPSK, NR RB:25@12, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-60.65	-25	Pass	401
0.15	30	0.01	RMS	0.19	-60.19	-25	Pass	2985
30	1000	0.1	RMS	987.984	-51.17	-25	Pass	9699
1000	2486	1	RMS	2484.999	-40.89	-25	Pass	1486
2486	2700	1	RMS	2590.325	13.59	60	Pass	401
2700	3000	1	RMS	2871	-38.96	-25	Pass	401
3000	6500	1	RMS	6218.92	-64.11	-25	Pass	3500
6500	27000	1	RMS	25490.633	-43.85	-25	Pass	20500




33.4. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:4, NR Ch:518598, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.98	-25	Pass	401
0.15	30	0.01	RMS	0.27	-60.77	-25	Pass	2985
30	1000	0.1	RMS	511.959	-51.53	-25	Pass	9699
1000	2486	1	RMS	2484.999	-40.87	-25	Pass	1486
2486	2700	1	RMS	2596.21	13.64	60	Pass	401
2700	3000	1	RMS	2868	-38.95	-25	Pass	401
3000	6500	1	RMS	6149.9	-64.15	-25	Pass	3500
6500	27000	1	RMS	25891.73 1	-43.69	-25	Pass	20500




33.5. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:5, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, P12-BPSK, NR RB:25@12, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-61.4	-25	Pass	401
0.15	30	0.01	RMS	0.27	-58.18	-25	Pass	2985
30	1000	0.1	RMS	905.274	-51.51	-25	Pass	9699
1000	2486	1	RMS	2486	-41	-25	Pass	1486
2486	2700	1	RMS	2676.46	14.03	60	Pass	401
2700	3000	1	RMS	2866.5	-38.86	-25	Pass	401
3000	6500	1	RMS	6223.921	-64.04	-25	Pass	3500
6500	27000	1	RMS	25919.738	-43.74	-25	Pass	20500




33.6. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:6, NR Ch:535998, NR BW:20, SCS:30, DFT-s-OFDM, QPSK, NR RB:25@12, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-62.3	-25	Pass	401
0.15	30	0.01	RMS	0.21	-58.86	-25	Pass	2985
30	1000	0.1	RMS	885.048	-51.59	-25	Pass	9699
1000	2486	1	RMS	2481.997	-40.93	-25	Pass	1486
2486	2700	1	RMS	2676.46	13.96	60	Pass	401
2700	3000	1	RMS	2879.25	-38.9	-25	Pass	401
3000	6500	1	RMS	6213.918	-64.14	-25	Pass	3500
6500	27000	1	RMS	26920.981	-43.76	-25	Pass	20500




33.7. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:7, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, P12-BPSK, NR RB:81@40, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-61.11	-25	Pass	401
0.15	30	0.01	RMS	0.33	-60.14	-25	Pass	2985
30	1000	0.1	RMS	983.378	-51.72	-25	Pass	9699
1000	2486	1	RMS	2486	-38.54	-25	Pass	1486
2486	2700	1	RMS	2537.36	8.69	60	Pass	401
2700	3000	1	RMS	2877	-38.92	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.11	-25	Pass	3500
6500	27000	1	RMS	25819.713	-43.92	-25	Pass	20500




33.8. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:8, NR Ch:505200, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.14	-25	Pass	401
0.15	30	0.01	RMS	0.3	-60.41	-25	Pass	2985
30	1000	0.1	RMS	907.077	-51.4	-25	Pass	9699
1000	2486	1	RMS	2486	-36.9	-25	Pass	1486
2486	2700	1	RMS	2532.545	8.85	60	Pass	401
2700	3000	1	RMS	2868.75	-38.95	-25	Pass	401
3000	6500	1	RMS	6083.881	-64.22	-25	Pass	3500
6500	27000	1	RMS	25493.634	-43.75	-25	Pass	20500




33.9. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:9, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, P12-BPSK, NR RB:81@40, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-61.06	-25	Pass	401
0.15	30	0.01	RMS	0.31	-59.09	-25	Pass	2985
30	1000	0.1	RMS	891.756	-51.41	-25	Pass	9699
1000	2486	1	RMS	2482.998	-40.96	-25	Pass	1486
2486	2700	1	RMS	2604.77	9.04	60	Pass	401
2700	3000	1	RMS	2866.5	-38.88	-25	Pass	401
3000	6500	1	RMS	6208.917	-64.23	-25	Pass	3500
6500	27000	1	RMS	25923.739	-43.79	-25	Pass	20500




33.10. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:10, NR Ch:518598, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-62.18	-25	Pass	401
0.15	30	0.01	RMS	0.25	-59.51	-25	Pass	2985
30	1000	0.1	RMS	750.888	-51.75	-25	Pass	9699
1000	2486	1	RMS	2480.997	-40.99	-25	Pass	1486
2486	2700	1	RMS	2604.235	8.7	60	Pass	401
2700	3000	1	RMS	2868.75	-38.9	-25	Pass	401
3000	6500	1	RMS	6201.915	-64.03	-25	Pass	3500
6500	27000	1	RMS	25508.638	-43.98	-25	Pass	20500




33.11. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:11, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:81@40, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.018	-63.45	-25	Pass	401
0.15	30	0.01	RMS	0.22	-59.78	-25	Pass	2985
30	1000	0.1	RMS	889.654	-51.59	-25	Pass	9699
1000	2486	1	RMS	2484.999	-40.91	-25	Pass	1486
2486	2700	1	RMS	2671.645	8.68	60	Pass	401
2700	3000	1	RMS	2867.25	-38.94	-25	Pass	401
3000	6500	1	RMS	6217.919	-64.09	-25	Pass	3500
6500	27000	1	RMS	25821.714	-43.75	-25	Pass	20500




33.12. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:12, NR Ch:531996, NR BW:60, SCS:30, DFT-s-OFDM, QPSK, NR RB:81@40, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-62.38	-25	Pass	401
0.15	30	0.01	RMS	0.17	-59.44	-25	Pass	2985
30	1000	0.1	RMS	899.867	-51.79	-25	Pass	9699
1000	2486	1	RMS	2457.981	-40.77	-25	Pass	1486
2486	2700	1	RMS	2666.295	8.61	60	Pass	401
2700	3000	1	RMS	2700	-36.06	-25	Pass	401
3000	6500	1	RMS	6214.919	-64.16	-25	Pass	3500
6500	27000	1	RMS	25204.564	-43.92	-25	Pass	20500




33.13. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:13, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:135@67, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-62.4	-25	Pass	401
0.15	30	0.01	RMS	0.47	-60.86	-25	Pass	2985
30	1000	0.1	RMS	881.543	-51.01	-25	Pass	9699
1000	2486	1	RMS	2484.999	-39.25	-25	Pass	1486
2486	2700	1	RMS	2529.87	6.31	60	Pass	401
2700	3000	1	RMS	2880	-38.91	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.07	-25	Pass	3500
6500	27000	1	RMS	25485.63 2	-43.7	-25	Pass	20500




33.14. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:14, NR Ch:509202, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:132072, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-60.16	-25	Pass	401
0.15	30	0.01	RMS	0.17	-59.17	-25	Pass	2985
30	1000	0.1	RMS	976.369	-51.68	-25	Pass	9699
1000	2486	1	RMS	2486	-38.62	-25	Pass	1486
2486	2700	1	RMS	2563.04	6.18	60	Pass	401
2700	3000	1	RMS	2871	-38.89	-25	Pass	401
3000	6500	1	RMS	6205.916	-64.17	-25	Pass	3500
6500	27000	1	RMS	25503.636	-44	-25	Pass	20500




33.15. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:15, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:135@67, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-62.59	-25	Pass	401
0.15	30	0.01	RMS	0.2	-57.06	-25	Pass	2985
30	1000	0.1	RMS	928.305	-51.14	-25	Pass	9699
1000	2486	1	RMS	2486	-40.89	-25	Pass	1486
2486	2700	1	RMS	2611.19	6.59	60	Pass	401
2700	3000	1	RMS	2867.25	-38.86	-25	Pass	401
3000	6500	1	RMS	6221.921	-64.07	-25	Pass	3500
6500	27000	1	RMS	25875.727	-43.73	-25	Pass	20500




33.16. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:16, NR Ch:518598, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:132322, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-61.7	-25	Pass	401
0.15	30	0.01	RMS	0.23	-60.7	-25	Pass	2985
30	1000	0.1	RMS	887.15	-51.45	-25	Pass	9699
1000	2486	1	RMS	2486	-40.55	-25	Pass	1486
2486	2700	1	RMS	2610.12	6.39	60	Pass	401
2700	3000	1	RMS	2880	-38.86	-25	Pass	401
3000	6500	1	RMS	6219.92	-64.06	-25	Pass	3500
6500	27000	1	RMS	25553.649	-43.87	-25	Pass	20500




33.17. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:17, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, PI2-BPSK, NR RB:135@67, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-63.13	-25	Pass	401
0.15	30	0.01	RMS	0.35	-59.99	-25	Pass	2985
30	1000	0.1	RMS	870.228	-50.73	-25	Pass	9699
1000	2486	1	RMS	2464.986	-40.91	-25	Pass	1486
2486	2700	1	RMS	2623.495	6.37	60	Pass	401
2700	3000	1	RMS	2877.75	-38.9	-25	Pass	401
3000	6500	1	RMS	6066.876	-64.18	-25	Pass	3500
6500	27000	1	RMS	26984.996	-43.68	-25	Pass	20500



33.18. Spurious Emission at Antenna Terminals for Inter-band EN-DC within FR1(NTNV)(Subtest:18, NR Ch:528000, NR BW:100, SCS:30, DFT-s-OFDM, QPSK, NR RB:135@67, LTE Ch:132572, LTE BW:20, QPSK, LTE RB:100@0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-63.15	-25	Pass	401
0.15	30	0.01	RMS	0.27	-58.44	-25	Pass	2985
30	1000	0.1	RMS	910.481	-51.8	-25	Pass	9699
1000	2486	1	RMS	2482.998	-40.83	-25	Pass	1486
2486	2700	1	RMS	2626.17	6.38	60	Pass	401
2700	3000	1	RMS	2700	-38.44	-25	Pass	401
3000	6500	1	RMS	6073.878	-64.19	-25	Pass	3500
6500	27000	1	RMS	25836.717	-43.95	-25	Pass	20500



END