






B2_N41(40M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_High_CH




B2_N41(40M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_High_CH




B2_N41(40M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_High_CH




B2_N41(40M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_High_CH



B2_N41(40M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_Mid_CH




B2_N41(40M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_Mid_CH







B2_N41(40M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Mid_CH




B2_N41(40M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Mid_CH




B2_N41(40M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_Low_CH




B2_N41(40M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_Low_CH



B2_N41(40M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Low_CH




B2_N41(40M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Low_CH







B2_N41(60M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_High_CH




B2_N41(60M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_High_CH




B2_N41(60M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_High_CH




B2_N41(60M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_High_CH



B2_N41(60M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_Mid_CH




B2_N41(60M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_Mid_CH







B2_N41(60M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Mid_CH




B2_N41(60M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Mid_CH




B2_N41(60M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_Low_CH




B2_N41(60M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_Low_CH



B2_N41(60M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Low_CH




B2_N41(60M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Low_CH







B2_N41(80M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_High_CH




B2_N41(80M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_High_CH




B2_N41(80M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_High_CH




B2_N41(80M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_High_CH



B2_N41(80M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_Mid_CH




B2_N41(80M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_Mid_CH







B2_N41(80M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Mid_CH




B2_N41(80M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Mid_CH




B2_N41(80M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_Low_CH




B2_N41(80M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_Low_CH



B2_N41(80M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Low_CH




B2_N41(80M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Low_CH







B2_N41(100M)_DFT-s-OFDM_BPSK_Edge_1
RB_Left_High_CH




B2_N41(100M)_DFT-s-OFDM_BPSK_Edge_1
RB_Left_High_CH




B2_N41(100M)_DFT-s-OFDM_QPSK_Edge_1
RB_Left_High_CH




B2_N41(100M)_DFT-s-OFDM_QPSK_Edge_1
RB_Left_High_CH



B2_N41(100M)_DFT-s-OFDM_BPSK_Edge_1
RB_Left_Mid_CH




B2_N41(100M)_DFT-s-OFDM_BPSK_Edge_1
RB_Left_Mid_CH







B2_N41(100M)_DFT-s-OFDM_QPSK_Edge_1
RB_Left_Mid_CH




B2_N41(100M)_DFT-s-OFDM_QPSK_Edge_1
RB_Left_Mid_CH




B2_N41(100M)_DFT-s-OFDM_BPSK_Edge_1
RB_Left_Low_CH




B2_N41(100M)_DFT-s-OFDM_BPSK_Edge_1
RB_Left_Low_CH



B2_N41(100M)_DFT-s-OFDM_QPSK_Edge_1
RB_Left_Low_CH



B2_N41(100M)_DFT-s-OFDM_QPSK_Edge_1
RB_Left_Low_CH





2.5. Band Edge


2.5.1. Requirement

According to FCC section 22.917(a), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

N41

According to FCC section 27.53(m) (4), for mobile digital stations, the attenuation factor shall be not less than $40 + 10 \log(P)$ dB on all frequencies between the channel edge and 5 megahertz from the channel edge, $43 + 10 \log(P)$ dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and $55 + 10 \log(P)$ dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less than $43 + 10 \log(P)$ dB on all frequencies between 2490.5 MHz and 2496 MHz and $55 + 10 \log(P)$ dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

2.5.2. Test Description



The EUT is coupled to the Spectrum Analyzer (SA) and the System Simulator (SS) with Attenuators through the Power Splitter; the RF load attached to the EUT antenna terminal is 50 Ohm; the path loss as the factor is calibrated to correct the reading. The EUT is commanded by the SS to operate at the maximum output power. A call is established between the EUT and the SS.

2.5.3. Test procedure

KDB 971168 D01v03 Section 6.0 and ANSI/TIA-603-E-2016.




REPORT No.: SZ20120168W11

2.5.4. Test Result


The center frequency of spectrum is the band edge frequency and span is 2MHz, Record the max trace into the test report.




B2_N41(20M)_DFT-s-OFDM_BPSK_Edge_1R
B_Right_High_CH




B2_N41(20M)_DFT-s-OFDM_QPSK_Edge_1R
B_Right_High_CH




B2_N41(20M)_DFT-s-OFDM_BPSK_Outer_Fu
ll_High_CH




B2_N41(20M)_DFT-s-OFDM_QPSK_Outer_Full
_High_CH



B2_N41(20M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_Low CH




B2_N41(20M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Low CH







B2_N41(20M)_DFT-s-OFDM_BPSK_Outer_Fu
II_Low CH




B2_N41(20M)_DFT-s-OFDM_QPSK_Outer_Full
_Low CH




B2_N41(40M)_DFT-s-OFDM_BPSK_Edge_1R
B_Right_High_CH




B2_N41(40M)_DFT-s-OFDM_QPSK_Edge_1R
B_Right_High_CH



B2_N41(40M)_DFT-s-OFDM_BPSK_Outer_Fu
II_Low CH




B2_N41(40M)_DFT-s-OFDM_QPSK_Outer_Full
_Low CH







B2_N41(40M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_Low CH




B2_N41(40M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Low CH




B2_N41(40M)_DFT-s-OFDM_BPSK_Outer_Fu
II_Low CH




B2_N41(40M)_DFT-s-OFDM_QPSK_Outer_Full
_Low CH



B2_N41(60M)_DFT-s-OFDM_BPSK_Edge_1R
B_Right_High_CH




B2_N41(60M)_DFT-s-OFDM_QPSK_Edge_1R
B_Right_High_CH







B2_N41(60M)_DFT-s-OFDM_BPSK_Outer_Fu
II_High_CH




B2_N41(60M)_DFT-s-OFDM_QPSK_Outer_Full
_High_CH




B2_N41(60M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_Low CH




B2_N41(60M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Low CH



B2_N41(60M)_DFT-s-OFDM_BPSK_Outer_Fu
II_Low CH




B2_N41(60M)_DFT-s-OFDM_QPSK_Outer_Full
_Low CH







B2_N41(80M)_DFT-s-OFDM_BPSK_Edge_1R
B_Right_High_CH




B2_N41(80M)_DFT-s-OFDM_QPSK_Edge_1R
B_Right_High_CH




B2_N41(80M)_DFT-s-OFDM_BPSK_Outer_Fu
ll_High_CH




B2_N41(80M)_DFT-s-OFDM_QPSK_Outer_Full
_High_CH



B2_N41(80M)_DFT-s-OFDM_BPSK_Edge_1R
B_Left_Low CH




B2_N41(80M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Low CH







B2_N41(80M)_DFT-s-OFDM_BPSK_Outer_Fu
II_Low CH




B2_N41(80M)_DFT-s-OFDM_QPSK_Outer_Full
_Low CH




B2_N41(100M)_DFT-s-OFDM_BPSK_Edge_1
RB_Right_High_CH




B2_N41(100M)_DFT-s-OFDM_QPSK_Edge_1R
B_Right_High_CH




B2_N41(100M)_DFT-s-OFDM_BPSK_Outer_F
ull_High_CH




B2_N41(100M)_DFT-s-OFDM_QPSK_Outer_F
ull_High_CH




B2_N41(100M)_DFT-s-OFDM_BPSK_Edge_1
RB_Left_Low CH




B2_N41(100M)_DFT-s-OFDM_QPSK_Edge_1R
B_Left_Low CH



B2_N41(100M)_DFT-s-OFDM_BPSK_Outer_F
ull_Low CH



B2_N41(100M)_DFT-s-OFDM_QPSK_Outer_F
ull_Low CH



2.6. Radiated Spurious Emissions

2.6.1. Requirement


According to FCC section 2.1051, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43+10*\log(P)$ dB. This calculated to be -13dBm.

Additional requirement for NR Band n41:


The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $55 + 10 \log(P)$ dB. This

calculated to be -25dBm.

2.6.2. Test Description



(For the test frequency from 30MHz to 1GHz)



(For the test frequency above 1GHz)

The EUT is located in a 3m Full-Anechoic Chamber, the cable loss, air loss and so on of the site as factors are pre-calibrated using the "Substitution" method, and calculated to correct the reading. A call is established between the EUT and the SS via a Common Antenna. The EUT is commanded by the SS to operate at the maximum and minimum output power, and only the test result of the maximum output power was recorded.

In the frequency range above 30MHz, Bi-Log Test Antenna (30MHz to 1GHz) and Horn Test



Antenna (above 1GHz) are used. Test Antenna is 3m away from the EUT. Test Antenna height is varied from 1m to 4m above the ground and the Turn Table is actuated to turn from 0° to 360° to determine the maximum value of the radiated power. The emission levels at both horizontal and vertical polarizations should be tested. The Filters consists of Notch Filters and High Pass Filter.

Note: when doing measurements above 1GHz, the EUT has been within the 3dB cone width of the horn antenna during horizontal antenna.

2.6.3. Test procedure

KDB 971168 D01v03 Section 5.8 and ANSI/TIA-603-E-2016.

2.6.4. Test Result

The measurement frequency range is from 30MHz to the 10th harmonic of the fundamental frequency. Test Antenna height is varied from 1m to 4m above the ground, and the Turn Table is actuated to turn from 0° to 360°, both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The substitution corrections are obtained as described below:

$$A_{\text{SUBST}} = P_{\text{SUBST_TX}} - P_{\text{SUBST_RX}} - L_{\text{SUBST_CABLES}} + G_{\text{SUBST_TX_ANT}}$$

$$A_{\text{TOT}} = L_{\text{CABLES}} + A_{\text{SUBST}}$$

Where A_{SUBST} is the final substitution correction including receive antenna gain.

$P_{\text{SUBST_TX}}$ is signal generator level,

$P_{\text{SUBST_RX}}$ is receiver level,

$L_{\text{SUBST_CABLES}}$ is cable losses including TX cable,

$G_{\text{SUBST_TX_ANT}}$ is substitution antenna gain.

A_{TOT} is total correction factor including cable loss and substitution correction

During the test, the data of A_{TOT} was added in the Test Spectrum Analyze, so Spectrum Analyze reading is the final values which contain the data of A_{TOT} .




Note1:The power of the EUT transmitting frequency should be ignored.

Note2: All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Note3: All bandwidth and modulation were considered and evaluated respectively by performing full test for each band, only the worst cases (Max Bandwidth and QPSK mode) were recorded in this test report.

DC 2A_N41



CH 501204 20M CP-OFDM QPSK 1RB_Right SCS 30KHz 1-18G H

Suspected List


NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3722.7230	-58.08	-25.00	33.08	-7.87	-47.08	39.21			Horizontal
2	5012.0120	-56.75	-25.00	31.75	-2.44	-43.82	41.38			Horizontal
3	5580.5810	-56.86	-25.00	31.86	-2.21	-43.00	40.79			Horizontal
4	7438.4380	-52.05	-25.00	27.05	6.90	-38.85	45.75			Horizontal



REPORT No.: SZ20120168W11

5	7518.5190	-50.77	-25.00	25.77	7.76	-38.24	46.00			Horizontal
6	9297.2970	-56.55	-25.00	31.55	11.40	-37.29	48.69			Horizontal
7	10027.0270	-56.88	-25.00	31.88	12.17	-36.17	48.34			Horizontal
8	11162.1620	-54.39	-25.00	29.39	13.85	-34.80	48.65			Horizontal
9	12531.5320	-54.24	-25.00	29.24	18.62	-30.17	48.79			Horizontal
10	13018.0180	-54.22	-25.00	29.22	20.32	-29.83	50.15			Horizontal
11	14882.8830	-52.79	-25.00	27.79	20.18	-29.66	49.84			Horizontal
12	15036.0360	-52.39	-25.00	27.39	20.50	-29.34	49.84			Horizontal
13	16747.7480	-51.58	-25.00	26.58	22.94	-28.73	51.67			Horizontal
14	17540.5410	-50.97	-25.00	25.97	23.62	-27.37	50.99			Horizontal

Test Graph




CH 501204 20M CP-OFDM QPSK 1RB_Right SCS 30KHz 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3722.7230	-58.99	-25.00	33.99	-8.01	-47.08	39.07			Vertical
2	5012.0120	-56.63	-25.00	31.63	-2.94	-43.82	40.88			Vertical
3	5580.5810	-57.25	-25.00	32.25	-2.62	-43.00	40.38			Vertical
4	7438.4380	-52.41	-25.00	27.41	6.58	-38.85	45.43			Vertical
5	7518.5190	-49.3	-25.00	24.30	7.44	-38.24	45.68			Vertical
6	9306.3060	-57.01	-25.00	32.01	11.37	-37.26	48.63			Vertical
7	10027.0270	-57.06	-25.00	32.06	12.15	-36.17	48.32			Vertical
8	11162.1620	-54.2	-25.00	29.20	14.04	-34.80	48.84			Vertical
9	12531.5320	-55.5	-25.00	30.50	17.85	-30.17	48.02			Vertical
10	13027.0270	-54.75	-25.00	29.75	19.51	-29.85	49.36			Vertical
11	14882.8830	-52.61	-25.00	27.61	20.29	-29.66	49.95			Vertical
12	15036.0360	-52.84	-25.00	27.84	20.27	-29.34	49.61			Vertical
13	16738.7390	-52.24	-25.00	27.24	22.19	-28.68	50.87			Vertical
14	17540.5410	-51.57	-25.00	26.57	22.92	-27.37	50.29			Vertical



Test Graph




CH 501204 20M CP-OFDM QPSK 1RB_Right SCS 30KHz 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	34.8550	-57.8	-25.00	32.80	-9.37	-39.58	30.21			Horizontal
2	41.6520	-59.48	-25.00	34.48	-7.05	-39.53	32.48			Horizontal
3	50.3900	-60.74	-25.00	35.74	-7.16	-39.46	32.30			Horizontal
4	103.7940	-68.53	-25.00	43.53	-17.50	-38.70	21.20			Horizontal
5	209.6300	-70.42	-25.00	45.42	-14.07	-37.58	23.51			Horizontal
6	334.8850	-68.09	-25.00	43.09	-11.90	-37.03	25.13			Horizontal




Test Graph



CH 501204 20M CP-OFDM QPSK 1RB_Right SCS 30KHz 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	35.8260	-58.87	-25.00	33.87	-16.61	-39.57	22.96			Vertical
2	91.1710	-70.79	-25.00	45.79	-16.09	-38.71	22.62			Vertical
3	208.6590	-72.69	-25.00	47.69	-16.60	-37.61	21.01			Vertical
4	328.0880	-70.25	-25.00	45.25	-11.16	-37.03	25.87			Vertical
5	590.2500	-72.22	-25.00	47.22	-5.38	-34.91	29.53			Vertical
6	876.6870	-71.92	-25.00	46.92	-1.81	-34.03	32.22			Vertical

Test Graph




CH 518598 20M CP-OFDM QPSK 1RB_Right SCS 30KHz 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3762.7630	-58.63	-25.00	33.63	-7.87	-47.22	39.35			Horizontal
2	5188.1880	-57.46	-25.00	32.46	-2.11	-43.31	41.20			Horizontal
3	5636.6370	-55.38	-25.00	30.38	-2.08	-42.90	40.82			Horizontal
4	7518.5190	-50.24	-25.00	25.24	7.76	-38.24	46.00			Horizontal
5	7782.7830	-54.26	-25.00	29.26	6.52	-38.13	44.65			Horizontal
6	9405.4050	-55.79	-25.00	30.79	12.51	-36.48	48.99			Horizontal
7	10378.3780	-54.96	-25.00	29.96	14.40	-34.96	49.36			Horizontal
8	11279.2790	-53.9	-25.00	28.90	14.70	-34.15	48.85			Horizontal
9	12963.9640	-56.39	-25.00	31.39	19.87	-30.24	50.11			Horizontal
10	13162.1620	-54.83	-25.00	29.83	20.23	-29.49	49.72			Horizontal
11	15036.0360	-53.59	-25.00	28.59	20.50	-29.34	49.84			Horizontal
12	15558.5590	-53.2	-25.00	28.20	21.67	-28.86	50.53			Horizontal
13	16918.9190	-52.88	-25.00	27.88	24.36	-27.94	52.30			Horizontal

Test Graph



○ Final Test


CH 518598 20M CP-OFDM QPSK 1RB_Right SCS 30KHz 1-18G V

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	3762.7630	-58.21	-25.00	33.21	-8.16	-47.22	39.06			Vertical
2	5188.1880	-57.77	-25.00	32.77	-2.36	-43.31	40.95			Vertical
3	5636.6370	-57.42	-25.00	32.42	-2.43	-42.90	40.47			Vertical
4	7518.5190	-51.91	-25.00	26.91	7.44	-38.24	45.68			Vertical
5	7774.7750	-54.15	-25.00	29.15	6.54	-38.06	44.60			Vertical
6	9405.4050	-56.05	-25.00	31.05	12.56	-36.48	49.04			Vertical
7	10369.3690	-55.37	-25.00	30.37	14.09	-35.22	49.31			Vertical
8	11279.2790	-53.95	-25.00	28.95	14.71	-34.15	48.86			Vertical
9	12963.9640	-57.23	-25.00	32.23	19.14	-30.24	49.38			Vertical
10	13162.1620	-55.36	-25.00	30.36	19.65	-29.49	49.14			Vertical
11	15045.0450	-53.96	-25.00	28.96	20.38	-29.19	49.57			Vertical
12	15558.5590	-55.79	-25.00	30.79	19.21	-28.86	48.07			Vertical
13	16918.9190	-53.49	-25.00	28.49	23.77	-27.94	51.71			Vertical



Test Graph




CH 518598 20M CP-OFDM QPSK 1RB_Right SCS 30KHz 30M-1G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	40.6810	-58.9	-25.00	33.90	-7.05	-39.53	32.48			Horizontal
2	49.4190	-60.67	-25.00	35.67	-7.01	-39.46	32.45			Horizontal
3	104.7650	-69.03	-25.00	44.03	-17.53	-38.70	21.17			Horizontal
4	193.1230	-70.39	-25.00	45.39	-14.82	-38.02	23.20			Horizontal
5	330.0300	-67.73	-25.00	42.73	-12.38	-37.04	24.66			Horizontal
6	733.9540	-72.28	-25.00	47.28	-3.39	-34.26	30.87			Horizontal



Test Graph




CH 518598 20M CP-OFDM QPSK 1RB_Right SCS 30KHz 30M-1G V

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	36.7970	-58.19	-25.00	33.19	-16.55	-39.57	23.02			Vertical
2	50.3900	-67.83	-25.00	42.83	-15.33	-39.46	24.13			Vertical
3	98.9390	-68.55	-25.00	43.55	-12.86	-38.70	25.84			Vertical
4	208.6590	-73.41	-25.00	48.41	-16.60	-37.61	21.01			Vertical
5	321.2910	-71.1	-25.00	46.10	-11.48	-37.01	25.53			Vertical
6	663.0730	-71.62	-25.00	46.62	-4.35	-34.39	30.04			Vertical



Test Graph



CH 535998 20M CP-OFDM QPSK 1RB_Right SCS 30KHz 1-18G H

Suspected List

NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	2673.6740	-38.32	-25.00	13.32	-10.16	-47.36	37.20			NA
2	3802.8030	-56.79	-25.00	31.79	-6.52	-46.01	39.49			Horizontal
3	5364.3640	-57.83	-25.00	32.83	-2.30	-43.02	40.72			Horizontal
4	5700.7010	-57.18	-25.00	32.18	-1.91	-42.74	40.83			Horizontal
5	7606.6070	-52.45	-25.00	27.45	7.24	-37.81	45.05			Horizontal
6	8039.0390	-51.42	-25.00	26.42	8.08	-37.88	45.96			Horizontal
7	9504.5050	-56.67	-25.00	31.67	10.83	-37.36	48.19			Horizontal
8	10720.7210	-54.15	-25.00	29.15	13.99	-34.72	48.71			Horizontal
9	11405.4050	-52.98	-25.00	27.98	15.96	-33.51	49.47			Horizontal
10	13297.2970	-53.94	-25.00	28.94	20.36	-29.20	49.56			Horizontal
11	13396.3960	-51.42	-25.00	26.42	21.65	-28.43	50.08			Horizontal
12	15198.1980	-52.58	-25.00	27.58	21.21	-29.15	50.36			Horizontal
13	16081.0810	-51.78	-25.00	26.78	23.30	-27.52	50.82			Horizontal
14	17108.1080	-49.18	-25.00	24.18	23.93	-27.49	51.42			Horizontal