





B2_N41(90M)_DFT-s-OFDM_BPSK_Edge_1R
B_Right_High_CH



B2_N41(90M)_DFT-s-OFDM_QPSK_Edge_1R
B_Right_High_CH




B2_N41(90M)_DFT-s-OFDM_BPSK_Outer_Ful
I_High_CH




B2_N41(90M)_DFT-s-OFDM_QPSK_Outer_Ful
I_High_CH



B2_N41(100M)_DFT-s-OFDM_BPSK_Edge_1
RB_Left_Low_CH




B2_N41(100M)_DFT-s-OFDM_QPSK_Edge_1
RB_Left_Low_CH







B2_N41(100M)_DFT-s-OFDM_BPSK_Outer_F
ull_Low_CH




B2_N41(100M)_DFT-s-OFDM_QPSK_Outer_F
ull_Low_CH



B2_N41(100M)_DFT-s-OFDM_BPSK_Edge_1
RB_Right_High_CH



B2_N41(100M)_DFT-s-OFDM_QPSK_Edge_1
RB_Right_High_CH



B2_N41(100M)_DFT-s-OFDM_BPSK_Outer_F
ull_High_CH



B2_N41(100M)_DFT-s-OFDM_QPSK_Outer_F
ull_High_CH




2.6. Radiated Spurious Emissions


2.6.1. Requirement

According to FCC section 2.1051, the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \cdot \log(P)$ dB. This calculated to be -13dBm.

According to FCC section 27.53(m)(4) for N41, The power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $55 + 10 \log(P)$ dB. This calculated to be -25dBm.

2.6.2. Test Description





(For the test frequency above 1GHz)

The EUT is located in a 3m Full-Anechoic Chamber, the cable loss, air loss and so on of the site as factors are pre-calibrated using the "Substitution" method, and calculated to correct the reading. A call is established between the EUT and the SS via a Common Antenna. The EUT is commanded by the SS to operate at the maximum and minimum output power, and only the test result of the maximum output power was recorded.

In the frequency range above 30MHz, Bi-Log Test Antenna (30MHz to 1GHz) and Horn Test Antenna (above 1GHz) are used. Test Antenna is 3m away from the EUT. Test Antenna height is varied from 1m to 4m above the ground and the Turn Table is actuated to turn from 0° to 360° to determine the maximum value of the radiated power. The emission levels at both horizontal and vertical polarizations should be tested. The Filters consists of Notch Filters and High Pass Filter.

Note: when doing measurements above 1GHz, the EUT has been within the 3dB cone width of the horn antenna during horizontal antenna.

2.6.3. Test procedure

KDB 971168 D01v03 Section 5.8 and ANSI/TIA-603-E-2016.



2.6.4. Test Result

The measurement frequency range is from 30MHz to the 10th harmonic of the fundamental frequency. Test Antenna height is varied from 1m to 4m above the ground, and the Turn Table is actuated to turn from 0° to 360°, both horizontal and vertical polarizations of the Test Antenna are used to find the maximum radiated power. Mid channels on all channel bandwidth verified. Only the worst RB size/offset presented.

The substitution corrections are obtained as described below:

$$A_{\text{SUBST}} = P_{\text{SUBST_TX}} - P_{\text{SUBST_RX}} - L_{\text{SUBST_CABLES}} + G_{\text{SUBST_TX_ANT}}$$

$$A_{\text{TOT}} = L_{\text{CABLES}} + A_{\text{SUBST}}$$

Where A_{SUBST} is the final substitution correction including receive antenna gain.

$P_{\text{SUBST_TX}}$ is signal generator level,

$P_{\text{SUBST_RX}}$ is receiver level,

$L_{\text{SUBST_CABLES}}$ is cable losses including TX cable,

$G_{\text{SUBST_TX_ANT}}$ is substitution antenna gain.

A_{TOT} is total correction factor including cable loss and substitution correction

During the test, the data of A_{TOT} was added in the Test Spectrum Analyze, so Spectrum Analyze reading is the final values which contain the data of A_{TOT} .


Note1: The power of the EUT transmitting frequency should be ignored.

Note2: All Spurious Emission tests were performed in X, Y, Z axis direction. And only the worst axis test condition was recorded in this test report.

Note3: All bandwidth and modulation were considered and evaluated respectively by performing full test for each band, only the worst cases (Max Bandwidth and QPSK mode) were recorded in this test report.



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1326.3260	-61.42	-25.00	36.42	-7.80	-45.28	37.48	Horizontal
2	1966.9670	-57.5	-25.00	32.50	-4.81	-46.38	41.57	Horizontal
3	3809.3090	-55.19	-25.00	30.19	-6.65	-46.16	39.51	Horizontal
4	7501.5020	-49.04	-25.00	24.04	8.10	-38.09	46.19	Horizontal
5	10690.1900	-44.96	-25.00	19.96	12.03	-36.53	48.56	Horizontal
6	14627.1270	-42.27	-25.00	17.27	18.42	-31.30	49.72	Horizontal

DC_2A_N41 509202 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 1-18G H

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1732.7330	-60.7	-25.00	35.70	-9.31	-46.29	36.98	Vertical
2	2321.3210	-59	-25.00	34.00	-7.79	-46.40	38.61	Vertical
3	3798.7990	-56.06	-25.00	31.06	-6.93	-45.99	39.06	Vertical
4	7536.0360	-48.23	-25.00	23.23	7.18	-38.39	45.57	Vertical
5	9976.4760	-45.59	-25.00	20.59	11.72	-36.76	48.48	Vertical
6	13648.6490	-41.54	-25.00	16.54	19.80	-29.99	49.79	Vertical

DC_2A_N41 509202 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 1-18G V

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	45.5360	-66.42	-25.00	41.42	-7.04	-39.50	32.46	Horizontal
2	206.7170	-76.15	-25.00	51.15	-14.34	-37.66	23.32	Horizontal
3	280.5110	-75.94	-25.00	50.94	-12.02	-37.03	25.01	Horizontal
4	453.3430	-76.13	-25.00	51.13	-8.96	-35.40	26.44	Horizontal
5	621.3210	-57.13	-25.00	32.13	-5.73	-34.71	28.98	Horizontal
6	826.1960	-58.47	-25.00	33.47	-2.93	-34.16	31.23	Horizontal

DC_2A_N41 509202 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 30M-1G H

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	36.7970	-60.98	-25.00	35.98	-16.55	-39.57	23.02	Vertical
2	90.2000	-68.61	-25.00	43.61	-16.50	-38.71	22.21	Vertical
3	197.9780	-79.3	-25.00	54.30	-15.99	-37.89	21.90	Vertical
4	279.5400	-75.03	-25.00	50.03	-12.54	-37.04	24.50	Vertical
5	613.5540	-74.53	-25.00	49.53	-5.42	-34.79	29.37	Vertical
6	827.1670	-60.31	-25.00	35.31	-2.67	-34.16	31.49	Vertical

DC_2A_N41 509202 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 30M-1G V



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1304.3040	-60.99	-25.00	35.99	-7.63	-45.29	37.66	Horizontal
2	1948.9490	-57.13	-25.00	32.13	-5.12	-46.44	41.32	Horizontal
3	5095.0950	-54.08	-25.00	29.08	-2.30	-43.84	41.54	Horizontal
4	7213.7140	-49.2	-25.00	24.20	6.05	-39.21	45.26	Horizontal
5	9285.7860	-47.54	-25.00	22.54	9.16	-39.42	48.58	Horizontal
6	13660.1600	-41.84	-25.00	16.84	19.66	-30.35	50.01	Horizontal

DC_2A_N41 518598 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 1-18G H



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1404.4040	-61.22	-25.00	36.22	-8.14	-45.36	37.22	Vertical
2	2935.9360	-57.9	-25.00	32.90	-9.19	-47.69	38.50	Vertical
3	5070.5710	-53.98	-25.00	28.98	-2.41	-43.85	41.44	Vertical
4	7478.4780	-49.75	-25.00	24.75	7.27	-38.40	45.67	Vertical
5	9987.9880	-44.92	-25.00	19.92	11.88	-36.60	48.48	Vertical
6	13625.6260	-41.36	-25.00	16.36	19.27	-30.58	49.85	Vertical

DC_2A_N41 518598 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 1-18G V



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	90.2000	-77.79	-25.00	52.79	-18.92	-38.71	19.79	Horizontal
2	206.7170	-75.81	-25.00	50.81	-14.34	-37.66	23.32	Horizontal
3	279.5400	-77.15	-25.00	52.15	-12.04	-37.04	25.00	Horizontal
4	444.6050	-75.86	-25.00	50.86	-8.97	-35.48	26.51	Horizontal
5	666.9570	-55.24	-25.00	30.24	-4.18	-34.39	30.21	Horizontal
6	826.1960	-61.26	-25.00	36.26	-2.93	-34.16	31.23	Horizontal

DC_2A_N41 518598 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 30M-1G H

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	36.7970	-59.4	-25.00	34.40	-16.55	-39.57	23.02	Vertical
2	90.2000	-68.51	-25.00	43.51	-16.50	-38.71	22.21	Vertical
3	126.1260	-74.22	-25.00	49.22	-16.25	-38.54	22.29	Vertical
4	279.5400	-74.51	-25.00	49.51	-12.54	-37.04	24.50	Vertical
5	667.9280	-70.6	-25.00	45.60	-4.36	-34.39	30.03	Vertical
6	827.1670	-63.21	-25.00	38.21	-2.67	-34.16	31.49	Vertical

DC_2A_N41 518598 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 30M-1G V



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1330.3300	-61.29	-25.00	36.29	-7.84	-45.28	37.44	Horizontal
2	2035.0350	-57.16	-25.00	32.16	-5.69	-46.59	40.90	Horizontal
3	4650.1500	-53.87	-25.00	28.87	-4.36	-45.03	40.67	Horizontal
4	7075.5760	-49.45	-25.00	24.45	4.80	-39.85	44.65	Horizontal
5	9976.4760	-45.81	-25.00	20.81	11.62	-36.76	48.38	Horizontal
6	13637.1370	-41.17	-25.00	16.17	19.78	-30.29	50.07	Horizontal

DC_2A_N41 528000 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 1-18G H



Test Graph




○ Final Test

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1346.3460	-61.27	-25.00	36.27	-8.67	-45.27	36.60			Vertical
2	3077.0770	-57.17	-25.00	32.17	-8.69	-47.25	38.56			Vertical
3	5126.6270	-53.25	-25.00	28.25	-2.33	-43.83	41.50			Vertical
4	7064.0640	-50.79	-25.00	25.79	4.68	-39.88	44.56			Vertical
5	10759.2590	-44.75	-25.00	19.75	11.92	-37.31	49.23			Vertical
6	14086.0860	-41.95	-25.00	16.95	20.04	-30.23	50.27			Vertical

DC_2A_N41 528000 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 1-18G V



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	36.7970	-61.58	-25.00	36.58	-8.51	-39.57	31.06	Horizontal
2	206.7170	-75.95	-25.00	50.95	-14.34	-37.66	23.32	Horizontal
3	280.5110	-76.43	-25.00	51.43	-12.02	-37.03	25.01	Horizontal
4	441.6920	-76.34	-25.00	51.34	-8.93	-35.51	26.58	Horizontal
5	714.5350	-54.24	-25.00	29.24	-4.09	-34.33	30.24	Horizontal
6	826.1960	-58.73	-25.00	33.73	-2.93	-34.16	31.23	Horizontal

DC_2A_N41 528000 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 30M-1G H



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	36.7970	-59.63	-25.00	34.63	-16.55	-39.57	23.02	Vertical
2	90.2000	-69.16	-25.00	44.16	-16.50	-38.71	22.21	Vertical
3	179.5300	-79.68	-25.00	54.68	-16.67	-38.11	21.44	Vertical
4	280.5110	-74.63	-25.00	49.63	-12.48	-37.03	24.55	Vertical
5	714.5350	-68.22	-25.00	43.22	-3.98	-34.33	30.35	Vertical
6	826.1960	-61.7	-25.00	36.70	-2.71	-34.16	31.45	Vertical

DC_2A_N41 528000 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 30M-1G V

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1326.3260	-61.42	-25.00	36.42	-7.80	-45.28	37.48	Horizontal
2	1966.9670	-57.5	-25.00	32.50	-4.81	-46.38	41.57	Horizontal
3	3809.3090	-55.19	-25.00	30.19	-6.65	-46.16	39.51	Horizontal
4	7501.5020	-49.04	-25.00	24.04	8.10	-38.09	46.19	Horizontal
5	10690.1900	-44.96	-25.00	19.96	12.03	-36.53	48.56	Horizontal
6	14627.1270	-42.27	-25.00	17.27	18.42	-31.30	49.72	Horizontal

DC_2A_N41 509202 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 1-18G H



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1732.7330	-60.7	-25.00	35.70	-9.31	-46.29	36.98	Vertical
2	2321.3210	-59	-25.00	34.00	-7.79	-46.40	38.61	Vertical
3	3798.7990	-56.06	-25.00	31.06	-6.93	-45.99	39.06	Vertical
4	7536.0360	-48.23	-25.00	23.23	7.18	-38.39	45.57	Vertical
5	9976.4760	-45.59	-25.00	20.59	11.72	-36.76	48.48	Vertical
6	13648.6490	-41.54	-25.00	16.54	19.80	-29.99	49.79	Vertical

DC_2A_N41 509202 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 1-18G V



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	45.5360	-66.42	-25.00	41.42	-7.04	-39.50	32.46	Horizontal
2	206.7170	-76.15	-25.00	51.15	-14.34	-37.66	23.32	Horizontal
3	280.5110	-75.94	-25.00	50.94	-12.02	-37.03	25.01	Horizontal
4	453.3430	-76.13	-25.00	51.13	-8.96	-35.40	26.44	Horizontal
5	621.3210	-57.13	-25.00	32.13	-5.73	-34.71	28.98	Horizontal
6	826.1960	-58.47	-25.00	33.47	-2.93	-34.16	31.23	Horizontal

DC_2A_N41 509202 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 30M-1G H

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	36.7970	-60.98	-25.00	35.98	-16.55	-39.57	23.02	Vertical
2	90.2000	-68.61	-25.00	43.61	-16.50	-38.71	22.21	Vertical
3	197.9780	-79.3	-25.00	54.30	-15.99	-37.89	21.90	Vertical
4	279.5400	-75.03	-25.00	50.03	-12.54	-37.04	24.50	Vertical
5	613.5540	-74.53	-25.00	49.53	-5.42	-34.79	29.37	Vertical
6	827.1670	-60.31	-25.00	35.31	-2.67	-34.16	31.49	Vertical

DC_2A_N41 509202 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 30M-1G V



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1304.3040	-60.99	-25.00	35.99	-7.63	-45.29	37.66	Horizontal
2	1948.9490	-57.13	-25.00	32.13	-5.12	-46.44	41.32	Horizontal
3	5095.0950	-54.08	-25.00	29.08	-2.30	-43.84	41.54	Horizontal
4	7213.7140	-49.2	-25.00	24.20	6.05	-39.21	45.26	Horizontal
5	9285.7860	-47.54	-25.00	22.54	9.16	-39.42	48.58	Horizontal
6	13660.1600	-41.84	-25.00	16.84	19.66	-30.35	50.01	Horizontal

DC_2A_N41 518598 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 1-18G H

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1404.4040	-61.22	-25.00	36.22	-8.14	-45.36	37.22	Vertical
2	2935.9360	-57.9	-25.00	32.90	-9.19	-47.69	38.50	Vertical
3	5070.5710	-53.98	-25.00	28.98	-2.41	-43.85	41.44	Vertical
4	7478.4780	-49.75	-25.00	24.75	7.27	-38.40	45.67	Vertical
5	9987.9880	-44.92	-25.00	19.92	11.88	-36.60	48.48	Vertical
6	13625.6260	-41.36	-25.00	16.36	19.27	-30.58	49.85	Vertical

DC_2A_N41 518598 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 1-18G V

Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	90.2000	-77.79	-25.00	52.79	-18.92	-38.71	19.79	Horizontal
2	206.7170	-75.81	-25.00	50.81	-14.34	-37.66	23.32	Horizontal
3	279.5400	-77.15	-25.00	52.15	-12.04	-37.04	25.00	Horizontal
4	444.6050	-75.86	-25.00	50.86	-8.97	-35.48	26.51	Horizontal
5	666.9570	-55.24	-25.00	30.24	-4.18	-34.39	30.21	Horizontal
6	826.1960	-61.26	-25.00	36.26	-2.93	-34.16	31.23	Horizontal

DC_2A_N41 518598 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 30M-1G H



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	36.7970	-59.4	-25.00	34.40	-16.55	-39.57	23.02	Vertical
2	90.2000	-68.51	-25.00	43.51	-16.50	-38.71	22.21	Vertical
3	126.1260	-74.22	-25.00	49.22	-16.25	-38.54	22.29	Vertical
4	279.5400	-74.51	-25.00	49.51	-12.54	-37.04	24.50	Vertical
5	667.9280	-70.6	-25.00	45.60	-4.36	-34.39	30.03	Vertical
6	827.1670	-63.21	-25.00	38.21	-2.67	-34.16	31.49	Vertical

DC_2A_N41 518598 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 30M-1G V



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	1330.3300	-61.29	-25.00	36.29	-7.84	-45.28	37.44	Horizontal
2	2035.0350	-57.16	-25.00	32.16	-5.69	-46.59	40.90	Horizontal
3	4650.1500	-53.87	-25.00	28.87	-4.36	-45.03	40.67	Horizontal
4	7075.5760	-49.45	-25.00	24.45	4.80	-39.85	44.65	Horizontal
5	9976.4760	-45.81	-25.00	20.81	11.62	-36.76	48.38	Horizontal
6	13637.1370	-41.17	-25.00	16.17	19.78	-30.29	50.07	Horizontal

DC_2A_N41 528000 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 1-18G H



Test Graph




○ Final Test

Suspected List										
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Angle [°]	EUT Pol.	Ant. Pol.
1	1346.3460	-61.27	-25.00	36.27	-8.67	-45.27	36.60			Vertical
2	3077.0770	-57.17	-25.00	32.17	-8.69	-47.25	38.56			Vertical
3	5126.6270	-53.25	-25.00	28.25	-2.33	-43.83	41.50			Vertical
4	7064.0640	-50.79	-25.00	25.79	4.68	-39.88	44.56			Vertical
5	10759.2590	-44.75	-25.00	19.75	11.92	-37.31	49.23			Vertical
6	14086.0860	-41.95	-25.00	16.95	20.04	-30.23	50.27			Vertical

DC_2A_N41 528000 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 1-18G V



Test Graph




○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	36.7970	-61.58	-25.00	36.58	-8.51	-39.57	31.06	Horizontal
2	206.7170	-75.95	-25.00	50.95	-14.34	-37.66	23.32	Horizontal
3	280.5110	-76.43	-25.00	51.43	-12.02	-37.03	25.01	Horizontal
4	441.6920	-76.34	-25.00	51.34	-8.93	-35.51	26.58	Horizontal
5	714.5350	-54.24	-25.00	29.24	-4.09	-34.33	30.24	Horizontal
6	826.1960	-58.73	-25.00	33.73	-2.93	-34.16	31.23	Horizontal

DC_2A_N41 528000 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 30M-1G H



Test Graph



○ Final Test

Suspected List								
NO.	Freq. [MHz]	Level [dBm]	Limit [dBm]	Margin [dB]	Factor [dB]	Path [dB]	Air [dB]	Ant. Pol.
1	36.7970	-59.63	-25.00	34.63	-16.55	-39.57	23.02	Vertical
2	90.2000	-69.16	-25.00	44.16	-16.50	-38.71	22.21	Vertical
3	179.5300	-79.68	-25.00	54.68	-16.67	-38.11	21.44	Vertical
4	280.5110	-74.63	-25.00	49.63	-12.48	-37.03	24.55	Vertical
5	714.5350	-68.22	-25.00	43.22	-3.98	-34.33	30.35	Vertical
6	826.1960	-61.7	-25.00	36.70	-2.71	-34.16	31.45	Vertical

DC_2A_N41 528000 100M DFT-s-OFDM QPSK RB Size-1 RB Offset-1 SCS 30KHz 30M-1G V



Test Uncertainty

Where relevant, the following measurement uncertainty levels have been estimated for test performed on the EUT as specified in CISPR 16-1-2:

Test items	Uncertainty
Output Power	± 2.22 dB
Bandwidth	$\pm 5\%$
Conducted Spurious Emission	± 2.77 dB
Band Edge	± 2.77 dB
Equivalent Isotropic Radiated Power	± 2.22 dB
Radiated Spurious Emissions	± 6 dB

This uncertainty represent an expanded uncertainty expressed at approximately the 95% confidence level using a coverage factor of $k=2$.



Annex A Testing Laboratory Information

1. Identification of the Responsible Testing Laboratory

Company Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China
Telephone:	+86 755 36698555
Facsimile:	+86 755 36698525

2. Identification of the Responsible Testing Location

Name:	Shenzhen Morlab Communications Technology Co., Ltd.
Address:	FL.3, Building A, FeiYang Science Park, No.8 LongChang Road, Block 67, BaoAn District, ShenZhen, GuangDong Province, P. R. China

3. Facilities and Accreditations

All measurement facilities used to collect the measurement data are located at FL.3, Building A, FeiYang Science Park, Block 67, BaoAn District, Shenzhen, 518101 P. R. China. The test site is constructed in conformance with the requirements of ANSI C63.10-2013 and CISPR Publication 22; the FCC designation number is CN1192, the test firm registration number is 226174.



4. Test Equipments Utilized

4.1 Conducted Test Equipments

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Cal. Due
Power Splitter	NW521	1506A	Weinschel	N/A	N/A
Attenuator 1	N/A	10dB	Resnet	N/A	N/A
Attenuator 2	N/A	3dB	Resnet	N/A	N/A
EXA Signal Analyzer	MY54170556	N9030A	Keysight	2021.10.20	2022.10.19
USB Power Sensor	MY54210011	U2021XA	Agilent	2021.10.21	2022.10.20
System Simulator	6261830572	MT8821C	Anritsu	2021.02.25	2022.02.24
System Simulator	6262012906	MT8000A	Anritsu	2021.09.17	2022.09.16
RF cable (30MHz-26GHz)	CB01	RF01	Morlab	N/A	N/A
Coaxial cable	CB02	RF02	Morlab	N/A	N/A
SMA connector	CN01	RF03	HUBER-SUHNER	N/A	N/A
Temperature Chamber	2017111210 2	HZ-2019	Dongguan Lixian Instrument Technology Co., Ltd	2021.10.20	2022.10.19
Computer	T430i	Think Pad	Lenovo	N/A	N/A
Test system	N/A	WCS FCC V1.0	CeSheng	N/A	N/A

**4.2 Radiated Test Equipments**

Equipment Name	Serial No.	Type	Manufacturer	Cal. Date	Cal. Due
System Simulator	6262148249	MT8000A	Anritsu	2020.09.17	2022.09.16
System Simulator	6261830572	MT8821C	Anritsu	2021.02.25	2022.02.24
Receiver	MY54130016	N9038A	Agilent	2021.07.16	2022.07.15
Test Antenna - Bi-Log	9163-274	VULB 9163	Schwarzbeck	2019.11.23	2022.11.22
Test Antenna - Horn	BBHA9170#74	BBHA9170	Schwarzbeck	2019.07.26	2022.07.25
Test Antenna - Horn	9120D-963	BBHA 9120D	Schwarzbeck	2019.05.24	2022.05.23
Coaxial cable (N male) (9KHz-30MHz)	CB04	EMC04	Morlab	N/A	N/A
Coaxial cable (N male) (30MHz-26GHz)	CB02	EMC02	Morlab	N/A	N/A
Coaxial cable(N male) (30MHz-26GHz)	CB03	EMC03	Morlab	N/A	N/A
pre-Amplifier	MA02	TS-PR18	Rohde& Schwarz	2021.07.16	2022.07.15
pre-Amplifier	46732	S10M100L3802	LUCIX CORP.	2021.07.16	2022.07.15
pre-Amplifier	61171/61172	S020180L3203	LUCIX CORP.	2021.07.16	2022.07.15
Notch Filter	N/A	WRCGV -NR B2	Wainwright	2021.07.16	2022.07.15
Notch Filter	N/A	WRCGV - NR B4	Wainwright	2021.07.16	2022.07.15
Notch Filter	N/A	WRCGV - NR B5	Wainwright	2021.07.16	2022.07.15
Notch Filter	N/A	WRCGV - NR B7	Wainwright	2021.07.16	2022.07.15
Notch Filter	N/A	WRCGV - NR B12	Wainwright	2021.07.16	2022.07.15



Notch Filter	N/A	WRCGV - NR B17	Wainwright	2021.07.16	2022.07.15
Notch Filter	N/A	WRCGV - NR B19	Wainwright	2021.07.16	2022.07.15
Notch Filter	N/A	WRCGV - NR B25	Wainwright	2021.07.16	2022.07.15
Notch Filter	N/A	WRCGV - NR B26	Wainwright	2021.07.16	2022.07.15
Notch Filter	N/A	WRCGV - NR B30	Wainwright	2021.07.16	2022.07.15
Notch Filter	N/A	WRCGV - NR 38	Wainwright	2021.07.16	2022.07.15
Notch Filter	N/A	WRCGV - NR B40	Wainwright	2021.07.16	2022.07.15
Notch Filter	N/A	WRCGV - NR B41	Wainwright	2021.07.16	2022.07.15
Anechoic Chamber	N/A	9m*6m*6m	CRT	2020.05.20	2023.05.19

————— END OF REPORT —————