

Report No.: SZEM160600451503

No. 1 Workshop, M-10, Middle section, Science & Technology Park, Nanshan

District, Shenzhen, Guangdong, China 518057

Telephone: +86 (0) 755 2601 2053 Fax: +86 (0) 755 2671 0594

Email: ee.shenzhen@sgs.com Page: 1 of 107

### **FCC REPORT**

Application No:SZEM1606004515CR (GZEM1606003762CR)Applicant:Guangzhou Rayer Acoustic Technology Co.,LtdManufacturer:Guangzhou Rayer Acoustic Technology Co.,Ltd

1, Shenzhen Gaea Electronics Co.,Ltd.

Factory: 2, Guangzhou Singulargold Electronics Co.Ltd

3, DAH DYI AUDIO EQUIPMENT CO., LTD.

Product Name: Wi-Fi Speaker

Model No.(EUT): WH52C

Add Model No.: WG13, WG13C, WH32C, WM12, SD50C

Trade Mark: SOUNIX, SEEWO FCC ID: 2AHKA-WGHM52C

Standards: 47 CFR Part 15, Subpart C (2015)

**Date of Receipt:** 2016-06-14

**Date of Test:** 2016-06-17 to 2016-06-27

**Date of Issue:** 2016-06-30

Test Result: PASS \*

. \* In the configuration tested, the EUT complied with the standards specified above.

#### Authorized Signature:



Jack Zhang EMC Laboratory Manager

The manufacturer should ensure that all products in series production are in conformity with the product sample detailed in this report. If the product in this report is used in any configuration other than that detailed in the report, the manufacturer must ensure the new system complies with all relevant standards. Any mention of SGS International Electrical Approvals or testing done by SGS International Electrical Approvals in connection with, distribution or use of the product described in this report must be approved by SGS International Electrical Approvals in writing.

The report must not be used by the client to claim product certification, approval, or endorsement by NVLAP, NIST, or any agency of the federal government. All test results in this report can be traceable to National or International Standards.



Report No.: SZEM160600451503

Page: 2 of 107

### 2 Version

Revision Record							
Version Chapter Date Modifier Remark							
00		2016-06-30		Original			

Authorized for issue by:				
Tested By	(Bill Chen) /Project Engineer	2016-06-17  Date		
Prepared By	Iris Zhou	2016-06-30		
	(Iris Zhou) /Clerk	Date		
Checked By	Eric Fu	2016-06-30		
	(Eric Fu) /Reviewer	Date		



Report No.: SZEM160600451503

Page: 3 of 107

### 3 Test Summary

Test Item	Test Requirement	Test method	Result
Antenna Requirement	47 CFR Part 15, Subpart C Section 15.203/15.247 (c)	ANSI C63.10 2013	PASS
AC Power Line Conducted Emission	47 CFR Part 15, Subpart C Section 15.207	ANSI C63.10 2013	PASS
Conducted Peak Output Power	47 CFR Part 15, Subpart C Section 15.247 (b)(3)	ANSI C63.10 2013	PASS
6dB Occupied Bandwidth	47 CFR Part 15, Subpart C Section 15.247 (a)(2)	ANSI C63.10 2013	PASS
Power Spectral Density	47 CFR Part 15, Subpart C Section 15.247 (e)	ANSI C63.10 2013	PASS
Band-edge for RF Conducted Emissions	47 CFR Part 15, Subpart C Section 15.247(d)	ANSI C63.10 2013	PASS
RF Conducted Spurious Emissions	47 CFR Part 15, Subpart C Section 15.247(d)	ANSI C63.10 2013	PASS
Radiated Spurious Emissions	47 CFR Part 15, Subpart C Section 15.205/15.209	ANSI C63.10 2013	PASS
Restricted bands around fundamental frequency (Radiated Emission)	47 CFR Part 15, Subpart C Section 15.205/15.209	ANSI C63.10 2013	PASS

Remark:

Model No.: WG13, WG13C, WH32C, WH52C, WM12, SD50C

Only the Model WH52C was tested fully, and the model WG13, WG13C, WH32C, WM12, SD50C was performed the Radiated Disturbance tests for discrepancy, since the electrical circuit design, layout, components used and internal wiring were identical for all above models. Only different on model number, color, speaker output power, appearance, size and internal construction.



Report No.: SZEM160600451503

Page: 4 of 107

#### 4 Contents

			raye
1	cov	/ER PAGE	1
2	VER	SION	2
_			_
3	IES	T SUMMARY	3
4	CON	ITENTS	4
5	GEN	IERAL INFORMATION	5
Ę	5.1	CLIENT INFORMATION	
	5.2	GENERAL DESCRIPTION OF EUT	
	5.3	TEST ENVIRONMENT AND MODE	
-	5.4	DESCRIPTION OF SUPPORT UNITS	
	5.5	TEST LOCATION	
	5.6	TEST FACILITY	
	5.7	DEVIATION FROM STANDARDS	
	5.8	ABNORMALITIES FROM STANDARD CONDITIONS	
	5.9 5.10	OTHER INFORMATION REQUESTED BY THE CUSTOMER	
;			
6	TES	T RESULTS AND MEASUREMENT DATA	12
	5.1	ANTENNA REQUIREMENT	
	5.2	CONDUCTED EMISSIONS	
	5.3	CONDUCTED PEAK OUTPUT POWER	
	5.4	6DB OCCUPY BANDWIDTH	
	6.5	POWER SPECTRAL DENSITY	
	6.6	BAND-EDGE FOR RF CONDUCTED EMISSIONS	
•	3.7	RF CONDUCTED SPURIOUS EMISSIONS	
(	6.8	RADIATED SPURIOUS EMISSIONS	
	6.8.1		
,	6.8.2		
	5.9	RESTRICTED BANDS AROUND FUNDAMENTAL FREQUENCY	
7	PHC	TOGRAPHS - EUT TEST SETUP	
-	7.1	CONDUCTED EMISSION	
	7.2	RADIATED EMISSION	
7	7.3	RADIATED SPURIOUS EMISSION	107
8	PHC	TOGRAPHS - EUT CONSTRUCTIONAL DETAILS	107



Report No.: SZEM160600451503

Page: 5 of 107

#### 5 General Information

#### 5.1 Client Information

Applicant:	Guangzhou Rayer Acoustic Technology Co.,Ltd		
Address of Applicant:	520, 192 Kezhu Road, Guangzhou Science Park, Guangdong, China		
Manufacturer:	Guangzhou Rayer Acoustic Technology Co.,Ltd		
Address of Manufacturer:	520, 192 Kezhu Road, Guangzhou Science Park, Guangdong, China		
Factory:	<ol> <li>Shenzhen Gaea Electronics Co.,Ltd.</li> <li>Guangzhou Singulargold Electronics Co.Ltd</li> <li>DAH DYI AUDIO EQUIPMENT CO., LTD.</li> </ol>		
Address of Factory:	<ol> <li>2-3, Datian Xiaoqu, Tongfuyu Industrial Zone, Buyong, Shajingstreet, Baoan District, Shenzhen, Guangdong Province, China</li> <li>NO.6 Lianhuayan Road, Science park, Guangzhou, China</li> <li>JIN SAN JIAO IND. ZONE, SHI BU VILLAGE, LIAO BU TOWN, DONG GUAN CITY, GUANG DONG PROVINCE, CHINA</li> </ol>		

#### 5.2 General Description of EUT

Product Name:	Wi-Fi Speaker
Model No.:	WH52C
Trade Mark:	SOUNIX, SEEWO
Operation Frequency:	IEEE 802.11b/g/n(HT20): 2412MHz to 2462MHz
	IEEE 802.11n(HT40): 2422MHz to 2452MHz
Channel Numbers:	IEEE 802.11b/g, IEEE 802.11n HT20: 11 Channels
	IEEE 802.11n HT40: 7 Channels
Channel Separation:	5MHz
Type of Modulation:	IEEE for 802.11b: DSSS(CCK,DQPSK,DBPSK)
	IEEE for 802.11g : OFDM(64QAM, 16QAM, QPSK, BPSK)
	IEEE for 802.11n(HT20 and HT40) : OFDM (64QAM, 16QAM,
	QPSK,BPSK)
Sample Type:	Portable production
Antenna Type:	FPC
Antenna Gain:	2dBi
EUT Power Supply:	MODEL: PS30D180K1000UD
	INPUT: 100-240V 50/60Hz 800mA
	OUYPUT: 18.0V 1000mA
	Battery: DC 11.1V 2200mAh
	DC11.1V 1300mAh
Test Voltage:	AC:120V 60Hz
Cable:	DC cable: 120cm Unshielded



Report No.: SZEM160600451503

Page: 6 of 107

Operation Frequency each of channel(802.11b/g/n HT20)										
Channel	Fr	equency	Channe	I Frequency	Channel	Fre	quency Chan		nnel	Frequency
1	24	112MHz	4	2427MHz	7	244	42MHz	1(	)	2457MHz
2	24	117MHz	5	2432MHz	8	244	47MHz	17MHz 11		2462MHz
3	24	122MHz	6	2437MHz	9	245	2452MHz			
Operation F	requ	ency each	of channe	el(802.11n HT40)						
Channe	I	Frequ	ency	Channel	Frequen	су	Chan	nel	I	requency
3	3 2422MHz		6	2437MHz		9	9		2452MHz	
4		2427	MHz	7	2442MF	łz				
5 2432MHz				8	2447MF	lz				

#### Note:

In section 15.31(m), regards to the operating frequency range over 10 MHz, the Lowest frequency, the middle frequency, and the highest frequency of channel were selected to perform the test, and the selected channel see below:

#### For 802.11b/g/n (HT20):

Channel	Frequency
The Lowest channel	2412MHz
The Middle channel	2437MHz
The Highest channel	2462MHz

#### For 802.11n (HT40):

1 01 002:1111 (111 10):	1
Channel	Frequency
The Lowest channel	2422MHz
The Middle channel	2437MHz
The Highest channel	2452MHz

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 7 of 107

#### 5.3 Test Environment and Mode

Operating Environment:					
Temperature:	25.0 °C				
Humidity:	55 % RH				
Atmospheric Pressure:	1015 mbar				
Test mode:					
Transmitting mode:	Keep the EUT in transmitting mode with all kind of modulation and all				
	kind of data rate.				

#### 5.4 Description of Support Units

The EUT has been tested with associated equipment below.

Description	Manufacturer	Model No.
Laptop	Lenovo	T430u
Test board	Supply to SGS	N/A

#### 5.5 Test Location

All tests were performed at:

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen Branch E&E Lab,

No. 1 Workshop, M-10, Middle Section, Science & Technology Park, Shenzhen, Guangdong, China. 518057.

Tel: +86 755 2601 2053 Fax: +86 755 2671 0594

No tests were sub-contracted.

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 8 of 107

#### 5.6 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

#### CNAS (No. CNAS L2929)

CNAS has accredited SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab to ISO/IEC 17025:2005 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

#### A2LA (Certificate No. 3816.01)

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory is accredited by the American Association for Laboratory Accreditation(A2LA). Certificate No. 3816.01.

#### VCCI

The 10m Semi-anechoic chamber and Shielded Room of SGS-CSTC Standards Technical Services Co., Ltd. have been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: G-823, R-4188, T-1153 and C-2383 respectively.

#### FCC – Registration No.: 556682

SGS-CSTC Standards Technical Services Co., Ltd., Shenzhen EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications Commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 556682.

#### Industry Canada (IC)

Two 3m Semi-anechoic chambers and the 10m Semi-anechoic chamber of SGS-CSTC Standards Technical Services Co., Ltd. Shenzhen Branch EMC Lab have been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 4620C-1, 4620C-2, 4620C-3.

#### 5.7 Deviation from Standards

None.

#### 5.8 Abnormalities from Standard Conditions

None

#### 5.9 Other Information Requested by the Customer

None.



Report No.: SZEM160600451503

Page: 9 of 107

#### 5.10 Equipment List

	Conducted Emission								
Item	Test Equipment	Test Equipment Manufacturer Model No. Inventory		Inventory No.	Cal. date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)			
1	Shielding Room	ZhongYu Electron	GB-88	SEM001-06	2016-05-13	2017-05-13			
2	LISN	Rohde & Schwarz	ENV216	SEM007-01	2015-10-09	2016-10-09			
3	LISN	ETS-LINDGREN	3816/2	SEM007-02	2016-04-25	2017-04-25			
4	8 Line ISN	Fischer Custom Communications Inc.	FCC-TLISN- T8-02	EMC0120	2015-08-30	2016-08-30			
5	4 Line ISN	Fischer Custom Communications Inc.	FCC-TLISN- T4-02	EMC0121	2015-08-30	2016-08-30			
6	2 Line ISN	Fischer Custom Communications Inc.	FCC-TLISN- T2-02	EMC0122	2015-08-30	2016-08-30			
7	EMI Test Receiver	Rohde & Schwarz	ESCI	SEM004-02	2016-04-25	2017-04-25			
8	DC Power Supply	Zhao Xin	RXN-305D	SEM011-02	2015-10-09	2016-10-09			



Report No.: SZEM160600451503

Page: 10 of 107

	RE in Chamber					
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)
1	10m Semi-Anechoic Chamber	SAEMC	FSAC1018	SEM001-03	2015-08-01	2016-08-01
2	EMI Test Receiver (9k-3GHz)	Rohde & Schwarz	ESCI	SEM004-01	2016-04-25	2017-04-25
3	Trilog-Broadband Antenna(30M-1GHz)	Schwarzbeck	VULB9168	SEM003-17	2016-01-26	2017-01-26
4	Pre-amplifier	Sonoma Instrument Co	310N	SEM005-03	2016-04-25	2017-04-25
5	Loop Antenna	ETS-Lindgren	6502	SEM003-08	2015-08-14	2016-08-14

	RE in Chamber					
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)
1	3m Semi-Anechoic Chamber	AUDIX	N/A	SEM001-02	2016-05-13	2017-05-13
2	EMI Test Receiver	Rohde & Schwarz	ESIB26	SEM004-04	2016-04-25	2017-04-25
3	BiConiLog Antenna (26-3000MHz)	ETS-Lindgren	3142C	SEM003-02	2014-11-15	2017-11-15
4	Amplifier (0.1-1300MHz)	HP	8447D	SEM005-02	2015-10-09	2016-10-09
5	Horn Antenna (1-18GHz)	Rohde & Schwarz	HF907	SEM003-07	2015-06-14	2018-06-14
6	Horn Antenna (18-26GHz)	ETS-LINDGREN	3160	SEM003-12	2014-11-24	2017-11-24
7	Low Noise Amplifier	Black Diamond Series	BDLNA- 0118- 352810	SEM005-05	2015-10-09	2016-10-09
8	Band filter	Amindeon	Asi 3314	SEM023-01	N/A	N/A

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 11 of 107

	RF connected test					
Item	Test Equipment	Manufacturer	Model No.	Inventory No.	Cal. date (yyyy-mm-dd)	Cal.Due date (yyyy-mm-dd)
1	DC Power Supply	ZhaoXin	RXN-305D	SEM011-02	2015-10-09	2016-10-09
2	Spectrum Analyzer	Rohde & Schwarz	FSP	SEM004-06	2015-10-17	2016-10-17
3	Signal Generator	Rohde & Schwarz	SML03	SEM006-02	2016-04-25	2017-04-25
4	Power Meter	Rohde & Schwarz	NRVS	SEM014-02	2015-10-09	2016-10-09



Report No.: SZEM160600451503

Page: 12 of 107

#### 6 Test results and Measurement Data

#### 6.1 Antenna Requirement

Standard 47 CFR Part 15C Section 15.203 /247(c) requirement:


15.203 requirement:

An intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device. The use of a permanently attached antenna or of an antenna that uses a unique coupling to the intentional radiator, the manufacturer may design the unit so that a broken antenna can be replaced by the user, but the use of a standard antenna jack or electrical connector is prohibited.

15.247(b) (4) requirement:

The conducted output power limit specified in paragraph (b) of this section is based on the use of antennas with directional gains that do not exceed 6 dBi. Except as shown in paragraph (c) of this section, if transmitting antennas of directional gain greater than 6 dBi are used, the conducted output power from the intentional radiator shall be reduced below the stated values in paragraphs (b)(1), (b)(2), and (b)(3) of this section, as appropriate, by the amount in dB that the directional gain of the antenna exceeds 6 dBi.

#### **EUT Antenna:**



The antenna is integrated on the main PCB and no consideration of replacement. The best case gain of the antenna is 2dBi.



Report No.: SZEM160600451503

Page: 13 of 107

#### 6.2 Conducted Emissions


Test Requirement:	47 CFR Part 15C Section 15.207				
Test Method:	ANSI C63.10: 2013				
Test Frequency Range:	150kHz to 30MHz				
Limit:	Francisco (MIII-)	lBuV)			
	Frequency range (MHz)	Quasi-peak	Average		
	0.15-0.5	66 to 56*	56 to 46*		
	0.5-5	56	46		
	5-30	60	50		
	* Decreases with the logarithn	n of the frequency.		-	
Test Procedure:	<ol> <li>The mains terminal disturbation.</li> <li>The EUT was connected to Impedance Stabilization Not impedance. The power call connected to a second LIS plane in the same way as a multiple socket outlet strip single LISN provided the reason of the terminal placed on the horizontal ground reference plane. An elementary of the EUT shall be 0.4 mm of the EUT shall be 0.4 mm overtical ground reference plane. The LISN unit under test and bonded mounted on top of the ground between the closest points the EUT and associated en the closest points and all of the in ANSI C63.10: 2013 on contract.</li> </ol>	o AC power source throetwork) which provides bles of all other units of SN 2, which was bonded the LISN 1 for the unit was used to connect mating of the LISN was need upon a non-metallice and for floor-standing are cound reference plane, the a vertical ground reference blane was bonded to the late and reference plane. The dot a ground reference plane. The of the LISN 1 and the quipment was at least 0 am emission, the relative terface cables must be	bugh a LISN 1 (Line a 50Ω/50μH + 5Ω line the EUT were do not the ground reference of the exceeded. The exceeded of the exceeded. The exceeded of the exceeded	near ence to a ne was ar ne he	

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 14 of 107



<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503


Page: 15 of 107

#### **Measurement Data**

An initial pre-scan was performed on the live and neutral lines with peak detector.

Quasi-Peak and Average measurement were performed at the frequencies with maximized peak emission were detected.

#### Live Line:



 Site
 : Shielding Room

 Condition
 : CE LINE

 Job No.
 : 4515CR WH52C

 Test Mode
 : Charge + TX


	Freq		LISN Factor			Limit Line		Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15000	0.02	9.59	41.42	51.03	56.00	-4.97	Peak
2	0.17034	0.02	9.60	40.43	50.05	54.94	-4.89	Peak
3	0.20833	0.02	9.60	36.28	45.89	53.27	-7.38	Peak
4	0.26442	0.01	9.60	33.82	43.43	51.29	-7.86	Peak
5	0.36725	0.01	9.59	32.93	42.53	48.56	-6.03	Peak
6	11.745	0.01	9.73	24.69	34.43	50.00	-15.57	Peak



Report No.: SZEM160600451503

Page: 16 of 107

#### Neutral Line:



Site : Shielding Room
Condition : CE NEUTRAL
Job No. : 4515CR WH52C
Test Mode : Charge + TX

	Freq		LISN Factor				Over Limit	Remark
	MHz	dB	dB	dBuV	dBuV	dBuV	dB	
1	0.15160	0.02	9.62	41.56	51.20	55.91	-4.71	Peak
2	0.16944	0.02	9.60	40.25	49.87	54.99	-5.12	Peak
3	0.19550	0.02	9.62	35.33	44.97	53.80	-8.83	Peak
4	0.22201	0.02	9.62	33.10	42.73	52.74	-10.01	Peak
5 @	0.36531	0.01	9.62	34.73	44.36	48.61	-4.25	Peak
6	0.62715	0.02	9.63	20.83	30.48	46.00	-15.52	Peak

#### Notes:

- 1. The following Quasi-Peak and Average measurements were performed on the EUT:
- 2. Final Test Level = Receiver Reading + LISN Factor + Cable Loss.



Report No.: SZEM160600451503

Page: 17 of 107

#### 6.3 Conducted Peak Output Power

Test Requirement:	47 CFR Part 15C Section 15.247 (b)(3)			
Test Method:	ANSI C63.10 :2013 Section 11.9.1			
Test Setup:	Spectrum Analyzer  E.U.T  Non-Conducted Table			
	Ground Reference Plane			
	Remark:			
	Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.			
Test Instruments:	Refer to section 5.10 for details			
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates			
Final Test Mode:	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b;			
	6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20); 13.5Mbps of rate is the worst case of 802.11n(HT40)			
Limit:	30dBm			
Test Results:	Pass			

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 18 of 107

Pre-scan under all rate at lowest channel 1									
Mode		802	.11b			_			
Data Rate	1Mbps	2Mbps	5.5Mbps	11Mbps					
Power (dBm)	15.04	15.02	14.99	14.97					
Mode				802	2.11g				
Data Rate	6Mbps	9Mbps	12Mbps	18Mbps	24Mbps	36Mbps	48Mbps	54Mbps	
Power (dBm)	12.20	12.18	12.15	12.13	12.11	12.09	12.07	12.06	
Mode				802.11	n(HT20)				
Data Rate	6.5Mbps	13Mbps	19.5Mbps	26Mbps	39Mbps	52Mbps	58.5Mbps	65Mbps	
Power (dBm)	11.50	11.48	11.46	11.43	11.41	11.39	11.37	11.35	
Mode		802.11n(HT40)							
Data Rate	13.5Mbps	27Mbps	40.5Mbps	54Mbps	81Mbps	108Mbps	121.5Mbps	135Mbps	
Power (dBm)	10.31	10.29	10.27	10.25	10.23	10.21	10.19	10.17	

Through Pre-scan, 1Mbps of rate is the worst case of 802.11b; 6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20); 13.5Mbps of rate is the worst case of 802.11n(HT40).



Report No.: SZEM160600451503

Page: 19 of 107

#### **Measurement Data**

- Indudui dinidin	measurement Data								
	802.11b mode								
Test channel	Peak Output Power (dBm)	Average Output Power (dBm)	Limit (dBm)	Result					
Lowest	15.04	11.85	30.00	Pass					
Middle	15.59	12.32	30.00	Pass					
Highest	15.89	12.61	30.00	Pass					
		802.11g mode							
Test channel	Peak Output Power (dBm)	Average Output Power (dBm)	Limit (dBm)	Result					
Lowest	12.20	9.05	30.00	Pass					
Middle	12.78	9.61	30.00	Pass					
Highest	12.74	9.58	30.00	Pass					
		802.11n(HT20)mode							
Test channel	Peak Output Power (dBm)	Average Output Power (dBm)	Limit (dBm)	Result					
Lowest	11.50	8.42	30.00	Pass					
Middle	11.45	8.33	30.00	Pass					
Highest	11.18	7.98	30.00	Pass					
		802.11n(HT40)mode							
Test channel	Peak Output Power (dBm)	Average Output Power (dBm)	Limit (dBm)	Result					
Lowest	10.31	7.16	30.00	Pass					
Middle	10.97	7.68	30.00	Pass					
Highest	10.95	7.65	30.00	Pass					



Report No.: SZEM160600451503


Page: 20 of 107

Test plot as follows:

Test mode: 802.11b Test channel: Lowest







<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160600451503

Page: 21 of 107

Test mode: 802.11b Test channel: Highest








<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160600451503

Page: 22 of 107

Test mode: 802.11g Test channel: Middle



Test mode:	802.11g	Test channel:	Highest
------------	---------	---------------	---------




<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160600451503

Page: 23 of 107

Test mode: 802.11n(HT20) Test channel: Lowest








<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160600451503

Page: 24 of 107





Test mode:	802.11n(HT40)	Test channel:	Lowest
------------	---------------	---------------	--------




<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160600451503

Page: 25 of 107

Test mode: 802.11n(HT40) Test channel: Middle








<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 26 of 107

#### 6.4 6dB Occupy Bandwidth



<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 27 of 107

#### **Measurement Data**

weasarement buta								
802.11b mode								
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result					
Lowest	9.12	≥500	Pass					
Middle	9.18	≥500	Pass					
Highest	10.08	≥500	Pass					
	802.11g mode							
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result					
Lowest	15.15	≥500	Pass					
Middle	15.18	≥500	Pass					
Highest	15.18	≥500	Pass					
	802.11n(HT20) mode							
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result					
Lowest	15.15	≥500	Pass					
Middle	15.18	≥500	Pass					
Highest	15.15	≥500	Pass					
	802.11n(HT40)mode							
Test channel	6dB Occupy Bandwidth (MHz)	Limit (kHz)	Result					
Lowest	35.22	≥500	Pass					
Middle	35.22	≥500	Pass					
Highest	35.22	≥500	Pass					




Report No.: SZEM160600451503


Page: 28 of 107

Test plot as follows:

Test mode: 802.11b Test channel: Lowest



Test mode: 802.11b Test channel: Middle







Report No.: SZEM160600451503

Page: 29 of 107

Test mode: 802.11b Test channel: Highest











Report No.: SZEM160600451503

Page: 30 of 107

Test mode: 802.11g Test channel: Middle











Report No.: SZEM160600451503

Page: 31 of 107

Test mode: 802.11n(HT20) Test channel: Lowest











Report No.: SZEM160600451503

Page: 32 of 107

Test mode: 802.11n(HT20) Test channel: Highest











Report No.: SZEM160600451503

Page: 33 of 107

Test mode: 802.11n(HT40) Test channel: Middle









Report No.: SZEM160600451503

Page: 34 of 107

#### 6.5 Power Spectral Density

Test Requirement:	47 CFR Part 15C Section 15.247 (e)		
Test Method:	ANSI C63.10 :2013 Section 11.10.2		
Test Setup:	Spectrum Analyzer  E.U.T  Non-Conducted Table		
	Ground Reference Plane		
	Remark:		
	Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.		
Test Instruments:	Refer to section 5.10 for details		
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates		
Final Test Mode:	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b;		
	6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20); 13.5Mbps of rate is the worst case of 802.11n(HT40)		
Limit:	≤8.00dBm/3kHz		
Test Results:	Pass		

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 35 of 107

#### **Measurement Data**

802.11b mode			
Test channel	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
Lowest	-13.25	≤8.00	Pass
Middle	-0.32	≤8.00	Pass
Highest	-0.50	≤8.00	Pass
802.11g mode			
Test channel	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
Lowest	-22.55	≤8.00	Pass
Middle	-21.32	≤8.00	Pass
Highest	-21.16	≤8.00	Pass
802.11n(HT20) mode			
Test channel	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
Lowest	-23.69	≤8.00	Pass
Middle	-22.04	≤8.00	Pass
Highest	-23.90	≤8.00	Pass
802.11n(HT40) mode			
Test channel	Power Spectral Density (dBm/3kHz)	Limit (dBm/3kHz)	Result
Lowest	-27.22	≤8.00	Pass
Middle	-26.57	≤8.00	Pass
Highest	-26.53	≤8.00	Pass




Report No.: SZEM160600451503


Page: 36 of 107

#### Test plot as follows:

Test mode: 802.11b Test channel: Lowest



Test mode: 802.11b Test channel: Middle







Report No.: SZEM160600451503

Page: 37 of 107

Test mode: 802.11b Test channel: Highest











Report No.: SZEM160600451503

Page: 38 of 107

Test mode: 802.11g Test channel: Middle











Report No.: SZEM160600451503

Page: 39 of 107

Test mode: 802.11n(HT20) Test channel: Lowest











Report No.: SZEM160600451503

Page: 40 of 107

Test mode: 802.11n(HT20) Test channel: Highest











Report No.: SZEM160600451503

Page: 41 of 107

Test mode: 802.11n(HT40) Test channel: Middle







<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 42 of 107

#### 6.6 Band-edge for RF Conducted Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)
Test Method:	ANSI C63.10: 2013 Section 11.13
Test Setup:	Spectrum Analyzer  E.U.T  Non-Conducted Table  Ground Reference Plane  Remark:  Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates
Final Test Mode:	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b;
	6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20); 13.5Mbps of rate is the worst case of 802.11n(HT40)
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread
	spectrum intentional radiator is operating, the radio frequency power that is produced by the intentional radiator shall be at least 20 dB below that in the 100 kHz bandwidth within the band that contains the highest level of the desired power, based on either an RF conducted or a radiated measurement.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160600451503


Page: 43 of 107

#### Test plot as follows:

Test mode: 802.11b Test channel: Lowest












Report No.: SZEM160600451503

Page: 44 of 107

Test mode: 802.11g Test channel: Lowest











Report No.: SZEM160600451503

Page: 45 of 107

Test mode: 802.11n(HT20) Test channel: Lowest











Report No.: SZEM160600451503

Page: 46 of 107

Test mode: 802.11n(HT40) Test channel: Lowest







<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 47 of 107

#### 6.7 RF Conducted Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.247 (d)					
Test Method:	ANSI C63.10: 2013 Section 11.11					
Test Setup:	Spectrum Analyzer  E.U.T  Non-Conducted Table  Ground Reference Plane  Remark:  Offset the High-Frequency cable loss 1.5dB in the spectrum analyzer.					
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates					
Final Test Mode:	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b;					
	6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case of 802.11n(HT20); 13.5Mbps of rate is the worst case of 802.11n(HT40)					
Limit:	In any 100 kHz bandwidth outside the frequency band in which the spread spectrum intentional radiator is operating, the radio frequency power that is					
	produced by the intentional radiator shall be at least 20 dB below that in the					
	100 kHz bandwidth within the band that contains the highest level of the					
	desired power, based on either an RF conducted or a radiated					
	measurement.					
Instruments Used:	Refer to section 5.10 for details					
Test Results:	Pass					

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."





Report No.: SZEM160600451503

Page: 48 of 107

#### Test plot as follows:

Test mode: 802.11b Test channel: Lowest









Report No.: SZEM160600451503

Page: 49 of 107









<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 50 of 107






<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160600451503

Page: 51 of 107

Test mode: 802.11b Test channel: Highest









Report No.: SZEM160600451503

Page: 52 of 107









<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 53 of 107






<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sqs.com/terms">www.sqs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160600451503

Page: 54 of 107

Test mode: 802.11g Test channel: Middle









Report No.: SZEM160600451503

Page: 55 of 107









<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 56 of 107






<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160600451503

Page: 57 of 107

Test mode: 802.11n(HT20) Test channel: Lowest






<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160600451503

Page: 58 of 107









<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 59 of 107






<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160600451503

Page: 60 of 107

Test mode: 802.11n(HT20) Test channel: Highest






<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160600451503

Page: 61 of 107









<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 62 of 107






<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160600451503

Page: 63 of 107

Test mode: 802.11n(HT40) Test channel: Middle






<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."




Report No.: SZEM160600451503

Page: 64 of 107









<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 65 of 107





#### Remark:

Use 100kHz RBW to determine the relative limit in the band 2.4GHz to 2.5GHz, and Use 1MHz RBW to measure spurious emissions in the band 30MHz to 10GHz and 10GHz to 25GHz. The sweep points set to 30001.



Report No.: SZEM160600451503

Page: 66 of 107

#### 6.8 Radiated Spurious Emissions

Test Requirement:	47 CFR Part 15C Section 15.209 and 15.205								
Test Method:	ANSI C63.10 :2013 Section 11.12								
Test Site:	Measurement Distance: 3m (Semi-Anechoic Chamber)								
	Measurement Distance: 10m (Semi-Anechoic Chamber)								
Receiver Setup:	Frequency	Detector	RBW	VBW	Remark				
	0.009MHz-0.090MHz	Peak	10kHz	30kHz	Peak				
	0.009MHz-0.090MHz	Average	10kHz	30kHz	Average				
	0.090MHz-0.110MHz	Quasi-peak	10kHz	30kHz	Quasi-peak				
	0.110MHz-0.490MHz	Peak	10kHz	30kHz	Peak				
	0.110MHz-0.490MHz	Average	10kHz	30kHz	Average				
	0.490MHz -30MHz	Quasi-peak	10kHz	30kHz	Quasi-peak				
	30MHz-1GHz	Quasi-peak	100 kHz	300kHz	Quasi-peak				
	Above 1GHz	Peak	1MHz	3MHz	Peak				
	Above IGHZ	Peak	1MHz	10Hz	Average				
Limit:	Frequency	Field strength (microvolt/meter)	Limit (dBuV/m)	Remark	Measurement distance (m)				
	0.009MHz-0.490MHz	2400/F(kHz)	-	-	300				
	0.490MHz-1.705MHz	24000/F(kHz)	-	-	30				
	1.705MHz-30MHz	30	-	-	30				
	30MHz-88MHz	29.9	40.0	Quasi-peak	10				
	88MHz-216MHz	44.7	43.5	Quasi-peak	10				
	216MHz-960MHz	60.3	46.0	Quasi-peak	10				
	960MHz-1GHz	100	54.0	Quasi-peak	10				
	Above 1GHz	500	54.0	Average	3				
	Note: 15.35(b), Unless otherwise specified, the limit on peak radio frequency emissions is 20dB above the maximum permitted average emission limit applicable to the equipment under test. This peak limit applies to the total pemission level radiated by the device.								


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 67 of 107

#### Test Setup:






Figure 1. Below 30MHz

Figure 2. 30MHz to 1GHz




Figure 3. Above 1 GHz

#### Test Procedure:

- a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 and 10 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation
- b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation
- c. The EUT was set 3 or 10 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
- d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
- e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters(for the test frequency of below 30MHz, the antenna was tuned to heights 1 meter) and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
- The test-receiver system was set to Peak Detect Function and Specified



Report No.: SZEM160600451503

Page: 68 of 107

<u> </u>				
Bandwidth with Maximum Hold Mode.				
g. If the emission level of the EUT in peak mode was 10dB lower than the limit specified, then testing could be stopped and the peak values of the EUT would be reported. Otherwise the emissions that did not have 10dB margin would be re-tested one by one using peak, quasi-peak or average method as specified and then reported in a data sheet.				
h. Test the EUT in the lowest channel ,the middle channel ,the Highest channel				
i. The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.				
j. Repeat above procedures until all frequencies measured was complete.				
Transmitting with all kind of modulations, data rates.				
Charge + Transmitting mode				
Pretest the EUT at Charge + Transmitting mode, found the Charge + Transmitting mode which it is worse case				
Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b;				
6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case				
of 802.11n(HT20); 13.5Mbps of rate is the worst case of 802.11n(HT40)				
For below 1GHz, through Pre-scan, find the 1Mbps of rate of 802.11b at lowest channel is the worst case.				
Only the worst case is recorded in the report.				
Refer to section 5.10 for details				
Pass				



Report No.: SZEM160600451503


Page: 69 of 107

#### 6.8.1 Radiated emission below 1GHz

30MHz~1GHz (QP)

Model No.: WG13

Test mode: Charge + Transmitting Vertical



Condition: 10m VERTICAL

Job No. : 4515CR

Test Mode: Charge + TX mode

: WG13


	Freq			Preamp Factor				
-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	33.80	6.70	12.60	32.98	33.93	20.25	29.50	-9.25
2	60.49	7.00	11.90	32.95	33.84	19.79	29.50	-9.71
3	135.51	7.38	12.44	32.76	31.79	18.85	33.10	-14.25
4	297.22	8.04	12.59	32.60	28.24	16.27	35.60	-19.33
5	499.42	8.60	16.78	32.60	27.11	19.89	35.60	-15.71
6	916.07	9.50	22.44	32.50	26.26	25.70	35.60	-9.90



Report No.: SZEM160600451503

Page: 70 of 107

Test mode: Charge + Transmitting Horizontal



Condition: 10m HORIZONTAL

Job No. : 4515CR

Test Mode: Charge + TX mode

: WG13

		_						
				Preamp				
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
_	MU-					dD: M/m	dD. M/m	
	MHz	dB	ub/m	dB	abuv	ubuv/m	ubuv/m	dB
1	42.15	6.80	13.13	32.99	26.94	13.88	29.50	-15.62
2	51.84	6.94	12.63	32.99	26.35	12.93	29.50	-16.57
3	147.40	7.44	13.25	32.74	25.61	13.56	33.10	-19.54
4	329.04	8.15	13.45	32.60	26.52	15.52	35.60	-20.08
5	716.68	9.19	20.34	32.60	26.79	23.72	35.60	-11.88
6 pp	942.13	9.56	22.68	32.50	26.25	25.99	35.60	-9.61




Report No.: SZEM160600451503

Page: 71 of 107

Model No.: WG13C/SD50C

Test mode: Charge + Transmitting Vertical



Condition: 10m VERTICAL

Job No. : 4515CR

Test Mode: Charge + TX mode


: WG13C

		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
_								
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	33.09	6.70	12.58	32.97	36.76	23.07	29.50	-6.43
2	60.70	7.00	11.85	32.94	36.47	22.38	29.50	-7.12
3	126.33	7.33	11.84	32.77	32.84	19.24	33.10	-13.86
4	221.39	7.71	10.25	32.67	33.92	19.21	35.60	-16.39
5	346.81	8.24	13.78	32.60	29.03	18.45	35.60	-17.15
6	912.86	9.50	22.40	32.50	26.39	25.79	35.60	-9.81



Report No.: SZEM160600451503

Page: 72 of 107



Condition: 10m HORIZONTAL

Job No. : 4515CR

Test Mode: Charge + TX mode

: WG13C

		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	33.68	6.70	12.60	32.98	27.89	14.21	29.50	-15.29
2	75.98	7.02	9.13	32.88	30.86	14.13	29.50	-15.37
3	148.96	7.45	13.34	32.74	25.54	13.59	33.10	-19.51
4	330.19	8.15	13.47	32.60	29.74	18.76	35.60	-16.84
5	647.39	9.02	19.50	32.60	27.18	23.10	35.60	-12.50
6 pp	906.48	9.50	22.31	32.50	26.66	25.97	35.60	-9.63




Report No.: SZEM160600451503

Page: 73 of 107

Model No.: WH32C

Test mode: Charge + Transmitting Vertical



Condition: 10m VERTICAL

Job No. : 4515CR

Test Mode: Charge + TX mode

: WH32C


				Preamp				
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
_	MHz	dB		dB		dBuV/m	dBuV/m	——dB
	11112	ub	ub/ III	ub	abav	abav/iii	abav/III	ub
1	34.04	6.70	12.61	32.98	35.50	21.83	29.50	-7.67
2 pp	60.70	7.00	11.85	32.94	35.97	21.88	29.50	-7.62
3	134.09	7.37	12.34	32.76	37.13	24.08	33.10	-9.02
4	267.55	7.94	11.76	32.63	34.86	21.93	35.60	-13.67
5	552.88	8.78	17.78	32.60	27.76	21.72	35.60	-13.88
6	916.07	9.50	22.44	32.50	27.40	26.84	35.60	-8.76



Report No.: SZEM160600451503

Page: 74 of 107

Test mode:	Charge + Transmitting	Horizontal
------------	-----------------------	------------



Condition: 10m HORIZONTAL

Job No. : 4515CR

Test Mode: Charge + TX mode

: WH32C

	Freq			Preamp Factor				Over Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	42.01	6.80	13.15	32.99	26.02	12.98	29.50	-16.52
2	54.26	6.99	12.43	32.98	27.07	13.51	29.50	-15.99
3	88.65	7.19	8.67	32.83	30.06	13.09	33.10	-20.01
4	152.66	7.46	13.40	32.74	26.66	14.78	33.10	-18.32
5	234.17	7.77	10.90	32.66	34.23	20.24	35.60	-15.36
6 pp	922.52	9.51	22.53	32.50	26.05	25.59	35.60	-10.01




Report No.: SZEM160600451503

Page: 75 of 107

Model No.: WH52C

Test mode: Charge + Transmitting Vertical



Condition: 10m VERTICAL

Job No. : 4515CR

Test Mode: Charge + TX mode

: WH52C


		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
_								
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	32.41	6.70	12.56	32.97	36.46	22.75	29.50	-6.75
2	58.20	7.00	12.13	32.96	31.72	17.89	29.50	-11.61
3	89.28	7.19	8.68	32.83	34.61	17.65	33.10	-15.45
4	124.13	7.32	11.72	32.77	33.65	19.92	33.10	-13.18
5	313.28	8.08	13.04	32.60	29.84	18.36	35.60	-17.24
6	922.52	9.51	22.53	32.50	26.90	26.44	35.60	-9.16



Report No.: SZEM160600451503

Page: 76 of 107

Test mode: Charge + Transmitting Horizontal



Condition: 10m HORIZONTAL

Job No. : 4515CR

Test Mode: Charge + TX mode

: WH52C

	Freq			Preamp Factor				Over Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	57.39	7.00	12.19	32.96	26.69	12.92	29.50	-16.58
2	160.91	7.50	13.30	32.73	26.90	14.97	33.10	-18.13
3	315.48	8.09	13.11	32.60	26.71	15.31	35.60	-20.29
4	441.74	8.40	15.98	32.60	26.96	18.74	35.60	-16.86
5	642.86	9.01	19.45	32.60	27.21	23.07	35.60	-12.53
6 pp	925.76	9.51	22.57	32.50	25.80	25.38	35.60	-10.22




Report No.: SZEM160600451503

Page: 77 of 107

Model No.: WM12

Test mode: Charge + Transmitting Vertical



Condition: 10m VERTICAL

Job No. : 4515CR

Test Mode: Charge + TX mode

: WM12


		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
_								
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 pp	34.52	6.70	12.62	32.98	34.38	20.72	29.50	-8.78
2	60.49	7.00	11.90	32.95	32.91	18.86	29.50	-10.64
3	116.95	7.29	11.16	32.78	33.56	19.23	33.10	-13.87
4	135.51	7.38	12.44	32.76	32.46	19.52	33.10	-13.58
5	344.39	8.22	13.74	32.60	29.18	18.54	35.60	-17.06
6	912.86	9.50	22.40	32.50	26.66	26.06	35.60	-9.54



Report No.: SZEM160600451503

Page: 78 of 107

Test mode: Charge + Transmitting Horizontal



Condition: 10m HORIZONTAL

Job No. : 4515CR

Test Mode: Charge + TX mode

: WM12

	Freq			Preamp Factor				Over Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	33.56	6.70	12.59	32.98	28.87	15.18	29.50	-14.32
2	80.08	7.10	8.54	32.86	29.70	12.48	29.50	-17.02
3	156.46	7.48	13.40	32.74	26.40	14.54	33.10	-18.56
4	387.99	8.30	14.64	32.60	28.30	18.64	35.60	-16.96
5	607.79	8.92	18.87	32.60	27.30	22.49	35.60	-13.11
6 pp	919.29	9.50	22.48	32.50	26.86	26.34	35.60	-9.26



Report No.: SZEM160600451503

Page: 79 of 107

#### 6.8.2 Transmitter emission above 1GHz

Test mode:	802.1	1b	Test ch	annel:	Lowest	Remark	:	Peak
Frequency (MHz)	Antenna factors (dB/m)	Cable loss (dB)	Preamp Factor (dB)	Read Level (dBuV)	Level (dBuV/m)	Limit Line (dBuV/m)	Over Limit (dB)	Polarization
3727.173	32.61	7.71	38.46	44.48	46.34	74.00	-27.66	Vertical
4824.000	34.12	8.90	38.75	48.80	53.07	74.00	-20.93	Vertical
6034.386	34.72	10.52	38.91	45.45	51.78	74.00	-22.22	Vertical
7236.000	35.58	10.69	37.63	42.12	50.76	74.00	-23.24	Vertical
9648.000	37.10	12.52	36.29	35.92	49.25	74.00	-24.75	Vertical
12530.530	37.83	14.24	37.68	38.36	52.75	74.00	-21.25	Vertical
3792.453	32.87	7.74	38.48	45.02	47.15	74.00	-26.85	Horizontal
4824.000	34.12	8.90	38.75	49.13	53.40	74.00	-20.60	Horizontal
6087.002	34.74	10.45	38.85	46.52	52.86	74.00	-21.14	Horizontal
7236.000	35.58	10.69	37.63	42.40	51.04	74.00	-22.96	Horizontal
9648.000	37.10	12.52	36.29	35.59	48.92	74.00	-25.08	Horizontal
12603.270	37.90	14.44	37.75	38.05	52.64	74.00	-21.36	Horizontal

Test mode:	Test mode: 802.1		Test ch	annel:	Middle	Ren	nark:	Peak
Frequency (MHz)	Antenna factors (dB/m)	Cable loss (dB)	Preamp factor (dB)	Reading Level (dBµV)	Emission Level (dBµV/m)	Limit (dBµV/	I I imit	Polarization
3926.464	33.03	7.78	38.53	45.47	47.75	74.00	-26.25	Vertical
4874.000	34.17	8.97	38.76	48.73	53.11	74.00	-20.89	Vertical
6157.871	34.78	10.36	38.75	45.43	51.82	74.00	-22.18	Vertical
7311.000	35.54	10.72	37.59	41.28	49.95	74.00	-24.05	Vertical
9748.000	37.10	12.58	36.16	38.67	52.19	74.00	-21.81	Vertical
12566.850	37.87	14.34	37.72	38.11	52.60	74.00	-21.40	Vertical
3836.607	32.94	7.75	38.50	44.73	46.92	74.00	-27.08	Horizontal
4874.000	34.17	8.97	38.76	47.96	52.34	74.00	-21.66	Horizontal
6016.949	34.71	10.54	38.94	44.85	51.16	74.00	-22.84	Horizontal
7311.000	35.54	10.72	37.59	41.45	50.12	74.00	-23.88	Horizontal
9748.000	37.10	12.58	36.16	38.77	52.29	74.00	-21.71	Horizontal
12676.420	37.94	14.65	37.82	38.45	53.22	74.00	-20.78	Horizontal



Report No.: SZEM160600451503

Page: 80 of 107

Test mode:	802.1	1b	Test ch	annel:	Highest		Remark	:	Peak
Frequency (MHz)	Antenna factors (dB/m)	Cable loss (dB)	Preamp factor (dB)	Reading Level (dBµV)	Emission Level (dBµV/m)		Limit ΒμV/m)	Over Limit (dB)	Polarization
3803.444	32.90	7.74	38.49	45.46	47.61	7	74.00	-26.39	Vertical
4924.000	34.22	9.04	38.77	49.37	53.86	7	74.00	-20.14	Vertical
6122.333	34.76	10.40	38.80	45.53	51.89	7	74.00	-22.11	Vertical
7386.000	35.51	10.75	37.56	39.64	48.34	7	74.00	-25.66	Vertical
9848.000	37.15	12.63	36.03	39.07	52.82	7	74.00	-21.18	Vertical
12676.420	37.94	14.65	37.82	38.37	53.14	7	74.00	-20.86	Vertical
3926.464	33.03	7.78	38.53	45.16	47.44	7	74.00	-26.56	Horizontal
4924.000	34.22	9.04	38.77	48.31	52.80	7	74.00	-21.20	Horizontal
6087.002	34.74	10.45	38.85	45.25	51.59	7	74.00	-22.41	Horizontal
7386.000	35.51	10.75	37.56	39.30	48.00	7	74.00	-26.00	Horizontal
9848.000	37.15	12.63	36.03	39.66	53.41	7	74.00	-20.59	Horizontal
12639.790	37.92	14.55	37.79	38.26	52.94	7	74.00	-21.06	Horizontal

Test mode:	802.1	1g	Test ch	annel:	Lowest	Remark	:	Peak
Frequency (MHz)	Antenna factors (dB/m)	Cable loss (dB)	Preamp factor (dB)	Reading Level (dBµV)	Emission Level (dBµV/m)	Limit (dBμV/m)	Over Limit (dB)	Polarization
3663.017	32.36	7.69	38.43	46.27	47.89	74.00	-26.11	Vertical
4824.000	34.12	8.90	38.75	45.92	50.19	74.00	-23.81	Vertical
5982.226	34.66	10.51	38.96	46.23	52.44	74.00	-21.56	Vertical
7236.000	35.58	10.69	37.63	41.15	49.79	74.00	-24.21	Vertical
9648.000	37.10	12.52	36.29	35.86	49.19	74.00	-24.81	Vertical
12566.850	37.87	14.34	37.72	38.65	53.14	74.00	-20.86	Vertical
3903.804	33.01	7.78	38.52	45.91	48.18	74.00	-25.82	Horizontal
4824.000	34.12	8.90	38.75	45.98	50.25	74.00	-23.75	Horizontal
5947.702	34.57	10.42	38.95	46.38	52.42	74.00	-21.58	Horizontal
7236.000	35.58	10.69	37.63	41.40	50.04	74.00	-23.96	Horizontal
9648.000	37.10	12.52	36.29	37.15	50.48	74.00	-23.52	Horizontal
12603.270	37.90	14.44	37.75	37.65	52.24	74.00	-21.76	Horizontal



Report No.: SZEM160600451503

Page: 81 of 107

Test mode:	802.1	1g	Test ch	annel:	Middle	Remark	α:	Peak
Frequency (MHz)	Antenna factors (dB/m)	Cable loss (dB)	Preamp factor (dB)	Reading Level (dBµV)	Emission Level (dBµV/m)	Limit (dBμV/m)	Over Limit (dB)	Polarization
3663.017	32.36	7.69	38.43	45.80	47.42	74.00	-26.58	Vertical
4874.000	34.17	8.97	38.76	46.28	50.66	74.00	-23.34	Vertical
5964.939	34.61	10.46	38.95	46.56	52.68	74.00	-21.32	Vertical
7311.000	35.54	10.72	37.59	42.56	51.23	74.00	-22.77	Vertical
9748.000	37.10	12.58	36.16	38.25	51.77	74.00	-22.23	Vertical
12639.790	37.92	14.55	37.79	39.04	53.72	74.00	-20.28	Vertical
3881.276	32.98	7.77	38.52	45.94	48.17	74.00	-25.83	Horizontal
4874.000	34.17	8.97	38.76	47.04	51.42	74.00	-22.58	Horizontal
6157.871	34.78	10.36	38.75	46.06	52.45	74.00	-21.55	Horizontal
7311.000	35.54	10.72	37.59	42.12	50.79	74.00	-23.21	Horizontal
9748.000	37.10	12.58	36.16	38.45	51.97	74.00	-22.03	Horizontal
12639.790	37.92	14.55	37.79	38.29	52.97	74.00	-21.03	Horizontal

Test mode:	802.1	1g	Test ch	annel:	Highest	Remark	<b>:</b>	Peak
Frequency (MHz)	Antenna factors (dB/m)	Cable loss (dB)	Preamp factor (dB)	Reading Level (dBµV)	Emission Level (dBµV/m)	Limit (dBμV/m)	Over Limit (dB)	Polarization
3781.495	32.83	7.73	38.48	45.56	47.64	74.00	-26.36	Vertical
4924.000	34.22	9.04	38.77	45.65	50.14	74.00	-23.86	Vertical
6140.076	34.77	10.38	38.78	47.55	53.92	74.00	-20.08	Vertical
7386.000	35.51	10.75	37.56	40.81	49.51	74.00	-24.49	Vertical
9848.000	37.15	12.63	36.03	38.80	52.55	74.00	-21.45	Vertical
12639.790	37.92	14.55	37.79	37.61	52.29	74.00	-21.71	Vertical
3792.453	32.87	7.74	38.48	45.07	47.20	74.00	-26.80	Horizontal
4924.000	34.22	9.04	38.77	46.20	50.69	74.00	-23.31	Horizontal
6140.076	34.77	10.38	38.78	46.28	52.65	74.00	-21.35	Horizontal
7386.000	35.51	10.75	37.56	39.84	48.54	74.00	-25.46	Horizontal
9848.000	37.15	12.63	36.03	38.58	52.33	74.00	-21.67	Horizontal
12676.420	37.94	14.65	37.82	37.15	51.92	74.00	-22.08	Horizontal



Report No.: SZEM160600451503

Page: 82 of 107

Test mode:	802.1	1n(HT20)	Test ch	annel:	Lowest	Remark	:	Peak
Frequency (MHz)	Antenna factors (dB/m)	Cable loss (dB)	Preamp factor (dB)	Reading Level (dBµV)	Emission Level (dBµV/m)	Limit (dBμV/m)	Over Limit (dB)	Polarization
3748.808	32.70	7.72	38.47	45.59	47.54	74.00	-26.46	Vertical
4824.000	34.12	8.90	38.75	46.47	50.74	74.00	-23.26	Vertical
5999.562	34.70	10.56	38.96	46.05	52.35	74.00	-21.65	Vertical
7236.000	35.58	10.69	37.63	41.15	49.79	74.00	-24.21	Vertical
9648.000	37.10	12.52	36.29	36.42	49.75	74.00	-24.25	Vertical
12530.530	37.83	14.24	37.68	37.59	51.98	74.00	-22.02	Vertical
3694.956	32.49	7.70	38.44	46.16	47.91	74.00	-26.09	Horizontal
4824.000	34.12	8.90	38.75	46.68	50.95	74.00	-23.05	Horizontal
5930.516	34.53	10.37	38.95	46.83	52.78	74.00	-21.22	Horizontal
7236.000	35.58	10.69	37.63	41.50	50.14	74.00	-23.86	Horizontal
9648.000	37.10	12.52	36.29	36.32	49.65	74.00	-24.35	Horizontal
12530.530	37.83	14.24	37.68	37.70	52.09	74.00	-21.91	Horizontal

Test mode:	802	.11n(HT20)	Test ch	annel:	Middle	Remark		Peak
Frequency (MHz)	Antenna factors (dB/m)	Cable loss (dB)	Preamp factor (dB)	Reading Level (dBµV)	Emission Level (dBµV/m)	Limit (dBμV/m)	Over Limit (dB)	Polarization
3926.464	33.03	7.78	38.53	46.10	48.38	74.00	-25.62	Vertical
4874.000	34.17	8.97	38.76	45.97	50.35	74.00	-23.65	Vertical
5964.939	34.61	10.46	38.95	45.63	51.75	74.00	-22.25	Vertical
7311.000	35.54	10.72	37.59	41.71	50.38	74.00	-23.62	Vertical
9748.000	37.10	12.58	36.16	37.75	51.27	74.00	-22.73	Vertical
12530.530	37.83	14.24	37.68	38.87	53.26	74.00	-20.74	Vertical
3748.808	32.70	7.72	38.47	45.04	46.99	74.00	-27.01	Horizontal
4874.000	34.17	8.97	38.76	45.92	50.30	74.00	-23.70	Horizontal
5982.226	34.66	10.51	38.96	45.85	52.06	74.00	-21.94	Horizontal
7311.000	35.54	10.72	37.59	41.88	50.55	74.00	-23.45	Horizontal
9748.000	37.10	12.58	36.16	38.95	52.47	74.00	-21.53	Horizontal
12530.530	37.83	14.24	37.68	37.68	52.07	74.00	-21.93	Horizontal



Report No.: SZEM160600451503

Page: 83 of 107

Test mode:		802.1	1n(HT20)	Test ch	annel:	Highest		Remark	:	Peak
Frequency (MHz)	Ante fact (dB		Cable loss (dB)	Preamp factor (dB)	Reading Level (dBµV)	Emission Level (dBµV/m)		_imit βμV/m)	Over Limit (dB)	Polarization
3915.118	33.	.02	7.78	38.53	46.19	48.46	7	4.00	-25.54	Vertical
4924.000	34.	.22	9.04	38.77	46.31	50.80	7	4.00	-23.20	Vertical
5896.291	34.	44	10.27	38.94	46.40	52.17	7	4.00	-21.83	Vertical
7386.000	35.	.51	10.75	37.56	40.29	48.99	7	4.00	-25.01	Vertical
9848.000	37.	15	12.63	36.03	38.64	52.39	7	4.00	-21.61	Vertical
12621.510	37.	.91	14.50	37.77	37.38	52.02	7	4.00	-21.98	Vertical
3915.118	33.	.02	7.78	38.53	45.23	47.50	7	4.00	-26.50	Horizontal
4924.000	34.	.22	9.04	38.77	45.74	50.23	7	4.00	-23.77	Horizontal
5964.939	34.	61	10.46	38.95	46.29	52.41	7	4.00	-21.59	Horizontal
7386.000	35.	51	10.75	37.56	40.18	48.88	7	4.00	-25.12	Horizontal
9848.000	37.	15	12.63	36.03	38.58	52.33	7	4.00	-21.67	Horizontal
12566.850	37.	87	14.34	37.72	37.58	52.07	7	4.00	-21.93	Horizontal

Test mode:	Test mode: 802.11n(HT40) Te		Test ch	annel:	Lowest	Remark	:	Peak
Frequency (MHz)	Antenna factors (dB/m)	Cable loss (dB)	Preamp factor (dB)	Reading Level (dBµV)	Emission Level (dBµV/m)	Limit (dBμV/m)	Over Limit (dB)	Polarization
3814.467	32.91	7.75	38.49	45.25	47.42	74.00	-26.58	Vertical
4844.000	34.14	8.92	38.76	46.21	50.51	74.00	-23.49	Vertical
6087.002	34.74	10.45	38.85	45.95	52.29	74.00	-21.71	Vertical
7266.000	35.57	10.70	37.61	41.75	50.41	74.00	-23.59	Vertical
9688.000	37.10	12.54	36.24	36.40	49.80	74.00	-24.20	Vertical
12566.850	37.87	14.34	37.72	37.35	51.84	74.00	-22.16	Vertical
3915.118	33.02	7.78	38.53	45.30	47.57	74.00	-26.43	Horizontal
4844.000	34.14	8.92	38.76	45.37	49.67	74.00	-24.33	Horizontal
5982.226	34.66	10.51	38.96	46.62	52.83	74.00	-21.17	Horizontal
7266.000	35.57	10.70	37.61	41.97	50.63	74.00	-23.37	Horizontal
9688.000	37.10	12.54	36.24	36.69	50.09	74.00	-23.91	Horizontal
12676.420	37.94	14.65	37.82	37.97	52.74	74.00	-21.26	Horizontal



Report No.: SZEM160600451503

Page: 84 of 107

Test mode:	802.1	1n(HT40)	Test ch	annel:	Middle	Remark	<b>(</b> :	Peak
Frequency (MHz)	Antenna factors (dB/m)	Cable loss (dB)	Preamp factor (dB)	Reading Level (dBµV)	Emission Level (dBµV/m)	Limit (dBμV/m)	Over Limit (dB)	Polarization
3915.118	33.02	7.78	38.53	45.06	47.33	74.00	-26.67	Vertical
4874.000	34.17	8.97	38.76	45.79	50.17	74.00	-23.83	Vertical
5913.378	34.49	10.32	38.95	46.71	52.57	74.00	-21.43	Vertical
7311.000	35.54	10.72	37.59	41.66	50.33	74.00	-23.67	Vertical
9748.000	37.10	12.58	36.16	38.20	51.72	74.00	-22.28	Vertical
12530.530	37.83	14.24	37.68	37.59	51.98	74.00	-22.02	Vertical
3983.689	33.08	7.80	38.55	45.85	48.18	74.00	-25.82	Horizontal
4874.000	34.17	8.97	38.76	45.51	49.89	74.00	-24.11	Horizontal
5964.939	34.61	10.46	38.95	46.57	52.69	74.00	-21.31	Horizontal
7311.000	35.54	10.72	37.59	42.11	50.78	74.00	-23.22	Horizontal
9748.000	37.10	12.58	36.16	37.85	51.37	74.00	-22.63	Horizontal
12530.530	37.83	14.24	37.68	38.44	52.83	74.00	-21.17	Horizontal

Test mode:	802.1	1n(HT40)	n(HT40) Test channel:		Highest	Remark	:	Peak
Frequency (MHz)	Antenna factors (dB/m)	Cable loss (dB)	Preamp factor (dB)	Reading Level (dBµV)	Emission Level (dBµV/m)	Limit (dBμV/m)	Over Limit (dB)	Polarization
3926.464	33.03	7.78	38.53	45.69	47.97	74.00	-26.03	Vertical
4904.000	34.21	9.01	38.77	46.33	50.78	74.00	-23.22	Vertical
6140.076	34.77	10.38	38.78	46.41	52.78	74.00	-21.22	Vertical
7356.000	35.52	10.74	37.57	42.32	51.01	74.00	-22.99	Vertical
9808.000	37.11	12.61	36.08	38.18	51.82	74.00	-22.18	Vertical
12530.530	37.83	14.24	37.68	37.41	51.80	74.00	-22.20	Vertical
3705.664	32.53	7.71	38.45	45.01	46.80	74.00	-27.20	Horizontal
4904.000	34.21	9.01	38.77	46.18	50.63	74.00	-23.37	Horizontal
6122.333	34.76	10.40	38.80	45.24	51.60	74.00	-22.40	Horizontal
7356.000	35.52	10.74	37.57	42.55	51.24	74.00	-22.76	Horizontal
9808.000	37.11	12.61	36.08	38.42	52.06	74.00	-21.94	Horizontal
12530.530	37.83	14.24	37.68	37.87	52.26	74.00	-21.74	Horizontal



Report No.: SZEM160600451503

Page: 85 of 107

#### Remark:

1) The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level = Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor

- 2) Scan from 9kHz to 25GHz, The disturbance above 13GHz and below 30MHz was very low, and the above harmonics were the highest point could be found when testing, so only the above harmonics had been displayed. The amplitude of spurious emissions from the radiator which are attenuated more than 20dB below the limit need not be reported.
- 3) As shown in this section, for frequencies above 1GHz, the field strength limits are based on average limits. However, the peak field strength of any emission shall not exceed the maximum permitted average limits specified above by more than 20 dB under any condition of modulation. So, only the peak measurements were shown in the report.




Report No.: SZEM160600451503

Page: 86 of 107

#### 6.9 Restricted bands around fundamental frequency

Test Requirement:	47 CFR Part 15C Section 1	7 CFR Part 15C Section 15.209 and 15.205									
Test Method:	ANSI C63.10: 2013 Section	NSI C63.10: 2013 Section 11.12									
Test Site:	Measurement Distance: 3m	leasurement Distance: 3m (Semi-Anechoic Chamber)									
Limit:	Frequency	Frequency Limit (dBuV/m @3m) Remark									
	30MHz-88MHz	30MHz-88MHz 40.0 Quasi-peak Valu									
	88MHz-216MHz	43.5	Quasi-peak Value								
	216MHz-960MHz	46.0	Quasi-peak Value								
	960MHz-1GHz	54.0	Quasi-peak Value								
	Above 1011=	54.0	Average Value								
	Above IGHZ	Above 1GHz 74.0 Peak Value									
Test Setup:											






Figure 1. 30MHz to 1GHz

Figure 2. Above 1 GHz

<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 87 of 107

Test Procedure:	a. For below 1GHz, the EUT was placed on the top of a rotating table 0.8 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
	b. For above 1GHz, the EUT was placed on the top of a rotating table 1.5 meters above the ground at a 3 meter semi-anechoic camber. The table was rotated 360 degrees to determine the position of the highest radiation.
	c. The EUT was set 3 meters away from the interference-receiving antenna, which was mounted on the top of a variable-height antenna tower.
	d. The antenna height is varied from one meter to four meters above the ground to determine the maximum value of the field strength. Both horizontal and vertical polarizations of the antenna are set to make the measurement.
	e. For each suspected emission, the EUT was arranged to its worst case and then the antenna was tuned to heights from 1 meter to 4 meters and the rotatable table was turned from 0 degrees to 360 degrees to find the maximum reading.
	f. The test-receiver system was set to Peak Detect Function and Specified Bandwidth with Maximum Hold Mode.
	g. Place a marker at the end of the restricted band closest to the transmit frequency to show compliance. Also measure any emissions in the restricted bands. Save the spectrum analyzer plot. Repeat for each power and modulation for lowest and highest channel
	h. Test the EUT in the lowest channel, the Highest channel
	<ul> <li>The radiation measurements are performed in X, Y, Z axis positioning for Transmitting mode, And found the X axis positioning which it is worse case.</li> </ul>
	j. Repeat above procedures until all frequencies measured was complete.
Exploratory Test Mode:	Transmitting with all kind of modulations, data rates.
	Charge + Transmitting mode.
Final Test Mode:	Charge +Transmitting mode
	Through Pre-scan, find the 1Mbps of rate is the worst case of 802.11b;
	6Mbps of rate is the worst case of 802.11g; 6.5Mbps of rate is the worst case
	of 802.11n(HT20); 13.5Mbps of rate is the worst case of 802.11n(HT40)
	Only the worst case is recorded in the report.
Instruments Used:	Refer to section 5.10 for details
Test Results:	Pass




Report No.: SZEM160600451503

Page: 88 of 107

Test plot as follows:

Worse case mode: 802.11b Test channel: Lowest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 4515CR

Mode: : 2412 Band edge

: B

Cable Ant Preamp Read Limit 0ver Freq Loss Factor Factor Level Level Line Limit dBuV dBuV/m dBuV/m MHz dB dB/m 2390,000 5.34 28.57 38.11 49.58 45.38 74.00 -28.62 2 pp 2413.142 5.36 28.66 38.11 96.97 92.88 74.00 18.88


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 89 of 107

Worse case mode: 802.11b Test channel: Lowest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 4515CR

Mode: : 2412 Band edge

: B

			Cable	Ant	Preamp	Read		Limit	Over
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1		2382.800	5.33	28.55	38.11	52.45	48.22	74.00	-25.78
2		2390.000	5.34	28.57	38.11	47.47	43.27	74.00	-30.73
3	pp	2413.142	5.36	28.66	38.11	98.31	94.22	74.00	20.22


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 90 of 107

Worse case mode: 802.11b Test channel: Highest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 4515CR

Mode: : 2462 Band edge

: B

Ant Preamp 0ver Cable Read Limit Freq Loss Factor Factor Level Line Limit Level dBuV dBuV/m dBuV/m MHz dB dB/m 1 pp 2463.002 5.39 28.89 38.12 100.87 97.03 74.00 23.03 2483.500 5.41 28.98 38.12 56.36 52.63 74.00 -21.37


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 91 of 107

Worse case mode: 802.11b Test channel: Highest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 4515CR

Mode: : 2462 Band edge

: B

	Limit Line						Freq
dB	dBuV/m	dBuV/m	dBuV	dB	dB/m	dB	MHz
							1 pp 2463.002


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 92 of 107

Worse case mode: 802.11g Test channel: Lowest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 4515CR

Mode: : 2412 Band edge

: G


Ant Preamp Freq Loss Factor Factor Level Level Line Limit dBuV dBuV/m dBuV/m MHz dB dB/m 2390.000 5.34 28.57 38.11 48.27 44.07 74.00 -29.93 2 pp 2413.816 5.36 28.66 38.11 91.64 87.55 74.00 13.55



Report No.: SZEM160600451503

Page: 93 of 107

Worse case mode: 802.11g Test channel: Lowest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 4515CR

1

Mode: : 2412 Band edge

: G


		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
-	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
	2390.000	5.34	28.57	38.11	49.42	45.22	74.00	-28.78
pp	2414.041	5.36	28.67	38.11	93.28	89.20	74.00	15.20



Report No.: SZEM160600451503

Page: 94 of 107

Worse case mode: 802.11g Test channel: Highest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 4515CR

Mode: : 2462 Band edge

: G

Cable Ant Preamp Read 0ver Limit Freq Loss Factor Factor Level Level Line Limit dBuV dBuV/m dBuV/m MHz dB dB/m 1 pp 2463.550 5.39 28.89 38.12 95.67 91.83 74.00 17.83 2483.500 5.41 28.98 38.12 48.84 45.11 74.00 -28.89


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 95 of 107

Worse case mode: 802.11g Test channel: Highest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 4515CR

Mode: : 2462 Band edge

: G

		Cable	Ant	Preamp	Read		Limit	0ver
	Freq	Loss	Factor	Factor	Level	Level	Line	Limit
	MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1 n	p 2463.251	5 39	28 89	38 12	96 58	92 74	74 99	18 74
	•							
2	2483.500	5.41	28.98	38.12	48.90	45.17	74.00	-28.83


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 96 of 107

Worse case mode: 802.11n(HT20) Test channel: Lowest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 4515CR

Mode: : 2412 Band edge

: N20

Cable Ant Preamp Read 0ver Limit Freq Loss Factor Factor Level Level Line Limit dBuV dBuV/m dBuV/m MHz dB dB/m 2390,000 5.34 28.57 38.11 48.51 44.31 74.00 -29.69 2 pp 2413.367 5.36 28.66 38.11 90.10 86.01 74.00 12.01


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 97 of 107

Worse case mode: 802.11n(HT20) Test channel: Lowest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 4515CR

Mode: : 2412 Band edge

: N20

Cable Ant Preamp Read 0ver Limit Freq Loss Factor Factor Level Level Line Limit dBuV dBuV/m dBuV/m MHz dB dB/m 2390,000 5.34 28.57 38.11 46.71 42.51 74.00 -31.49 2 pp 2413.592 5.36 28.66 38.11 91.90 87.81 74.00 13.81


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 98 of 107

Worse case mode: 802.11n(HT20) Test channel: Highest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 4515CR

Mode: : 2462 Band edge

: N20


Read Cable Ant Preamp Limit Over Freq Loss Factor Factor Level Level Line Limit MHz dBuV dBuV/m dBuV/m dB dB/m dB 1 pp 2463.251 5.39 28.89 38.12 94.10 90.26 74.00 16.26 2483.500 5.41 28.98 38.12 50.18 46.45 74.00 -27.55



Report No.: SZEM160600451503

Page: 99 of 107

Worse case mode: 802.11n(HT20) Test channel: Highest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 4515CR

Mode: : 2462 Band edge

: N20


Freq			Preamp Factor				
MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	——dB
2463.251 2483.500							



Report No.: SZEM160600451503

Page: 100 of 107

Worse case mode: 802.11n(HT40) Test channel: Lowest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 4515CR

Mode: : 2422 Band edge

: N40

Cable Ant Preamp Read 0ver Limit Freq Loss Factor Factor Level Level Line Limit dBuV dBuV/m dBuV/m MHz dB dB/m 2390,000 5.34 28.57 38.11 49.31 45.11 74.00 -28.89 2 pp 2425.615 5.36 28.72 38.11 87.44 83.41 74.00


<sup>&</sup>quot;This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <a href="https://www.sgs.com/terms">www.sgs.com/terms</a> and conditions.htm</a> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <a href="https://www.sgs.com/terms.e-document.htm">www.sgs.com/terms.e-document.htm</a>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only."



Report No.: SZEM160600451503

Page: 101 of 107

Worse case mode: 802.11n(HT40) Test channel: Lowest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 4515CR

Mode: : 2422 Band edge

: N40


Ant Preamp 0ver Cable Read Limit Loss Factor Factor Freq Level Level Limit dBuV dBuV/m dBuV/m MHz dB dB/m 2390.000 38.11 46.78 42.58 74.00 -31.42 5.34 28.57 2 pp 2423.624 5.36 28.71 38.11 89.36 85.32 74.00 11.32



Report No.: SZEM160600451503

Page: 102 of 107

Worse case mode: 802.11n(HT40) Test channel: Highest Remark: Peak Vertical



Condition: 3m Vertical Job No: : 4515CR

Mode: : 2452 Band edge

: N40


Cable Ant Preamp Read 0ver Limit Freq Loss Factor Factor Level Level Line Limit dBuV dBuV/m dBuV/m dB dB/m 1 pp 2458.385 5.39 28.87 38.12 89.00 85.14 74.00 11.14 2483.500 5.41 28.98 38.12 49.75 46.02 74.00 -27.98



Report No.: SZEM160600451503

Page: 103 of 107

Worse case mode: 802.11n(HT40) Test channel: Highest Remark: Peak Horizontal



Condition: 3m Horizontal

Job No: : 4515CR

Mode: : 2452 Band edge

: N40

			Cable	Ant	Preamp	Read		Limit	0ver
		Freq	Loss	Factor	Factor	Level	Level	Line	Limit
		MHz	dB	dB/m	dB	dBuV	dBuV/m	dBuV/m	dB
1	pp	2458.863	5.39	28.87	38.12	90.11	86.25	74.00	12.25
		2483.500							

#### Note:

The field strength is calculated by adding the Antenna Factor, Cable Factor & Preamplifier. The basic equation with a sample calculation is as follows:

Final Test Level =Receiver Reading + Antenna Factor + Cable Factor - Preamplifier Factor



Report No.: SZEM160600451503

Page: 104 of 107

#### 7 Photographs - EUT Test Setup

Test model No.: WH52C

#### 7.1 Conducted Emission



#### 7.2 Radiated Emission







Report No.: SZEM160600451503

Page: 105 of 107






Model No.: WH32C






Report No.: SZEM160600451503

Page: 106 of 107












Report No.: SZEM160600451503

Page: 107 of 107

#### 7.3 Radiated Spurious Emission



#### 8 Photographs - EUT Constructional Details

Refer to Appendix A - Photographs of EUT Constructional Details for SZEM1606004515CR.