


5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUT_Y_2TX
 Setting 21
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2955G	114.01	Inf	-Inf	107.76	3	Horizontal	43	1.63	-	33.18	5.55	32.48
AV	5.2975G	102.36	Inf	-Inf	96.10	3	Horizontal	43	1.63	-	33.19	5.55	32.48
PK	5.352G	64.50	74.00	-9.50	58.18	3	Horizontal	43	1.63	-	33.21	5.58	32.47
AV	5.351G	48.94	54.00	-5.06	42.63	3	Horizontal	43	1.63	-	33.20	5.58	32.47

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUTY_2TX
 Setting 21
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59696G	59.18	68.20	-9.02	44.83	3	Vertical	273	1.88	-	39.29	8.18	33.12
PK	15.8988G	59.08	74.00	-14.92	44.19	3	Vertical	307	1.44	-	38.60	10.26	33.97
AV	15.90138G	45.77	54.00	-8.23	30.87	3	Vertical	307	1.44	-	38.60	10.27	33.97

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5300MHz_TX




EUTY_2TX
 Setting 21
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59634G	58.85	68.20	-9.35	44.50	3	Horizontal	20	1.06	-	39.29	8.18	33.12
PK	15.89886G	58.33	74.00	-15.67	43.44	3	Horizontal	206	1.62	-	38.60	10.26	33.97
AV	15.90168G	45.55	54.00	-8.45	30.65	3	Horizontal	206	1.62	-	38.60	10.27	33.97

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUTY_2TX
Setting 18
04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3204G	118.09	Inf	-Inf	111.81	3	Vertical	119	1.62	-	33.20	5.56	32.48
AV	5.318G	106.06	Inf	-Inf	99.78	3	Vertical	119	1.62	-	33.20	5.56	32.48
PK	5.3504G	72.21	74.00	-1.79	65.90	3	Vertical	119	1.62	-	33.20	5.58	32.47
AV	5.3504G	52.66	54.00	-1.34	46.35	3	Vertical	119	1.62	-	33.20	5.58	32.47

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUTY_2TX
 Setting 18
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3188G	111.32	Inf	-Inf	105.04	3	Horizontal	43	1.67	-	33.20	5.56	32.48
AV	5.3184G	99.69	Inf	-Inf	93.41	3	Horizontal	43	1.67	-	33.20	5.56	32.48
PK	5.3556G	63.56	74.00	-10.44	57.23	3	Horizontal	43	1.67	-	33.22	5.58	32.47
AV	5.3512G	48.08	54.00	-5.92	41.77	3	Horizontal	43	1.67	-	33.20	5.58	32.47

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUTY_2TX
Setting 18
04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63928G	56.79	74.00	-17.21	42.46	3	Vertical	271	1.82	-	39.30	8.19	33.16
AV	10.6367G	44.21	54.00	-9.79	29.87	3	Vertical	271	1.82	-	39.30	8.19	33.15
PK	15.95688G	58.31	74.00	-15.69	43.49	3	Vertical	279	2.72	-	38.54	10.28	34.00
AV	15.9474G	45.06	54.00	-8.94	30.23	3	Vertical	279	2.72	-	38.55	10.28	34.00

5.25-5.35GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5320MHz_TX




EUT_Y_2TX
 Setting 18
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63316G	56.02	74.00	-17.98	41.68	3	Horizontal	28	1.31	-	39.30	8.19	33.15
AV	10.6397G	43.42	54.00	-10.58	29.09	3	Horizontal	28	1.31	-	39.30	8.19	33.16
PK	15.9624G	57.97	74.00	-16.03	43.15	3	Horizontal	225	1.80	-	38.54	10.29	34.01
AV	15.96126G	45.08	54.00	-8.92	30.26	3	Horizontal	225	1.80	-	38.54	10.29	34.01

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUTY_2TX
 Setting 17.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4451G	63.04	74.00	-10.96	56.21	3	Vertical	155	1.60	-	33.67	5.60	32.44
PK	5.4691G	67.24	68.20	-0.96	60.34	3	Vertical	155	1.60	-	33.74	5.60	32.44
AV	5.4589G	48.92	54.00	-5.08	42.04	3	Vertical	155	1.60	-	33.72	5.60	32.44
PK	5.4958G	117.61	Inf	-Inf	110.65	3	Vertical	155	1.60	-	33.79	5.60	32.43
AV	5.5009G	105.54	Inf	-Inf	98.57	3	Vertical	155	1.60	-	33.80	5.60	32.43

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUTY_2TX
 Setting 17.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	60.74	74.00	-13.26	53.86	3	Horizontal	97	1.68	-	33.72	5.60	32.44
AV	5.4289G	47.12	54.00	-6.88	40.40	3	Horizontal	97	1.68	-	33.57	5.60	32.45
PK	5.4664G	60.85	68.20	-7.35	53.96	3	Horizontal	97	1.68	-	33.73	5.60	32.44
PK	5.5012G	109.83	Inf	-Inf	102.86	3	Horizontal	97	1.68	-	33.80	5.60	32.43
AV	5.4988G	97.83	Inf	-Inf	90.86	3	Horizontal	97	1.68	-	33.80	5.60	32.43

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUTY_2TX
 Setting 17.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99508G	59.43	74.00	-14.57	45.19	3	Vertical	237	1.66	-	39.40	8.30	33.46
AV	11.00006G	46.14	54.00	-7.86	31.90	3	Vertical	237	1.66	-	39.40	8.30	33.46
PK	16.48548G	61.76	68.20	-6.44	45.26	3	Vertical	142	1.80	-	39.53	10.62	33.65

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5500MHz_TX




EUTY_2TX
 Setting 17.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0078G	57.57	74.00	-16.43	43.36	3	Horizontal	1	2.07	-	39.38	8.30	33.47
AV	11.0003G	44.46	54.00	-9.54	30.22	3	Horizontal	1	2.07	-	39.40	8.30	33.46
PK	16.49706G	60.79	68.20	-7.41	44.22	3	Horizontal	161	1.39	-	39.59	10.62	33.64

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUTY_2TX
 Setting 23.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4432G	64.76	74.00	-9.24	57.94	3	Vertical	155	1.53	-	33.66	5.60	32.44
PK	5.468G	67.01	68.20	-1.19	60.11	3	Vertical	155	1.53	-	33.74	5.60	32.44
AV	5.4584G	51.43	54.00	-2.57	44.55	3	Vertical	155	1.53	-	33.72	5.60	32.44
PK	5.5824G	122.20	Inf	-Inf	115.02	3	Vertical	155	1.53	-	34.03	5.60	32.45
AV	5.5824G	110.85	Inf	-Inf	103.67	3	Vertical	155	1.53	-	34.03	5.60	32.45
PK	5.7552G	60.21	68.20	-7.99	52.74	3	Vertical	155	1.53	-	34.30	5.68	32.51

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUT_Y_2TX
 Setting 23.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4272G	59.59	74.00	-14.41	52.88	3	Horizontal	42	1.48	-	33.56	5.60	32.45
PK	5.4696G	61.30	68.20	-6.90	54.40	3	Horizontal	42	1.48	-	33.74	5.60	32.44
AV	5.4576G	47.54	54.00	-6.46	40.66	3	Horizontal	42	1.48	-	33.72	5.60	32.44
PK	5.5832G	114.78	Inf	-Inf	107.60	3	Horizontal	42	1.48	-	34.03	5.60	32.45
AV	5.5784G	103.59	Inf	-Inf	96.43	3	Horizontal	42	1.48	-	34.01	5.60	32.45
PK	5.736G	60.43	68.20	-7.77	52.99	3	Horizontal	42	1.48	-	34.27	5.67	32.50

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUTY_2TX
 Setting 23.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15964G	64.65	74.00	-9.35	50.76	3	Vertical	126	1.80	-	39.20	8.35	33.66
AV	11.15976G	51.55	54.00	-2.45	37.66	3	Vertical	126	1.80	-	39.20	8.35	33.66
PK	16.73892G	66.49	68.20	-1.71	49.39	3	Vertical	214	1.77	-	39.92	10.78	33.60

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5580MHz_TX




EUTY_2TX
 Setting 23.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16018G	61.72	74.00	-12.28	47.83	3	Horizontal	146	1.77	-	39.20	8.35	33.66
AV	11.15994G	48.92	54.00	-5.08	35.03	3	Horizontal	146	1.77	-	39.20	8.35	33.66
PK	16.74204G	64.88	68.20	-3.32	47.77	3	Horizontal	170	1.98	-	39.93	10.78	33.60

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUT_Y_2TX
 Setting 14.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.697G	116.51	Inf	-Inf	109.16	3	Vertical	187	1.85	-	34.19	5.65	32.49
AV	5.6994G	103.30	Inf	-Inf	95.94	3	Vertical	187	1.85	-	34.20	5.65	32.49
PK	5.7252G	65.09	68.20	-3.11	57.68	3	Vertical	187	1.85	-	34.25	5.66	32.50

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUTY_2TX
 Setting 14.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6982G	106.80	Inf	-Inf	99.44	3	Horizontal	34	1.97	-	34.20	5.65	32.49
AV	5.6982G	95.56	Inf	-Inf	88.20	3	Horizontal	34	1.97	-	34.20	5.65	32.49
PK	5.7462G	60.80	68.20	-7.40	53.34	3	Horizontal	34	1.97	-	34.29	5.67	32.50

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUTY_2TX
 Setting 14.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40324G	60.68	74.00	-13.32	47.03	3	Vertical	279	1.80	-	39.20	8.42	33.97
AV	11.40078G	47.19	54.00	-6.81	33.53	3	Vertical	279	1.80	-	39.20	8.42	33.96
PK	17.09088G	63.75	68.20	-4.45	45.45	3	Vertical	144	1.00	-	40.86	11.01	33.57

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5700MHz_TX




EUTY_2TX
 Setting 14.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39916G	57.83	74.00	-16.17	44.17	3	Horizontal	144	1.50	-	39.20	8.42	33.96
AV	11.39892G	45.34	54.00	-8.66	31.68	3	Horizontal	144	1.50	-	39.20	8.42	33.96
PK	17.10372G	62.83	68.20	-5.37	44.47	3	Horizontal	202	1.80	-	40.91	11.02	33.57

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTY_2TX
 Setting 25
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.426G	59.91	74.00	-14.09	53.20	3	Vertical	190	1.77	-	33.56	5.60	32.45
AV	5.4456G	47.36	54.00	-6.64	40.53	3	Vertical	190	1.77	-	33.67	5.60	32.44
PK	5.4666G	58.48	68.20	-9.72	51.59	3	Vertical	190	1.77	-	33.73	5.60	32.44
PK	5.7214G	122.64	Inf	-Inf	115.24	3	Vertical	190	1.77	-	34.24	5.66	32.50
AV	5.72G	110.72	Inf	-Inf	103.32	3	Vertical	190	1.77	-	34.24	5.66	32.50
PK	5.86G	66.77	68.20	-1.43	59.08	3	Vertical	190	1.77	-	34.50	5.73	32.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 Setting 25
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.391G	58.91	74.00	-15.09	52.41	3	Horizontal	31	2.29	-	33.36	5.60	32.46
PK	5.461G	57.84	68.20	-10.36	50.96	3	Horizontal	31	2.29	-	33.72	5.60	32.44
AV	5.4344G	46.90	54.00	-7.10	40.14	3	Horizontal	31	2.29	-	33.61	5.60	32.45
PK	5.7186G	115.17	Inf	-Inf	107.77	3	Horizontal	31	2.29	-	34.24	5.66	32.50
AV	5.7172G	104.70	Inf	-Inf	97.31	3	Horizontal	31	2.29	-	34.23	5.66	32.50
PK	5.85G	63.28	68.20	-4.92	55.69	3	Horizontal	31	2.29	-	34.40	5.73	32.54

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTY_2TX
 Setting 25
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43094G	62.29	74.00	-11.71	48.66	3	Vertical	279	2.10	-	39.20	8.43	34.00
AV	11.43856G	50.12	54.00	-3.88	36.50	3	Vertical	279	2.10	-	39.20	8.43	34.01
PK	17.15142G	66.71	68.20	-1.49	48.19	3	Vertical	66	1.80	-	41.05	11.05	33.58

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5720MHz Straddle 5.47-5.725GHz_TX




EUTY_2TX
 Setting 25
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44204G	60.17	74.00	-13.83	46.56	3	Horizontal	46	1.97	-	39.20	8.43	34.02
AV	11.43982G	47.50	54.00	-6.50	33.88	3	Horizontal	46	1.97	-	39.20	8.43	34.01
PK	17.16204G	67.10	68.20	-1.10	48.53	3	Horizontal	157	1.96	-	41.09	11.06	33.58

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
 Setting 25
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.635G	67.51	68.20	-0.69	60.26	3	Vertical	358	2.10	-	34.10	5.62	32.47
PK	5.749G	121.59	Inf	-Inf	114.12	3	Vertical	358	2.10	-	34.30	5.67	32.50
AV	5.747G	110.25	Inf	-Inf	102.79	3	Vertical	358	2.10	-	34.29	5.67	32.50
PK	5.944G	61.49	68.20	-6.71	53.12	3	Vertical	358	2.10	-	35.16	5.77	32.56

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUT_Y_2TX
 Setting 25
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	64.52	68.20	-3.68	57.27	3	Horizontal	29	2.25	-	34.10	5.62	32.47
PK	5.742G	114.79	Inf	-Inf	107.34	3	Horizontal	29	2.25	-	34.28	5.67	32.50
AV	5.744G	103.76	Inf	-Inf	96.30	3	Horizontal	29	2.25	-	34.29	5.67	32.50
PK	5.989G	60.84	68.20	-7.36	52.35	3	Horizontal	29	2.25	-	35.28	5.79	32.58

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUTY_2TX
 Setting 25
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48808G	62.37	74.00	-11.63	48.79	3	Vertical	280	2.10	-	39.20	8.45	34.07
AV	11.49072G	50.37	54.00	-3.63	36.80	3	Vertical	280	2.10	-	39.20	8.45	34.08
PK	17.23272G	66.20	68.20	-2.00	47.36	3	Vertical	47	1.79	-	41.33	11.10	33.59

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5745MHz_TX




EUTY_2TX
 Setting 25
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49402G	59.93	74.00	-14.07	46.36	3	Horizontal	46	1.99	-	39.20	8.45	34.08
AV	11.4915G	47.33	54.00	-6.67	33.76	3	Horizontal	46	1.99	-	39.20	8.45	34.08
PK	17.24022G	65.97	68.20	-2.23	47.09	3	Horizontal	175	1.72	-	41.36	11.11	33.59

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUTY_2TX
 Setting 25
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	61.96	68.20	-6.24	54.72	3	Vertical	188	1.80	-	34.10	5.62	32.48
PK	5.79G	121.21	Inf	-Inf	113.73	3	Vertical	188	1.80	-	34.30	5.70	32.52
AV	5.783G	110.09	Inf	-Inf	102.61	3	Vertical	188	1.80	-	34.30	5.69	32.51
PK	5.948G	62.93	68.20	-5.27	54.53	3	Vertical	188	1.80	-	35.19	5.77	32.56

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUTY_2TX
 Setting 25
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.551G	59.89	68.20	-8.31	52.84	3	Horizontal	36	2.24	-	33.90	5.60	32.45
PK	5.784G	115.31	Inf	-Inf	107.84	3	Horizontal	36	2.24	-	34.30	5.69	32.52
AV	5.787G	104.02	Inf	-Inf	96.55	3	Horizontal	36	2.24	-	34.30	5.69	32.52
PK	5.983G	61.33	68.20	-6.87	52.84	3	Horizontal	36	2.24	-	35.27	5.79	32.57

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUTY_2TX
 Setting 25
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56814G	62.58	74.00	-11.42	49.04	3	Vertical	280	2.13	-	39.20	8.47	34.13
AV	11.56826G	49.80	54.00	-4.20	36.26	3	Vertical	280	2.13	-	39.20	8.47	34.13
PK	17.3637G	66.14	68.20	-2.06	46.83	3	Vertical	210	1.54	-	41.73	11.19	33.61

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5785MHz_TX




EUTY_2TX
 Setting 25
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57156G	60.61	74.00	-13.39	47.07	3	Horizontal	52	2.03	-	39.20	8.47	34.13
AV	11.57126G	47.78	54.00	-6.22	34.24	3	Horizontal	52	2.03	-	39.20	8.47	34.13
PK	17.35404G	65.69	68.20	-2.51	46.41	3	Horizontal	174	1.74	-	41.71	11.18	33.61

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUTY_2TX
 Setting 24
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	60.87	68.20	-7.33	53.62	3	Vertical	354	2.15	-	34.10	5.62	32.47
PK	5.821G	120.05	Inf	-Inf	112.53	3	Vertical	354	2.15	-	34.34	5.71	32.53
AV	5.824G	109.69	Inf	-Inf	102.16	3	Vertical	354	2.15	-	34.35	5.71	32.53
PK	5.926G	67.43	68.20	-0.77	59.17	3	Vertical	354	2.15	-	35.06	5.76	32.56

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUTY_2TX
 Setting 24
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.594G	59.47	68.20	-8.73	52.25	3	Horizontal	32	2.27	-	34.08	5.60	32.46
PK	5.827G	113.83	Inf	-Inf	106.30	3	Horizontal	32	2.27	-	34.35	5.71	32.53
AV	5.824G	103.09	Inf	-Inf	95.56	3	Horizontal	32	2.27	-	34.35	5.71	32.53
PK	5.955G	61.69	68.20	-6.51	53.27	3	Horizontal	32	2.27	-	35.21	5.78	32.57

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUTY_2TX
 Setting 24
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64928G	62.18	74.00	-11.82	48.72	3	Vertical	219	1.40	-	39.15	8.49	34.18
AV	11.64958G	50.08	54.00	-3.92	36.62	3	Vertical	219	1.40	-	39.15	8.49	34.18
PK	17.47728G	65.44	68.20	-2.76	45.93	3	Vertical	211	1.71	-	41.88	11.26	33.63

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_2TX

5825MHz_TX




EUTY_2TX
Setting 24
04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65162G	61.30	74.00	-12.70	47.83	3	Horizontal	52	1.67	-	39.15	8.50	34.18
AV	11.65144G	48.11	54.00	-5.89	34.64	3	Horizontal	52	1.67	-	39.15	8.50	34.18
PK	17.48274G	64.18	68.20	-4.02	44.67	3	Horizontal	91	1.80	-	41.88	11.26	33.63

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUTY_2TX
 Setting 16.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.145G	73.94	74.00	-0.06	68.10	3	Vertical	360	1.78	-	32.91	5.45	32.52
AV	5.1495G	51.56	54.00	-2.44	45.73	3	Vertical	360	1.78	-	32.90	5.45	32.52
PK	5.1865G	113.84	Inf	-Inf	107.96	3	Vertical	360	1.78	-	32.90	5.49	32.51
AV	5.189G	101.97	Inf	-Inf	96.09	3	Vertical	360	1.78	-	32.90	5.49	32.51

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUTY_2TX
Setting 16.5
04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	64.64	74.00	-9.36	58.80	3	Horizontal	40	1.47	-	32.91	5.45	32.52
AV	5.1495G	47.95	54.00	-6.05	42.12	3	Horizontal	40	1.47	-	32.90	5.45	32.52
PK	5.1885G	108.80	Inf	-Inf	102.92	3	Horizontal	40	1.47	-	32.90	5.49	32.51
AV	5.1885G	96.40	Inf	-Inf	90.52	3	Horizontal	40	1.47	-	32.90	5.49	32.51

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUTY_2TX
 Setting 16.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.3785G	55.35	68.20	-12.85	41.35	3	Vertical	273	1.92	-	38.88	8.11	32.99
PK	15.57876G	60.60	74.00	-13.40	45.70	3	Vertical	71	2.62	-	38.51	10.15	33.76
AV	15.5619G	47.89	54.00	-6.11	32.90	3	Vertical	71	2.62	-	38.59	10.15	33.75

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5190MHz_TX




EUTY_2TX
 Setting 16.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38126G	55.17	68.20	-13.03	41.17	3	Horizontal	154	2.17	-	38.88	8.11	32.99
PK	15.5703G	60.23	74.00	-13.77	45.28	3	Horizontal	315	2.46	-	38.55	10.15	33.75
AV	15.5814G	47.70	54.00	-6.30	32.82	3	Horizontal	315	2.46	-	38.49	10.15	33.76

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUT_Y_2TX
 Setting 19.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1453G	70.65	74.00	-3.35	64.81	3	Vertical	4	1.80	-	32.91	5.45	32.52
AV	5.15G	53.49	54.00	-0.51	47.66	3	Vertical	4	1.80	-	32.90	5.45	32.52
PK	5.2293G	115.95	Inf	-Inf	109.98	3	Vertical	4	1.80	-	32.96	5.51	32.50
AV	5.2321G	105.67	Inf	-Inf	99.69	3	Vertical	4	1.80	-	32.96	5.52	32.50
PK	5.3658G	62.51	74.00	-11.49	56.13	3	Vertical	4	1.80	-	33.26	5.58	32.46
AV	5.3504G	48.82	54.00	-5.18	42.51	3	Vertical	4	1.80	-	33.20	5.58	32.47

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUTY_2TX
 Setting 19.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1341G	61.84	74.00	-12.16	56.01	3	Horizontal	38	1.58	-	32.93	5.43	32.53
AV	5.1488G	48.51	54.00	-5.49	42.68	3	Horizontal	38	1.58	-	32.90	5.45	32.52
PK	5.2181G	110.62	Inf	-Inf	104.67	3	Horizontal	38	1.58	-	32.94	5.51	32.50
AV	5.2286G	100.04	Inf	-Inf	94.07	3	Horizontal	38	1.58	-	32.96	5.51	32.50
PK	5.3756G	58.82	74.00	-15.18	52.39	3	Horizontal	38	1.58	-	33.30	5.59	32.46
AV	5.3875G	47.37	54.00	-6.63	40.89	3	Horizontal	38	1.58	-	33.35	5.59	32.46

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUTY_2TX
 Setting 19.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45664G	57.59	68.20	-10.61	43.46	3	Vertical	272	1.80	-	39.01	8.14	33.02
PK	15.67872G	60.12	74.00	-13.88	45.51	3	Vertical	294	1.83	-	38.24	10.19	33.82
AV	15.67752G	47.15	54.00	-6.85	32.54	3	Vertical	294	1.83	-	38.24	10.19	33.82

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5230MHz_TX




EUTY_2TX
 Setting 19.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46096G	57.68	68.20	-10.52	43.54	3	Horizontal	155	2.10	-	39.02	8.14	33.02
PK	15.68916G	59.75	74.00	-14.25	45.17	3	Horizontal	193	1.02	-	38.22	10.19	33.83
AV	15.675G	47.14	54.00	-6.86	32.52	3	Horizontal	193	1.02	-	38.25	10.19	33.82

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUTY_2TX
Setting 19.5
04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1475G	64.99	74.00	-9.01	59.15	3	Vertical	360	2.12	-	32.91	5.45	32.52
AV	5.1482G	48.17	54.00	-5.83	42.34	3	Vertical	360	2.12	-	32.90	5.45	32.52
PK	5.2679G	115.94	Inf	-Inf	109.83	3	Vertical	360	2.12	-	33.07	5.53	32.49
AV	5.2679G	106.05	Inf	-Inf	99.94	3	Vertical	360	2.12	-	33.07	5.53	32.49
PK	5.354G	70.51	74.00	-3.49	64.18	3	Vertical	360	2.12	-	33.22	5.58	32.47
AV	5.3505G	52.70	54.00	-1.30	46.39	3	Vertical	360	2.12	-	33.20	5.58	32.47

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUTY_2TX
 Setting 19.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	61.25	74.00	-12.75	55.41	3	Horizontal	40	1.58	-	32.91	5.45	32.52
AV	5.1069G	46.76	54.00	-7.24	40.89	3	Horizontal	40	1.58	-	32.99	5.41	32.53
PK	5.2672G	110.84	Inf	-Inf	104.73	3	Horizontal	40	1.58	-	33.07	5.53	32.49
AV	5.2672G	99.82	Inf	-Inf	93.71	3	Horizontal	40	1.58	-	33.07	5.53	32.49
PK	5.3526G	60.54	74.00	-13.46	54.22	3	Horizontal	40	1.58	-	33.21	5.58	32.47
AV	5.35G	48.04	54.00	-5.96	41.73	3	Horizontal	40	1.58	-	33.20	5.58	32.47

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
 Setting 19.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54702G	57.86	68.20	-10.34	43.59	3	Vertical	274	1.83	-	39.19	8.16	33.08
PK	15.80364G	58.58	74.00	-15.42	43.75	3	Vertical	3	1.02	-	38.50	10.23	33.90
AV	15.80136G	46.13	54.00	-7.87	31.30	3	Vertical	3	1.02	-	38.50	10.23	33.90

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5270MHz_TX




EUT_Y_2TX
 Setting 19.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54372G	58.00	68.20	-10.20	43.73	3	Horizontal	22	1.22	-	39.19	8.16	33.08
PK	15.80742G	59.34	74.00	-14.66	44.51	3	Horizontal	310	1.54	-	38.51	10.23	33.91
AV	15.79614G	46.37	54.00	-7.63	31.55	3	Horizontal	310	1.54	-	38.49	10.23	33.90

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUTY_2TX
Setting 16
04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3075G	114.17	Inf	-Inf	107.90	3	Vertical	358	2.55	-	33.20	5.55	32.48
AV	5.3075G	102.70	Inf	-Inf	96.43	3	Vertical	358	2.55	-	33.20	5.55	32.48
PK	5.3545G	72.95	74.00	-1.05	66.62	3	Vertical	358	2.55	-	33.22	5.58	32.47
AV	5.35G	50.58	54.00	-3.42	44.27	3	Vertical	358	2.55	-	33.20	5.58	32.47

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUT_Y_2TX
 Setting 16
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3065G	107.69	Inf	-Inf	101.42	3	Horizontal	34	2.98	-	33.20	5.55	32.48
AV	5.312G	96.27	Inf	-Inf	89.99	3	Horizontal	34	2.98	-	33.20	5.56	32.48
PK	5.3535G	65.30	74.00	-8.70	58.98	3	Horizontal	34	2.98	-	33.21	5.58	32.47
AV	5.35G	47.88	54.00	-6.12	41.57	3	Horizontal	34	2.98	-	33.20	5.58	32.47

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUTY_2TX
 Setting 16
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62948G	55.57	74.00	-18.43	41.23	3	Vertical	303	1.44	-	39.30	8.19	33.15
AV	10.62498G	42.74	54.00	-11.26	28.39	3	Vertical	303	1.44	-	39.30	8.19	33.14
PK	15.92436G	58.01	74.00	-15.99	43.14	3	Vertical	93	2.69	-	38.58	10.27	33.98
AV	15.93414G	45.97	54.00	-8.03	31.11	3	Vertical	93	2.69	-	38.57	10.28	33.99

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5310MHz_TX




EUTY_2TX
 Setting 16
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6344G	54.97	74.00	-19.03	40.63	3	Horizontal	45	2.28	-	39.30	8.19	33.15
AV	10.6305G	42.53	54.00	-11.47	28.19	3	Horizontal	45	2.28	-	39.30	8.19	33.15
PK	15.93312G	58.95	74.00	-15.05	44.09	3	Horizontal	135	1.80	-	38.57	10.28	33.99
AV	15.9267G	46.05	54.00	-7.95	31.19	3	Horizontal	135	1.80	-	38.57	10.27	33.98

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUTY_2TX
 Setting 15
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4585G	65.61	74.00	-8.39	58.73	3	Vertical	0	2.31	-	33.72	5.60	32.44
AV	5.4585G	48.63	54.00	-5.37	41.75	3	Vertical	0	2.31	-	33.72	5.60	32.44
PK	5.464G	67.13	68.20	-1.07	60.24	3	Vertical	0	2.31	-	33.73	5.60	32.44
PK	5.514G	112.89	Inf	-Inf	105.89	3	Vertical	0	2.31	-	33.83	5.60	32.43
AV	5.509G	101.76	Inf	-Inf	94.77	3	Vertical	0	2.31	-	33.82	5.60	32.43

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUTY_2TX
Setting 15
04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	59.67	74.00	-14.33	52.79	3	Horizontal	44	1.54	-	33.72	5.60	32.44
AV	5.4475G	47.89	54.00	-6.11	41.04	3	Horizontal	44	1.54	-	33.69	5.60	32.44
PK	5.4665G	59.01	68.20	-9.19	52.12	3	Horizontal	44	1.54	-	33.73	5.60	32.44
PK	5.5085G	105.38	Inf	-Inf	98.39	3	Horizontal	44	1.54	-	33.82	5.60	32.43
AV	5.511G	93.97	Inf	-Inf	86.98	3	Horizontal	44	1.54	-	33.82	5.60	32.43

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUTY_2TX
 Setting 15
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02786G	56.42	74.00	-17.58	42.27	3	Vertical	240	1.65	-	39.34	8.31	33.50
AV	11.02276G	44.23	54.00	-9.77	30.06	3	Vertical	240	1.65	-	39.35	8.31	33.49
PK	16.52994G	61.02	68.20	-7.18	44.42	3	Vertical	322	1.61	-	39.60	10.64	33.64

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5510MHz_TX




EUTY_2TX
 Setting 15
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02966G	55.80	74.00	-18.20	41.65	3	Horizontal	44	1.63	-	39.34	8.31	33.50
AV	11.01364G	43.44	54.00	-10.56	29.25	3	Horizontal	44	1.63	-	39.37	8.30	33.48
PK	16.54116G	61.36	68.20	-6.84	44.74	3	Horizontal	109	1.80	-	39.60	10.65	33.63

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUTY_2TX
 Setting 18.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	69.19	74.00	-4.81	62.31	3	Vertical	149	1.59	-	33.72	5.60	32.44
AV	5.46G	51.11	54.00	-2.89	44.23	3	Vertical	149	1.59	-	33.72	5.60	32.44
PK	5.4648G	67.85	68.20	-0.35	60.96	3	Vertical	149	1.59	-	33.73	5.60	32.44
PK	5.5488G	117.36	Inf	-Inf	110.30	3	Vertical	149	1.59	-	33.90	5.60	32.44
AV	5.5512G	106.29	Inf	-Inf	99.24	3	Vertical	149	1.59	-	33.90	5.60	32.45

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUTY_2TX
 Setting 18.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4558G	63.40	74.00	-10.60	56.53	3	Horizontal	45	1.52	-	33.71	5.60	32.44
AV	5.46G	48.60	54.00	-5.40	41.72	3	Horizontal	45	1.52	-	33.72	5.60	32.44
PK	5.4654G	65.06	68.20	-3.14	58.17	3	Horizontal	45	1.52	-	33.73	5.60	32.44
PK	5.5524G	110.38	Inf	-Inf	103.32	3	Horizontal	45	1.52	-	33.91	5.60	32.45
AV	5.5518G	98.46	Inf	-Inf	91.40	3	Horizontal	45	1.52	-	33.91	5.60	32.45

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUTY_2TX
 Setting 18.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09292G	57.95	74.00	-16.05	43.99	3	Vertical	260	2.87	-	39.21	8.33	33.58
AV	11.10042G	45.34	54.00	-8.66	31.40	3	Vertical	260	2.87	-	39.20	8.33	33.59
PK	16.66068G	60.57	68.20	-7.63	43.73	3	Vertical	102	1.80	-	39.72	10.73	33.61

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5550MHz_TX




EUTY_2TX
 Setting 18.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1093G	56.77	74.00	-17.23	42.84	3	Horizontal	147	1.79	-	39.20	8.33	33.60
AV	11.09712G	44.22	54.00	-9.78	30.26	3	Horizontal	147	1.79	-	39.21	8.33	33.58
PK	16.6464G	60.81	68.20	-7.39	44.02	3	Horizontal	0	1.80	-	39.69	10.72	33.62

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUTY_2TX
 Setting 15
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6748G	113.86	Inf	-Inf	106.55	3	Vertical	149	1.80	-	34.15	5.64	32.48
AV	5.6676G	101.26	Inf	-Inf	93.97	3	Vertical	149	1.80	-	34.14	5.63	32.48
PK	5.7276G	67.87	68.20	-0.33	60.45	3	Vertical	149	1.80	-	34.26	5.66	32.50

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUTY_2TX
 Setting 15
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6676G	104.90	Inf	-Inf	97.61	3	Horizontal	99	1.86	-	34.14	5.63	32.48
AV	5.6676G	93.53	Inf	-Inf	86.24	3	Horizontal	99	1.86	-	34.14	5.63	32.48
PK	5.7268G	61.54	68.20	-6.66	54.13	3	Horizontal	99	1.86	-	34.25	5.66	32.50

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUTY_2TX
 Setting 15
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34126G	59.56	74.00	-14.44	45.79	3	Vertical	280	1.80	-	39.26	8.40	33.89
AV	11.34822G	46.49	54.00	-7.51	32.74	3	Vertical	280	1.80	-	39.25	8.40	33.90
PK	17.01234G	62.59	68.20	-5.61	44.64	3	Vertical	20	1.81	-	40.55	10.96	33.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5670MHz_TX




EUTY_2TX
 Setting 15
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3469G	56.69	74.00	-17.31	42.94	3	Horizontal	147	1.68	-	39.25	8.40	33.90
AV	11.34378G	44.60	54.00	-9.40	30.83	3	Horizontal	147	1.68	-	39.26	8.40	33.89
PK	17.0091G	62.53	68.20	-5.67	44.59	3	Horizontal	347	1.80	-	40.54	10.96	33.56

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUTY_2TX
 Setting 21.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4538G	60.96	74.00	-13.04	54.09	3	Vertical	360	2.26	-	33.71	5.60	32.44
AV	5.451G	49.28	54.00	-4.72	42.42	3	Vertical	360	2.26	-	33.70	5.60	32.44
PK	5.4622G	62.06	68.20	-6.14	55.18	3	Vertical	360	2.26	-	33.72	5.60	32.44
PK	5.7072G	118.53	Inf	-Inf	111.16	3	Vertical	360	2.26	-	34.21	5.65	32.49
AV	5.7086G	108.63	Inf	-Inf	101.25	3	Vertical	360	2.26	-	34.22	5.65	32.49
PK	5.8584G	68.00	68.20	-0.20	60.33	3	Vertical	360	2.26	-	34.48	5.73	32.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUTY_2TX
 Setting 21.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4244G	60.30	74.00	-13.70	53.60	3	Horizontal	33	2.28	-	33.55	5.60	32.45
AV	5.4146G	48.14	54.00	-5.86	41.50	3	Horizontal	33	2.28	-	33.49	5.60	32.45
PK	5.4636G	58.71	68.20	-9.49	51.82	3	Horizontal	33	2.28	-	33.73	5.60	32.44
PK	5.7058G	112.30	Inf	-Inf	104.93	3	Horizontal	33	2.28	-	34.21	5.65	32.49
AV	5.7086G	101.32	Inf	-Inf	93.94	3	Horizontal	33	2.28	-	34.22	5.65	32.49
PK	5.8696G	63.11	68.20	-5.09	55.32	3	Horizontal	33	2.28	-	34.60	5.73	32.54

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUTY_2TX
 Setting 21.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4287G	61.35	74.00	-12.65	47.72	3	Vertical	278	1.78	-	39.20	8.43	34.00
AV	11.4131G	49.24	54.00	-4.76	35.60	3	Vertical	278	1.78	-	39.20	8.42	33.98
PK	17.11836G	64.82	68.20	-3.38	46.41	3	Vertical	329	1.80	-	40.96	11.03	33.58

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5710MHz Straddle 5.47-5.725GHz_TX




EUTY_2TX
 Setting 21.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41844G	57.32	74.00	-16.68	43.68	3	Horizontal	151	1.80	-	39.20	8.43	33.99
AV	11.42858G	45.17	54.00	-8.83	31.54	3	Horizontal	151	1.80	-	39.20	8.43	34.00
PK	17.13042G	64.11	68.20	-4.09	45.67	3	Horizontal	161	1.98	-	40.99	11.03	33.58

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUTY_2TX
 Setting 19.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.91	68.20	-0.29	60.67	3	Vertical	355	2.06	-	34.10	5.62	32.48
PK	5.757G	116.03	Inf	-Inf	108.56	3	Vertical	355	2.06	-	34.30	5.68	32.51
AV	5.754G	105.86	Inf	-Inf	98.39	3	Vertical	355	2.06	-	34.30	5.68	32.51
PK	5.928G	61.33	68.20	-6.87	53.06	3	Vertical	355	2.06	-	35.07	5.76	32.56

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUTY_2TX
Setting 19.5
04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.58G	60.47	68.20	-7.73	53.30	3	Horizontal	100	1.80	-	34.02	5.60	32.45
PK	5.753G	108.20	Inf	-Inf	100.73	3	Horizontal	100	1.80	-	34.30	5.68	32.51
AV	5.758G	97.58	Inf	-Inf	90.11	3	Horizontal	100	1.80	-	34.30	5.68	32.51
PK	5.94G	61.50	68.20	-6.70	53.15	3	Horizontal	100	1.80	-	35.14	5.77	32.56

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUTY_2TX
 Setting 19.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50028G	60.67	74.00	-13.33	47.11	3	Vertical	278	1.95	-	39.20	8.45	34.09
AV	11.50766G	48.37	54.00	-5.63	34.81	3	Vertical	278	1.95	-	39.20	8.45	34.09
PK	17.25126G	65.07	68.20	-3.13	46.15	3	Vertical	44	1.80	-	41.41	11.11	33.60

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5755MHz_TX




EUTY_2TX
 Setting 19.5
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4989G	59.05	74.00	-14.95	45.49	3	Horizontal	47	1.97	-	39.20	8.45	34.09
AV	11.5088G	46.63	54.00	-7.37	33.08	3	Horizontal	47	1.97	-	39.20	8.45	34.10
PK	17.25684G	63.24	68.20	-4.96	44.29	3	Horizontal	201	1.80	-	41.43	11.12	33.60

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUTY_2TX
 Setting 21
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.652G	69.23	69.68	-0.45	61.98	3	Vertical	145	1.46	-	34.10	5.63	32.48
PK	5.795G	115.94	Inf	-Inf	108.46	3	Vertical	145	1.46	-	34.30	5.70	32.52
AV	5.793G	106.05	Inf	-Inf	98.57	3	Vertical	145	1.46	-	34.30	5.70	32.52
PK	5.932G	67.65	68.20	-0.55	59.35	3	Vertical	145	1.46	-	35.09	5.77	32.56

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUTY_2TX
 Setting 21
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.565G	59.73	68.20	-8.47	52.62	3	Horizontal	36	1.67	-	33.96	5.60	32.45
PK	5.791G	109.57	Inf	-Inf	102.09	3	Horizontal	36	1.67	-	34.30	5.70	32.52
AV	5.794G	99.36	Inf	-Inf	91.88	3	Horizontal	36	1.67	-	34.30	5.70	32.52
PK	6.028G	62.06	68.20	-6.14	53.46	3	Horizontal	36	1.67	-	35.36	5.83	32.59

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUTY_2TX
 Setting 21
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59054G	60.80	74.00	-13.20	47.26	3	Vertical	279	2.11	-	39.20	8.48	34.14
AV	11.58784G	48.77	54.00	-5.23	35.23	3	Vertical	279	2.11	-	39.20	8.48	34.14
PK	17.39466G	63.97	68.20	-4.23	44.59	3	Vertical	167	1.80	-	41.79	11.21	33.62

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_2TX

5795MHz_TX




EUTY_2TX
 Setting 21
 04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59714G	59.82	74.00	-14.18	46.29	3	Horizontal	50	2.00	-	39.20	8.48	34.15
AV	11.5837G	47.59	54.00	-6.41	34.05	3	Horizontal	50	2.00	-	39.20	8.48	34.14
PK	17.38446G	63.72	68.20	-4.48	44.36	3	Horizontal	172	1.80	-	41.77	11.20	33.61

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
 Setting 16
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.91	74.00	-11.09	57.08	3	Vertical	190	1.80	-	32.90	5.45	32.52
AV	5.15G	53.50	54.00	-0.50	47.67	3	Vertical	190	1.80	-	32.90	5.45	32.52
PK	5.208G	108.66	Inf	-Inf	102.75	3	Vertical	190	1.80	-	32.92	5.50	32.51
AV	5.212G	98.47	Inf	-Inf	92.54	3	Vertical	190	1.80	-	32.92	5.51	32.50
PK	5.416G	60.33	74.00	-13.67	53.68	3	Vertical	190	1.80	-	33.50	5.60	32.45
AV	5.413G	49.20	54.00	-4.80	42.57	3	Vertical	190	1.80	-	33.48	5.60	32.45

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5210MHz_TX




EUT_Y_2TX
 Setting 16
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.025G	59.64	74.00	-14.36	53.86	3	Horizontal	39	1.60	-	33.00	5.33	32.55
AV	5.15G	49.92	54.00	-4.08	44.09	3	Horizontal	39	1.60	-	32.90	5.45	32.52
PK	5.225G	103.17	Inf	-Inf	97.21	3	Horizontal	39	1.60	-	32.95	5.51	32.50
AV	5.215G	93.74	Inf	-Inf	87.80	3	Horizontal	39	1.60	-	32.93	5.51	32.50
PK	5.458G	59.58	74.00	-14.42	52.70	3	Horizontal	39	1.60	-	33.72	5.60	32.44
AV	5.393G	48.78	54.00	-5.22	42.27	3	Horizontal	39	1.60	-	33.37	5.60	32.46

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX


5210MHz_TX



EUT_Y_2TX
Setting 16
04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41592G	54.82	68.20	-13.38	40.77	3	Vertical	215	1.80	-	38.93	8.12	33.00
PK	15.6426G	60.53	74.00	-13.47	45.85	3	Vertical	346	1.62	-	38.31	10.17	33.80
AV	15.62952G	49.78	54.00	-4.22	35.06	3	Vertical	346	1.62	-	38.34	10.17	33.79

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_2TX
5210MHz_TX




EUT_Y_2TX
Setting 16
04-C-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4314G	55.05	68.20	-13.15	40.97	3	Horizontal	341	1.79	-	38.96	8.13	33.01
PK	15.62148G	60.78	74.00	-13.22	46.04	3	Horizontal	180	1.80	-	38.36	10.17	33.79
AV	15.62166G	49.60	54.00	-4.40	34.86	3	Horizontal	180	1.80	-	38.36	10.17	33.79

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUTY_2TX
 Setting 16
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.141G	58.75	74.00	-15.25	52.91	3	Vertical	358	1.80	-	32.92	5.44	32.52
AV	5.08G	48.19	54.00	-5.81	42.35	3	Vertical	358	1.80	-	33.00	5.38	32.54
PK	5.293G	110.17	Inf	-Inf	103.93	3	Vertical	358	1.80	-	33.17	5.55	32.48
AV	5.288G	99.69	Inf	-Inf	93.49	3	Vertical	358	1.80	-	33.15	5.54	32.49
PK	5.37G	64.62	74.00	-9.38	58.22	3	Vertical	358	1.80	-	33.28	5.58	32.46
AV	5.351G	53.66	54.00	-0.34	47.35	3	Vertical	358	1.80	-	33.20	5.58	32.47
PK	5.5G	59.67	68.20	-8.53	52.70	3	Vertical	358	1.80	-	33.80	5.60	32.43

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
 Setting 16
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.083G	58.73	74.00	-15.27	52.89	3	Horizontal	44	1.77	-	33.00	5.38	32.54
AV	5.132G	48.08	54.00	-5.92	42.24	3	Horizontal	44	1.77	-	32.94	5.43	32.53
PK	5.292G	104.00	Inf	-Inf	97.76	3	Horizontal	44	1.77	-	33.17	5.55	32.48
AV	5.292G	93.55	Inf	-Inf	87.31	3	Horizontal	44	1.77	-	33.17	5.55	32.48
PK	5.355G	59.98	74.00	-14.02	53.65	3	Horizontal	44	1.77	-	33.22	5.58	32.47
AV	5.35G	49.35	54.00	-4.65	43.04	3	Horizontal	44	1.77	-	33.20	5.58	32.47
PK	5.462G	59.21	68.20	-8.99	52.33	3	Horizontal	44	1.77	-	33.72	5.60	32.44

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUT_Y_2TX
 Setting 16
 04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.59296G	57.50	68.20	-10.70	43.15	3	Vertical	360	1.80	-	39.29	8.18	33.12
PK	15.88386G	59.96	74.00	-14.04	45.08	3	Vertical	4	1.79	-	38.58	10.26	33.96
AV	15.855G	49.26	54.00	-4.74	34.40	3	Vertical	4	1.79	-	38.55	10.25	33.94

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5290MHz_TX




EUTY_2TX
 Setting 16
 04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5899G	56.81	68.20	-11.39	42.47	3	Horizontal	172	1.80	-	39.28	8.18	33.12
PK	15.88476G	59.72	74.00	-14.28	44.84	3	Horizontal	5	1.83	-	38.58	10.26	33.96
AV	15.88464G	48.74	54.00	-5.26	33.86	3	Horizontal	5	1.83	-	38.58	10.26	33.96

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT_Y_2TX
 Setting 16
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.337G	58.65	68.20	-9.55	52.35	3	Vertical	158	1.60	-	33.20	5.57	32.47
PK	5.453G	67.09	74.00	-6.91	60.22	3	Vertical	158	1.60	-	33.71	5.60	32.44
AV	5.453G	53.44	54.00	-0.56	46.57	3	Vertical	158	1.60	-	33.71	5.60	32.44
PK	5.465G	66.01	68.20	-2.19	59.12	3	Vertical	158	1.60	-	33.73	5.60	32.44
PK	5.531G	110.51	Inf	-Inf	103.49	3	Vertical	158	1.60	-	33.86	5.60	32.44
AV	5.534G	100.13	Inf	-Inf	93.10	3	Vertical	158	1.60	-	33.87	5.60	32.44
PK	5.77G	60.05	68.20	-8.15	52.57	3	Vertical	158	1.60	-	34.30	5.69	32.51

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUT Y_2TX
 Setting 16
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	58.66	68.20	-9.54	52.38	3	Horizontal	100	1.79	-	33.20	5.56	32.48
PK	5.442G	60.90	74.00	-13.10	54.10	3	Horizontal	100	1.79	-	33.65	5.60	32.45
AV	5.454G	49.75	54.00	-4.25	42.88	3	Horizontal	100	1.79	-	33.71	5.60	32.44
PK	5.468G	60.27	68.20	-7.93	53.37	3	Horizontal	100	1.79	-	33.74	5.60	32.44
PK	5.528G	102.22	Inf	-Inf	95.20	3	Horizontal	100	1.79	-	33.86	5.60	32.44
AV	5.529G	93.01	Inf	-Inf	85.99	3	Horizontal	100	1.79	-	33.86	5.60	32.44
PK	5.757G	59.53	68.20	-8.67	52.06	3	Horizontal	100	1.79	-	34.30	5.68	32.51

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUTY_2TX
 Setting 16
 04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05016G	57.19	74.00	-16.81	43.09	3	Vertical	237	1.80	-	39.30	8.32	33.52
AV	11.04818G	46.93	54.00	-7.07	32.84	3	Vertical	237	1.80	-	39.30	8.31	33.52
PK	16.60344G	61.53	68.20	-6.67	44.85	3	Vertical	298	1.52	-	39.61	10.69	33.62

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5530MHz_TX




EUTY_2TX
Setting 16
04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.07044G	57.98	74.00	-16.02	43.95	3	Horizontal	13	2.07	-	39.26	8.32	33.55
AV	11.04632G	46.43	54.00	-7.57	32.33	3	Horizontal	13	2.07	-	39.31	8.31	33.52
PK	16.59402G	61.36	68.20	-6.84	44.69	3	Horizontal	251	1.67	-	39.60	10.69	33.62

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUTY_2TX
 Setting 18.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.459G	64.95	74.00	-9.05	58.07	3	Vertical	142	1.54	-	33.72	5.60	32.44
AV	5.455G	52.63	54.00	-1.37	45.76	3	Vertical	142	1.54	-	33.71	5.60	32.44
PK	5.47G	64.85	68.20	-3.35	57.95	3	Vertical	142	1.54	-	33.74	5.60	32.44
PK	5.602G	113.31	Inf	-Inf	106.07	3	Vertical	142	1.54	-	34.10	5.60	32.46
AV	5.612G	103.35	Inf	-Inf	96.10	3	Vertical	142	1.54	-	34.10	5.61	32.46
PK	5.73G	64.69	68.20	-3.51	57.26	3	Vertical	142	1.54	-	34.26	5.67	32.50

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUTY_2TX
 Setting 18.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.436G	59.71	74.00	-14.29	52.94	3	Horizontal	53	1.46	-	33.62	5.60	32.45
AV	5.423G	49.25	54.00	-4.75	42.56	3	Horizontal	53	1.46	-	33.54	5.60	32.45
PK	5.469G	59.87	68.20	-8.33	52.97	3	Horizontal	53	1.46	-	33.74	5.60	32.44
PK	5.614G	105.36	Inf	-Inf	98.11	3	Horizontal	53	1.46	-	34.10	5.61	32.46
AV	5.615G	94.65	Inf	-Inf	87.40	3	Horizontal	53	1.46	-	34.10	5.61	32.46
PK	5.761G	59.63	68.20	-8.57	52.16	3	Horizontal	53	1.46	-	34.30	5.68	32.51

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUTY_2TX
 Setting 18.5
 04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.23116G	57.72	74.00	-16.28	43.87	3	Vertical	278	1.80	-	39.23	8.37	33.75
AV	11.23308G	47.75	54.00	-6.25	33.90	3	Vertical	278	1.80	-	39.23	8.37	33.75
PK	16.82382G	62.48	68.20	-5.72	45.08	3	Vertical	231	2.75	-	40.15	10.84	33.59

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5610MHz_TX




EUTY_2TX
 Setting 18.5
 04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2071G	56.63	74.00	-17.37	42.78	3	Horizontal	151	1.80	-	39.21	8.36	33.72
AV	11.21868G	46.01	54.00	-7.99	32.16	3	Horizontal	151	1.80	-	39.22	8.37	33.74
PK	16.83138G	62.02	68.20	-6.18	44.61	3	Horizontal	174	1.91	-	40.16	10.84	33.59

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT_Y_2TX
 Setting 20.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	58.50	68.20	-9.70	52.20	3	Vertical	180	1.76	-	33.20	5.57	32.47
PK	5.445G	63.29	74.00	-10.71	56.46	3	Vertical	180	1.76	-	33.67	5.60	32.44
AV	5.438G	52.76	54.00	-1.24	45.98	3	Vertical	180	1.76	-	33.63	5.60	32.45
PK	5.47G	63.09	68.20	-5.11	56.19	3	Vertical	180	1.76	-	33.74	5.60	32.44
PK	5.711G	113.86	Inf	-Inf	106.47	3	Vertical	180	1.76	-	34.22	5.66	32.49
AV	5.6942G	104.68	Inf	-Inf	97.33	3	Vertical	180	1.76	-	34.19	5.65	32.49
PK	5.851G	67.60	68.20	-0.60	60.00	3	Vertical	180	1.76	-	34.41	5.73	32.54

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_2TX
 Setting 20.5
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.34G	57.62	68.20	-10.58	51.32	3	Horizontal	28	2.30	-	33.20	5.57	32.47
PK	5.4436G	59.76	74.00	-14.24	52.94	3	Horizontal	28	2.30	-	33.66	5.60	32.44
PK	5.4604G	58.04	68.20	-10.16	51.16	3	Horizontal	28	2.30	-	33.72	5.60	32.44
AV	5.4576G	49.53	54.00	-4.47	42.65	3	Horizontal	28	2.30	-	33.72	5.60	32.44
PK	5.6942G	107.31	Inf	-Inf	99.96	3	Horizontal	28	2.30	-	34.19	5.65	32.49
AV	5.6816G	98.45	Inf	-Inf	91.13	3	Horizontal	28	2.30	-	34.16	5.64	32.48
PK	5.9504G	60.61	68.20	-7.59	52.20	3	Horizontal	28	2.30	-	35.20	5.78	32.57

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTY_2TX
 Setting 20.5
 04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3809G	59.20	74.00	-14.80	45.51	3	Vertical	282	1.80	-	39.22	8.41	33.94
AV	11.3737G	48.86	54.00	-5.14	35.15	3	Vertical	282	1.80	-	39.23	8.41	33.93
PK	17.06112G	63.79	68.20	-4.41	45.63	3	Vertical	126	2.39	-	40.74	10.99	33.57

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5690MHz Straddle 5.47-5.725GHz_TX




EUTY_2TX
 Setting 20.5
 04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.36716G	57.69	74.00	-16.31	43.97	3	Horizontal	149	1.81	-	39.23	8.41	33.92
AV	11.39344G	46.75	54.00	-7.25	33.08	3	Horizontal	149	1.81	-	39.21	8.42	33.96
PK	17.05596G	63.39	68.20	-4.81	45.25	3	Horizontal	138	1.69	-	40.72	10.99	33.57

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUTY_2TX
Setting 20
04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	67.93	68.20	-0.27	60.68	3	Vertical	192	1.80	-	34.10	5.62	32.47
PK	5.781G	112.84	Inf	-Inf	105.36	3	Vertical	192	1.80	-	34.30	5.69	32.51
AV	5.778G	102.81	Inf	-Inf	95.33	3	Vertical	192	1.80	-	34.30	5.69	32.51
PK	5.947G	67.14	68.20	-1.06	58.75	3	Vertical	192	1.80	-	35.18	5.77	32.56

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUTY_2TX
 Setting 20
 04-C-E-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.645G	61.05	68.20	-7.15	53.80	3	Horizontal	34	2.32	-	34.10	5.62	32.47
PK	5.774G	105.49	Inf	-Inf	98.01	3	Horizontal	34	2.32	-	34.30	5.69	32.51
AV	5.777G	97.30	Inf	-Inf	89.82	3	Horizontal	34	2.32	-	34.30	5.69	32.51
PK	5.929G	62.89	68.20	-5.31	54.62	3	Horizontal	34	2.32	-	35.07	5.76	32.56

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX




EUTY_2TX
 Setting 20
 04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53704G	59.63	74.00	-14.37	46.08	3	Vertical	279	2.15	-	39.20	8.46	34.11
AV	11.5362G	48.76	54.00	-5.24	35.21	3	Vertical	279	2.15	-	39.20	8.46	34.11
PK	17.33928G	63.23	68.20	-4.97	43.99	3	Vertical	43	1.21	-	41.68	11.17	33.61

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_2TX

5775MHz_TX



EUTY_2TX
 Setting 20
 04-C-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.53704G	59.03	74.00	-14.97	45.48	3	Horizontal	52	1.95	-	39.20	8.46	34.11
AV	11.53638G	46.53	54.00	-7.47	32.98	3	Horizontal	52	1.95	-	39.20	8.46	34.11
PK	17.32038G	63.63	68.20	-4.57	44.43	3	Horizontal	4	1.77	-	41.64	11.16	33.60