


802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5215G	52.73	68.20	-15.47	39.86	3	Horizontal	158	2.62	-	38.42	7.51	33.06
PK	15.7684G	63.76	74.00	-10.24	49.93	3	Horizontal	122	1.80	-	37.40	9.90	33.47
AV	15.7881G	48.41	54.00	-5.59	34.60	3	Horizontal	122	1.80	-	37.40	9.90	33.49

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 24.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3048G	125.19	Inf	-Inf	118.28	3	Vertical	236	1.78	-	33.70	5.35	32.14
AV	5.306G	114.11	Inf	-Inf	107.20	3	Vertical	236	1.78	-	33.70	5.35	32.14
PK	5.3528G	68.19	74.00	-5.81	61.24	3	Vertical	236	1.78	-	33.71	5.38	32.14
AV	5.3534G	52.14	54.00	-1.86	45.19	3	Vertical	236	1.78	-	33.71	5.38	32.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 24.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2934G	116.38	Inf	-Inf	109.48	3	Horizontal	315	1.71	-	33.69	5.35	32.14
AV	5.2928G	104.92	Inf	-Inf	98.02	3	Horizontal	315	1.71	-	33.69	5.35	32.14
PK	5.351G	60.77	74.00	-13.23	53.83	3	Horizontal	315	1.71	-	33.70	5.38	32.14
AV	5.35G	47.72	54.00	-6.28	40.78	3	Horizontal	315	1.71	-	33.70	5.38	32.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 24.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6037G	59.63	74.00	-14.37	46.69	3	Vertical	103	1.80	-	38.50	7.54	33.10
AV	10.6037G	45.10	54.00	-8.90	32.16	3	Vertical	103	1.80	-	38.50	7.54	33.10
PK	15.8972G	67.76	74.00	-6.24	53.93	3	Vertical	96	1.84	-	37.50	9.95	33.62
AV	15.8983G	53.78	54.00	-0.22	39.95	3	Vertical	96	1.84	-	37.50	9.95	33.62

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 24.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5924G	58.66	68.20	-9.54	45.72	3	Horizontal	290	1.04	-	38.49	7.54	33.09
PK	15.8984G	65.26	74.00	-8.74	51.43	3	Horizontal	134	2.08	-	37.50	9.95	33.62
AV	15.8989G	50.65	54.00	-3.35	36.82	3	Horizontal	134	2.08	-	37.50	9.95	33.62

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3252G	122.48	Inf	-Inf	115.56	3	Vertical	233	1.89	-	33.70	5.36	32.14
AV	5.326G	110.60	Inf	-Inf	103.68	3	Vertical	233	1.89	-	33.70	5.36	32.14
PK	5.35G	68.11	74.00	-5.89	61.17	3	Vertical	233	1.89	-	33.70	5.38	32.14
AV	5.35G	51.38	54.00	-2.62	44.44	3	Vertical	233	1.89	-	33.70	5.38	32.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	113.03	Inf	-Inf	106.11	3	Horizontal	315	1.99	-	33.70	5.36	32.14
AV	5.3132G	101.72	Inf	-Inf	94.80	3	Horizontal	315	1.99	-	33.70	5.36	32.14
PK	5.3524G	58.87	74.00	-15.13	51.93	3	Horizontal	315	1.99	-	33.70	5.38	32.14
AV	5.352G	45.45	54.00	-8.55	38.51	3	Horizontal	315	1.99	-	33.70	5.38	32.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.64288G	60.49	74.00	-13.51	47.58	3	Vertical	104	1.88	-	38.46	7.56	33.11
AV	10.64372G	45.91	54.00	-8.09	33.00	3	Vertical	104	1.88	-	38.46	7.56	33.11
PK	15.9591G	62.70	74.00	-11.30	48.97	3	Vertical	96	1.68	-	37.44	9.98	33.69
AV	15.9591G	49.61	54.00	-4.39	35.88	3	Vertical	96	1.68	-	37.44	9.98	33.69

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.63418G	58.42	74.00	-15.58	45.51	3	Horizontal	150	1.39	-	38.47	7.55	33.11
AV	10.63322G	43.48	54.00	-10.52	30.57	3	Horizontal	150	1.39	-	38.47	7.55	33.11
PK	15.96144G	60.39	74.00	-13.61	46.66	3	Horizontal	132	2.07	-	37.44	9.98	33.69
AV	15.9609G	47.58	54.00	-6.42	33.85	3	Horizontal	132	2.07	-	37.44	9.98	33.69

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 20
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	59.20	74.00	-14.80	51.98	3	Vertical	237	2.15	-	33.90	5.45	32.13
AV	5.46G	46.57	54.00	-7.43	39.34	3	Vertical	237	2.15	-	33.90	5.46	32.13
PK	5.4676G	67.16	68.20	-1.04	59.92	3	Vertical	237	2.15	-	33.90	5.47	32.13
PK	5.5076G	122.97	Inf	-Inf	115.69	3	Vertical	237	2.15	-	33.90	5.51	32.13
AV	5.508G	110.57	Inf	-Inf	103.29	3	Vertical	237	2.15	-	33.90	5.51	32.13

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 20
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4244G	57.33	74.00	-16.67	50.19	3	Horizontal	321	1.80	-	33.85	5.42	32.13
PK	5.47G	58.21	68.20	-9.99	50.97	3	Horizontal	321	1.80	-	33.90	5.47	32.13
AV	5.46G	44.49	54.00	-9.51	37.26	3	Horizontal	321	1.80	-	33.90	5.46	32.13
PK	5.494G	112.58	Inf	-Inf	105.32	3	Horizontal	321	1.80	-	33.90	5.49	32.13
AV	5.4944G	100.26	Inf	-Inf	93.00	3	Horizontal	321	1.80	-	33.90	5.49	32.13

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 20
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9943G	61.69	74.00	-12.31	48.77	3	Vertical	106	2.06	-	38.49	7.70	33.27
AV	10.99454G	46.62	54.00	-7.38	33.70	3	Vertical	106	2.06	-	38.49	7.70	33.27
PK	16.5072G	61.30	68.20	-6.90	45.37	3	Vertical	128	1.93	-	38.76	10.25	33.08

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 20
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99418G	60.92	74.00	-13.08	48.00	3	Horizontal	74	1.87	-	38.49	7.70	33.27
AV	10.99466G	47.71	54.00	-6.29	34.79	3	Horizontal	74	1.87	-	38.49	7.70	33.27
PK	16.50444G	62.95	68.20	-5.25	47.03	3	Horizontal	128	1.43	-	38.74	10.25	33.07

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 23.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4544G	57.30	74.00	-16.70	50.08	3	Vertical	234	2.29	-	33.90	5.45	32.13
AV	5.44G	44.77	54.00	-9.23	37.58	3	Vertical	234	2.29	-	33.88	5.44	32.13
PK	5.4632G	57.08	68.20	-11.12	49.85	3	Vertical	234	2.29	-	33.90	5.46	32.13
PK	5.5872G	125.20	Inf	-Inf	117.85	3	Vertical	234	2.29	-	33.90	5.59	32.14
AV	5.5872G	113.62	Inf	-Inf	106.27	3	Vertical	234	2.29	-	33.90	5.59	32.14
PK	5.768G	59.54	68.20	-8.66	52.33	3	Vertical	234	2.29	-	33.76	5.60	32.15

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 23.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.424G	56.85	74.00	-17.15	49.71	3	Horizontal	227	2.62	-	33.85	5.42	32.13
AV	5.4432G	44.02	54.00	-9.98	36.82	3	Horizontal	227	2.62	-	33.89	5.44	32.13
PK	5.4632G	56.06	68.20	-12.14	48.83	3	Horizontal	227	2.62	-	33.90	5.46	32.13
PK	5.5728G	114.20	Inf	-Inf	106.86	3	Horizontal	227	2.62	-	33.90	5.57	32.13
AV	5.572G	105.37	Inf	-Inf	98.03	3	Horizontal	227	2.62	-	33.90	5.57	32.13
PK	5.7704G	57.56	68.20	-10.64	50.35	3	Horizontal	227	2.62	-	33.76	5.60	32.15

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 23.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16288G	68.26	74.00	-5.74	55.08	3	Vertical	68	2.35	-	38.66	7.77	33.25
AV	11.16258G	52.71	54.00	-1.29	39.53	3	Vertical	68	2.35	-	38.66	7.77	33.25
PK	16.74138G	65.72	68.20	-2.48	48.70	3	Vertical	118	2.46	-	39.95	10.37	33.30

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 23.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.16036G	56.69	74.00	-17.31	43.52	3	Horizontal	71	2.31	-	38.66	7.76	33.25
AV	11.16018G	42.04	54.00	-11.96	28.87	3	Horizontal	71	2.31	-	38.66	7.76	33.25
PK	16.74126G	67.48	68.20	-0.72	50.46	3	Horizontal	132	1.40	-	39.95	10.37	33.30

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7076G	123.58	Inf	-Inf	116.40	3	Vertical	235	1.96	-	33.72	5.60	32.14
AV	5.708G	111.45	Inf	-Inf	104.27	3	Vertical	235	1.96	-	33.72	5.60	32.14
PK	5.728G	67.87	68.20	-0.33	60.65	3	Vertical	235	1.96	-	33.76	5.60	32.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6936G	112.77	Inf	-Inf	105.60	3	Horizontal	323	1.71	-	33.71	5.60	32.14
AV	5.6932G	101.50	Inf	-Inf	94.33	3	Horizontal	323	1.71	-	33.71	5.60	32.14
PK	5.7588G	58.80	68.20	-9.40	51.57	3	Horizontal	323	1.71	-	33.78	5.60	32.15

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40522G	58.19	74.00	-15.81	44.75	3	Vertical	68	2.23	-	38.81	7.86	33.23
AV	11.4048G	43.93	54.00	-10.07	30.49	3	Vertical	68	2.23	-	38.81	7.86	33.23
PK	17.08638G	63.20	68.20	-5.00	44.81	3	Vertical	128	1.67	-	41.29	10.54	33.44

802.11ac VHT20_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



EUT Y_4TX
Setting 21.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3997G	56.96	74.00	-17.04	43.53	3	Horizontal	120	1.93	-	38.80	7.86	33.23
AV	11.4G	43.28	54.00	-10.72	29.85	3	Horizontal	120	1.93	-	38.80	7.86	33.23
PK	17.09574G	64.24	68.20	-3.96	45.82	3	Horizontal	124	1.77	-	41.30	10.55	33.43


802.11ac VHT20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 Setting 23.5
 02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	124.60	Inf	-Inf	117.38	3	Vertical	234	2.13	-	33.76	5.60	32.14
AV	5.728G	113.02	Inf	-Inf	105.80	3	Vertical	234	2.13	-	33.76	5.60	32.14


802.11ac VHT20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 Setting 23.5
 02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7144G	114.31	Inf	-Inf	107.12	3	Horizontal	318	1.79	-	33.73	5.60	32.14
AV	5.7128G	102.94	Inf	-Inf	95.75	3	Horizontal	318	1.79	-	33.73	5.60	32.14
PK	5.916G	57.60	68.20	-10.60	50.00	3	Horizontal	318	1.79	-	34.03	5.72	32.15


802.11ac VHT20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 Setting 23.5
 02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44522G	57.38	74.00	-16.62	43.84	3	Vertical	57	2.87	-	38.89	7.88	33.23
AV	11.44606G	44.02	54.00	-9.98	30.48	3	Vertical	57	2.87	-	38.89	7.88	33.23
PK	17.16666G	63.50	68.20	-4.70	44.50	3	Vertical	116	1.27	-	41.77	10.58	33.35

802.11ac VHT20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 Setting 23.5
 02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44024G	57.39	74.00	-16.61	43.86	3	Horizontal	117	1.97	-	38.88	7.88	33.23
AV	11.43988G	43.59	54.00	-10.41	30.06	3	Horizontal	117	1.97	-	38.88	7.88	33.23
PK	17.15832G	67.79	68.20	-0.41	48.86	3	Horizontal	123	1.73	-	41.71	10.58	33.36

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 23
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	63.21	68.20	-4.99	55.95	3	Vertical	237	1.79	-	33.80	5.60	32.14
PK	5.753G	124.80	Inf	-Inf	117.56	3	Vertical	237	1.79	-	33.79	5.60	32.15
AV	5.753G	112.46	Inf	-Inf	105.22	3	Vertical	237	1.79	-	33.79	5.60	32.15
PK	5.925G	57.82	68.20	-10.38	50.20	3	Vertical	237	1.79	-	34.05	5.73	32.16

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 23
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	57.86	68.20	-10.34	50.58	3	Horizontal	225	1.83	-	33.82	5.60	32.14
PK	5.739G	114.52	Inf	-Inf	107.28	3	Horizontal	225	1.83	-	33.78	5.60	32.14
AV	5.738G	103.55	Inf	-Inf	96.31	3	Horizontal	225	1.83	-	33.78	5.60	32.14
PK	5.986G	57.21	68.20	-10.99	49.48	3	Horizontal	225	1.83	-	34.10	5.79	32.16

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 23
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48994G	57.23	74.00	-16.77	43.57	3	Vertical	100	1.52	-	38.98	7.90	33.22
AV	11.49006G	44.17	54.00	-9.83	30.51	3	Vertical	100	1.52	-	38.98	7.90	33.22
PK	17.24136G	62.96	68.20	-5.24	43.48	3	Vertical	127	1.69	-	42.12	10.62	33.26

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 23
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49126G	57.99	74.00	-16.01	44.33	3	Horizontal	120	1.88	-	38.98	7.90	33.22
AV	11.49006G	44.30	54.00	-9.70	30.64	3	Horizontal	120	1.88	-	38.98	7.90	33.22
PK	17.23404G	66.52	68.20	-1.68	47.07	3	Horizontal	125	1.39	-	42.10	10.62	33.27

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.642G	58.62	68.20	-9.58	51.34	3	Vertical	350	2.46	-	33.82	5.60	32.14
PK	5.781G	125.87	Inf	-Inf	118.68	3	Vertical	350	2.46	-	33.74	5.60	32.15
AV	5.782G	113.86	Inf	-Inf	106.67	3	Vertical	350	2.46	-	33.74	5.60	32.15
PK	5.949G	58.23	68.20	-9.97	50.54	3	Vertical	350	2.46	-	34.10	5.75	32.16

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	57.33	68.20	-10.87	50.05	3	Horizontal	247.3	2.07	-	33.82	5.60	32.14
PK	5.793G	116.55	Inf	-Inf	109.39	3	Horizontal	247.3	2.07	-	33.71	5.60	32.15
AV	5.793G	106.06	Inf	-Inf	98.90	3	Horizontal	247.3	2.07	-	33.71	5.60	32.15
PK	5.945G	57.64	68.20	-10.56	49.96	3	Horizontal	247.3	2.07	-	34.09	5.75	32.16

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5772G	64.80	74.00	-9.20	50.88	3	Vertical	229	1.79	-	39.23	7.93	33.24
AV	11.57012G	49.02	54.00	-4.98	35.12	3	Vertical	229	1.79	-	39.21	7.93	33.24
PK	17.35008G	61.45	68.20	-6.75	41.21	3	Vertical	289	2.30	-	42.70	10.68	33.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57732G	64.94	74.00	-9.06	51.02	3	Horizontal	117	1.98	-	39.23	7.93	33.24
AV	11.57G	49.26	54.00	-4.74	35.36	3	Horizontal	117	1.98	-	39.21	7.93	33.24
PK	17.35368G	68.12	68.20	-0.08	47.85	3	Horizontal	121	1.48	-	42.73	10.68	33.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	58.36	68.20	-9.84	51.08	3	Vertical	348	2.02	-	33.82	5.60	32.14
PK	5.822G	122.66	Inf	-Inf	115.45	3	Vertical	348	2.02	-	33.74	5.62	32.15
AV	5.822G	111.16	Inf	-Inf	103.95	3	Vertical	348	2.02	-	33.74	5.62	32.15
PK	5.925G	60.62	68.20	-7.58	53.00	3	Vertical	348	2.02	-	34.05	5.73	32.16

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	57.49	68.20	-10.71	50.13	3	Horizontal	192.3	1.72	-	33.90	5.60	32.14
PK	5.833G	114.98	Inf	-Inf	107.73	3	Horizontal	192.3	1.72	-	33.77	5.63	32.15
AV	5.832G	103.84	Inf	-Inf	96.60	3	Horizontal	192.3	1.72	-	33.76	5.63	32.15
PK	5.928G	58.51	68.20	-9.69	50.88	3	Horizontal	192.3	1.72	-	34.06	5.73	32.16

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64226G	62.42	74.00	-11.58	48.38	3	Vertical	81	2.62	-	39.34	7.96	33.26
AV	11.65036G	48.24	54.00	-5.76	34.19	3	Vertical	81	2.62	-	39.35	7.96	33.26
PK	17.47614G	61.30	68.20	-6.90	39.93	3	Vertical	104	1.08	-	43.63	10.74	33.00

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64514G	63.23	74.00	-10.77	49.18	3	Horizontal	114	1.67	-	39.35	7.96	33.26
AV	11.6446G	48.36	54.00	-5.64	34.32	3	Horizontal	114	1.67	-	39.34	7.96	33.26
PK	17.4729G	67.23	68.20	-0.97	45.88	3	Horizontal	120	1.46	-	43.61	10.74	33.00

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1368G	71.40	74.00	-2.60	64.81	3	Vertical	231	1.79	-	33.50	5.24	32.15
AV	5.1368G	53.92	54.00	-0.08	47.33	3	Vertical	231	1.79	-	33.50	5.24	32.15
PK	5.1976G	119.56	Inf	-Inf	112.91	3	Vertical	231	1.79	-	33.50	5.30	32.15
AV	5.1984G	108.32	Inf	-Inf	101.67	3	Vertical	231	1.79	-	33.50	5.30	32.15

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	62.58	74.00	-11.42	55.99	3	Horizontal	323.2	2.74	-	33.50	5.24	32.15
AV	5.1436G	48.05	54.00	-5.95	41.46	3	Horizontal	323.2	2.74	-	33.50	5.24	32.15
PK	5.1848G	110.43	Inf	-Inf	103.80	3	Horizontal	323.2	2.74	-	33.50	5.28	32.15
AV	5.186G	100.15	Inf	-Inf	93.51	3	Horizontal	323.2	2.74	-	33.50	5.29	32.15

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38084G	52.71	68.20	-15.49	39.81	3	Vertical	261	1.97	-	38.42	7.45	32.97
PK	15.5723G	60.63	74.00	-13.37	46.38	3	Vertical	306	2.11	-	37.68	9.81	33.24
AV	15.5724G	47.30	54.00	-6.70	33.05	3	Vertical	306	2.11	-	37.68	9.81	33.24

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38414G	52.28	68.20	-15.92	39.38	3	Horizontal	201	1.92	-	38.42	7.45	32.97
PK	15.57246G	60.52	74.00	-13.48	46.27	3	Horizontal	38	1.46	-	37.68	9.81	33.24
AV	15.5724G	47.37	54.00	-6.63	33.12	3	Horizontal	38	1.46	-	37.68	9.81	33.24

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Y_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1388G	69.30	74.00	-4.70	62.71	3	Vertical	230	2.02	-	33.50	5.24	32.15
AV	5.1382G	53.82	54.00	-0.18	47.23	3	Vertical	230	2.02	-	33.50	5.24	32.15
PK	5.2378G	123.29	Inf	-Inf	116.54	3	Vertical	230	2.02	-	33.58	5.32	32.15
AV	5.2378G	111.65	Inf	-Inf	104.90	3	Vertical	230	2.02	-	33.58	5.32	32.15
PK	5.3596G	61.26	74.00	-12.74	54.30	3	Vertical	230	2.02	-	33.72	5.38	32.14
AV	5.3584G	47.43	54.00	-6.57	40.47	3	Vertical	230	2.02	-	33.72	5.38	32.14

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 24
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1382G	60.93	74.00	-13.07	54.34	3	Horizontal	118.1	2.67	-	33.50	5.24	32.15
AV	5.1388G	47.76	54.00	-6.24	41.17	3	Horizontal	118.1	2.67	-	33.50	5.24	32.15
PK	5.2378G	113.70	Inf	-Inf	106.95	3	Horizontal	118.1	2.67	-	33.58	5.32	32.15
AV	5.2384G	102.69	Inf	-Inf	95.94	3	Horizontal	118.1	2.67	-	33.58	5.32	32.15
PK	5.38G	56.90	74.00	-17.10	49.89	3	Horizontal	118.1	2.67	-	33.76	5.39	32.14
AV	5.3566G	44.63	54.00	-9.37	37.68	3	Horizontal	118.1	2.67	-	33.71	5.38	32.14

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45296G	54.03	68.20	-14.17	41.17	3	Vertical	66	1.89	-	38.40	7.48	33.02
PK	15.69288G	63.56	74.00	-10.44	49.67	3	Vertical	95	1.87	-	37.41	9.86	33.38
AV	15.6924G	51.42	54.00	-2.58	37.52	3	Vertical	95	1.87	-	37.42	9.86	33.38

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 24
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45664G	55.77	68.20	-12.43	42.91	3	Horizontal	136	1.98	-	38.40	7.48	33.02
PK	15.6964G	59.25	74.00	-14.75	45.36	3	Horizontal	120	1.80	-	37.41	9.86	33.38
AV	15.69752G	46.28	54.00	-7.72	32.40	3	Horizontal	120	1.80	-	37.40	9.86	33.38

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_V_4TX
Setting 22.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1356G	58.18	74.00	-15.82	51.59	3	Vertical	232	2.10	-	33.50	5.24	32.15
AV	5.1368G	44.98	54.00	-9.02	38.39	3	Vertical	232	2.10	-	33.50	5.24	32.15
PK	5.2748G	121.63	Inf	-Inf	114.78	3	Vertical	232	2.10	-	33.65	5.34	32.14
AV	5.276G	110.98	Inf	-Inf	104.13	3	Vertical	232	2.10	-	33.65	5.34	32.14
PK	5.3558G	69.01	74.00	-4.99	62.06	3	Vertical	232	2.10	-	33.71	5.38	32.14
AV	5.3564G	53.58	54.00	-0.42	46.63	3	Vertical	232	2.10	-	33.71	5.38	32.14

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_V_4TX
Setting 22.5
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1368G	56.75	74.00	-17.25	50.16	3	Horizontal	116.7	2.64	-	33.50	5.24	32.15
AV	5.1206G	44.13	54.00	-9.87	37.56	3	Horizontal	116.7	2.64	-	33.50	5.22	32.15
PK	5.2748G	111.19	Inf	-Inf	104.34	3	Horizontal	116.7	2.64	-	33.65	5.34	32.14
AV	5.276G	100.73	Inf	-Inf	93.88	3	Horizontal	116.7	2.64	-	33.65	5.34	32.14
PK	5.3534G	59.04	74.00	-14.96	52.09	3	Horizontal	116.7	2.64	-	33.71	5.38	32.14
AV	5.3528G	46.09	54.00	-7.91	39.14	3	Horizontal	116.7	2.64	-	33.71	5.38	32.14

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 22.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5421G	51.28	68.20	-16.92	38.39	3	Vertical	135	1.04	-	38.44	7.52	33.07
PK	15.80602G	61.17	74.00	-12.83	47.36	3	Vertical	84	1.29	-	37.41	9.91	33.51
AV	15.8059G	47.96	54.00	-6.04	34.15	3	Vertical	84	1.29	-	37.41	9.91	33.51

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 22.5
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.54482G	52.05	68.20	-16.15	39.16	3	Horizontal	140	2.50	-	38.44	7.52	33.07
PK	15.80664G	60.80	74.00	-13.20	46.99	3	Horizontal	261	2.12	-	37.41	9.91	33.51
AV	15.80586G	48.15	54.00	-5.85	34.34	3	Horizontal	261	2.12	-	37.41	9.91	33.51

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 20
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3176G	118.09	Inf	-Inf	111.17	3	Vertical	235	1.80	-	33.70	5.36	32.14
AV	5.316G	107.62	Inf	-Inf	100.70	3	Vertical	235	1.80	-	33.70	5.36	32.14
PK	5.3556G	69.89	74.00	-4.11	62.94	3	Vertical	235	1.80	-	33.71	5.38	32.14
AV	5.3564G	53.45	54.00	-0.55	46.50	3	Vertical	235	1.80	-	33.71	5.38	32.14

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 20
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3024G	110.44	Inf	-Inf	103.53	3	Horizontal	138.5	2.46	-	33.70	5.35	32.14
AV	5.3032G	99.15	Inf	-Inf	92.24	3	Horizontal	138.5	2.46	-	33.70	5.35	32.14
PK	5.35G	67.52	74.00	-6.48	60.58	3	Horizontal	138.5	2.46	-	33.70	5.38	32.14
AV	5.3504G	51.38	54.00	-2.62	44.44	3	Horizontal	138.5	2.46	-	33.70	5.38	32.14

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 20
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6173G	52.13	74.00	-21.87	39.20	3	Vertical	161	1.65	-	38.48	7.55	33.10
AV	10.62252G	38.83	54.00	-15.17	25.90	3	Vertical	161	1.65	-	38.48	7.55	33.10
PK	15.92794G	58.68	74.00	-15.32	44.89	3	Vertical	95	2.84	-	37.47	9.97	33.65
AV	15.928G	46.26	54.00	-7.74	32.48	3	Vertical	95	2.84	-	37.47	9.97	33.66

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 20
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62114G	52.40	74.00	-21.60	39.47	3	Horizontal	104	2.04	-	38.48	7.55	33.10
AV	10.6233G	38.74	54.00	-15.26	25.81	3	Horizontal	104	2.04	-	38.48	7.55	33.10
PK	15.9289G	59.33	74.00	-14.67	45.55	3	Horizontal	253	1.32	-	37.47	9.97	33.66
AV	15.9281G	46.16	54.00	-7.84	32.38	3	Horizontal	253	1.32	-	37.47	9.97	33.66

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	70.87	74.00	-3.13	63.64	3	Vertical	231	2.14	-	33.90	5.46	32.13
AV	5.4576G	53.72	54.00	-0.28	46.49	3	Vertical	231	2.14	-	33.90	5.46	32.13
PK	5.466G	66.75	68.20	-1.45	59.51	3	Vertical	231	2.14	-	33.90	5.47	32.13
PK	5.5176G	120.11	Inf	-Inf	112.82	3	Vertical	231	2.14	-	33.90	5.52	32.13
AV	5.518G	109.23	Inf	-Inf	101.94	3	Vertical	231	2.14	-	33.90	5.52	32.13

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.86	74.00	-14.14	52.63	3	Horizontal	227	2.71	-	33.90	5.46	32.13
AV	5.46G	46.41	54.00	-7.59	39.18	3	Horizontal	227	2.71	-	33.90	5.46	32.13
PK	5.4636G	61.45	68.20	-6.75	54.22	3	Horizontal	227	2.71	-	33.90	5.46	32.13
PK	5.5024G	110.92	Inf	-Inf	103.65	3	Horizontal	227	2.71	-	33.90	5.50	32.13
AV	5.5028G	99.56	Inf	-Inf	92.29	3	Horizontal	227	2.71	-	33.90	5.50	32.13

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02608G	54.07	74.00	-19.93	41.10	3	Vertical	66	2.44	-	38.53	7.71	33.27
AV	11.02468G	40.81	54.00	-13.19	27.85	3	Vertical	66	2.44	-	38.52	7.71	33.27
PK	16.52184G	55.30	68.20	-12.90	39.23	3	Vertical	119	1.80	-	38.90	10.26	33.09

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 19.5
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02568G	54.28	74.00	-19.72	41.31	3	Horizontal	90	2.23	-	38.53	7.71	33.27
AV	11.02488G	40.44	54.00	-13.56	27.48	3	Horizontal	90	2.23	-	38.52	7.71	33.27
PK	16.53528G	57.65	68.20	-10.55	41.46	3	Horizontal	124	1.44	-	39.02	10.27	33.10

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	66.53	74.00	-7.47	59.31	3	Vertical	235	2.12	-	33.90	5.45	32.13
AV	5.4558G	53.86	54.00	-0.14	46.63	3	Vertical	235	2.12	-	33.90	5.46	32.13
PK	5.4642G	64.97	68.20	-3.23	57.74	3	Vertical	235	2.12	-	33.90	5.46	32.13
PK	5.5572G	121.22	Inf	-Inf	113.89	3	Vertical	235	2.12	-	33.90	5.56	32.13
AV	5.556G	110.46	Inf	-Inf	103.13	3	Vertical	235	2.12	-	33.90	5.56	32.13

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT V_4TX
Setting 22
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	59.77	74.00	-14.23	52.54	3	Horizontal	227	2.66	-	33.90	5.46	32.13
AV	5.4594G	47.47	54.00	-6.53	40.24	3	Horizontal	227	2.66	-	33.90	5.46	32.13
PK	5.4624G	59.95	68.20	-8.25	52.72	3	Horizontal	227	2.66	-	33.90	5.46	32.13
PK	5.5416G	112.64	Inf	-Inf	105.33	3	Horizontal	227	2.66	-	33.90	5.54	32.13
AV	5.541G	102.77	Inf	-Inf	95.46	3	Horizontal	227	2.66	-	33.90	5.54	32.13

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1012G	55.22	74.00	-18.78	42.14	3	Vertical	195	2.22	-	38.60	7.74	33.26
AV	11.10026G	41.56	54.00	-12.44	28.48	3	Vertical	195	2.22	-	38.60	7.74	33.26
PK	16.6509G	55.29	68.20	-12.91	38.52	3	Vertical	335	2.93	-	39.65	10.33	33.21

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10112G	54.74	74.00	-19.26	41.66	3	Horizontal	282	2.40	-	38.60	7.74	33.26
AV	11.10036G	41.54	54.00	-12.46	28.46	3	Horizontal	282	2.40	-	38.60	7.74	33.26
PK	16.64984G	54.98	68.20	-13.22	38.22	3	Horizontal	11	2.30	-	39.65	10.32	33.21

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6772G	121.58	Inf	-Inf	114.37	3	Vertical	236	2.05	-	33.75	5.60	32.14
AV	5.6778G	110.21	Inf	-Inf	103.01	3	Vertical	236	2.05	-	33.74	5.60	32.14
PK	5.7378G	66.98	68.20	-1.22	59.74	3	Vertical	236	2.05	-	33.78	5.60	32.14

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6628G	112.47	Inf	-Inf	105.24	3	Horizontal	322	1.98	-	33.77	5.60	32.14
AV	5.6634G	101.31	Inf	-Inf	94.08	3	Horizontal	322	1.98	-	33.77	5.60	32.14
PK	5.7252G	67.21	68.20	-0.99	60.00	3	Horizontal	322	1.98	-	33.75	5.60	32.14

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34452G	52.74	74.00	-21.26	39.40	3	Vertical	262	1.42	-	38.74	7.84	33.24
AV	11.3353G	38.48	54.00	-15.52	25.15	3	Vertical	262	1.42	-	38.74	7.83	33.24
PK	17.00926G	56.47	68.20	-11.73	38.29	3	Vertical	81	1.42	-	41.21	10.50	33.53

802.11ac VHT40_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



EUT Y_4TX
Setting 22
02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33526G	52.99	74.00	-21.01	39.66	3	Horizontal	22	1.34	-	38.74	7.83	33.24
AV	11.33988G	38.43	54.00	-15.57	25.09	3	Horizontal	22	1.34	-	38.74	7.84	33.24
PK	17.01036G	57.21	68.20	-10.99	39.02	3	Horizontal	332	2.75	-	41.21	10.51	33.53


802.11ac VHT40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 Setting 26
 02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.698G	123.90	Inf	-Inf	116.74	3	Vertical	234	2.22	-	33.70	5.60	32.14
AV	5.6988G	113.43	Inf	-Inf	106.27	3	Vertical	234	2.22	-	33.70	5.60	32.14
PK	5.8588G	63.48	68.20	-4.72	56.13	3	Vertical	234	2.22	-	33.84	5.66	32.15


802.11ac VHT40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 Setting 26
 02-B-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	114.35	Inf	-Inf	107.18	3	Horizontal	327	1.80	-	33.71	5.60	32.14
AV	5.7036G	103.39	Inf	-Inf	96.22	3	Horizontal	327	1.80	-	33.71	5.60	32.14
PK	5.862G	57.56	68.20	-10.64	50.20	3	Horizontal	327	1.80	-	33.85	5.66	32.15


802.11ac VHT40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 Setting 26
 02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41968G	58.14	74.00	-15.86	44.66	3	Vertical	61	3.00	-	38.84	7.87	33.23
AV	11.42032G	45.45	54.00	-8.55	31.97	3	Vertical	61	3.00	-	38.84	7.87	33.23
PK	17.146G	60.45	68.20	-7.75	41.63	3	Vertical	112	1.09	-	41.62	10.57	33.37

802.11ac VHT40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 Setting 26
 02-B-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42064G	57.98	74.00	-16.02	44.50	3	Horizontal	26	2.13	-	38.84	7.87	33.23
AV	11.41984G	45.39	54.00	-8.61	31.91	3	Horizontal	26	2.13	-	38.84	7.87	33.23
PK	17.14792G	68.09	68.20	-0.11	49.25	3	Horizontal	121	1.74	-	41.64	10.57	33.37

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	66.01	68.20	-2.19	58.73	3	Vertical	231	1.67	-	33.82	5.60	32.14
PK	5.764G	120.09	Inf	-Inf	112.87	3	Vertical	231	1.67	-	33.77	5.60	32.15
AV	5.764G	109.53	Inf	-Inf	102.31	3	Vertical	231	1.67	-	33.77	5.60	32.15
PK	5.944G	59.16	68.20	-9.04	51.49	3	Vertical	231	1.67	-	34.09	5.74	32.16

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	57.56	68.20	-10.64	50.26	3	Horizontal	319	1.69	-	33.84	5.60	32.14
PK	5.748G	112.70	Inf	-Inf	105.44	3	Horizontal	319	1.69	-	33.80	5.60	32.14
AV	5.748G	101.87	Inf	-Inf	94.61	3	Horizontal	319	1.69	-	33.80	5.60	32.14
PK	5.965G	57.61	68.20	-10.59	49.91	3	Horizontal	319	1.69	-	34.10	5.76	32.16

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5172G	57.34	74.00	-16.66	43.60	3	Vertical	58	2.67	-	39.05	7.91	33.22
AV	11.51744G	43.41	54.00	-10.59	29.67	3	Vertical	58	2.67	-	39.05	7.91	33.22
PK	17.2642G	59.30	68.20	-8.90	39.72	3	Vertical	105	1.19	-	42.19	10.63	33.24

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51004G	56.01	74.00	-17.99	42.30	3	Horizontal	115	1.94	-	39.03	7.90	33.22
AV	11.50992G	43.19	54.00	-10.81	29.48	3	Horizontal	115	1.94	-	39.03	7.90	33.22
PK	17.26356G	61.87	68.20	-6.33	42.29	3	Horizontal	119	1.46	-	42.19	10.63	33.24

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.88	68.20	-0.32	60.61	3	Vertical	232	1.59	-	33.81	5.60	32.14
PK	5.806G	118.64	Inf	-Inf	111.47	3	Vertical	232	1.59	-	33.71	5.61	32.15
AV	5.784G	109.08	Inf	-Inf	101.90	3	Vertical	232	1.59	-	33.73	5.60	32.15
PK	5.948G	65.42	68.20	-2.78	57.73	3	Vertical	232	1.59	-	34.10	5.75	32.16

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	59.31	68.20	-8.89	52.00	3	Horizontal	319	1.72	-	33.85	5.60	32.14
PK	5.788G	111.51	Inf	-Inf	104.34	3	Horizontal	319	1.72	-	33.72	5.60	32.15
AV	5.788G	100.83	Inf	-Inf	93.66	3	Horizontal	319	1.72	-	33.72	5.60	32.15
PK	5.954G	58.03	68.20	-10.17	50.34	3	Horizontal	319	1.72	-	34.10	5.75	32.16

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59768G	57.47	74.00	-16.53	43.49	3	Vertical	65	2.64	-	39.29	7.94	33.25
AV	11.59736G	44.28	54.00	-9.72	30.30	3	Vertical	65	2.64	-	39.29	7.94	33.25
PK	17.39104G	61.11	68.20	-7.09	40.47	3	Vertical	126	1.78	-	43.03	10.70	33.09

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 21.5
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59012G	56.21	74.00	-17.79	42.24	3	Horizontal	112	1.87	-	39.27	7.94	33.24
AV	11.5898G	43.64	54.00	-10.36	29.67	3	Horizontal	112	1.87	-	39.27	7.94	33.24
PK	17.3788G	63.91	68.20	-4.29	43.40	3	Horizontal	118	2.95	-	42.93	10.69	33.11

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 18
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1188G	70.40	74.00	-3.60	63.83	3	Vertical	224	1.80	-	33.50	5.22	32.15
AV	5.1388G	53.51	54.00	-0.49	46.92	3	Vertical	224	1.80	-	33.50	5.24	32.15
PK	5.1988G	113.14	Inf	-Inf	106.49	3	Vertical	224	1.80	-	33.50	5.30	32.15
AV	5.2196G	102.18	Inf	-Inf	95.48	3	Vertical	224	1.80	-	33.54	5.31	32.15
PK	5.362G	59.54	74.00	-14.46	52.58	3	Vertical	224	1.80	-	33.72	5.38	32.14
AV	5.3604G	46.92	54.00	-7.08	39.96	3	Vertical	224	1.80	-	33.72	5.38	32.14

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 18
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.142G	66.48	74.00	-7.52	59.89	3	Horizontal	316	1.96	-	33.50	5.24	32.15
AV	5.1444G	49.61	54.00	-4.39	43.02	3	Horizontal	316	1.96	-	33.50	5.24	32.15
PK	5.2036G	105.47	Inf	-Inf	98.81	3	Horizontal	316	1.96	-	33.51	5.30	32.15
AV	5.2044G	94.26	Inf	-Inf	87.60	3	Horizontal	316	1.96	-	33.51	5.30	32.15
PK	5.3764G	58.31	74.00	-15.69	51.31	3	Horizontal	316	1.96	-	33.75	5.39	32.14
AV	5.3516G	44.96	54.00	-9.04	38.02	3	Horizontal	316	1.96	-	33.70	5.38	32.14

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 18
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41964G	50.46	68.20	-17.74	37.59	3	Vertical	218	2.38	-	38.40	7.47	33.00
PK	15.62984G	52.35	74.00	-21.65	38.28	3	Vertical	235	2.50	-	37.54	9.83	33.30
AV	15.62812G	39.41	54.00	-14.59	25.34	3	Vertical	235	2.50	-	37.54	9.83	33.30

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 18
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42788G	50.93	68.20	-17.27	38.06	3	Horizontal	321	1.19	-	38.40	7.47	33.00
PK	15.62544G	52.95	74.00	-21.05	38.87	3	Horizontal	199	1.38	-	37.55	9.83	33.30
AV	15.62476G	39.45	54.00	-14.55	25.37	3	Horizontal	199	1.38	-	37.55	9.83	33.30

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_V_4TX
Setting 18.5
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1132G	58.88	74.00	-15.12	52.32	3	Vertical	229	2.01	-	33.50	5.21	32.15
AV	5.1492G	45.87	54.00	-8.13	39.27	3	Vertical	229	2.01	-	33.50	5.25	32.15
PK	5.2764G	113.81	Inf	-Inf	106.96	3	Vertical	229	2.01	-	33.65	5.34	32.14
AV	5.2764G	102.48	Inf	-Inf	95.63	3	Vertical	229	2.01	-	33.65	5.34	32.14
PK	5.3772G	69.57	74.00	-4.43	62.57	3	Vertical	229	2.01	-	33.75	5.39	32.14
AV	5.3564G	53.61	54.00	-0.39	46.66	3	Vertical	229	2.01	-	33.71	5.38	32.14
PK	5.4668G	58.42	68.20	-9.78	51.18	3	Vertical	229	2.01	-	33.90	5.47	32.13

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1372G	57.94	74.00	-16.06	51.35	3	Horizontal	318	1.71	-	33.50	5.24	32.15
AV	5.1404G	44.69	54.00	-9.31	38.10	3	Horizontal	318	1.71	-	33.50	5.24	32.15
PK	5.3012G	104.59	Inf	-Inf	97.68	3	Horizontal	318	1.71	-	33.70	5.35	32.14
AV	5.302G	94.28	Inf	-Inf	87.37	3	Horizontal	318	1.71	-	33.70	5.35	32.14
PK	5.362G	63.59	74.00	-10.41	56.63	3	Horizontal	318	1.71	-	33.72	5.38	32.14
AV	5.3628G	48.97	54.00	-5.03	42.00	3	Horizontal	318	1.71	-	33.73	5.38	32.14
PK	5.478G	57.35	68.20	-10.85	50.10	3	Horizontal	318	1.71	-	33.90	5.48	32.13

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58688G	50.95	68.20	-17.25	38.02	3	Vertical	207	2.26	-	38.49	7.53	33.09
PK	15.86744G	52.86	74.00	-21.14	39.03	3	Vertical	327	1.85	-	37.47	9.94	33.58
AV	15.86544G	39.47	54.00	-14.53	25.64	3	Vertical	327	1.85	-	37.47	9.94	33.58

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 18.5
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58332G	51.16	68.20	-17.04	38.24	3	Horizontal	188	1.69	-	38.48	7.53	33.09
PK	15.8742G	52.85	74.00	-21.15	39.03	3	Horizontal	252	1.54	-	37.47	9.94	33.59
AV	15.86008G	39.62	54.00	-14.38	25.79	3	Horizontal	252	1.54	-	37.46	9.94	33.57

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.334G	57.63	68.20	-10.57	50.70	3	Vertical	232	2.16	-	33.70	5.37	32.14
PK	5.437G	69.66	74.00	-4.34	62.48	3	Vertical	232	2.16	-	33.87	5.44	32.13
PK	5.466G	66.19	68.20	-2.01	58.95	3	Vertical	232	2.16	-	33.90	5.47	32.13
AV	5.458G	53.67	54.00	-0.33	46.44	3	Vertical	232	2.16	-	33.90	5.46	32.13
PK	5.518G	113.45	Inf	-Inf	106.16	3	Vertical	232	2.16	-	33.90	5.52	32.13
AV	5.518G	102.40	Inf	-Inf	95.11	3	Vertical	232	2.16	-	33.90	5.52	32.13
PK	5.74G	58.08	68.20	-10.12	50.84	3	Vertical	232	2.16	-	33.78	5.60	32.14

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Y_4TX
Setting 17.5
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.344G	56.30	68.20	-11.90	49.37	3	Horizontal	319	1.78	-	33.70	5.37	32.14
AV	5.35G	44.53	54.00	-9.47	37.60	3	Horizontal	319	1.78	-	33.70	5.37	32.14
PK	5.445G	59.74	74.00	-14.26	52.53	3	Horizontal	319	1.78	-	33.89	5.45	32.13
AV	5.443G	46.48	54.00	-7.52	39.28	3	Horizontal	319	1.78	-	33.89	5.44	32.13
PK	5.464G	62.08	68.20	-6.12	54.85	3	Horizontal	319	1.78	-	33.90	5.46	32.13
PK	5.544G	104.28	Inf	-Inf	96.97	3	Horizontal	319	1.78	-	33.90	5.54	32.13
AV	5.544G	93.60	Inf	-Inf	86.29	3	Horizontal	319	1.78	-	33.90	5.54	32.13
PK	5.758G	57.07	68.20	-11.13	49.84	3	Horizontal	319	1.78	-	33.78	5.60	32.15

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05448G	51.26	74.00	-22.74	38.25	3	Vertical	39	2.54	-	38.55	7.72	33.26
AV	11.069G	37.99	54.00	-16.01	24.95	3	Vertical	39	2.54	-	38.57	7.73	33.26
PK	16.59984G	55.71	68.20	-12.49	38.97	3	Vertical	294	2.01	-	39.60	10.30	33.16

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 17.5
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05492G	51.43	74.00	-22.57	38.42	3	Horizontal	186	2.10	-	38.55	7.72	33.26
AV	11.0534G	37.69	54.00	-16.31	24.68	3	Horizontal	186	2.10	-	38.55	7.72	33.26
PK	16.5808G	55.71	68.20	-12.49	39.14	3	Horizontal	215	1.23	-	39.43	10.29	33.15

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 20
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	64.61	74.00	-9.39	57.39	3	Vertical	232	2.01	-	33.90	5.45	32.13
AV	5.454G	49.20	54.00	-4.80	41.98	3	Vertical	232	2.01	-	33.90	5.45	32.13
PK	5.464G	62.59	68.20	-5.61	55.36	3	Vertical	232	2.01	-	33.90	5.46	32.13
PK	5.596G	115.02	Inf	-Inf	107.66	3	Vertical	232	2.01	-	33.90	5.60	32.14
AV	5.617G	104.70	Inf	-Inf	97.37	3	Vertical	232	2.01	-	33.87	5.60	32.14
PK	5.74G	67.89	68.20	-0.31	60.65	3	Vertical	232	2.01	-	33.78	5.60	32.14

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 20
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	57.25	74.00	-16.75	50.02	3	Horizontal	319	1.68	-	33.90	5.46	32.13
AV	5.459G	45.35	54.00	-8.65	38.12	3	Horizontal	319	1.68	-	33.90	5.46	32.13
PK	5.469G	59.56	68.20	-8.64	52.32	3	Horizontal	319	1.68	-	33.90	5.47	32.13
PK	5.603G	106.49	Inf	-Inf	99.14	3	Horizontal	319	1.68	-	33.89	5.60	32.14
AV	5.622G	95.26	Inf	-Inf	87.94	3	Horizontal	319	1.68	-	33.86	5.60	32.14
PK	5.725G	63.65	68.20	-4.55	56.44	3	Horizontal	319	1.68	-	33.75	5.60	32.14

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 20
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21988G	54.67	74.00	-19.33	41.43	3	Vertical	56	2.15	-	38.70	7.79	33.25
AV	11.21988G	43.26	54.00	-10.74	30.02	3	Vertical	56	2.15	-	38.70	7.79	33.25
PK	16.83912G	51.90	68.20	-16.30	34.41	3	Vertical	53	1.87	-	40.46	10.42	33.39

802.11ac VHT80_Nss1,(MCS0)_4TX


5610MHz_TnomVnom



EUT Y_4TX
Setting 20
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22028G	51.93	74.00	-22.07	38.69	3	Horizontal	53	1.87	-	38.70	7.79	33.25
AV	11.21988G	39.87	54.00	-14.13	26.63	3	Horizontal	53	1.87	-	38.70	7.79	33.25
PK	16.82704G	55.96	68.20	-12.24	38.52	3	Horizontal	224	1.85	-	40.41	10.41	33.38

802.11ac VHT80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 Setting 22
 02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6788G	117.60	Inf	-Inf	110.40	3	Vertical	230	2.07	-	33.74	5.60	32.14
AV	5.678G	106.77	Inf	-Inf	99.57	3	Vertical	230	2.07	-	33.74	5.60	32.14
PK	5.8604G	67.73	68.20	-0.47	60.38	3	Vertical	230	2.07	-	33.84	5.66	32.15

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7244G	108.14	Inf	-Inf	100.93	3	Horizontal	317	1.80	-	33.75	5.60	32.14
AV	5.7028G	97.71	Inf	-Inf	90.54	3	Horizontal	317	1.80	-	33.71	5.60	32.14
PK	5.8652G	61.13	68.20	-7.07	53.75	3	Horizontal	317	1.80	-	33.86	5.67	32.15

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38584G	54.55	74.00	-19.45	41.14	3	Vertical	64	2.42	-	38.79	7.85	33.23
AV	11.38504G	40.72	54.00	-13.28	27.31	3	Vertical	64	2.42	-	38.79	7.85	33.23
PK	17.07376G	59.31	68.20	-8.89	40.96	3	Vertical	119	1.43	-	41.27	10.54	33.46

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 22
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37996G	54.20	74.00	-19.80	40.80	3	Horizontal	116	1.86	-	38.78	7.85	33.23
AV	11.38G	40.35	54.00	-13.65	26.95	3	Horizontal	116	1.86	-	38.78	7.85	33.23
PK	17.06556G	61.74	68.20	-6.46	43.41	3	Horizontal	121	1.80	-	41.27	10.53	33.47

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 19
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	68.18	68.20	-0.02	60.91	3	Vertical	232	1.69	-	33.81	5.60	32.14
PK	5.763G	114.35	Inf	-Inf	107.13	3	Vertical	232	1.69	-	33.77	5.60	32.15
AV	5.764G	103.36	Inf	-Inf	96.14	3	Vertical	232	1.69	-	33.77	5.60	32.15
PK	5.927G	62.91	68.20	-5.29	55.29	3	Vertical	232	1.69	-	34.05	5.73	32.16

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 19
02-B-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	59.45	68.20	-8.75	52.18	3	Horizontal	317	1.76	-	33.81	5.60	32.14
PK	5.769G	106.12	Inf	-Inf	98.91	3	Horizontal	317	1.76	-	33.76	5.60	32.15
AV	5.769G	95.11	Inf	-Inf	87.90	3	Horizontal	317	1.76	-	33.76	5.60	32.15
PK	5.997G	57.97	68.20	-10.23	50.23	3	Horizontal	317	1.76	-	34.10	5.80	32.16

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 19
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5504G	55.23	74.00	-18.77	41.39	3	Vertical	78	2.66	-	39.15	7.92	33.23
AV	11.54988G	41.94	54.00	-12.06	28.10	3	Vertical	78	2.66	-	39.15	7.92	33.23
PK	17.32164G	58.93	68.20	-9.27	38.97	3	Vertical	33	2.68	-	42.47	10.66	33.17

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



EUT Y_4TX
Setting 19
02-B-R-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54976G	54.76	74.00	-19.24	40.92	3	Horizontal	112	1.85	-	39.15	7.92	33.23
AV	11.54992G	41.13	54.00	-12.87	27.29	3	Horizontal	112	1.85	-	39.15	7.92	33.23
PK	17.32644G	60.54	68.20	-7.66	40.54	3	Horizontal	115	1.80	-	42.51	10.66	33.17




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.47-5.725GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ac VHT20_Nss1,(MCS0)_4TX	Pass	PK	16.74528G	68.19	68.20	-0.01	3	Horizontal	309	1.79	-

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Z_4TX
Setting 20.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	59.03	74.00	-14.97	52.44	3	Vertical	88	3.00	-	33.50	5.24	32.15
AV	5.15G	46.98	54.00	-7.02	40.38	3	Vertical	88	3.00	-	33.50	5.25	32.15
PK	5.1736G	116.13	Inf	-Inf	109.51	3	Vertical	88	3.00	-	33.50	5.27	32.15
AV	5.175G	105.14	Inf	-Inf	98.52	3	Vertical	88	3.00	-	33.50	5.27	32.15

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Z_4TX
Setting 20.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1498G	67.13	74.00	-6.87	60.53	3	Horizontal	172	2.24	-	33.50	5.25	32.15
AV	5.1468G	53.56	54.00	-0.44	46.96	3	Horizontal	172	2.24	-	33.50	5.25	32.15
PK	5.1832G	120.21	Inf	-Inf	113.58	3	Horizontal	172	2.24	-	33.50	5.28	32.15
AV	5.1832G	110.05	Inf	-Inf	103.42	3	Horizontal	172	2.24	-	33.50	5.28	32.15

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT_Z_4TX
Setting 20.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36184G	51.47	68.20	-16.73	38.55	3	Vertical	27	2.81	-	38.44	7.44	32.96
PK	15.53968G	60.99	74.00	-13.01	46.62	3	Vertical	348	1.81	-	37.78	9.79	33.20
AV	15.5394G	47.01	54.00	-6.99	32.64	3	Vertical	348	1.81	-	37.78	9.79	33.20

802.11a_Nss1,(6Mbps)_4TX

5180MHz_TnomVnom




EUT Z_4TX
Setting 20.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.36292G	52.24	68.20	-15.96	39.31	3	Horizontal	234	2.91	-	38.44	7.45	32.96
PK	15.53372G	60.09	74.00	-13.91	45.69	3	Horizontal	336	2.11	-	37.80	9.79	33.19
AV	15.53312G	46.11	54.00	-7.89	31.71	3	Horizontal	336	2.11	-	37.80	9.79	33.19

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Z_4TX
Setting 22.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	58.11	74.00	-15.89	51.51	3	Vertical	88	2.86	-	33.50	5.25	32.15
AV	5.1492G	45.54	54.00	-8.46	38.94	3	Vertical	88	2.86	-	33.50	5.25	32.15
PK	5.196G	118.50	Inf	-Inf	111.85	3	Vertical	88	2.86	-	33.50	5.30	32.15
AV	5.1948G	108.22	Inf	-Inf	101.58	3	Vertical	88	2.86	-	33.50	5.29	32.15

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 22.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.85	74.00	-11.15	56.25	3	Horizontal	175	2.12	-	33.50	5.25	32.15
AV	5.15G	51.69	54.00	-2.31	45.09	3	Horizontal	175	2.12	-	33.50	5.25	32.15
PK	5.204G	121.72	Inf	-Inf	115.06	3	Horizontal	175	2.12	-	33.51	5.30	32.15
AV	5.2036G	111.65	Inf	-Inf	104.99	3	Horizontal	175	2.12	-	33.51	5.30	32.15

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Z_4TX
Setting 22.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40548G	50.07	68.20	-18.13	37.20	3	Vertical	57	2.82	-	38.40	7.46	32.99
PK	15.60032G	63.71	74.00	-10.29	49.56	3	Vertical	349	1.81	-	37.60	9.82	33.27
AV	15.59964G	49.53	54.00	-4.47	35.38	3	Vertical	349	1.81	-	37.60	9.82	33.27

802.11a_Nss1,(6Mbps)_4TX

5200MHz_TnomVnom




EUT Z_4TX
Setting 22.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.40032G	50.22	68.20	-17.98	37.34	3	Horizontal	288	2.21	-	38.40	7.46	32.98
PK	15.595G	64.93	74.00	-9.07	50.75	3	Horizontal	335	2.10	-	37.62	9.82	33.26
AV	15.59428G	50.24	54.00	-3.76	36.06	3	Horizontal	335	2.10	-	37.62	9.82	33.26

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 25
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0966G	55.94	74.00	-18.06	49.40	3	Vertical	291	1.80	-	33.49	5.20	32.15
AV	5.1428G	44.07	54.00	-9.93	37.48	3	Vertical	291	1.80	-	33.50	5.24	32.15
PK	5.243G	115.74	Inf	-Inf	108.98	3	Vertical	291	1.80	-	33.59	5.32	32.15
AV	5.2436G	105.26	Inf	-Inf	98.50	3	Vertical	291	1.80	-	33.59	5.32	32.15
PK	5.3822G	56.16	74.00	-17.84	49.15	3	Vertical	291	1.80	-	33.76	5.39	32.14
AV	5.354G	44.05	54.00	-9.95	37.10	3	Vertical	291	1.80	-	33.71	5.38	32.14

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 25
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	58.49	74.00	-15.51	51.89	3	Horizontal	178	2.21	-	33.50	5.25	32.15
AV	5.1458G	46.18	54.00	-7.82	39.58	3	Horizontal	178	2.21	-	33.50	5.25	32.15
PK	5.2436G	123.55	Inf	-Inf	116.79	3	Horizontal	178	2.21	-	33.59	5.32	32.15
AV	5.2436G	112.55	Inf	-Inf	105.79	3	Horizontal	178	2.21	-	33.59	5.32	32.15
PK	5.3528G	56.78	74.00	-17.22	49.83	3	Horizontal	178	2.21	-	33.71	5.38	32.14
AV	5.3504G	45.08	54.00	-8.92	38.14	3	Horizontal	178	2.21	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 25
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48252G	52.11	68.20	-16.09	39.26	3	Vertical	320	2.00	-	38.40	7.49	33.04
PK	15.72216G	63.79	74.00	-10.21	49.93	3	Vertical	348	1.80	-	37.40	9.87	33.41
AV	15.72184G	50.07	54.00	-3.93	36.21	3	Vertical	348	1.80	-	37.40	9.87	33.41

802.11a_Nss1,(6Mbps)_4TX

5240MHz_TnomVnom




EUT Z_4TX
Setting 25
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48888G	50.89	68.20	-17.31	38.03	3	Horizontal	4	1.76	-	38.40	7.50	33.04
PK	15.71512G	66.24	74.00	-7.76	52.37	3	Horizontal	336	2.10	-	37.40	9.87	33.40
AV	15.71512G	52.12	54.00	-1.88	38.25	3	Horizontal	336	2.10	-	37.40	9.87	33.40

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 25
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	56.31	74.00	-17.69	49.71	3	Vertical	88	2.93	-	33.50	5.25	32.15
AV	5.149G	43.98	54.00	-10.02	37.38	3	Vertical	88	2.93	-	33.50	5.25	32.15
PK	5.2552G	120.49	Inf	-Inf	113.69	3	Vertical	88	2.93	-	33.61	5.33	32.14
AV	5.2552G	109.59	Inf	-Inf	102.79	3	Vertical	88	2.93	-	33.61	5.33	32.14
PK	5.3572G	57.46	74.00	-16.54	50.51	3	Vertical	88	2.93	-	33.71	5.38	32.14
AV	5.359G	45.24	54.00	-8.76	38.28	3	Vertical	88	2.93	-	33.72	5.38	32.14

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 25
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	55.84	74.00	-18.16	49.24	3	Horizontal	155	2.45	-	33.50	5.25	32.15
AV	5.1424G	44.02	54.00	-9.98	37.43	3	Horizontal	155	2.45	-	33.50	5.24	32.15
PK	5.263G	122.37	Inf	-Inf	115.55	3	Horizontal	155	2.45	-	33.63	5.33	32.14
AV	5.2624G	111.86	Inf	-Inf	105.05	3	Horizontal	155	2.45	-	33.62	5.33	32.14
PK	5.35G	59.15	74.00	-14.85	52.21	3	Horizontal	155	2.45	-	33.70	5.38	32.14
AV	5.35G	47.43	54.00	-6.57	40.49	3	Horizontal	155	2.45	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT Z_4TX
Setting 25
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.52348G	50.74	68.20	-17.46	37.87	3	Vertical	210	2.31	-	38.42	7.51	33.06
PK	15.78216G	63.84	74.00	-10.16	50.02	3	Vertical	349	1.77	-	37.40	9.90	33.48
AV	15.78256G	50.82	54.00	-3.18	37.00	3	Vertical	349	1.77	-	37.40	9.90	33.48

802.11a_Nss1,(6Mbps)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 25
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51818G	50.25	68.20	-17.95	37.38	3	Horizontal	326	1.39	-	38.42	7.51	33.06
PK	15.77704G	66.32	74.00	-7.68	52.50	3	Horizontal	336	2.09	-	37.40	9.90	33.48
AV	15.77688G	52.84	54.00	-1.16	39.02	3	Horizontal	336	2.09	-	37.40	9.90	33.48

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Z_4TX
Setting 21.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2936G	117.02	Inf	-Inf	110.12	3	Vertical	88	2.93	-	33.69	5.35	32.14
AV	5.2948G	105.79	Inf	-Inf	98.89	3	Vertical	88	2.93	-	33.69	5.35	32.14
PK	5.35G	62.63	74.00	-11.37	55.69	3	Vertical	88	2.93	-	33.70	5.38	32.14
AV	5.3508G	48.61	54.00	-5.39	41.67	3	Vertical	88	2.93	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Z_4TX
Setting 21.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	120.96	Inf	-Inf	114.05	3	Horizontal	176	2.17	-	33.70	5.35	32.14
AV	5.3032G	110.73	Inf	-Inf	103.82	3	Horizontal	176	2.17	-	33.70	5.35	32.14
PK	5.35G	64.40	74.00	-9.60	57.46	3	Horizontal	176	2.17	-	33.70	5.38	32.14
AV	5.35G	51.61	54.00	-2.39	44.67	3	Horizontal	176	2.17	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Z_4TX
Setting 21.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89728G	65.08	74.00	-8.92	51.25	3	Vertical	349	1.77	-	37.50	9.95	33.62
AV	15.89776G	52.08	54.00	-1.92	38.25	3	Vertical	349	1.77	-	37.50	9.95	33.62

802.11a_Nss1,(6Mbps)_4TX

5300MHz_TnomVnom




EUT Z_4TX
Setting 21.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89144G	65.82	74.00	-8.18	51.99	3	Horizontal	336	2.10	-	37.49	9.95	33.61
AV	15.89224G	51.68	54.00	-2.32	37.85	3	Horizontal	336	2.10	-	37.49	9.95	33.61

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Z_4TX
Setting 19.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3138G	114.32	Inf	-Inf	107.40	3	Vertical	87	2.92	-	33.70	5.36	32.14
AV	5.315G	103.89	Inf	-Inf	96.97	3	Vertical	87	2.92	-	33.70	5.36	32.14
PK	5.355G	66.24	74.00	-7.76	59.29	3	Vertical	87	2.92	-	33.71	5.38	32.14
AV	5.3544G	52.54	54.00	-1.46	45.59	3	Vertical	87	2.92	-	33.71	5.38	32.14

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Z_4TX
Setting 19.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3214G	118.93	Inf	-Inf	112.01	3	Horizontal	177	2.39	-	33.70	5.36	32.14
AV	5.3212G	109.16	Inf	-Inf	102.24	3	Horizontal	177	2.39	-	33.70	5.36	32.14
PK	5.351G	68.14	74.00	-5.86	61.20	3	Horizontal	177	2.39	-	33.70	5.38	32.14
AV	5.35G	53.87	54.00	-0.13	46.93	3	Horizontal	177	2.39	-	33.70	5.38	32.14

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Z_4TX
Setting 19.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95816G	63.20	74.00	-10.80	49.47	3	Vertical	349	1.77	-	37.44	9.98	33.69
AV	15.95848G	50.14	54.00	-3.86	36.41	3	Vertical	349	1.77	-	37.44	9.98	33.69

802.11a_Nss1,(6Mbps)_4TX

5320MHz_TnomVnom




EUT Z_4TX
Setting 19.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.9548G	62.24	74.00	-11.76	48.50	3	Horizontal	335	2.09	-	37.45	9.98	33.69
AV	15.95336G	48.81	54.00	-5.19	35.06	3	Horizontal	335	2.09	-	37.45	9.98	33.68

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 21
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4596G	58.63	74.00	-15.37	51.40	3	Vertical	103	2.09	-	33.90	5.46	32.13
AV	5.46G	46.03	54.00	-7.97	38.80	3	Vertical	103	2.09	-	33.90	5.46	32.13
PK	5.4696G	62.66	68.20	-5.54	55.42	3	Vertical	103	2.09	-	33.90	5.47	32.13
PK	5.5032G	116.40	Inf	-Inf	109.13	3	Vertical	103	2.09	-	33.90	5.50	32.13
AV	5.5034G	106.06	Inf	-Inf	98.79	3	Vertical	103	2.09	-	33.90	5.50	32.13

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom



EUT_Z_4TX
Setting 21
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4582G	62.55	74.00	-11.45	55.32	3	Horizontal	6	2.73	-	33.90	5.46	32.13
AV	5.46G	48.38	54.00	-5.62	41.15	3	Horizontal	6	2.73	-	33.90	5.46	32.13
PK	5.4698G	66.97	68.20	-1.23	59.73	3	Horizontal	6	2.73	-	33.90	5.47	32.13
PK	5.497G	119.48	Inf	-Inf	112.21	3	Horizontal	6	2.73	-	33.90	5.50	32.13
AV	5.4978G	108.94	Inf	-Inf	101.67	3	Horizontal	6	2.73	-	33.90	5.50	32.13

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 21
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99832G	51.02	74.00	-22.98	38.09	3	Vertical	222	2.92	-	38.50	7.70	33.27
AV	11.00432G	37.26	54.00	-16.74	24.33	3	Vertical	222	2.92	-	38.50	7.70	33.27
PK	16.49786G	54.02	68.20	-14.18	38.15	3	Vertical	185	1.24	-	38.69	10.25	33.07

802.11a_Nss1,(6Mbps)_4TX

5500MHz_TnomVnom




EUT Z_4TX
Setting 21
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99628G	50.86	74.00	-23.14	37.93	3	Horizontal	181	2.13	-	38.50	7.70	33.27
AV	10.99978G	37.32	54.00	-16.68	24.39	3	Horizontal	181	2.13	-	38.50	7.70	33.27
PK	16.49888G	53.65	68.20	-14.55	37.78	3	Horizontal	315	1.89	-	38.69	10.25	33.07

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 25
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	56.81	74.00	-17.19	49.59	3	Vertical	106	2.26	-	33.90	5.45	32.13
AV	5.4248G	44.08	54.00	-9.92	36.94	3	Vertical	106	2.26	-	33.85	5.42	32.13
PK	5.4608G	55.50	68.20	-12.70	48.27	3	Vertical	106	2.26	-	33.90	5.46	32.13
PK	5.5832G	117.54	Inf	-Inf	110.19	3	Vertical	106	2.26	-	33.90	5.58	32.13
AV	5.5832G	107.14	Inf	-Inf	99.79	3	Vertical	106	2.26	-	33.90	5.58	32.13
PK	5.764G	56.86	68.20	-11.34	49.64	3	Vertical	106	2.26	-	33.77	5.60	32.15

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 25
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.404G	56.27	74.00	-17.73	49.20	3	Horizontal	182	2.40	-	33.81	5.40	32.14
PK	5.461G	56.57	68.20	-11.63	49.34	3	Horizontal	182	2.40	-	33.90	5.46	32.13
AV	5.4488G	44.43	54.00	-9.57	37.21	3	Horizontal	182	2.40	-	33.90	5.45	32.13
PK	5.5816G	121.62	Inf	-Inf	114.27	3	Horizontal	182	2.40	-	33.90	5.58	32.13
AV	5.5816G	111.35	Inf	-Inf	104.00	3	Horizontal	182	2.40	-	33.90	5.58	32.13
PK	5.7296G	56.61	68.20	-11.59	49.39	3	Horizontal	182	2.40	-	33.76	5.60	32.14

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 25
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1544G	57.53	74.00	-16.47	44.37	3	Vertical	327	1.75	-	38.65	7.76	33.25
AV	11.156G	43.91	54.00	-10.09	30.74	3	Vertical	327	1.75	-	38.66	7.76	33.25
PK	16.74528G	65.39	68.20	-2.81	48.35	3	Vertical	342	1.72	-	39.97	10.37	33.30

802.11a_Nss1,(6Mbps)_4TX

5580MHz_TnomVnom




EUT Z_4TX
Setting 25
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15424G	56.67	74.00	-17.33	43.51	3	Horizontal	149	1.47	-	38.65	7.76	33.25
AV	11.15592G	44.02	54.00	-9.98	30.85	3	Horizontal	149	1.47	-	38.66	7.76	33.25
PK	16.74488G	67.49	68.20	-0.71	50.45	3	Horizontal	310	1.79	-	39.97	10.37	33.30

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Z_4TX
Setting 20
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7028G	109.83	Inf	-Inf	102.66	3	Vertical	103	2.10	-	33.71	5.60	32.14
AV	5.6948G	99.27	Inf	-Inf	92.10	3	Vertical	103	2.10	-	33.71	5.60	32.14
PK	5.7254G	58.12	68.20	-10.08	50.91	3	Vertical	103	2.10	-	33.75	5.60	32.14

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Z_4TX
Setting 20
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	118.42	Inf	-Inf	111.26	3	Horizontal	160	2.41	-	33.70	5.60	32.14
AV	5.7024G	108.54	Inf	-Inf	101.38	3	Horizontal	160	2.41	-	33.70	5.60	32.14
PK	5.725G	67.13	68.20	-1.07	59.92	3	Horizontal	160	2.41	-	33.75	5.60	32.14

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 20
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4048G	52.00	74.00	-22.00	38.56	3	Vertical	254	2.47	-	38.81	7.86	33.23
AV	11.40362G	38.38	54.00	-15.62	24.94	3	Vertical	254	2.47	-	38.81	7.86	33.23
PK	17.10496G	56.68	68.20	-11.52	38.22	3	Vertical	340	2.26	-	41.33	10.55	33.42

802.11a_Nss1,(6Mbps)_4TX

5700MHz_TnomVnom




EUT Z_4TX
Setting 20
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40192G	53.15	74.00	-20.85	39.72	3	Horizontal	298	2.68	-	38.80	7.86	33.23
AV	11.40262G	38.37	54.00	-15.63	24.93	3	Horizontal	298	2.68	-	38.81	7.86	33.23
PK	17.1039G	57.31	68.20	-10.89	38.85	3	Horizontal	16	2.17	-	41.33	10.55	33.42

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_4TX
Setting 22
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7232G	114.84	Inf	-Inf	107.63	3	Vertical	104	2.37	-	33.75	5.60	32.14
AV	5.7232G	104.78	Inf	-Inf	97.57	3	Vertical	104	2.37	-	33.75	5.60	32.14
PK	5.9096G	56.75	68.20	-11.45	49.17	3	Vertical	104	2.37	-	34.02	5.71	32.15

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 22
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	119.46	Inf	-Inf	112.24	3	Horizontal	9	1.34	-	33.76	5.60	32.14
AV	5.7272G	109.20	Inf	-Inf	101.99	3	Horizontal	9	1.34	-	33.75	5.60	32.14
PK	5.8976G	56.96	68.20	-11.24	49.42	3	Horizontal	9	1.34	-	33.99	5.70	32.15

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 22
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43856G	53.81	74.00	-20.19	40.28	3	Vertical	310	1.28	-	38.88	7.88	33.23
AV	11.44008G	41.67	54.00	-12.33	28.14	3	Vertical	310	1.28	-	38.88	7.88	33.23
PK	17.15032G	62.94	68.20	-5.26	44.08	3	Vertical	17	1.09	-	41.65	10.58	33.37

802.11a_Nss1,(6Mbps)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 22
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43832G	53.88	74.00	-20.12	40.35	3	Horizontal	49	2.32	-	38.88	7.88	33.23
AV	11.4384G	41.77	54.00	-12.23	28.24	3	Horizontal	49	2.32	-	38.88	7.88	33.23
PK	17.16896G	68.04	68.20	-0.16	49.03	3	Horizontal	310	1.79	-	41.78	10.58	33.35

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Z_4TX
Setting 20.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.63G	57.00	68.20	-11.20	49.70	3	Vertical	107	2.34	-	33.84	5.60	32.14
PK	5.749G	113.34	Inf	-Inf	106.08	3	Vertical	107	2.34	-	33.80	5.60	32.14
AV	5.749G	103.32	Inf	-Inf	96.06	3	Vertical	107	2.34	-	33.80	5.60	32.14
PK	5.956G	57.84	68.20	-10.36	50.14	3	Vertical	107	2.34	-	34.10	5.76	32.16

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Z_4TX
Setting 20.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.514G	56.78	68.20	-11.42	49.50	3	Horizontal	164	2.28	-	33.90	5.51	32.13
PK	5.748G	119.74	Inf	-Inf	112.48	3	Horizontal	164	2.28	-	33.80	5.60	32.14
AV	5.748G	109.78	Inf	-Inf	102.52	3	Horizontal	164	2.28	-	33.80	5.60	32.14
PK	5.964G	56.86	68.20	-11.34	49.16	3	Horizontal	164	2.28	-	34.10	5.76	32.16

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Z_4TX
Setting 20.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49234G	53.45	74.00	-20.55	39.79	3	Vertical	229	2.99	-	38.98	7.90	33.22
AV	11.49428G	39.18	54.00	-14.82	25.51	3	Vertical	229	2.99	-	38.99	7.90	33.22
PK	17.2266G	66.12	68.20	-2.08	46.71	3	Vertical	17	1.09	-	42.08	10.61	33.28

802.11a_Nss1,(6Mbps)_4TX

5745MHz_TnomVnom




EUT Z_4TX
Setting 20.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48584G	51.73	74.00	-22.27	38.09	3	Horizontal	337	1.00	-	38.97	7.89	33.22
AV	11.4856G	39.24	54.00	-14.76	25.60	3	Horizontal	337	1.00	-	38.97	7.89	33.22
PK	17.24572G	67.91	68.20	-0.29	48.41	3	Horizontal	323	2.93	-	42.14	10.62	33.26

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Z_4TX
Setting 22
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	57.08	68.20	-11.12	49.76	3	Vertical	106	1.70	-	33.86	5.60	32.14
PK	5.782G	114.52	Inf	-Inf	107.33	3	Vertical	106	1.70	-	33.74	5.60	32.15
AV	5.782G	103.91	Inf	-Inf	96.72	3	Vertical	106	1.70	-	33.74	5.60	32.15
PK	5.96G	57.48	68.20	-10.72	49.78	3	Vertical	106	1.70	-	34.10	5.76	32.16

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Z_4TX
Setting 22
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.573G	56.46	68.20	-11.74	49.12	3	Horizontal	0	1.65	-	33.90	5.57	32.13
PK	5.792G	118.18	Inf	-Inf	111.01	3	Horizontal	0	1.65	-	33.72	5.60	32.15
AV	5.792G	108.38	Inf	-Inf	101.21	3	Horizontal	0	1.65	-	33.72	5.60	32.15
PK	5.926G	56.90	68.20	-11.30	49.28	3	Horizontal	0	1.65	-	34.05	5.73	32.16

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 22
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.566G	51.58	74.00	-22.42	37.69	3	Vertical	326	2.69	-	39.20	7.93	33.24
AV	11.57024G	38.63	54.00	-15.37	24.73	3	Vertical	326	2.69	-	39.21	7.93	33.24
PK	17.34892G	62.87	68.20	-5.33	42.65	3	Vertical	16	1.17	-	42.69	10.67	33.14

802.11a_Nss1,(6Mbps)_4TX

5785MHz_TnomVnom




EUT Z_4TX
Setting 22
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56824G	52.12	74.00	-21.88	38.23	3	Horizontal	352	2.42	-	39.20	7.93	33.24
AV	11.566G	38.85	54.00	-15.15	24.96	3	Horizontal	352	2.42	-	39.20	7.93	33.24
PK	17.34644G	67.88	68.20	-0.32	47.69	3	Horizontal	323	2.93	-	42.67	10.67	33.15

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Z_4TX
Setting 21
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.589G	56.49	68.20	-11.71	49.14	3	Vertical	104	1.80	-	33.90	5.59	32.14
PK	5.831G	114.39	Inf	-Inf	107.15	3	Vertical	104	1.80	-	33.76	5.63	32.15
AV	5.832G	104.40	Inf	-Inf	97.16	3	Vertical	104	1.80	-	33.76	5.63	32.15
PK	6.041G	57.09	68.20	-11.11	49.19	3	Vertical	104	1.80	-	34.26	5.80	32.16

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Z_4TX
Setting 21
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	56.78	68.20	-11.42	49.43	3	Horizontal	4	1.61	-	33.90	5.59	32.14
PK	5.832G	119.28	Inf	-Inf	112.04	3	Horizontal	4	1.61	-	33.76	5.63	32.15
AV	5.832G	109.41	Inf	-Inf	102.17	3	Horizontal	4	1.61	-	33.76	5.63	32.15
PK	5.937G	57.99	68.20	-10.21	50.34	3	Horizontal	4	1.61	-	34.07	5.74	32.16

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 21
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6468G	53.53	74.00	-20.47	39.48	3	Vertical	115	1.22	-	39.35	7.96	33.26
AV	11.6504G	39.43	54.00	-14.57	25.38	3	Vertical	115	1.22	-	39.35	7.96	33.26
PK	17.47436G	66.40	68.20	-1.80	45.04	3	Vertical	323	2.46	-	43.62	10.74	33.00

802.11a_Nss1,(6Mbps)_4TX

5825MHz_TnomVnom




EUT Z_4TX
Setting 21
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65008G	52.64	74.00	-21.36	38.59	3	Horizontal	50	2.38	-	39.35	7.96	33.26
AV	11.65028G	39.48	54.00	-14.52	25.43	3	Horizontal	50	2.38	-	39.35	7.96	33.26
PK	17.47556G	67.85	68.20	-0.35	46.48	3	Horizontal	323	2.92	-	43.63	10.74	33.00

802.11ac VHT20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Z_4TX
Setting 21
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1448G	60.44	74.00	-13.56	53.85	3	Vertical	89	2.93	-	33.50	5.24	32.15
AV	5.1448G	47.01	54.00	-6.99	40.42	3	Vertical	89	2.93	-	33.50	5.24	32.15
PK	5.1762G	115.66	Inf	-Inf	109.03	3	Vertical	89	2.93	-	33.50	5.28	32.15
AV	5.1758G	103.82	Inf	-Inf	97.19	3	Vertical	89	2.93	-	33.50	5.28	32.15

802.11ac VHT20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Z_4TX
Setting 21
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	66.29	74.00	-7.71	59.69	3	Horizontal	157	2.40	-	33.50	5.25	32.15
AV	5.15G	51.43	54.00	-2.57	44.83	3	Horizontal	157	2.40	-	33.50	5.25	32.15
PK	5.1814G	120.79	Inf	-Inf	114.16	3	Horizontal	157	2.40	-	33.50	5.28	32.15
AV	5.1814G	108.89	Inf	-Inf	102.26	3	Horizontal	157	2.40	-	33.50	5.28	32.15

802.11ac VHT20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Z_4TX
Setting 21
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54356G	52.68	74.00	-21.32	38.32	3	Vertical	246	2.99	-	37.77	9.79	33.20
AV	15.54048G	39.16	54.00	-14.84	24.79	3	Vertical	246	2.99	-	37.78	9.79	33.20

802.11ac VHT20_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Z_4TX
Setting 21
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.53832G	52.65	74.00	-21.35	38.27	3	Horizontal	200	2.98	-	37.79	9.79	33.20
AV	15.54226G	39.20	54.00	-14.80	24.84	3	Horizontal	200	2.98	-	37.77	9.79	33.20

802.11ac VHT20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	61.77	74.00	-12.23	55.17	3	Vertical	88	2.94	-	33.50	5.25	32.15
AV	5.15G	48.65	54.00	-5.35	42.05	3	Vertical	88	2.94	-	33.50	5.25	32.15
PK	5.1964G	115.76	Inf	-Inf	109.11	3	Vertical	88	2.94	-	33.50	5.30	32.15
AV	5.1948G	104.81	Inf	-Inf	98.17	3	Vertical	88	2.94	-	33.50	5.29	32.15

802.11ac VHT20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_Z_4TX
Setting 23
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.55	74.00	-8.45	58.95	3	Horizontal	187	2.35	-	33.50	5.25	32.15
AV	5.15G	52.82	54.00	-1.18	46.22	3	Horizontal	187	2.35	-	33.50	5.25	32.15
PK	5.2024G	121.28	Inf	-Inf	114.63	3	Horizontal	187	2.35	-	33.50	5.30	32.15
AV	5.2032G	109.94	Inf	-Inf	103.28	3	Horizontal	187	2.35	-	33.51	5.30	32.15

802.11ac VHT20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5954G	64.86	74.00	-9.14	50.69	3	Vertical	346	2.35	-	37.61	9.82	33.26
AV	15.59558G	47.97	54.00	-6.03	33.80	3	Vertical	346	2.35	-	37.61	9.82	33.26

802.11ac VHT20_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.59552G	63.71	74.00	-10.29	49.54	3	Horizontal	255	1.07	-	37.61	9.82	33.26
AV	15.59534G	48.86	54.00	-5.14	34.69	3	Horizontal	255	1.07	-	37.61	9.82	33.26

802.11ac VHT20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 25
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1482G	57.05	74.00	-16.95	50.45	3	Vertical	89	2.94	-	33.50	5.25	32.15
AV	5.1482G	44.90	54.00	-9.10	38.30	3	Vertical	89	2.94	-	33.50	5.25	32.15
PK	5.2358G	119.17	Inf	-Inf	112.43	3	Vertical	89	2.94	-	33.57	5.32	32.15
AV	5.2346G	107.91	Inf	-Inf	101.17	3	Vertical	89	2.94	-	33.57	5.32	32.15
PK	5.3564G	56.13	74.00	-17.87	49.18	3	Vertical	89	2.94	-	33.71	5.38	32.14
AV	5.3564G	43.98	54.00	-10.02	37.03	3	Vertical	89	2.94	-	33.71	5.38	32.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_Z_4TX
Setting 25
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1422G	58.39	74.00	-15.61	51.80	3	Horizontal	154	2.47	-	33.50	5.24	32.15
AV	5.1422G	45.01	54.00	-8.99	38.42	3	Horizontal	154	2.47	-	33.50	5.24	32.15
PK	5.2424G	123.09	Inf	-Inf	116.34	3	Horizontal	154	2.47	-	33.58	5.32	32.15
AV	5.2418G	112.00	Inf	-Inf	105.25	3	Horizontal	154	2.47	-	33.58	5.32	32.15
PK	5.35G	57.39	74.00	-16.61	50.45	3	Horizontal	154	2.47	-	33.70	5.38	32.14
AV	5.3504G	45.38	54.00	-8.62	38.44	3	Horizontal	154	2.47	-	33.70	5.38	32.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Z_4TX
Setting 25
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.72112G	63.32	74.00	-10.68	49.46	3	Vertical	350	2.18	-	37.40	9.87	33.41
AV	15.72096G	49.50	54.00	-4.50	35.64	3	Vertical	350	2.18	-	37.40	9.87	33.41

802.11ac VHT20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Z_4TX
Setting 25
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71624G	65.69	74.00	-8.31	51.83	3	Horizontal	334	2.02	-	37.40	9.87	33.41
AV	15.71672G	51.82	54.00	-2.18	37.96	3	Horizontal	334	2.02	-	37.40	9.87	33.41

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 25
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1136G	55.91	74.00	-18.09	49.35	3	Vertical	87	2.93	-	33.50	5.21	32.15
AV	5.15G	43.76	54.00	-10.24	37.16	3	Vertical	87	2.93	-	33.50	5.25	32.15
PK	5.2564G	120.65	Inf	-Inf	113.85	3	Vertical	87	2.93	-	33.61	5.33	32.14
AV	5.2546G	109.16	Inf	-Inf	102.36	3	Vertical	87	2.93	-	33.61	5.33	32.14
PK	5.3584G	57.90	74.00	-16.10	50.94	3	Vertical	87	2.93	-	33.72	5.38	32.14
AV	5.356G	45.79	54.00	-8.21	38.84	3	Vertical	87	2.93	-	33.71	5.38	32.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Z_4TX
Setting 25
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	55.77	74.00	-18.23	49.18	3	Horizontal	178	2.07	-	33.50	5.24	32.15
AV	5.1454G	44.02	54.00	-9.98	37.42	3	Horizontal	178	2.07	-	33.50	5.25	32.15
PK	5.2666G	123.66	Inf	-Inf	116.84	3	Horizontal	178	2.07	-	33.63	5.33	32.14
AV	5.266G	111.82	Inf	-Inf	105.00	3	Horizontal	178	2.07	-	33.63	5.33	32.14
PK	5.3554G	60.98	74.00	-13.02	54.03	3	Horizontal	178	2.07	-	33.71	5.38	32.14
AV	5.3524G	48.51	54.00	-5.49	41.57	3	Horizontal	178	2.07	-	33.70	5.38	32.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Z_4TX
Setting 25
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77304G	62.71	74.00	-11.29	48.88	3	Vertical	348	1.76	-	37.40	9.90	33.47
AV	15.7836G	49.86	54.00	-4.14	36.04	3	Vertical	348	1.76	-	37.40	9.90	33.48

802.11ac VHT20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Z_4TX
Setting 25
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.77616G	66.38	74.00	-7.62	52.56	3	Horizontal	337	2.09	-	37.40	9.90	33.48
AV	15.7768G	52.75	54.00	-1.25	38.93	3	Horizontal	337	2.09	-	37.40	9.90	33.48

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Z_4TX
Setting 22
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2964G	116.49	Inf	-Inf	109.59	3	Vertical	89	2.91	-	33.69	5.35	32.14
AV	5.2944G	105.59	Inf	-Inf	98.69	3	Vertical	89	2.91	-	33.69	5.35	32.14
PK	5.35G	60.98	74.00	-13.02	54.04	3	Vertical	89	2.91	-	33.70	5.38	32.14
AV	5.3556G	48.13	54.00	-5.87	41.18	3	Vertical	89	2.91	-	33.71	5.38	32.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Z_4TX
Setting 22
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3028G	122.01	Inf	-Inf	115.10	3	Horizontal	174	2.28	-	33.70	5.35	32.14
AV	5.3016G	110.61	Inf	-Inf	103.70	3	Horizontal	174	2.28	-	33.70	5.35	32.14
PK	5.35G	66.71	74.00	-7.29	59.77	3	Horizontal	174	2.28	-	33.70	5.38	32.14
AV	5.35G	53.14	54.00	-0.86	46.20	3	Horizontal	174	2.28	-	33.70	5.38	32.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Z_4TX
Setting 22
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8932G	63.14	74.00	-10.86	49.31	3	Vertical	110	2.93	-	37.49	9.95	33.61
AV	15.892G	48.91	54.00	-5.09	35.08	3	Vertical	110	2.93	-	37.49	9.95	33.61

802.11ac VHT20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Z_4TX
Setting 22
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89312G	63.92	74.00	-10.08	50.09	3	Horizontal	294	2.59	-	37.49	9.95	33.61
AV	15.89216G	50.10	54.00	-3.90	36.27	3	Horizontal	294	2.59	-	37.49	9.95	33.61

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 20
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.314G	114.50	Inf	-Inf	107.58	3	Vertical	89	2.94	-	33.70	5.36	32.14
AV	5.3148G	103.02	Inf	-Inf	96.10	3	Vertical	89	2.94	-	33.70	5.36	32.14
PK	5.3536G	63.50	74.00	-10.50	56.55	3	Vertical	89	2.94	-	33.71	5.38	32.14
AV	5.3534G	49.58	54.00	-4.42	42.63	3	Vertical	89	2.94	-	33.71	5.38	32.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 20
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3214G	119.13	Inf	-Inf	112.21	3	Horizontal	167	2.33	-	33.70	5.36	32.14
AV	5.3216G	107.32	Inf	-Inf	100.40	3	Horizontal	167	2.33	-	33.70	5.36	32.14
PK	5.351G	67.95	74.00	-6.05	61.01	3	Horizontal	167	2.33	-	33.70	5.38	32.14
AV	5.3504G	53.68	54.00	-0.32	46.74	3	Horizontal	167	2.33	-	33.70	5.38	32.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_Z_4TX
Setting 20
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95666G	51.60	74.00	-22.40	37.87	3	Vertical	192	2.31	-	37.44	9.98	33.69
AV	15.96422G	38.11	54.00	-15.89	24.39	3	Vertical	192	2.31	-	37.44	9.98	33.70

802.11ac VHT20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Z_4TX
Setting 20
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.95826G	52.31	74.00	-21.69	38.58	3	Horizontal	130	2.23	-	37.44	9.98	33.69
AV	15.95582G	37.97	54.00	-16.03	24.24	3	Horizontal	130	2.23	-	37.44	9.98	33.69

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Z_4TX
Setting 21
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.454G	57.01	74.00	-16.99	49.79	3	Vertical	86	2.92	-	33.90	5.45	32.13
AV	5.4544G	44.88	54.00	-9.12	37.66	3	Vertical	86	2.92	-	33.90	5.45	32.13
PK	5.4682G	61.98	68.20	-6.22	54.74	3	Vertical	86	2.92	-	33.90	5.47	32.13
PK	5.4964G	115.55	Inf	-Inf	108.28	3	Vertical	86	2.92	-	33.90	5.50	32.13
AV	5.4948G	104.07	Inf	-Inf	96.81	3	Vertical	86	2.92	-	33.90	5.49	32.13

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_Z_4TX
Setting 21
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4598G	60.90	74.00	-13.10	53.67	3	Horizontal	161	2.44	-	33.90	5.46	32.13
AV	5.4598G	48.22	54.00	-5.78	40.99	3	Horizontal	161	2.44	-	33.90	5.46	32.13
PK	5.47G	68.00	68.20	-0.20	60.76	3	Horizontal	161	2.44	-	33.90	5.47	32.13
PK	5.5024G	120.92	Inf	-Inf	113.65	3	Horizontal	161	2.44	-	33.90	5.50	32.13
AV	5.5026G	109.05	Inf	-Inf	101.78	3	Horizontal	161	2.44	-	33.90	5.50	32.13

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Z_4TX
Setting 21
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9995G	51.92	74.00	-22.08	38.99	3	Vertical	200	1.74	-	38.50	7.70	33.27
AV	10.9999G	38.13	54.00	-15.87	25.20	3	Vertical	200	1.74	-	38.50	7.70	33.27
PK	16.49772G	54.74	68.20	-13.46	38.87	3	Vertical	32	2.99	-	38.69	10.25	33.07

802.11ac VHT20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Z_4TX
Setting 21
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.99724G	52.15	74.00	-21.85	39.22	3	Horizontal	320	2.02	-	38.50	7.70	33.27
AV	10.99992G	38.16	54.00	-15.84	25.23	3	Horizontal	320	2.02	-	38.50	7.70	33.27
PK	16.50238G	53.97	68.20	-14.23	38.07	3	Horizontal	204	2.85	-	38.72	10.25	33.07

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 25
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.38G	56.23	74.00	-17.77	49.22	3	Vertical	105	2.26	-	33.76	5.39	32.14
PK	5.468G	55.72	68.20	-12.48	48.48	3	Vertical	105	2.26	-	33.90	5.47	32.13
AV	5.4584G	44.00	54.00	-10.00	36.77	3	Vertical	105	2.26	-	33.90	5.46	32.13
PK	5.5824G	118.74	Inf	-Inf	111.39	3	Vertical	105	2.26	-	33.90	5.58	32.13
AV	5.5824G	107.00	Inf	-Inf	99.65	3	Vertical	105	2.26	-	33.90	5.58	32.13
PK	5.7512G	56.43	68.20	-11.77	49.18	3	Vertical	105	2.26	-	33.80	5.60	32.15

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_Z_4TX
Setting 25
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4232G	56.27	74.00	-17.73	49.13	3	Horizontal	194	2.41	-	33.85	5.42	32.13
PK	5.464G	55.62	68.20	-12.58	48.39	3	Horizontal	194	2.41	-	33.90	5.46	32.13
AV	5.4592G	44.34	54.00	-9.66	37.11	3	Horizontal	194	2.41	-	33.90	5.46	32.13
PK	5.5816G	122.60	Inf	-Inf	115.25	3	Horizontal	194	2.41	-	33.90	5.58	32.13
AV	5.5816G	111.09	Inf	-Inf	103.74	3	Horizontal	194	2.41	-	33.90	5.58	32.13
PK	5.7544G	57.41	68.20	-10.79	50.17	3	Horizontal	194	2.41	-	33.79	5.60	32.15

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Z_4TX
Setting 25
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15866G	54.20	74.00	-19.80	41.03	3	Vertical	26	1.22	-	38.66	7.76	33.25
AV	11.15804G	40.37	54.00	-13.63	27.20	3	Vertical	26	1.22	-	38.66	7.76	33.25
PK	16.73912G	62.72	68.20	-5.48	45.71	3	Vertical	348	1.76	-	39.93	10.37	33.29

802.11ac VHT20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Z_4TX
Setting 25
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1578G	54.35	74.00	-19.65	41.18	3	Horizontal	217	2.52	-	38.66	7.76	33.25
AV	11.15848G	40.33	54.00	-13.67	27.16	3	Horizontal	217	2.52	-	38.66	7.76	33.25
PK	16.74528G	68.19	68.20	-0.01	51.15	3	Horizontal	309	1.79	-	39.97	10.37	33.30

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Z_4TX
Setting 20
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6936G	113.91	Inf	-Inf	106.74	3	Vertical	86	2.92	-	33.71	5.60	32.14
AV	5.693G	102.85	Inf	-Inf	95.68	3	Vertical	86	2.92	-	33.71	5.60	32.14
PK	5.7296G	61.31	68.20	-6.89	54.09	3	Vertical	86	2.92	-	33.76	5.60	32.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Z_4TX
Setting 20
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7024G	120.24	Inf	-Inf	113.08	3	Horizontal	166	2.30	-	33.70	5.60	32.14
AV	5.7028G	108.32	Inf	-Inf	101.15	3	Horizontal	166	2.30	-	33.71	5.60	32.14
PK	5.7256G	67.04	68.20	-1.16	59.83	3	Horizontal	166	2.30	-	33.75	5.60	32.14

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT_Z_4TX
Setting 20
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40322G	52.36	74.00	-21.64	38.92	3	Vertical	19	2.12	-	38.81	7.86	33.23
AV	11.395G	38.78	54.00	-15.22	25.36	3	Vertical	19	2.12	-	38.79	7.86	33.23
PK	17.1022G	56.43	68.20	-11.77	37.98	3	Vertical	269	1.33	-	41.32	10.55	33.42

802.11ac VHT20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Z_4TX
Setting 20
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40214G	52.49	74.00	-21.51	39.06	3	Horizontal	202	2.90	-	38.80	7.86	33.23
AV	11.40134G	38.78	54.00	-15.22	25.35	3	Horizontal	202	2.90	-	38.80	7.86	33.23
PK	17.09698G	57.38	68.20	-10.82	38.96	3	Horizontal	5	1.86	-	41.30	10.55	33.43

802.11ac VHT20_Nss1,(MCS0)_4TX


5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Z_4TX
Setting 20
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7248G	112.12	Inf	-Inf	104.91	3	Vertical	105	2.27	-	33.75	5.60	32.14
AV	5.7232G	101.24	Inf	-Inf	94.03	3	Vertical	105	2.27	-	33.75	5.60	32.14
PK	5.8984G	56.69	68.20	-11.51	49.15	3	Vertical	105	2.27	-	33.99	5.70	32.15

802.11ac VHT20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_4TX
 Setting 20
 02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.728G	118.02	Inf	-Inf	110.80	3	Horizontal	8	1.40	-	33.76	5.60	32.14
AV	5.7272G	106.47	Inf	-Inf	99.26	3	Horizontal	8	1.40	-	33.75	5.60	32.14
PK	5.9128G	56.67	68.20	-11.53	49.08	3	Horizontal	8	1.40	-	34.03	5.71	32.15

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 20
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43568G	55.89	74.00	-18.11	42.38	3	Vertical	325	1.78	-	38.87	7.87	33.23
AV	11.43728G	42.47	54.00	-11.53	28.96	3	Vertical	325	1.78	-	38.87	7.87	33.23
PK	17.14584G	59.74	68.20	-8.46	40.92	3	Vertical	331	2.32	-	41.62	10.57	33.37

802.11ac VHT20_Nss1,(MCS0)_4TX

5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 20
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43656G	54.62	74.00	-19.38	41.11	3	Horizontal	14	2.11	-	38.87	7.87	33.23
AV	11.43736G	40.57	54.00	-13.43	27.06	3	Horizontal	14	2.11	-	38.87	7.87	33.23
PK	17.14888G	67.31	68.20	-0.89	48.47	3	Horizontal	320	2.94	-	41.64	10.57	33.37

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Z_4TX
Setting 20.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.594G	58.08	68.20	-10.12	50.73	3	Vertical	105	2.24	-	33.90	5.59	32.14
PK	5.749G	113.22	Inf	-Inf	105.96	3	Vertical	105	2.24	-	33.80	5.60	32.14
AV	5.748G	102.19	Inf	-Inf	94.93	3	Vertical	105	2.24	-	33.80	5.60	32.14
PK	5.962G	56.98	68.20	-11.22	49.28	3	Vertical	105	2.24	-	34.10	5.76	32.16

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Z_4TX
Setting 20.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.549G	56.48	68.20	-11.72	49.16	3	Horizontal	9	1.49	-	33.90	5.55	32.13
PK	5.753G	119.43	Inf	-Inf	112.19	3	Horizontal	9	1.49	-	33.79	5.60	32.15
AV	5.752G	107.59	Inf	-Inf	100.34	3	Horizontal	9	1.49	-	33.80	5.60	32.15
PK	5.949G	56.70	68.20	-11.50	49.01	3	Horizontal	9	1.49	-	34.10	5.75	32.16

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Z_4TX
Setting 20.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48772G	53.42	74.00	-20.58	39.76	3	Vertical	86	2.28	-	38.98	7.90	33.22
AV	11.48688G	40.10	54.00	-13.90	26.46	3	Vertical	86	2.28	-	38.97	7.89	33.22
PK	17.23636G	62.29	68.20	-5.91	42.83	3	Vertical	34	2.15	-	42.11	10.62	33.27

802.11ac VHT20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Z_4TX
Setting 20.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.48734G	54.21	74.00	-19.79	40.57	3	Horizontal	48	1.35	-	38.97	7.89	33.22
AV	11.4871G	40.05	54.00	-13.95	26.41	3	Horizontal	48	1.35	-	38.97	7.89	33.22
PK	17.24548G	67.26	68.20	-0.94	47.76	3	Horizontal	319	2.94	-	42.14	10.62	33.26

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.579G	56.49	68.20	-11.71	49.14	3	Vertical	103	1.80	-	33.90	5.58	32.13
PK	5.793G	115.32	Inf	-Inf	108.16	3	Vertical	103	1.80	-	33.71	5.60	32.15
AV	5.792G	103.97	Inf	-Inf	96.80	3	Vertical	103	1.80	-	33.72	5.60	32.15
PK	5.94G	56.82	68.20	-11.38	49.16	3	Vertical	103	1.80	-	34.08	5.74	32.16

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.616G	56.96	68.20	-11.24	49.63	3	Horizontal	5	1.54	-	33.87	5.60	32.14
PK	5.792G	121.31	Inf	-Inf	114.14	3	Horizontal	5	1.54	-	33.72	5.60	32.15
AV	5.793G	110.19	Inf	-Inf	103.03	3	Horizontal	5	1.54	-	33.71	5.60	32.15
PK	6.014G	57.57	68.20	-10.63	49.77	3	Horizontal	5	1.54	-	34.16	5.80	32.16

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57374G	52.22	74.00	-21.78	38.31	3	Vertical	102	1.43	-	39.22	7.93	33.24
AV	11.56662G	38.28	54.00	-15.72	24.39	3	Vertical	102	1.43	-	39.20	7.93	33.24
PK	17.34532G	61.58	68.20	-6.62	41.40	3	Vertical	155	1.10	-	42.66	10.67	33.15

802.11ac VHT20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT_Z_4TX
Setting 23
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5731G	51.78	74.00	-22.22	37.87	3	Horizontal	39	1.98	-	39.22	7.93	33.24
AV	11.56538G	38.19	54.00	-15.81	24.30	3	Horizontal	39	1.98	-	39.20	7.93	33.24
PK	17.36692G	68.19	68.20	-0.01	47.79	3	Horizontal	308	1.69	-	42.84	10.68	33.12

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.631G	56.50	68.20	-11.70	49.20	3	Vertical	104	1.80	-	33.84	5.60	32.14
PK	5.832G	116.93	Inf	-Inf	109.69	3	Vertical	104	1.80	-	33.76	5.63	32.15
AV	5.831G	104.29	Inf	-Inf	97.05	3	Vertical	104	1.80	-	33.76	5.63	32.15
PK	5.923G	64.05	69.68	-5.63	56.44	3	Vertical	104	1.80	-	34.05	5.72	32.16

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.619G	56.46	68.20	-11.74	49.14	3	Horizontal	7	1.52	-	33.86	5.60	32.14
PK	5.832G	123.41	Inf	-Inf	116.17	3	Horizontal	7	1.52	-	33.76	5.63	32.15
AV	5.833G	110.35	Inf	-Inf	103.10	3	Horizontal	7	1.52	-	33.77	5.63	32.15
PK	5.932G	65.99	68.20	-2.21	58.36	3	Horizontal	7	1.52	-	34.06	5.73	32.16

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT_Z_4TX
Setting 23
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64862G	57.50	74.00	-16.50	43.45	3	Vertical	196	2.94	-	39.35	7.96	33.26
AV	11.6488G	43.30	54.00	-10.70	29.25	3	Vertical	196	2.94	-	39.35	7.96	33.26
PK	17.46772G	61.26	68.20	-6.94	39.97	3	Vertical	292	2.49	-	43.57	10.73	33.01

802.11ac VHT20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64756G	57.12	74.00	-16.88	43.07	3	Horizontal	4	1.39	-	39.35	7.96	33.26
AV	11.64772G	43.30	54.00	-10.70	29.25	3	Horizontal	4	1.39	-	39.35	7.96	33.26
PK	17.46724G	67.78	68.20	-0.42	46.49	3	Horizontal	309	1.69	-	43.57	10.73	33.01

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Z_4TX
Setting 19
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	58.31	74.00	-15.69	51.72	3	Vertical	103	2.84	-	33.50	5.24	32.15
AV	5.15G	47.28	54.00	-6.72	40.68	3	Vertical	103	2.84	-	33.50	5.25	32.15
PK	5.1996G	110.47	Inf	-Inf	103.82	3	Vertical	103	2.84	-	33.50	5.30	32.15
AV	5.1988G	100.32	Inf	-Inf	93.67	3	Vertical	103	2.84	-	33.50	5.30	32.15

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Z_4TX
Setting 19
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	63.43	74.00	-10.57	56.83	3	Horizontal	179	2.22	-	33.50	5.25	32.15
AV	5.15G	51.11	54.00	-2.89	44.51	3	Horizontal	179	2.22	-	33.50	5.25	32.15
PK	5.1944G	115.91	Inf	-Inf	109.27	3	Horizontal	179	2.22	-	33.50	5.29	32.15
AV	5.1936G	105.04	Inf	-Inf	98.40	3	Horizontal	179	2.22	-	33.50	5.29	32.15

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT_Z_4TX
Setting 19
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.57236G	51.81	74.00	-22.19	37.56	3	Vertical	103	1.85	-	37.68	9.81	33.24
AV	15.5688G	39.03	54.00	-14.97	24.76	3	Vertical	103	1.85	-	37.69	9.81	33.23

802.11ac VHT40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Z_4TX
Setting 19
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56758G	52.09	74.00	-21.91	37.81	3	Horizontal	360	1.94	-	37.70	9.81	33.23
AV	15.5714G	39.08	54.00	-14.92	24.81	3	Horizontal	360	1.94	-	37.69	9.81	33.23

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 22.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1466G	66.02	74.00	-7.98	59.42	3	Vertical	88	2.94	-	33.50	5.25	32.15
AV	5.146G	52.88	54.00	-1.12	46.28	3	Vertical	88	2.94	-	33.50	5.25	32.15
PK	5.2246G	115.36	Inf	-Inf	108.65	3	Vertical	88	2.94	-	33.55	5.31	32.15
AV	5.2252G	104.24	Inf	-Inf	97.53	3	Vertical	88	2.94	-	33.55	5.31	32.15
PK	5.3668G	57.82	74.00	-16.18	50.85	3	Vertical	88	2.94	-	33.73	5.38	32.14
AV	5.35G	45.27	54.00	-8.73	38.33	3	Vertical	88	2.94	-	33.70	5.38	32.14

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_Z_4TX
Setting 22.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	66.18	74.00	-7.82	59.60	3	Horizontal	181	1.99	-	33.50	5.23	32.15
AV	5.1352G	51.84	54.00	-2.16	45.25	3	Horizontal	181	1.99	-	33.50	5.24	32.15
PK	5.2354G	118.82	Inf	-Inf	112.08	3	Horizontal	181	1.99	-	33.57	5.32	32.15
AV	5.2354G	108.40	Inf	-Inf	101.66	3	Horizontal	181	1.99	-	33.57	5.32	32.15
PK	5.3572G	60.16	74.00	-13.84	53.21	3	Horizontal	181	1.99	-	33.71	5.38	32.14
AV	5.3572G	47.27	54.00	-6.73	40.32	3	Horizontal	181	1.99	-	33.71	5.38	32.14

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Z_4TX
Setting 22.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.69408G	57.17	74.00	-16.83	43.28	3	Vertical	217	1.19	-	37.41	9.86	33.38
AV	15.69352G	44.98	54.00	-9.02	31.09	3	Vertical	217	1.19	-	37.41	9.86	33.38

802.11ac VHT40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Z_4TX
Setting 22.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6936G	56.63	74.00	-17.37	42.74	3	Horizontal	344	1.12	-	37.41	9.86	33.38
AV	15.69376G	46.90	54.00	-7.10	33.01	3	Horizontal	344	1.12	-	37.41	9.86	33.38

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Z_4TX
Setting 21.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	56.83	74.00	-17.17	50.24	3	Vertical	89	2.90	-	33.50	5.24	32.15
AV	5.1458G	44.62	54.00	-9.38	38.02	3	Vertical	89	2.90	-	33.50	5.25	32.15
PK	5.2646G	115.59	Inf	-Inf	108.77	3	Vertical	89	2.90	-	33.63	5.33	32.14
AV	5.2658G	104.50	Inf	-Inf	97.68	3	Vertical	89	2.90	-	33.63	5.33	32.14
PK	5.35G	61.61	74.00	-12.39	54.67	3	Vertical	89	2.90	-	33.70	5.38	32.14
AV	5.35G	49.18	54.00	-4.82	42.24	3	Vertical	89	2.90	-	33.70	5.38	32.14

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_Z_4TX
Setting 21.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1386G	56.72	74.00	-17.28	50.13	3	Horizontal	179	2.06	-	33.50	5.24	32.15
AV	5.1362G	44.68	54.00	-9.32	38.09	3	Horizontal	179	2.06	-	33.50	5.24	32.15
PK	5.2754G	118.82	Inf	-Inf	111.97	3	Horizontal	179	2.06	-	33.65	5.34	32.14
AV	5.2754G	108.57	Inf	-Inf	101.72	3	Horizontal	179	2.06	-	33.65	5.34	32.14
PK	5.3546G	66.15	74.00	-7.85	59.20	3	Horizontal	179	2.06	-	33.71	5.38	32.14
AV	5.3564G	53.36	54.00	-0.64	46.41	3	Horizontal	179	2.06	-	33.71	5.38	32.14

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Z_4TX
Setting 21.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81504G	58.13	74.00	-15.87	44.31	3	Vertical	262	1.52	-	37.42	9.92	33.52
AV	15.81608G	44.27	54.00	-9.73	30.45	3	Vertical	262	1.52	-	37.42	9.92	33.52

802.11ac VHT40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Z_4TX
Setting 21.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8144G	58.14	74.00	-15.86	44.33	3	Horizontal	81	2.94	-	37.41	9.92	33.52
AV	15.8152G	46.23	54.00	-7.77	32.41	3	Horizontal	81	2.94	-	37.42	9.92	33.52

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Z_4TX
Setting 17.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3084G	107.16	Inf	-Inf	100.25	3	Vertical	118	1.96	-	33.70	5.35	32.14
AV	5.3084G	97.92	Inf	-Inf	91.01	3	Vertical	118	1.96	-	33.70	5.35	32.14
PK	5.3508G	57.98	74.00	-16.02	51.04	3	Vertical	118	1.96	-	33.70	5.38	32.14
AV	5.35G	45.95	54.00	-8.05	39.01	3	Vertical	118	1.96	-	33.70	5.38	32.14

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Z_4TX
Setting 17.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3116G	114.15	Inf	-Inf	107.23	3	Horizontal	177	2.16	-	33.70	5.36	32.14
AV	5.3132G	104.07	Inf	-Inf	97.15	3	Horizontal	177	2.16	-	33.70	5.36	32.14
PK	5.35G	66.54	74.00	-7.46	59.61	3	Horizontal	177	2.16	-	33.70	5.37	32.14
AV	5.3516G	53.52	54.00	-0.48	46.58	3	Horizontal	177	2.16	-	33.70	5.38	32.14

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Z_4TX
Setting 17.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92932G	51.70	74.00	-22.30	37.92	3	Vertical	259	1.01	-	37.47	9.97	33.66
AV	15.93062G	38.59	54.00	-15.41	24.81	3	Vertical	259	1.01	-	37.47	9.97	33.66

802.11ac VHT40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Z_4TX
Setting 17.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93436G	51.82	74.00	-22.18	38.04	3	Horizontal	174	1.33	-	37.47	9.97	33.66
AV	15.92954G	38.44	54.00	-15.56	24.66	3	Horizontal	174	1.33	-	37.47	9.97	33.66

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 19
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	57.51	74.00	-16.49	50.29	3	Vertical	101	2.20	-	33.90	5.45	32.13
AV	5.4536G	45.34	54.00	-8.66	38.12	3	Vertical	101	2.20	-	33.90	5.45	32.13
PK	5.47G	59.48	68.20	-8.72	52.24	3	Vertical	101	2.20	-	33.90	5.47	32.13
PK	5.5144G	109.40	Inf	-Inf	102.12	3	Vertical	101	2.20	-	33.90	5.51	32.13
AV	5.5132G	99.57	Inf	-Inf	92.29	3	Vertical	101	2.20	-	33.90	5.51	32.13

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Z_4TX
Setting 19
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	61.04	74.00	-12.96	53.82	3	Horizontal	182	2.36	-	33.90	5.45	32.13
AV	5.4524G	48.95	54.00	-5.05	41.73	3	Horizontal	182	2.36	-	33.90	5.45	32.13
PK	5.47G	67.15	68.20	-1.05	59.91	3	Horizontal	182	2.36	-	33.90	5.47	32.13
PK	5.5144G	114.56	Inf	-Inf	107.28	3	Horizontal	182	2.36	-	33.90	5.51	32.13
AV	5.5144G	103.98	Inf	-Inf	96.70	3	Horizontal	182	2.36	-	33.90	5.51	32.13

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 19
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02006G	51.01	74.00	-22.99	38.05	3	Vertical	301	2.49	-	38.52	7.71	33.27
AV	11.01716G	37.59	54.00	-16.41	24.63	3	Vertical	301	2.49	-	38.52	7.71	33.27
PK	16.53254G	55.63	68.20	-12.57	39.47	3	Vertical	23	2.35	-	38.99	10.27	33.10

802.11ac VHT40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_Z_4TX
Setting 19
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0154G	51.09	74.00	-22.91	38.13	3	Horizontal	107	2.00	-	38.52	7.71	33.27
AV	11.01592G	37.80	54.00	-16.20	24.84	3	Horizontal	107	2.00	-	38.52	7.71	33.27
PK	16.53338G	53.97	68.20	-14.23	37.80	3	Horizontal	84	2.87	-	39.00	10.27	33.10

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 22.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4546G	58.59	74.00	-15.41	51.37	3	Vertical	101	1.86	-	33.90	5.45	32.13
AV	5.4558G	46.68	54.00	-7.32	39.45	3	Vertical	101	1.86	-	33.90	5.46	32.13
PK	5.4648G	60.24	68.20	-7.96	53.01	3	Vertical	101	1.86	-	33.90	5.46	32.13
PK	5.554G	113.20	Inf	-Inf	105.87	3	Vertical	101	1.86	-	33.90	5.56	32.13
AV	5.5548G	103.14	Inf	-Inf	95.82	3	Vertical	101	1.86	-	33.90	5.55	32.13

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_Z_4TX
Setting 22.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4528G	61.81	74.00	-12.19	54.59	3	Horizontal	181	2.43	-	33.90	5.45	32.13
AV	5.4528G	49.37	54.00	-4.63	42.15	3	Horizontal	181	2.43	-	33.90	5.45	32.13
PK	5.47G	66.65	68.20	-1.55	59.41	3	Horizontal	181	2.43	-	33.90	5.47	32.13
PK	5.5548G	117.43	Inf	-Inf	110.11	3	Horizontal	181	2.43	-	33.90	5.55	32.13
AV	5.553G	107.45	Inf	-Inf	100.13	3	Horizontal	181	2.43	-	33.90	5.55	32.13

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Z_4TX
Setting 22.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09978G	51.73	74.00	-22.27	38.65	3	Vertical	303	2.57	-	38.60	7.74	33.26
AV	11.1001G	38.91	54.00	-15.09	25.83	3	Vertical	303	2.57	-	38.60	7.74	33.26
PK	16.65352G	60.16	68.20	-8.04	43.39	3	Vertical	251	1.40	-	39.65	10.33	33.21

802.11ac VHT40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Z_4TX
Setting 22.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09974G	51.68	74.00	-22.32	38.60	3	Horizontal	158	1.54	-	38.60	7.74	33.26
AV	11.09998G	38.97	54.00	-15.03	25.89	3	Horizontal	158	1.54	-	38.60	7.74	33.26
PK	16.65328G	60.86	68.20	-7.34	44.09	3	Horizontal	308	1.95	-	39.65	10.33	33.21

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Z_4TX
Setting 21
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6728G	112.01	Inf	-Inf	104.80	3	Vertical	100	2.19	-	33.75	5.60	32.14
AV	5.672G	102.40	Inf	-Inf	95.18	3	Vertical	100	2.19	-	33.76	5.60	32.14
PK	5.7332G	60.76	68.20	-7.44	53.53	3	Vertical	100	2.19	-	33.77	5.60	32.14

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Z_4TX
Setting 21
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.672G	115.88	Inf	-Inf	108.66	3	Horizontal	182	2.27	-	33.76	5.60	32.14
AV	5.6732G	105.95	Inf	-Inf	98.74	3	Horizontal	182	2.27	-	33.75	5.60	32.14
PK	5.7316G	64.91	68.20	-3.29	57.69	3	Horizontal	182	2.27	-	33.76	5.60	32.14

802.11ac VHT40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Z_4TX
Setting 21
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33676G	52.29	74.00	-21.71	38.96	3	Vertical	32	2.33	-	38.74	7.83	33.24
AV	11.33582G	39.21	54.00	-14.79	25.88	3	Vertical	32	2.33	-	38.74	7.83	33.24
PK	17.01872G	61.98	68.20	-6.22	43.77	3	Vertical	155	2.07	-	41.22	10.51	33.52

802.11ac VHT40_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



EUT Z_4TX
Setting 21
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33676G	52.45	74.00	-21.55	39.12	3	Horizontal	21	2.27	-	38.74	7.83	33.24
AV	11.33612G	39.20	54.00	-14.80	25.87	3	Horizontal	21	2.27	-	38.74	7.83	33.24
PK	17.0164G	63.83	68.20	-4.37	45.62	3	Horizontal	310	1.96	-	41.22	10.51	33.52

802.11ac VHT40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
 Setting 23
 02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7148G	114.48	Inf	-Inf	107.29	3	Vertical	101	1.76	-	33.73	5.60	32.14
AV	5.7156G	104.31	Inf	-Inf	97.12	3	Vertical	101	1.76	-	33.73	5.60	32.14
PK	5.8572G	58.61	68.20	-9.59	51.27	3	Vertical	101	1.76	-	33.83	5.66	32.15

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7172G	119.00	Inf	-Inf	111.81	3	Horizontal	7	1.42	-	33.73	5.60	32.14
AV	5.718G	108.84	Inf	-Inf	101.64	3	Horizontal	7	1.42	-	33.74	5.60	32.14
PK	5.862G	62.96	68.20	-5.24	55.60	3	Horizontal	7	1.42	-	33.85	5.66	32.15

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 23
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41944G	53.16	74.00	-20.84	39.68	3	Vertical	164	2.07	-	38.84	7.87	33.23
AV	11.42008G	40.46	54.00	-13.54	26.98	3	Vertical	164	2.07	-	38.84	7.87	33.23
PK	17.14G	63.64	68.20	-4.56	44.87	3	Vertical	4	2.11	-	41.58	10.57	33.38

802.11ac VHT40_Nss1,(MCS0)_4TX

5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41896G	53.00	74.00	-21.00	39.52	3	Horizontal	222	2.52	-	38.84	7.87	33.23
AV	11.42008G	40.40	54.00	-13.60	26.92	3	Horizontal	222	2.52	-	38.84	7.87	33.23
PK	17.13928G	67.91	68.20	-0.29	49.15	3	Horizontal	310	1.97	-	41.57	10.57	33.38

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	59.10	68.20	-9.10	51.84	3	Vertical	107	2.34	-	33.80	5.60	32.14
PK	5.76G	112.64	Inf	-Inf	105.41	3	Vertical	107	2.34	-	33.78	5.60	32.15
AV	5.759G	102.81	Inf	-Inf	95.58	3	Vertical	107	2.34	-	33.78	5.60	32.15
PK	5.927G	57.61	68.20	-10.59	49.99	3	Vertical	107	2.34	-	34.05	5.73	32.16

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	63.91	68.20	-4.29	56.65	3	Horizontal	7	1.32	-	33.80	5.60	32.14
PK	5.764G	118.85	Inf	-Inf	111.63	3	Horizontal	7	1.32	-	33.77	5.60	32.15
AV	5.764G	108.21	Inf	-Inf	100.99	3	Horizontal	7	1.32	-	33.77	5.60	32.15
PK	5.956G	57.31	68.20	-10.89	49.61	3	Horizontal	7	1.32	-	34.10	5.76	32.16

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT_Z_4TX
Setting 23
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5104G	52.78	74.00	-21.22	39.07	3	Vertical	331	2.81	-	39.03	7.90	33.22
AV	11.50992G	40.05	54.00	-13.95	26.34	3	Vertical	331	2.81	-	39.03	7.90	33.22
PK	17.263G	61.98	68.20	-6.22	42.40	3	Vertical	323	2.44	-	42.19	10.63	33.24

802.11ac VHT40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5132G	52.67	74.00	-21.33	38.94	3	Horizontal	54	2.81	-	39.04	7.91	33.22
AV	11.51016G	39.85	54.00	-14.15	26.14	3	Horizontal	54	2.81	-	39.03	7.90	33.22
PK	17.25516G	66.88	68.20	-1.32	47.33	3	Horizontal	308	1.97	-	42.17	10.63	33.25

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.646G	58.35	68.20	-9.85	51.08	3	Vertical	104	1.82	-	33.81	5.60	32.14
PK	5.802G	113.70	Inf	-Inf	106.55	3	Vertical	104	1.82	-	33.70	5.60	32.15
AV	5.801G	102.32	Inf	-Inf	95.17	3	Vertical	104	1.82	-	33.70	5.60	32.15
PK	5.936G	60.57	68.20	-7.63	52.92	3	Vertical	104	1.82	-	34.07	5.74	32.16

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	60.11	68.20	-8.09	52.83	3	Horizontal	5	1.52	-	33.82	5.60	32.14
PK	5.802G	119.16	Inf	-Inf	112.01	3	Horizontal	5	1.52	-	33.70	5.60	32.15
AV	5.803G	108.20	Inf	-Inf	101.04	3	Horizontal	5	1.52	-	33.71	5.60	32.15
PK	5.928G	64.14	68.20	-4.06	56.51	3	Horizontal	5	1.52	-	34.06	5.73	32.16

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59496G	54.12	74.00	-19.88	40.14	3	Vertical	327	1.80	-	39.28	7.94	33.24
AV	11.59416G	41.33	54.00	-12.67	27.35	3	Vertical	327	1.80	-	39.28	7.94	33.24
PK	17.38308G	62.93	68.20	-5.27	42.38	3	Vertical	323	2.44	-	42.96	10.69	33.10

802.11ac VHT40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Z_4TX
Setting 23
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59648G	52.44	74.00	-21.56	38.46	3	Horizontal	251	1.95	-	39.29	7.94	33.25
AV	11.59544G	40.21	54.00	-13.79	26.22	3	Horizontal	251	1.95	-	39.29	7.94	33.24
PK	17.37636G	66.75	68.20	-1.45	46.26	3	Horizontal	306	1.96	-	42.91	10.69	33.11

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 16.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.127G	61.34	74.00	-12.66	54.76	3	Vertical	88	2.84	-	33.50	5.23	32.15
AV	5.127G	49.42	54.00	-4.58	42.84	3	Vertical	88	2.84	-	33.50	5.23	32.15
PK	5.226G	106.54	Inf	-Inf	99.83	3	Vertical	88	2.84	-	33.55	5.31	32.15
AV	5.226G	95.82	Inf	-Inf	89.11	3	Vertical	88	2.84	-	33.55	5.31	32.15
PK	5.441G	56.42	74.00	-17.58	49.23	3	Vertical	88	2.84	-	33.88	5.44	32.13
AV	5.35G	44.94	54.00	-9.06	38.00	3	Vertical	88	2.84	-	33.70	5.38	32.14

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_Z_4TX
Setting 16.5
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.131G	65.96	74.00	-8.04	59.38	3	Horizontal	170	2.22	-	33.50	5.23	32.15
AV	5.132G	53.96	54.00	-0.04	47.38	3	Horizontal	170	2.22	-	33.50	5.23	32.15
PK	5.234G	109.64	Inf	-Inf	102.90	3	Horizontal	170	2.22	-	33.57	5.32	32.15
AV	5.214G	99.21	Inf	-Inf	92.52	3	Horizontal	170	2.22	-	33.53	5.31	32.15
PK	5.355G	57.39	74.00	-16.61	50.44	3	Horizontal	170	2.22	-	33.71	5.38	32.14
AV	5.355G	46.01	54.00	-7.99	39.06	3	Horizontal	170	2.22	-	33.71	5.38	32.14

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Z_4TX
Setting 16.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.63048G	52.24	74.00	-21.76	38.17	3	Vertical	239	2.26	-	37.54	9.83	33.30
AV	15.62698G	38.73	54.00	-15.27	24.65	3	Vertical	239	2.26	-	37.55	9.83	33.30

802.11ac VHT80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Z_4TX
Setting 16.5
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62636G	52.72	74.00	-21.28	38.64	3	Horizontal	278	2.26	-	37.55	9.83	33.30
AV	15.62918G	38.78	54.00	-15.22	24.71	3	Horizontal	278	2.26	-	37.54	9.83	33.30

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 15
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.129G	56.32	74.00	-17.68	49.74	3	Vertical	88	2.89	-	33.50	5.23	32.15
AV	5.147G	44.16	54.00	-9.84	37.56	3	Vertical	88	2.89	-	33.50	5.25	32.15
PK	5.284G	105.78	Inf	-Inf	98.91	3	Vertical	88	2.89	-	33.67	5.34	32.14
AV	5.303G	94.95	Inf	-Inf	88.04	3	Vertical	88	2.89	-	33.70	5.35	32.14
PK	5.366G	61.12	74.00	-12.88	54.15	3	Vertical	88	2.89	-	33.73	5.38	32.14
AV	5.365G	48.64	54.00	-5.36	41.67	3	Vertical	88	2.89	-	33.73	5.38	32.14
PK	5.482G	56.05	68.20	-12.15	48.80	3	Vertical	88	2.89	-	33.90	5.48	32.13

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 15
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.137G	56.42	74.00	-17.58	49.83	3	Horizontal	175	2.28	-	33.50	5.24	32.15
AV	5.149G	44.97	54.00	-9.03	38.37	3	Horizontal	175	2.28	-	33.50	5.25	32.15
PK	5.27G	108.81	Inf	-Inf	101.98	3	Horizontal	175	2.28	-	33.64	5.33	32.14
AV	5.292G	98.23	Inf	-Inf	91.34	3	Horizontal	175	2.28	-	33.68	5.35	32.14
PK	5.371G	65.33	74.00	-8.67	58.34	3	Horizontal	175	2.28	-	33.74	5.39	32.14
AV	5.353G	53.66	54.00	-0.34	46.71	3	Horizontal	175	2.28	-	33.71	5.38	32.14
PK	5.492G	57.23	68.20	-10.97	49.97	3	Horizontal	175	2.28	-	33.90	5.49	32.13

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 15
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86504G	51.81	74.00	-22.19	37.98	3	Vertical	170	2.31	-	37.47	9.94	33.58
AV	15.87408G	38.60	54.00	-15.40	24.78	3	Vertical	170	2.31	-	37.47	9.94	33.59

802.11ac VHT80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_Z_4TX
Setting 15
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87284G	52.05	74.00	-21.95	38.23	3	Horizontal	360	2.21	-	37.47	9.94	33.59
AV	15.87122G	38.53	54.00	-15.47	24.71	3	Horizontal	360	2.21	-	37.47	9.94	33.59

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 17
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.292G	56.00	68.20	-12.20	49.11	3	Vertical	96	2.18	-	33.68	5.35	32.14
PK	5.444G	58.91	74.00	-15.09	51.71	3	Vertical	96	2.18	-	33.89	5.44	32.13
PK	5.461G	59.90	68.20	-8.30	52.67	3	Vertical	96	2.18	-	33.90	5.46	32.13
AV	5.46G	48.05	54.00	-5.95	40.82	3	Vertical	96	2.18	-	33.90	5.46	32.13
PK	5.531G	104.02	Inf	-Inf	96.72	3	Vertical	96	2.18	-	33.90	5.53	32.13
AV	5.533G	94.08	Inf	-Inf	86.78	3	Vertical	96	2.18	-	33.90	5.53	32.13
PK	5.773G	56.48	68.20	-11.72	49.28	3	Vertical	96	2.18	-	33.75	5.60	32.15

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Z_4TX
Setting 17
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.329G	56.58	68.20	-11.62	49.66	3	Horizontal	195	2.33	-	33.70	5.36	32.14
PK	5.453G	66.53	74.00	-7.47	59.31	3	Horizontal	195	2.33	-	33.90	5.45	32.13
AV	5.454G	53.62	54.00	-0.38	46.40	3	Horizontal	195	2.33	-	33.90	5.45	32.13
PK	5.47G	63.01	68.20	-5.19	55.77	3	Horizontal	195	2.33	-	33.90	5.47	32.13
PK	5.534G	108.73	Inf	-Inf	101.43	3	Horizontal	195	2.33	-	33.90	5.53	32.13
AV	5.554G	98.78	Inf	-Inf	91.46	3	Horizontal	195	2.33	-	33.90	5.55	32.13
PK	5.736G	57.06	68.20	-11.14	49.83	3	Horizontal	195	2.33	-	33.77	5.60	32.14

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Z_4TX
Setting 17
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05512G	50.48	74.00	-23.52	37.46	3	Vertical	224	1.57	-	38.56	7.72	33.26
AV	11.061G	37.23	54.00	-16.77	24.21	3	Vertical	224	1.57	-	38.56	7.72	33.26
PK	16.58508G	54.66	68.20	-13.54	38.05	3	Vertical	283	1.83	-	39.47	10.29	33.15

802.11ac VHT80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_Z_4TX
Setting 17
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06192G	50.59	74.00	-23.41	37.57	3	Horizontal	4	2.51	-	38.56	7.72	33.26
AV	11.06442G	37.38	54.00	-16.62	24.35	3	Horizontal	4	2.51	-	38.56	7.73	33.26
PK	16.59252G	54.85	68.20	-13.35	38.18	3	Horizontal	242	2.80	-	39.53	10.30	33.16

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 19
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.457G	56.31	74.00	-17.69	49.08	3	Vertical	138	1.97	-	33.90	5.46	32.13
AV	5.453G	44.59	54.00	-9.41	37.37	3	Vertical	138	1.97	-	33.90	5.45	32.13
PK	5.467G	58.12	68.20	-10.08	50.88	3	Vertical	138	1.97	-	33.90	5.47	32.13
PK	5.604G	105.09	Inf	-Inf	97.74	3	Vertical	138	1.97	-	33.89	5.60	32.14
AV	5.605G	95.07	Inf	-Inf	87.72	3	Vertical	138	1.97	-	33.89	5.60	32.14
PK	5.737G	59.06	68.20	-9.14	51.83	3	Vertical	138	1.97	-	33.77	5.60	32.14

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT_Z_4TX
Setting 19
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.449G	58.61	74.00	-15.39	51.39	3	Horizontal	200	2.36	-	33.90	5.45	32.13
AV	5.449G	46.87	54.00	-7.13	39.65	3	Horizontal	200	2.36	-	33.90	5.45	32.13
PK	5.47G	61.80	68.20	-6.40	54.56	3	Horizontal	200	2.36	-	33.90	5.47	32.13
PK	5.632G	111.49	Inf	-Inf	104.19	3	Horizontal	200	2.36	-	33.84	5.60	32.14
AV	5.632G	100.35	Inf	-Inf	93.05	3	Horizontal	200	2.36	-	33.84	5.60	32.14
PK	5.733G	63.43	68.20	-4.77	56.20	3	Horizontal	200	2.36	-	33.77	5.60	32.14

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Z_4TX
Setting 19
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21624G	52.60	74.00	-21.40	39.36	3	Vertical	222	2.66	-	38.70	7.79	33.25
AV	11.2201G	37.95	54.00	-16.05	24.71	3	Vertical	222	2.66	-	38.70	7.79	33.25
PK	16.83616G	55.93	68.20	-12.27	38.46	3	Vertical	1	1.50	-	40.44	10.42	33.39

802.11ac VHT80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Z_4TX
Setting 19
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22052G	50.94	74.00	-23.06	37.70	3	Horizontal	34	1.62	-	38.70	7.79	33.25
AV	11.215G	37.98	54.00	-16.02	24.74	3	Horizontal	34	1.62	-	38.70	7.79	33.25
PK	16.83496G	57.58	68.20	-10.62	40.10	3	Horizontal	310	1.81	-	40.44	10.42	33.38

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 21
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4356G	57.26	74.00	-16.74	50.08	3	Vertical	101	2.20	-	33.87	5.44	32.13
AV	5.4524G	45.02	54.00	-8.98	37.80	3	Vertical	101	2.20	-	33.90	5.45	32.13
PK	5.47G	58.41	68.20	-9.79	51.17	3	Vertical	101	2.20	-	33.90	5.47	32.13
PK	5.672G	107.38	Inf	-Inf	100.16	3	Vertical	101	2.20	-	33.76	5.60	32.14
AV	5.672G	98.01	Inf	-Inf	90.79	3	Vertical	101	2.20	-	33.76	5.60	32.14
PK	5.8664G	59.15	68.20	-9.05	51.76	3	Vertical	101	2.20	-	33.87	5.67	32.15

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_Z_4TX
Setting 21
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	59.30	74.00	-14.70	52.08	3	Horizontal	198	2.40	-	33.90	5.45	32.13
AV	5.45G	46.94	54.00	-7.06	39.72	3	Horizontal	198	2.40	-	33.90	5.45	32.13
PK	5.4699G	63.82	68.20	-4.38	56.58	3	Horizontal	198	2.40	-	33.90	5.47	32.13
PK	5.7116G	112.68	Inf	-Inf	105.50	3	Horizontal	198	2.40	-	33.72	5.60	32.14
AV	5.7128G	102.24	Inf	-Inf	95.05	3	Horizontal	198	2.40	-	33.73	5.60	32.14
PK	5.852G	67.75	68.20	-0.45	60.44	3	Horizontal	198	2.40	-	33.81	5.65	32.15

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_4TX
Setting 21
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37936G	52.19	74.00	-21.81	38.79	3	Vertical	48	1.07	-	38.78	7.85	33.23
AV	11.37972G	38.92	54.00	-15.08	25.52	3	Vertical	48	1.07	-	38.78	7.85	33.23
PK	17.07904G	59.50	68.20	-8.70	41.13	3	Vertical	15	1.12	-	41.28	10.54	33.45

802.11ac VHT80_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Z_4TX
Setting 21
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.38G	53.20	74.00	-20.80	39.80	3	Horizontal	187	1.95	-	38.78	7.85	33.23
AV	11.38006G	38.89	54.00	-15.11	25.49	3	Horizontal	187	1.95	-	38.78	7.85	33.23
PK	17.05712G	64.17	68.20	-4.03	45.85	3	Horizontal	310	1.99	-	41.26	10.53	33.47

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Z_4TX
Setting 19
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.64G	63.18	68.20	-5.02	55.90	3	Vertical	104	1.92	-	33.82	5.60	32.14
PK	5.782G	105.42	Inf	-Inf	98.23	3	Vertical	104	1.92	-	33.74	5.60	32.15
AV	5.781G	95.64	Inf	-Inf	88.45	3	Vertical	104	1.92	-	33.74	5.60	32.15
PK	5.927G	59.23	68.20	-8.97	51.61	3	Vertical	104	1.92	-	34.05	5.73	32.16

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Z_4TX
Setting 19
02-B-G-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	67.48	68.20	-0.72	60.21	3	Horizontal	4	2.25	-	33.81	5.60	32.14
PK	5.786G	111.83	Inf	-Inf	104.65	3	Horizontal	4	2.25	-	33.73	5.60	32.15
AV	5.787G	101.22	Inf	-Inf	94.04	3	Horizontal	4	2.25	-	33.73	5.60	32.15
PK	5.928G	62.31	68.20	-5.89	54.68	3	Horizontal	4	2.25	-	34.06	5.73	32.16

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Z_4TX
Setting 19
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55228G	51.44	74.00	-22.56	37.59	3	Vertical	46	2.96	-	39.16	7.92	33.23
AV	11.55082G	38.15	54.00	-15.85	24.31	3	Vertical	46	2.96	-	39.15	7.92	33.23
PK	17.3289G	57.61	68.20	-10.59	37.59	3	Vertical	148	1.01	-	42.53	10.66	33.17

802.11ac VHT80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom



EUT_Z_4TX
Setting 19
02-B-G-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54664G	52.55	74.00	-21.45	38.72	3	Horizontal	75	2.83	-	39.14	7.92	33.23
AV	11.55222G	38.38	54.00	-15.62	24.53	3	Horizontal	75	2.83	-	39.16	7.92	33.23
PK	17.32516G	58.87	68.20	-9.33	38.88	3	Horizontal	102	2.72	-	42.50	10.66	33.17