


5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUT\_Y\_2TX  
Setting 28  
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.633G	60.18	68.20	-8.02	54.86	3	Horizontal	203	1.80	-	33.03	7.76	35.47
PK	5.791G	122.13	Inf	-Inf	115.79	3	Horizontal	203	1.80	-	33.85	8.02	35.53
AV	5.786G	112.29	Inf	-Inf	105.99	3	Horizontal	203	1.80	-	33.82	8.01	35.53
PK	5.933G	62.24	68.20	-5.96	55.40	3	Horizontal	203	1.80	-	34.30	8.12	35.58

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUTY\_2TX  
Setting 14  
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57504G	64.94	74.00	-9.06	48.44	3	Vertical	132	1.56	-	38.70	10.88	33.08
AV	11.56988G	53.04	54.00	-0.96	36.51	3	Vertical	132	1.56	-	38.72	10.88	33.07
PK	17.3655G	61.39	68.20	-6.81	42.42	3	Vertical	237	2.39	-	39.03	13.06	33.12

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5785MHz\_TX




EUTY\_2TX  
Setting 14  
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56664G	61.89	74.00	-12.11	45.35	3	Horizontal	32	1.80	-	38.73	10.88	33.07
AV	11.57138G	48.42	54.00	-5.58	31.90	3	Horizontal	32	1.80	-	38.71	10.88	33.07
PK	17.35734G	61.41	68.20	-6.79	42.45	3	Horizontal	360	1.80	-	39.01	13.06	33.11

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Y\_2TX  
Setting 28  
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.634G	60.29	68.20	-7.91	54.96	3	Vertical	185	1.80	-	33.04	7.76	35.47
PK	5.825G	114.98	Inf	-Inf	108.47	3	Vertical	185	1.80	-	34.00	8.05	35.54
AV	5.831G	105.22	Inf	-Inf	98.70	3	Vertical	185	1.80	-	34.02	8.05	35.55
PK	6.042G	61.95	68.20	-6.25	55.03	3	Vertical	185	1.80	-	34.28	8.17	35.53

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Y\_2TX  
Setting 28  
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.627G	60.68	68.20	-7.52	55.39	3	Horizontal	210	1.41	-	33.01	7.75	35.47
PK	5.822G	124.26	Inf	-Inf	117.77	3	Horizontal	210	1.41	-	33.99	8.04	35.54
AV	5.822G	113.11	Inf	-Inf	106.62	3	Horizontal	210	1.41	-	33.99	8.04	35.54
PK	6.011G	62.59	68.20	-5.61	55.80	3	Horizontal	210	1.41	-	34.22	8.16	35.59

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUT\_Y\_2TX  
Setting 15  
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64658G	66.06	74.00	-7.94	49.78	3	Vertical	58	1.80	-	38.51	10.91	33.14
AV	11.65102G	53.02	54.00	-0.98	36.74	3	Vertical	58	1.80	-	38.50	10.92	33.14
PK	17.4867G	60.54	68.20	-7.66	41.57	3	Vertical	36	1.78	-	39.10	13.12	33.25

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_2TX

5825MHz\_TX




EUTY\_2TX  
Setting 15  
05-R-G-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.64664G	62.70	74.00	-11.30	46.42	3	Horizontal	29	1.80	-	38.51	10.91	33.14
AV	11.64706G	49.03	54.00	-4.97	32.75	3	Horizontal	29	1.80	-	38.51	10.91	33.14
PK	17.46786G	61.45	68.20	-6.75	42.47	3	Horizontal	283	1.32	-	39.10	13.11	33.23

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT Y\_2TX  
 Setting 18.5  
 05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.87	74.00	-13.13	55.69	3	Vertical	26	2.77	-	33.30	7.40	35.52
AV	5.1488G	49.22	54.00	-4.78	44.04	3	Vertical	26	2.77	-	33.30	7.40	35.52
PK	5.2084G	105.81	Inf	-Inf	100.76	3	Vertical	26	2.77	-	33.10	7.45	35.50
AV	5.1988G	94.88	Inf	-Inf	89.83	3	Vertical	26	2.77	-	33.10	7.45	35.50



5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUT\_Y\_2TX  
 Setting 18.5  
 05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.146G	66.77	74.00	-7.23	61.61	3	Horizontal	204	1.80	-	33.28	7.40	35.52
AV	5.15G	53.09	54.00	-0.91	47.91	3	Horizontal	204	1.80	-	33.30	7.40	35.52
PK	5.1808G	112.71	Inf	-Inf	107.61	3	Horizontal	204	1.80	-	33.18	7.43	35.51
AV	5.206G	101.88	Inf	-Inf	96.83	3	Horizontal	204	1.80	-	33.10	7.45	35.50

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUTY\_2TX  
Setting 16  
05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.38138G	68.15	68.20	-0.05	52.49	3	Vertical	50	1.80	-	38.94	10.36	33.64
PK	15.56022G	59.30	74.00	-14.70	42.16	3	Vertical	95	2.17	-	38.36	12.28	33.50
AV	15.58374G	47.04	54.00	-6.96	29.94	3	Vertical	95	2.17	-	38.27	12.29	33.46

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5190MHz\_TX




EUTY\_2TX  
Setting 16  
05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37784G	61.84	68.20	-6.36	46.17	3	Horizontal	168	1.80	-	38.94	10.36	33.63
PK	15.585G	59.05	74.00	-14.95	41.96	3	Horizontal	282	2.12	-	38.26	12.29	33.46
AV	15.58344G	46.95	54.00	-7.05	29.85	3	Horizontal	282	2.12	-	38.27	12.29	33.46

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT\_Y\_2TX  
 Setting 26.5  
 05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1442G	62.52	74.00	-11.48	57.36	3	Vertical	30	3.00	-	33.28	7.40	35.52
AV	5.149G	49.39	54.00	-4.61	44.21	3	Vertical	30	3.00	-	33.30	7.40	35.52
PK	5.233G	114.25	Inf	-Inf	109.17	3	Vertical	30	3.00	-	33.10	7.47	35.49
AV	5.2228G	102.13	Inf	-Inf	97.07	3	Vertical	30	3.00	-	33.10	7.46	35.50
PK	5.374G	59.66	74.00	-14.34	54.58	3	Vertical	30	3.00	-	33.00	7.54	35.46
AV	5.353G	47.87	54.00	-6.13	42.80	3	Vertical	30	3.00	-	33.00	7.53	35.46

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUT Y\_2TX  
Setting 26.5  
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	67.70	74.00	-6.30	62.53	3	Horizontal	211	1.80	-	33.29	7.40	35.52
AV	5.1466G	53.39	54.00	-0.61	48.22	3	Horizontal	211	1.80	-	33.29	7.40	35.52
PK	5.2372G	119.79	Inf	-Inf	114.71	3	Horizontal	211	1.80	-	33.10	7.47	35.49
AV	5.2366G	108.45	Inf	-Inf	103.37	3	Horizontal	211	1.80	-	33.10	7.47	35.49
PK	5.3512G	61.08	74.00	-12.92	56.01	3	Horizontal	211	1.80	-	33.00	7.53	35.46
AV	5.3518G	49.76	54.00	-4.24	44.69	3	Horizontal	211	1.80	-	33.00	7.53	35.46

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUTY\_2TX  
 Setting 16.5  
 05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46198G	67.91	68.20	-0.29	52.42	3	Vertical	51	1.80	-	38.88	10.39	33.78
PK	15.70176G	59.90	74.00	-14.10	42.75	3	Vertical	167	2.06	-	38.10	12.33	33.28
AV	15.69594G	47.29	54.00	-6.71	30.17	3	Vertical	167	2.06	-	38.08	12.33	33.29

5.15-5.25GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5230MHz\_TX




EUTY\_2TX  
 Setting 16.5  
 05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.46342G	65.32	68.20	-2.88	49.85	3	Horizontal	39	2.02	-	38.87	10.39	33.79
PK	15.68484G	59.85	74.00	-14.15	42.80	3	Horizontal	29	2.01	-	38.04	12.32	33.31
AV	15.69972G	47.37	54.00	-6.63	30.23	3	Horizontal	29	2.01	-	38.10	12.33	33.29

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT Y\_2TX  
Setting 27  
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1278G	59.48	74.00	-14.52	54.41	3	Vertical	101	2.94	-	33.21	7.38	35.52
AV	5.15G	47.71	54.00	-6.29	42.53	3	Vertical	101	2.94	-	33.30	7.40	35.52
PK	5.267G	112.37	Inf	-Inf	107.31	3	Vertical	101	2.94	-	33.07	7.48	35.49
AV	5.2622G	101.02	Inf	-Inf	95.95	3	Vertical	101	2.94	-	33.08	7.48	35.49
PK	5.3576G	60.80	74.00	-13.20	55.73	3	Vertical	101	2.94	-	33.00	7.53	35.46
AV	5.3624G	48.09	54.00	-5.91	43.02	3	Vertical	101	2.94	-	33.00	7.53	35.46



5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUT\_Y\_2TX  
Setting 27  
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.12G	61.51	74.00	-12.49	56.49	3	Horizontal	206	1.80	-	33.18	7.37	35.53
AV	5.1458G	49.53	54.00	-4.47	44.37	3	Horizontal	206	1.80	-	33.28	7.40	35.52
PK	5.2712G	119.92	Inf	-Inf	114.85	3	Horizontal	206	1.80	-	33.06	7.49	35.48
AV	5.2766G	109.31	Inf	-Inf	104.25	3	Horizontal	206	1.80	-	33.05	7.49	35.48
PK	5.3516G	68.24	74.00	-5.76	63.17	3	Horizontal	206	1.80	-	33.00	7.53	35.46
AV	5.351G	53.88	54.00	-0.12	48.81	3	Horizontal	206	1.80	-	33.00	7.53	35.46

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUTY\_2TX  
 Setting 17  
 05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53784G	67.72	68.20	-0.48	52.23	3	Vertical	50	1.80	-	38.88	10.43	33.82
PK	15.7989G	60.94	74.00	-13.06	43.81	3	Vertical	206	2.70	-	37.91	12.36	33.14
AV	15.79578G	46.98	54.00	-7.02	29.83	3	Vertical	206	2.70	-	37.93	12.36	33.14

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5270MHz\_TX




EUTY\_2TX  
Setting 17  
05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.53802G	63.51	68.20	-4.69	48.02	3	Horizontal	160	1.80	-	38.88	10.43	33.82
PK	15.80736G	59.15	74.00	-14.85	42.01	3	Horizontal	66	2.12	-	37.89	12.37	33.12
AV	15.79518G	46.97	54.00	-7.03	29.82	3	Horizontal	66	2.12	-	37.93	12.36	33.14

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Y\_2TX  
 Setting 27  
 05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2988G	106.49	Inf	-Inf	101.47	3	Vertical	115	3.00	-	33.00	7.50	35.48
AV	5.2992G	95.51	Inf	-Inf	90.49	3	Vertical	115	3.00	-	33.00	7.50	35.48
PK	5.35G	60.28	74.00	-13.72	55.21	3	Vertical	115	3.00	-	33.00	7.53	35.46
AV	5.35G	47.86	54.00	-6.14	42.79	3	Vertical	115	3.00	-	33.00	7.53	35.46

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Y\_2TX  
 Setting 20.5  
 05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3008G	115.36	Inf	-Inf	110.34	3	Horizontal	204	1.80	-	33.00	7.50	35.48
AV	5.3012G	104.18	Inf	-Inf	99.16	3	Horizontal	204	1.80	-	33.00	7.50	35.48
PK	5.3504G	66.93	74.00	-7.07	61.86	3	Horizontal	204	1.80	-	33.00	7.53	35.46
AV	5.3508G	53.68	54.00	-0.32	48.61	3	Horizontal	204	1.80	-	33.00	7.53	35.46

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUTY\_2TX  
 Setting 15.5  
 05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61766G	66.88	74.00	-7.12	50.91	3	Vertical	50	1.80	-	39.27	10.46	33.76
AV	10.62744G	52.98	54.00	-1.02	36.95	3	Vertical	50	1.80	-	39.31	10.47	33.75
PK	15.93492G	60.18	74.00	-13.82	42.84	3	Vertical	111	1.04	-	37.86	12.41	32.93
AV	15.9165G	47.71	54.00	-6.29	30.34	3	Vertical	111	1.04	-	37.93	12.40	32.96

5.25-5.35GHz\_802.11ax\_HEW40\_Nss1,(MCS0)\_2TX

5310MHz\_TX




EUT\_Y\_2TX  
Setting 15.5  
05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62G	62.48	74.00	-11.52	46.50	3	Horizontal	350	1.36	-	39.28	10.46	33.76
AV	10.61994G	53.89	54.00	-0.11	37.91	3	Horizontal	350	1.36	-	39.28	10.46	33.76
PK	15.94152G	60.89	74.00	-13.11	43.57	3	Horizontal	13	2.35	-	37.83	12.41	32.92
AV	15.91602G	47.54	54.00	-6.46	30.16	3	Horizontal	13	2.35	-	37.94	12.40	32.96

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUTY\_2TX  
Setting 19.5  
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.42G	59.63	74.00	-14.37	54.50	3	Vertical	216	2.88	-	33.00	7.57	35.44
PK	5.4684G	61.78	68.20	-6.42	56.61	3	Vertical	216	2.88	-	33.00	7.60	35.43
AV	5.4596G	48.25	54.00	-5.75	43.08	3	Vertical	216	2.88	-	33.00	7.60	35.43
PK	5.5G	108.49	Inf	-Inf	103.28	3	Vertical	216	2.88	-	33.00	7.63	35.42
AV	5.5G	96.32	Inf	-Inf	91.11	3	Vertical	216	2.88	-	33.00	7.63	35.42



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUTY\_2TX  
Setting 19.5  
05-R-G-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	62.07	74.00	-11.93	56.90	3	Horizontal	205	1.80	-	33.00	7.60	35.43
AV	5.46G	50.23	54.00	-3.77	45.06	3	Horizontal	205	1.80	-	33.00	7.60	35.43
PK	5.466G	67.01	68.20	-1.19	61.84	3	Horizontal	205	1.80	-	33.00	7.60	35.43
PK	5.4964G	114.11	Inf	-Inf	108.90	3	Horizontal	205	1.80	-	33.00	7.63	35.42
AV	5.5216G	103.05	Inf	-Inf	97.83	3	Horizontal	205	1.80	-	33.00	7.65	35.43

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUT\_Y\_2TX  
 Setting 15.5  
 05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01778G	67.13	74.00	-6.87	50.99	3	Vertical	58	1.80	-	38.94	10.64	33.44
AV	11.01778G	53.61	54.00	-0.39	37.47	3	Vertical	58	1.80	-	38.94	10.64	33.44
PK	16.53108G	59.54	68.20	-8.66	41.57	3	Vertical	129	2.21	-	38.41	12.68	33.12

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5510MHz\_TX




EUTY\_2TX  
 Setting 15.5  
 05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01772G	65.42	74.00	-8.58	49.28	3	Horizontal	120	1.80	-	38.94	10.64	33.44
AV	11.01808G	52.18	54.00	-1.82	36.04	3	Horizontal	120	1.80	-	38.94	10.64	33.44
PK	16.52388G	59.96	68.20	-8.24	41.96	3	Horizontal	288	2.13	-	38.46	12.67	33.13

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Y\_2TX  
Setting 26.5  
05-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4552G	60.76	74.00	-13.24	55.60	3	Vertical	0	1.80	-	33.00	7.59	35.43
AV	5.4594G	48.25	54.00	-5.75	43.08	3	Vertical	0	1.80	-	33.00	7.60	35.43
PK	5.4696G	60.95	68.20	-7.25	55.77	3	Vertical	0	1.80	-	33.00	7.61	35.43
PK	5.5548G	109.06	Inf	-Inf	103.84	3	Vertical	0	1.80	-	32.99	7.67	35.44
AV	5.5602G	97.67	Inf	-Inf	92.45	3	Vertical	0	1.80	-	32.98	7.68	35.44

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT\_Y\_2TX  
Setting 26.5  
05-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4576G	65.80	74.00	-8.20	60.63	3	Horizontal	202	1.80	-	33.00	7.60	35.43
AV	5.46G	51.97	54.00	-2.03	46.80	3	Horizontal	202	1.80	-	33.00	7.60	35.43
PK	5.466G	68.01	68.20	-0.19	62.84	3	Horizontal	202	1.80	-	33.00	7.60	35.43
PK	5.5512G	120.26	Inf	-Inf	115.03	3	Horizontal	202	1.80	-	33.00	7.67	35.44
AV	5.5458G	109.34	Inf	-Inf	104.11	3	Horizontal	202	1.80	-	33.00	7.67	35.44

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUT Y\_2TX  
 Setting 16  
 05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0979G	66.53	74.00	-7.47	50.23	3	Vertical	59	1.80	-	39.00	10.67	33.37
AV	11.10264G	53.55	54.00	-0.45	37.25	3	Vertical	59	1.80	-	38.99	10.68	33.37
PK	16.6497G	59.50	68.20	-8.70	41.30	3	Vertical	235	1.62	-	38.50	12.73	33.03

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5550MHz\_TX




EUTY\_2TX  
Setting 16  
05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09784G	66.87	74.00	-7.13	50.57	3	Horizontal	122	2.17	-	39.00	10.67	33.37
AV	11.09292G	53.66	54.00	-0.34	37.37	3	Horizontal	122	2.17	-	39.00	10.67	33.38
PK	16.66026G	59.41	68.20	-8.79	41.21	3	Horizontal	116	2.06	-	38.48	12.74	33.02

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Y\_2TX  
Setting 22.5  
05-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6884G	110.17	Inf	-Inf	104.40	3	Vertical	215	1.80	-	33.41	7.85	35.49
AV	5.684G	99.24	Inf	-Inf	93.52	3	Vertical	215	1.80	-	33.37	7.84	35.49
PK	5.7296G	64.99	68.20	-3.21	59.02	3	Vertical	215	1.80	-	33.56	7.92	35.51



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUT\_Y\_2TX  
Setting 22.5  
05-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6656G	116.60	Inf	-Inf	111.05	3	Horizontal	200	1.80	-	33.22	7.81	35.48
AV	5.686G	105.84	Inf	-Inf	100.09	3	Horizontal	200	1.80	-	33.39	7.85	35.49
PK	5.726G	68.18	68.20	-0.02	62.23	3	Horizontal	200	1.80	-	33.55	7.91	35.51

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUTY\_2TX  
Setting 16  
05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34426G	67.55	74.00	-6.45	50.73	3	Vertical	131	1.60	-	39.19	10.78	33.15
AV	11.3397G	53.98	54.00	-0.02	37.17	3	Vertical	131	1.60	-	39.18	10.78	33.15
PK	17.01936G	59.32	68.20	-8.88	40.90	3	Vertical	108	2.59	-	38.28	12.90	32.76

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5670MHz\_TX




EUTY\_2TX  
Setting 16  
05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34156G	63.39	74.00	-10.61	46.58	3	Horizontal	33	1.80	-	39.18	10.78	33.15
AV	11.34138G	50.65	54.00	-3.35	33.84	3	Horizontal	33	1.80	-	39.18	10.78	33.15
PK	17.01666G	59.90	68.20	-8.30	41.49	3	Horizontal	168	2.61	-	38.27	12.90	32.76

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
 Setting 28  
 05-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.694G	113.97	Inf	-Inf	108.15	3	Vertical	216	1.80	-	33.45	7.86	35.49
AV	5.714G	103.18	Inf	-Inf	97.26	3	Vertical	216	1.80	-	33.53	7.89	35.50
PK	5.8548G	63.10	68.20	-5.10	56.46	3	Vertical	216	1.80	-	34.12	8.07	35.55

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_2TX  
Setting 28  
05-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7252G	122.37	Inf	-Inf	116.42	3	Horizontal	199	1.80	-	33.55	7.91	35.51
AV	5.706G	110.82	Inf	-Inf	104.93	3	Horizontal	199	1.80	-	33.51	7.88	35.50
PK	5.8596G	62.94	68.20	-5.26	56.29	3	Horizontal	199	1.80	-	34.14	8.07	35.56

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUTY\_2TX  
 Setting 15.5  
 05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.42444G	66.97	74.00	-7.03	50.08	3	Vertical	129	1.58	-	39.15	10.82	33.08
AV	11.41934G	53.88	54.00	-0.12	36.99	3	Vertical	129	1.58	-	39.16	10.81	33.08
PK	17.14038G	59.79	68.20	-8.41	41.34	3	Vertical	216	1.80	-	38.38	12.96	32.89

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUTY\_2TX  
 Setting 15.5  
 05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.411G	64.05	74.00	-9.95	47.15	3	Horizontal	27	1.80	-	39.18	10.81	33.09
AV	11.42138G	50.85	54.00	-3.15	33.95	3	Horizontal	27	1.80	-	39.16	10.82	33.08
PK	17.1162G	59.75	68.20	-8.45	41.33	3	Horizontal	132	1.32	-	38.33	12.95	32.86

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Y\_2TX  
Setting 28  
05-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	60.83	68.20	-7.37	55.42	3	Vertical	214	1.80	-	33.10	7.79	35.48
PK	5.754G	113.22	Inf	-Inf	107.16	3	Vertical	214	1.80	-	33.62	7.96	35.52
AV	5.764G	102.58	Inf	-Inf	96.45	3	Vertical	214	1.80	-	33.68	7.97	35.52
PK	5.925G	62.79	68.20	-5.41	55.96	3	Vertical	214	1.80	-	34.30	8.11	35.58



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUT\_Y\_2TX  
 Setting 28  
 05-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.649G	66.05	68.20	-2.15	60.64	3	Horizontal	198	1.80	-	33.10	7.79	35.48
PK	5.746G	121.29	Inf	-Inf	115.27	3	Horizontal	198	1.80	-	33.59	7.94	35.51
AV	5.746G	110.03	Inf	-Inf	104.01	3	Horizontal	198	1.80	-	33.59	7.94	35.51
PK	5.955G	63.61	68.20	-4.59	56.78	3	Horizontal	198	1.80	-	34.29	8.13	35.59

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUTY\_2TX  
Setting 15.5  
05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49962G	66.90	74.00	-7.10	50.06	3	Vertical	131	1.51	-	39.00	10.85	33.01
AV	11.50958G	53.55	54.00	-0.45	36.76	3	Vertical	131	1.51	-	38.96	10.85	33.02
PK	17.25294G	60.84	68.20	-7.36	42.03	3	Vertical	355	2.23	-	38.80	13.01	33.00

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5755MHz\_TX




EUTY\_2TX  
 Setting 15.5  
 05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51138G	62.71	74.00	-11.29	45.92	3	Horizontal	34	1.80	-	38.95	10.86	33.02
AV	11.5064G	49.37	54.00	-4.63	32.57	3	Horizontal	34	1.80	-	38.97	10.85	33.02
PK	17.27196G	60.56	68.20	-7.64	41.76	3	Horizontal	197	2.93	-	38.80	13.02	33.02

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT Y\_2TX  
 Setting 28  
 05-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.644G	61.13	68.20	-7.07	55.74	3	Vertical	217	1.80	-	33.08	7.78	35.47
PK	5.79G	115.05	Inf	-Inf	108.73	3	Vertical	217	1.80	-	33.84	8.01	35.53
AV	5.799G	103.35	Inf	-Inf	96.96	3	Vertical	217	1.80	-	33.89	8.03	35.53
PK	5.926G	63.16	68.20	-5.04	56.33	3	Vertical	217	1.80	-	34.30	8.11	35.58

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Y\_2TX  
Setting 28  
05-R-J-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.56G	61.39	68.20	-6.81	56.17	3	Horizontal	206	1.51	-	32.98	7.68	35.44
PK	5.806G	121.90	Inf	-Inf	115.49	3	Horizontal	206	1.51	-	33.92	8.03	35.54
AV	5.797G	110.98	Inf	-Inf	104.60	3	Horizontal	206	1.51	-	33.88	8.03	35.53
PK	5.927G	65.58	68.20	-2.62	58.75	3	Horizontal	206	1.51	-	34.30	8.11	35.58

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUTY\_2TX  
Setting 16  
05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58892G	66.30	74.00	-7.70	49.86	3	Vertical	128	1.58	-	38.64	10.89	33.09
AV	11.58982G	53.87	54.00	-0.13	37.43	3	Vertical	128	1.58	-	38.64	10.89	33.09
PK	17.37156G	61.39	68.20	-6.81	42.41	3	Vertical	171	1.67	-	39.04	13.07	33.13

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_2TX

5795MHz\_TX




EUT\_Y\_2TX  
Setting 16  
05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58748G	61.37	74.00	-12.63	44.92	3	Horizontal	34	1.80	-	38.65	10.89	33.09
AV	11.59138G	49.42	54.00	-4.58	32.99	3	Horizontal	34	1.80	-	38.63	10.89	33.09
PK	17.37186G	61.67	68.20	-6.53	42.69	3	Horizontal	178	2.82	-	39.04	13.07	33.13

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT\_Y\_2TX  
Setting 16.5  
05-R-J-8-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	58.43	74.00	-15.57	53.26	3	Vertical	37	3.00	-	33.29	7.40	35.52
AV	5.1428G	48.09	54.00	-5.91	42.94	3	Vertical	37	3.00	-	33.27	7.40	35.52
PK	5.2228G	101.11	Inf	-Inf	96.05	3	Vertical	37	3.00	-	33.10	7.46	35.50
AV	5.2124G	92.11	Inf	-Inf	87.05	3	Vertical	37	3.00	-	33.10	7.46	35.50
PK	5.3908G	56.55	74.00	-17.45	51.45	3	Vertical	37	3.00	-	33.00	7.55	35.45
AV	5.398G	46.26	54.00	-7.74	41.16	3	Vertical	37	3.00	-	33.00	7.55	35.45



5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUTY\_2TX  
 Setting 16.5  
 05-R-J-8-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	63.49	74.00	-10.51	58.36	3	Horizontal	203	1.80	-	33.26	7.39	35.52
AV	5.1404G	53.96	54.00	-0.04	48.83	3	Horizontal	203	1.80	-	33.26	7.39	35.52
PK	5.206G	107.58	Inf	-Inf	102.53	3	Horizontal	203	1.80	-	33.10	7.45	35.50
AV	5.206G	98.23	Inf	-Inf	93.18	3	Horizontal	203	1.80	-	33.10	7.45	35.50
PK	5.3804G	56.50	74.00	-17.50	51.41	3	Horizontal	203	1.80	-	33.00	7.54	35.45
AV	5.3564G	47.20	54.00	-6.80	42.13	3	Horizontal	203	1.80	-	33.00	7.53	35.46

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUT Y\_2TX  
 Setting 16.5  
 05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41214G	67.11	68.20	-1.09	51.54	3	Vertical	50	1.80	-	38.90	10.37	33.70
PK	15.64272G	59.16	74.00	-14.84	42.28	3	Vertical	341	1.87	-	37.94	12.31	33.37
AV	15.6297G	49.56	54.00	-4.44	32.62	3	Vertical	341	1.87	-	38.02	12.31	33.39

5.15-5.25GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5210MHz\_TX




EUTY\_2TX  
 Setting 16.5  
 05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42342G	63.35	68.20	-4.85	47.79	3	Horizontal	38	2.03	-	38.90	10.38	33.72
PK	15.63078G	59.84	74.00	-14.16	42.90	3	Horizontal	353	2.54	-	38.02	12.31	33.39
AV	15.6351G	49.58	54.00	-4.42	32.66	3	Horizontal	353	2.54	-	37.99	12.31	33.38

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_V\_2TX  
Setting 18  
05-R-J-8-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.11888G	55.29	74.00	-18.71	50.27	3	Vertical	116	1.88	-	33.18	7.37	35.53
AV	5.1292G	46.34	54.00	-7.66	41.26	3	Vertical	116	1.88	-	33.22	7.38	35.52
PK	5.278G	100.57	Inf	-Inf	95.52	3	Vertical	116	1.88	-	33.04	7.49	35.48
AV	5.2884G	91.30	Inf	-Inf	86.27	3	Vertical	116	1.88	-	33.02	7.49	35.48
PK	5.3724G	56.00	74.00	-18.00	50.92	3	Vertical	116	1.88	-	33.00	7.54	35.46
AV	5.374G	47.41	54.00	-6.59	42.33	3	Vertical	116	1.88	-	33.00	7.54	35.46
PK	5.462G	55.80	68.20	-12.40	50.63	3	Vertical	116	1.88	-	33.00	7.60	35.43

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUT\_V\_2TX  
Setting 18  
05-R-J-8-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1452G	56.23	74.00	-17.77	51.07	3	Horizontal	205	1.80	-	33.28	7.40	35.52
AV	5.1348G	47.25	54.00	-6.75	42.14	3	Horizontal	205	1.80	-	33.24	7.39	35.52
PK	5.2612G	109.94	Inf	-Inf	104.87	3	Horizontal	205	1.80	-	33.08	7.48	35.49
AV	5.2964G	100.31	Inf	-Inf	95.28	3	Horizontal	205	1.80	-	33.01	7.50	35.48
PK	5.3516G	61.72	74.00	-12.28	56.65	3	Horizontal	205	1.80	-	33.00	7.53	35.46
AV	5.3564G	53.23	54.00	-0.77	48.16	3	Horizontal	205	1.80	-	33.00	7.53	35.46
PK	5.474G	56.34	68.20	-11.86	51.16	3	Horizontal	205	1.80	-	33.00	7.61	35.43

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUTY\_2TX  
 Setting 18  
 05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5719G	67.38	68.20	-0.82	51.70	3	Vertical	51	1.80	-	39.03	10.44	33.79
PK	15.8706G	60.45	74.00	-13.55	43.21	3	Vertical	106	1.04	-	37.88	12.39	33.03
AV	15.8661G	50.32	54.00	-3.68	33.10	3	Vertical	106	1.04	-	37.86	12.39	33.03

5.25-5.35GHz\_802.11ax\_HEW80\_Nss1,(MCS0)\_2TX

5290MHz\_TX




EUTY\_2TX  
Setting 18  
05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.58333G	63.63	68.20	-4.57	47.87	3	Horizontal	162	1.80	-	39.10	10.45	33.79
PK	15.87648G	60.23	74.00	-13.77	42.95	3	Horizontal	54	1.80	-	37.91	12.39	33.02
AV	15.88374G	50.33	54.00	-3.67	33.02	3	Horizontal	54	1.80	-	37.93	12.39	33.01

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUTY\_2TX  
Setting 17.5  
05-R-J-8-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.283G	55.28	68.20	-12.92	50.24	3	Vertical	216	2.83	-	33.03	7.49	35.48
PK	5.447G	56.99	74.00	-17.01	51.83	3	Vertical	216	2.83	-	33.00	7.59	35.43
PK	5.467G	56.04	68.20	-12.16	50.87	3	Vertical	216	2.83	-	33.00	7.60	35.43
AV	5.46G	47.84	54.00	-6.16	42.67	3	Vertical	216	2.83	-	33.00	7.60	35.43
PK	5.515G	100.96	Inf	-Inf	95.75	3	Vertical	216	2.83	-	33.00	7.64	35.43
AV	5.525G	92.63	Inf	-Inf	87.41	3	Vertical	216	2.83	-	33.00	7.65	35.43
PK	5.777G	57.07	68.20	-11.13	50.85	3	Vertical	216	2.83	-	33.76	7.99	35.53



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUTY\_2TX  
Setting 17.5  
05-R-J-8-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.29G	56.34	68.20	-11.86	51.30	3	Horizontal	206	1.80	-	33.02	7.50	35.48
PK	5.46G	63.12	74.00	-10.88	57.95	3	Horizontal	206	1.80	-	33.00	7.60	35.43
AV	5.46G	53.86	54.00	-0.14	48.69	3	Horizontal	206	1.80	-	33.00	7.60	35.43
PK	5.466G	64.93	68.20	-3.27	59.76	3	Horizontal	206	1.80	-	33.00	7.60	35.43
PK	5.492G	109.82	Inf	-Inf	104.62	3	Horizontal	206	1.80	-	33.00	7.62	35.42
AV	5.526G	99.83	Inf	-Inf	94.61	3	Horizontal	206	1.80	-	33.00	7.65	35.43
PK	5.746G	57.66	68.20	-10.54	51.64	3	Horizontal	206	1.80	-	33.59	7.94	35.51

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Y\_2TX  
Setting 16  
05-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06156G	62.62	74.00	-11.38	79.51	3	Vertical	108	1.80	-	39.00	10.66	66.55
AV	11.06198G	53.60	54.00	-0.40	70.49	3	Vertical	108	1.80	-	39.00	10.66	66.55
PK	16.57704G	57.29	68.20	-10.91	69.50	3	Vertical	0	1.80	-	38.25	12.70	63.16

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5530MHz\_TX




EUT\_Y\_2TX  
 Setting 16  
 05-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06333G	62.58	74.00	-11.42	79.47	3	Horizontal	120	1.80	-	39.00	10.66	66.55
AV	11.0738G	51.48	54.00	-2.52	68.36	3	Horizontal	120	1.80	-	39.00	10.66	66.54
PK	16.58796G	56.41	68.20	-11.79	68.65	3	Horizontal	246	2.03	-	38.22	12.70	63.16

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUTY\_2TX  
Setting 25.5  
05-R-J-8-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	57.07	74.00	-16.93	51.90	3	Vertical	218	1.80	-	33.00	7.60	35.43
AV	5.454G	48.44	54.00	-5.56	43.28	3	Vertical	218	1.80	-	33.00	7.59	35.43
PK	5.466G	58.93	68.20	-9.27	53.76	3	Vertical	218	1.80	-	33.00	7.60	35.43
PK	5.614G	107.96	Inf	-Inf	102.73	3	Vertical	218	1.80	-	32.96	7.73	35.46
AV	5.629G	98.47	Inf	-Inf	93.16	3	Vertical	218	1.80	-	33.02	7.76	35.47
PK	5.725G	63.51	68.20	-4.69	57.56	3	Vertical	218	1.80	-	33.55	7.91	35.51

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUTY\_2TX  
Setting 25.5  
05-R-J-8-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.452G	63.27	74.00	-10.73	58.11	3	Horizontal	202	1.80	-	33.00	7.59	35.43
AV	5.457G	53.22	54.00	-0.78	48.05	3	Horizontal	202	1.80	-	33.00	7.60	35.43
PK	5.462G	64.12	68.20	-4.08	58.95	3	Horizontal	202	1.80	-	33.00	7.60	35.43
PK	5.581G	116.02	Inf	-Inf	110.84	3	Horizontal	202	1.80	-	32.94	7.69	35.45
AV	5.616G	105.51	Inf	-Inf	100.27	3	Horizontal	202	1.80	-	32.96	7.74	35.46
PK	5.727G	67.97	68.20	-0.23	62.02	3	Horizontal	202	1.80	-	33.55	7.91	35.51

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Y\_2TX  
Setting 17.5  
05-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22312G	63.41	74.00	-10.59	80.10	3	Vertical	60	1.80	-	38.95	10.73	66.37
AV	11.23386G	53.96	54.00	-0.04	70.62	3	Vertical	60	1.80	-	38.97	10.73	66.36
PK	16.81992G	59.00	68.20	-9.20	71.14	3	Vertical	180	1.92	-	38.10	12.81	63.05

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5610MHz\_TX




EUT\_Y\_2TX  
 Setting 17.5  
 05-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.20938G	61.35	74.00	-12.65	78.10	3	Horizontal	30	1.80	-	38.92	10.72	66.39
AV	11.21074G	51.66	54.00	-2.34	68.41	3	Horizontal	30	1.80	-	38.92	10.72	66.39
PK	16.84158G	58.24	68.20	-9.96	70.36	3	Horizontal	81	1.54	-	38.10	12.82	63.04

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUTY\_2TX  
Setting 26  
05-R-J-8-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.451G	55.78	74.00	-18.22	50.62	3	Vertical	217	1.80	-	33.00	7.59	35.43
AV	5.457G	47.27	54.00	-6.73	42.10	3	Vertical	217	1.80	-	33.00	7.60	35.43
PK	5.469G	55.80	68.20	-12.40	50.62	3	Vertical	217	1.80	-	33.00	7.61	35.43
PK	5.698G	109.88	Inf	-Inf	104.03	3	Vertical	217	1.80	-	33.48	7.87	35.50
AV	5.689G	100.07	Inf	-Inf	94.30	3	Vertical	217	1.80	-	33.41	7.85	35.49
PK	5.855G	62.00	68.20	-6.20	55.36	3	Vertical	217	1.80	-	34.12	8.07	35.55



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX



EUTY\_2TX  
Setting 26  
05-R-J-8-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	59.71	74.00	-14.29	54.54	3	Horizontal	202	1.80	-	33.00	7.60	35.43
AV	5.459G	51.22	54.00	-2.78	46.05	3	Horizontal	202	1.80	-	33.00	7.60	35.43
PK	5.465G	60.30	68.20	-7.90	55.13	3	Horizontal	202	1.80	-	33.00	7.60	35.43
PK	5.661G	117.62	Inf	-Inf	112.10	3	Horizontal	202	1.80	-	33.19	7.81	35.48
AV	5.716G	107.39	Inf	-Inf	101.46	3	Horizontal	202	1.80	-	33.53	7.90	35.50
PK	5.852G	66.93	68.20	-1.27	60.31	3	Horizontal	202	1.80	-	34.11	8.06	35.55

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 15  
05-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39434G	62.87	74.00	-11.13	79.06	3	Vertical	133	1.67	-	39.20	10.80	66.19
AV	11.39434G	53.71	54.00	-0.29	69.90	3	Vertical	133	1.67	-	39.20	10.80	66.19
PK	17.07816G	58.20	68.20	-10.00	69.94	3	Vertical	7	1.80	-	38.34	12.93	63.01

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_2TX  
Setting 15  
05-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39176G	59.19	74.00	-14.81	75.38	3	Horizontal	32	1.80	-	39.20	10.80	66.19
AV	11.3914G	50.44	54.00	-3.56	66.63	3	Horizontal	32	1.80	-	39.20	10.80	66.19
PK	17.06916G	57.55	68.20	-10.65	69.26	3	Horizontal	88	2.90	-	38.36	12.93	63.00

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Y\_2TX  
Setting 24  
05-R-J-8-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	62.54	68.20	-5.66	57.14	3	Vertical	217	1.80	-	33.09	7.79	35.48
PK	5.805G	108.30	Inf	-Inf	101.89	3	Vertical	217	1.80	-	33.92	8.03	35.54
AV	5.805G	98.46	Inf	-Inf	92.05	3	Vertical	217	1.80	-	33.92	8.03	35.54
PK	5.948G	59.49	68.20	-8.71	52.65	3	Vertical	217	1.80	-	34.30	8.13	35.59

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT Y\_2TX  
Setting 24  
05-R-J-8-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	67.46	68.94	-1.48	62.04	3	Horizontal	208	1.42	-	33.11	7.79	35.48
PK	5.737G	116.57	Inf	-Inf	110.58	3	Horizontal	208	1.42	-	33.57	7.93	35.51
AV	5.802G	106.35	Inf	-Inf	99.94	3	Horizontal	208	1.42	-	33.91	8.03	35.53
PK	5.926G	63.83	68.20	-4.37	57.00	3	Horizontal	208	1.42	-	34.30	8.11	35.58

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Y\_2TX  
Setting 16  
05-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56476G	63.38	74.00	-10.62	79.79	3	Vertical	130	1.62	-	38.74	10.88	66.03
AV	11.56446G	53.74	54.00	-0.26	70.15	3	Vertical	130	1.62	-	38.74	10.88	66.03
PK	17.32962G	59.08	68.20	-9.12	70.27	3	Vertical	269	1.80	-	38.92	13.05	63.16

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_2TX

5775MHz\_TX




EUT\_Y\_2TX  
Setting 16  
05-R-Y-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55162G	58.41	74.00	-15.59	74.79	3	Horizontal	31	1.80	-	38.79	10.87	66.04
AV	11.5512G	48.80	54.00	-5.20	65.17	3	Horizontal	31	1.80	-	38.80	10.87	66.04
PK	17.3202G	59.19	68.20	-9.01	70.42	3	Horizontal	253	1.85	-	38.88	13.04	63.15

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_2TX  
Setting 14  
05-R-J-8-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1264G	57.21	74.00	-16.79	52.14	3	Vertical	99	2.94	-	33.21	7.38	35.52
AV	5.1276G	49.75	54.00	-4.25	44.68	3	Vertical	99	2.94	-	33.21	7.38	35.52
PK	5.3124G	93.99	Inf	-Inf	88.95	3	Vertical	99	2.94	-	33.00	7.51	35.47
AV	5.2572G	85.41	Inf	-Inf	80.33	3	Vertical	99	2.94	-	33.09	7.48	35.49
PK	5.3532G	56.20	74.00	-17.80	51.13	3	Vertical	99	2.94	-	33.00	7.53	35.46
AV	5.3928G	47.36	54.00	-6.64	42.26	3	Vertical	99	2.94	-	33.00	7.55	35.45
PK	5.4708G	55.91	68.20	-12.29	50.73	3	Vertical	99	2.94	-	33.00	7.61	35.43



5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUTY\_2TX  
Setting 14  
05-R-J-8-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1264G	62.29	74.00	-11.71	57.22	3	Horizontal	206	1.80	-	33.21	7.38	35.52
AV	5.1156G	52.89	54.00	-1.11	47.89	3	Horizontal	206	1.80	-	33.16	7.37	35.53
PK	5.2356G	101.07	Inf	-Inf	95.99	3	Horizontal	206	1.80	-	33.10	7.47	35.49
AV	5.262G	92.77	Inf	-Inf	87.70	3	Horizontal	206	1.80	-	33.08	7.48	35.49
PK	5.4072G	61.11	74.00	-12.89	56.00	3	Horizontal	206	1.80	-	33.00	7.56	35.45
AV	5.3964G	50.72	54.00	-3.28	45.62	3	Horizontal	206	1.80	-	33.00	7.55	35.45
PK	5.496G	56.39	68.20	-11.81	51.18	3	Horizontal	206	1.80	-	33.00	7.63	35.42

5.25-5.35GHz\_802.11ax\_HEW160\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUTY\_2TX  
Setting 14  
05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51296G	61.54	68.20	-6.66	46.13	3	Vertical	50	1.80	-	38.83	10.42	33.84
PK	15.73716G	59.28	74.00	-14.72	42.00	3	Vertical	136	2.62	-	38.17	12.34	33.23
AV	15.7623G	49.53	54.00	-4.47	32.24	3	Vertical	136	2.62	-	38.13	12.35	33.19

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUTY\_2TX  
Setting 14  
05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.51074G	60.35	68.20	-7.85	44.96	3	Horizontal	70	1.75	-	38.82	10.41	33.84
PK	15.7404G	59.89	74.00	-14.11	42.59	3	Horizontal	184	3.00	-	38.18	12.34	33.22
AV	15.76272G	50.12	54.00	-3.88	32.84	3	Horizontal	184	3.00	-	38.12	12.35	33.19

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5570MHz\_TX




EUTY\_2TX  
Setting 15  
05-R-J-8-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3036G	55.80	68.20	-12.40	50.77	3	Vertical	215	2.87	-	33.00	7.50	35.47
PK	5.4536G	55.75	74.00	-18.25	50.59	3	Vertical	215	2.87	-	33.00	7.59	35.43
AV	5.4428G	47.00	54.00	-7.00	41.86	3	Vertical	215	2.87	-	33.00	7.58	35.44
PK	5.4644G	55.60	68.20	-12.60	50.43	3	Vertical	215	2.87	-	33.00	7.60	35.43
AV	5.5148G	86.42	Inf	-Inf	81.21	3	Vertical	215	2.87	-	33.00	7.64	35.43
PK	5.6156G	94.75	Inf	-Inf	89.52	3	Vertical	215	2.87	-	32.96	7.73	35.46
PK	5.8112G	57.92	68.20	-10.28	51.48	3	Vertical	215	2.87	-	33.94	8.04	35.54

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5570MHz\_TX




EUT\_V\_2TX  
Setting 15  
05-R-J-8-6

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2976G	56.74	68.20	-11.46	51.72	3	Horizontal	206	1.80	-	33.00	7.50	35.48
PK	5.4464G	63.35	74.00	-10.65	58.20	3	Horizontal	206	1.80	-	33.00	7.59	35.44
AV	5.4476G	53.58	54.00	-0.42	48.42	3	Horizontal	206	1.80	-	33.00	7.59	35.43
PK	5.4608G	60.31	68.20	-7.89	55.14	3	Horizontal	206	1.80	-	33.00	7.60	35.43
PK	5.552G	102.85	Inf	-Inf	97.62	3	Horizontal	206	1.80	-	33.00	7.67	35.44
AV	5.546G	93.86	Inf	-Inf	88.63	3	Horizontal	206	1.80	-	33.00	7.67	35.44
PK	5.7272G	61.16	68.20	-7.04	55.21	3	Horizontal	206	1.80	-	33.55	7.91	35.51

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5570MHz\_TX




EUTY\_2TX  
Setting 14  
05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1523G	61.01	74.00	-12.99	44.73	3	Vertical	57	1.80	-	38.90	10.70	33.32
AV	11.15428G	52.05	54.00	-1.95	35.77	3	Vertical	57	1.80	-	38.90	10.70	33.32
PK	16.71198G	60.12	68.20	-8.08	41.99	3	Vertical	194	2.03	-	38.35	12.76	32.98

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_2TX

5570MHz\_TX



EUTY\_2TX  
Setting 14  
05-R-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.15242G	61.30	74.00	-12.70	45.02	3	Horizontal	101	1.23	-	38.90	10.70	33.32
AV	11.15404G	52.05	54.00	-1.95	35.77	3	Horizontal	101	1.23	-	38.90	10.70	33.32
PK	16.71774G	60.10	68.20	-8.10	41.98	3	Horizontal	226	1.66	-	38.33	12.76	32.97