




802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5270MHz_TX



EUT Y_4TX
Setting 58
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81068G	57.59	74.00	-16.41	44.48	3	Vertical	29	2.53	-	38.16	8.72	33.77
AV	15.813G	43.91	54.00	-10.09	30.81	3	Vertical	29	2.53	-	38.15	8.72	33.77



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5270MHz_TX



EUT Y_4TX
Setting 58
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8164G	57.31	74.00	-16.69	44.22	3	Horizontal	210	2.34	-	38.14	8.72	33.77
AV	15.80896G	43.92	54.00	-10.08	30.80	3	Horizontal	210	2.34	-	38.17	8.72	33.77



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5310MHz_TX



EUT Y_4TX
Setting 49
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3064G	108.58	Inf	-Inf	103.45	3	Vertical	45	1.55	-	31.13	5.71	31.71
AV	5.307G	98.38	Inf	-Inf	93.24	3	Vertical	45	1.55	-	31.14	5.71	31.71
PK	5.35G	67.80	74.00	-6.20	62.44	3	Vertical	45	1.55	-	31.35	5.75	31.74
AV	5.35G	47.26	54.00	-6.74	41.90	3	Vertical	45	1.55	-	31.35	5.75	31.74



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5310MHz_TX



EUT Y_4TX
Setting 49
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3154G	111.98	Inf	-Inf	106.80	3	Horizontal	1	2.04	-	31.18	5.72	31.72
AV	5.3154G	102.00	Inf	-Inf	96.82	3	Horizontal	1	2.04	-	31.18	5.72	31.72
PK	5.355G	73.76	74.00	-0.24	68.38	3	Horizontal	1	2.04	-	31.37	5.75	31.74
AV	5.355G	48.35	54.00	-5.65	42.97	3	Horizontal	1	2.04	-	31.37	5.75	31.74



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5310MHz_TX



EUT Y_4TX
Setting 49
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.62444G	55.99	74.00	-18.01	41.86	3	Vertical	82	1.36	-	39.91	7.82	33.60
AV	10.61252G	42.51	54.00	-11.49	28.40	3	Vertical	82	1.36	-	39.90	7.81	33.60



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5310MHz_TX




EUT Y_4TX
Setting 49
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61032G	55.92	74.00	-18.08	41.82	3	Horizontal	289	1.02	-	39.89	7.81	33.60
AV	10.6226G	42.66	54.00	-11.34	28.53	3	Horizontal	289	1.02	-	39.91	7.82	33.60

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5510MHz_TX



EUT Y_4TX
Setting 52
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	63.24	74.00	-10.76	57.51	3	Vertical	33	2.87	-	31.72	5.80	31.79
AV	5.46G	47.09	54.00	-6.91	41.36	3	Vertical	33	2.87	-	31.72	5.80	31.79
PK	5.4608G	63.78	68.20	-4.42	58.05	3	Vertical	33	2.87	-	31.72	5.80	31.79
PK	5.519G	110.32	Inf	-Inf	104.58	3	Vertical	33	2.87	-	31.76	5.80	31.82
AV	5.5178G	100.88	Inf	-Inf	95.14	3	Vertical	33	2.87	-	31.76	5.80	31.82



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5510MHz_TX



EUT Y_4TX
Setting 52
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	66.48	74.00	-7.52	60.75	3	Horizontal	173	1.64	-	31.72	5.80	31.79
AV	5.46G	47.83	54.00	-6.17	42.10	3	Horizontal	173	1.64	-	31.72	5.80	31.79
PK	5.4644G	67.66	68.20	-0.54	61.92	3	Horizontal	173	1.64	-	31.73	5.80	31.79
PK	5.5184G	111.47	Inf	-Inf	105.73	3	Horizontal	173	1.64	-	31.76	5.80	31.82
AV	5.5112G	101.70	Inf	-Inf	95.93	3	Horizontal	173	1.64	-	31.78	5.80	31.81



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5510MHz_TX



EUT Y_4TX
Setting 52
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0254G	57.22	74.00	-16.78	42.54	3	Vertical	116	1.13	-	40.36	7.96	33.64
AV	11.0264G	43.77	54.00	-10.23	29.09	3	Vertical	116	1.13	-	40.36	7.96	33.64



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5510MHz_TX




EUT Y_4TX
Setting 52
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01544G	57.72	74.00	-16.28	43.01	3	Horizontal	271	1.67	-	40.38	7.96	33.63
AV	11.02432G	43.76	54.00	-10.24	29.08	3	Horizontal	271	1.67	-	40.36	7.96	33.64

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5550MHz_TX



EUT Y_4TX
Setting 64
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4456G	61.88	74.00	-12.12	56.17	3	Vertical	39	2.61	-	31.69	5.80	31.78
PK	5.47G	62.56	68.20	-5.64	56.81	3	Vertical	39	2.61	-	31.74	5.80	31.79
AV	5.4594G	47.59	54.00	-6.41	41.86	3	Vertical	39	2.61	-	31.72	5.80	31.79
PK	5.5632G	114.00	Inf	-Inf	108.37	3	Vertical	39	2.61	-	31.67	5.80	31.84
AV	5.5632G	104.07	Inf	-Inf	98.44	3	Vertical	39	2.61	-	31.67	5.80	31.84



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5550MHz_TX



EUT Y_4TX
Setting 64
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	65.50	74.00	-8.50	59.78	3	Horizontal	349	1.80	-	31.71	5.80	31.79
PK	5.463G	68.08	68.20	-0.12	62.34	3	Horizontal	349	1.80	-	31.73	5.80	31.79
AV	5.46G	49.24	54.00	-4.76	43.51	3	Horizontal	349	1.80	-	31.72	5.80	31.79
PK	5.535G	117.63	Inf	-Inf	111.92	3	Horizontal	349	1.80	-	31.73	5.80	31.82
AV	5.5338G	108.17	Inf	-Inf	102.46	3	Horizontal	349	1.80	-	31.73	5.80	31.82



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5550MHz_TX



EUT Y_4TX
Setting 64
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.10524G	56.68	74.00	-17.32	42.11	3	Vertical	74	2.58	-	40.24	7.99	33.66
AV	11.09172G	43.41	54.00	-10.59	28.83	3	Vertical	74	2.58	-	40.26	7.98	33.66



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5550MHz_TX



EUT Y_4TX
Setting 64
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.091G	57.65	74.00	-16.35	43.07	3	Horizontal	102	2.70	-	40.26	7.98	33.66
AV	11.10804G	43.33	54.00	-10.67	28.76	3	Horizontal	102	2.70	-	40.24	7.99	33.66



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5670MHz_TX



EUT Y_4TX
Setting 58
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6682G	110.83	Inf	-Inf	105.18	3	Vertical	256	1.79	-	31.67	5.86	31.88
AV	5.6676G	100.79	Inf	-Inf	95.14	3	Vertical	256	1.79	-	31.67	5.86	31.88
PK	5.7276G	66.19	68.20	-2.01	60.36	3	Vertical	256	1.79	-	31.81	5.92	31.90



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5670MHz_TX



EUT Y_4TX
Setting 58
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6748G	116.10	Inf	-Inf	110.44	3	Horizontal	1	1.85	-	31.67	5.87	31.88
AV	5.6742G	105.77	Inf	-Inf	100.11	3	Horizontal	1	1.85	-	31.67	5.87	31.88
PK	5.733G	68.15	68.20	-0.05	62.30	3	Horizontal	1	1.85	-	31.83	5.93	31.91



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5670MHz_TX




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34728G	56.49	74.00	-17.51	42.27	3	Vertical	200	1.13	-	39.88	8.07	33.73
AV	11.3364G	42.89	54.00	-11.11	28.65	3	Vertical	200	1.13	-	39.90	8.07	33.73

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5670MHz_TX




EUT Y_4TX
Setting 58
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33516G	55.83	74.00	-18.17	41.59	3	Horizontal	8	2.09	-	39.90	8.07	33.73
AV	11.33212G	42.97	54.00	-11.03	28.73	3	Horizontal	8	2.09	-	39.90	8.07	33.73

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5710MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 46
02-C-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4356G	59.84	74.00	-14.16	51.38	3	Vertical	19	2.00	-	33.84	6.14	31.52
AV	5.3852G	46.29	54.00	-7.71	37.97	3	Vertical	19	2.00	-	33.79	6.09	31.56
PK	5.4678G	58.63	68.20	-9.57	50.09	3	Vertical	19	2.00	-	33.87	6.17	31.50
PK	5.7016G	115.51	Inf	-Inf	106.82	3	Vertical	19	2.00	-	33.80	6.35	31.46
AV	5.7268G	96.88	Inf	-Inf	88.18	3	Vertical	19	2.00	-	33.80	6.36	31.46
PK	5.892G	61.08	68.20	-7.12	52.10	3	Vertical	19	2.00	-	34.08	6.35	31.45



802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 46
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3656G	59.69	74.00	-14.31	51.41	3	Horizontal	179	1.80	-	33.77	6.08	31.57
PK	5.465G	59.32	68.20	-8.88	50.79	3	Horizontal	179	1.80	-	33.86	6.17	31.50
AV	5.444G	46.45	54.00	-7.55	37.97	3	Horizontal	179	1.80	-	33.84	6.15	31.51
PK	5.703G	115.47	Inf	-Inf	106.78	3	Horizontal	179	1.80	-	33.80	6.35	31.46
AV	5.7114G	99.14	Inf	-Inf	90.44	3	Horizontal	179	1.80	-	33.80	6.36	31.46
PK	5.92G	60.03	68.20	-8.17	51.02	3	Horizontal	179	1.80	-	34.12	6.34	31.45

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 46
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4068G	54.24	74.00	-19.76	39.41	3	Vertical	92	2.99	-	38.83	8.83	32.83
AV	11.41256G	40.94	54.00	-13.06	26.11	3	Vertical	92	2.99	-	38.83	8.83	32.83

802.11ac VHT40-BF_Nss1,(MCS0)_4TX

18/06/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 46
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40758G	54.45	74.00	-19.55	39.62	3	Horizontal	112	1.51	-	38.83	8.83	32.83
AV	11.42156G	40.91	54.00	-13.09	26.08	3	Horizontal	112	1.51	-	38.84	8.83	32.84

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

18/06/2020

5290MHz_TX



EUT Y_4TX
Setting 50
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.081G	58.21	74.00	-15.79	52.30	3	Vertical	46	1.59	-	31.91	5.60	31.60
AV	5.096G	45.78	54.00	-8.22	39.81	3	Vertical	46	1.59	-	31.98	5.60	31.61
PK	5.302G	105.33	Inf	-Inf	100.23	3	Vertical	46	1.59	-	31.11	5.70	31.71
AV	5.301G	95.95	Inf	-Inf	90.85	3	Vertical	46	1.59	-	31.11	5.70	31.71
PK	5.356G	72.44	74.00	-1.56	67.04	3	Vertical	46	1.59	-	31.38	5.76	31.74
AV	5.35G	48.72	54.00	-5.28	43.35	3	Vertical	46	1.59	-	31.35	5.75	31.73
PK	5.46G	58.80	68.20	-9.40	53.07	3	Vertical	46	1.59	-	31.72	5.80	31.79

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

18/06/2020

5290MHz_TX



EUT Y_4TX
Setting 50
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1G	61.30	74.00	-12.70	55.31	3	Horizontal	134	1.67	-	32.00	5.60	31.61
AV	5.15G	47.44	54.00	-6.56	41.72	3	Horizontal	134	1.67	-	31.75	5.60	31.63
PK	5.279G	111.74	Inf	-Inf	106.58	3	Horizontal	134	1.67	-	31.18	5.68	31.70
AV	5.274G	100.84	Inf	-Inf	95.67	3	Horizontal	134	1.67	-	31.20	5.67	31.70
PK	5.352G	73.49	74.00	-0.51	68.12	3	Horizontal	134	1.67	-	31.36	5.75	31.74
AV	5.351G	51.14	54.00	-2.86	45.77	3	Horizontal	134	1.67	-	31.36	5.75	31.74
PK	5.47G	59.50	68.20	-8.70	53.75	3	Horizontal	134	1.67	-	31.74	5.80	31.79



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

18/06/2020

5290MHz_TX



EUT Y_4TX
Setting 50
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86604G	56.99	74.00	-17.01	44.09	3	Vertical	260	1.80	-	37.97	8.71	33.78
AV	15.87324G	43.58	54.00	-10.42	30.71	3	Vertical	260	1.80	-	37.94	8.71	33.78



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

18/06/2020

5290MHz_TX



EUT Y_4TX
Setting 50
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86508G	56.51	74.00	-17.49	43.61	3	Horizontal	222	2.41	-	37.97	8.71	33.78
AV	15.8724G	43.49	54.00	-10.51	30.61	3	Horizontal	222	2.41	-	37.95	8.71	33.78



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

18/06/2020

5530MHz_TX




EUT Y_4TX
Setting 48
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.348G	57.60	68.20	-10.60	52.24	3	Vertical	35	2.43	-	31.34	5.75	31.73
PK	5.45G	59.44	74.00	-14.56	53.73	3	Vertical	35	2.43	-	31.70	5.80	31.79
PK	5.464G	59.72	68.20	-8.48	53.98	3	Vertical	35	2.43	-	31.73	5.80	31.79
AV	5.458G	46.61	54.00	-7.39	40.88	3	Vertical	35	2.43	-	31.72	5.80	31.79
PK	5.526G	97.23	Inf	-Inf	91.50	3	Vertical	35	2.43	-	31.75	5.80	31.82
AV	5.5G	86.99	Inf	-Inf	81.20	3	Vertical	35	2.43	-	31.80	5.80	31.81
PK	5.763G	58.71	68.20	-9.49	52.72	3	Vertical	35	2.43	-	31.95	5.96	31.92

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

18/06/2020

5530MHz_TX



EUT Y_4TX
Setting 48
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.32G	58.80	68.20	-9.40	53.60	3	Horizontal	300	1.51	-	31.20	5.72	31.72
PK	5.459G	67.48	74.00	-6.52	61.75	3	Horizontal	300	1.51	-	31.72	5.80	31.79
AV	5.458G	52.07	54.00	-1.93	46.34	3	Horizontal	300	1.51	-	31.72	5.80	31.79
PK	5.465G	67.99	68.20	-0.21	62.25	3	Horizontal	300	1.51	-	31.73	5.80	31.79
PK	5.504G	107.30	Inf	-Inf	101.52	3	Horizontal	300	1.51	-	31.79	5.80	31.81
AV	5.527G	96.50	Inf	-Inf	90.77	3	Horizontal	300	1.51	-	31.75	5.80	31.82
PK	5.757G	59.45	68.20	-8.75	53.49	3	Horizontal	300	1.51	-	31.93	5.95	31.92



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

18/06/2020

5530MHz_TX




EUT Y_4TX
Setting 48
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.05688G	57.23	74.00	-16.77	42.60	3	Vertical	233	2.71	-	40.31	7.97	33.65
AV	11.06152G	43.52	54.00	-10.48	28.89	3	Vertical	233	2.71	-	40.31	7.97	33.65

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

18/06/2020

5530MHz_TX



EUT Y_4TX
Setting 48
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06018G	56.90	74.00	-17.10	42.27	3	Horizontal	302	1.13	-	40.31	7.97	33.65
AV	11.05766G	43.69	54.00	-10.31	29.06	3	Horizontal	302	1.13	-	40.31	7.97	33.65



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

18/06/2020

5610MHz_TX



EUT Y_4TX
Setting 46
02-C-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3148G	59.88	68.20	-8.32	51.72	3	Vertical	28	1.51	-	33.71	6.06	31.61
PK	5.46G	61.55	74.00	-12.45	53.02	3	Vertical	28	1.51	-	33.86	6.17	31.50
AV	5.442G	46.70	54.00	-7.30	38.23	3	Vertical	28	1.51	-	33.84	6.15	31.52
PK	5.4636G	62.97	68.20	-5.23	54.44	3	Vertical	28	1.51	-	33.86	6.17	31.50
PK	5.5812G	111.51	Inf	-Inf	102.80	3	Vertical	28	1.51	-	33.90	6.28	31.47
AV	5.6244G	93.74	Inf	-Inf	85.02	3	Vertical	28	1.51	-	33.88	6.31	31.47
PK	5.7252G	65.10	68.20	-3.10	56.40	3	Vertical	28	1.51	-	33.80	6.36	31.46



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

18/06/2020

5610MHz_TX




EUT Y_4TX
Setting 46
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.322G	59.87	68.20	-8.33	51.69	3	Horizontal	357	1.82	-	33.72	6.06	31.60
PK	5.4528G	65.26	74.00	-8.74	56.76	3	Horizontal	357	1.82	-	33.85	6.16	31.51
AV	5.4528G	47.77	54.00	-6.23	39.27	3	Horizontal	357	1.82	-	33.85	6.16	31.51
PK	5.4684G	59.34	68.20	-8.86	50.79	3	Horizontal	357	1.82	-	33.87	6.18	31.50
PK	5.574G	115.80	Inf	-Inf	107.09	3	Horizontal	357	1.82	-	33.90	6.28	31.47
AV	5.5908G	96.38	Inf	-Inf	87.66	3	Horizontal	357	1.82	-	33.90	6.29	31.47
PK	5.7336G	63.27	68.20	-4.93	54.56	3	Horizontal	357	1.82	-	33.80	6.37	31.46

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

18/06/2020

5610MHz_TX




EUT Y_4TX
Setting 46
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21034G	53.78	74.00	-20.22	39.14	3	Vertical	116	1.38	-	38.67	8.77	32.80
AV	11.23194G	40.20	54.00	-13.80	25.53	3	Vertical	116	1.38	-	38.69	8.78	32.80

802.11ac VHT80-BF_Nss1,(MCS0)_4TX

18/06/2020

5610MHz_TX



EUT Y_4TX
Setting 46
02-C-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22198G	53.49	74.00	-20.51	38.84	3	Horizontal	247	2.87	-	38.68	8.77	32.80
AV	11.2281G	40.23	54.00	-13.77	25.57	3	Horizontal	247	2.87	-	38.68	8.78	32.80



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

18/06/2020

5690MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 69
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.442G	57.49	74.00	-16.51	51.79	3	Vertical	295	2.19	-	31.68	5.80	31.78
PK	5.47G	57.65	68.20	-10.55	51.90	3	Vertical	295	2.19	-	31.74	5.80	31.79
AV	5.46G	45.55	54.00	-8.45	39.82	3	Vertical	295	2.19	-	31.72	5.80	31.79
PK	5.68G	112.02	Inf	-Inf	106.35	3	Vertical	295	2.19	-	31.68	5.87	31.88
AV	5.685G	101.87	Inf	-Inf	96.19	3	Vertical	295	2.19	-	31.68	5.88	31.88
PK	5.85G	63.13	68.20	-5.07	56.87	3	Vertical	295	2.19	-	32.25	5.97	31.96



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

18/06/2020

5690MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 69
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.455G	60.80	74.00	-13.20	55.08	3	Horizontal	1	1.82	-	31.71	5.80	31.79
AV	5.457G	48.17	54.00	-5.83	42.45	3	Horizontal	1	1.82	-	31.71	5.80	31.79
PK	5.463G	61.86	68.20	-6.34	56.12	3	Horizontal	1	1.82	-	31.73	5.80	31.79
PK	5.695G	116.89	Inf	-Inf	111.19	3	Horizontal	1	1.82	-	31.70	5.89	31.89
AV	5.695G	107.23	Inf	-Inf	101.53	3	Horizontal	1	1.82	-	31.70	5.89	31.89
PK	5.854G	63.75	68.20	-4.45	57.48	3	Horizontal	1	1.82	-	32.26	5.97	31.96



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

18/06/2020

5690MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 69
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37436G	57.22	74.00	-16.78	43.04	3	Vertical	210	1.37	-	39.84	8.08	33.74
AV	11.37052G	42.77	54.00	-11.23	28.59	3	Vertical	210	1.37	-	39.84	8.08	33.74



802.11ac VHT80-BF_Nss1,(MCS0)_4TX

18/06/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 69
06-F-S-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37744G	57.09	74.00	-16.91	42.92	3	Horizontal	322	2.55	-	39.83	8.08	33.74
AV	11.37972G	42.79	54.00	-11.21	28.62	3	Horizontal	322	2.55	-	39.83	8.08	33.74

802.11ac VHT160-BF_Nss1,(MCS0)_4TX

18/06/2020

5250MHz Straddle 5.15-5.25GHz_TX



EUT Y_4TX
Setting 47
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1156G	70.43	74.00	-3.57	64.53	3	Vertical	317	1.34	-	31.92	5.60	31.62
AV	5.138G	51.30	54.00	-2.70	45.52	3	Vertical	317	1.34	-	31.81	5.60	31.63
PK	5.178G	108.78	Inf	-Inf	103.22	3	Vertical	317	1.34	-	31.61	5.60	31.65
AV	5.2164G	91.35	Inf	-Inf	85.97	3	Vertical	317	1.34	-	31.43	5.62	31.67
PK	5.3556G	67.36	74.00	-6.64	61.96	3	Vertical	317	1.34	-	31.38	5.76	31.74
AV	5.3972G	49.32	54.00	-4.68	43.69	3	Vertical	317	1.34	-	31.59	5.80	31.76
PK	5.5268G	59.34	68.20	-8.86	53.61	3	Vertical	317	1.34	-	31.75	5.80	31.82



802.11ac VHT160-BF_Nss1,(MCS0)_4TX

18/06/2020

5250MHz Straddle 5.15-5.25GHz_TX



EUT Y_4TX
Setting 47
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1188G	73.91	74.00	-0.09	68.02	3	Horizontal	147	1.80	-	31.91	5.60	31.62
AV	5.1172G	52.69	54.00	-1.31	46.80	3	Horizontal	147	1.80	-	31.91	5.60	31.62
PK	5.2548G	106.88	Inf	-Inf	101.64	3	Horizontal	147	1.80	-	31.28	5.65	31.69
AV	5.258G	95.16	Inf	-Inf	89.92	3	Horizontal	147	1.80	-	31.27	5.66	31.69
PK	5.4068G	70.39	74.00	-3.61	64.74	3	Horizontal	147	1.80	-	31.61	5.80	31.76
AV	5.3988G	50.74	54.00	-3.26	45.11	3	Horizontal	147	1.80	-	31.59	5.80	31.76
PK	5.4692G	59.28	68.20	-8.92	53.53	3	Horizontal	147	1.80	-	31.74	5.80	31.79



802.11ac VHT160-BF_Nss1,(MCS0)_4TX

18/06/2020

5250MHz Straddle 5.15-5.25GHz_TX



EUT Y_4TX
Setting 47
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.49828G	55.87	68.20	-12.33	41.94	3	Vertical	280	1.28	-	39.75	7.77	33.59



802.11ac VHT160-BF_Nss1,(MCS0)_4TX

18/06/2020

5250MHz Straddle 5.15-5.25GHz_TX



EUT Y_4TX
Setting 47
06-F-S-5


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.50104G	56.04	68.20	-12.16	42.11	3	Horizontal	209	2.58	-	39.75	7.78	33.60



802.11ac VHT160-BF_Nss1,(MCS0)_4TX

18/06/2020

5570MHz_TX



EUT Y_4TX
Setting 33
02-C-K-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.266G	59.43	68.20	-8.77	51.41	3	Vertical	343	1.80	-	33.63	6.03	31.64
PK	5.4436G	62.99	74.00	-11.01	54.52	3	Vertical	343	1.80	-	33.84	6.15	31.52
AV	5.4452G	53.13	54.00	-0.87	44.64	3	Vertical	343	1.80	-	33.85	6.15	31.51
PK	5.4628G	60.24	68.20	-7.96	51.71	3	Vertical	343	1.80	-	33.86	6.17	31.50
PK	5.5748G	96.53	Inf	-Inf	87.82	3	Vertical	343	1.80	-	33.90	6.28	31.47
AV	5.5732G	87.45	Inf	-Inf	78.74	3	Vertical	343	1.80	-	33.90	6.28	31.47
PK	5.8084G	60.60	68.20	-7.60	51.83	3	Vertical	343	1.80	-	33.83	6.40	31.46



802.11ac VHT160-BF_Nss1,(MCS0)_4TX

18/06/2020

5570MHz_TX



EUT Y_4TX
Setting 33
02-C-K-3-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3156G	58.84	68.20	-9.36	50.67	3	Horizontal	111	2.29	-	33.72	6.06	31.61
PK	5.4388G	63.56	74.00	-10.44	55.10	3	Horizontal	111	2.29	-	33.84	6.14	31.52
AV	5.4388G	53.06	54.00	-0.94	44.60	3	Horizontal	111	2.29	-	33.84	6.14	31.52
PK	5.466G	59.92	68.20	-8.28	51.38	3	Horizontal	111	2.29	-	33.87	6.17	31.50
PK	5.506G	102.77	Inf	-Inf	94.12	3	Horizontal	111	2.29	-	33.90	6.22	31.47
AV	5.498G	94.69	Inf	-Inf	86.05	3	Horizontal	111	2.29	-	33.90	6.21	31.47
PK	5.9156G	59.89	68.20	-8.31	50.88	3	Horizontal	111	2.29	-	34.12	6.34	31.45



802.11ac VHT160-BF_Nss1,(MCS0)_4TX

18/06/2020

5570MHz_TX



EUT Y_4TX
Setting 33
02-C-K-3


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14066G	53.30	74.00	-20.70	38.73	3	Vertical	140	1.62	-	38.61	8.75	32.79
AV	11.13232G	42.79	54.00	-11.21	28.21	3	Vertical	140	1.62	-	38.61	8.75	32.78



802.11ac VHT160-BF_Nss1,(MCS0)_4TX

18/06/2020

5570MHz_TX




EUT Y_4TX
Setting 33
02-C-K-3

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1604G	53.39	74.00	-20.61	38.79	3	Horizontal	199	2.72	-	38.63	8.76	32.79
AV	11.11408G	42.40	54.00	-11.60	27.85	3	Horizontal	199	2.72	-	38.59	8.74	32.78

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5260MHz_TX




EUT Y_4TX
Setting 57
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.059G	62.13	74.00	-11.87	56.32	3	Vertical	51	1.48	-	31.80	5.60	31.59
AV	5.097G	45.65	54.00	-8.35	39.68	3	Vertical	51	1.48	-	31.98	5.60	31.61
PK	5.257G	117.94	Inf	-Inf	112.70	3	Vertical	51	1.48	-	31.27	5.66	31.69
AV	5.258G	105.54	Inf	-Inf	100.30	3	Vertical	51	1.48	-	31.27	5.66	31.69
PK	5.374G	58.91	74.00	-15.09	53.42	3	Vertical	51	1.48	-	31.47	5.77	31.75
AV	5.351G	45.86	54.00	-8.14	40.49	3	Vertical	51	1.48	-	31.36	5.75	31.74
PK	5.479G	59.54	68.20	-8.66	53.78	3	Vertical	51	1.48	-	31.76	5.80	31.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5260MHz_TX




EUT Y_4TX
Setting 57
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.053G	68.22	74.00	-5.78	62.44	3	Horizontal	235	2.03	-	31.77	5.60	31.59
AV	5.143G	46.20	54.00	-7.80	40.44	3	Horizontal	235	2.03	-	31.79	5.60	31.63
PK	5.261G	120.62	Inf	-Inf	115.39	3	Horizontal	235	2.03	-	31.26	5.66	31.69
AV	5.261G	108.07	Inf	-Inf	102.84	3	Horizontal	235	2.03	-	31.26	5.66	31.69
PK	5.438G	66.79	74.00	-7.21	61.09	3	Horizontal	235	2.03	-	31.68	5.80	31.78
AV	5.35G	46.78	54.00	-7.22	41.41	3	Horizontal	235	2.03	-	31.35	5.75	31.73
PK	5.462G	68.08	68.20	-0.12	62.35	3	Horizontal	235	2.03	-	31.72	5.80	31.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5260MHz_TX



EUT Y_4TX
Setting 57
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7791G	61.68	74.00	-12.32	48.45	3	Vertical	119	2.60	-	38.27	8.72	33.76
AV	15.7794G	46.93	54.00	-7.07	33.70	3	Vertical	119	2.60	-	38.27	8.72	33.76



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5260MHz_TX




EUT Y_4TX
Setting 57
06-F-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7782G	60.53	74.00	-13.47	47.29	3	Horizontal	125	2.64	-	38.28	8.72	33.76
AV	15.77772G	45.93	54.00	-8.07	32.69	3	Horizontal	125	2.64	-	38.28	8.72	33.76

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5300MHz_TX




EUT Y_4TX
Setting 57
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.118G	59.45	74.00	-14.55	53.56	3	Vertical	78	1.80	-	31.91	5.60	31.62
AV	5.089G	45.55	54.00	-8.45	39.60	3	Vertical	78	1.80	-	31.95	5.60	31.60
PK	5.303G	112.02	Inf	-Inf	106.91	3	Vertical	78	1.80	-	31.12	5.70	31.71
AV	5.307G	99.93	Inf	-Inf	94.79	3	Vertical	78	1.80	-	31.14	5.71	31.71
PK	5.35G	63.27	74.00	-10.73	57.90	3	Vertical	78	1.80	-	31.35	5.75	31.73
AV	5.351G	46.99	54.00	-7.01	41.62	3	Vertical	78	1.80	-	31.36	5.75	31.74
PK	5.51G	57.87	68.20	-10.33	52.10	3	Vertical	78	1.80	-	31.78	5.80	31.81

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5300MHz_TX



EUT Y_4TX
Setting 57
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.098G	67.33	74.00	-6.67	61.35	3	Horizontal	137	1.55	-	31.99	5.60	31.61
AV	5.09G	46.31	54.00	-7.69	40.37	3	Horizontal	137	1.55	-	31.95	5.60	31.61
PK	5.294G	120.58	Inf	-Inf	115.48	3	Horizontal	137	1.55	-	31.12	5.69	31.71
AV	5.296G	109.26	Inf	-Inf	104.15	3	Horizontal	137	1.55	-	31.12	5.70	31.71
PK	5.358G	73.99	74.00	-0.01	68.58	3	Horizontal	137	1.55	-	31.39	5.76	31.74
AV	5.35G	51.05	54.00	-2.95	45.68	3	Horizontal	137	1.55	-	31.35	5.75	31.73
PK	5.506G	65.46	68.20	-2.74	59.68	3	Horizontal	137	1.55	-	31.79	5.80	31.81



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5300MHz_TX



EUT Y_4TX
Setting 57
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.90006G	56.65	74.00	-17.35	43.87	3	Vertical	126	1.84	-	37.85	8.71	33.78
AV	15.89778G	43.23	54.00	-10.77	30.44	3	Vertical	126	1.84	-	37.86	8.71	33.78



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5300MHz_TX




EUT Y_4TX
Setting 57
06-F-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.89875G	56.74	74.00	-17.26	43.96	3	Horizontal	209	1.54	-	37.85	8.71	33.78
AV	15.89785G	43.83	54.00	-10.17	31.04	3	Horizontal	209	1.54	-	37.86	8.71	33.78

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5320MHz_TX




EUT Y_4TX
Setting 49
06-F-S-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1224G	58.68	74.00	-15.32	52.81	3	Vertical	27	2.40	-	31.89	5.60	31.62
AV	5.1208G	45.22	54.00	-8.78	39.34	3	Vertical	27	2.40	-	31.90	5.60	31.62
PK	5.3192G	112.39	Inf	-Inf	107.19	3	Vertical	27	2.40	-	31.20	5.72	31.72
AV	5.3136G	100.27	Inf	-Inf	95.11	3	Vertical	27	2.40	-	31.17	5.71	31.72
PK	5.3552G	71.44	74.00	-2.56	66.04	3	Vertical	27	2.40	-	31.38	5.76	31.74
AV	5.35G	46.06	54.00	-7.94	40.70	3	Vertical	27	2.40	-	31.35	5.75	31.74
PK	5.5056G	58.27	68.20	-9.93	52.49	3	Vertical	27	2.40	-	31.79	5.80	31.81

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5320MHz_TX



EUT Y_4TX
Setting 49
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1368G	58.35	74.00	-15.65	52.56	3	Horizontal	136	1.53	-	31.82	5.60	31.63
AV	5.124G	45.57	54.00	-8.43	39.71	3	Horizontal	136	1.53	-	31.88	5.60	31.62
PK	5.3288G	114.82	Inf	-Inf	109.57	3	Horizontal	136	1.53	-	31.24	5.73	31.72
AV	5.316G	102.91	Inf	-Inf	97.73	3	Horizontal	136	1.53	-	31.18	5.72	31.72
PK	5.3544G	73.87	74.00	-0.13	68.49	3	Horizontal	136	1.53	-	31.37	5.75	31.74
AV	5.35G	46.93	54.00	-7.07	41.56	3	Horizontal	136	1.53	-	31.35	5.75	31.73
PK	5.476G	57.66	68.20	-10.54	51.91	3	Horizontal	136	1.53	-	31.75	5.80	31.80



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5320MHz_TX




EUT Y_4TX
Setting 49
06-F-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96098G	55.82	74.00	-18.18	43.27	3	Vertical	179	2.31	-	37.64	8.70	33.79
AV	15.95991G	42.18	54.00	-11.82	29.63	3	Vertical	179	2.31	-	37.64	8.70	33.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5320MHz_TX




EUT Y_4TX
Setting 49
06-F-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.96144G	57.04	74.00	-16.96	44.50	3	Horizontal	315	1.80	-	37.63	8.70	33.79
AV	15.96029G	42.67	54.00	-11.33	30.12	3	Horizontal	315	1.80	-	37.64	8.70	33.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5500MHz_TX



EUT Y_4TX
Setting 52
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.46G	60.01	74.00	-13.99	54.28	3	Vertical	45	1.45	-	31.72	5.80	31.79
AV	5.4564G	46.03	54.00	-7.97	40.31	3	Vertical	45	1.45	-	31.71	5.80	31.79
PK	5.47G	62.84	68.20	-5.36	57.09	3	Vertical	45	1.45	-	31.74	5.80	31.79
PK	5.4948G	115.53	Inf	-Inf	109.75	3	Vertical	45	1.45	-	31.79	5.80	31.81
AV	5.496G	102.49	Inf	-Inf	96.71	3	Vertical	45	1.45	-	31.79	5.80	31.81



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5500MHz_TX



EUT Y_4TX
Setting 52
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4284G	59.37	74.00	-14.63	53.68	3	Horizontal	0	1.92	-	31.66	5.80	31.77
PK	5.4672G	67.96	68.20	-0.24	62.22	3	Horizontal	0	1.92	-	31.73	5.80	31.79
AV	5.4584G	46.66	54.00	-7.34	40.93	3	Horizontal	0	1.92	-	31.72	5.80	31.79
PK	5.5048G	120.84	Inf	-Inf	115.06	3	Horizontal	0	1.92	-	31.79	5.80	31.81
AV	5.5056G	107.44	Inf	-Inf	101.66	3	Horizontal	0	1.92	-	31.79	5.80	31.81



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5500MHz_TX




EUT Y_4TX
Setting 52
06-F-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9942G	58.32	74.00	-15.68	43.61	3	Vertical	111	1.38	-	40.39	7.95	33.63
AV	11.023G	43.81	54.00	-10.19	29.12	3	Vertical	111	1.38	-	40.37	7.96	33.64

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5500MHz_TX




EUT Y_4TX
Setting 52
06-F-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9925G	59.89	74.00	-14.11	45.18	3	Horizontal	308	1.54	-	40.39	7.95	33.63
AV	11G	47.43	54.00	-6.57	32.71	3	Horizontal	308	1.54	-	40.40	7.95	33.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5580MHz_TX



EUT Y_4TX
Setting 65
06-F-M-1-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3352G	57.83	68.20	-10.37	52.54	3	Vertical	219	2.97	-	31.28	5.74	31.73
PK	5.424G	58.38	74.00	-15.62	52.70	3	Vertical	219	2.97	-	31.65	5.80	31.77
PK	5.4684G	58.91	68.20	-9.29	53.16	3	Vertical	219	2.97	-	31.74	5.80	31.79
AV	5.4504G	45.90	54.00	-8.10	40.19	3	Vertical	219	2.97	-	31.70	5.80	31.79
PK	5.5716G	119.83	Inf	-Inf	114.21	3	Vertical	219	2.97	-	31.66	5.80	31.84
AV	5.5716G	107.57	Inf	-Inf	101.95	3	Vertical	219	2.97	-	31.66	5.80	31.84
PK	5.8596G	58.83	68.20	-9.37	52.54	3	Vertical	219	2.97	-	32.28	5.97	31.96



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5580MHz_TX



EUT Y_4TX
Setting 65
06-F-M-1-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	57.64	68.20	-10.56	52.29	3	Horizontal	184	1.83	-	31.33	5.75	31.73
PK	5.4516G	59.19	74.00	-14.81	53.48	3	Horizontal	184	1.83	-	31.70	5.80	31.79
AV	5.4444G	46.73	54.00	-7.27	41.02	3	Horizontal	184	1.83	-	31.69	5.80	31.78
PK	5.466G	59.14	68.20	-9.06	53.40	3	Horizontal	184	1.83	-	31.73	5.80	31.79
PK	5.5848G	124.07	Inf	-Inf	118.48	3	Horizontal	184	1.83	-	31.63	5.80	31.84
AV	5.5848G	112.03	Inf	-Inf	106.44	3	Horizontal	184	1.83	-	31.63	5.80	31.84
PK	5.766G	59.57	68.20	-8.63	53.57	3	Horizontal	184	1.83	-	31.96	5.96	31.92



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5580MHz_TX



EUT Y_4TX
Setting 65
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1576G	61.45	74.00	-12.55	46.96	3	Vertical	230	1.88	-	40.16	8.01	33.68
AV	11.1582G	48.93	54.00	-5.07	34.44	3	Vertical	230	1.88	-	40.16	8.01	33.68



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5580MHz_TX



EUT Y_4TX
Setting 65
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.158G	66.96	74.00	-7.04	52.47	3	Horizontal	304	2.22	-	40.16	8.01	33.68
AV	11.1584G	53.88	54.00	-0.12	39.39	3	Horizontal	304	2.22	-	40.16	8.01	33.68



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5700MHz_TX



EUT Y_4TX
Setting 39
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7052G	109.30	Inf	-Inf	103.57	3	Vertical	29	2.27	-	31.72	5.90	31.89
AV	5.7056G	95.99	Inf	-Inf	90.26	3	Vertical	29	2.27	-	31.72	5.90	31.89
PK	5.7264G	63.13	68.20	-5.07	57.30	3	Vertical	29	2.27	-	31.81	5.92	31.90



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5700MHz_TX



EUT Y_4TX
Setting 39
06-F-S-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7048G	113.40	Inf	-Inf	107.67	3	Horizontal	5	1.98	-	31.72	5.90	31.89
AV	5.7052G	100.05	Inf	-Inf	94.32	3	Horizontal	5	1.98	-	31.72	5.90	31.89
PK	5.7252G	67.78	68.20	-0.42	61.96	3	Horizontal	5	1.98	-	31.80	5.92	31.90



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5700MHz_TX




EUT Y_4TX
Setting 39
06-F-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39994G	55.52	74.00	-18.48	41.38	3	Vertical	331	2.37	-	39.80	8.09	33.75
AV	11.39911G	42.26	54.00	-11.74	28.12	3	Vertical	331	2.37	-	39.80	8.09	33.75

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5700MHz_TX




EUT Y_4TX
Setting 39
06-F-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40064G	56.58	74.00	-17.42	42.44	3	Horizontal	360	1.56	-	39.80	8.09	33.75
AV	11.40039G	42.82	54.00	-11.18	28.68	3	Horizontal	360	1.56	-	39.80	8.09	33.75

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5720MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 49
02-C-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4022G	60.19	74.00	-13.81	51.84	3	Vertical	300	1.37	-	33.80	6.10	31.55
PK	5.468G	58.51	68.20	-9.69	49.97	3	Vertical	300	1.37	-	33.87	6.17	31.50
AV	5.4526G	46.28	54.00	-7.72	37.78	3	Vertical	300	1.37	-	33.85	6.16	31.51
PK	5.727G	121.93	Inf	-Inf	113.23	3	Vertical	300	1.37	-	33.80	6.36	31.46
AV	5.7172G	101.57	Inf	-Inf	92.87	3	Vertical	300	1.37	-	33.80	6.36	31.46
PK	5.8572G	61.49	68.20	-6.71	52.60	3	Vertical	300	1.37	-	33.97	6.37	31.45



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 49
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.377G	59.33	74.00	-14.67	51.03	3	Horizontal	204	2.33	-	33.78	6.09	31.57
PK	5.4638G	59.04	68.20	-9.16	50.51	3	Horizontal	204	2.33	-	33.86	6.17	31.50
AV	5.426G	46.60	54.00	-7.40	38.17	3	Horizontal	204	2.33	-	33.83	6.13	31.53
PK	5.727G	123.12	Inf	-Inf	114.42	3	Horizontal	204	2.33	-	33.80	6.36	31.46
AV	5.7144G	105.29	Inf	-Inf	96.59	3	Horizontal	204	2.33	-	33.80	6.36	31.46
PK	5.8684G	62.66	68.20	-5.54	53.73	3	Horizontal	204	2.33	-	34.01	6.37	31.45

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5720MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 49
02-C-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44864G	59.95	74.00	-14.05	45.09	3	Vertical	273	1.77	-	38.86	8.84	32.84
AV	11.44858G	44.33	54.00	-9.67	29.47	3	Vertical	273	1.77	-	38.86	8.84	32.84
PK	17.15868G	67.53	68.20	-0.67	48.35	3	Vertical	268	2.25	-	42.06	10.10	32.98



802.11ax HEW20-BF_Nss1,(MCS0)_4TX

18/06/2020

5720MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 49
02-C-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.43844G	65.65	74.00	-8.35	50.80	3	Horizontal	125	1.31	-	38.85	8.84	32.84
AV	11.43598G	47.96	54.00	-6.04	33.11	3	Horizontal	125	1.31	-	38.85	8.84	32.84
PK	17.15682G	68.05	68.20	-0.15	48.88	3	Horizontal	209	1.69	-	42.05	10.10	32.98



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5270MHz_TX



EUT Y_4TX
Setting 56
06-F-J-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.135G	59.90	74.00	-14.10	54.11	3	Vertical	56	1.38	-	31.82	5.60	31.63
AV	5.1488G	46.04	54.00	-7.96	40.31	3	Vertical	56	1.38	-	31.76	5.60	31.63
PK	5.2886G	114.57	Inf	-Inf	109.43	3	Vertical	56	1.38	-	31.15	5.69	31.70
AV	5.2688G	101.63	Inf	-Inf	96.43	3	Vertical	56	1.38	-	31.22	5.67	31.69
PK	5.35G	69.21	74.00	-4.79	63.85	3	Vertical	56	1.38	-	31.35	5.75	31.74
AV	5.35G	50.56	54.00	-3.44	45.20	3	Vertical	56	1.38	-	31.35	5.75	31.74



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5270MHz_TX



EUT Y_4TX
Setting 56
06-F-J-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1494G	62.34	74.00	-11.66	56.62	3	Horizontal	241	1.65	-	31.75	5.60	31.63
AV	5.1482G	47.57	54.00	-6.43	41.84	3	Horizontal	241	1.65	-	31.76	5.60	31.63
PK	5.2694G	117.45	Inf	-Inf	112.25	3	Horizontal	241	1.65	-	31.22	5.67	31.69
AV	5.2688G	105.56	Inf	-Inf	100.36	3	Horizontal	241	1.65	-	31.22	5.67	31.69
PK	5.35G	70.53	74.00	-3.47	65.17	3	Horizontal	241	1.65	-	31.35	5.75	31.74
AV	5.3504G	53.87	54.00	-0.13	48.51	3	Horizontal	241	1.65	-	31.35	5.75	31.74



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5270MHz_TX



EUT Y_4TX
Setting 56
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80939G	57.12	74.00	-16.88	44.00	3	Vertical	165	1.22	-	38.17	8.72	33.77
AV	15.80978G	43.76	54.00	-10.24	30.64	3	Vertical	165	1.22	-	38.17	8.72	33.77



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5270MHz_TX



EUT Y_4TX
Setting 56
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80905G	57.16	74.00	-16.84	44.04	3	Horizontal	207	2.84	-	38.17	8.72	33.77
AV	15.80906G	44.10	54.00	-9.90	30.98	3	Horizontal	207	2.84	-	38.17	8.72	33.77



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5310MHz_TX



EUT Y_4TX
Setting 49
06-F-J-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.307G	110.91	Inf	-Inf	105.77	3	Vertical	46	1.51	-	31.14	5.71	31.71
AV	5.3268G	98.68	Inf	-Inf	93.44	3	Vertical	46	1.51	-	31.23	5.73	31.72
PK	5.3514G	68.43	74.00	-5.57	63.06	3	Vertical	46	1.51	-	31.36	5.75	31.74
AV	5.3532G	46.66	54.00	-7.34	41.28	3	Vertical	46	1.51	-	31.37	5.75	31.74



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5310MHz_TX



EUT Y_4TX
Setting 49
06-F-J-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3154G	113.50	Inf	-Inf	108.32	3	Horizontal	4	2.08	-	31.18	5.72	31.72
AV	5.316G	101.91	Inf	-Inf	96.73	3	Horizontal	4	2.08	-	31.18	5.72	31.72
PK	5.355G	73.93	74.00	-0.07	68.55	3	Horizontal	4	2.08	-	31.37	5.75	31.74
AV	5.3556G	49.32	54.00	-4.68	43.92	3	Horizontal	4	2.08	-	31.38	5.76	31.74



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5310MHz_TX



EUT Y_4TX
Setting 49
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92983G	56.03	74.00	-17.97	43.36	3	Vertical	163	2.12	-	37.75	8.71	33.79
AV	15.93053G	42.79	54.00	-11.21	30.13	3	Vertical	163	2.12	-	37.74	8.71	33.79



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5310MHz_TX




EUT Y_4TX
Setting 49
06-F-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92905G	56.19	74.00	-17.81	43.52	3	Horizontal	242	2.81	-	37.75	8.71	33.79
AV	15.93038G	42.67	54.00	-11.33	30.01	3	Horizontal	242	2.81	-	37.74	8.71	33.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5510MHz_TX



EUT Y_4TX
Setting 54
06-F-J-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3196G	57.78	68.20	-10.42	52.58	3	Vertical	212	2.89	-	31.20	5.72	31.72
PK	5.4596G	66.88	74.00	-7.12	61.15	3	Vertical	212	2.89	-	31.72	5.80	31.79
AV	5.4596G	49.86	54.00	-4.14	44.13	3	Vertical	212	2.89	-	31.72	5.80	31.79
PK	5.462G	66.60	68.20	-1.60	60.87	3	Vertical	212	2.89	-	31.72	5.80	31.79
PK	5.4996G	113.48	Inf	-Inf	107.69	3	Vertical	212	2.89	-	31.80	5.80	31.81
AV	5.4996G	101.58	Inf	-Inf	95.79	3	Vertical	212	2.89	-	31.80	5.80	31.81



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5510MHz_TX



EUT Y_4TX
Setting 54
06-F-J-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3492G	58.24	68.20	-9.96	52.87	3	Horizontal	182	2.02	-	31.35	5.75	31.73
PK	5.4564G	73.85	74.00	-0.15	68.13	3	Horizontal	182	2.02	-	31.71	5.80	31.79
AV	5.4564G	51.56	54.00	-2.44	45.84	3	Horizontal	182	2.02	-	31.71	5.80	31.79
PK	5.4636G	68.17	68.20	-0.03	62.43	3	Horizontal	182	2.02	-	31.73	5.80	31.79
PK	5.5148G	117.16	Inf	-Inf	111.41	3	Horizontal	182	2.02	-	31.77	5.80	31.82
AV	5.5156G	105.20	Inf	-Inf	99.45	3	Horizontal	182	2.02	-	31.77	5.80	31.82



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5510MHz_TX



EUT Y_4TX
Setting 54
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0203G	57.34	74.00	-16.66	42.65	3	Vertical	190	1.30	-	40.37	7.96	33.64
AV	11.0203G	43.68	54.00	-10.32	28.99	3	Vertical	190	1.30	-	40.37	7.96	33.64



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5510MHz_TX



EUT Y_4TX
Setting 54
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0158G	59.51	74.00	-14.49	44.80	3	Horizontal	309	1.56	-	40.38	7.96	33.63
AV	11.02G	46.74	54.00	-7.26	32.05	3	Horizontal	309	1.56	-	40.37	7.96	33.64



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5550MHz_TX




EUT Y_4TX
Setting 66
06-F-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	59.82	68.20	-8.38	54.47	3	Vertical	212	2.97	-	31.33	5.75	31.73
PK	5.459G	66.92	74.00	-7.08	61.19	3	Vertical	212	2.97	-	31.72	5.80	31.79
AV	5.46G	51.08	54.00	-2.92	45.35	3	Vertical	212	2.97	-	31.72	5.80	31.79
PK	5.462G	66.89	68.20	-1.31	61.16	3	Vertical	212	2.97	-	31.72	5.80	31.79
PK	5.54G	118.14	Inf	-Inf	112.45	3	Vertical	212	2.97	-	31.72	5.80	31.83
AV	5.541G	106.27	Inf	-Inf	100.58	3	Vertical	212	2.97	-	31.72	5.80	31.83
PK	5.734G	59.45	68.20	-8.75	53.59	3	Vertical	212	2.97	-	31.84	5.93	31.91

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5550MHz_TX



EUT Y_4TX
Setting 66
06-F-J-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.341G	60.84	68.20	-7.36	55.53	3	Horizontal	188	1.91	-	31.30	5.74	31.73
PK	5.457G	68.05	74.00	-5.95	62.33	3	Horizontal	188	1.91	-	31.71	5.80	31.79
AV	5.456G	52.98	54.00	-1.02	47.26	3	Horizontal	188	1.91	-	31.71	5.80	31.79
PK	5.464G	68.08	68.20	-0.12	62.34	3	Horizontal	188	1.91	-	31.73	5.80	31.79
PK	5.537G	122.28	Inf	-Inf	116.57	3	Horizontal	188	1.91	-	31.73	5.80	31.82
AV	5.556G	109.66	Inf	-Inf	104.00	3	Horizontal	188	1.91	-	31.69	5.80	31.83
PK	5.746G	65.74	68.20	-2.46	59.83	3	Horizontal	188	1.91	-	31.88	5.94	31.91



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5550MHz_TX



EUT Y_4TX
Setting 66
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09999G	60.14	74.00	-13.86	45.57	3	Vertical	258	1.94	-	40.25	7.98	33.66
AV	11.0988G	46.96	54.00	-7.04	32.39	3	Vertical	258	1.94	-	40.25	7.98	33.66



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5550MHz_TX



EUT Y_4TX
Setting 66
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0784G	64.72	74.00	-9.28	50.11	3	Horizontal	304	2.20	-	40.28	7.98	33.65
AV	11.0978G	50.62	54.00	-3.38	36.05	3	Horizontal	304	2.20	-	40.25	7.98	33.66



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5670MHz_TX



EUT Y_4TX
Setting 57
06-F-J-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6664G	111.86	Inf	-Inf	106.21	3	Vertical	80	1.79	-	31.67	5.86	31.88
AV	5.6676G	99.80	Inf	-Inf	94.15	3	Vertical	80	1.79	-	31.67	5.86	31.88
PK	5.7282G	65.78	68.20	-2.42	59.95	3	Vertical	80	1.79	-	31.81	5.92	31.90



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5670MHz_TX




EUT Y_4TX
Setting 57
06-F-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6748G	116.63	Inf	-Inf	110.97	3	Horizontal	181	1.86	-	31.67	5.87	31.88
AV	5.6748G	104.62	Inf	-Inf	98.96	3	Horizontal	181	1.86	-	31.67	5.87	31.88
PK	5.7342G	68.01	68.20	-0.19	62.15	3	Horizontal	181	1.86	-	31.84	5.93	31.91

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5670MHz_TX



EUT Y_4TX
Setting 57
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3376G	57.69	74.00	-16.31	43.46	3	Vertical	233	1.71	-	39.89	8.07	33.73
AV	11.3368G	44.82	54.00	-9.18	30.59	3	Vertical	233	1.71	-	39.89	8.07	33.73



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5670MHz_TX



EUT Y_4TX
Setting 57
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33556G	62.34	74.00	-11.66	48.10	3	Horizontal	308	1.51	-	39.90	8.07	33.73
AV	11.334G	48.01	54.00	-5.99	33.77	3	Horizontal	308	1.51	-	39.90	8.07	33.73



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5710MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 46
02-C-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3712G	59.22	74.00	-14.78	50.93	3	Vertical	19	1.40	-	33.77	6.09	31.57
AV	5.3754G	46.35	54.00	-7.65	38.05	3	Vertical	19	1.40	-	33.78	6.09	31.57
PK	5.4692G	59.09	68.20	-9.11	50.53	3	Vertical	19	1.40	-	33.87	6.18	31.49
PK	5.7002G	115.64	Inf	-Inf	106.95	3	Vertical	19	1.40	-	33.80	6.35	31.46
AV	5.7058G	98.03	Inf	-Inf	89.34	3	Vertical	19	1.40	-	33.80	6.35	31.46
PK	5.8696G	60.66	68.20	-7.54	51.73	3	Vertical	19	1.40	-	34.01	6.37	31.45



802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 46
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4468G	59.43	74.00	-14.57	50.94	3	Horizontal	201	2.16	-	33.85	6.15	31.51
AV	5.451G	46.49	54.00	-7.51	37.99	3	Horizontal	201	2.16	-	33.85	6.16	31.51
PK	5.4664G	59.21	68.20	-8.99	50.67	3	Horizontal	201	2.16	-	33.87	6.17	31.50
PK	5.7198G	113.49	Inf	-Inf	104.79	3	Horizontal	201	2.16	-	33.80	6.36	31.46
AV	5.7184G	100.28	Inf	-Inf	91.58	3	Horizontal	201	2.16	-	33.80	6.36	31.46
PK	5.9718G	60.05	68.20	-8.15	51.02	3	Horizontal	201	2.16	-	34.17	6.31	31.45

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 46
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4089G	60.35	74.00	-13.65	45.52	3	Vertical	272	2.13	-	38.83	8.83	32.83
AV	11.40944G	44.00	54.00	-10.00	29.17	3	Vertical	272	2.13	-	38.83	8.83	32.83

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

18/06/2020

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 46
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.405G	61.29	74.00	-12.71	46.47	3	Horizontal	129	1.56	-	38.82	8.83	32.83
AV	11.40668G	45.04	54.00	-8.96	30.21	3	Horizontal	129	1.56	-	38.83	8.83	32.83

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

18/06/2020

5290MHz_TX




EUT Y_4TX
Setting 49
06-F-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
AV	5.0924G	45.49	54.00	-8.51	39.54	3	Vertical	224	1.31	-	31.96	5.60	31.61
PK	5.1196G	57.72	74.00	-16.28	51.84	3	Vertical	224	1.31	-	31.90	5.60	31.62
PK	5.3068G	108.86	Inf	-Inf	103.73	3	Vertical	224	1.31	-	31.13	5.71	31.71
AV	5.2668G	95.83	Inf	-Inf	90.62	3	Vertical	224	1.31	-	31.23	5.67	31.69
PK	5.366G	66.32	74.00	-7.68	60.86	3	Vertical	224	1.31	-	31.43	5.77	31.74
AV	5.366G	47.54	54.00	-6.46	42.08	3	Vertical	224	1.31	-	31.43	5.77	31.74
PK	5.4604G	58.24	68.20	-9.96	52.51	3	Vertical	224	1.31	-	31.72	5.80	31.79

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

18/06/2020

5290MHz_TX



EUT Y_4TX
Setting 49
06-F-J-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.134G	59.56	74.00	-14.44	53.76	3	Horizontal	184	1.99	-	31.83	5.60	31.63
AV	5.134G	46.07	54.00	-7.93	40.27	3	Horizontal	184	1.99	-	31.83	5.60	31.63
PK	5.2756G	111.86	Inf	-Inf	106.68	3	Horizontal	184	1.99	-	31.20	5.68	31.70
AV	5.2764G	99.09	Inf	-Inf	93.92	3	Horizontal	184	1.99	-	31.19	5.68	31.70
PK	5.3548G	73.83	74.00	-0.17	68.45	3	Horizontal	184	1.99	-	31.37	5.75	31.74
AV	5.3556G	51.91	54.00	-2.09	46.51	3	Horizontal	184	1.99	-	31.38	5.76	31.74
PK	5.466G	62.59	68.20	-5.61	56.85	3	Horizontal	184	1.99	-	31.73	5.80	31.79



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

18/06/2020

5290MHz_TX



EUT Y_4TX
Setting 49
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.86792G	56.91	74.00	-17.09	44.02	3	Vertical	201	1.80	-	37.96	8.71	33.78
AV	15.87151G	43.15	54.00	-10.85	30.27	3	Vertical	201	1.80	-	37.95	8.71	33.78



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

18/06/2020

5290MHz_TX



EUT Y_4TX
Setting 49
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8725G	57.36	74.00	-16.64	44.48	3	Horizontal	139	1.42	-	37.95	8.71	33.78
AV	15.8718G	43.13	54.00	-10.87	30.25	3	Horizontal	139	1.42	-	37.95	8.71	33.78



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

18/06/2020

5530MHz_TX




EUT Y_4TX
Setting 50
06-F-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.325G	58.06	68.20	-10.14	52.83	3	Vertical	230	1.73	-	31.23	5.72	31.72
PK	5.449G	61.29	74.00	-12.71	55.57	3	Vertical	230	1.73	-	31.70	5.80	31.78
AV	5.447G	48.86	54.00	-5.14	43.15	3	Vertical	230	1.73	-	31.69	5.80	31.78
PK	5.466G	63.33	68.20	-4.87	57.59	3	Vertical	230	1.73	-	31.73	5.80	31.79
PK	5.528G	107.50	Inf	-Inf	101.78	3	Vertical	230	1.73	-	31.74	5.80	31.82
AV	5.548G	94.54	Inf	-Inf	88.87	3	Vertical	230	1.73	-	31.70	5.80	31.83
PK	5.768G	59.38	68.20	-8.82	53.37	3	Vertical	230	1.73	-	31.97	5.96	31.92

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

18/06/2020

5530MHz_TX



EUT Y_4TX
Setting 50
06-F-J-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.349G	58.05	68.20	-10.15	52.68	3	Horizontal	181	1.96	-	31.35	5.75	31.73
PK	5.455G	66.05	74.00	-7.95	60.33	3	Horizontal	181	1.96	-	31.71	5.80	31.79
AV	5.456G	53.85	54.00	-0.15	48.13	3	Horizontal	181	1.96	-	31.71	5.80	31.79
PK	5.47G	62.90	68.20	-5.30	57.15	3	Horizontal	181	1.96	-	31.74	5.80	31.79
PK	5.534G	111.75	Inf	-Inf	106.04	3	Horizontal	181	1.96	-	31.73	5.80	31.82
AV	5.535G	99.94	Inf	-Inf	94.23	3	Horizontal	181	1.96	-	31.73	5.80	31.82
PK	5.767G	59.08	68.20	-9.12	53.07	3	Horizontal	181	1.96	-	31.97	5.96	31.92



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

18/06/2020

5530MHz_TX



EUT Y_4TX
Setting 50
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06148G	57.56	74.00	-16.44	42.93	3	Vertical	234	1.75	-	40.31	7.97	33.65
AV	11.05904G	43.20	54.00	-10.80	28.57	3	Vertical	234	1.75	-	40.31	7.97	33.65



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

18/06/2020

5530MHz_TX




EUT Y_4TX
Setting 50
06-F-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06008G	57.69	74.00	-16.31	43.06	3	Horizontal	315	2.04	-	40.31	7.97	33.65
AV	11.05996G	46.11	54.00	-7.89	31.48	3	Horizontal	315	2.04	-	40.31	7.97	33.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

18/06/2020

5610MHz_TX




EUT Y_4TX
Setting 46
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.334G	58.64	68.20	-9.56	50.44	3	Vertical	275	2.56	-	33.73	6.07	31.60
PK	5.4552G	62.72	74.00	-11.28	54.21	3	Vertical	275	2.56	-	33.86	6.16	31.51
PK	5.4612G	63.15	68.20	-5.05	54.62	3	Vertical	275	2.56	-	33.86	6.17	31.50
AV	5.46G	47.04	54.00	-6.96	38.51	3	Vertical	275	2.56	-	33.86	6.17	31.50
PK	5.5812G	112.56	Inf	-Inf	103.85	3	Vertical	275	2.56	-	33.90	6.28	31.47
AV	5.5812G	94.48	Inf	-Inf	85.77	3	Vertical	275	2.56	-	33.90	6.28	31.47
PK	5.7264G	65.23	68.20	-2.97	56.53	3	Vertical	275	2.56	-	33.80	6.36	31.46

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

18/06/2020

5610MHz_TX




EUT Y_4TX
Setting 46
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3496G	59.09	68.20	-9.11	50.86	3	Horizontal	298	1.56	-	33.75	6.07	31.59
PK	5.448G	64.13	74.00	-9.87	55.64	3	Horizontal	298	1.56	-	33.85	6.15	31.51
AV	5.4432G	47.39	54.00	-6.61	38.92	3	Horizontal	298	1.56	-	33.84	6.15	31.52
PK	5.4636G	65.84	68.20	-2.36	57.31	3	Horizontal	298	1.56	-	33.86	6.17	31.50
PK	5.586G	117.79	Inf	-Inf	109.07	3	Horizontal	298	1.56	-	33.90	6.29	31.47
AV	5.586G	99.32	Inf	-Inf	90.60	3	Horizontal	298	1.56	-	33.90	6.29	31.47
PK	5.7252G	65.33	68.20	-2.87	56.63	3	Horizontal	298	1.56	-	33.80	6.36	31.46

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

18/06/2020

5610MHz_TX




EUT Y_4TX
Setting 46
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21874G	54.44	74.00	-19.56	39.80	3	Vertical	6	1.80	-	38.67	8.77	32.80
AV	11.21682G	40.41	54.00	-13.59	25.77	3	Vertical	6	1.80	-	38.67	8.77	32.80

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

18/06/2020

5610MHz_TX



EUT Y_4TX
Setting 46
02-C-E-2


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22522G	53.81	74.00	-20.19	39.15	3	Horizontal	6	1.80	-	38.68	8.78	32.80
AV	11.21574G	40.27	54.00	-13.73	25.63	3	Horizontal	6	1.80	-	38.67	8.77	32.80



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

18/06/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 68
06-F-J-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	62.05	74.00	-11.95	56.32	3	Vertical	211	2.47	-	31.72	5.80	31.79
AV	5.4584G	48.51	54.00	-5.49	42.78	3	Vertical	211	2.47	-	31.72	5.80	31.79
PK	5.4692G	60.89	68.20	-7.31	55.14	3	Vertical	211	2.47	-	31.74	5.80	31.79
PK	5.7176G	115.05	Inf	-Inf	109.27	3	Vertical	211	2.47	-	31.77	5.91	31.90
AV	5.6972G	103.17	Inf	-Inf	97.47	3	Vertical	211	2.47	-	31.70	5.89	31.89
PK	5.8568G	66.26	68.20	-1.94	59.98	3	Vertical	211	2.47	-	32.27	5.97	31.96

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

18/06/2020

5690MHz Straddle 5.47-5.725GHz_TX



EUT Y_4TX
Setting 68
06-F-J-5-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4548G	62.94	74.00	-11.06	57.22	3	Horizontal	187	2.12	-	31.71	5.80	31.79
AV	5.4572G	49.75	54.00	-4.25	44.03	3	Horizontal	187	2.12	-	31.71	5.80	31.79
PK	5.462G	61.11	68.20	-7.09	55.38	3	Horizontal	187	2.12	-	31.72	5.80	31.79
PK	5.6552G	118.37	Inf	-Inf	112.73	3	Horizontal	187	2.12	-	31.66	5.85	31.87
AV	5.696G	106.61	Inf	-Inf	100.91	3	Horizontal	187	2.12	-	31.70	5.89	31.89
PK	5.8556G	68.04	68.20	-0.16	61.76	3	Horizontal	187	2.12	-	32.27	5.97	31.96



802.11ax HEW80-BF_Nss1,(MCS0)_4TX

18/06/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 68
06-F-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3744G	57.05	74.00	-16.95	42.87	3	Vertical	235	1.80	-	39.84	8.08	33.74
AV	11.37776G	44.58	54.00	-9.42	30.41	3	Vertical	235	1.80	-	39.83	8.08	33.74

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

18/06/2020

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_4TX
Setting 68
06-F-M-1

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37308G	63.37	74.00	-10.63	49.19	3	Horizontal	302	1.45	-	39.84	8.08	33.74
AV	11.37416G	50.15	54.00	-3.85	35.97	3	Horizontal	302	1.45	-	39.84	8.08	33.74

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

18/06/2020

5250MHz Straddle 5.15-5.25GHz_TX



EUT Y_4TX
Setting 47
06-F-M-1-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	66.53	74.00	-7.47	60.74	3	Vertical	96	3.00	-	31.82	5.60	31.63
AV	5.1428G	48.20	54.00	-5.80	42.44	3	Vertical	96	3.00	-	31.79	5.60	31.63
PK	5.2356G	102.01	Inf	-Inf	96.69	3	Vertical	96	3.00	-	31.36	5.64	31.68
AV	5.2164G	90.16	Inf	-Inf	84.78	3	Vertical	96	3.00	-	31.43	5.62	31.67
PK	5.3972G	63.41	74.00	-10.59	57.78	3	Vertical	96	3.00	-	31.59	5.80	31.76
AV	5.3556G	47.87	54.00	-6.13	42.47	3	Vertical	96	3.00	-	31.38	5.76	31.74
PK	5.5284G	58.63	68.20	-9.57	52.91	3	Vertical	96	3.00	-	31.74	5.80	31.82



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

18/06/2020

5250MHz Straddle 5.15-5.25GHz_TX




EUT Y_4TX
Setting 47
06-F-M-1-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1364G	70.32	74.00	-3.68	64.53	3	Horizontal	317	2.20	-	31.82	5.60	31.63
AV	5.1348G	53.79	54.00	-0.21	47.99	3	Horizontal	317	2.20	-	31.83	5.60	31.63
PK	5.2164G	109.62	Inf	-Inf	104.24	3	Horizontal	317	2.20	-	31.43	5.62	31.67
AV	5.2356G	96.73	Inf	-Inf	91.41	3	Horizontal	317	2.20	-	31.36	5.64	31.68
PK	5.3972G	70.27	74.00	-3.73	64.64	3	Horizontal	317	2.20	-	31.59	5.80	31.76
AV	5.3572G	52.33	54.00	-1.67	46.92	3	Horizontal	317	2.20	-	31.39	5.76	31.74
PK	5.4772G	59.52	68.20	-8.68	53.77	3	Horizontal	317	2.20	-	31.75	5.80	31.80

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

18/06/2020

5250MHz Straddle 5.15-5.25GHz_TX



EUT Y_4TX
Setting 47
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74958G	58.25	74.00	-15.75	44.89	3	Vertical	0	1.86	-	38.38	8.73	33.75
AV	15.74572G	44.36	54.00	-9.64	30.99	3	Vertical	0	1.86	-	38.39	8.73	33.75



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

18/06/2020

5250MHz Straddle 5.15-5.25GHz_TX



EUT Y_4TX
Setting 47
06-F-M-1


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74562G	58.22	74.00	-15.78	44.85	3	Horizontal	183	1.80	-	38.39	8.73	33.75
AV	15.7532G	44.25	54.00	-9.75	30.93	3	Horizontal	183	1.80	-	38.36	8.72	33.76



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

18/06/2020

5570MHz_TX




EUT Y_4TX
Setting 42
02-C-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3396G	59.79	68.20	-8.41	51.57	3	Vertical	21	2.06	-	33.74	6.07	31.59
PK	5.4452G	67.15	74.00	-6.85	58.66	3	Vertical	21	2.06	-	33.85	6.15	31.51
AV	5.4436G	48.65	54.00	-5.35	40.18	3	Vertical	21	2.06	-	33.84	6.15	31.52
PK	5.4692G	59.39	68.20	-8.81	50.83	3	Vertical	21	2.06	-	33.87	6.18	31.49
PK	5.5764G	101.29	Inf	-Inf	92.58	3	Vertical	21	2.06	-	33.90	6.28	31.47
AV	5.5764G	89.08	Inf	-Inf	80.37	3	Vertical	21	2.06	-	33.90	6.28	31.47
PK	5.8052G	61.13	68.20	-7.07	52.37	3	Vertical	21	2.06	-	33.82	6.40	31.46

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

18/06/2020

5570MHz_TX



EUT Y_4TX
Setting 42
02-C-E-2-10


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.298G	59.45	68.20	-8.75	51.32	3	Horizontal	323	1.83	-	33.70	6.05	31.62
PK	5.4388G	73.87	74.00	-0.13	65.41	3	Horizontal	323	1.83	-	33.84	6.14	31.52
AV	5.442G	49.80	54.00	-4.20	41.33	3	Horizontal	323	1.83	-	33.84	6.15	31.52
PK	5.4644G	60.98	68.20	-7.22	52.45	3	Horizontal	323	1.83	-	33.86	6.17	31.50
PK	5.5188G	104.83	Inf	-Inf	96.17	3	Horizontal	323	1.83	-	33.90	6.23	31.47
AV	5.5028G	92.53	Inf	-Inf	83.89	3	Horizontal	323	1.83	-	33.90	6.21	31.47
PK	5.73G	63.51	68.20	-4.69	54.81	3	Horizontal	323	1.83	-	33.80	6.36	31.46



802.11ax HEW160-BF_Nss1,(MCS0)_4TX

18/06/2020

5570MHz_TX




EUT Y_4TX
Setting 42
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.12974G	54.24	74.00	-19.76	39.67	3	Vertical	46	1.80	-	38.60	8.75	32.78
AV	11.14012G	39.95	54.00	-14.05	25.38	3	Vertical	46	1.80	-	38.61	8.75	32.79

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

18/06/2020

5570MHz_TX



EUT Y_4TX
Setting 42
02-C-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1391G	54.10	74.00	-19.90	39.53	3	Horizontal	44	2.95	-	38.61	8.75	32.79
AV	11.1439G	39.98	54.00	-14.02	25.40	3	Horizontal	44	2.95	-	38.62	8.75	32.79