


802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 21
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.48144G	57.43	68.20	-10.77	43.47	3	Vertical	271	1.80	-	38.36	8.62	33.02
PK	15.71712G	69.84	74.00	-4.16	53.81	3	Vertical	198	1.35	-	38.40	10.42	32.79
AV	15.71808G	53.51	54.00	-0.49	37.48	3	Vertical	198	1.35	-	38.40	10.42	32.79

802.11ax HEW20_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 21
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.716G	70.24	74.00	-3.76	54.22	3	Horizontal	360	2.90	-	38.40	10.41	32.79
AV	15.7184G	52.92	54.00	-1.08	36.89	3	Horizontal	360	2.90	-	38.40	10.42	32.79

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT V_4TX
Setting 22.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.059G	60.98	74.00	-13.02	55.67	3	Vertical	103	1.99	-	31.59	5.66	31.94
AV	5.059G	49.38	54.00	-4.62	44.07	3	Vertical	103	1.99	-	31.59	5.66	31.94
PK	5.252G	123.81	Inf	-Inf	118.93	3	Vertical	103	1.99	-	31.10	5.80	32.02
AV	5.253G	111.05	Inf	-Inf	106.17	3	Vertical	103	1.99	-	31.10	5.80	32.02
PK	5.35G	61.32	74.00	-12.68	56.48	3	Vertical	103	1.99	-	31.10	5.80	32.06
AV	5.35G	48.77	54.00	-5.23	43.93	3	Vertical	103	1.99	-	31.10	5.80	32.06
PK	5.506G	57.21	68.20	-10.99	51.93	3	Vertical	103	1.99	-	31.50	5.91	32.13

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_V_4TX
Setting 22.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.066G	59.59	74.00	-14.41	54.20	3	Horizontal	360	2.62	-	31.66	5.67	31.94
AV	5.066G	47.00	54.00	-7.00	41.61	3	Horizontal	360	2.62	-	31.66	5.67	31.94
PK	5.262G	118.84	Inf	-Inf	113.97	3	Horizontal	360	2.62	-	31.10	5.80	32.03
AV	5.262G	105.92	Inf	-Inf	101.05	3	Horizontal	360	2.62	-	31.10	5.80	32.03
PK	5.36G	58.77	74.00	-15.23	53.88	3	Horizontal	360	2.62	-	31.16	5.80	32.07
AV	5.358G	46.51	54.00	-7.49	41.63	3	Horizontal	360	2.62	-	31.15	5.80	32.07
PK	5.499G	57.29	68.20	-10.91	52.02	3	Horizontal	360	2.62	-	31.50	5.90	32.13

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 22.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5118G	60.96	68.20	-7.24	46.58	3	Vertical	116	3.00	-	39.61	8.91	34.14
PK	15.771G	67.86	74.00	-6.14	51.94	3	Vertical	292	1.86	-	37.80	12.45	34.33
AV	15.7724G	51.77	54.00	-2.23	35.85	3	Vertical	292	1.86	-	37.80	12.45	34.33

802.11ax HEW20_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUTY_4TX
Setting 22.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5136G	62.76	68.20	-5.44	48.38	3	Horizontal	0	1.47	-	39.61	8.91	34.14
PK	15.7778G	68.23	74.00	-5.77	52.30	3	Horizontal	116	1.59	-	37.80	12.46	34.33
AV	15.7772G	53.58	54.00	-0.42	37.65	3	Horizontal	116	1.59	-	37.80	12.46	34.33

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 24.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.108G	61.78	74.00	-12.22	56.08	3	Vertical	108	1.45	-	31.95	5.71	31.96
AV	5.108G	52.29	54.00	-1.71	46.59	3	Vertical	108	1.45	-	31.95	5.71	31.96
PK	5.303G	122.18	Inf	-Inf	117.32	3	Vertical	108	1.45	-	31.10	5.80	32.04
AV	5.3G	114.49	Inf	-Inf	109.63	3	Vertical	108	1.45	-	31.10	5.80	32.04
PK	5.35G	65.11	74.00	-8.89	60.27	3	Vertical	108	1.45	-	31.10	5.80	32.06
AV	5.35G	51.58	54.00	-2.42	46.74	3	Vertical	108	1.45	-	31.10	5.80	32.06
PK	5.533G	58.86	68.20	-9.34	53.58	3	Vertical	108	1.45	-	31.50	5.93	32.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_V_4TX
Setting 24.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.108G	59.55	74.00	-14.45	53.85	3	Horizontal	273	1.93	-	31.95	5.71	31.96
AV	5.108G	50.98	54.00	-3.02	45.28	3	Horizontal	273	1.93	-	31.95	5.71	31.96
PK	5.308G	117.44	Inf	-Inf	112.59	3	Horizontal	273	1.93	-	31.10	5.80	32.05
AV	5.3G	109.16	Inf	-Inf	104.30	3	Horizontal	273	1.93	-	31.10	5.80	32.04
PK	5.354G	60.56	74.00	-13.44	55.71	3	Horizontal	273	1.93	-	31.12	5.80	32.07
AV	5.35G	46.16	54.00	-7.84	41.32	3	Horizontal	273	1.93	-	31.10	5.80	32.06
PK	5.485G	57.37	68.20	-10.83	52.11	3	Horizontal	273	1.93	-	31.50	5.88	32.12

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 24.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6022G	59.11	74.00	-14.89	44.61	3	Vertical	267	1.80	-	39.70	8.96	34.16
AV	10.6004G	46.18	54.00	-7.82	31.68	3	Vertical	267	1.80	-	39.70	8.96	34.16
PK	15.892G	69.76	74.00	-4.24	53.99	3	Vertical	291	2.10	-	37.62	12.53	34.38
AV	15.892G	53.95	54.00	-0.05	38.18	3	Vertical	291	2.10	-	37.62	12.53	34.38

802.11ax HEW20_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 24.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61414G	61.32	74.00	-12.68	46.82	3	Horizontal	57	1.71	-	39.69	8.97	34.16
AV	10.6132G	46.82	54.00	-7.18	32.32	3	Horizontal	57	1.71	-	39.69	8.97	34.16
PK	15.8902G	69.36	74.00	-4.64	53.59	3	Horizontal	98	1.80	-	37.62	12.53	34.38
AV	15.8906G	53.84	54.00	-0.16	38.07	3	Horizontal	98	1.80	-	37.62	12.53	34.38

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_V_4TX
Setting 21.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.119G	60.45	74.00	-13.55	54.80	3	Vertical	101	2.07	-	31.89	5.72	31.96
AV	5.119G	48.00	54.00	-6.00	42.35	3	Vertical	101	2.07	-	31.89	5.72	31.96
PK	5.312G	122.20	Inf	-Inf	117.35	3	Vertical	101	2.07	-	31.10	5.80	32.05
AV	5.313G	109.71	Inf	-Inf	104.86	3	Vertical	101	2.07	-	31.10	5.80	32.05
PK	5.354G	68.25	74.00	-5.75	63.40	3	Vertical	101	2.07	-	31.12	5.80	32.07
AV	5.352G	53.63	54.00	-0.37	48.78	3	Vertical	101	2.07	-	31.11	5.80	32.06
PK	5.522G	57.64	68.20	-10.56	52.36	3	Vertical	101	2.07	-	31.50	5.92	32.14

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_V_4TX
Setting 21.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.127G	58.41	74.00	-15.59	52.81	3	Horizontal	1	2.47	-	31.84	5.73	31.97
AV	5.129G	46.32	54.00	-7.68	40.73	3	Horizontal	1	2.47	-	31.83	5.73	31.97
PK	5.321G	116.43	Inf	-Inf	111.58	3	Horizontal	1	2.47	-	31.10	5.80	32.05
AV	5.322G	103.89	Inf	-Inf	99.04	3	Horizontal	1	2.47	-	31.10	5.80	32.05
PK	5.351G	61.86	74.00	-12.14	57.01	3	Horizontal	1	2.47	-	31.11	5.80	32.06
AV	5.35G	47.50	54.00	-6.50	42.66	3	Horizontal	1	2.47	-	31.10	5.80	32.06
PK	5.538G	57.79	68.20	-10.41	52.50	3	Horizontal	1	2.47	-	31.50	5.94	32.15

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 21.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6334G	61.15	74.00	-12.85	46.66	3	Vertical	77	2.47	-	39.67	8.98	34.16
AV	10.6348G	46.59	54.00	-7.41	32.10	3	Vertical	77	2.47	-	39.67	8.98	34.16
PK	15.9526G	63.80	74.00	-10.20	48.14	3	Vertical	290	2.07	-	37.49	12.57	34.40
AV	15.951G	47.65	54.00	-6.35	31.98	3	Vertical	290	2.07	-	37.50	12.57	34.40

802.11ax HEW20_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 21.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6528G	61.53	74.00	-12.47	47.06	3	Horizontal	57	1.65	-	39.65	8.99	34.17
AV	10.6324G	48.13	54.00	-5.87	33.64	3	Horizontal	57	1.65	-	39.67	8.98	34.16
PK	15.957G	65.52	74.00	-8.48	49.86	3	Horizontal	360	2.10	-	37.49	12.57	34.40
AV	15.9544G	49.27	54.00	-4.73	33.61	3	Horizontal	360	2.10	-	37.49	12.57	34.40

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT V_4TX
Setting 21.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.301G	59.52	68.20	-8.68	54.66	3	Vertical	108	2.55	-	31.10	5.80	32.04
PK	5.407G	58.49	74.00	-15.51	53.36	3	Vertical	108	2.55	-	31.41	5.81	32.09
AV	5.397G	46.64	54.00	-7.36	41.54	3	Vertical	108	2.55	-	31.38	5.80	32.08
PK	5.47G	68.01	68.20	-0.19	62.76	3	Vertical	108	2.55	-	31.50	5.87	32.12
PK	5.505G	122.96	Inf	-Inf	117.69	3	Vertical	108	2.55	-	31.50	5.90	32.13
AV	5.505G	109.15	Inf	-Inf	103.88	3	Vertical	108	2.55	-	31.50	5.90	32.13
PK	5.736G	58.16	68.20	-10.04	52.49	3	Vertical	108	2.55	-	31.94	6.00	32.27

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_V_4TX
Setting 21.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.301G	57.11	68.20	-11.09	52.25	3	Horizontal	334	2.21	-	31.10	5.80	32.04
PK	5.429G	58.05	74.00	-15.95	52.86	3	Horizontal	334	2.21	-	31.46	5.83	32.10
AV	5.398G	45.06	54.00	-8.94	39.96	3	Horizontal	334	2.21	-	31.39	5.80	32.09
PK	5.465G	58.86	68.20	-9.34	53.61	3	Horizontal	334	2.21	-	31.50	5.86	32.11
PK	5.494G	117.74	Inf	-Inf	112.48	3	Horizontal	334	2.21	-	31.50	5.89	32.13
AV	5.494G	104.78	Inf	-Inf	99.52	3	Horizontal	334	2.21	-	31.50	5.89	32.13
PK	5.75G	58.11	68.20	-10.09	52.39	3	Horizontal	334	2.21	-	32.00	6.00	32.28

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 21.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9996G	60.78	74.00	-13.22	45.61	3	Vertical	52	2.76	-	40.20	9.20	34.23
AV	10.9998G	46.14	54.00	-7.86	30.97	3	Vertical	52	2.76	-	40.20	9.20	34.23
PK	16.5392G	62.42	68.20	-5.78	44.04	3	Vertical	85	2.83	-	39.64	13.22	34.48

802.11ax HEW20_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 21.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0026G	60.22	74.00	-13.78	45.06	3	Horizontal	61	1.80	-	40.19	9.20	34.23
AV	11G	47.01	54.00	-6.99	31.84	3	Horizontal	61	1.80	-	40.20	9.20	34.23
PK	16.4958G	62.15	68.20	-6.05	43.89	3	Horizontal	181	2.82	-	39.57	13.17	34.48

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 25.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	58.66	74.00	-15.34	53.41	3	Vertical	211	1.30	-	31.50	5.86	32.11
AV	5.3912G	46.69	54.00	-7.31	41.62	3	Vertical	211	1.30	-	31.35	5.80	32.08
PK	5.4688G	59.74	68.20	-8.46	54.49	3	Vertical	211	1.30	-	31.50	5.87	32.12
PK	5.576G	122.88	Inf	-Inf	117.53	3	Vertical	211	1.30	-	31.55	5.98	32.18
AV	5.58G	113.77	Inf	-Inf	108.41	3	Vertical	211	1.30	-	31.56	5.98	32.18
PK	5.776G	60.13	68.20	-8.07	54.43	3	Vertical	211	1.30	-	32.00	6.00	32.30

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT V_4TX
Setting 25.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3944G	57.93	74.00	-16.07	52.84	3	Horizontal	340	1.74	-	31.37	5.80	32.08
AV	5.3952G	45.49	54.00	-8.51	40.40	3	Horizontal	340	1.74	-	31.37	5.80	32.08
PK	5.4672G	57.87	68.20	-10.33	52.62	3	Horizontal	340	1.74	-	31.50	5.87	32.12
PK	5.5744G	119.13	Inf	-Inf	113.78	3	Horizontal	340	1.74	-	31.55	5.97	32.17
AV	5.58G	108.25	Inf	-Inf	102.89	3	Horizontal	340	1.74	-	31.56	5.98	32.18
PK	5.7544G	58.32	68.20	-9.88	52.60	3	Horizontal	340	1.74	-	32.00	6.00	32.28

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 25.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1548G	58.95	74.00	-15.05	44.22	3	Vertical	249	1.48	-	39.69	9.29	34.25
AV	11.156G	45.62	54.00	-8.38	30.89	3	Vertical	249	1.48	-	39.69	9.29	34.25
PK	16.7532G	63.71	68.20	-4.49	44.51	3	Vertical	335	1.55	-	40.22	13.47	34.49

802.11ax HEW20_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 25.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.162G	64.37	74.00	-9.63	49.65	3	Horizontal	50	2.17	-	39.68	9.30	34.26
AV	11.162G	50.51	54.00	-3.49	35.79	3	Horizontal	50	2.17	-	39.68	9.30	34.26
PK	16.7224G	67.75	68.20	-0.45	48.78	3	Horizontal	43	1.80	-	40.03	13.43	34.49

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 20.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.692G	122.15	Inf	-Inf	116.63	3	Vertical	100	2.55	-	31.77	6.00	32.25
AV	5.6924G	109.65	Inf	-Inf	104.13	3	Vertical	100	2.55	-	31.77	6.00	32.25
PK	5.7292G	67.91	68.20	-0.29	62.26	3	Vertical	100	2.55	-	31.92	6.00	32.27

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 20.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.702G	114.49	Inf	-Inf	108.93	3	Horizontal	354	1.83	-	31.81	6.00	32.25
AV	5.702G	101.81	Inf	-Inf	96.25	3	Horizontal	354	1.83	-	31.81	6.00	32.25
PK	5.7252G	61.35	68.20	-6.85	55.72	3	Horizontal	354	1.83	-	31.90	6.00	32.27

802.11ax HEW20_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 20.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3984G	59.57	74.00	-14.43	44.62	3	Vertical	98	2.96	-	39.80	9.44	34.29
AV	11.3986G	46.06	54.00	-7.94	31.11	3	Vertical	98	2.96	-	39.80	9.44	34.29
PK	17.1486G	63.73	68.20	-4.47	43.62	3	Vertical	156	2.51	-	40.75	13.92	34.56

802.11ax HEW20_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



EUT Y_4TX
Setting 20.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4002G	58.95	74.00	-15.05	44.00	3	Horizontal	41	1.80	-	39.80	9.44	34.29
AV	11.3998G	45.78	54.00	-8.22	30.83	3	Horizontal	41	1.80	-	39.80	9.44	34.29
PK	17.1008G	64.53	68.20	-3.67	44.60	3	Horizontal	220	1.76	-	40.60	13.87	34.54


802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_V_4TX
 Setting 25
 06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.432G	57.26	74.00	-16.74	52.07	3	Vertical	336	1.48	-	31.46	5.83	32.10
AV	5.4392G	44.96	54.00	-9.04	39.74	3	Vertical	336	1.48	-	31.48	5.84	32.10
PK	5.4692G	56.27	68.20	-11.93	51.02	3	Vertical	336	1.48	-	31.50	5.87	32.12
PK	5.7284G	126.04	Inf	-Inf	120.40	3	Vertical	336	1.48	-	31.91	6.00	32.27
AV	5.7272G	113.62	Inf	-Inf	107.98	3	Vertical	336	1.48	-	31.91	6.00	32.27
PK	5.858G	63.89	68.20	-4.31	58.18	3	Vertical	336	1.48	-	32.02	6.03	32.34


802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT V_4TX
 Setting 25
 06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.42G	57.37	74.00	-16.63	52.20	3	Horizontal	276	1.44	-	31.44	5.82	32.09
AV	5.4236G	44.53	54.00	-9.47	39.36	3	Horizontal	276	1.44	-	31.45	5.82	32.10
PK	5.4656G	56.88	68.20	-11.32	51.62	3	Horizontal	276	1.44	-	31.50	5.87	32.11
PK	5.7116G	120.50	Inf	-Inf	114.91	3	Horizontal	276	1.44	-	31.85	6.00	32.26
AV	5.7116G	107.71	Inf	-Inf	102.12	3	Horizontal	276	1.44	-	31.85	6.00	32.26
PK	5.8628G	58.85	68.20	-9.35	53.14	3	Horizontal	276	1.44	-	32.03	6.03	32.35


802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 Setting 25
 06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4438G	61.43	74.00	-12.57	46.55	3	Vertical	298	2.75	-	39.71	9.47	34.30
AV	11.4398G	48.72	54.00	-5.28	33.84	3	Vertical	298	2.75	-	39.72	9.46	34.30
PK	17.174G	65.41	68.20	-2.79	45.21	3	Vertical	96	1.78	-	40.82	13.95	34.57

802.11ax HEW20_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 Setting 25
 06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4442G	63.84	74.00	-10.16	48.96	3	Horizontal	3	1.27	-	39.71	9.47	34.30
AV	11.4436G	49.18	54.00	-4.82	34.30	3	Horizontal	3	1.27	-	39.71	9.47	34.30
PK	17.1466G	66.72	68.20	-1.48	46.62	3	Horizontal	70	1.10	-	40.74	13.92	34.56

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 23.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.546G	64.45	68.20	-3.75	57.12	3	Vertical	102	2.63	-	33.68	6.55	32.90
PK	5.737G	130.59	Inf	-Inf	122.86	3	Vertical	102	2.63	-	34.05	6.60	32.92
AV	5.738G	118.90	Inf	-Inf	111.17	3	Vertical	102	2.63	-	34.05	6.60	32.92
PK	5.93G	64.42	68.20	-3.78	55.84	3	Vertical	102	2.63	-	34.92	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 23.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.553G	60.18	68.20	-8.02	52.83	3	Horizontal	348	1.80	-	33.71	6.55	32.91
PK	5.746G	121.20	Inf	-Inf	113.44	3	Horizontal	348	1.80	-	34.08	6.60	32.92
AV	5.745G	111.57	Inf	-Inf	103.81	3	Horizontal	348	1.80	-	34.08	6.60	32.92
PK	5.938G	61.88	68.20	-6.32	53.27	3	Horizontal	348	1.80	-	34.95	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 23.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.23388G	67.04	68.20	-1.16	46.48	3	Vertical	41	2.04	-	41.70	10.87	32.01

802.11ax HEW20_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 23.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.23244G	66.97	68.20	-1.23	46.41	3	Horizontal	7	2.93	-	41.70	10.87	32.01

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.599G	61.67	68.20	-6.53	54.18	3	Vertical	339	1.35	-	33.80	6.60	32.91
PK	5.792G	129.03	Inf	-Inf	121.09	3	Vertical	339	1.35	-	34.27	6.60	32.93
AV	5.793G	118.26	Inf	-Inf	110.32	3	Vertical	339	1.35	-	34.27	6.60	32.93
PK	5.932G	66.31	68.20	-1.89	57.72	3	Vertical	339	1.35	-	34.93	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.592G	60.85	68.20	-7.35	53.39	3	Horizontal	358	1.80	-	33.78	6.59	32.91
PK	5.787G	122.37	Inf	-Inf	114.45	3	Horizontal	358	1.80	-	34.25	6.60	32.93
AV	5.787G	109.81	Inf	-Inf	101.89	3	Horizontal	358	1.80	-	34.25	6.60	32.93
PK	5.966G	60.78	68.20	-7.42	52.07	3	Horizontal	358	1.80	-	35.06	6.60	32.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.36908G	67.53	68.20	-0.67	46.38	3	Vertical	146	1.79	-	42.18	10.91	31.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.35084G	68.12	68.20	-0.08	47.06	3	Horizontal	42	1.80	-	42.10	10.91	31.95

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	64.27	68.20	-3.93	56.73	3	Vertical	103	2.93	-	33.85	6.60	32.91
PK	5.817G	130.29	Inf	-Inf	122.25	3	Vertical	103	2.93	-	34.37	6.60	32.93
AV	5.817G	117.59	Inf	-Inf	109.55	3	Vertical	103	2.93	-	34.37	6.60	32.93
PK	5.929G	65.37	68.20	-2.83	56.79	3	Vertical	103	2.93	-	34.92	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	59.96	68.20	-8.24	52.37	3	Horizontal	2	1.53	-	33.90	6.60	32.91
PK	5.827G	122.20	Inf	-Inf	114.12	3	Horizontal	2	1.53	-	34.41	6.60	32.93
AV	5.826G	109.55	Inf	-Inf	101.48	3	Horizontal	2	1.53	-	34.40	6.60	32.93
PK	5.935G	61.14	68.20	-7.06	52.54	3	Horizontal	2	1.53	-	34.94	6.60	32.94

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.47036G	67.37	68.20	-0.83	46.02	3	Vertical	146	1.66	-	42.30	10.94	31.89

802.11ax HEW20_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 24
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.4734G	67.79	68.20	-0.41	46.43	3	Horizontal	0	1.80	-	42.30	10.94	31.88

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 16
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	66.13	74.00	-7.87	60.10	3	Vertical	19	2.05	-	32.60	6.37	32.94
AV	5.1488G	53.16	54.00	-0.84	47.13	3	Vertical	19	2.05	-	32.60	6.37	32.94
PK	5.1888G	116.94	Inf	-Inf	110.81	3	Vertical	19	2.05	-	32.68	6.39	32.94
AV	5.1888G	104.83	Inf	-Inf	98.70	3	Vertical	19	2.05	-	32.68	6.39	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 16
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	62.88	74.00	-11.12	56.85	3	Horizontal	4	1.80	-	32.60	6.37	32.94
AV	5.15G	49.72	54.00	-4.28	43.69	3	Horizontal	4	1.80	-	32.60	6.37	32.94
PK	5.1908G	113.16	Inf	-Inf	107.02	3	Horizontal	4	1.80	-	32.68	6.40	32.94
AV	5.1908G	98.99	Inf	-Inf	92.85	3	Horizontal	4	1.80	-	32.68	6.40	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 16
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56926G	59.49	74.00	-14.51	43.69	3	Vertical	277	1.09	-	38.24	10.37	32.81
AV	15.56764G	45.78	54.00	-8.22	29.98	3	Vertical	277	1.09	-	38.24	10.37	32.81

802.11ax HEW40_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 16
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56674G	59.72	74.00	-14.28	43.93	3	Horizontal	310	1.56	-	38.23	10.37	32.81
AV	15.5736G	49.80	54.00	-4.20	33.99	3	Horizontal	310	1.56	-	38.25	10.37	32.81

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT V_4TX
Setting 21.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	67.61	74.00	-6.39	61.58	3	Vertical	21	2.44	-	32.60	6.37	32.94
AV	5.149G	52.85	54.00	-1.15	46.82	3	Vertical	21	2.44	-	32.60	6.37	32.94
PK	5.2288G	123.52	Inf	-Inf	117.29	3	Vertical	21	2.44	-	32.76	6.40	32.93
AV	5.2282G	111.16	Inf	-Inf	104.93	3	Vertical	21	2.44	-	32.76	6.40	32.93
PK	5.3644G	60.11	74.00	-13.89	53.64	3	Vertical	21	2.44	-	32.99	6.40	32.92
AV	5.3734G	47.11	54.00	-6.89	40.59	3	Vertical	21	2.44	-	33.04	6.40	32.92

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT V_4TX
Setting 21.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	62.53	74.00	-11.47	56.50	3	Horizontal	2	2.40	-	32.60	6.37	32.94
AV	5.15G	49.53	54.00	-4.47	43.50	3	Horizontal	2	2.40	-	32.60	6.37	32.94
PK	5.2306G	117.38	Inf	-Inf	111.15	3	Horizontal	2	2.40	-	32.76	6.40	32.93
AV	5.2312G	105.88	Inf	-Inf	99.65	3	Horizontal	2	2.40	-	32.76	6.40	32.93
PK	5.365G	59.55	74.00	-14.45	53.08	3	Horizontal	2	2.40	-	32.99	6.40	32.92
AV	5.3776G	46.25	54.00	-7.75	39.69	3	Horizontal	2	2.40	-	33.07	6.40	32.91

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 21.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68392G	67.87	74.00	-6.13	51.87	3	Vertical	279	1.86	-	38.38	10.41	32.79
AV	15.70184G	52.57	54.00	-1.43	36.55	3	Vertical	279	1.86	-	38.40	10.41	32.79

802.11ax HEW40_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 21.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.70024G	65.99	74.00	-8.01	49.97	3	Horizontal	330	1.35	-	38.40	10.41	32.79
AV	15.70024G	51.45	54.00	-2.55	35.43	3	Horizontal	330	1.35	-	38.40	10.41	32.79

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT V_4TX
Setting 22.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.079G	60.64	74.00	-13.36	55.11	3	Vertical	107	1.38	-	31.79	5.68	31.94
AV	5.079G	49.21	54.00	-4.79	43.68	3	Vertical	107	1.38	-	31.79	5.68	31.94
PK	5.273G	119.81	Inf	-Inf	114.94	3	Vertical	107	1.38	-	31.10	5.80	32.03
AV	5.273G	107.20	Inf	-Inf	102.33	3	Vertical	107	1.38	-	31.10	5.80	32.03
PK	5.364G	65.93	74.00	-8.07	61.02	3	Vertical	107	1.38	-	31.18	5.80	32.07
AV	5.355G	49.47	54.00	-4.53	44.63	3	Vertical	107	1.38	-	31.10	5.80	32.06
PK	5.467G	57.88	68.20	-10.32	52.63	3	Vertical	107	1.38	-	31.50	5.87	32.12

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT V_4TX
Setting 22.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.076G	59.02	74.00	-14.98	53.52	3	Horizontal	0	2.57	-	31.76	5.68	31.94
AV	5.078G	46.96	54.00	-7.04	41.44	3	Horizontal	0	2.57	-	31.78	5.68	31.94
PK	5.272G	116.27	Inf	-Inf	111.40	3	Horizontal	0	2.57	-	31.10	5.80	32.03
AV	5.271G	104.03	Inf	-Inf	99.16	3	Horizontal	0	2.57	-	31.10	5.80	32.03
PK	5.35G	61.04	74.00	-12.96	56.20	3	Horizontal	0	2.57	-	31.10	5.80	32.06
AV	5.35G	47.38	54.00	-6.62	42.54	3	Horizontal	0	2.57	-	31.10	5.80	32.06
PK	5.514G	56.90	68.20	-11.30	51.63	3	Horizontal	0	2.57	-	31.50	5.91	32.14

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 22.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5338G	60.62	68.20	-7.58	46.22	3	Vertical	76	2.63	-	39.63	8.92	34.15
PK	15.801G	63.22	74.00	-10.78	47.29	3	Vertical	290	1.80	-	37.80	12.47	34.34
AV	15.802G	50.05	54.00	-3.95	34.12	3	Vertical	290	1.80	-	37.80	12.47	34.34

802.11ax HEW40_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 22.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5346G	59.90	68.20	-8.30	45.50	3	Horizontal	68	1.80	-	39.63	8.92	34.15
PK	15.8092G	66.47	74.00	-7.53	50.55	3	Horizontal	114	1.79	-	37.78	12.48	34.34
AV	15.8092G	51.61	54.00	-2.39	35.69	3	Horizontal	114	1.79	-	37.78	12.48	34.34

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 18
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.128G	59.54	74.00	-14.46	53.95	3	Vertical	108	1.46	-	31.83	5.73	31.97
AV	5.12G	46.72	54.00	-7.28	41.08	3	Vertical	108	1.46	-	31.88	5.72	31.96
PK	5.314G	115.24	Inf	-Inf	110.39	3	Vertical	108	1.46	-	31.10	5.80	32.05
AV	5.314G	102.59	Inf	-Inf	97.74	3	Vertical	108	1.46	-	31.10	5.80	32.05
PK	5.354G	65.81	74.00	-8.19	60.96	3	Vertical	108	1.46	-	31.12	5.80	32.07
AV	5.351G	53.74	54.00	-0.26	48.89	3	Vertical	108	1.46	-	31.11	5.80	32.06
PK	5.467G	57.86	68.20	-10.34	52.61	3	Vertical	108	1.46	-	31.50	5.87	32.12

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_V_4TX
Setting 18
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.109G	57.74	74.00	-16.26	52.04	3	Horizontal	357	2.36	-	31.95	5.71	31.96
AV	5.116G	45.44	54.00	-8.56	39.78	3	Horizontal	357	2.36	-	31.90	5.72	31.96
PK	5.312G	111.19	Inf	-Inf	106.34	3	Horizontal	357	2.36	-	31.10	5.80	32.05
AV	5.312G	98.74	Inf	-Inf	93.89	3	Horizontal	357	2.36	-	31.10	5.80	32.05
PK	5.351G	64.47	74.00	-9.53	59.62	3	Horizontal	357	2.36	-	31.11	5.80	32.06
AV	5.351G	50.71	54.00	-3.29	45.86	3	Horizontal	357	2.36	-	31.11	5.80	32.06
PK	5.507G	57.43	68.20	-10.77	52.15	3	Horizontal	357	2.36	-	31.50	5.91	32.13

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 18
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6058G	56.99	74.00	-17.01	42.50	3	Vertical	108	1.80	-	39.69	8.96	34.16
AV	10.6268G	43.59	54.00	-10.41	29.10	3	Vertical	108	1.80	-	39.67	8.98	34.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 18
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.623G	57.09	74.00	-16.91	42.60	3	Horizontal	33	1.85	-	39.68	8.97	34.16
AV	10.624G	44.11	54.00	-9.89	29.62	3	Horizontal	33	1.85	-	39.68	8.97	34.16

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT V_4TX
Setting 20.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4572G	64.70	74.00	-9.30	59.45	3	Vertical	256	1.58	-	31.50	5.86	32.11
AV	5.4116G	47.11	54.00	-6.89	41.97	3	Vertical	256	1.58	-	31.42	5.81	32.09
PK	5.4692G	67.82	68.20	-0.38	62.57	3	Vertical	256	1.58	-	31.50	5.87	32.12
PK	5.5088G	118.62	Inf	-Inf	113.35	3	Vertical	256	1.58	-	31.50	5.91	32.14
AV	5.5082G	106.44	Inf	-Inf	101.16	3	Vertical	256	1.58	-	31.50	5.91	32.13

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT V_4TX
Setting 20.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4536G	59.16	74.00	-14.84	53.92	3	Horizontal	324	2.64	-	31.50	5.85	32.11
PK	5.4632G	65.75	68.20	-2.45	60.50	3	Horizontal	324	2.64	-	31.50	5.86	32.11
AV	5.46G	45.64	54.00	-8.36	40.39	3	Horizontal	324	2.64	-	31.50	5.86	32.11
PK	5.5046G	114.16	Inf	-Inf	108.89	3	Horizontal	324	2.64	-	31.50	5.90	32.13
AV	5.5052G	101.69	Inf	-Inf	96.41	3	Horizontal	324	2.64	-	31.50	5.91	32.13

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 20.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.9878G	57.58	74.00	-16.42	42.43	3	Vertical	123	1.74	-	40.19	9.19	34.23
AV	11.02G	44.49	54.00	-9.51	29.39	3	Vertical	123	1.74	-	40.12	9.21	34.23

802.11ax HEW40_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 20.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0208G	57.99	74.00	-16.01	42.89	3	Horizontal	60	2.10	-	40.12	9.21	34.23
AV	11.0198G	45.30	54.00	-8.70	30.20	3	Horizontal	60	2.10	-	40.12	9.21	34.23

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT V_4TX
Setting 23.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	57.49	68.20	-10.71	52.65	3	Vertical	253	1.80	-	31.10	5.80	32.06
PK	5.456G	62.75	74.00	-11.25	57.50	3	Vertical	253	1.80	-	31.50	5.86	32.11
AV	5.451G	48.89	54.00	-5.11	43.65	3	Vertical	253	1.80	-	31.50	5.85	32.11
PK	5.467G	67.97	68.20	-0.23	62.72	3	Vertical	253	1.80	-	31.50	5.87	32.12
PK	5.548G	121.97	Inf	-Inf	116.68	3	Vertical	253	1.80	-	31.50	5.95	32.16
AV	5.548G	108.90	Inf	-Inf	103.61	3	Vertical	253	1.80	-	31.50	5.95	32.16
PK	5.726G	60.43	68.20	-7.77	54.80	3	Vertical	253	1.80	-	31.90	6.00	32.27

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT V_4TX
Setting 23.5
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.333G	57.30	68.20	-10.90	52.46	3	Horizontal	354	2.11	-	31.10	5.80	32.06
PK	5.459G	59.80	74.00	-14.20	54.55	3	Horizontal	354	2.11	-	31.50	5.86	32.11
AV	5.455G	46.55	54.00	-7.45	41.31	3	Horizontal	354	2.11	-	31.50	5.85	32.11
PK	5.47G	61.74	68.20	-6.46	56.49	3	Horizontal	354	2.11	-	31.50	5.87	32.12
PK	5.552G	116.29	Inf	-Inf	111.00	3	Horizontal	354	2.11	-	31.50	5.95	32.16
AV	5.552G	103.63	Inf	-Inf	98.34	3	Horizontal	354	2.11	-	31.50	5.95	32.16
PK	5.743G	58.43	68.20	-9.77	52.74	3	Horizontal	354	2.11	-	31.97	6.00	32.28

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 23.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.106G	58.34	74.00	-15.66	43.54	3	Vertical	78	2.26	-	39.79	9.26	34.25
AV	11.1064G	45.88	54.00	-8.12	31.08	3	Vertical	78	2.26	-	39.79	9.26	34.25

802.11ax HEW40_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 23.5
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1014G	61.02	74.00	-12.98	46.21	3	Horizontal	358	1.26	-	39.80	9.26	34.25
AV	11.1026G	47.10	54.00	-6.90	32.30	3	Horizontal	358	1.26	-	39.79	9.26	34.25

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT V_4TX
Setting 21
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.442G	57.11	74.00	-16.89	51.89	3	Vertical	256	1.38	-	31.48	5.84	32.10
PK	5.466G	57.50	68.20	-10.70	52.25	3	Vertical	256	1.38	-	31.50	5.87	32.12
AV	5.459G	45.15	54.00	-8.85	39.90	3	Vertical	256	1.38	-	31.50	5.86	32.11
PK	5.669G	119.53	Inf	-Inf	114.08	3	Vertical	256	1.38	-	31.68	6.00	32.23
AV	5.668G	107.19	Inf	-Inf	101.75	3	Vertical	256	1.38	-	31.67	6.00	32.23
PK	5.727G	68.16	68.20	-0.04	62.52	3	Vertical	256	1.38	-	31.91	6.00	32.27

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT_V_4TX
Setting 21
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.422G	57.44	74.00	-16.56	52.28	3	Horizontal	351	1.97	-	31.44	5.82	32.10
PK	5.461G	57.85	68.20	-10.35	52.60	3	Horizontal	351	1.97	-	31.50	5.86	32.11
AV	5.46G	45.12	54.00	-8.88	39.87	3	Horizontal	351	1.97	-	31.50	5.86	32.11
PK	5.671G	112.60	Inf	-Inf	107.15	3	Horizontal	351	1.97	-	31.68	6.00	32.23
AV	5.672G	100.45	Inf	-Inf	94.99	3	Horizontal	351	1.97	-	31.69	6.00	32.23
PK	5.731G	60.96	68.20	-7.24	55.31	3	Horizontal	351	1.97	-	31.92	6.00	32.27

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 21
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3374G	58.97	74.00	-15.03	44.18	3	Vertical	92	2.74	-	39.67	9.40	34.28
AV	11.337G	45.52	54.00	-8.48	30.73	3	Vertical	92	2.74	-	39.67	9.40	34.28

802.11ax HEW40_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 21
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3396G	59.93	74.00	-14.07	45.13	3	Horizontal	39	1.80	-	39.68	9.40	34.28
AV	11.3414G	45.65	54.00	-8.35	30.85	3	Horizontal	39	1.80	-	39.68	9.40	34.28

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_V_4TX
Setting 26
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4436G	57.72	74.00	-16.28	52.50	3	Vertical	100	2.64	-	31.49	5.84	32.11
AV	5.434G	45.52	54.00	-8.48	40.32	3	Vertical	100	2.64	-	31.47	5.83	32.10
PK	5.47G	58.32	68.20	-9.88	53.07	3	Vertical	100	2.64	-	31.50	5.87	32.12
PK	5.7232G	124.72	Inf	-Inf	119.09	3	Vertical	100	2.64	-	31.89	6.00	32.26
AV	5.7028G	112.66	Inf	-Inf	107.10	3	Vertical	100	2.64	-	31.81	6.00	32.25
PK	5.8528G	67.80	68.20	-0.40	62.10	3	Vertical	100	2.64	-	32.01	6.03	32.34

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
 Setting 26
 06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.434G	57.25	74.00	-16.75	52.05	3	Horizontal	344	1.62	-	31.47	5.83	32.10
AV	5.4352G	44.64	54.00	-9.36	39.43	3	Horizontal	344	1.62	-	31.47	5.84	32.10
PK	5.4652G	57.14	68.20	-11.06	51.88	3	Horizontal	344	1.62	-	31.50	5.87	32.11
PK	5.7112G	115.94	Inf	-Inf	110.36	3	Horizontal	344	1.62	-	31.84	6.00	32.26
AV	5.71G	109.09	Inf	-Inf	103.51	3	Horizontal	344	1.62	-	31.84	6.00	32.26
PK	5.8564G	67.96	68.20	-0.24	62.26	3	Horizontal	344	1.62	-	32.01	6.03	32.34

802.11ax HEW40_Nss1,(MCS0)_4TX


5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
Setting 26
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4144G	60.35	74.00	-13.65	45.43	3	Vertical	92	2.64	-	39.77	9.45	34.30
AV	11.4144G	47.54	54.00	-6.46	32.62	3	Vertical	92	2.64	-	39.77	9.45	34.30
PK	17.1018G	64.29	68.20	-3.91	44.35	3	Vertical	96.5	1.80	-	40.61	13.87	34.54

802.11ax HEW40_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 Setting 26
 06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.413G	62.09	74.00	-11.91	47.17	3	Horizontal	32	1.79	-	39.77	9.45	34.30
AV	11.4138G	49.45	54.00	-4.55	34.53	3	Horizontal	32	1.79	-	39.77	9.45	34.30
PK	17.1514G	65.60	68.20	-2.60	45.49	3	Horizontal	6	1.80	-	40.75	13.92	34.56

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	66.26	68.20	-1.94	58.67	3	Vertical	104	2.45	-	33.90	6.60	32.91
PK	5.768G	126.43	Inf	-Inf	118.59	3	Vertical	104	2.45	-	34.17	6.60	32.93
AV	5.768G	114.32	Inf	-Inf	106.48	3	Vertical	104	2.45	-	34.17	6.60	32.93
PK	5.929G	65.72	68.20	-2.48	57.14	3	Vertical	104	2.45	-	34.92	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.563G	61.39	68.20	-6.81	54.01	3	Horizontal	360	1.73	-	33.73	6.56	32.91
PK	5.756G	119.06	Inf	-Inf	111.27	3	Horizontal	360	1.73	-	34.12	6.60	32.93
AV	5.757G	106.94	Inf	-Inf	99.14	3	Horizontal	360	1.73	-	34.13	6.60	32.93
PK	5.934G	63.18	68.20	-5.02	54.58	3	Horizontal	360	1.73	-	34.94	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.27796G	67.29	68.20	-0.91	46.57	3	Vertical	146	1.87	-	41.83	10.88	31.99

802.11ax HEW40_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.28244G	68.15	68.20	-0.05	47.40	3	Horizontal	8	1.80	-	41.85	10.88	31.98

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 23.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.602G	60.84	68.20	-7.36	53.35	3	Vertical	337	1.35	-	33.80	6.60	32.91
PK	5.802G	124.58	Inf	-Inf	116.60	3	Vertical	337	1.35	-	34.31	6.60	32.93
AV	5.803G	112.74	Inf	-Inf	104.76	3	Vertical	337	1.35	-	34.31	6.60	32.93
PK	5.927G	67.38	68.20	-0.82	58.81	3	Vertical	337	1.35	-	34.91	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 23.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.604G	60.09	68.20	-8.11	52.59	3	Horizontal	358	1.80	-	33.81	6.60	32.91
PK	5.796G	117.15	Inf	-Inf	109.20	3	Horizontal	358	1.80	-	34.28	6.60	32.93
AV	5.796G	105.14	Inf	-Inf	97.19	3	Horizontal	358	1.80	-	34.28	6.60	32.93
PK	5.934G	61.67	68.20	-6.53	53.07	3	Horizontal	358	1.80	-	34.94	6.60	32.94

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 23.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.38626G	65.20	68.20	-3.00	43.96	3	Vertical	61	1.58	-	42.25	10.92	31.93

802.11ax HEW40_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 23.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.38168G	64.48	68.20	-3.72	43.27	3	Horizontal	231	2.41	-	42.23	10.91	31.93

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT V_4TX
Setting 15
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	66.08	74.00	-7.92	60.05	3	Vertical	19	1.80	-	32.60	6.37	32.94
AV	5.1492G	52.23	54.00	-1.77	46.20	3	Vertical	19	1.80	-	32.60	6.37	32.94
PK	5.2084G	112.68	Inf	-Inf	106.49	3	Vertical	19	1.80	-	32.72	6.40	32.93
AV	5.2092G	100.06	Inf	-Inf	93.87	3	Vertical	19	1.80	-	32.72	6.40	32.93
PK	5.41G	58.85	74.00	-15.15	52.11	3	Vertical	19	1.80	-	33.24	6.41	32.91
AV	5.4068G	46.18	54.00	-7.82	39.45	3	Vertical	19	1.80	-	33.23	6.41	32.91

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT V_4TX
Setting 15
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1068G	59.28	74.00	-14.72	53.28	3	Horizontal	314	2.78	-	32.60	6.35	32.95
AV	5.1452G	47.73	54.00	-6.27	41.70	3	Horizontal	314	2.78	-	32.60	6.37	32.94
PK	5.2036G	106.02	Inf	-Inf	99.85	3	Horizontal	314	2.78	-	32.71	6.40	32.94
AV	5.2044G	95.09	Inf	-Inf	88.92	3	Horizontal	314	2.78	-	32.71	6.40	32.94
PK	5.4092G	58.67	74.00	-15.33	51.93	3	Horizontal	314	2.78	-	33.24	6.41	32.91
AV	5.4012G	46.11	54.00	-7.89	39.42	3	Horizontal	314	2.78	-	33.20	6.40	32.91

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 15
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.41686G	54.72	68.20	-13.48	40.97	3	Vertical	219	1.73	-	38.23	8.60	33.08
PK	15.63068G	59.69	74.00	-14.31	43.77	3	Vertical	182	2.33	-	38.33	10.39	32.80
AV	15.63124G	46.32	54.00	-7.68	30.40	3	Vertical	182	2.33	-	38.33	10.39	32.80

802.11ax HEW80_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 15
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42024G	55.10	68.20	-13.10	41.32	3	Horizontal	284	2.85	-	38.24	8.61	33.07
PK	15.63406G	60.18	74.00	-13.82	44.26	3	Horizontal	155	2.19	-	38.33	10.39	32.80
AV	15.63418G	46.29	54.00	-7.71	30.37	3	Horizontal	155	2.19	-	38.33	10.39	32.80

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 16
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.087G	58.05	74.00	-15.95	52.44	3	Vertical	115	2.00	-	31.87	5.69	31.95
AV	5.099G	45.69	54.00	-8.31	39.95	3	Vertical	115	2.00	-	31.99	5.70	31.95
PK	5.271G	111.71	Inf	-Inf	106.84	3	Vertical	115	2.00	-	31.10	5.80	32.03
AV	5.292G	98.79	Inf	-Inf	93.93	3	Vertical	115	2.00	-	31.10	5.80	32.04
PK	5.353G	65.12	74.00	-8.88	60.27	3	Vertical	115	2.00	-	31.12	5.80	32.07
AV	5.352G	53.88	54.00	-0.12	49.03	3	Vertical	115	2.00	-	31.11	5.80	32.06
PK	5.488G	57.05	68.20	-11.15	51.78	3	Vertical	115	2.00	-	31.50	5.89	32.12

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_V_4TX
Setting 16
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.094G	57.55	74.00	-16.45	51.87	3	Horizontal	360	2.56	-	31.94	5.69	31.95
AV	5.098G	44.96	54.00	-9.04	39.23	3	Horizontal	360	2.56	-	31.98	5.70	31.95
PK	5.292G	106.42	Inf	-Inf	101.56	3	Horizontal	360	2.56	-	31.10	5.80	32.04
AV	5.292G	93.77	Inf	-Inf	88.91	3	Horizontal	360	2.56	-	31.10	5.80	32.04
PK	5.35G	61.36	74.00	-12.64	56.52	3	Horizontal	360	2.56	-	31.10	5.80	32.06
AV	5.35G	49.01	54.00	-4.99	44.17	3	Horizontal	360	2.56	-	31.10	5.80	32.06
PK	5.49G	58.09	68.20	-10.11	52.83	3	Horizontal	360	2.56	-	31.50	5.89	32.13

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 16
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.823G	59.27	74.00	-14.73	43.39	3	Vertical	296	1.97	-	37.75	12.48	34.35
AV	15.8314G	46.27	54.00	-7.73	30.39	3	Vertical	296	1.97	-	37.74	12.49	34.35

802.11ax HEW80_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 16
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8206G	59.34	74.00	-14.66	43.45	3	Horizontal	336	2.09	-	37.76	12.48	34.35
AV	15.8448G	46.35	54.00	-7.65	30.50	3	Horizontal	336	2.09	-	37.71	12.50	34.36

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 20
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.334G	57.16	68.20	-11.04	52.32	3	Vertical	256	1.54	-	31.10	5.80	32.06
PK	5.429G	64.50	74.00	-9.50	59.31	3	Vertical	256	1.54	-	31.46	5.83	32.10
AV	5.448G	50.90	54.00	-3.10	45.66	3	Vertical	256	1.54	-	31.50	5.85	32.11
PK	5.467G	67.80	68.20	-0.40	62.55	3	Vertical	256	1.54	-	31.50	5.87	32.12
PK	5.529G	115.01	Inf	-Inf	109.73	3	Vertical	256	1.54	-	31.50	5.93	32.15
AV	5.528G	102.81	Inf	-Inf	97.53	3	Vertical	256	1.54	-	31.50	5.93	32.15
PK	5.754G	58.25	68.20	-9.95	52.53	3	Vertical	256	1.54	-	32.00	6.00	32.28

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 20
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.294G	56.58	68.20	-11.62	51.72	3	Horizontal	329	2.36	-	31.10	5.80	32.04
AV	5.35G	44.25	54.00	-9.75	39.41	3	Horizontal	329	2.36	-	31.10	5.80	32.06
PK	5.444G	62.08	74.00	-11.92	56.86	3	Horizontal	329	2.36	-	31.49	5.84	32.11
AV	5.452G	47.73	54.00	-6.27	42.49	3	Horizontal	329	2.36	-	31.50	5.85	32.11
PK	5.464G	64.28	68.20	-3.92	59.03	3	Horizontal	329	2.36	-	31.50	5.86	32.11
PK	5.525G	110.16	Inf	-Inf	104.89	3	Horizontal	329	2.36	-	31.50	5.92	32.15
AV	5.525G	98.40	Inf	-Inf	93.13	3	Horizontal	329	2.36	-	31.50	5.92	32.15
PK	5.752G	57.41	68.20	-10.79	51.69	3	Horizontal	329	2.36	-	32.00	6.00	32.28

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 20
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0404G	57.51	74.00	-16.49	42.49	3	Vertical	360	1.79	-	40.04	9.22	34.24
AV	11.0212G	44.13	54.00	-9.87	29.03	3	Vertical	360	1.79	-	40.12	9.21	34.23

802.11ax HEW80_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 20
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0602G	57.55	74.00	-16.45	42.59	3	Horizontal	352	1.26	-	39.96	9.24	34.24
AV	11.042G	44.61	54.00	-9.39	29.59	3	Horizontal	352	1.26	-	40.03	9.23	34.24

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT V_4TX
Setting 22
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	60.27	74.00	-13.73	55.03	3	Vertical	256	1.34	-	31.50	5.85	32.11
AV	5.448G	46.59	54.00	-7.41	41.35	3	Vertical	256	1.34	-	31.50	5.85	32.11
PK	5.468G	62.22	68.20	-5.98	56.97	3	Vertical	256	1.34	-	31.50	5.87	32.12
PK	5.608G	117.11	Inf	-Inf	111.70	3	Vertical	256	1.34	-	31.60	6.00	32.19
AV	5.609G	104.41	Inf	-Inf	99.01	3	Vertical	256	1.34	-	31.60	6.00	32.20
PK	5.728G	67.89	68.20	-0.31	62.25	3	Vertical	256	1.34	-	31.91	6.00	32.27

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT V_4TX
Setting 22
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.434G	57.80	74.00	-16.20	52.60	3	Horizontal	332	2.17	-	31.47	5.83	32.10
AV	5.443G	45.35	54.00	-8.65	40.12	3	Horizontal	332	2.17	-	31.49	5.84	32.10
PK	5.464G	58.78	68.20	-9.42	53.53	3	Horizontal	332	2.17	-	31.50	5.86	32.11
PK	5.625G	111.25	Inf	-Inf	105.85	3	Horizontal	332	2.17	-	31.60	6.00	32.20
AV	5.606G	98.07	Inf	-Inf	92.66	3	Horizontal	332	2.17	-	31.60	6.00	32.19
PK	5.725G	60.18	68.20	-8.02	54.55	3	Horizontal	332	2.17	-	31.90	6.00	32.27

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 22
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2288G	57.63	74.00	-16.37	42.96	3	Vertical	77	2.69	-	39.60	9.34	34.27
AV	11.228G	44.51	54.00	-9.49	29.84	3	Vertical	77	2.69	-	39.60	9.34	34.27

802.11ax HEW80_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 22
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2052G	57.51	74.00	-16.49	42.85	3	Horizontal	48	1.80	-	39.60	9.32	34.26
AV	11.2222G	43.97	54.00	-10.03	29.31	3	Horizontal	48	1.80	-	39.60	9.33	34.27

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_V_4TX
Setting 23
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	58.62	74.00	-15.38	53.37	3	Vertical	255	1.41	-	31.50	5.86	32.11
AV	5.459G	45.91	54.00	-8.09	40.66	3	Vertical	255	1.41	-	31.50	5.86	32.11
PK	5.466G	58.52	68.20	-9.68	53.27	3	Vertical	255	1.41	-	31.50	5.87	32.12
PK	5.709G	118.28	Inf	-Inf	112.70	3	Vertical	255	1.41	-	31.84	6.00	32.26
AV	5.688G	105.95	Inf	-Inf	100.44	3	Vertical	255	1.41	-	31.75	6.00	32.24
PK	5.85G	67.79	68.20	-0.41	62.10	3	Vertical	255	1.41	-	32.00	6.03	32.34

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT V_4TX
 Setting 23
 06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	57.18	74.00	-16.82	51.93	3	Horizontal	353	1.82	-	31.50	5.86	32.11
PK	5.462G	57.15	68.20	-11.05	51.90	3	Horizontal	353	1.82	-	31.50	5.86	32.11
AV	5.46G	45.03	54.00	-8.97	39.78	3	Horizontal	353	1.82	-	31.50	5.86	32.11
PK	5.692G	111.85	Inf	-Inf	106.33	3	Horizontal	353	1.82	-	31.77	6.00	32.25
AV	5.692G	99.53	Inf	-Inf	94.01	3	Horizontal	353	1.82	-	31.77	6.00	32.25
PK	5.853G	65.85	68.20	-2.35	60.15	3	Horizontal	353	1.82	-	32.01	6.03	32.34

802.11ax HEW80_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
Setting 23
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.376G	59.01	74.00	-14.99	44.12	3	Vertical	92	2.95	-	39.75	9.43	34.29
AV	11.377G	45.64	54.00	-8.36	30.75	3	Vertical	92	2.95	-	39.75	9.43	34.29

802.11ax HEW80_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUTY_4TX
 Setting 23
 06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3864G	58.78	74.00	-15.22	43.87	3	Horizontal	0	1.43	-	39.77	9.43	34.29
AV	11.3846G	45.24	54.00	-8.76	30.33	3	Horizontal	0	1.43	-	39.77	9.43	34.29

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 20.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.613G	59.98	68.20	-8.22	52.46	3	Vertical	337	1.40	-	33.83	6.60	32.91
PK	5.802G	118.54	Inf	-Inf	110.56	3	Vertical	337	1.40	-	34.31	6.60	32.93
AV	5.783G	106.89	Inf	-Inf	98.99	3	Vertical	337	1.40	-	34.23	6.60	32.93
PK	5.925G	67.24	68.20	-0.96	58.68	3	Vertical	337	1.40	-	34.90	6.60	32.94

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 20.5
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	59.59	68.20	-8.61	52.05	3	Horizontal	0	1.80	-	33.85	6.60	32.91
PK	5.795G	111.31	Inf	-Inf	103.36	3	Horizontal	0	1.80	-	34.28	6.60	32.93
AV	5.776G	99.46	Inf	-Inf	91.59	3	Horizontal	0	1.80	-	34.20	6.60	32.93
PK	5.978G	60.74	68.20	-7.46	51.98	3	Horizontal	0	1.80	-	35.11	6.60	32.95

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 20.5
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.32266G	64.42	68.20	-3.78	43.49	3	Vertical	96	2.38	-	41.99	10.90	31.96

802.11ax HEW80_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 20.5
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.32628G	64.31	68.20	-3.89	43.36	3	Horizontal	275	2.59	-	42.01	10.90	31.96

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 17
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	66.55	74.00	-7.45	61.06	3	Vertical	250	1.77	-	31.71	5.75	31.97
AV	5.1476G	53.99	54.00	-0.01	48.50	3	Vertical	250	1.77	-	31.71	5.75	31.97
PK	5.2276G	108.52	Inf	-Inf	103.50	3	Vertical	250	1.77	-	31.23	5.80	32.01
AV	5.2676G	96.29	Inf	-Inf	91.42	3	Vertical	250	1.77	-	31.10	5.80	32.03
PK	5.35G	64.47	74.00	-9.53	59.63	3	Vertical	250	1.77	-	31.10	5.80	32.06
AV	5.35G	53.11	54.00	-0.89	48.27	3	Vertical	250	1.77	-	31.10	5.80	32.06
PK	5.618G	60.09	68.20	-8.11	54.69	3	Vertical	250	1.77	-	31.60	6.00	32.20

802.11ax HEW160_Nss1,(MCS0)_4TX


5250MHz Straddle 5.25-5.35GHz_TnomVnom



EUT_V_4TX
Setting 17
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1492G	63.08	74.00	-10.92	57.61	3	Horizontal	0	2.64	-	31.70	5.75	31.98
AV	5.1492G	50.13	54.00	-3.87	44.66	3	Horizontal	0	2.64	-	31.70	5.75	31.98
PK	5.2516G	104.97	Inf	-Inf	100.09	3	Horizontal	0	2.64	-	31.10	5.80	32.02
AV	5.2308G	92.60	Inf	-Inf	87.59	3	Horizontal	0	2.64	-	31.22	5.80	32.01
PK	5.3508G	62.83	74.00	-11.17	57.99	3	Horizontal	0	2.64	-	31.10	5.80	32.06
AV	5.3508G	49.59	54.00	-4.41	44.75	3	Horizontal	0	2.64	-	31.10	5.80	32.06
PK	5.5796G	57.27	68.20	-10.93	51.91	3	Horizontal	0	2.64	-	31.56	5.98	32.18

802.11ax HEW160_Nss1,(MCS0)_4TX
5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
 Setting 17
 06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7272G	59.95	74.00	-14.05	44.04	3	Vertical	256	1.01	-	37.80	12.42	34.31
AV	15.7036G	46.70	54.00	-7.30	30.79	3	Vertical	256	1.01	-	37.80	12.41	34.30

802.11ax HEW160_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 17
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.7784G	59.68	74.00	-14.32	43.75	3	Horizontal	95	1.47	-	37.80	12.46	34.33
AV	15.7004G	46.82	54.00	-7.18	30.91	3	Horizontal	95	1.47	-	37.80	12.41	34.30

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_V_4TX
Setting 19
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.218G	59.77	68.20	-8.43	54.69	3	Vertical	256	1.47	-	31.29	5.80	32.01
PK	5.4276G	65.90	74.00	-8.10	60.71	3	Vertical	256	1.47	-	31.46	5.83	32.10
PK	5.4676G	65.50	68.20	-2.70	60.25	3	Vertical	256	1.47	-	31.50	5.87	32.12
AV	5.4484G	53.62	54.00	-0.38	48.38	3	Vertical	256	1.47	-	31.50	5.85	32.11
PK	5.5892G	111.57	Inf	-Inf	106.18	3	Vertical	256	1.47	-	31.58	5.99	32.18
AV	5.5892G	98.57	Inf	-Inf	93.18	3	Vertical	256	1.47	-	31.58	5.99	32.18
PK	5.7268G	61.71	68.20	-6.49	56.07	3	Vertical	256	1.47	-	31.91	6.00	32.27

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT_V_4TX
Setting 19
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.186G	57.73	68.20	-10.47	52.45	3	Horizontal	320	2.83	-	31.48	5.79	31.99
PK	5.4452G	61.56	74.00	-12.44	56.33	3	Horizontal	320	2.83	-	31.49	5.85	32.11
AV	5.4244G	49.74	54.00	-4.26	44.57	3	Horizontal	320	2.83	-	31.45	5.82	32.10
PK	5.4628G	60.98	68.20	-7.22	55.73	3	Horizontal	320	2.83	-	31.50	5.86	32.11
PK	5.5444G	106.65	Inf	-Inf	101.37	3	Horizontal	320	2.83	-	31.50	5.94	32.16
AV	5.5444G	94.48	Inf	-Inf	89.20	3	Horizontal	320	2.83	-	31.50	5.94	32.16
PK	5.9396G	59.01	68.20	-9.19	53.15	3	Horizontal	320	2.83	-	32.18	6.07	32.39

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 19
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.135G	56.31	74.00	-17.69	41.55	3	Vertical	127	2.93	-	39.73	9.28	34.25
AV	11.1146G	43.57	54.00	-10.43	28.78	3	Vertical	127	2.93	-	39.77	9.27	34.25

802.11ax HEW160_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT Y_4TX
Setting 19
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1408G	57.09	74.00	-16.91	42.34	3	Horizontal	210	2.03	-	39.72	9.28	34.25
AV	11.1292G	43.79	54.00	-10.21	29.02	3	Horizontal	210	2.03	-	39.74	9.28	34.25




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
5.15-5.25GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW40-BF_Nss1,(MCS0)_4TX	Pass	AV	15.674G	53.89	54.00	-0.11	3	Vertical	269	1.86	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.51	74.00	-8.49	59.48	3	Vertical	7	2.31	-	32.60	6.37	32.94
AV	5.15G	51.53	54.00	-2.47	45.50	3	Vertical	7	2.31	-	32.60	6.37	32.94
PK	5.1726G	122.77	Inf	-Inf	116.67	3	Vertical	7	2.31	-	32.65	6.39	32.94
AV	5.1712G	110.62	Inf	-Inf	104.53	3	Vertical	7	2.31	-	32.64	6.39	32.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	58.68	74.00	-15.32	52.65	3	Horizontal	12	2.22	-	32.60	6.37	32.94
AV	5.1496G	46.69	54.00	-7.31	40.66	3	Horizontal	12	2.22	-	32.60	6.37	32.94
PK	5.1882G	117.03	Inf	-Inf	110.90	3	Horizontal	12	2.22	-	32.68	6.39	32.94
AV	5.1888G	105.37	Inf	-Inf	99.24	3	Horizontal	12	2.22	-	32.68	6.39	32.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.54496G	63.04	74.00	-10.96	47.30	3	Vertical	294	1.40	-	38.19	10.36	32.81
AV	15.54G	49.08	54.00	-4.92	33.35	3	Vertical	294	1.40	-	38.18	10.36	32.81

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5180MHz_TnomVnom




EUT Y_4TX
Setting 25
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5464G	62.53	74.00	-11.47	46.79	3	Horizontal	178	2.82	-	38.19	10.36	32.81
AV	15.54128G	49.00	54.00	-5.00	33.27	3	Horizontal	178	2.82	-	38.18	10.36	32.81

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 26
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	66.68	74.00	-7.32	60.65	3	Vertical	190	2.02	-	32.60	6.37	32.94
AV	5.15G	51.56	54.00	-2.44	45.53	3	Vertical	190	2.02	-	32.60	6.37	32.94
PK	5.1922G	127.95	Inf	-Inf	121.81	3	Vertical	190	2.02	-	32.68	6.40	32.94
AV	5.1922G	117.56	Inf	-Inf	111.42	3	Vertical	190	2.02	-	32.68	6.40	32.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT_V_4TX
Setting 26
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.71	74.00	-8.29	59.68	3	Horizontal	275	1.89	-	32.60	6.37	32.94
AV	5.104G	49.54	54.00	-4.46	43.54	3	Horizontal	275	1.89	-	32.60	6.35	32.95
PK	5.2G	117.33	Inf	-Inf	111.17	3	Horizontal	275	1.89	-	32.70	6.40	32.94
AV	5.2G	113.25	Inf	-Inf	107.09	3	Horizontal	275	1.89	-	32.70	6.40	32.94
PK	5.35G	57.78	74.00	-16.22	51.40	3	Horizontal	275	1.89	-	32.90	6.40	32.92
AV	5.35G	45.61	54.00	-8.39	39.23	3	Horizontal	275	1.89	-	32.90	6.40	32.92

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 26
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60592G	67.18	74.00	-6.82	51.29	3	Vertical	296	1.80	-	38.31	10.38	32.80
AV	15.60688G	52.46	54.00	-1.54	36.57	3	Vertical	296	1.80	-	38.31	10.38	32.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5200MHz_TnomVnom




EUT Y_4TX
Setting 26
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.60064G	64.59	74.00	-9.41	48.71	3	Horizontal	303	1.80	-	38.30	10.38	32.80
AV	15.60016G	50.52	54.00	-3.48	34.64	3	Horizontal	303	1.80	-	38.30	10.38	32.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 27
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1116G	64.96	74.00	-9.04	58.95	3	Vertical	107	1.54	-	32.60	6.36	32.95
AV	5.144G	48.84	54.00	-5.16	42.81	3	Vertical	107	1.54	-	32.60	6.37	32.94
PK	5.2334G	126.48	Inf	-Inf	120.24	3	Vertical	107	1.54	-	32.77	6.40	32.93
AV	5.24G	117.13	Inf	-Inf	110.88	3	Vertical	107	1.54	-	32.78	6.40	32.93
PK	5.354G	62.63	74.00	-11.37	56.23	3	Vertical	107	1.54	-	32.92	6.40	32.92
AV	5.384G	46.84	54.00	-7.16	40.25	3	Vertical	107	1.54	-	33.10	6.40	32.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT_V_4TX
Setting 27
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1092G	62.17	74.00	-11.83	56.17	3	Horizontal	275	1.84	-	32.60	6.35	32.95
AV	5.144G	47.49	54.00	-6.51	41.46	3	Horizontal	275	1.84	-	32.60	6.37	32.94
PK	5.2316G	118.59	Inf	-Inf	112.36	3	Horizontal	275	1.84	-	32.76	6.40	32.93
AV	5.24G	111.65	Inf	-Inf	105.40	3	Horizontal	275	1.84	-	32.78	6.40	32.93
PK	5.35G	58.46	74.00	-15.54	52.08	3	Horizontal	275	1.84	-	32.90	6.40	32.92
AV	5.381G	46.17	54.00	-7.83	39.59	3	Horizontal	275	1.84	-	33.09	6.40	32.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 27
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71712G	68.50	74.00	-5.50	52.47	3	Vertical	256	1.77	-	38.40	10.42	32.79
AV	15.7168G	53.30	54.00	-0.70	37.27	3	Vertical	256	1.77	-	38.40	10.42	32.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5240MHz_TnomVnom




EUT Y_4TX
Setting 27
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.71328G	67.94	74.00	-6.06	51.92	3	Horizontal	232	1.77	-	38.40	10.41	32.79
AV	15.71008G	52.98	54.00	-1.02	36.96	3	Horizontal	232	1.77	-	38.40	10.41	32.79

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT_Y_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.076G	61.27	74.00	-12.73	55.77	3	Vertical	107	1.79	-	31.76	5.68	31.94
AV	5.076G	50.19	54.00	-3.81	44.69	3	Vertical	107	1.79	-	31.76	5.68	31.94
PK	5.265G	121.78	Inf	-Inf	116.91	3	Vertical	107	1.79	-	31.10	5.80	32.03
AV	5.265G	110.70	Inf	-Inf	105.83	3	Vertical	107	1.79	-	31.10	5.80	32.03
PK	5.359G	61.86	74.00	-12.14	56.98	3	Vertical	107	1.79	-	31.15	5.80	32.07
AV	5.364G	50.43	54.00	-3.57	45.52	3	Vertical	107	1.79	-	31.18	5.80	32.07
PK	5.501G	59.15	68.20	-9.05	53.88	3	Vertical	107	1.79	-	31.50	5.90	32.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.076G	60.04	74.00	-13.96	54.54	3	Horizontal	214	2.03	-	31.76	5.68	31.94
AV	5.076G	48.95	54.00	-5.05	43.45	3	Horizontal	214	2.03	-	31.76	5.68	31.94
PK	5.269G	115.55	Inf	-Inf	110.68	3	Horizontal	214	2.03	-	31.10	5.80	32.03
AV	5.269G	106.15	Inf	-Inf	101.28	3	Horizontal	214	2.03	-	31.10	5.80	32.03
PK	5.365G	59.91	74.00	-14.09	54.99	3	Horizontal	214	2.03	-	31.19	5.80	32.07
AV	5.365G	48.62	54.00	-5.38	43.70	3	Horizontal	214	2.03	-	31.19	5.80	32.07

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5194G	59.47	68.20	-8.73	45.08	3	Vertical	73	2.68	-	39.62	8.91	34.14
PK	15.7432G	61.85	74.00	-12.15	45.94	3	Vertical	269	2.75	-	37.80	12.43	34.32
AV	15.7338G	49.24	54.00	-4.76	33.32	3	Vertical	269	2.75	-	37.80	12.43	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5260MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.525G	59.90	68.20	-8.30	45.50	3	Horizontal	134	1.80	-	39.62	8.92	34.14
PK	15.776G	61.78	74.00	-12.22	45.86	3	Horizontal	297	1.23	-	37.80	12.45	34.33
AV	15.736G	49.20	54.00	-4.80	33.28	3	Horizontal	297	1.23	-	37.80	12.43	34.31

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_Y_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.113G	61.40	74.00	-12.60	55.73	3	Vertical	107	1.80	-	31.92	5.71	31.96
AV	5.114G	50.34	54.00	-3.66	44.67	3	Vertical	107	1.80	-	31.92	5.71	31.96
PK	5.307G	121.64	Inf	-Inf	116.79	3	Vertical	107	1.80	-	31.10	5.80	32.05
AV	5.309G	111.47	Inf	-Inf	106.62	3	Vertical	107	1.80	-	31.10	5.80	32.05
PK	5.394G	61.09	74.00	-12.91	56.01	3	Vertical	107	1.80	-	31.36	5.80	32.08
AV	5.404G	49.86	54.00	-4.14	44.74	3	Vertical	107	1.80	-	31.41	5.80	32.09
PK	5.514G	59.59	68.20	-8.61	54.32	3	Vertical	107	1.80	-	31.50	5.91	32.14

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT_V_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.101G	59.45	74.00	-14.55	53.71	3	Horizontal	212	2.22	-	31.99	5.70	31.95
AV	5.104G	47.22	54.00	-6.78	41.50	3	Horizontal	212	2.22	-	31.98	5.70	31.96
PK	5.306G	114.56	Inf	-Inf	109.70	3	Horizontal	212	2.22	-	31.10	5.80	32.04
AV	5.309G	105.02	Inf	-Inf	100.17	3	Horizontal	212	2.22	-	31.10	5.80	32.05
PK	5.404G	59.23	74.00	-14.77	54.11	3	Horizontal	212	2.22	-	31.41	5.80	32.09
AV	5.405G	48.54	54.00	-5.46	43.42	3	Horizontal	212	2.22	-	31.41	5.80	32.09
PK	5.508G	58.97	68.20	-9.23	53.69	3	Horizontal	212	2.22	-	31.50	5.91	32.13

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6019G	59.17	74.00	-14.83	44.67	3	Vertical	83	1.05	-	39.70	8.96	34.16
AV	10.6014G	46.65	54.00	-7.35	32.15	3	Vertical	83	1.05	-	39.70	8.96	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5300MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6006G	61.04	74.00	-12.96	46.54	3	Horizontal	34	1.80	-	39.70	8.96	34.16
AV	10.6004G	47.61	54.00	-6.39	33.11	3	Horizontal	34	1.80	-	39.70	8.96	34.16

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_V_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.127G	60.62	74.00	-13.38	55.02	3	Vertical	107	2.86	-	31.84	5.73	31.97
AV	5.136G	49.18	54.00	-4.82	43.63	3	Vertical	107	2.86	-	31.78	5.74	31.97
PK	5.328G	122.41	Inf	-Inf	117.56	3	Vertical	107	2.86	-	31.10	5.80	32.05
AV	5.329G	111.46	Inf	-Inf	106.61	3	Vertical	107	2.86	-	31.10	5.80	32.05
PK	5.408G	61.69	74.00	-12.31	56.55	3	Vertical	107	2.86	-	31.42	5.81	32.09
AV	5.425G	50.95	54.00	-3.05	45.77	3	Vertical	107	2.86	-	31.45	5.83	32.10
PK	5.564G	59.99	68.20	-8.21	54.67	3	Vertical	107	2.86	-	31.53	5.96	32.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT_V_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.136G	60.38	74.00	-13.62	54.83	3	Horizontal	269	2.50	-	31.78	5.74	31.97
AV	5.12G	48.97	54.00	-5.03	43.33	3	Horizontal	269	2.50	-	31.88	5.72	31.96
PK	5.311G	114.23	Inf	-Inf	109.38	3	Horizontal	269	2.50	-	31.10	5.80	32.05
AV	5.311G	104.73	Inf	-Inf	99.88	3	Horizontal	269	2.50	-	31.10	5.80	32.05
PK	5.412G	59.44	74.00	-14.56	54.30	3	Horizontal	269	2.50	-	31.42	5.81	32.09
AV	5.407G	48.15	54.00	-5.85	43.02	3	Horizontal	269	2.50	-	31.41	5.81	32.09
PK	5.569G	59.09	68.20	-9.11	53.75	3	Horizontal	269	2.50	-	31.54	5.97	32.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6246G	59.28	74.00	-14.72	44.79	3	Vertical	117	2.98	-	39.68	8.97	34.16
AV	10.652G	46.10	54.00	-7.90	31.63	3	Vertical	117	2.98	-	39.65	8.99	34.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5320MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.6568G	60.39	74.00	-13.61	45.93	3	Horizontal	6	1.52	-	39.64	8.99	34.17
AV	10.6546G	48.17	54.00	-5.83	33.70	3	Horizontal	6	1.52	-	39.65	8.99	34.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3G	60.65	68.20	-7.55	55.79	3	Vertical	108	2.58	-	31.10	5.80	32.04
PK	5.398G	60.16	74.00	-13.84	55.06	3	Vertical	108	2.58	-	31.39	5.80	32.09
AV	5.397G	48.99	54.00	-5.01	43.89	3	Vertical	108	2.58	-	31.38	5.80	32.08
PK	5.465G	59.19	68.20	-9.01	53.94	3	Vertical	108	2.58	-	31.50	5.86	32.11
PK	5.494G	124.32	Inf	-Inf	119.06	3	Vertical	108	2.58	-	31.50	5.89	32.13
AV	5.492G	111.18	Inf	-Inf	105.92	3	Vertical	108	2.58	-	31.50	5.89	32.13
PK	5.727G	59.04	68.20	-9.16	53.40	3	Vertical	108	2.58	-	31.91	6.00	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT_V_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.294G	59.21	68.20	-8.99	54.35	3	Horizontal	217	1.87	-	31.10	5.80	32.04
PK	5.397G	60.24	74.00	-13.76	55.14	3	Horizontal	217	1.87	-	31.38	5.80	32.08
AV	5.396G	47.39	54.00	-6.61	42.29	3	Horizontal	217	1.87	-	31.38	5.80	32.08
PK	5.465G	58.83	68.20	-9.37	53.58	3	Horizontal	217	1.87	-	31.50	5.86	32.11
PK	5.493G	113.92	Inf	-Inf	108.66	3	Horizontal	217	1.87	-	31.50	5.89	32.13
AV	5.493G	102.91	Inf	-Inf	97.65	3	Horizontal	217	1.87	-	31.50	5.89	32.13
PK	5.73G	59.58	68.20	-8.62	53.93	3	Horizontal	217	1.87	-	31.92	6.00	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0044G	59.68	74.00	-14.32	44.53	3	Vertical	67	1.55	-	40.18	9.20	34.23
AV	10.9994G	47.05	54.00	-6.95	31.88	3	Vertical	67	1.55	-	40.20	9.20	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5500MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0026G	59.61	74.00	-14.39	44.45	3	Horizontal	89	1.80	-	40.19	9.20	34.23
AV	10.9976G	47.33	54.00	-6.67	32.16	3	Horizontal	89	1.80	-	40.20	9.20	34.23

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.331G	57.93	68.20	-10.27	53.09	3	Vertical	107	2.71	-	31.10	5.80	32.06
PK	5.382G	61.39	74.00	-12.61	56.38	3	Vertical	107	2.71	-	31.29	5.80	32.08
AV	5.38G	49.87	54.00	-4.13	44.87	3	Vertical	107	2.71	-	31.28	5.80	32.08
PK	5.467G	58.11	68.20	-10.09	52.86	3	Vertical	107	2.71	-	31.50	5.87	32.12
PK	5.575G	120.32	Inf	-Inf	114.98	3	Vertical	107	2.71	-	31.55	5.97	32.18
AV	5.573G	110.49	Inf	-Inf	105.14	3	Vertical	107	2.71	-	31.55	5.97	32.17
PK	5.744G	60.42	68.20	-7.78	54.72	3	Vertical	107	2.71	-	31.98	6.00	32.28

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT_V_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.344G	57.65	68.20	-10.55	52.81	3	Horizontal	219	2.13	-	31.10	5.80	32.06
PK	5.432G	59.41	74.00	-14.59	54.22	3	Horizontal	219	2.13	-	31.46	5.83	32.10
AV	5.395G	46.85	54.00	-7.15	41.76	3	Horizontal	219	2.13	-	31.37	5.80	32.08
PK	5.468G	58.69	68.20	-9.51	53.44	3	Horizontal	219	2.13	-	31.50	5.87	32.12
PK	5.583G	110.07	Inf	-Inf	104.70	3	Horizontal	219	2.13	-	31.57	5.98	32.18
AV	5.588G	99.86	Inf	-Inf	94.47	3	Horizontal	219	2.13	-	31.58	5.99	32.18
PK	5.734G	59.92	68.20	-8.28	54.25	3	Horizontal	219	2.13	-	31.94	6.00	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1586G	59.30	74.00	-14.70	44.58	3	Vertical	136	1.80	-	39.68	9.30	34.26
AV	11.1788G	46.11	54.00	-7.89	31.42	3	Vertical	136	1.80	-	39.64	9.31	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5580MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1602G	60.09	74.00	-13.91	45.37	3	Horizontal	0	1.45	-	39.68	9.30	34.26
AV	11.1616G	47.23	54.00	-6.77	32.51	3	Horizontal	0	1.45	-	39.68	9.30	34.26

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4144G	58.81	74.00	-15.19	53.66	3	Vertical	108	2.88	-	31.43	5.81	32.09
AV	5.4024G	47.27	54.00	-6.73	42.16	3	Vertical	108	2.88	-	31.40	5.80	32.09
PK	5.4672G	57.83	68.20	-10.37	52.58	3	Vertical	108	2.88	-	31.50	5.87	32.12
PK	5.6928G	120.91	Inf	-Inf	115.39	3	Vertical	108	2.88	-	31.77	6.00	32.25
AV	5.6916G	109.92	Inf	-Inf	104.39	3	Vertical	108	2.88	-	31.77	6.00	32.24
PK	5.7252G	66.76	68.20	-1.44	61.13	3	Vertical	108	2.88	-	31.90	6.00	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4216G	59.42	74.00	-14.58	54.26	3	Horizontal	229	2.11	-	31.44	5.82	32.10
PK	5.4672G	58.85	68.20	-9.35	53.60	3	Horizontal	229	2.11	-	31.50	5.87	32.12
AV	5.4456G	46.93	54.00	-7.07	41.70	3	Horizontal	229	2.11	-	31.49	5.85	32.11
PK	5.706G	113.17	Inf	-Inf	107.60	3	Horizontal	229	2.11	-	31.82	6.00	32.25
AV	5.7084G	102.14	Inf	-Inf	96.57	3	Horizontal	229	2.11	-	31.83	6.00	32.26
PK	5.7252G	61.46	68.20	-6.74	55.83	3	Horizontal	229	2.11	-	31.90	6.00	32.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5700MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3952G	59.84	74.00	-14.16	44.90	3	Vertical	101	1.80	-	39.79	9.44	34.29
AV	11.3946G	46.61	54.00	-7.39	31.67	3	Vertical	101	1.80	-	39.79	9.44	34.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX


5700MHz_TnomVnom



EUT Y_4TX
Setting 24
06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4358G	60.23	74.00	-13.77	45.34	3	Horizontal	319	1.80	-	39.73	9.46	34.30
AV	11.4012G	46.80	54.00	-7.20	31.85	3	Horizontal	319	1.80	-	39.80	9.44	34.29


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_V_4TX
 Setting 24
 06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4296G	59.01	74.00	-14.99	53.82	3	Vertical	171	1.76	-	31.46	5.83	32.10
AV	5.4404G	47.25	54.00	-6.75	42.03	3	Vertical	171	1.76	-	31.48	5.84	32.10
PK	5.468G	59.38	68.20	-8.82	54.13	3	Vertical	171	1.76	-	31.50	5.87	32.12
PK	5.7272G	121.97	Inf	-Inf	116.33	3	Vertical	171	1.76	-	31.91	6.00	32.27
AV	5.7284G	111.54	Inf	-Inf	105.90	3	Vertical	171	1.76	-	31.91	6.00	32.27
PK	5.9192G	61.04	68.20	-7.16	55.22	3	Vertical	171	1.76	-	32.14	6.06	32.38


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 Setting 24
 06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4284G	58.58	74.00	-15.42	53.39	3	Horizontal	222	1.32	-	31.46	5.83	32.10
AV	5.4296G	47.01	54.00	-6.99	41.82	3	Horizontal	222	1.32	-	31.46	5.83	32.10
PK	5.4632G	59.65	68.20	-8.55	54.40	3	Horizontal	222	1.32	-	31.50	5.86	32.11
PK	5.714G	115.83	Inf	-Inf	110.23	3	Horizontal	222	1.32	-	31.86	6.00	32.26
AV	5.7128G	105.75	Inf	-Inf	100.16	3	Horizontal	222	1.32	-	31.85	6.00	32.26
PK	5.966G	60.28	68.20	-7.92	54.41	3	Horizontal	222	1.32	-	32.20	6.08	32.41


802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 Setting 24
 06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.489G	61.13	74.00	-12.87	46.33	3	Vertical	53	1.99	-	39.62	9.49	34.31
AV	11.4288G	47.05	54.00	-6.95	32.15	3	Vertical	53	1.99	-	39.74	9.46	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX
5720MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 Setting 24
 06-F-K-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.437G	60.15	74.00	-13.85	45.26	3	Horizontal	45	2.14	-	39.73	9.46	34.30
AV	11.44G	47.85	54.00	-6.15	32.97	3	Horizontal	45	2.14	-	39.72	9.46	34.30

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 30
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.544G	64.24	68.20	-3.96	56.92	3	Vertical	183	1.69	-	33.68	6.54	32.90
PK	5.738G	126.13	Inf	-Inf	118.40	3	Vertical	183	1.69	-	34.05	6.60	32.92
AV	5.736G	116.39	Inf	-Inf	108.67	3	Vertical	183	1.69	-	34.04	6.60	32.92
PK	5.931G	61.89	68.20	-6.31	53.31	3	Vertical	183	1.69	-	34.92	6.60	32.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 30
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.562G	60.12	68.20	-8.08	52.75	3	Horizontal	223	1.67	-	33.72	6.56	32.91
PK	5.753G	122.73	Inf	-Inf	114.95	3	Horizontal	223	1.67	-	34.11	6.60	32.93
AV	5.754G	111.15	Inf	-Inf	103.36	3	Horizontal	223	1.67	-	34.12	6.60	32.93
PK	5.935G	60.62	68.20	-7.58	52.02	3	Horizontal	223	1.67	-	34.94	6.60	32.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 30
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.23692G	64.78	68.20	-3.42	44.21	3	Vertical	211	1.80	-	41.71	10.87	32.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5745MHz_TnomVnom




EUT Y_4TX
Setting 30
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.22972G	64.63	68.20	-3.57	44.08	3	Horizontal	5	1.80	-	41.69	10.87	32.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 30
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.598G	63.11	68.20	-5.09	55.62	3	Vertical	119	2.48	-	33.80	6.60	32.91
PK	5.794G	125.49	Inf	-Inf	117.54	3	Vertical	119	2.48	-	34.28	6.60	32.93
AV	5.793G	116.79	Inf	-Inf	108.85	3	Vertical	119	2.48	-	34.27	6.60	32.93
PK	5.939G	61.54	68.20	-6.66	52.92	3	Vertical	119	2.48	-	34.96	6.60	32.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 30
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.59G	60.63	68.20	-7.57	53.17	3	Horizontal	216	1.42	-	33.78	6.59	32.91
PK	5.778G	122.17	Inf	-Inf	114.29	3	Horizontal	216	1.42	-	34.21	6.60	32.93
AV	5.776G	111.87	Inf	-Inf	104.00	3	Horizontal	216	1.42	-	34.20	6.60	32.93
PK	5.988G	60.95	68.20	-7.25	52.15	3	Horizontal	216	1.42	-	35.15	6.60	32.95

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 30
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.35978G	64.55	68.20	-3.65	43.44	3	Vertical	313	1.54	-	42.14	10.91	31.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5785MHz_TnomVnom




EUT Y_4TX
Setting 30
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.35598G	64.62	68.20	-3.58	43.53	3	Horizontal	360	1.91	-	42.12	10.91	31.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 30
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.624G	63.68	68.20	-4.52	56.14	3	Vertical	259	1.30	-	33.85	6.60	32.91
PK	5.818G	127.68	Inf	-Inf	119.64	3	Vertical	259	1.30	-	34.37	6.60	32.93
AV	5.817G	116.14	Inf	-Inf	108.10	3	Vertical	259	1.30	-	34.37	6.60	32.93
PK	5.925G	62.05	68.20	-6.15	53.49	3	Vertical	259	1.30	-	34.90	6.60	32.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 30
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.628G	59.90	68.20	-8.30	52.35	3	Horizontal	257	2.17	-	33.86	6.60	32.91
PK	5.816G	119.75	Inf	-Inf	111.72	3	Horizontal	257	2.17	-	34.36	6.60	32.93
AV	5.816G	109.00	Inf	-Inf	100.97	3	Horizontal	257	2.17	-	34.36	6.60	32.93
PK	5.93G	60.58	68.20	-7.62	52.00	3	Horizontal	257	2.17	-	34.92	6.60	32.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 30
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.4731G	64.52	68.20	-3.68	43.16	3	Vertical	0	1.87	-	42.30	10.94	31.88

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

5825MHz_TnomVnom




EUT Y_4TX
Setting 30
01-A-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.47064G	64.60	68.20	-3.60	43.25	3	Horizontal	16	1.17	-	42.30	10.94	31.89

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 23
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1376G	68.17	74.00	-5.83	62.14	3	Vertical	190	2.02	-	32.60	6.37	32.94
AV	5.1468G	51.03	54.00	-2.97	45.00	3	Vertical	190	2.02	-	32.60	6.37	32.94
PK	5.1792G	119.84	Inf	-Inf	113.73	3	Vertical	190	2.02	-	32.66	6.39	32.94
AV	5.1728G	106.70	Inf	-Inf	100.60	3	Vertical	190	2.02	-	32.65	6.39	32.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 23
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	57.82	74.00	-16.18	51.79	3	Horizontal	9	1.40	-	32.60	6.37	32.94
AV	5.15G	49.67	54.00	-4.33	43.64	3	Horizontal	9	1.40	-	32.60	6.37	32.94
PK	5.1916G	108.56	Inf	-Inf	102.42	3	Horizontal	9	1.40	-	32.68	6.40	32.94
AV	5.1956G	99.93	Inf	-Inf	93.78	3	Horizontal	9	1.40	-	32.69	6.40	32.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 23
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5726G	58.96	74.00	-15.04	43.15	3	Vertical	342	1.72	-	38.25	10.37	32.81
AV	15.57132G	50.22	54.00	-3.78	34.42	3	Vertical	342	1.72	-	38.24	10.37	32.81

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5190MHz_TnomVnom




EUT Y_4TX
Setting 23
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56686G	59.03	74.00	-14.97	43.24	3	Horizontal	68	1.35	-	38.23	10.37	32.81
AV	15.57174G	46.17	54.00	-7.83	30.37	3	Horizontal	68	1.35	-	38.24	10.37	32.81

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 27
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1424G	69.58	74.00	-4.42	63.55	3	Vertical	301	1.63	-	32.60	6.37	32.94
AV	5.1484G	51.82	54.00	-2.18	45.79	3	Vertical	301	1.63	-	32.60	6.37	32.94
PK	5.2336G	124.29	Inf	-Inf	118.05	3	Vertical	301	1.63	-	32.77	6.40	32.93
AV	5.2342G	112.00	Inf	-Inf	105.76	3	Vertical	301	1.63	-	32.77	6.40	32.93
PK	5.365G	63.33	74.00	-10.67	56.86	3	Vertical	301	1.63	-	32.99	6.40	32.92
AV	5.38G	47.30	54.00	-6.70	40.73	3	Vertical	301	1.63	-	33.08	6.40	32.91

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT_V_4TX
Setting 27
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1454G	62.62	74.00	-11.38	56.59	3	Horizontal	230	1.64	-	32.60	6.37	32.94
AV	5.1496G	48.47	54.00	-5.53	42.44	3	Horizontal	230	1.64	-	32.60	6.37	32.94
PK	5.2456G	115.73	Inf	-Inf	109.47	3	Horizontal	230	1.64	-	32.79	6.40	32.93
AV	5.2444G	103.80	Inf	-Inf	97.54	3	Horizontal	230	1.64	-	32.79	6.40	32.93
PK	5.3764G	58.29	74.00	-15.71	51.74	3	Horizontal	230	1.64	-	33.06	6.40	32.91
AV	5.3644G	46.32	54.00	-7.68	39.85	3	Horizontal	230	1.64	-	32.99	6.40	32.92

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 27
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.66776G	70.45	74.00	-3.55	54.47	3	Vertical	269	1.86	-	38.37	10.40	32.79
AV	15.674G	53.89	54.00	-0.11	37.91	3	Vertical	269	1.86	-	38.37	10.40	32.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5230MHz_TnomVnom




EUT Y_4TX
Setting 27
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.66904G	68.45	74.00	-5.55	52.47	3	Horizontal	114	2.96	-	38.37	10.40	32.79
AV	15.66904G	53.49	54.00	-0.51	37.51	3	Horizontal	114	2.96	-	38.37	10.40	32.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.078G	61.05	74.00	-12.95	55.53	3	Vertical	104	2.31	-	31.78	5.68	31.94
AV	5.075G	49.22	54.00	-4.78	43.74	3	Vertical	104	2.31	-	31.75	5.67	31.94
PK	5.263G	120.14	Inf	-Inf	115.27	3	Vertical	104	2.31	-	31.10	5.80	32.03
AV	5.265G	107.57	Inf	-Inf	102.70	3	Vertical	104	2.31	-	31.10	5.80	32.03
PK	5.367G	61.46	74.00	-12.54	56.53	3	Vertical	104	2.31	-	31.20	5.80	32.07
AV	5.361G	50.21	54.00	-3.79	45.31	3	Vertical	104	2.31	-	31.17	5.80	32.07
PK	5.497G	59.12	68.20	-9.08	53.85	3	Vertical	104	2.31	-	31.50	5.90	32.13

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT_V_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.05G	59.81	74.00	-14.19	54.59	3	Horizontal	212	2.15	-	31.50	5.65	31.93
AV	5.081G	48.19	54.00	-5.81	42.65	3	Horizontal	212	2.15	-	31.81	5.68	31.95
PK	5.271G	115.71	Inf	-Inf	110.84	3	Horizontal	212	2.15	-	31.10	5.80	32.03
AV	5.274G	104.67	Inf	-Inf	99.80	3	Horizontal	212	2.15	-	31.10	5.80	32.03
PK	5.37G	61.19	74.00	-12.81	56.24	3	Horizontal	212	2.15	-	31.22	5.80	32.07
AV	5.368G	49.52	54.00	-4.48	44.58	3	Horizontal	212	2.15	-	31.21	5.80	32.07
PK	5.469G	58.66	68.20	-9.54	53.41	3	Horizontal	212	2.15	-	31.50	5.87	32.12

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 24
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.82386G	58.64	74.00	-15.36	44.83	3	Vertical	31	1.80	-	37.42	9.92	33.53
AV	15.7956G	44.98	54.00	-9.02	31.17	3	Vertical	31	1.80	-	37.40	9.91	33.50

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5270MHz_TnomVnom




EUT Y_4TX
Setting 24
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.80244G	60.82	74.00	-13.18	47.02	3	Horizontal	346	3.00	-	37.40	9.91	33.51
AV	15.816G	47.00	54.00	-7.00	33.18	3	Horizontal	346	3.00	-	37.42	9.92	33.52

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 20
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.131G	60.11	74.00	-13.89	54.54	3	Vertical	108	1.79	-	31.81	5.73	31.97
AV	5.135G	47.68	54.00	-6.32	42.12	3	Vertical	108	1.79	-	31.79	5.74	31.97
PK	5.309G	116.70	Inf	-Inf	111.85	3	Vertical	108	1.79	-	31.10	5.80	32.05
AV	5.305G	103.36	Inf	-Inf	98.50	3	Vertical	108	1.79	-	31.10	5.80	32.04
PK	5.35G	67.71	74.00	-6.29	62.87	3	Vertical	108	1.79	-	31.10	5.80	32.06
AV	5.351G	53.05	54.00	-0.95	48.20	3	Vertical	108	1.79	-	31.11	5.80	32.06
PK	5.535G	59.99	68.20	-8.21	54.70	3	Vertical	108	1.79	-	31.50	5.94	32.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT_V_4TX
Setting 20
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.083G	59.82	74.00	-14.18	54.26	3	Horizontal	213	1.59	-	31.83	5.68	31.95
AV	5.078G	47.20	54.00	-6.80	41.68	3	Horizontal	213	1.59	-	31.78	5.68	31.94
PK	5.322G	109.27	Inf	-Inf	104.42	3	Horizontal	213	1.59	-	31.10	5.80	32.05
AV	5.323G	96.55	Inf	-Inf	91.70	3	Horizontal	213	1.59	-	31.10	5.80	32.05
PK	5.353G	63.57	74.00	-10.43	58.72	3	Horizontal	213	1.59	-	31.12	5.80	32.07
PK	5.462G	59.92	68.20	-8.28	54.67	3	Horizontal	213	1.59	-	31.50	5.86	32.11
AV	5.416G	47.29	54.00	-6.71	42.13	3	Horizontal	213	1.59	-	31.43	5.82	32.09

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 20
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92926G	57.56	74.00	-16.44	43.78	3	Vertical	197	1.62	-	37.47	9.97	33.66
AV	15.93398G	43.93	54.00	-10.07	30.15	3	Vertical	197	1.62	-	37.47	9.97	33.66

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5310MHz_TnomVnom




EUT Y_4TX
Setting 20
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.92952G	57.15	74.00	-16.85	43.37	3	Horizontal	21	1.21	-	37.47	9.97	33.66
AV	15.9343G	43.80	54.00	-10.20	30.02	3	Horizontal	21	1.21	-	37.47	9.97	33.66

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_V_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	59.91	68.20	-8.29	55.06	3	Vertical	161	1.59	-	31.10	5.80	32.05
PK	5.46G	64.62	74.00	-9.38	59.37	3	Vertical	161	1.59	-	31.50	5.86	32.11
AV	5.422G	48.49	54.00	-5.51	43.33	3	Vertical	161	1.59	-	31.44	5.82	32.10
PK	5.469G	66.89	68.20	-1.31	61.64	3	Vertical	161	1.59	-	31.50	5.87	32.12
PK	5.516G	118.38	Inf	-Inf	113.10	3	Vertical	161	1.59	-	31.50	5.92	32.14
AV	5.515G	106.02	Inf	-Inf	100.74	3	Vertical	161	1.59	-	31.50	5.92	32.14
PK	5.739G	60.78	68.20	-7.42	55.09	3	Vertical	161	1.59	-	31.96	6.00	32.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT_V_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.262G	59.55	68.20	-8.65	54.68	3	Horizontal	218	1.44	-	31.10	5.80	32.03
PK	5.459G	60.19	74.00	-13.81	54.94	3	Horizontal	218	1.44	-	31.50	5.86	32.11
AV	5.403G	47.56	54.00	-6.44	42.44	3	Horizontal	218	1.44	-	31.41	5.80	32.09
PK	5.468G	67.62	68.20	-0.58	62.37	3	Horizontal	218	1.44	-	31.50	5.87	32.12
PK	5.507G	114.79	Inf	-Inf	109.51	3	Horizontal	218	1.44	-	31.50	5.91	32.13
AV	5.499G	102.19	Inf	-Inf	96.92	3	Horizontal	218	1.44	-	31.50	5.90	32.13
PK	5.732G	60.63	68.20	-7.57	54.97	3	Horizontal	218	1.44	-	31.93	6.00	32.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 24
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01554G	54.93	74.00	-19.07	41.97	3	Vertical	341	1.59	-	38.52	7.71	33.27
AV	11.0153G	40.84	54.00	-13.16	27.88	3	Vertical	341	1.59	-	38.52	7.71	33.27
PK	16.52902G	61.28	68.20	-6.92	45.16	3	Vertical	240	1.12	-	38.96	10.26	33.10

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5510MHz_TnomVnom




EUT Y_4TX
Setting 24
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0152G	54.21	74.00	-19.79	41.25	3	Horizontal	232	2.84	-	38.52	7.71	33.27
AV	11.01818G	40.92	54.00	-13.08	27.96	3	Horizontal	232	2.84	-	38.52	7.71	33.27
PK	16.52556G	60.45	68.20	-7.75	44.35	3	Horizontal	62	1.81	-	38.93	10.26	33.09

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_V_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.35G	61.34	68.20	-6.86	56.50	3	Vertical	102	1.77	-	31.10	5.80	32.06
PK	5.376G	61.54	74.00	-12.46	56.56	3	Vertical	102	1.77	-	31.26	5.80	32.08
PK	5.461G	60.48	68.20	-7.72	55.23	3	Vertical	102	1.77	-	31.50	5.86	32.11
AV	5.448G	49.38	54.00	-4.62	44.14	3	Vertical	102	1.77	-	31.50	5.85	32.11
PK	5.544G	120.35	Inf	-Inf	115.07	3	Vertical	102	1.77	-	31.50	5.94	32.16
AV	5.543G	107.36	Inf	-Inf	102.08	3	Vertical	102	1.77	-	31.50	5.94	32.16
PK	5.749G	60.66	68.20	-7.54	54.94	3	Vertical	102	1.77	-	32.00	6.00	32.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT_V_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.323G	59.10	68.20	-9.10	54.25	3	Horizontal	340	2.99	-	31.10	5.80	32.05
PK	5.353G	59.59	74.00	-14.41	54.74	3	Horizontal	340	2.99	-	31.12	5.80	32.07
PK	5.465G	59.07	68.20	-9.13	53.82	3	Horizontal	340	2.99	-	31.50	5.86	32.11
AV	5.447G	47.22	54.00	-6.78	41.99	3	Horizontal	340	2.99	-	31.49	5.85	32.11
PK	5.543G	109.56	Inf	-Inf	104.28	3	Horizontal	340	2.99	-	31.50	5.94	32.16
AV	5.558G	96.88	Inf	-Inf	91.56	3	Horizontal	340	2.99	-	31.52	5.96	32.16
PK	5.746G	60.81	68.20	-7.39	55.11	3	Horizontal	340	2.99	-	31.98	6.00	32.28

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 24
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.65464G	61.87	68.20	-6.33	45.11	3	Vertical	55	2.32	-	39.65	10.33	33.22

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5550MHz_TnomVnom




EUT Y_4TX
Setting 24
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.64546G	62.01	68.20	-6.19	45.25	3	Horizontal	23	2.33	-	39.65	10.32	33.21

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.422G	59.78	74.00	-14.22	54.62	3	Vertical	164	1.79	-	31.44	5.82	32.10
PK	5.47G	59.80	68.20	-8.40	54.55	3	Vertical	164	1.79	-	31.50	5.87	32.12
AV	5.46G	47.23	54.00	-6.77	41.98	3	Vertical	164	1.79	-	31.50	5.86	32.11
PK	5.666G	118.51	Inf	-Inf	113.08	3	Vertical	164	1.79	-	31.66	6.00	32.23
AV	5.663G	106.40	Inf	-Inf	100.98	3	Vertical	164	1.79	-	31.65	6.00	32.23
PK	5.725G	66.30	68.20	-1.90	60.67	3	Vertical	164	1.79	-	31.90	6.00	32.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.426G	59.62	74.00	-14.38	54.44	3	Horizontal	214	1.41	-	31.45	5.83	32.10
PK	5.47G	58.84	68.20	-9.36	53.59	3	Horizontal	214	1.41	-	31.50	5.87	32.12
AV	5.46G	46.97	54.00	-7.03	41.72	3	Horizontal	214	1.41	-	31.50	5.86	32.11
PK	5.683G	114.49	Inf	-Inf	109.00	3	Horizontal	214	1.41	-	31.73	6.00	32.24
AV	5.684G	102.82	Inf	-Inf	97.32	3	Horizontal	214	1.41	-	31.74	6.00	32.24
PK	5.728G	61.95	68.20	-6.25	56.31	3	Horizontal	214	1.41	-	31.91	6.00	32.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5670MHz_TnomVnom




EUT Y_4TX
Setting 24
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.01214G	62.93	68.20	-5.27	44.74	3	Vertical	160	2.94	-	41.21	10.51	33.53

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


5670MHz_TnomVnom



EUT Y_4TX
Setting 24
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.00652G	62.88	68.20	-5.32	44.70	3	Horizontal	16	2.75	-	41.21	10.50	33.53


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_V_4TX
 Setting 24
 06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.446G	59.79	74.00	-14.21	54.56	3	Vertical	102	2.95	-	31.49	5.85	32.11
AV	5.4412G	47.06	54.00	-6.94	41.84	3	Vertical	102	2.95	-	31.48	5.84	32.10
PK	5.464G	59.07	68.20	-9.13	53.82	3	Vertical	102	2.95	-	31.50	5.86	32.11
PK	5.6992G	120.27	Inf	-Inf	114.72	3	Vertical	102	2.95	-	31.80	6.00	32.25
AV	5.7064G	107.68	Inf	-Inf	102.10	3	Vertical	102	2.95	-	31.83	6.00	32.25
PK	5.8696G	60.98	68.20	-7.22	55.26	3	Vertical	102	2.95	-	32.04	6.03	32.35


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT_V_4TX
 Setting 24
 06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4364G	59.73	74.00	-14.27	54.52	3	Horizontal	231	2.10	-	31.47	5.84	32.10
AV	5.4208G	46.85	54.00	-7.15	41.69	3	Horizontal	231	2.10	-	31.44	5.82	32.10
PK	5.4616G	58.67	68.20	-9.53	53.42	3	Horizontal	231	2.10	-	31.50	5.86	32.11
PK	5.7148G	111.52	Inf	-Inf	105.92	3	Horizontal	231	2.10	-	31.86	6.00	32.26
AV	5.7112G	99.47	Inf	-Inf	93.89	3	Horizontal	231	2.10	-	31.84	6.00	32.26
PK	5.9416G	60.60	68.20	-7.60	54.74	3	Horizontal	231	2.10	-	32.18	6.07	32.39


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
 Setting 24
 02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	17.1291G	63.56	68.20	-4.64	44.89	3	Vertical	315	1.18	-	41.50	10.56	33.39

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
5710MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 Setting 24
 02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.13042G	64.14	68.20	-4.06	45.45	3	Horizontal	16	1.69	-	41.51	10.57	33.39

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 30
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	63.96	68.94	-4.98	56.38	3	Vertical	102	2.45	-	33.90	6.60	32.92
PK	5.762G	126.67	Inf	-Inf	118.85	3	Vertical	102	2.45	-	34.15	6.60	32.93
AV	5.76G	113.72	Inf	-Inf	105.91	3	Vertical	102	2.45	-	34.14	6.60	32.93
PK	5.929G	64.79	68.20	-3.41	56.21	3	Vertical	102	2.45	-	34.92	6.60	32.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 30
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.568G	59.84	68.20	-8.36	52.44	3	Horizontal	220	1.66	-	33.74	6.57	32.91
PK	5.763G	118.20	Inf	-Inf	110.38	3	Horizontal	220	1.66	-	34.15	6.60	32.93
AV	5.761G	106.74	Inf	-Inf	98.93	3	Horizontal	220	1.66	-	34.14	6.60	32.93
PK	5.931G	60.16	68.20	-8.04	51.58	3	Horizontal	220	1.66	-	34.92	6.60	32.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 30
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.27684G	66.28	68.20	-1.92	45.56	3	Vertical	144	1.63	-	41.83	10.88	31.99

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5755MHz_TnomVnom




EUT Y_4TX
Setting 30
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.25012G	65.59	68.20	-2.61	44.96	3	Horizontal	115	1.15	-	41.75	10.88	32.00

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 29
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6G	63.33	68.20	-4.87	55.84	3	Vertical	213	2.60	-	33.80	6.60	32.91
PK	5.793G	124.45	Inf	-Inf	116.51	3	Vertical	213	2.60	-	34.27	6.60	32.93
AV	5.793G	112.42	Inf	-Inf	104.48	3	Vertical	213	2.60	-	34.27	6.60	32.93
PK	5.925G	67.71	68.20	-0.49	59.15	3	Vertical	213	2.60	-	34.90	6.60	32.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 29
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.597G	60.15	68.20	-8.05	52.67	3	Horizontal	220	1.79	-	33.79	6.60	32.91
PK	5.794G	117.24	Inf	-Inf	109.29	3	Horizontal	220	1.79	-	34.28	6.60	32.93
AV	5.793G	106.39	Inf	-Inf	98.45	3	Horizontal	220	1.79	-	34.27	6.60	32.93
PK	5.926G	60.49	68.20	-7.71	51.93	3	Horizontal	220	1.79	-	34.90	6.60	32.94

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 29
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.388G	65.50	68.20	-2.70	44.26	3	Vertical	93	2.69	-	42.25	10.92	31.93

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

5795MHz_TnomVnom




EUT Y_4TX
Setting 29
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.38422G	65.88	68.20	-2.32	44.65	3	Horizontal	121	2.14	-	42.24	10.92	31.93

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_V_4TX
Setting 21
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1444G	64.32	74.00	-9.68	58.29	3	Vertical	303	1.43	-	32.60	6.37	32.94
AV	5.1468G	52.49	54.00	-1.51	46.46	3	Vertical	303	1.43	-	32.60	6.37	32.94
PK	5.1988G	113.67	Inf	-Inf	107.51	3	Vertical	303	1.43	-	32.70	6.40	32.94
AV	5.206G	101.17	Inf	-Inf	95.00	3	Vertical	303	1.43	-	32.71	6.40	32.94
PK	5.354G	58.54	74.00	-15.46	52.14	3	Vertical	303	1.43	-	32.92	6.40	32.92
AV	5.41G	46.38	54.00	-7.62	39.64	3	Vertical	303	1.43	-	33.24	6.41	32.91

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT_V_4TX
Setting 21
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1468G	62.11	74.00	-11.89	56.08	3	Horizontal	360	2.70	-	32.60	6.37	32.94
AV	5.1476G	49.04	54.00	-4.96	43.01	3	Horizontal	360	2.70	-	32.60	6.37	32.94
PK	5.178G	105.57	Inf	-Inf	99.46	3	Horizontal	360	2.70	-	32.66	6.39	32.94
AV	5.1796G	97.35	Inf	-Inf	91.24	3	Horizontal	360	2.70	-	32.66	6.39	32.94
PK	5.4004G	58.31	74.00	-15.69	51.62	3	Horizontal	360	2.70	-	33.20	6.40	32.91
AV	5.41G	46.12	54.00	-7.88	39.38	3	Horizontal	360	2.70	-	33.24	6.41	32.91

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 21
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4164G	54.78	68.20	-13.42	41.03	3	Vertical	48	2.88	-	38.23	8.60	33.08
PK	15.63284G	60.78	74.00	-13.22	44.86	3	Vertical	147	1.03	-	38.33	10.39	32.80
AV	15.63122G	46.85	54.00	-7.15	30.93	3	Vertical	147	1.03	-	38.33	10.39	32.80

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5210MHz_TnomVnom




EUT Y_4TX
Setting 21
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.42356G	54.80	68.20	-13.40	41.01	3	Horizontal	160	1.84	-	38.25	8.61	33.07
PK	15.6295G	59.55	74.00	-14.45	43.63	3	Horizontal	29	1.00	-	38.33	10.39	32.80
AV	15.6295G	46.76	54.00	-7.24	30.84	3	Horizontal	29	1.00	-	38.33	10.39	32.80

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 20
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.098G	60.39	74.00	-13.61	54.66	3	Vertical	105	1.80	-	31.98	5.70	31.95
AV	5.072G	47.98	54.00	-6.02	42.53	3	Vertical	105	1.80	-	31.72	5.67	31.94
PK	5.303G	114.03	Inf	-Inf	109.17	3	Vertical	105	1.80	-	31.10	5.80	32.04
AV	5.271G	100.97	Inf	-Inf	96.10	3	Vertical	105	1.80	-	31.10	5.80	32.03
PK	5.354G	66.53	74.00	-7.47	61.68	3	Vertical	105	1.80	-	31.12	5.80	32.07
AV	5.35G	53.62	54.00	-0.38	48.78	3	Vertical	105	1.80	-	31.10	5.80	32.06
PK	5.505G	60.16	68.20	-8.04	54.89	3	Vertical	105	1.80	-	31.50	5.90	32.13

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT_V_4TX
Setting 20
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.116G	59.43	74.00	-14.57	53.77	3	Horizontal	335	2.82	-	31.90	5.72	31.96
AV	5.104G	47.20	54.00	-6.80	41.48	3	Horizontal	335	2.82	-	31.98	5.70	31.96
PK	5.323G	103.41	Inf	-Inf	98.56	3	Horizontal	335	2.82	-	31.10	5.80	32.05
AV	5.253G	91.20	Inf	-Inf	86.32	3	Horizontal	335	2.82	-	31.10	5.80	32.02
AV	5.35G	47.56	54.00	-6.44	42.72	3	Horizontal	335	2.82	-	31.10	5.80	32.06
PK	5.382G	60.22	74.00	-13.78	55.21	3	Horizontal	335	2.82	-	31.29	5.80	32.08
PK	5.534G	59.06	68.20	-9.14	53.78	3	Horizontal	335	2.82	-	31.50	5.93	32.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 20
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87072G	57.35	74.00	-16.65	43.53	3	Vertical	282	2.94	-	37.47	9.94	33.59
AV	15.8745G	43.95	54.00	-10.05	30.13	3	Vertical	282	2.94	-	37.47	9.94	33.59

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5290MHz_TnomVnom




EUT Y_4TX
Setting 20
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.8714G	57.79	74.00	-16.21	43.97	3	Horizontal	15	1.52	-	37.47	9.94	33.59
AV	15.87096G	44.04	54.00	-9.96	30.22	3	Horizontal	15	1.52	-	37.47	9.94	33.59

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.347G	59.67	68.20	-8.53	54.83	3	Vertical	106	1.80	-	31.10	5.80	32.06
PK	5.426G	62.07	74.00	-11.93	56.89	3	Vertical	106	1.80	-	31.45	5.83	32.10
AV	5.429G	50.26	54.00	-3.74	45.07	3	Vertical	106	1.80	-	31.46	5.83	32.10
PK	5.469G	62.88	68.20	-5.32	57.63	3	Vertical	106	1.80	-	31.50	5.87	32.12
PK	5.532G	116.05	Inf	-Inf	110.77	3	Vertical	106	1.80	-	31.50	5.93	32.15
AV	5.504G	106.08	Inf	-Inf	100.81	3	Vertical	106	1.80	-	31.50	5.90	32.13
PK	5.769G	60.37	68.20	-7.83	54.66	3	Vertical	106	1.80	-	32.00	6.00	32.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT_V_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.308G	59.20	68.20	-9.00	54.35	3	Horizontal	215	1.64	-	31.10	5.80	32.05
PK	5.444G	61.23	74.00	-12.77	56.01	3	Horizontal	215	1.64	-	31.49	5.84	32.11
AV	5.437G	48.98	54.00	-5.02	43.77	3	Horizontal	215	1.64	-	31.47	5.84	32.10
PK	5.465G	61.05	68.20	-7.15	55.80	3	Horizontal	215	1.64	-	31.50	5.86	32.11
PK	5.535G	112.25	Inf	-Inf	106.96	3	Horizontal	215	1.64	-	31.50	5.94	32.15
AV	5.533G	101.04	Inf	-Inf	95.76	3	Horizontal	215	1.64	-	31.50	5.93	32.15
PK	5.764G	61.05	68.20	-7.15	55.34	3	Horizontal	215	1.64	-	32.00	6.00	32.29

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 24
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.59434G	60.98	68.20	-7.22	44.29	3	Vertical	179	2.18	-	39.55	10.30	33.16

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5530MHz_TnomVnom




EUT Y_4TX
Setting 24
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.58962G	61.46	68.20	-6.74	44.81	3	Horizontal	99	1.92	-	39.51	10.29	33.15

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.433G	59.63	74.00	-14.37	54.43	3	Vertical	67	2.52	-	31.47	5.83	32.10
AV	5.44G	47.03	54.00	-6.97	41.81	3	Vertical	67	2.52	-	31.48	5.84	32.10
PK	5.461G	59.23	68.20	-8.97	53.98	3	Vertical	67	2.52	-	31.50	5.86	32.11
PK	5.632G	113.55	Inf	-Inf	108.16	3	Vertical	67	2.52	-	31.60	6.00	32.21
AV	5.573G	105.38	Inf	-Inf	100.03	3	Vertical	67	2.52	-	31.55	5.97	32.17
PK	5.734G	60.81	68.20	-7.39	55.14	3	Vertical	67	2.52	-	31.94	6.00	32.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.372G	59.81	74.00	-14.19	54.85	3	Horizontal	0	2.43	-	31.23	5.80	32.07
PK	5.469G	58.05	68.20	-10.15	52.80	3	Horizontal	0	2.43	-	31.50	5.87	32.12
AV	5.43G	46.85	54.00	-7.15	41.66	3	Horizontal	0	2.43	-	31.46	5.83	32.10
PK	5.613G	104.18	Inf	-Inf	98.78	3	Horizontal	0	2.43	-	31.60	6.00	32.20
AV	5.619G	91.71	Inf	-Inf	86.31	3	Horizontal	0	2.43	-	31.60	6.00	32.20
PK	5.735G	59.99	68.20	-8.21	54.32	3	Horizontal	0	2.43	-	31.94	6.00	32.27

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 24
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.8348G	61.88	68.20	-6.32	44.40	3	Vertical	257	2.91	-	40.44	10.42	33.38

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5610MHz_TnomVnom




EUT Y_4TX
Setting 24
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.83056G	61.97	68.20	-6.23	44.51	3	Horizontal	206	1.19	-	40.42	10.42	33.38

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT_V_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3936G	60.15	74.00	-13.85	55.07	3	Vertical	102	2.52	-	31.36	5.80	32.08
PK	5.4692G	59.46	68.20	-8.74	54.21	3	Vertical	102	2.52	-	31.50	5.87	32.12
AV	5.4596G	46.92	54.00	-7.08	41.67	3	Vertical	102	2.52	-	31.50	5.86	32.11
PK	5.7176G	114.53	Inf	-Inf	108.92	3	Vertical	102	2.52	-	31.87	6.00	32.26
AV	5.6636G	106.36	Inf	-Inf	100.94	3	Vertical	102	2.52	-	31.65	6.00	32.23
PK	5.876G	60.58	68.20	-7.62	54.85	3	Vertical	102	2.52	-	32.05	6.04	32.36

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


5690MHz Straddle 5.47-5.725GHz_TnomVnom



EUT Y_4TX
Setting 24
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.438G	58.58	74.00	-15.42	53.36	3	Horizontal	329	3.00	-	31.48	5.84	32.10
PK	5.462G	59.04	68.20	-9.16	53.79	3	Horizontal	329	3.00	-	31.50	5.86	32.11
AV	5.4596G	46.78	54.00	-7.22	41.53	3	Horizontal	329	3.00	-	31.50	5.86	32.11
PK	5.6852G	106.23	Inf	-Inf	100.73	3	Horizontal	329	3.00	-	31.74	6.00	32.24
AV	5.6624G	97.61	Inf	-Inf	92.19	3	Horizontal	329	3.00	-	31.65	6.00	32.23
PK	5.8964G	60.30	68.20	-7.90	54.53	3	Horizontal	329	3.00	-	32.09	6.05	32.37

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
 Setting 24
 02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.06638G	63.03	68.20	-5.17	44.69	3	Vertical	145	2.95	-	41.27	10.53	33.46

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5690MHz Straddle 5.47-5.725GHz_TnomVnom




EUT Y_4TX
Setting 24
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.06944G	63.56	68.20	-4.64	45.22	3	Horizontal	101	1.49	-	41.27	10.53	33.46

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 27
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.648G	62.91	68.20	-5.29	55.32	3	Vertical	183	3.00	-	33.90	6.60	32.91
PK	5.795G	117.91	Inf	-Inf	109.96	3	Vertical	183	3.00	-	34.28	6.60	32.93
AV	5.796G	106.32	Inf	-Inf	98.37	3	Vertical	183	3.00	-	34.28	6.60	32.93
PK	5.928G	66.40	68.20	-1.80	57.83	3	Vertical	183	3.00	-	34.91	6.60	32.94

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 27
01-A-S-8-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.636G	59.28	68.20	-8.92	51.72	3	Horizontal	223.5	1.78	-	33.87	6.60	32.91
PK	5.738G	113.49	Inf	-Inf	105.76	3	Horizontal	223.5	1.78	-	34.05	6.60	32.92
AV	5.751G	100.55	Inf	-Inf	92.78	3	Horizontal	223.5	1.78	-	34.10	6.60	32.93
PK	6.005G	60.82	68.20	-7.38	51.96	3	Horizontal	223.5	1.78	-	35.20	6.61	32.95

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 27
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.3241G	64.36	68.20	-3.84	43.42	3	Vertical	150	2.26	-	42.00	10.90	31.96

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

5775MHz_TnomVnom




EUT Y_4TX
Setting 27
01-A-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	17.32864G	64.10	68.20	-4.10	43.15	3	Horizontal	157	1.96	-	42.01	10.90	31.96

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 22
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1332G	73.49	74.00	-0.51	67.93	3	Vertical	109	1.48	-	31.80	5.73	31.97
AV	5.1332G	53.65	54.00	-0.35	48.09	3	Vertical	109	1.48	-	31.80	5.73	31.97
PK	5.186G	114.86	Inf	-Inf	109.58	3	Vertical	109	1.48	-	31.48	5.79	31.99
AV	5.1828G	105.71	Inf	-Inf	100.42	3	Vertical	109	1.48	-	31.50	5.78	31.99
PK	5.354G	70.95	74.00	-3.05	66.10	3	Vertical	109	1.48	-	31.12	5.80	32.07
AV	5.35G	51.78	54.00	-2.22	46.94	3	Vertical	109	1.48	-	31.10	5.80	32.06
PK	5.4676G	61.34	68.20	-6.86	56.09	3	Vertical	109	1.48	-	31.50	5.87	32.12

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT_V_4TX
Setting 22
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1476G	69.54	74.00	-4.46	64.05	3	Horizontal	3	1.80	-	31.71	5.75	31.97
AV	5.1316G	51.33	54.00	-2.67	45.76	3	Horizontal	3	1.80	-	31.81	5.73	31.97
PK	5.1796G	109.37	Inf	-Inf	104.06	3	Horizontal	3	1.80	-	31.52	5.78	31.99
AV	5.1812G	99.95	Inf	-Inf	94.65	3	Horizontal	3	1.80	-	31.51	5.78	31.99
PK	5.3732G	65.46	74.00	-8.54	60.49	3	Horizontal	3	1.80	-	31.24	5.80	32.07
AV	5.3732G	48.75	54.00	-5.25	43.78	3	Horizontal	3	1.80	-	31.24	5.80	32.07
PK	5.4804G	60.26	68.20	-7.94	55.00	3	Horizontal	3	1.80	-	31.50	5.88	32.12

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 22
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75082G	58.29	74.00	-15.71	44.45	3	Vertical	93	2.88	-	37.40	9.89	33.45
AV	15.74712G	45.04	54.00	-8.96	31.19	3	Vertical	93	2.88	-	37.40	9.89	33.44

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5250MHz Straddle 5.25-5.35GHz_TnomVnom




EUT Y_4TX
Setting 22
02-C-S-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75188G	58.83	74.00	-15.17	44.99	3	Horizontal	137	2.43	-	37.40	9.89	33.45
AV	15.75336G	44.97	54.00	-9.03	31.13	3	Horizontal	137	2.43	-	37.40	9.89	33.45

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT V_4TX
Setting 22
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3492G	59.86	68.20	-8.34	55.02	3	Vertical	105.3	2.85	-	31.10	5.80	32.06
PK	5.434G	68.40	74.00	-5.60	63.20	3	Vertical	105.3	2.85	-	31.47	5.83	32.10
AV	5.4324G	51.66	54.00	-2.34	46.47	3	Vertical	105.3	2.85	-	31.46	5.83	32.10
PK	5.4628G	67.82	68.20	-0.38	62.57	3	Vertical	105.3	2.85	-	31.50	5.86	32.11
PK	5.5044G	113.99	Inf	-Inf	108.72	3	Vertical	105.3	2.85	-	31.50	5.90	32.13
AV	5.5028G	103.10	Inf	-Inf	97.83	3	Vertical	105.3	2.85	-	31.50	5.90	32.13
PK	5.7332G	62.12	68.20	-6.08	56.46	3	Vertical	105.3	2.85	-	31.93	6.00	32.27

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT V_4TX
Setting 22
06-F-K-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3268G	59.51	68.20	-8.69	54.66	3	Horizontal	0	2.44	-	31.10	5.80	32.05
PK	5.4532G	64.44	74.00	-9.56	59.20	3	Horizontal	0	2.44	-	31.50	5.85	32.11
AV	5.4532G	48.73	54.00	-5.27	43.49	3	Horizontal	0	2.44	-	31.50	5.85	32.11
PK	5.4628G	60.56	68.20	-7.64	55.31	3	Horizontal	0	2.44	-	31.50	5.86	32.11
PK	5.5028G	109.03	Inf	-Inf	103.76	3	Horizontal	0	2.44	-	31.50	5.90	32.13
AV	5.5012G	97.30	Inf	-Inf	92.03	3	Horizontal	0	2.44	-	31.50	5.90	32.13
PK	5.7524G	60.67	68.20	-7.53	54.95	3	Horizontal	0	2.44	-	32.00	6.00	32.28

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom




EUT Y_4TX
Setting 22
02-C-S-8

Type	Freq	Level	Limit	Margin	Raw	Dist	Condition	Azimuth	Height	Comment	AF	CL	PA
	(Hz)	(dBuV/m)	(dBuV/m)	(dB)	(dBuV)	(m)		(°)	(m)		(dB)	(dB)	(dB)
PK	16.70568G	61.99	68.20	-6.21	45.17	3	Vertical	189	2.75	-	39.73	10.35	33.26

802.11ax HEW160-BF_Nss1,(MCS0)_4TX

5570MHz_TnomVnom



EUT Y_4TX
Setting 22
02-C-S-8


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	16.70858G	61.34	68.20	-6.86	44.51	3	Horizontal	210	1.85	-	39.75	10.35	33.27



Summary


Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	2.02477G	43.16	54.00	-10.84	Horizontal

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	2.02502G	43.53	74.00	-30.47	-6.01	3	Vertical	166	1.00	-	49.54	26.40	4.74	37.15
AV	2.02491G	41.29	54.00	-12.71	-6.01	3	Vertical	166	1.00	"Worst"	47.30	26.40	4.74	37.15

Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	2.02502G	45.52	74.00	-28.48	-6.01	3	Horizontal	163	1.08	-	51.53	26.40	4.74	37.15
AV	2.02477G	43.16	54.00	-10.84	-6.01	3	Horizontal	163	1.08	"Worst"	49.17	26.40	4.74	37.15