


5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 Setting 27  
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4393G	60.87	74.00	-13.13	45.29	3	Vertical	58	1.85	-	38.88	8.80	32.10
AV	11.4401G	48.43	54.00	-5.57	32.85	3	Vertical	58	1.85	-	38.88	8.80	32.10
PK	17.1631G	65.25	68.20	-2.95	42.80	3	Vertical	144	1.77	-	41.78	10.91	30.24

5.47-5.725GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5720MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 Setting 27  
 02-F-B-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4445G	62.07	74.00	-11.93	46.47	3	Horizontal	56	1.91	-	38.89	8.81	32.10
AV	11.4457G	46.68	54.00	-7.32	31.08	3	Horizontal	56	1.91	-	38.89	8.81	32.10
PK	17.1557G	66.73	68.20	-1.47	44.34	3	Horizontal	32	1.72	-	41.73	10.90	30.24

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX




EUT\_Y\_4TX  
 Setting 25  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.56G	61.36	68.20	-6.84	52.09	3	Vertical	336	1.45	-	33.98	6.06	30.77
PK	5.753G	125.02	Inf	-Inf	116.03	3	Vertical	336	1.45	-	33.80	6.10	30.91
AV	5.753G	113.69	Inf	-Inf	104.70	3	Vertical	336	1.45	-	33.80	6.10	30.91
PK	5.955G	60.55	68.20	-7.65	51.17	3	Vertical	336	1.45	-	34.20	6.25	31.07

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX




EUT\_Y\_4TX  
 Setting 25  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.544G	59.22	68.20	-8.98	49.93	3	Horizontal	62	2.94	-	34.00	6.04	30.75
PK	5.754G	119.71	Inf	-Inf	110.72	3	Horizontal	62	2.94	-	33.80	6.10	30.91
AV	5.753G	107.85	Inf	-Inf	98.86	3	Horizontal	62	2.94	-	33.80	6.10	30.91
PK	5.982G	58.72	68.20	-9.48	49.33	3	Horizontal	62	2.94	-	34.20	6.28	31.09

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX




EUT Y\_4TX  
 Setting 25  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4905G	62.39	74.00	-11.61	46.71	3	Vertical	56	1.84	-	38.98	8.82	32.12
AV	11.4897G	48.84	54.00	-5.16	33.16	3	Vertical	56	1.84	-	38.98	8.82	32.12
PK	17.237G	65.79	68.20	-2.41	42.91	3	Vertical	144	1.75	-	42.19	10.93	30.24

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5745MHz\_TX




EUT Y\_4TX  
 Setting 25  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4959G	58.21	74.00	-15.79	42.52	3	Horizontal	58	1.88	-	38.99	8.82	32.12
AV	11.4946G	44.16	54.00	-9.84	28.47	3	Horizontal	58	1.88	-	38.99	8.82	32.12
PK	17.232G	67.75	68.20	-0.45	44.90	3	Horizontal	31	1.80	-	42.16	10.93	30.24

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




EUT\_Y\_4TX  
 Setting 25  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.596G	62.18	68.20	-6.02	52.96	3	Vertical	69	2.48	-	33.91	6.10	30.79
PK	5.791G	125.54	Inf	-Inf	116.58	3	Vertical	69	2.48	-	33.80	6.10	30.94
AV	5.791G	113.24	Inf	-Inf	104.28	3	Vertical	69	2.48	-	33.80	6.10	30.94
PK	5.941G	59.50	68.20	-8.70	50.14	3	Vertical	69	2.48	-	34.18	6.24	31.06

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




EUT\_Y\_4TX  
 Setting 25  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	59.95	68.20	-8.25	50.75	3	Horizontal	60	2.93	-	33.90	6.10	30.80
PK	5.776G	115.78	Inf	-Inf	106.81	3	Horizontal	60	2.93	-	33.80	6.10	30.93
AV	5.776G	105.24	Inf	-Inf	96.27	3	Horizontal	60	2.93	-	33.80	6.10	30.93
PK	5.932G	59.78	68.20	-8.42	50.44	3	Horizontal	60	2.93	-	34.16	6.23	31.05



5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




EUT\_Y\_4TX  
 Setting 25  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5697G	62.98	74.00	-11.02	47.08	3	Vertical	56	1.79	-	39.21	8.85	32.16
AV	11.5703G	48.49	54.00	-5.51	32.59	3	Vertical	56	1.79	-	39.21	8.85	32.16
PK	17.3645G	64.71	68.20	-3.49	41.06	3	Vertical	75	1.80	-	42.89	10.98	30.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5785MHz\_TX




EUT\_Y\_4TX  
 Setting 25  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5711G	60.84	74.00	-13.16	44.94	3	Horizontal	39	1.39	-	39.21	8.85	32.16
AV	11.5702G	46.53	54.00	-7.47	30.63	3	Horizontal	39	1.39	-	39.21	8.85	32.16
PK	17.3632G	68.07	68.20	-0.13	44.43	3	Horizontal	327	2.97	-	42.88	10.98	30.22

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX




EUT\_Y\_4TX  
 Setting 22.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.639G	61.25	68.20	-6.95	52.16	3	Vertical	334	1.57	-	33.82	6.10	30.83
PK	5.833G	122.18	Inf	-Inf	113.23	3	Vertical	334	1.57	-	33.80	6.12	30.97
AV	5.833G	111.56	Inf	-Inf	102.61	3	Vertical	334	1.57	-	33.80	6.12	30.97
PK	6.053G	60.10	68.20	-8.10	50.61	3	Vertical	334	1.57	-	34.31	6.30	31.12

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX




EUT Y\_4TX  
 Setting 22.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.612G	59.32	68.20	-8.88	50.15	3	Horizontal	326	2.50	-	33.88	6.10	30.81
PK	5.829G	115.43	Inf	-Inf	106.48	3	Horizontal	326	2.50	-	33.80	6.12	30.97
AV	5.829G	103.93	Inf	-Inf	94.98	3	Horizontal	326	2.50	-	33.80	6.12	30.97
PK	6.043G	59.50	68.20	-8.70	50.02	3	Horizontal	326	2.50	-	34.29	6.30	31.11

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX




EUT Y\_4TX  
Setting 22.5  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6498G	60.92	74.00	-13.08	44.85	3	Vertical	58	1.80	-	39.40	8.88	32.21
AV	11.6496G	47.38	54.00	-6.62	31.31	3	Vertical	58	1.80	-	39.40	8.88	32.21
PK	17.4723G	66.65	68.20	-1.55	42.16	3	Vertical	84	1.83	-	43.68	11.02	30.21

5.725-5.85GHz\_802.11ax HEW20\_Nss1,(MCS0)\_4TX

5825MHz\_TX




EUT Y\_4TX  
 Setting 22.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6336G	56.69	74.00	-17.31	40.65	3	Horizontal	26	1.39	-	39.37	8.87	32.20
AV	11.6416G	42.78	54.00	-11.22	26.73	3	Horizontal	26	1.39	-	39.38	8.87	32.20
PK	17.4804G	67.77	68.20	-0.43	43.22	3	Horizontal	17	1.90	-	43.74	11.02	30.21

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TX




EUT\_Y\_4TX  
Setting 20.5  
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	65.71	74.00	-8.29	57.06	3	Vertical	111	2.01	-	33.60	5.78	30.73
AV	5.15G	53.65	54.00	-0.35	45.00	3	Vertical	111	2.01	-	33.60	5.78	30.73
PK	5.194G	119.99	Inf	-Inf	111.23	3	Vertical	111	2.01	-	33.69	5.80	30.73
AV	5.1932G	107.27	Inf	-Inf	98.51	3	Vertical	111	2.01	-	33.69	5.80	30.73

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TX




EUT\_Y\_4TX  
 Setting 20.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1496G	64.89	74.00	-9.11	56.25	3	Horizontal	5	2.52	-	33.60	5.77	30.73
AV	5.15G	52.83	54.00	-1.17	44.18	3	Horizontal	5	2.52	-	33.60	5.78	30.73
PK	5.1908G	114.46	Inf	-Inf	105.71	3	Horizontal	5	2.52	-	33.68	5.80	30.73
AV	5.1908G	102.21	Inf	-Inf	93.46	3	Horizontal	5	2.52	-	33.68	5.80	30.73



5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TX




EUT\_Y\_4TX  
 Setting 20.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.39136G	58.93	68.20	-9.27	43.71	3	Vertical	91	1.77	-	38.61	8.44	31.83
PK	15.56248G	59.87	74.00	-14.13	43.18	3	Vertical	292	1.80	-	37.73	10.32	31.36
AV	15.56232G	47.06	54.00	-6.94	30.37	3	Vertical	292	1.80	-	37.73	10.32	31.36

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5190MHz\_TX




EUT Y\_4TX  
 Setting 20.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.37552G	58.85	68.20	-9.35	43.63	3	Horizontal	286	1.58	-	38.62	8.43	31.83
PK	15.55288G	57.99	74.00	-16.01	41.25	3	Horizontal	20	1.85	-	37.78	10.32	31.36
AV	15.5524G	45.44	54.00	-8.56	28.69	3	Horizontal	20	1.85	-	37.79	10.32	31.36

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5230MHz\_TX




EUT\_Y\_4TX  
 Setting 23  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.133G	61.53	74.00	-12.47	52.92	3	Vertical	15	2.16	-	33.57	5.77	30.73
AV	5.149G	49.19	54.00	-4.81	40.55	3	Vertical	15	2.16	-	33.60	5.77	30.73
PK	5.228G	121.92	Inf	-Inf	113.14	3	Vertical	15	2.16	-	33.70	5.81	30.73
AV	5.229G	109.61	Inf	-Inf	100.83	3	Vertical	15	2.16	-	33.70	5.81	30.73
PK	5.417G	59.29	74.00	-14.71	50.09	3	Vertical	15	2.16	-	34.00	5.92	30.72
AV	5.402G	47.09	54.00	-6.91	37.91	3	Vertical	15	2.16	-	34.00	5.90	30.72
PK	5.48G	58.29	68.20	-9.91	49.03	3	Vertical	15	2.16	-	34.00	5.98	30.72

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX


5230MHz\_TX



EUT\_Y\_4TX  
 Setting 23  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	59.55	74.00	-14.45	50.91	3	Horizontal	4	2.48	-	33.60	5.77	30.73
AV	5.15G	47.01	54.00	-6.99	38.36	3	Horizontal	4	2.48	-	33.60	5.78	30.73
PK	5.231G	114.30	Inf	-Inf	105.51	3	Horizontal	4	2.48	-	33.70	5.82	30.73
AV	5.231G	104.14	Inf	-Inf	95.35	3	Horizontal	4	2.48	-	33.70	5.82	30.73
PK	5.395G	59.43	74.00	-14.57	50.26	3	Horizontal	4	2.48	-	33.99	5.90	30.72
AV	5.399G	46.78	54.00	-7.22	37.60	3	Horizontal	4	2.48	-	34.00	5.90	30.72
PK	5.462G	57.90	68.20	-10.30	48.66	3	Horizontal	4	2.48	-	34.00	5.96	30.72

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX  
5230MHz\_TX




EUT Y\_4TX  
Setting 23  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4525G	62.88	68.20	-5.32	47.66	3	Vertical	92	1.86	-	38.60	8.46	31.84
PK	15.7029G	69.06	74.00	-4.94	52.62	3	Vertical	292	1.80	-	37.50	10.38	31.44
AV	15.6826G	53.27	54.00	-0.73	36.82	3	Vertical	292	1.80	-	37.50	10.37	31.42

5.15-5.25GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5230MHz\_TX




EUT Y\_4TX  
 Setting 23  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4579G	65.86	68.20	-2.34	50.64	3	Horizontal	135	1.31	-	38.60	8.46	31.84
PK	15.6906G	63.90	74.00	-10.10	47.45	3	Horizontal	6	2.56	-	37.50	10.38	31.43
AV	15.69G	49.35	54.00	-4.65	32.90	3	Horizontal	6	2.56	-	37.50	10.38	31.43

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
 Setting 23  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1428G	58.27	74.00	-15.73	49.64	3	Vertical	112	2.16	-	33.59	5.77	30.73
AV	5.1452G	46.39	54.00	-7.61	37.76	3	Vertical	112	2.16	-	33.59	5.77	30.73
PK	5.2736G	122.25	Inf	-Inf	113.38	3	Vertical	112	2.16	-	33.75	5.84	30.72
AV	5.273G	108.99	Inf	-Inf	100.12	3	Vertical	112	2.16	-	33.75	5.84	30.72
PK	5.3504G	61.85	74.00	-12.15	52.79	3	Vertical	112	2.16	-	33.90	5.88	30.72
AV	5.3516G	49.54	54.00	-4.46	40.48	3	Vertical	112	2.16	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
 Setting 23  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.144G	59.42	74.00	-14.58	50.79	3	Horizontal	2	2.42	-	33.59	5.77	30.73
AV	5.1482G	46.10	54.00	-7.90	37.46	3	Horizontal	2	2.42	-	33.60	5.77	30.73
PK	5.2718G	114.73	Inf	-Inf	105.87	3	Horizontal	2	2.42	-	33.74	5.84	30.72
AV	5.2712G	103.64	Inf	-Inf	94.78	3	Horizontal	2	2.42	-	33.74	5.84	30.72
PK	5.369G	59.73	74.00	-14.27	50.63	3	Horizontal	2	2.42	-	33.94	5.88	30.72
AV	5.3672G	47.15	54.00	-6.85	38.06	3	Horizontal	2	2.42	-	33.93	5.88	30.72



5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT Y\_4TX  
 Setting 23  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5347G	64.52	68.20	-3.68	49.31	3	Vertical	90	2.48	-	38.57	8.49	31.85
PK	15.8034G	69.51	74.00	-4.49	53.09	3	Vertical	292	1.99	-	37.49	10.42	31.49
AV	15.8025G	53.32	54.00	-0.68	36.90	3	Vertical	292	1.99	-	37.49	10.42	31.49

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5270MHz\_TX




EUT\_Y\_4TX  
 Setting 23  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.538G	65.09	68.20	-3.11	49.90	3	Horizontal	134	1.29	-	38.56	8.49	31.86
PK	15.8126G	63.47	74.00	-10.53	47.06	3	Horizontal	12	2.53	-	37.47	10.43	31.49
AV	15.8124G	48.89	54.00	-5.11	32.48	3	Horizontal	12	2.53	-	37.48	10.42	31.49

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUT\_Y\_4TX  
 Setting 20  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3144G	117.69	Inf	-Inf	108.72	3	Vertical	110	1.76	-	33.83	5.86	30.72
AV	5.314G	105.87	Inf	-Inf	96.90	3	Vertical	110	1.76	-	33.83	5.86	30.72
PK	5.352G	66.69	74.00	-7.31	57.63	3	Vertical	110	1.76	-	33.90	5.88	30.72
AV	5.3516G	52.53	54.00	-1.47	43.47	3	Vertical	110	1.76	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUT\_Y\_4TX  
 Setting 20  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3032G	109.95	Inf	-Inf	101.01	3	Horizontal	219	2.94	-	33.81	5.85	30.72
AV	5.3012G	98.79	Inf	-Inf	89.86	3	Horizontal	219	2.94	-	33.80	5.85	30.72
PK	5.3736G	59.98	74.00	-14.02	50.86	3	Horizontal	219	2.94	-	33.95	5.89	30.72
AV	5.35G	47.10	54.00	-6.90	38.04	3	Horizontal	219	2.94	-	33.90	5.88	30.72

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUT\_Y\_4TX  
 Setting 20  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61568G	62.30	74.00	-11.70	47.15	3	Vertical	90	2.61	-	38.50	8.52	31.87
AV	10.61456G	48.53	54.00	-5.47	33.38	3	Vertical	90	2.61	-	38.50	8.52	31.87
PK	15.91368G	56.34	74.00	-17.66	40.12	3	Vertical	292	2.01	-	37.30	10.47	31.55
AV	15.92168G	43.00	54.00	-11.00	26.78	3	Vertical	292	2.01	-	37.30	10.47	31.55

5.25-5.35GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5310MHz\_TX




EUT Y\_4TX  
 Setting 20  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.61728G	59.60	74.00	-14.40	44.45	3	Horizontal	134	1.50	-	38.50	8.52	31.87
AV	10.61728G	46.81	54.00	-7.19	31.66	3	Horizontal	134	1.50	-	38.50	8.52	31.87
PK	15.962G	56.54	74.00	-17.46	40.33	3	Horizontal	62	1.46	-	37.30	10.48	31.57
AV	15.91896G	43.45	54.00	-10.55	27.23	3	Horizontal	62	1.46	-	37.30	10.47	31.55

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUT\_Y\_4TX  
 Setting 23.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4488G	60.60	74.00	-13.40	51.37	3	Vertical	254	1.80	-	34.00	5.95	30.72
PK	5.4696G	66.72	68.20	-1.48	57.47	3	Vertical	254	1.80	-	34.00	5.97	30.72
AV	5.46G	47.99	54.00	-6.01	38.75	3	Vertical	254	1.80	-	34.00	5.96	30.72
PK	5.5092G	119.38	Inf	-Inf	110.10	3	Vertical	254	1.80	-	34.00	6.01	30.73
AV	5.5084G	106.87	Inf	-Inf	97.59	3	Vertical	254	1.80	-	34.00	6.01	30.73

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUT\_Y\_4TX  
Setting 23.5  
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4584G	59.86	74.00	-14.14	50.62	3	Horizontal	201	1.79	-	34.00	5.96	30.72
AV	5.412G	46.85	54.00	-7.15	37.66	3	Horizontal	201	1.79	-	34.00	5.91	30.72
PK	5.4628G	59.92	68.20	-8.28	50.68	3	Horizontal	201	1.79	-	34.00	5.96	30.72
PK	5.496G	111.26	Inf	-Inf	101.98	3	Horizontal	201	1.79	-	34.00	6.00	30.72
AV	5.4964G	98.59	Inf	-Inf	89.31	3	Horizontal	201	1.79	-	34.00	6.00	30.72



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUT Y\_4TX  
 Setting 23.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0259G	57.10	74.00	-16.90	41.74	3	Vertical	120	2.87	-	38.63	8.66	31.93
AV	11.025G	43.65	54.00	-10.35	28.30	3	Vertical	120	2.87	-	38.62	8.66	31.93
PK	16.5122G	66.88	68.20	-1.32	48.02	3	Vertical	73	1.77	-	39.14	10.68	30.96

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5510MHz\_TX




EUT Y\_4TX  
Setting 23.5  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0067G	57.31	74.00	-16.69	41.97	3	Horizontal	11	1.84	-	38.61	8.65	31.92
AV	11.0275G	43.51	54.00	-10.49	28.15	3	Horizontal	11	1.84	-	38.63	8.66	31.93
PK	16.5296G	67.68	68.20	-0.52	48.74	3	Horizontal	107	1.30	-	39.19	10.69	30.94

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT\_Y\_4TX  
Setting 22.5  
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.448G	60.94	74.00	-13.06	51.71	3	Vertical	254	1.55	-	34.00	5.95	30.72
AV	5.4522G	48.28	54.00	-5.72	39.05	3	Vertical	254	1.55	-	34.00	5.95	30.72
PK	5.4672G	63.90	68.20	-4.30	54.65	3	Vertical	254	1.55	-	34.00	5.97	30.72
PK	5.5482G	121.30	Inf	-Inf	112.01	3	Vertical	254	1.55	-	34.00	6.05	30.76
AV	5.5482G	109.24	Inf	-Inf	99.95	3	Vertical	254	1.55	-	34.00	6.05	30.76

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT\_Y\_4TX  
 Setting 22.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4198G	59.10	74.00	-14.90	49.90	3	Horizontal	254	1.55	-	34.00	5.92	30.72
AV	5.421G	46.68	54.00	-7.32	37.48	3	Horizontal	254	1.55	-	34.00	5.92	30.72
PK	5.463G	57.99	68.20	-10.21	48.75	3	Horizontal	254	1.55	-	34.00	5.96	30.72
PK	5.5464G	105.61	Inf	-Inf	96.32	3	Horizontal	254	1.55	-	34.00	6.05	30.76
AV	5.5464G	93.52	Inf	-Inf	84.23	3	Horizontal	254	1.55	-	34.00	6.05	30.76

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT Y\_4TX  
 Setting 22.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1072G	58.30	74.00	-15.70	42.86	3	Vertical	130	2.15	-	38.71	8.69	31.96
AV	11.10816G	43.99	54.00	-10.01	28.55	3	Vertical	130	2.15	-	38.71	8.69	31.96
PK	16.63768G	60.13	68.20	-8.07	40.71	3	Vertical	73	1.77	-	39.48	10.72	30.78

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5550MHz\_TX




EUT Y\_4TX  
 Setting 22.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1072G	56.43	74.00	-17.57	40.99	3	Horizontal	13	1.24	-	38.71	8.69	31.96
AV	11.10832G	43.87	54.00	-10.13	28.43	3	Horizontal	13	1.24	-	38.71	8.69	31.96
PK	16.6516G	62.16	68.20	-6.04	42.69	3	Horizontal	62	1.78	-	39.50	10.73	30.76

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT Y\_4TX  
 Setting 22.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6684G	120.60	Inf	-Inf	111.51	3	Vertical	253	1.42	-	33.84	6.10	30.85
AV	5.6684G	108.33	Inf	-Inf	99.24	3	Vertical	253	1.42	-	33.84	6.10	30.85
PK	5.7284G	67.80	68.20	-0.40	58.75	3	Vertical	253	1.42	-	33.84	6.10	30.89

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT Y\_4TX  
 Setting 22.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6712G	111.85	Inf	-Inf	102.76	3	Horizontal	226	1.59	-	33.84	6.10	30.85
AV	5.6716G	99.91	Inf	-Inf	90.82	3	Horizontal	226	1.59	-	33.84	6.10	30.85
PK	5.7304G	60.15	68.20	-8.05	51.11	3	Horizontal	226	1.59	-	33.84	6.10	30.90



5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT Y\_4TX  
 Setting 22.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3296G	56.81	74.00	-17.19	41.29	3	Vertical	48	2.62	-	38.80	8.77	32.05
AV	11.32928G	43.79	54.00	-10.21	28.27	3	Vertical	48	2.62	-	38.80	8.77	32.05
PK	17.01768G	62.28	68.20	-5.92	40.61	3	Vertical	56	1.80	-	41.07	10.86	30.26

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5670MHz\_TX




EUT Y\_4TX  
 Setting 22.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3408G	54.45	74.00	-19.55	38.94	3	Horizontal	25	1.21	-	38.80	8.77	32.06
AV	11.34096G	41.34	54.00	-12.66	25.83	3	Horizontal	25	1.21	-	38.80	8.77	32.06
PK	17.01304G	62.68	68.20	-5.52	41.04	3	Horizontal	108	1.72	-	41.05	10.85	30.26

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 26  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4436G	59.33	74.00	-14.67	50.11	3	Vertical	253	1.25	-	34.00	5.94	30.72
AV	5.4196G	46.88	54.00	-7.12	37.68	3	Vertical	253	1.25	-	34.00	5.92	30.72
PK	5.4628G	57.74	68.20	-10.46	48.50	3	Vertical	253	1.25	-	34.00	5.96	30.72
PK	5.7088G	122.13	Inf	-Inf	113.03	3	Vertical	253	1.25	-	33.88	6.10	30.88
AV	5.7088G	111.17	Inf	-Inf	102.07	3	Vertical	253	1.25	-	33.88	6.10	30.88
PK	5.8636G	64.14	68.20	-4.06	55.10	3	Vertical	253	1.25	-	33.88	6.16	31.00

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT\_Y\_4TX  
 Setting 26  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4412G	59.01	74.00	-14.99	49.79	3	Horizontal	342	3.00	-	34.00	5.94	30.72
AV	5.4292G	46.73	54.00	-7.27	37.52	3	Horizontal	342	3.00	-	34.00	5.93	30.72
PK	5.4628G	58.32	68.20	-9.88	49.08	3	Horizontal	342	3.00	-	34.00	5.96	30.72
PK	5.7136G	114.70	Inf	-Inf	105.61	3	Horizontal	342	3.00	-	33.87	6.10	30.88
AV	5.7112G	103.41	Inf	-Inf	94.31	3	Horizontal	342	3.00	-	33.88	6.10	30.88
PK	5.9284G	59.15	68.20	-9.05	49.82	3	Horizontal	342	3.00	-	34.16	6.22	31.05

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 Setting 26  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4163G	56.45	74.00	-17.55	40.91	3	Vertical	62	1.87	-	38.83	8.80	32.09
AV	11.4201G	43.47	54.00	-10.53	27.92	3	Vertical	62	1.87	-	38.84	8.80	32.09
PK	17.1388G	65.82	68.20	-2.38	43.54	3	Vertical	57	1.82	-	41.63	10.90	30.25

5.47-5.725GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5710MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 Setting 26  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4236G	55.79	74.00	-18.21	40.23	3	Horizontal	63	1.93	-	38.85	8.80	32.09
AV	11.4251G	42.42	54.00	-11.58	26.86	3	Horizontal	63	1.93	-	38.85	8.80	32.09
PK	17.1262G	67.42	68.20	-0.78	45.22	3	Horizontal	39	1.74	-	41.56	10.89	30.25

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TX




EUT\_Y\_4TX  
 Setting 27.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.73	68.20	-0.47	58.66	3	Vertical	255	1.09	-	33.80	6.10	30.83
PK	5.754G	126.02	Inf	-Inf	117.03	3	Vertical	255	1.09	-	33.80	6.10	30.91
AV	5.753G	114.45	Inf	-Inf	105.46	3	Vertical	255	1.09	-	33.80	6.10	30.91
PK	5.929G	67.68	68.20	-0.52	58.34	3	Vertical	255	1.09	-	34.16	6.23	31.05

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TX




EUT\_Y\_4TX  
 Setting 27.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.637G	61.22	68.20	-6.98	52.11	3	Horizontal	342	2.94	-	33.83	6.10	30.82
PK	5.737G	119.09	Inf	-Inf	110.06	3	Horizontal	342	2.94	-	33.83	6.10	30.90
AV	5.757G	108.20	Inf	-Inf	99.22	3	Horizontal	342	2.94	-	33.80	6.10	30.92
PK	5.926G	60.61	68.20	-7.59	51.28	3	Horizontal	342	2.94	-	34.15	6.22	31.04



5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TX




EUT Y\_4TX  
 Setting 27.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5022G	58.36	74.00	-15.64	42.64	3	Vertical	60	1.80	-	39.01	8.83	32.12
AV	11.5162G	44.78	54.00	-9.22	29.03	3	Vertical	60	1.80	-	39.05	8.83	32.13
PK	17.24G	65.96	68.20	-2.24	43.07	3	Vertical	58	1.16	-	42.20	10.93	30.24

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5755MHz\_TX




EUT\_Y\_4TX  
Setting 27.5  
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.515G	59.29	74.00	-14.71	43.54	3	Horizontal	136	1.34	-	39.05	8.83	32.13
AV	11.5018G	44.86	54.00	-9.14	29.14	3	Horizontal	136	1.34	-	39.01	8.83	32.12
PK	17.2597G	67.83	68.20	-0.37	44.82	3	Horizontal	64	1.80	-	42.30	10.94	30.23

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TX




EUT\_Y\_4TX  
 Setting 25  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.601G	61.49	68.20	-6.71	52.29	3	Vertical	253	1.31	-	33.90	6.10	30.80
PK	5.794G	124.01	Inf	-Inf	115.05	3	Vertical	253	1.31	-	33.80	6.10	30.94
AV	5.794G	112.85	Inf	-Inf	103.89	3	Vertical	253	1.31	-	33.80	6.10	30.94
PK	5.927G	66.32	68.20	-1.88	56.99	3	Vertical	253	1.31	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TX




EUT\_Y\_4TX  
Setting 25  
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.586G	60.93	68.20	-7.27	51.70	3	Horizontal	344	2.91	-	33.93	6.09	30.79
PK	5.797G	118.81	Inf	-Inf	109.86	3	Horizontal	344	2.91	-	33.80	6.10	30.95
AV	5.798G	106.01	Inf	-Inf	97.06	3	Horizontal	344	2.91	-	33.80	6.10	30.95
PK	5.925G	60.50	68.20	-7.70	51.17	3	Horizontal	344	2.91	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TX




EUT\_Y\_4TX  
 Setting 25  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5919G	55.20	74.00	-18.80	39.23	3	Vertical	61	1.83	-	39.28	8.86	32.17
AV	11.5905G	41.84	54.00	-12.16	25.88	3	Vertical	61	1.83	-	39.27	8.86	32.17
PK	17.3827G	66.39	68.20	-1.81	42.63	3	Vertical	90	1.84	-	43.00	10.98	30.22

5.725-5.85GHz\_802.11ax HEW40\_Nss1,(MCS0)\_4TX

5795MHz\_TX




EUT\_Y\_4TX  
 Setting 25  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.6037G	56.01	74.00	-17.99	40.02	3	Horizontal	30	1.37	-	39.31	8.86	32.18
AV	11.5837G	42.86	54.00	-11.14	26.93	3	Horizontal	30	1.37	-	39.25	8.85	32.17
PK	17.3836G	66.98	68.20	-1.22	43.22	3	Horizontal	35	1.74	-	43.00	10.98	30.22

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX




EUT\_Y\_4TX  
Setting 18  
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.136G	64.56	74.00	-9.44	55.95	3	Vertical	297	1.57	-	33.57	5.77	30.73
AV	5.136G	53.41	54.00	-0.59	44.80	3	Vertical	297	1.57	-	33.57	5.77	30.73
PK	5.196G	114.07	Inf	-Inf	105.31	3	Vertical	297	1.57	-	33.69	5.80	30.73
AV	5.196G	101.96	Inf	-Inf	93.20	3	Vertical	297	1.57	-	33.69	5.80	30.73
PK	5.386G	58.82	74.00	-15.18	49.68	3	Vertical	297	1.57	-	33.97	5.89	30.72
AV	5.421G	46.88	54.00	-7.12	37.68	3	Vertical	297	1.57	-	34.00	5.92	30.72

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX




EUT\_Y\_4TX  
Setting 18  
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	63.19	74.00	-10.81	54.55	3	Horizontal	1	2.63	-	33.60	5.77	30.73
AV	5.15G	50.85	54.00	-3.15	42.20	3	Horizontal	1	2.63	-	33.60	5.78	30.73
PK	5.212G	108.42	Inf	-Inf	99.64	3	Horizontal	1	2.63	-	33.70	5.81	30.73
AV	5.211G	96.77	Inf	-Inf	87.99	3	Horizontal	1	2.63	-	33.70	5.81	30.73
PK	5.378G	58.86	74.00	-15.14	49.73	3	Horizontal	1	2.63	-	33.96	5.89	30.72
AV	5.401G	46.68	54.00	-7.32	37.50	3	Horizontal	1	2.63	-	34.00	5.90	30.72



5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX




EUT Y\_4TX  
 Setting 18  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45344G	54.77	68.20	-13.43	39.55	3	Vertical	93	1.86	-	38.60	8.46	31.84
PK	15.6364G	57.33	74.00	-16.67	40.88	3	Vertical	292	1.80	-	37.50	10.35	31.40
AV	15.62312G	44.39	54.00	-9.61	27.93	3	Vertical	292	1.80	-	37.50	10.35	31.39

5.15-5.25GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5210MHz\_TX




EUT Y\_4TX  
 Setting 18  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.45872G	54.97	68.20	-13.23	39.75	3	Horizontal	133	2.00	-	38.60	8.46	31.84
PK	15.60104G	57.78	74.00	-16.22	41.32	3	Horizontal	8	2.55	-	37.50	10.34	31.38
AV	15.59576G	44.78	54.00	-9.22	28.29	3	Horizontal	8	2.55	-	37.53	10.34	31.38

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 Setting 25.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.099G	59.78	74.00	-14.22	51.26	3	Vertical	112	2.15	-	33.50	5.75	30.73
AV	5.1G	46.76	54.00	-7.24	38.24	3	Vertical	112	2.15	-	33.50	5.75	30.73
PK	5.294G	114.65	Inf	-Inf	105.73	3	Vertical	112	2.15	-	33.79	5.85	30.72
AV	5.273G	101.78	Inf	-Inf	92.91	3	Vertical	112	2.15	-	33.75	5.84	30.72
PK	5.353G	65.91	74.00	-8.09	56.84	3	Vertical	112	2.15	-	33.91	5.88	30.72
AV	5.352G	53.02	54.00	-0.98	43.96	3	Vertical	112	2.15	-	33.90	5.88	30.72
PK	5.475G	58.90	68.20	-9.30	49.65	3	Vertical	112	2.15	-	34.00	5.97	30.72

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 Setting 25.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.147G	58.18	74.00	-15.82	49.55	3	Horizontal	214	2.56	-	33.59	5.77	30.73
AV	5.149G	46.10	54.00	-7.90	37.46	3	Horizontal	214	2.56	-	33.60	5.77	30.73
PK	5.305G	105.14	Inf	-Inf	96.20	3	Horizontal	214	2.56	-	33.81	5.85	30.72
AV	5.304G	94.31	Inf	-Inf	85.37	3	Horizontal	214	2.56	-	33.81	5.85	30.72
PK	5.366G	59.38	74.00	-14.62	50.29	3	Horizontal	214	2.56	-	33.93	5.88	30.72
AV	5.363G	47.36	54.00	-6.64	38.27	3	Horizontal	214	2.56	-	33.93	5.88	30.72
PK	5.54G	59.51	68.20	-8.69	50.22	3	Horizontal	214	2.56	-	34.00	6.04	30.75

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 Setting 25.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5869G	63.03	68.20	-5.17	47.87	3	Vertical	128	1.79	-	38.51	8.51	31.86
PK	15.8631G	67.62	74.00	-6.38	51.32	3	Vertical	290	1.80	-	37.37	10.45	31.52
AV	15.8625G	53.77	54.00	-0.23	37.48	3	Vertical	290	1.80	-	37.37	10.44	31.52

5.25-5.35GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5290MHz\_TX




EUT\_Y\_4TX  
 Setting 25.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.5873G	61.88	68.20	-6.32	46.72	3	Horizontal	134	1.52	-	38.51	8.51	31.86
PK	15.8577G	61.21	74.00	-12.79	44.91	3	Horizontal	59	1.96	-	37.38	10.44	31.52
AV	15.8768G	48.09	54.00	-5.91	31.82	3	Horizontal	59	1.96	-	37.35	10.45	31.53

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
Setting 19.5  
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.33G	58.44	68.20	-9.76	49.43	3	Vertical	255	1.72	-	33.86	5.87	30.72
PK	5.458G	65.03	74.00	-8.97	55.79	3	Vertical	255	1.72	-	34.00	5.96	30.72
AV	5.451G	52.98	54.00	-1.02	43.75	3	Vertical	255	1.72	-	34.00	5.95	30.72
PK	5.469G	67.16	68.20	-1.04	57.91	3	Vertical	255	1.72	-	34.00	5.97	30.72
PK	5.527G	115.17	Inf	-Inf	105.88	3	Vertical	255	1.72	-	34.00	6.03	30.74
AV	5.509G	103.30	Inf	-Inf	94.02	3	Vertical	255	1.72	-	34.00	6.01	30.73
PK	5.725G	59.09	68.20	-9.11	50.03	3	Vertical	255	1.72	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT\_Y\_4TX  
 Setting 19.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.284G	59.87	68.20	-8.33	50.98	3	Horizontal	217	2.02	-	33.77	5.84	30.72
PK	5.445G	60.86	74.00	-13.14	51.63	3	Horizontal	217	2.02	-	34.00	5.95	30.72
AV	5.447G	49.36	54.00	-4.64	40.13	3	Horizontal	217	2.02	-	34.00	5.95	30.72
PK	5.464G	64.02	68.20	-4.18	54.78	3	Horizontal	217	2.02	-	34.00	5.96	30.72
PK	5.525G	107.18	Inf	-Inf	97.89	3	Horizontal	217	2.02	-	34.00	6.03	30.74
AV	5.524G	95.95	Inf	-Inf	86.67	3	Horizontal	217	2.02	-	34.00	6.02	30.74
PK	5.734G	59.27	68.20	-8.93	50.24	3	Horizontal	217	2.02	-	33.83	6.10	30.90



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT Y\_4TX  
 Setting 19.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02416G	60.85	74.00	-13.15	45.50	3	Vertical	130	1.61	-	38.62	8.66	31.93
AV	11.02656G	46.83	54.00	-7.17	31.47	3	Vertical	130	1.61	-	38.63	8.66	31.93
PK	16.55256G	65.61	68.20	-2.59	46.56	3	Vertical	72	1.80	-	39.26	10.69	30.90

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5530MHz\_TX




EUT Y\_4TX  
 Setting 19.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.04896G	53.33	74.00	-20.67	37.95	3	Horizontal	9	1.83	-	38.65	8.67	31.94
AV	11.04768G	40.66	54.00	-13.34	25.28	3	Horizontal	9	1.83	-	38.65	8.67	31.94
PK	16.60888G	60.78	68.20	-7.42	41.47	3	Horizontal	224	1.80	-	39.42	10.71	30.82

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
Setting 23  
02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.458G	65.12	74.00	-8.88	55.88	3	Vertical	306	1.28	-	34.00	5.96	30.72
AV	5.459G	50.98	54.00	-3.02	41.74	3	Vertical	306	1.28	-	34.00	5.96	30.72
PK	5.464G	65.85	68.20	-2.35	56.61	3	Vertical	306	1.28	-	34.00	5.96	30.72
PK	5.607G	117.10	Inf	-Inf	107.91	3	Vertical	306	1.28	-	33.89	6.10	30.80
AV	5.605G	106.02	Inf	-Inf	96.83	3	Vertical	306	1.28	-	33.89	6.10	30.80
PK	5.725G	67.13	68.20	-1.07	58.07	3	Vertical	306	1.28	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT\_Y\_4TX  
 Setting 23  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.406G	59.00	74.00	-15.00	49.81	3	Horizontal	222	2.02	-	34.00	5.91	30.72
AV	5.413G	47.41	54.00	-6.59	38.22	3	Horizontal	222	2.02	-	34.00	5.91	30.72
PK	5.463G	61.07	68.20	-7.13	51.83	3	Horizontal	222	2.02	-	34.00	5.96	30.72
PK	5.603G	110.41	Inf	-Inf	101.22	3	Horizontal	222	2.02	-	33.89	6.10	30.80
AV	5.604G	99.36	Inf	-Inf	90.17	3	Horizontal	222	2.02	-	33.89	6.10	30.80
PK	5.748G	60.53	68.20	-7.67	51.54	3	Horizontal	222	2.02	-	33.80	6.10	30.91

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT Y\_4TX  
 Setting 23  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2295G	54.40	74.00	-19.60	38.88	3	Vertical	56	2.63	-	38.80	8.73	32.01
AV	11.2304G	41.99	54.00	-12.01	26.47	3	Vertical	56	2.63	-	38.80	8.73	32.01
PK	16.8389G	61.14	68.20	-7.06	40.32	3	Vertical	75	1.72	-	40.52	10.79	30.49

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5610MHz\_TX




EUT Y\_4TX  
 Setting 23  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.2274G	53.89	74.00	-20.11	38.37	3	Horizontal	22	1.80	-	38.80	8.73	32.01
AV	11.2439G	40.61	54.00	-13.39	25.09	3	Horizontal	22	1.80	-	38.80	8.74	32.02
PK	16.8293G	61.13	68.20	-7.07	40.36	3	Horizontal	10	1.72	-	40.49	10.79	30.51

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 Setting 24.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6884G	119.46	Inf	-Inf	110.34	3	Vertical	256	1.39	-	33.88	6.10	30.86
AV	5.6884G	107.63	Inf	-Inf	98.51	3	Vertical	256	1.39	-	33.88	6.10	30.86
PK	5.8516G	67.65	68.20	-0.55	58.69	3	Vertical	256	1.39	-	33.81	6.14	30.99

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 Setting 24.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6932G	113.76	Inf	-Inf	104.64	3	Horizontal	351	2.86	-	33.89	6.10	30.87
AV	5.6908G	101.34	Inf	-Inf	92.23	3	Horizontal	351	2.86	-	33.88	6.10	30.87
PK	5.8596G	63.08	68.20	-5.12	54.06	3	Horizontal	351	2.86	-	33.86	6.15	30.99



5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 Setting 24.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.3688G	56.31	74.00	-17.69	40.80	3	Vertical	56	2.62	-	38.80	8.78	32.07
AV	11.36912G	43.25	54.00	-10.75	27.74	3	Vertical	56	2.62	-	38.80	8.78	32.07
PK	17.10184G	62.55	68.20	-5.65	40.50	3	Vertical	139	2.60	-	41.41	10.89	30.25

5.47-5.725GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5690MHz Straddle 5.47-5.725GHz\_TX




EUT Y\_4TX  
 Setting 24.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34624G	53.93	74.00	-20.07	38.42	3	Horizontal	46	2.56	-	38.80	8.77	32.06
AV	11.37984G	41.17	54.00	-12.83	25.66	3	Horizontal	46	2.56	-	38.80	8.78	32.07
PK	17.0692G	63.66	68.20	-4.54	41.76	3	Horizontal	108	1.70	-	41.28	10.87	30.25

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TX




EUT\_Y\_4TX  
 Setting 23  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	61.96	68.94	-6.98	52.89	3	Vertical	252	1.28	-	33.80	6.10	30.83
PK	5.793G	119.80	Inf	-Inf	110.84	3	Vertical	252	1.28	-	33.80	6.10	30.94
AV	5.794G	106.62	Inf	-Inf	97.66	3	Vertical	252	1.28	-	33.80	6.10	30.94
PK	5.928G	65.71	68.20	-2.49	56.38	3	Vertical	252	1.28	-	34.16	6.22	31.05

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TX




EUT\_Y\_4TX  
 Setting 23  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.638G	59.72	68.20	-8.48	50.62	3	Horizontal	343	2.93	-	33.82	6.10	30.82
PK	5.777G	113.79	Inf	-Inf	104.82	3	Horizontal	343	2.93	-	33.80	6.10	30.93
AV	5.778G	100.55	Inf	-Inf	91.58	3	Horizontal	343	2.93	-	33.80	6.10	30.93
PK	5.925G	61.91	68.20	-6.29	52.58	3	Horizontal	343	2.93	-	34.15	6.22	31.04

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TX




EUT\_Y\_4TX  
 Setting 23  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.54888G	55.37	74.00	-18.63	39.53	3	Vertical	59	1.80	-	39.15	8.84	32.15
AV	11.54984G	42.66	54.00	-11.34	26.82	3	Vertical	59	1.80	-	39.15	8.84	32.15
PK	17.2906G	64.15	68.20	-4.05	40.98	3	Vertical	96	3.00	-	42.45	10.95	30.23

5.725-5.85GHz\_802.11ax HEW80\_Nss1,(MCS0)\_4TX

5775MHz\_TX




EUT Y\_4TX  
 Setting 23  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.566G	54.13	74.00	-19.87	38.24	3	Horizontal	31	1.54	-	39.20	8.85	32.16
AV	11.54264G	41.02	54.00	-12.98	25.19	3	Horizontal	31	1.54	-	39.13	8.84	32.14
PK	17.33444G	64.43	68.20	-3.77	40.98	3	Horizontal	34	1.65	-	42.71	10.97	30.23

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
 Setting 17.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.149G	65.53	74.00	-8.47	56.89	3	Vertical	16	2.15	-	33.60	5.77	30.73
AV	5.148G	53.28	54.00	-0.72	44.64	3	Vertical	16	2.15	-	33.60	5.77	30.73
PK	5.228G	109.09	Inf	-Inf	100.31	3	Vertical	16	2.15	-	33.70	5.81	30.73
AV	5.208G	97.92	Inf	-Inf	89.15	3	Vertical	16	2.15	-	33.70	5.80	30.73
PK	5.387G	59.41	74.00	-14.59	50.27	3	Vertical	16	2.15	-	33.97	5.89	30.72
AV	5.35G	47.64	54.00	-6.36	38.58	3	Vertical	16	2.15	-	33.90	5.88	30.72
PK	5.465G	58.69	68.20	-9.51	49.45	3	Vertical	16	2.15	-	34.00	5.96	30.72

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT\_Y\_4TX  
 Setting 17.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.129G	60.33	74.00	-13.67	51.74	3	Horizontal	3	2.75	-	33.56	5.76	30.73
AV	5.15G	48.34	54.00	-5.66	39.69	3	Horizontal	3	2.75	-	33.60	5.78	30.73
PK	5.231G	101.76	Inf	-Inf	92.97	3	Horizontal	3	2.75	-	33.70	5.82	30.73
AV	5.23G	90.78	Inf	-Inf	82.00	3	Horizontal	3	2.75	-	33.70	5.81	30.73
PK	5.372G	59.19	74.00	-14.81	50.08	3	Horizontal	3	2.75	-	33.94	5.89	30.72
AV	5.35G	46.68	54.00	-7.32	37.62	3	Horizontal	3	2.75	-	33.90	5.88	30.72
PK	5.479G	58.06	68.20	-10.14	48.80	3	Horizontal	3	2.75	-	34.00	5.98	30.72



5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
 Setting 17.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4959G	67.46	68.20	-0.74	52.24	3	Vertical	94	1.84	-	38.60	8.47	31.85
PK	15.7626G	67.14	74.00	-6.86	50.70	3	Vertical	292	1.96	-	37.50	10.41	31.47
AV	15.7628G	52.52	54.00	-1.48	36.08	3	Vertical	292	1.96	-	37.50	10.41	31.47

5.25-5.35GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5250MHz Straddle 5.25-5.35GHz\_TX




EUT Y\_4TX  
 Setting 17.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	10.4966G	54.44	68.20	-13.76	39.22	3	Horizontal	136	1.80	-	38.60	8.47	31.85
PK	15.746G	57.64	74.00	-16.36	41.20	3	Horizontal	7	2.54	-	37.50	10.40	31.46
AV	15.7325G	44.15	54.00	-9.85	27.71	3	Horizontal	7	2.54	-	37.50	10.39	31.45

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT\_Y\_4TX  
 Setting 18.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.329G	58.82	68.20	-9.38	49.82	3	Vertical	307	1.30	-	33.86	5.86	30.72
PK	5.46G	66.11	74.00	-7.89	56.87	3	Vertical	307	1.30	-	34.00	5.96	30.72
AV	5.46G	53.94	54.00	-0.06	44.70	3	Vertical	307	1.30	-	34.00	5.96	30.72
PK	5.462G	64.75	68.20	-3.45	55.51	3	Vertical	307	1.30	-	34.00	5.96	30.72
PK	5.585G	112.52	Inf	-Inf	103.29	3	Vertical	307	1.30	-	33.93	6.08	30.78
AV	5.586G	99.83	Inf	-Inf	90.60	3	Vertical	307	1.30	-	33.93	6.09	30.79
PK	5.725G	63.96	68.20	-4.24	54.90	3	Vertical	307	1.30	-	33.85	6.10	30.89

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT\_Y\_4TX  
 Setting 18.5  
 02-F-B-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.332G	58.36	68.20	-9.84	49.35	3	Horizontal	222	1.84	-	33.86	5.87	30.72
PK	5.447G	62.76	74.00	-11.24	53.53	3	Horizontal	222	1.84	-	34.00	5.95	30.72
AV	5.425G	50.70	54.00	-3.30	41.49	3	Horizontal	222	1.84	-	34.00	5.93	30.72
PK	5.465G	63.21	68.20	-4.99	53.97	3	Horizontal	222	1.84	-	34.00	5.96	30.72
PK	5.545G	105.17	Inf	-Inf	95.88	3	Horizontal	222	1.84	-	34.00	6.04	30.75
AV	5.545G	93.24	Inf	-Inf	83.95	3	Horizontal	222	1.84	-	34.00	6.04	30.75
PK	5.773G	59.86	68.20	-8.34	50.89	3	Horizontal	222	1.84	-	33.80	6.10	30.93

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TX




EUT\_Y\_4TX  
 Setting 18.5  
 02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1258G	54.12	74.00	-19.88	38.67	3	Vertical	129	1.50	-	38.73	8.69	31.97
AV	11.1305G	40.73	54.00	-13.27	25.27	3	Vertical	129	1.50	-	38.73	8.70	31.97
PK	16.7129G	61.23	68.20	-6.97	41.45	3	Vertical	70	1.72	-	39.70	10.75	30.67

5.47-5.725GHz\_802.11ax HEW160\_Nss1,(MCS0)\_4TX

5570MHz\_TX



EUT\_Y\_4TX  
 Setting 18.5  
 02-F-G-4


Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.1589G	53.90	74.00	-20.10	38.41	3	Horizontal	16	1.50	-	38.76	8.71	31.98
AV	11.1399G	41.00	54.00	-13.00	25.54	3	Horizontal	16	1.50	-	38.74	8.70	31.98
PK	16.695G	60.37	68.20	-7.83	40.74	3	Horizontal	61	1.69	-	39.59	10.74	30.70



**Summary**

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Condition
Mode 1	Pass	AV	1.01252G	45.84	54.00	-8.16	Vertical


Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.01244G	47.66	74.00	-26.34	-10.29	3	Vertical	161	1.82	-	57.95	24.55	2.42	37.26
AV	1.01252G	45.84	54.00	-8.16	-10.29	3	Vertical	161	1.82	"Worst"	56.13	24.55	2.42	37.26



Mode 1



Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Factor (dB/m)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	Raw (dBuV/m)	AF (dB/m)	CL (dB)	PA (dB)
PK	1.01259G	44.74	74.00	-29.26	-10.29	3	Horizontal	50	1.00	-	55.03	24.55	2.42	37.26
AV	1.0125G	42.65	54.00	-11.35	-10.29	3	Horizontal	50	1.00	"Worst"	52.94	24.55	2.42	37.26