


5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUTY_4TX
 Setting 14
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.43732G	56.91	83.54	-26.63	34.28	1	Vertical	185	1.55	-	37.57	14.55	29.49
AV	18.43756G	45.14	63.54	-18.40	22.51	1	Vertical	185	1.55	-	37.58	14.55	29.50

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6145MHz_TX




EUTY_4TX
 Setting 14
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.4391G	57.33	83.54	-26.21	34.70	1	Horizontal	63	1.57	-	37.58	14.55	29.50
AV	18.43944G	45.15	63.54	-18.39	22.52	1	Horizontal	63	1.57	-	37.58	14.55	29.50

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
 Setting 13.5
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8922G	60.97	88.20	-27.23	54.12	3	Vertical	278	2.17	-	34.55	7.25	34.95
RMS	5.9066G	50.78	68.20	-17.42	43.85	3	Vertical	278	2.17	-	34.63	7.25	34.95
PK	6.2074G	108.88	Inf	-Inf	101.10	3	Vertical	278	2.17	-	35.17	7.60	34.99
RMS	6.2074G	98.49	Inf	-Inf	90.71	3	Vertical	278	2.17	-	35.17	7.60	34.99

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
 Setting 13.5
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8938G	61.08	88.20	-27.12	54.22	3	Horizontal	192	1.71	-	34.56	7.25	34.95
RMS	5.9066G	50.76	68.20	-17.44	43.83	3	Horizontal	192	1.71	-	34.63	7.25	34.95
PK	6.2218G	108.80	Inf	-Inf	101.09	3	Horizontal	192	1.71	-	35.11	7.60	35.00
RMS	6.2218G	98.84	Inf	-Inf	91.13	3	Horizontal	192	1.71	-	35.11	7.60	35.00

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
 Setting 13.5
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.4497G	61.07	74.00	-12.93	43.43	3	Vertical	134	1.80	-	38.85	13.46	34.67
AV	12.44982G	49.11	54.00	-4.89	31.47	3	Vertical	134	1.80	-	38.85	13.46	34.67

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUT_Y_4TX
 Setting 13.5
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.43986G	59.95	74.00	-14.05	42.32	3	Horizontal	129	2.23	-	38.86	13.45	34.68
AV	12.44976G	49.44	54.00	-4.56	31.80	3	Horizontal	129	2.23	-	38.85	13.46	34.67

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUTY_4TX
Setting 13.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.6754G	56.49	83.54	-27.05	33.83	1	Vertical	110	1.57	-	37.67	14.64	29.65
AV	18.67954G	44.50	63.54	-19.04	21.84	1	Vertical	110	1.57	-	37.67	14.64	29.65

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6225MHz_TX




EUTY_4TX
 Setting 13.5
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.67124G	56.73	83.54	-26.81	34.08	1	Horizontal	60	1.58	-	37.67	14.63	29.65
AV	18.6773G	44.67	63.54	-18.87	22.01	1	Horizontal	60	1.58	-	37.67	14.64	29.65

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 11.5
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	60.85	88.20	-27.35	53.88	3	Vertical	248	2.05	-	34.66	7.26	34.95
RMS	5.905G	50.76	68.20	-17.44	43.84	3	Vertical	248	2.05	-	34.62	7.25	34.95
PK	6.4018G	106.99	Inf	-Inf	99.52	3	Vertical	248	2.05	-	34.89	7.60	35.02
RMS	6.3994G	96.69	Inf	-Inf	89.21	3	Vertical	248	2.05	-	34.90	7.60	35.02

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 11.5
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8354G	61.13	88.20	-27.07	54.57	3	Horizontal	192	1.76	-	34.27	7.22	34.93
RMS	5.905G	50.71	68.20	-17.49	43.79	3	Horizontal	192	1.76	-	34.62	7.25	34.95
PK	6.4018G	107.00	Inf	-Inf	99.53	3	Horizontal	192	1.76	-	34.89	7.60	35.02
RMS	6.4018G	96.75	Inf	-Inf	89.28	3	Horizontal	192	1.76	-	34.89	7.60	35.02

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT Y_4TX
 Setting 11.5
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76988G	60.84	88.20	-27.36	42.05	3	Vertical	129	1.79	-	39.24	13.72	34.17
RMS	12.76988G	49.46	68.20	-18.74	30.67	3	Vertical	129	1.79	-	39.24	13.72	34.17

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
 Setting 11.5
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.77216G	60.48	88.20	-27.72	41.69	3	Horizontal	132	1.80	-	39.24	13.72	34.17
RMS	12.76988G	50.13	68.20	-18.07	31.34	3	Horizontal	132	1.80	-	39.24	13.72	34.17

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUT_Y_4TX
Setting 11.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15732G	57.20	83.54	-26.34	34.80	1	Vertical	224	1.56	-	37.56	14.81	29.97
AV	19.15902G	45.06	63.54	-18.48	22.66	1	Vertical	224	1.56	-	37.56	14.81	29.97

5.925-6.425GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6385MHz_TX




EUTY_4TX
 Setting 11.5
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.15814G	58.21	83.54	-25.33	35.81	1	Horizontal	188	1.58	-	37.56	14.81	29.97
AV	19.15744G	45.09	63.54	-18.45	22.69	1	Horizontal	188	1.58	-	37.56	14.81	29.97

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
 Setting 12
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8228G	61.57	88.20	-26.63	55.04	3	Vertical	246	1.99	-	34.25	7.21	34.93
RMS	5.8982G	50.76	68.20	-17.44	43.87	3	Vertical	246	1.99	-	34.59	7.25	34.95
PK	6.4624G	108.39	Inf	-Inf	101.09	3	Vertical	246	1.99	-	34.70	7.63	35.03
RMS	6.4598G	97.40	Inf	-Inf	90.10	3	Vertical	246	1.99	-	34.70	7.63	35.03

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT_Y_4TX
 Setting 12
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9008G	60.82	88.20	-27.38	53.92	3	Horizontal	138	1.80	-	34.60	7.25	34.95
RMS	5.8982G	50.79	68.20	-17.41	43.90	3	Horizontal	138	1.80	-	34.59	7.25	34.95
PK	6.4624G	104.41	Inf	-Inf	97.11	3	Horizontal	138	1.80	-	34.70	7.63	35.03
RMS	6.4624G	96.19	Inf	-Inf	88.89	3	Horizontal	138	1.80	-	34.70	7.63	35.03

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
 Setting 12
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.91812G	60.46	88.20	-27.74	41.14	3	Vertical	128	1.85	-	39.42	13.83	33.93
RMS	12.92982G	50.08	68.20	-18.12	30.72	3	Vertical	128	1.85	-	39.43	13.84	33.91

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUT Y_4TX
 Setting 12
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92898G	60.47	88.20	-27.73	41.11	3	Horizontal	131	1.79	-	39.43	13.84	33.91
RMS	12.92988G	49.40	68.20	-18.80	30.04	3	Horizontal	131	1.79	-	39.43	13.84	33.91

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUTY_4TX
 Setting 12
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39358G	55.00	83.54	-28.54	32.63	1	Vertical	66	1.57	-	37.66	14.89	30.18
AV	19.39978G	41.89	63.54	-21.65	19.52	1	Vertical	66	1.57	-	37.66	14.89	30.18

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6465MHz_TX




EUTY_4TX
Setting 12
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.39686G	53.68	83.54	-29.86	31.31	1	Horizontal	79	1.56	-	37.66	14.89	30.18
AV	19.3942G	42.02	63.54	-21.52	19.65	1	Horizontal	79	1.56	-	37.66	14.89	30.18

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 12
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	60.88	88.20	-27.32	53.90	3	Vertical	251	2.05	-	34.67	7.26	34.95
RMS	5.901G	50.74	68.20	-17.46	43.84	3	Vertical	251	2.05	-	34.60	7.25	34.95
PK	6.5422G	107.26	Inf	-Inf	99.75	3	Vertical	251	2.05	-	34.87	7.67	35.03
RMS	6.5422G	96.98	Inf	-Inf	89.47	3	Vertical	251	2.05	-	34.87	7.67	35.03
PK	7.2254G	62.73	88.20	-25.47	52.58	3	Vertical	251	2.05	-	36.55	8.70	35.10
RMS	7.2114G	52.10	68.20	-16.10	42.03	3	Vertical	251	2.05	-	36.47	8.70	35.10

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 12
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9206G	60.59	88.20	-27.61	53.60	3	Horizontal	136	1.80	-	34.68	7.26	34.95
RMS	5.8982G	50.78	68.20	-17.42	43.89	3	Horizontal	136	1.80	-	34.59	7.25	34.95
PK	6.5422G	105.56	Inf	-Inf	98.05	3	Horizontal	136	1.80	-	34.87	7.67	35.03
RMS	6.5422G	96.20	Inf	-Inf	88.69	3	Horizontal	136	1.80	-	34.87	7.67	35.03
PK	7.2394G	61.74	88.20	-26.46	51.51	3	Horizontal	136	1.80	-	36.64	8.70	35.11
RMS	7.2114G	52.03	68.20	-16.17	41.96	3	Horizontal	136	1.80	-	36.47	8.70	35.10

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




01/11/2022

EUT_Y_4TX
Setting 12
03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0897G	62.34	88.20	-25.86	42.30	3	Vertical	130	1.58	-	39.77	13.97	33.70
RMS	13.08994G	51.05	68.20	-17.15	31.01	3	Vertical	130	1.58	-	39.77	13.97	33.70

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 12
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1038G	61.64	88.20	-26.56	41.54	3	Horizontal	142	1.80	-	39.80	13.98	33.68
RMS	13.08982G	50.41	68.20	-17.79	30.37	3	Horizontal	142	1.80	-	39.77	13.97	33.70

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUTY_4TX
Setting 12
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63732G	53.75	83.54	-29.79	31.57	1	Vertical	213	1.56	-	37.65	14.97	30.44
AV	19.63072G	41.49	63.54	-22.05	19.30	1	Vertical	213	1.56	-	37.65	14.97	30.43

6.425-6.525GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TX




EUTY_4TX
 Setting 12
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.63434G	53.61	83.54	-29.93	31.43	1	Horizontal	79	1.57	-	37.65	14.97	30.44
AV	19.63098G	41.49	63.54	-22.05	19.31	1	Horizontal	79	1.57	-	37.65	14.97	30.44

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
Setting 11.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.601G	107.70	Inf	-Inf	99.92	3	Vertical	259	2.19	-	35.10	7.70	35.02
RMS	6.6226G	98.30	Inf	-Inf	90.41	3	Vertical	259	2.19	-	35.19	7.72	35.02
PK	7.1434G	62.04	88.20	-26.16	52.46	3	Vertical	259	2.19	-	36.06	8.59	35.07
RMS	7.2106G	52.05	68.20	-16.15	41.99	3	Vertical	259	2.19	-	36.46	8.70	35.10

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
 Setting 11.5
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6298G	106.37	Inf	-Inf	98.44	3	Horizontal	188	1.77	-	35.22	7.73	35.02
RMS	6.6274G	95.83	Inf	-Inf	87.91	3	Horizontal	188	1.77	-	35.21	7.73	35.02
PK	7.1818G	62.16	88.20	-26.04	52.29	3	Horizontal	188	1.77	-	36.29	8.66	35.08
RMS	7.201G	52.04	68.20	-16.16	42.02	3	Horizontal	188	1.77	-	36.41	8.70	35.09

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
 Setting 11.5
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.2497G	62.16	88.20	-26.04	41.59	3	Vertical	57	1.80	-	40.00	14.10	33.53
RMS	13.24982G	49.82	68.20	-18.38	29.25	3	Vertical	57	1.80	-	40.00	14.10	33.53

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUT_Y_4TX
 Setting 11.5
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.24976G	62.31	88.20	-25.89	41.74	3	Horizontal	113	3.00	-	40.00	14.10	33.53
RMS	13.24994G	52.96	68.20	-15.24	32.39	3	Horizontal	113	3.00	-	40.00	14.10	33.53

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUTY_4TX
 Setting 11.5
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87554G	56.19	83.54	-27.35	34.37	1	Vertical	14	1.51	-	37.50	15.06	30.74
AV	19.87466G	44.57	63.54	-18.97	22.75	1	Vertical	14	1.51	-	37.50	15.06	30.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6625MHz_TX




EUTY_4TX
 Setting 11.5
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.87074G	56.68	83.54	-26.86	34.87	1	Horizontal	163	1.54	-	37.50	15.05	30.74
AV	19.8754G	44.58	63.54	-18.96	22.76	1	Horizontal	163	1.54	-	37.50	15.06	30.74

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
Setting 12
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.701G	107.16	Inf	-Inf	98.98	3	Vertical	259	2.24	-	35.40	7.80	35.02
RMS	6.703G	98.00	Inf	-Inf	89.81	3	Vertical	259	2.24	-	35.41	7.80	35.02
PK	7.203G	62.09	88.20	-26.11	52.06	3	Vertical	259	2.24	-	36.42	8.70	35.09
RMS	7.201G	52.01	68.20	-16.19	41.99	3	Vertical	259	2.24	-	36.41	8.70	35.09

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
 Setting 12
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.689G	105.86	Inf	-Inf	97.71	3	Horizontal	197	1.79	-	35.38	7.79	35.02
RMS	6.709G	95.61	Inf	-Inf	87.38	3	Horizontal	197	1.79	-	35.44	7.81	35.02
PK	7.167G	61.82	88.20	-26.38	52.07	3	Horizontal	197	1.79	-	36.20	8.63	35.08
RMS	7.203G	52.00	68.20	-16.20	41.97	3	Horizontal	197	1.79	-	36.42	8.70	35.09

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT Y_4TX
 Setting 12
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40208G	61.68	88.20	-26.52	40.53	3	Vertical	200	1.80	-	40.30	14.22	33.37
RMS	13.40994G	49.88	68.20	-18.32	28.70	3	Vertical	200	1.80	-	40.31	14.23	33.36

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUT_Y_4TX
 Setting 12
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.40958G	63.14	88.20	-25.06	41.96	3	Horizontal	112	3.00	-	40.31	14.23	33.36
RMS	13.40988G	52.63	68.20	-15.57	31.45	3	Horizontal	112	3.00	-	40.31	14.23	33.36

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUTY_4TX
 Setting 12
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11638G	57.11	83.54	-26.43	35.56	1	Vertical	204	1.56	-	37.49	15.13	31.07
AV	20.11478G	44.74	63.54	-18.80	23.19	1	Vertical	204	1.56	-	37.49	15.13	31.07

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6705MHz_TX




EUTY_4TX
 Setting 12
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.11256G	57.14	83.54	-26.40	35.59	1	Horizontal	162	1.50	-	37.49	15.13	31.07
AV	20.11914G	44.75	63.54	-18.79	23.20	1	Horizontal	162	1.50	-	37.50	15.13	31.08

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 11.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.769G	106.00	Inf	-Inf	97.46	3	Vertical	284	2.04	-	35.68	7.87	35.01
RMS	6.7898G	96.97	Inf	-Inf	88.33	3	Vertical	284	2.04	-	35.76	7.89	35.01
PK	7.1274G	61.78	88.20	-26.42	52.33	3	Vertical	284	2.04	-	35.96	8.55	35.06
RMS	7.177G	51.79	68.20	-16.41	41.96	3	Vertical	284	2.04	-	36.26	8.65	35.08

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 11.5
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7882G	105.80	Inf	-Inf	97.17	3	Horizontal	196	1.80	-	35.75	7.89	35.01
RMS	6.7882G	95.94	Inf	-Inf	87.31	3	Horizontal	196	1.80	-	35.75	7.89	35.01
PK	7.153G	62.13	88.20	-26.07	52.47	3	Horizontal	196	1.80	-	36.12	8.61	35.07
RMS	7.1802G	51.79	68.20	-16.41	41.93	3	Horizontal	196	1.80	-	36.28	8.66	35.08

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
Setting 11.5
03-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.58068G	62.42	88.20	-25.78	40.76	3	Vertical	131	1.62	-	40.48	14.36	33.18
RMS	13.57G	51.19	68.20	-17.01	29.56	3	Vertical	131	1.62	-	40.47	14.36	33.20

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUT_Y_4TX
 Setting 11.5
 03-H-E-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.56976G	63.32	88.20	-24.88	41.69	3	Horizontal	112	2.30	-	40.47	14.36	33.20
RMS	13.56982G	53.18	68.20	-15.02	31.55	3	Horizontal	112	2.30	-	40.47	14.36	33.20

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUTY_4TX
 Setting 11.5
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35298G	55.54	83.54	-28.00	34.14	1	Vertical	182	1.52	-	37.64	15.19	31.43
AV	20.35424G	43.63	63.54	-19.91	22.23	1	Vertical	182	1.52	-	37.64	15.19	31.43

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6785MHz_TX




EUTY_4TX
 Setting 11.5
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.35156G	56.63	83.54	-26.91	35.23	1	Horizontal	286	1.50	-	37.64	15.19	31.43
AV	20.35434G	43.80	63.54	-19.74	22.40	1	Horizontal	286	1.50	-	37.64	15.19	31.43

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 11.5
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8482G	105.92	Inf	-Inf	97.23	3	Vertical	272	1.70	-	35.70	8.00	35.01
RMS	6.8698G	96.67	Inf	-Inf	87.98	3	Vertical	272	1.70	-	35.66	8.04	35.01
PK	7.147G	61.76	88.20	-26.44	52.16	3	Vertical	272	1.70	-	36.08	8.59	35.07
RMS	7.1578G	51.64	68.20	-16.56	41.94	3	Vertical	272	1.70	-	36.15	8.62	35.07

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 11.5
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8662G	105.33	Inf	-Inf	96.64	3	Horizontal	200	1.65	-	35.67	8.03	35.01
RMS	6.8674G	95.09	Inf	-Inf	86.40	3	Horizontal	200	1.65	-	35.67	8.03	35.01
PK	7.1554G	61.34	88.20	-26.86	51.67	3	Horizontal	200	1.65	-	36.13	8.61	35.07
RMS	7.1626G	51.60	68.20	-16.60	41.86	3	Horizontal	200	1.65	-	36.18	8.63	35.07

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 11.5
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7195G	63.11	88.20	-25.09	41.03	3	Vertical	204	1.80	-	40.64	14.48	33.04
RMS	13.72988G	51.52	68.20	-16.68	29.41	3	Vertical	204	1.80	-	40.66	14.48	33.03

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUT_Y_4TX
 Setting 11.5
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.72964G	63.57	88.20	-24.63	41.46	3	Horizontal	109	1.80	-	40.66	14.48	33.03
RMS	13.72982G	53.74	68.20	-14.46	31.63	3	Horizontal	109	1.80	-	40.66	14.48	33.03

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX
 Setting 11.5
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.59216G	55.30	83.54	-28.24	34.12	1	Vertical	229	1.56	-	37.74	15.25	31.81
AV	20.5968G	42.88	63.54	-20.66	21.70	1	Vertical	229	1.56	-	37.74	15.25	31.81

6.525-6.875GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6865MHz Straddle 6.525-6.875GHz_TX




EUTY_4TX
 Setting 11.5
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.5993G	55.23	83.54	-28.31	34.06	1	Horizontal	20	1.55	-	37.74	15.25	31.82
AV	20.59618G	43.07	63.54	-20.47	21.89	1	Horizontal	20	1.55	-	37.74	15.25	31.81

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
 Setting 12
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9486G	108.78	Inf	-Inf	99.88	3	Vertical	270	1.60	-	35.70	8.20	35.00
RMS	6.9486G	97.75	Inf	-Inf	88.85	3	Vertical	270	1.60	-	35.70	8.20	35.00
PK	7.2402G	62.89	88.20	-25.31	52.66	3	Vertical	270	1.60	-	36.64	8.70	35.11
RMS	7.221G	52.21	68.20	-15.99	42.08	3	Vertical	270	1.60	-	36.53	8.70	35.10

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT_Y_4TX
 Setting 12
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9486G	106.11	Inf	-Inf	97.21	3	Horizontal	194	1.79	-	35.70	8.20	35.00
RMS	6.9486G	95.08	Inf	-Inf	86.18	3	Horizontal	194	1.79	-	35.70	8.20	35.00
PK	7.2078G	63.12	88.20	-25.08	53.07	3	Horizontal	194	1.79	-	36.45	8.70	35.10
RMS	7.221G	52.21	68.20	-15.99	42.08	3	Horizontal	194	1.79	-	36.53	8.70	35.10

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
 Setting 12
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.8927G	63.88	88.20	-24.32	41.13	3	Vertical	207	1.80	-	40.99	14.61	32.85
RMS	13.88982G	51.50	68.20	-16.70	28.77	3	Vertical	207	1.80	-	40.98	14.61	32.86

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUT Y_4TX
 Setting 12
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.88994G	64.28	88.20	-23.92	41.55	3	Horizontal	111	1.80	-	40.98	14.61	32.86
RMS	13.88982G	55.16	68.20	-13.04	32.43	3	Horizontal	111	1.80	-	40.98	14.61	32.86

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUTY_4TX
 Setting 12
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83122G	54.62	83.54	-28.92	33.56	1	Vertical	272	1.58	-	37.96	15.31	32.21
AV	20.83158G	42.66	63.54	-20.88	21.60	1	Vertical	272	1.58	-	37.96	15.31	32.21

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

6945MHz_TX




EUTY_4TX
 Setting 12
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.83352G	55.21	83.54	-28.33	34.15	1	Horizontal	344	1.54	-	37.97	15.31	32.22
AV	20.83104G	42.67	63.54	-20.87	21.61	1	Horizontal	344	1.54	-	37.96	15.31	32.21

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
 Setting 13
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0282G	108.64	Inf	-Inf	99.59	3	Vertical	276	1.77	-	35.70	8.36	35.01
RMS	7.029G	98.12	Inf	-Inf	89.07	3	Vertical	276	1.77	-	35.70	8.36	35.01
PK	7.221G	63.45	88.20	-24.75	53.32	3	Vertical	276	1.77	-	36.53	8.70	35.10
RMS	7.2098G	52.22	68.20	-15.98	42.16	3	Vertical	276	1.77	-	36.46	8.70	35.10

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
 Setting 13
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0074G	104.90	Inf	-Inf	95.89	3	Horizontal	195	1.77	-	35.70	8.31	35.00
RMS	7.0082G	94.52	Inf	-Inf	85.50	3	Horizontal	195	1.77	-	35.70	8.32	35.00
PK	7.221G	62.45	88.20	-25.75	52.32	3	Horizontal	195	1.77	-	36.53	8.70	35.10
RMS	7.2074G	52.20	68.20	-16.00	42.16	3	Horizontal	195	1.77	-	36.44	8.70	35.10

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
 Setting 13
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.05948G	64.67	88.20	-23.53	41.34	3	Vertical	218	1.80	-	41.38	14.76	32.81
RMS	14.04994G	52.53	68.20	-15.67	29.23	3	Vertical	218	1.80	-	41.35	14.75	32.80

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUT_Y_4TX
 Setting 13
 03-H-J-8

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.04988G	65.30	88.20	-22.90	42.00	3	Horizontal	113	1.80	-	41.35	14.75	32.80
RMS	14.04982G	55.61	68.20	-12.59	32.31	3	Horizontal	113	1.80	-	41.35	14.75	32.80

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUTY_4TX
 Setting 13
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07588G	55.48	83.54	-28.06	34.51	1	Vertical	289	1.54	-	38.24	15.37	32.64
AV	21.07922G	43.25	63.54	-20.29	22.28	1	Vertical	289	1.54	-	38.24	15.37	32.64

6.875-7.125GHz_802.11ax HEW80_Nss1,(MCS0)_4TX

7025MHz_TX




EUTY_4TX
 Setting 13
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	21.07918G	55.40	83.54	-28.14	34.43	1	Horizontal	299	1.54	-	38.24	15.37	32.64
AV	21.07958G	43.25	63.54	-20.29	22.28	1	Horizontal	299	1.54	-	38.24	15.37	32.64

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
 Setting 17
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8858G	62.19	88.20	-26.01	55.38	3	Vertical	278	2.02	-	34.51	7.24	34.94
RMS	5.9002G	50.80	68.20	-17.40	43.90	3	Vertical	278	2.02	-	34.60	7.25	34.95
PK	6.209G	109.65	Inf	-Inf	101.89	3	Vertical	278	2.02	-	35.16	7.60	35.00
RMS	6.209G	99.42	Inf	-Inf	91.66	3	Vertical	278	2.02	-	35.16	7.60	35.00

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
 Setting 17
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8474G	61.54	88.20	-26.66	54.97	3	Horizontal	190	1.75	-	34.29	7.22	34.94
RMS	5.9178G	50.83	68.20	-17.37	43.85	3	Horizontal	190	1.75	-	34.67	7.26	34.95
PK	6.2026G	109.66	Inf	-Inf	101.86	3	Horizontal	190	1.75	-	35.19	7.60	34.99
RMS	6.2026G	99.92	Inf	-Inf	92.12	3	Horizontal	190	1.75	-	35.19	7.60	34.99

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
 Setting 17
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3683G	59.86	74.00	-14.14	42.35	3	Vertical	145	1.99	-	38.87	13.39	34.75
AV	12.3699G	48.59	54.00	-5.41	31.07	3	Vertical	145	1.99	-	38.87	13.40	34.75

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
 Setting 17
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.3609G	59.33	74.00	-14.67	41.84	3	Horizontal	200	2.78	-	38.86	13.39	34.76
AV	12.3698G	49.26	54.00	-4.74	31.74	3	Horizontal	200	2.78	-	38.87	13.40	34.75

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
 Setting 17
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55776G	57.71	83.54	-25.83	35.07	1	Vertical	79	1.51	-	37.62	14.60	29.58
AV	18.55044G	45.49	63.54	-18.05	22.86	1	Vertical	79	1.51	-	37.62	14.59	29.58

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6185MHz_TX




EUT_Y_4TX
 Setting 17
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.55962G	57.43	83.54	-26.11	34.79	1	Horizontal	95	1.53	-	37.62	14.60	29.58
AV	18.55106G	45.49	63.54	-18.05	22.86	1	Horizontal	95	1.53	-	37.62	14.59	29.58

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
 Setting 16
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.877G	61.00	88.20	-27.20	54.24	3	Vertical	246	2.18	-	34.46	7.24	34.94
RMS	5.911G	50.82	68.20	-17.38	43.87	3	Vertical	246	2.18	-	34.64	7.26	34.95
PK	6.323G	107.67	Inf	-Inf	100.13	3	Vertical	246	2.18	-	34.95	7.60	35.01
RMS	6.361G	97.49	Inf	-Inf	90.00	3	Vertical	246	2.18	-	34.90	7.60	35.01

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
 Setting 16
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.909G	60.98	88.20	-27.22	54.04	3	Horizontal	188	1.80	-	34.64	7.25	34.95
RMS	5.901G	50.81	68.20	-17.39	43.91	3	Horizontal	188	1.80	-	34.60	7.25	34.95
PK	6.323G	108.29	Inf	-Inf	100.75	3	Horizontal	188	1.80	-	34.95	7.60	35.01
RMS	6.363G	97.74	Inf	-Inf	90.25	3	Horizontal	188	1.80	-	34.90	7.60	35.01

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
 Setting 16
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.6901G	60.12	74.00	-13.88	41.70	3	Vertical	68	2.44	-	39.07	13.65	34.30
AV	12.6899G	50.23	54.00	-3.77	31.81	3	Vertical	68	2.44	-	39.07	13.65	34.30

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT Y_4TX
 Setting 16
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7008G	59.76	88.20	-28.44	41.29	3	Horizontal	111	2.84	-	39.10	13.66	34.29
AV	12.6899G	49.76	54.00	-4.24	31.34	3	Horizontal	111	2.84	-	39.07	13.65	34.30

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
 Setting 16
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03306G	56.47	83.54	-27.07	34.06	1	Vertical	175	1.57	-	37.51	14.76	29.86
AV	19.03G	44.22	63.54	-19.32	21.81	1	Vertical	175	1.57	-	37.51	14.76	29.86

5.925-6.425GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6345MHz_TX




EUT_Y_4TX
 Setting 16
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.03644G	56.36	83.54	-27.18	33.95	1	Horizontal	28	1.51	-	37.51	14.76	29.86
AV	19.0398G	44.34	63.54	-19.20	21.93	1	Horizontal	28	1.51	-	37.52	14.76	29.87

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 16
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.847G	61.80	88.20	-26.40	55.23	3	Vertical	245	2.00	-	34.29	7.22	34.94
RMS	5.9114G	50.80	68.20	-17.40	43.84	3	Vertical	245	2.00	-	34.65	7.26	34.95
PK	6.4602G	108.42	Inf	-Inf	101.12	3	Vertical	245	2.00	-	34.70	7.63	35.03
RMS	6.4798G	97.65	Inf	-Inf	90.34	3	Vertical	245	2.00	-	34.70	7.64	35.03
PK	7.1882G	62.58	88.20	-25.62	52.66	3	Vertical	245	2.00	-	36.33	8.68	35.09
RMS	7.2022G	52.20	68.20	-16.00	42.18	3	Vertical	245	2.00	-	36.41	8.70	35.09

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT Y_4TX
 Setting 16
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8442G	60.71	88.20	-27.49	54.14	3	Horizontal	138	1.79	-	34.29	7.22	34.94
RMS	5.9002G	50.81	68.20	-17.39	43.91	3	Horizontal	138	1.79	-	34.60	7.25	34.95
PK	6.5218G	106.64	Inf	-Inf	99.22	3	Horizontal	138	1.79	-	34.79	7.66	35.03
RMS	6.4826G	96.08	Inf	-Inf	88.77	3	Horizontal	138	1.79	-	34.70	7.64	35.03
PK	7.2022G	62.43	88.20	-25.77	52.41	3	Horizontal	138	1.79	-	36.41	8.70	35.09
RMS	7.205G	52.19	68.20	-16.01	42.15	3	Horizontal	138	1.79	-	36.43	8.70	35.09

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 16
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0347G	61.95	88.20	-26.25	42.17	3	Vertical	209	2.93	-	39.60	13.93	33.75
RMS	13.0099G	53.95	68.20	-14.25	34.29	3	Vertical	209	2.93	-	39.53	13.91	33.78

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
Setting 16
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.0095G	61.87	88.20	-26.33	42.21	3	Horizontal	205	2.07	-	39.53	13.91	33.78
RMS	13.0099G	52.46	68.20	-15.74	32.80	3	Horizontal	205	2.07	-	39.53	13.91	33.78

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUTY_4TX
 Setting 16
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51588G	56.49	83.54	-27.05	34.16	1	Vertical	58	1.58	-	37.69	14.93	30.29
AV	19.5123G	43.90	63.54	-19.64	21.56	1	Vertical	58	1.58	-	37.70	14.93	30.29

6.425-6.525GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6505MHz Straddle 6.425-6.525GHz_TX




EUT_Y_4TX
 Setting 16
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.51346G	56.01	83.54	-27.53	33.68	1	Horizontal	131	1.51	-	37.69	14.93	30.29
AV	19.51218G	43.90	63.54	-19.64	21.56	1	Horizontal	131	1.51	-	37.70	14.93	30.29

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
Setting 15.5
03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.621G	108.56	Inf	-Inf	100.68	3	Vertical	252	2.09	-	35.18	7.72	35.02
RMS	6.6408G	98.45	Inf	-Inf	90.47	3	Vertical	252	2.09	-	35.26	7.74	35.02
PK	7.1864G	61.95	88.20	-26.25	52.05	3	Vertical	252	2.09	-	36.32	8.67	35.09
RMS	7.215G	52.22	68.20	-15.98	42.13	3	Vertical	252	2.09	-	36.49	8.70	35.10

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
 Setting 15.5
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6474G	106.78	Inf	-Inf	98.76	3	Horizontal	197	1.80	-	35.29	7.75	35.02
RMS	6.6276G	96.34	Inf	-Inf	88.42	3	Horizontal	197	1.80	-	35.21	7.73	35.02
PK	7.1886G	62.24	88.20	-25.96	52.32	3	Horizontal	197	1.80	-	36.33	8.68	35.09
RMS	7.215G	52.21	68.20	-15.99	42.12	3	Horizontal	197	1.80	-	36.49	8.70	35.10

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
 Setting 15.5
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3299G	62.44	74.00	-11.56	41.57	3	Vertical	42	1.27	-	40.16	14.16	33.45
RMS	13.3299G	53.46	54.00	-0.54	32.59	3	Vertical	42	1.27	-	40.16	14.16	33.45

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUT_Y_4TX
 Setting 15.5
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.3298G	61.78	74.00	-12.22	40.91	3	Horizontal	14	1.03	-	40.16	14.16	33.45
RMS	13.3298G	52.56	54.00	-1.44	31.69	3	Horizontal	14	1.03	-	40.16	14.16	33.45

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUTY_4TX
 Setting 15.5
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99558G	56.83	83.54	-26.71	35.22	1	Vertical	243	1.55	-	37.40	15.10	30.89
AV	19.99186G	44.67	63.54	-18.87	23.05	1	Vertical	243	1.55	-	37.41	15.10	30.89

6.525-6.875GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6665MHz_TX




EUTY_4TX
 Setting 15.5
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	19.99808G	57.04	83.54	-26.50	35.44	1	Horizontal	280	1.51	-	37.40	15.10	30.90
AV	19.99232G	44.68	63.54	-18.86	23.06	1	Horizontal	280	1.51	-	37.41	15.10	30.89

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.875-7.125GHz_TX




EUT_Y_4TX
 Setting 16
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8282G	107.74	Inf	-Inf	99.05	3	Vertical	272	1.80	-	35.74	7.96	35.01
RMS	6.849G	97.49	Inf	-Inf	88.80	3	Vertical	272	1.80	-	35.70	8.00	35.01
PK	7.169G	62.41	88.20	-25.79	52.64	3	Vertical	272	1.80	-	36.21	8.64	35.08
RMS	7.2122G	52.20	68.20	-16.00	42.13	3	Vertical	272	1.80	-	36.47	8.70	35.10

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.875-7.125GHz_TX




EUT_Y_4TX
 Setting 16
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8474G	106.06	Inf	-Inf	97.37	3	Horizontal	195	1.73	-	35.71	7.99	35.01
RMS	6.8074G	96.28	Inf	-Inf	87.59	3	Horizontal	195	1.73	-	35.79	7.91	35.01
PK	7.1674G	63.01	88.20	-25.19	53.26	3	Horizontal	195	1.73	-	36.20	8.63	35.08
RMS	7.2218G	52.22	68.20	-15.98	42.09	3	Horizontal	195	1.73	-	36.53	8.70	35.10

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.875-7.125GHz_TX




EUT_Y_4TX
 Setting 16
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.6731G	63.66	88.20	-24.54	41.74	3	Vertical	214	1.69	-	40.57	14.44	33.09
RMS	13.6587G	50.92	68.20	-17.28	29.03	3	Vertical	214	1.69	-	40.56	14.43	33.10

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.875-7.125GHz_TX




EUT_Y_4TX
 Setting 16
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.65G	64.45	88.20	-23.75	42.59	3	Horizontal	57	2.24	-	40.55	14.42	33.11
RMS	13.6498G	54.91	68.20	-13.29	33.05	3	Horizontal	57	2.24	-	40.55	14.42	33.11

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.875-7.125GHz_TX




EUTY_4TX
 Setting 16
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47448G	54.85	83.54	-28.69	33.55	1	Vertical	137	1.57	-	37.69	15.22	31.61
AV	20.47052G	42.69	63.54	-20.85	21.39	1	Vertical	137	1.57	-	37.69	15.22	31.61

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6825MHz Straddle 6.875-7.125GHz_TX




EUTY_4TX
 Setting 16
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.47868G	54.94	83.54	-28.60	33.65	1	Horizontal	332	1.55	-	37.69	15.22	31.62
AV	20.47872G	42.89	63.54	-20.65	21.60	1	Horizontal	332	1.55	-	37.69	15.22	31.62

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
 Setting 16.5
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.99G	108.80	Inf	-Inf	99.82	3	Vertical	273	1.80	-	35.70	8.28	35.00
RMS	6.969G	98.37	Inf	-Inf	89.43	3	Vertical	273	1.80	-	35.70	8.24	35.00
PK	7.21G	62.79	88.20	-25.41	52.73	3	Vertical	273	1.80	-	36.46	8.70	35.10
RMS	7.13G	53.10	68.20	-15.10	43.62	3	Vertical	273	1.80	-	35.98	8.56	35.06

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
 Setting 16.5
 03-H-G-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.989G	105.52	Inf	-Inf	96.54	3	Horizontal	195	1.72	-	35.70	8.28	35.00
RMS	6.968G	95.63	Inf	-Inf	86.69	3	Horizontal	195	1.72	-	35.70	8.24	35.00
PK	7.204G	62.43	88.20	-25.77	52.40	3	Horizontal	195	1.72	-	36.42	8.70	35.09
RMS	7.233G	52.23	68.20	-15.97	42.04	3	Horizontal	195	1.72	-	36.60	8.70	35.11

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
Setting 16.5
03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9661G	63.79	88.20	-24.41	40.77	3	Vertical	301	2.75	-	41.13	14.67	32.78
RMS	13.9869G	51.90	68.20	-16.30	28.79	3	Vertical	301	2.75	-	41.17	14.69	32.75

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUT_Y_4TX
 Setting 16.5
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.9696G	64.99	88.20	-23.21	41.94	3	Horizontal	211	1.43	-	41.14	14.68	32.77
RMS	13.9698G	56.61	68.20	-11.59	33.56	3	Horizontal	211	1.43	-	41.14	14.68	32.77

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX




EUTY_4TX
 Setting 16.5
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.95182G	54.71	83.54	-28.83	33.59	1	Vertical	136	1.53	-	38.20	15.34	32.42
AV	20.9557G	42.90	63.54	-20.64	21.77	1	Vertical	136	1.53	-	38.21	15.34	32.42

6.875-7.125GHz_802.11ax HEW160_Nss1,(MCS0)_4TX

6985MHz_TX



EUTY_4TX
 Setting 16.5
 03-H-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	20.9516G	54.76	83.54	-28.78	33.64	1	Horizontal	181	1.52	-	38.20	15.34	32.42
AV	20.9592G	42.73	63.54	-20.81	21.60	1	Horizontal	181	1.52	-	38.22	15.34	32.43




Summary

Mode	Result	Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comments
6.875-7.125GHz	-	-	-	-	-	-	-	-	-	-	-
802.11ax HEW20-BF_Nss1,(MCS0)_4TX	Pass	RMS	7.1255G	68.09	68.20	-0.11	3	Vertical	106	1.53	-

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.899G	62.08	88.20	-26.12	54.68	3	Vertical	349	1.92	-	34.20	5.75	32.55
RMS	5.9014G	49.22	68.20	-18.98	41.82	3	Vertical	349	1.92	-	34.20	5.75	32.55
PK	6.1066G	119.10	Inf	-Inf	111.70	3	Vertical	349	1.92	-	34.11	5.91	32.62
RMS	6.1066G	109.84	Inf	-Inf	102.44	3	Vertical	349	1.92	-	34.11	5.91	32.62

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8426G	66.76	88.20	-21.44	59.58	3	Horizontal	278	1.58	-	33.99	5.72	32.53
RMS	5.9002G	49.22	68.20	-18.98	41.82	3	Horizontal	278	1.58	-	34.20	5.75	32.55
PK	6.121G	117.83	Inf	-Inf	110.40	3	Horizontal	278	1.58	-	34.14	5.92	32.63
RMS	6.1234G	109.38	Inf	-Inf	101.94	3	Horizontal	278	1.58	-	34.15	5.92	32.63

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22978G	59.01	74.00	-14.99	45.56	3	Vertical	236	1.72	-	38.77	8.95	34.27
AV	12.2299G	50.99	54.00	-3.01	37.54	3	Vertical	236	1.72	-	38.77	8.95	34.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.22996G	60.17	74.00	-13.83	46.72	3	Horizontal	227.2	2.29	-	38.77	8.95	34.27
AV	12.22986G	53.51	54.00	-0.49	40.06	3	Horizontal	227.2	2.29	-	38.77	8.95	34.27

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	24.45984G	48.03	97.74	-49.71	41.64	1	Vertical	85	1.57	-	38.88	16.23	48.72
RMS	24.4617G	33.97	77.74	-43.77	27.58	1	Vertical	85	1.57	-	38.88	16.23	48.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6115MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	24.46264G	47.41	97.74	-50.33	41.01	1	Horizontal	313	1.56	-	38.89	16.23	48.72
RMS	24.46378G	34.06	77.74	-43.68	27.66	1	Horizontal	313	1.56	-	38.89	16.23	48.72

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8598G	59.07	88.20	-29.13	51.84	3	Vertical	0	1.80	-	34.04	5.73	32.54
RMS	5.903G	49.23	68.20	-18.97	41.84	3	Vertical	0	1.80	-	34.19	5.75	32.55
PK	6.2486G	120.65	Inf	-Inf	112.93	3	Vertical	0	1.80	-	34.39	6.00	32.67
RMS	6.247G	109.54	Inf	-Inf	101.82	3	Vertical	0	1.80	-	34.39	6.00	32.67

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8758G	59.30	88.20	-28.90	52.00	3	Horizontal	273	1.50	-	34.10	5.74	32.54
RMS	5.919G	49.21	68.20	-18.99	41.85	3	Horizontal	273	1.50	-	34.16	5.76	32.56
PK	6.263G	118.30	Inf	-Inf	110.58	3	Horizontal	273	1.50	-	34.40	6.00	32.68
RMS	6.263G	109.15	Inf	-Inf	101.43	3	Horizontal	273	1.50	-	34.40	6.00	32.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.50976G	59.58	74.00	-14.42	46.02	3	Vertical	310	1.85	-	38.81	8.90	34.15
AV	12.50988G	50.37	54.00	-3.63	36.81	3	Vertical	310	1.85	-	38.81	8.90	34.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.50988G	59.93	74.00	-14.07	46.37	3	Horizontal	320	2.36	-	38.81	8.90	34.15
AV	12.50994G	52.70	54.00	-1.30	39.14	3	Horizontal	320	2.36	-	38.81	8.90	34.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.7607G	41.26	83.54	-42.28	39.50	1	Vertical	229	1.53	-	37.69	14.67	50.60
RMS	18.76804G	27.78	63.54	-35.76	26.02	1	Vertical	229	1.53	-	37.69	14.67	50.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6255MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	18.76176G	41.37	83.54	-42.17	39.61	1	Horizontal	99	1.51	-	37.69	14.67	50.60
RMS	18.76822G	27.72	63.54	-35.82	25.96	1	Horizontal	99	1.51	-	37.69	14.67	50.60

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9182G	59.37	88.20	-28.83	52.01	3	Vertical	345	1.85	-	34.16	5.76	32.56
RMS	5.899G	49.21	68.20	-18.99	41.81	3	Vertical	345	1.85	-	34.20	5.75	32.55
PK	6.4078G	121.83	Inf	-Inf	113.73	3	Vertical	345	1.85	-	34.82	6.01	32.73
RMS	6.4222G	112.10	Inf	-Inf	103.98	3	Vertical	345	1.85	-	34.84	6.02	32.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8654G	58.94	88.20	-29.26	51.69	3	Horizontal	295	1.84	-	34.06	5.73	32.54
RMS	5.9014G	49.30	68.20	-18.90	41.90	3	Horizontal	295	1.84	-	34.20	5.75	32.55
PK	6.4222G	122.64	Inf	-Inf	114.52	3	Horizontal	295	1.84	-	34.84	6.02	32.74
RMS	6.4222G	112.16	Inf	-Inf	104.04	3	Horizontal	295	1.84	-	34.84	6.02	32.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82987G	58.79	88.20	-29.41	44.58	3	Vertical	225	1.92	-	39.43	8.83	34.05
RMS	12.82988G	49.47	68.20	-18.73	35.26	3	Vertical	225	1.92	-	39.43	8.83	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.82976G	60.10	88.20	-28.10	45.89	3	Horizontal	226	1.89	-	39.43	8.83	34.05
RMS	12.8299G	51.93	68.20	-16.27	37.72	3	Horizontal	226	1.89	-	39.43	8.83	34.05

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	25.65772G	48.94	97.74	-48.80	41.18	1	Vertical	301	1.54	-	38.90	16.83	47.97
RMS	25.66G	35.35	77.74	-42.39	27.59	1	Vertical	301	1.54	-	38.90	16.83	47.97

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6415MHz_TnomVnom




01/10/2022

EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	25.66024G	48.85	97.74	-48.89	41.09	1	Horizontal	303	1.55	-	38.90	16.83	47.97
RMS	25.6556G	35.32	77.74	-42.42	27.57	1	Horizontal	303	1.55	-	38.90	16.83	47.98

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8734G	58.59	88.20	-29.61	51.30	3	Vertical	360	1.81	-	34.09	5.74	32.54
RMS	5.8968G	49.25	68.20	-18.95	41.86	3	Vertical	360	1.81	-	34.19	5.75	32.55
PK	6.4376G	122.24	Inf	-Inf	114.07	3	Vertical	360	1.81	-	34.88	6.04	32.75
RMS	6.4428G	112.86	Inf	-Inf	104.68	3	Vertical	360	1.81	-	34.89	6.04	32.75

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8968G	58.98	88.20	-29.22	51.59	3	Horizontal	305	1.74	-	34.19	5.75	32.55
RMS	5.9176G	49.25	68.20	-18.95	41.89	3	Horizontal	305	1.74	-	34.16	5.76	32.56
PK	6.4272G	119.74	Inf	-Inf	111.60	3	Horizontal	305	1.74	-	34.85	6.03	32.74
RMS	6.4272G	111.51	Inf	-Inf	103.37	3	Horizontal	305	1.74	-	34.85	6.03	32.74

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom








EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.87004G	58.93	88.20	-29.27	44.67	3	Vertical	225	1.95	-	39.47	8.83	34.04
RMS	12.86992G	50.18	68.20	-18.02	35.92	3	Vertical	225	1.95	-	39.47	8.83	34.04

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


15/09/2022

EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.86988G	60.09	88.20	-28.11	45.83	3	Horizontal	210	2.21	-	39.47	8.83	34.04
RMS	12.86988G	52.32	68.20	-15.88	38.06	3	Horizontal	210	2.21	-	39.47	8.83	34.04

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	25.73672G	48.72	97.74	-49.02	40.86	1	Vertical	295	1.58	-	38.90	16.87	47.91
RMS	25.742G	35.26	77.74	-42.48	27.40	1	Vertical	295	1.58	-	38.90	16.87	47.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6435MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	25.7369G	48.70	97.74	-49.04	40.84	1	Horizontal	101	1.54	-	38.90	16.87	47.91
RMS	25.73668G	35.29	77.74	-42.45	27.43	1	Horizontal	101	1.54	-	38.90	16.87	47.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.925G	58.50	88.20	-29.70	51.15	3	Vertical	359	1.85	-	34.15	5.76	32.56
RMS	5.901G	49.23	68.20	-18.97	41.83	3	Vertical	359	1.85	-	34.20	5.75	32.55
PK	6.4806G	122.14	Inf	-Inf	113.74	3	Vertical	359	1.85	-	35.08	6.08	32.76
RMS	6.4806G	112.18	Inf	-Inf	103.78	3	Vertical	359	1.85	-	35.08	6.08	32.76
PK	7.161G	62.38	88.20	-25.82	51.96	3	Vertical	359	1.85	-	36.82	6.76	33.16
RMS	7.175G	53.13	68.20	-15.07	42.68	3	Vertical	359	1.85	-	36.85	6.77	33.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT_V_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9234G	58.38	88.20	-29.82	51.03	3	Horizontal	248	1.82	-	34.15	5.76	32.56
RMS	5.8814G	49.19	68.20	-19.01	41.86	3	Horizontal	248	1.82	-	34.13	5.74	32.54
PK	6.4834G	120.66	Inf	-Inf	112.24	3	Horizontal	248	1.82	-	35.10	6.08	32.76
RMS	6.4834G	112.42	Inf	-Inf	104.00	3	Horizontal	248	1.82	-	35.10	6.08	32.76
PK	7.1582G	62.53	88.20	-25.67	52.11	3	Horizontal	248	1.82	-	36.82	6.76	33.16
RMS	7.1722G	53.10	68.20	-15.10	42.66	3	Horizontal	248	1.82	-	36.84	6.77	33.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94986G	60.27	88.20	-27.93	45.88	3	Vertical	223	1.94	-	39.60	8.81	34.02
RMS	12.94986G	51.64	68.20	-16.56	37.25	3	Vertical	223	1.94	-	39.60	8.81	34.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.94995G	60.01	88.20	-28.19	45.62	3	Horizontal	224	1.85	-	39.60	8.81	34.02
RMS	12.94989G	51.85	68.20	-16.35	37.46	3	Horizontal	224	1.85	-	39.60	8.81	34.02

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	25.89516G	48.98	97.74	-48.76	40.85	1	Vertical	152	1.53	-	38.96	16.95	47.78
RMS	25.89568G	35.18	77.74	-42.56	27.05	1	Vertical	152	1.53	-	38.96	16.95	47.78

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6475MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	25.90108G	48.17	97.74	-49.57	40.04	1	Horizontal	170	1.58	-	38.96	16.95	47.78
RMS	25.90268G	35.31	77.74	-42.43	27.18	1	Horizontal	170	1.58	-	38.96	16.95	47.78

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8682G	58.79	88.20	-29.41	51.53	3	Vertical	79.4	3.00	-	34.07	5.73	32.54
RMS	5.9214G	49.46	68.20	-18.74	42.10	3	Vertical	79.4	3.00	-	34.16	5.76	32.56
PK	6.5094G	121.53	Inf	-Inf	112.92	3	Vertical	79.4	3.00	-	35.28	6.11	32.78
RMS	6.5094G	113.32	Inf	-Inf	104.71	3	Vertical	79.4	3.00	-	35.28	6.11	32.78
PK	7.1506G	62.17	88.20	-26.03	51.78	3	Vertical	79.4	3.00	-	36.80	6.75	33.16
RMS	7.1954G	53.36	68.20	-14.84	42.85	3	Vertical	79.4	3.00	-	36.89	6.80	33.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8878G	58.56	88.20	-29.64	51.22	3	Horizontal	57.4	2.94	-	34.15	5.74	32.55
RMS	5.9186G	49.46	68.20	-18.74	42.10	3	Horizontal	57.4	2.94	-	34.16	5.76	32.56
PK	6.5094G	118.71	Inf	-Inf	110.10	3	Horizontal	57.4	2.94	-	35.28	6.11	32.78
RMS	6.5094G	109.76	Inf	-Inf	101.15	3	Horizontal	57.4	2.94	-	35.28	6.11	32.78
PK	7.1786G	62.63	88.20	-25.57	52.16	3	Horizontal	57.4	2.94	-	36.86	6.78	33.17
RMS	7.1954G	53.31	68.20	-14.89	42.80	3	Horizontal	57.4	2.94	-	36.89	6.80	33.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.02987G	60.37	88.20	-27.83	45.88	3	Vertical	224	1.94	-	39.70	8.79	34.00
RMS	13.0299G	53.05	68.20	-15.15	38.56	3	Vertical	224	1.94	-	39.70	8.79	34.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.03002G	60.13	88.20	-28.07	45.64	3	Horizontal	223	1.74	-	39.70	8.79	34.00
RMS	13.02985G	52.59	68.20	-15.61	38.10	3	Horizontal	223	1.74	-	39.70	8.79	34.00

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.0647G	50.97	97.74	-46.77	42.60	1	Vertical	228	1.58	-	39.00	17.03	47.66
RMS	26.06342G	36.52	77.74	-41.22	28.15	1	Vertical	228	1.58	-	39.00	17.03	47.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6515MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.05976G	49.88	97.74	-47.86	41.51	1	Horizontal	328	1.55	-	39.00	17.03	47.66
RMS	26.06236G	36.43	77.74	-41.31	28.06	1	Horizontal	328	1.55	-	39.00	17.03	47.66

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.919G	58.81	88.20	-29.39	51.45	3	Vertical	68	1.72	-	34.16	5.76	32.56
RMS	5.905G	49.48	68.20	-18.72	42.09	3	Vertical	68	1.72	-	34.19	5.75	32.55
PK	6.5294G	121.19	Inf	-Inf	112.41	3	Vertical	68	1.72	-	35.44	6.13	32.79
RMS	6.5266G	112.00	Inf	-Inf	103.25	3	Vertical	68	1.72	-	35.41	6.13	32.79
PK	7.1846G	65.05	88.20	-23.15	54.57	3	Vertical	68	1.72	-	36.87	6.78	33.17
RMS	7.235G	57.21	68.20	-10.99	46.60	3	Vertical	68	1.72	-	36.97	6.83	33.19

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8966G	58.76	88.20	-29.44	51.37	3	Horizontal	111	1.46	-	34.19	5.75	32.55
RMS	5.9106G	49.50	68.20	-18.70	42.11	3	Horizontal	111	1.46	-	34.18	5.76	32.55
PK	6.5378G	116.24	Inf	-Inf	107.40	3	Horizontal	111	1.46	-	35.50	6.14	32.80
RMS	6.5406G	107.60	Inf	-Inf	98.74	3	Horizontal	111	1.46	-	35.52	6.14	32.80
PK	7.2322G	62.29	88.20	-25.91	51.69	3	Horizontal	111	1.46	-	36.96	6.83	33.19
RMS	7.235G	54.95	68.20	-13.25	44.34	3	Horizontal	111	1.46	-	36.97	6.83	33.19

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06991G	60.69	88.20	-27.51	46.21	3	Vertical	224	1.95	-	39.70	8.79	34.01
RMS	13.06988G	53.23	68.20	-14.97	38.75	3	Vertical	224	1.95	-	39.70	8.79	34.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.06986G	61.18	88.20	-27.02	46.70	3	Horizontal	223	1.80	-	39.70	8.79	34.01
RMS	13.06989G	52.93	68.20	-15.27	38.45	3	Horizontal	223	1.80	-	39.70	8.79	34.01

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.14182G	51.13	97.74	-46.61	42.68	1	Vertical	37	1.50	-	39.00	17.06	47.61
RMS	26.14184G	37.18	77.74	-40.56	28.73	1	Vertical	37	1.50	-	39.00	17.06	47.61

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6535MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.14158G	51.09	97.74	-46.65	42.65	1	Horizontal	128	1.58	-	39.00	17.06	47.62
RMS	26.1448G	37.18	77.74	-40.56	28.72	1	Horizontal	128	1.58	-	39.00	17.07	47.61

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6862G	119.51	Inf	-Inf	110.17	3	Vertical	77	2.97	-	36.04	6.20	32.90
RMS	6.6884G	111.39	Inf	-Inf	102.04	3	Vertical	77	2.97	-	36.05	6.20	32.90
PK	7.2186G	62.35	88.20	-25.85	51.77	3	Vertical	77	2.97	-	36.94	6.82	33.18
RMS	7.1922G	53.35	68.20	-14.85	42.86	3	Vertical	77	2.97	-	36.88	6.79	33.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.6862G	118.75	Inf	-Inf	109.41	3	Horizontal	56.6	2.78	-	36.04	6.20	32.90
RMS	6.6862G	110.07	Inf	-Inf	100.73	3	Horizontal	56.6	2.78	-	36.04	6.20	32.90
PK	7.1394G	62.95	88.20	-25.25	52.63	3	Horizontal	56.6	2.78	-	36.74	6.74	33.16
RMS	7.1922G	53.37	68.20	-14.83	42.88	3	Horizontal	56.6	2.78	-	36.88	6.79	33.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUTY_4TX
Setting 25
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38984G	57.53	74.00	-16.47	40.45	3	Vertical	182	1.84	-	40.28	8.79	31.99
AV	13.38996G	48.84	54.00	-5.16	31.76	3	Vertical	182	1.84	-	40.28	8.79	31.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUTY_4TX
Setting 25
02-F-G-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.38992G	59.26	74.00	-14.74	42.18	3	Horizontal	108	1.90	-	40.28	8.79	31.99
AV	13.38984G	53.34	54.00	-0.66	36.26	3	Horizontal	108	1.90	-	40.28	8.79	31.99

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.77952G	52.03	97.74	-45.71	42.41	1	Vertical	105	1.54	-	39.56	17.35	47.29
RMS	26.7769G	39.73	77.74	-38.01	30.10	1	Vertical	105	1.54	-	39.57	17.35	47.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6695MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.785G	52.58	97.74	-45.16	42.96	1	Horizontal	166	1.54	-	39.56	17.35	47.29
RMS	26.78492G	39.75	77.74	-37.99	30.13	1	Horizontal	166	1.54	-	39.56	17.35	47.29

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.862G	121.89	Inf	-Inf	112.69	3	Vertical	93	1.75	-	35.90	6.32	33.02
RMS	6.862G	111.88	Inf	-Inf	102.68	3	Vertical	93	1.75	-	35.90	6.32	33.02
PK	7.2036G	63.01	88.20	-25.19	52.48	3	Vertical	93	1.75	-	36.91	6.80	33.18
RMS	7.198G	53.44	68.20	-14.76	42.92	3	Vertical	93	1.75	-	36.90	6.80	33.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	119.98	Inf	-Inf	110.79	3	Horizontal	77.5	1.86	-	35.91	6.29	33.01
RMS	6.8466G	109.94	Inf	-Inf	100.75	3	Horizontal	77.5	1.86	-	35.91	6.29	33.01
PK	7.1644G	63.10	88.20	-25.10	52.68	3	Horizontal	77.5	1.86	-	36.83	6.76	33.17
RMS	7.2022G	53.43	68.20	-14.77	42.91	3	Horizontal	77.5	1.86	-	36.90	6.80	33.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.70999G	61.03	88.20	-27.17	45.92	3	Vertical	274	1.80	-	40.41	8.66	33.96
RMS	13.70989G	50.82	68.20	-17.38	35.71	3	Vertical	274	1.80	-	40.41	8.66	33.96

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.7099G	63.40	88.20	-24.80	48.29	3	Horizontal	212	2.29	-	40.41	8.66	33.96
RMS	13.70983G	57.29	68.20	-10.91	42.18	3	Horizontal	212	2.29	-	40.41	8.66	33.96

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.42254G	52.86	97.74	-44.88	42.72	1	Vertical	264	1.58	-	39.36	17.64	46.86
RMS	27.41552G	39.11	77.74	-38.63	28.97	1	Vertical	264	1.58	-	39.37	17.64	46.87

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6855MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.4198G	53.35	97.74	-44.39	43.21	1	Horizontal	129	1.51	-	39.36	17.64	46.86
RMS	27.42096G	39.19	77.74	-38.55	29.05	1	Horizontal	129	1.51	-	39.36	17.64	46.86

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8678G	121.35	Inf	-Inf	112.13	3	Vertical	94	1.79	-	35.90	6.34	33.02
RMS	6.8678G	111.63	Inf	-Inf	102.41	3	Vertical	94	1.79	-	35.90	6.34	33.02
PK	7.151G	62.54	88.20	-25.66	52.15	3	Vertical	94	1.79	-	36.80	6.75	33.16
RMS	7.1714G	53.22	68.20	-14.98	42.78	3	Vertical	94	1.79	-	36.84	6.77	33.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.869G	118.43	Inf	-Inf	109.21	3	Horizontal	65.3	1.51	-	35.90	6.34	33.02
RMS	6.8666G	109.43	Inf	-Inf	100.22	3	Horizontal	65.3	1.51	-	35.90	6.33	33.02
PK	7.1702G	62.35	88.20	-25.85	51.91	3	Horizontal	65.3	1.51	-	36.84	6.77	33.17
RMS	7.1654G	53.20	68.20	-15.00	42.77	3	Horizontal	65.3	1.51	-	36.83	6.77	33.17

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




15/09/2022

EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.74975G	61.53	88.20	-26.67	46.37	3	Vertical	284	1.80	-	40.45	8.65	33.94
RMS	13.74992G	50.76	68.20	-17.44	35.60	3	Vertical	284	1.80	-	40.45	8.65	33.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




15/09/2022

EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.749987G	63.47	88.20	-24.73	48.31	3	Horizontal	214	2.28	-	40.45	8.65	33.94
RMS	13.74987G	57.09	68.20	-11.11	41.93	3	Horizontal	214	2.28	-	40.45	8.65	33.94

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.49678G	52.39	97.74	-45.35	42.22	1	Vertical	307	1.56	-	39.30	17.67	46.80
RMS	27.50078G	38.37	77.74	-39.37	28.19	1	Vertical	307	1.56	-	39.30	17.68	46.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6875MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.50374G	51.71	97.74	-46.03	41.53	1	Horizontal	32	1.54	-	39.30	17.68	46.80
RMS	27.4984G	38.47	77.74	-39.27	28.30	1	Horizontal	32	1.54	-	39.30	17.67	46.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9022G	122.62	Inf	-Inf	113.36	3	Vertical	83	1.93	-	35.90	6.40	33.04
RMS	6.9034G	110.07	Inf	-Inf	100.81	3	Vertical	83	1.93	-	35.89	6.41	33.04
PK	7.1926G	63.66	88.20	-24.54	53.16	3	Vertical	83	1.93	-	36.89	6.79	33.18
RMS	7.1938G	53.47	68.20	-14.73	42.97	3	Vertical	83	1.93	-	36.89	6.79	33.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8938G	116.72	Inf	-Inf	107.47	3	Horizontal	56.4	1.57	-	35.90	6.39	33.04
RMS	6.9034G	108.46	Inf	-Inf	99.20	3	Horizontal	56.4	1.57	-	35.89	6.41	33.04
PK	7.1782G	62.93	88.20	-25.27	52.46	3	Horizontal	56.4	1.57	-	36.86	6.78	33.17
RMS	7.1914G	53.44	68.20	-14.76	42.95	3	Horizontal	56.4	1.57	-	36.88	6.79	33.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.79005G	61.03	88.20	-27.17	45.81	3	Vertical	273	1.80	-	40.49	8.64	33.91
RMS	13.78988G	49.71	68.20	-18.49	34.49	3	Vertical	273	1.80	-	40.49	8.64	33.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.78986G	63.65	88.20	-24.55	48.43	3	Horizontal	211	2.29	-	40.49	8.64	33.91
RMS	13.78988G	57.00	68.20	-11.20	41.78	3	Horizontal	211	2.29	-	40.49	8.64	33.91

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.5754G	51.85	97.74	-45.89	41.58	1	Vertical	38	1.53	-	39.36	17.71	46.80
RMS	27.57928G	37.87	77.74	-39.87	27.60	1	Vertical	38	1.53	-	39.36	17.71	46.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6895MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.57648G	51.25	97.74	-46.49	40.98	1	Horizontal	320	1.53	-	39.36	17.71	46.80
RMS	27.57608G	37.89	77.74	-39.85	27.62	1	Horizontal	320	1.53	-	39.36	17.71	46.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0022G	121.27	Inf	-Inf	111.87	3	Vertical	92	1.81	-	35.91	6.60	33.11
RMS	7.0038G	112.99	Inf	-Inf	103.58	3	Vertical	92	1.81	-	35.92	6.60	33.11
PK	7.1926G	63.26	88.20	-24.94	52.76	3	Vertical	92	1.81	-	36.89	6.79	33.18
RMS	7.1926G	53.65	68.20	-14.55	43.15	3	Vertical	92	1.81	-	36.89	6.79	33.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.003G	120.18	Inf	-Inf	110.78	3	Horizontal	93.2	2.08	-	35.91	6.60	33.11
RMS	7.0038G	111.26	Inf	-Inf	101.85	3	Horizontal	93.2	2.08	-	35.92	6.60	33.11
PK	7.1598G	63.52	88.20	-24.68	53.10	3	Horizontal	93.2	2.08	-	36.82	6.76	33.16
RMS	7.1942G	53.64	68.20	-14.56	43.14	3	Horizontal	93.2	2.08	-	36.89	6.79	33.18

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.98981G	60.88	88.20	-27.32	45.21	3	Vertical	257	1.85	-	40.87	8.60	33.80
RMS	13.98989G	49.76	68.20	-18.44	34.09	3	Vertical	257	1.85	-	40.87	8.60	33.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.99004G	62.95	88.20	-25.25	47.28	3	Horizontal	206	1.93	-	40.87	8.60	33.80
RMS	13.98989G	55.00	68.20	-13.20	39.33	3	Horizontal	206	1.93	-	40.87	8.60	33.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.98274G	55.36	97.74	-42.38	44.68	1	Vertical	164	1.55	-	39.59	17.89	46.80
RMS	27.98084G	41.30	77.74	-36.44	30.62	1	Vertical	164	1.55	-	39.59	17.89	46.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

6995MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.97628G	54.46	97.74	-43.28	43.78	1	Horizontal	38	1.53	-	39.59	17.89	46.80
RMS	27.97564G	41.22	77.74	-36.52	30.54	1	Horizontal	38	1.53	-	39.59	17.89	46.80

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0894G	125.21	Inf	-Inf	115.24	3	Vertical	2	1.70	-	36.42	6.69	33.14
RMS	7.1038G	114.56	Inf	-Inf	104.49	3	Vertical	2	1.70	-	36.52	6.70	33.15
PK	7.1258G	70.77	88.20	-17.43	60.54	3	Vertical	2	1.70	-	36.65	6.73	33.15
RMS	7.1252G	57.61	68.20	-10.59	47.38	3	Vertical	2	1.70	-	36.65	6.73	33.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1024G	117.77	Inf	-Inf	107.70	3	Horizontal	35	1.80	-	36.51	6.70	33.14
RMS	7.1038G	110.00	Inf	-Inf	99.93	3	Horizontal	35	1.80	-	36.52	6.70	33.15
PK	7.1394G	63.26	88.20	-24.94	52.94	3	Horizontal	35	1.80	-	36.74	6.74	33.16
RMS	7.125G	53.63	68.20	-14.57	43.41	3	Horizontal	35	1.80	-	36.65	6.72	33.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18986G	61.06	88.20	-27.14	45.30	3	Vertical	272	1.86	-	40.81	8.65	33.70
RMS	14.18984G	49.58	68.20	-18.62	33.82	3	Vertical	272	1.86	-	40.81	8.65	33.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.18959G	62.09	88.20	-26.11	46.33	3	Horizontal	215	2.55	-	40.81	8.65	33.70
RMS	14.18987G	52.91	68.20	-15.29	37.15	3	Horizontal	215	2.55	-	40.81	8.65	33.70

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	28.37812G	53.48	97.74	-44.26	42.34	1	Vertical	281	1.57	-	39.70	18.01	46.57
RMS	28.37656G	40.07	77.74	-37.67	28.93	1	Vertical	281	1.57	-	39.70	18.01	46.57

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7095MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	28.38286G	53.98	97.74	-43.76	42.84	1	Horizontal	7	1.57	-	39.70	18.01	46.57
RMS	28.37558G	40.12	77.74	-37.62	28.98	1	Horizontal	7	1.57	-	39.70	18.01	46.57

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 8
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.1199G	97.04	Inf	-Inf	87.37	3	Vertical	106	1.53	-	36.86	5.96	33.15
RMS	7.1225G	86.80	Inf	-Inf	77.11	3	Vertical	106	1.53	-	36.88	5.96	33.15
PK	7.1255G	80.83	88.20	-7.37	71.12	3	Vertical	106	1.53	-	36.90	5.96	33.15
RMS	7.1255G	68.09	68.20	-0.11	58.38	3	Vertical	106	1.53	-	36.90	5.96	33.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 8
04-D-E-2-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.10993G	92.54	Inf	-Inf	82.96	3	Horizontal	325	1.80	-	36.78	5.95	33.15
RMS	7.10643G	79.74	Inf	-Inf	70.19	3	Horizontal	325	1.80	-	36.75	5.95	33.15
PK	7.1255G	73.32	88.20	-14.88	63.61	3	Horizontal	325	1.80	-	36.90	5.96	33.15
RMS	7.1255G	61.26	68.20	-6.94	51.55	3	Horizontal	325	1.80	-	36.90	5.96	33.15

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22993G	60.93	88.20	-27.27	45.21	3	Vertical	273	1.80	-	40.74	8.66	33.68
RMS	14.2299G	49.25	68.20	-18.95	33.53	3	Vertical	273	1.80	-	40.74	8.66	33.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.22979G	62.24	88.20	-25.96	46.52	3	Horizontal	217	2.50	-	40.74	8.66	33.68
RMS	14.22979G	52.73	68.20	-15.47	37.01	3	Horizontal	217	2.50	-	40.74	8.66	33.68

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_4TX
Setting 8
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	28.46294G	53.37	97.74	-44.37	42.15	1	Vertical	116	1.56	-	39.70	18.04	46.52
RMS	28.45982G	40.10	77.74	-37.64	28.88	1	Vertical	116	1.56	-	39.70	18.04	46.52

802.11ax HEW20-BF_Nss1,(MCS0)_4TX

7115MHz_TnomVnom




EUT Y_4TX
Setting 8
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	28.45874G	53.46	97.74	-44.28	42.24	1	Horizontal	235	1.50	-	39.70	18.04	46.52
RMS	28.46246G	40.17	77.74	-37.57	28.95	1	Horizontal	235	1.50	-	39.70	18.04	46.52

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9054G	60.68	88.20	-27.52	53.29	3	Vertical	337	1.80	-	34.19	5.75	32.55
RMS	5.9186G	48.49	68.20	-19.71	41.13	3	Vertical	337	1.80	-	34.16	5.76	32.56
PK	6.131G	117.76	Inf	-Inf	110.30	3	Vertical	337	1.80	-	34.16	5.93	32.63
RMS	6.1358G	106.28	Inf	-Inf	98.80	3	Vertical	337	1.80	-	34.17	5.94	32.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8442G	67.04	88.20	-21.16	59.86	3	Horizontal	277	1.64	-	33.99	5.72	32.53
RMS	5.9102G	48.46	68.20	-19.74	41.07	3	Horizontal	277	1.64	-	34.18	5.76	32.55
PK	6.1334G	117.77	Inf	-Inf	110.30	3	Horizontal	277	1.64	-	34.17	5.93	32.63
RMS	6.1322G	106.50	Inf	-Inf	99.04	3	Horizontal	277	1.64	-	34.16	5.93	32.63

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.24976G	58.94	74.00	-15.06	45.51	3	Vertical	325	1.75	-	38.75	8.95	34.27
AV	12.24982G	50.63	54.00	-3.37	37.20	3	Vertical	325	1.75	-	38.75	8.95	34.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.25012G	59.21	74.00	-14.79	45.77	3	Horizontal	309	1.71	-	38.75	8.95	34.26
AV	12.24988G	51.64	54.00	-2.36	38.21	3	Horizontal	309	1.71	-	38.75	8.95	34.27

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	24.50196G	47.58	97.74	-50.16	41.13	1	Vertical	249	1.53	-	38.90	16.25	48.70
RMS	24.50462G	34.13	77.74	-43.61	27.68	1	Vertical	249	1.53	-	38.90	16.25	48.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6125MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	24.49988G	47.62	97.74	-50.12	41.17	1	Horizontal	96	1.53	-	38.90	16.25	48.70
RMS	24.4978G	34.15	77.74	-43.59	27.70	1	Horizontal	96	1.53	-	38.90	16.25	48.70

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9026G	58.78	88.20	-29.42	51.39	3	Vertical	102	1.80	-	34.19	5.75	32.55
RMS	5.9058G	48.78	68.20	-19.42	41.39	3	Vertical	102	1.80	-	34.19	5.75	32.55
PK	6.2514G	117.11	Inf	-Inf	109.39	3	Vertical	102	1.80	-	34.40	6.00	32.68
RMS	6.2466G	107.03	Inf	-Inf	99.31	3	Vertical	102	1.80	-	34.39	6.00	32.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9026G	59.44	88.20	-28.76	52.05	3	Horizontal	56.8	1.72	-	34.19	5.75	32.55
RMS	5.9138G	48.71	68.20	-19.49	41.33	3	Horizontal	56.8	1.72	-	34.17	5.76	32.55
PK	6.253G	115.73	Inf	-Inf	108.01	3	Horizontal	56.8	1.72	-	34.40	6.00	32.68
RMS	6.2466G	105.50	Inf	-Inf	97.78	3	Horizontal	56.8	1.72	-	34.39	6.00	32.67

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.48984G	59.01	74.00	-14.99	45.44	3	Vertical	309	1.90	-	38.82	8.90	34.15
AV	12.4899G	49.50	54.00	-4.50	35.93	3	Vertical	309	1.90	-	38.82	8.90	34.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.48996G	59.75	74.00	-14.25	46.18	3	Horizontal	309	1.56	-	38.82	8.90	34.15
AV	12.48988G	51.55	54.00	-2.45	37.98	3	Horizontal	309	1.56	-	38.82	8.90	34.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	24.97978G	49.35	97.74	-48.39	42.28	1	Vertical	257	1.55	-	38.99	16.49	48.41
RMS	24.9842G	35.72	77.74	-42.02	28.65	1	Vertical	257	1.55	-	38.99	16.49	48.41

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6245MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	24.98338G	49.36	97.74	-48.38	42.29	1	Horizontal	221	1.56	-	38.99	16.49	48.41
RMS	24.9827G	35.76	77.74	-41.98	28.69	1	Horizontal	221	1.56	-	38.99	16.49	48.41

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8928G	58.93	88.20	-29.27	51.56	3	Vertical	96	2.14	-	34.17	5.75	32.55
RMS	5.9162G	48.68	68.20	-19.52	41.30	3	Vertical	96	2.14	-	34.17	5.76	32.55
PK	6.4128G	119.49	Inf	-Inf	111.39	3	Vertical	96	2.14	-	34.83	6.01	32.74
RMS	6.4076G	109.17	Inf	-Inf	101.07	3	Vertical	96	2.14	-	34.82	6.01	32.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8174G	59.05	88.20	-29.15	51.94	3	Horizontal	50.4	2.26	-	33.93	5.71	32.53
RMS	5.9058G	48.68	68.20	-19.52	41.29	3	Horizontal	50.4	2.26	-	34.19	5.75	32.55
PK	6.392G	116.71	Inf	-Inf	108.67	3	Horizontal	50.4	2.26	-	34.77	6.00	32.73
RMS	6.3894G	105.88	Inf	-Inf	97.85	3	Horizontal	50.4	2.26	-	34.76	6.00	32.73

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80976G	59.74	88.20	-28.46	45.55	3	Vertical	308	1.44	-	39.41	8.84	34.06
RMS	12.80992G	50.66	68.20	-17.54	36.47	3	Vertical	308	1.44	-	39.41	8.84	34.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.80998G	60.17	88.20	-28.03	45.98	3	Horizontal	316	1.93	-	39.41	8.84	34.06
RMS	12.80988G	51.33	68.20	-16.87	37.14	3	Horizontal	316	1.93	-	39.41	8.84	34.06

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	25.62436G	49.09	97.74	-48.65	41.38	1	Vertical	337	1.53	-	38.90	16.81	48.00
RMS	25.62462G	35.33	77.74	-42.41	27.62	1	Vertical	337	1.53	-	38.90	16.81	48.00

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6405MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	25.62444G	48.61	97.74	-49.13	40.90	1	Horizontal	210	1.53	-	38.90	16.81	48.00
RMS	25.61512G	35.44	77.74	-42.30	27.74	1	Horizontal	210	1.53	-	38.90	16.81	48.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8834G	58.88	88.20	-29.32	51.56	3	Vertical	89	2.36	-	34.13	5.74	32.55
RMS	5.9094G	48.72	68.20	-19.48	41.34	3	Vertical	89	2.36	-	34.18	5.75	32.55
PK	6.4554G	117.68	Inf	-Inf	109.44	3	Vertical	89	2.36	-	34.93	6.06	32.75
RMS	6.4398G	107.31	Inf	-Inf	99.14	3	Vertical	89	2.36	-	34.88	6.04	32.75

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8938G	59.09	88.20	-29.11	51.71	3	Horizontal	38.9	2.43	-	34.18	5.75	32.55
RMS	5.912G	48.74	68.20	-19.46	41.35	3	Horizontal	38.9	2.43	-	34.18	5.76	32.55
PK	6.4372G	114.49	Inf	-Inf	106.33	3	Horizontal	38.9	2.43	-	34.87	6.04	32.75
RMS	6.4346G	106.18	Inf	-Inf	98.03	3	Horizontal	38.9	2.43	-	34.87	6.03	32.75

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88996G	60.59	88.20	-27.61	46.31	3	Vertical	315	1.94	-	39.49	8.82	34.03
RMS	12.88988G	52.60	68.20	-15.60	38.32	3	Vertical	315	1.94	-	39.49	8.82	34.03

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.88984G	59.74	88.20	-28.46	45.46	3	Horizontal	314	1.91	-	39.49	8.82	34.03
RMS	12.8899G	51.38	68.20	-16.82	37.10	3	Horizontal	314	1.91	-	39.49	8.82	34.03

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	25.78032G	48.40	97.74	-49.34	40.48	1	Vertical	174	1.52	-	38.91	16.89	47.88
RMS	25.78078G	35.23	77.74	-42.51	27.31	1	Vertical	174	1.52	-	38.91	16.89	47.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6445MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	25.7772G	48.48	97.74	-49.26	40.56	1	Horizontal	15	1.53	-	38.91	16.89	47.88
RMS	25.78012G	35.16	77.74	-42.58	27.24	1	Horizontal	15	1.53	-	38.91	16.89	47.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.897G	58.56	88.20	-29.64	51.17	3	Vertical	64	2.35	-	34.19	5.75	32.55
RMS	5.9166G	48.69	68.20	-19.51	41.31	3	Vertical	64	2.35	-	34.17	5.76	32.55
PK	6.4822G	120.36	Inf	-Inf	111.95	3	Vertical	64	2.35	-	35.09	6.08	32.76
RMS	6.4822G	108.91	Inf	-Inf	100.50	3	Vertical	64	2.35	-	35.09	6.08	32.76
PK	7.129G	62.19	88.20	-26.01	51.94	3	Vertical	64	2.35	-	36.67	6.73	33.15
RMS	7.185G	52.32	68.20	-15.88	41.84	3	Vertical	64	2.35	-	36.67	6.78	33.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8886G	59.05	88.20	-29.15	51.71	3	Horizontal	111.9	2.09	-	34.15	5.74	32.55
RMS	5.911G	48.71	68.20	-19.49	41.32	3	Horizontal	111.9	2.09	-	34.18	5.76	32.55
PK	6.4822G	116.15	Inf	-Inf	107.74	3	Horizontal	111.9	2.09	-	35.09	6.08	32.76
RMS	6.4822G	106.41	Inf	-Inf	98.00	3	Horizontal	111.9	2.09	-	35.09	6.08	32.76
PK	7.1486G	61.82	88.20	-26.38	51.44	3	Horizontal	111.9	2.09	-	36.79	6.75	33.16
RMS	7.185G	52.36	68.20	-15.84	41.88	3	Horizontal	111.9	2.09	-	36.87	6.78	33.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9705G	64.32	88.20	-23.88	49.88	3	Vertical	310	2.12	-	39.64	8.81	34.01
RMS	12.9724G	50.68	68.20	-17.52	36.24	3	Vertical	310	2.12	-	39.64	8.81	34.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.97406G	66.13	88.20	-22.07	51.68	3	Horizontal	231	2.02	-	39.65	8.81	34.01
RMS	12.96742G	51.60	68.20	-16.60	37.17	3	Horizontal	231	2.02	-	39.63	8.81	34.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6485MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	25.94298G	49.39	97.74	-48.35	41.19	1	Vertical	140	1.58	-	38.98	16.97	47.75
RMS	25.93954G	35.41	77.74	-42.33	27.21	1	Vertical	140	1.58	-	38.98	16.97	47.75

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6485MHz_TnomVnom



EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	25.94188G	49.06	97.74	-48.68	40.86	1	Horizontal	173	1.55	-	38.98	16.97	47.75
RMS	25.94456G	35.46	77.74	-42.28	27.25	1	Horizontal	173	1.55	-	38.98	16.97	47.74


802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_4TX
 Setting 25
 04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8922G	58.24	88.20	-29.96	50.87	3	Vertical	65	2.65	-	34.17	5.75	32.55
RMS	5.9006G	48.69	68.20	-19.51	41.29	3	Vertical	65	2.65	-	34.20	5.75	32.55
PK	6.5222G	119.15	Inf	-Inf	110.44	3	Vertical	65	2.65	-	35.38	6.12	32.79
RMS	6.5278G	109.67	Inf	-Inf	100.91	3	Vertical	65	2.65	-	35.42	6.13	32.79
PK	7.1354G	61.81	88.20	-26.39	51.52	3	Vertical	65	2.65	-	36.71	6.74	33.16
RMS	7.1914G	52.47	68.20	-15.73	41.98	3	Vertical	65	2.65	-	36.88	6.79	33.18

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
 Setting 25
 04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8866G	58.45	88.20	-29.75	51.11	3	Horizontal	114.5	2.94	-	34.15	5.74	32.55
RMS	5.9202G	48.74	68.20	-19.46	41.38	3	Horizontal	114.5	2.94	-	34.16	5.76	32.56
PK	6.5194G	116.66	Inf	-Inf	107.96	3	Horizontal	114.5	2.94	-	35.36	6.12	32.78
RMS	6.5278G	105.88	Inf	-Inf	97.12	3	Horizontal	114.5	2.94	-	35.42	6.13	32.79
PK	7.141G	63.83	88.20	-24.37	53.50	3	Horizontal	114.5	2.94	-	36.75	6.74	33.16
RMS	7.1858G	52.47	68.20	-15.73	41.98	3	Horizontal	114.5	2.94	-	36.87	6.79	33.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05056G	64.24	88.20	-23.96	49.76	3	Vertical	225	2.61	-	39.70	8.79	34.01
RMS	13.05244G	50.93	68.20	-17.27	36.45	3	Vertical	225	2.61	-	39.70	8.79	34.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.05134G	65.73	88.20	-22.47	51.25	3	Horizontal	6	1.89	-	39.70	8.79	34.01
RMS	13.04508G	51.91	68.20	-16.29	37.43	3	Horizontal	6	1.89	-	39.70	8.79	34.01

802.11ax HEW40-BF_Nss1,(MCS0)_4TX


6525MHz Straddle 6.425-6.525GHz_TnomVnom



EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.09822G	50.78	97.74	-46.96	42.38	1	Vertical	317	1.55	-	39.00	17.04	47.64
RMS	26.09816G	36.81	77.74	-40.93	28.41	1	Vertical	317	1.55	-	39.00	17.04	47.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX
6525MHz Straddle 6.425-6.525GHz_TnomVnom




EUT Y_4TX
 Setting 25
 02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.0961G	49.98	97.74	-47.76	41.58	1	Horizontal	206	1.56	-	39.00	17.04	47.64
RMS	26.10028G	36.73	77.74	-41.01	28.32	1	Horizontal	206	1.56	-	39.00	17.05	47.64

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.5674G	119.90	Inf	-Inf	110.88	3	Vertical	87	1.80	-	35.67	6.17	32.82
RMS	6.5722G	108.49	Inf	-Inf	99.45	3	Vertical	87	1.80	-	35.69	6.17	32.82
PK	7.153G	61.72	88.20	-26.48	51.32	3	Vertical	87	1.80	-	36.81	6.75	33.16
RMS	7.1626G	52.42	68.20	-15.78	42.00	3	Vertical	87	1.80	-	36.83	6.76	33.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.565G	115.01	Inf	-Inf	105.99	3	Horizontal	43.8	1.51	-	35.66	6.17	32.81
RMS	6.5674G	104.99	Inf	-Inf	95.97	3	Horizontal	43.8	1.51	-	35.67	6.17	32.82
PK	7.141G	62.00	88.20	-26.20	51.67	3	Horizontal	43.8	1.51	-	36.75	6.74	33.16
RMS	7.1626G	52.34	68.20	-15.86	41.92	3	Horizontal	43.8	1.51	-	36.83	6.76	33.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.1335G	62.00	88.20	-26.20	47.48	3	Vertical	167	2.12	-	39.77	8.77	34.02
RMS	13.12568G	49.30	68.20	-18.90	34.80	3	Vertical	167	2.12	-	39.75	8.77	34.02

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.13474G	64.12	88.20	-24.08	49.60	3	Horizontal	104	1.51	-	39.77	8.77	34.02
RMS	13.13002G	51.12	68.20	-17.08	36.61	3	Horizontal	104	1.51	-	39.76	8.77	34.02

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.26064G	50.91	97.74	-46.83	42.30	1	Vertical	53	1.56	-	39.03	17.12	47.54
RMS	26.25938G	37.37	77.74	-40.37	28.77	1	Vertical	53	1.56	-	39.02	17.12	47.54

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6565MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.26164G	52.18	97.74	-45.56	43.57	1	Horizontal	263	1.52	-	39.03	17.12	47.54
RMS	26.2564G	37.40	77.74	-40.34	28.81	1	Horizontal	263	1.52	-	39.02	17.12	47.55

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6725MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.7286G	118.68	Inf	-Inf	109.31	3	Vertical	98	1.79	-	36.10	6.20	32.93
RMS	6.7304G	107.55	Inf	-Inf	98.18	3	Vertical	98	1.79	-	36.10	6.20	32.93
PK	7.13G	62.86	88.20	-25.34	52.60	3	Vertical	98	1.79	-	36.68	6.73	33.15
RMS	7.1732G	52.47	68.20	-15.73	42.02	3	Vertical	98	1.79	-	36.85	6.77	33.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6725MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.725G	114.88	Inf	-Inf	105.50	3	Horizontal	155.6	1.96	-	36.10	6.20	32.92
RMS	6.7232G	104.01	Inf	-Inf	94.63	3	Horizontal	155.6	1.96	-	36.10	6.20	32.92
PK	7.1714G	61.97	88.20	-26.23	51.53	3	Horizontal	155.6	1.96	-	36.84	6.77	33.17
RMS	7.175G	52.46	68.20	-15.74	42.01	3	Horizontal	155.6	1.96	-	36.85	6.77	33.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6725MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.44985G	59.28	88.20	-28.92	44.44	3	Vertical	271	1.92	-	40.20	8.71	34.07
RMS	13.44981G	48.79	68.20	-19.41	33.95	3	Vertical	271	1.92	-	40.20	8.71	34.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6725MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.44984G	62.48	88.20	-25.72	47.64	3	Horizontal	213	2.10	-	40.20	8.71	34.07
RMS	13.44989G	55.94	68.20	-12.26	41.10	3	Horizontal	213	2.10	-	40.20	8.71	34.07

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6725MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.90404G	51.36	97.74	-46.38	41.77	1	Vertical	89	1.52	-	39.42	17.41	47.24
RMS	26.90214G	37.74	77.74	-40.00	28.15	1	Vertical	89	1.52	-	39.42	17.41	47.24

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6725MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	26.90282G	51.18	97.74	-46.56	41.59	1	Horizontal	258	1.50	-	39.42	17.41	47.24
RMS	26.89654G	37.77	77.74	-39.97	28.19	1	Horizontal	258	1.50	-	39.42	17.40	47.24

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8466G	118.15	Inf	-Inf	108.96	3	Vertical	83	1.80	-	35.91	6.29	33.01
RMS	6.8482G	108.87	Inf	-Inf	99.67	3	Vertical	83	1.80	-	35.91	6.30	33.01
PK	7.1762G	63.40	88.20	-24.80	52.94	3	Vertical	83	1.80	-	36.85	6.78	33.17
RMS	7.2354G	56.97	68.20	-11.23	46.35	3	Vertical	83	1.80	-	36.97	6.84	33.19

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8482G	116.39	Inf	-Inf	107.19	3	Horizontal	126.1	1.47	-	35.91	6.30	33.01
RMS	6.8466G	104.84	Inf	-Inf	95.65	3	Horizontal	126.1	1.47	-	35.91	6.29	33.01
PK	7.1298G	62.98	88.20	-25.22	52.72	3	Horizontal	126.1	1.47	-	36.68	6.73	33.15
RMS	7.2354G	53.66	68.20	-14.54	43.04	3	Horizontal	126.1	1.47	-	36.97	6.84	33.19

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69474G	63.27	88.20	-24.93	48.19	3	Vertical	58	1.74	-	40.39	8.66	33.97
RMS	13.69418G	49.90	68.20	-18.30	34.82	3	Vertical	58	1.74	-	40.39	8.66	33.97

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.69032G	66.36	88.20	-21.84	51.29	3	Horizontal	135	2.73	-	40.38	8.66	33.97
RMS	13.69014G	52.75	68.20	-15.45	37.68	3	Horizontal	135	2.73	-	40.38	8.66	33.97

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.38168G	53.09	97.74	-44.65	42.97	1	Vertical	242	1.52	-	39.39	17.62	46.89
RMS	27.37776G	39.51	77.74	-38.23	29.39	1	Vertical	242	1.52	-	39.40	17.62	46.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6845MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.38104G	53.17	97.74	-44.57	43.05	1	Horizontal	229	1.53	-	39.40	17.62	46.90
RMS	27.37756G	39.53	77.74	-38.21	29.41	1	Horizontal	229	1.53	-	39.40	17.62	46.90

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8906G	118.51	Inf	-Inf	109.27	3	Vertical	83	1.71	-	35.90	6.38	33.04
RMS	6.8934G	108.61	Inf	-Inf	99.36	3	Vertical	83	1.71	-	35.90	6.39	33.04
PK	7.1762G	62.87	88.20	-25.33	52.41	3	Vertical	83	1.71	-	36.85	6.78	33.17
RMS	7.235G	58.77	68.20	-9.43	48.16	3	Vertical	83	1.71	-	36.97	6.83	33.19

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom








EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.8794G	115.81	Inf	-Inf	106.58	3	Horizontal	132.7	1.95	-	35.90	6.36	33.03
RMS	6.878G	104.67	Inf	-Inf	95.44	3	Horizontal	132.7	1.95	-	35.90	6.36	33.03
PK	7.1328G	62.95	88.20	-25.25	52.68	3	Horizontal	132.7	1.95	-	36.70	6.73	33.16
RMS	7.235G	52.78	68.20	-15.42	42.17	3	Horizontal	132.7	1.95	-	36.97	6.83	33.19

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


01/10/2022

EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77116G	63.25	88.20	-24.95	48.05	3	Vertical	93	2.53	-	40.47	8.65	33.92
RMS	13.7687G	50.04	68.20	-18.16	34.84	3	Vertical	93	2.53	-	40.47	8.65	33.92

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




01/10/2022

EUTY_4TX
Setting 25
04-D-B-4

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.77458G	66.68	88.20	-21.52	51.48	3	Horizontal	338	2.29	-	40.47	8.65	33.92
RMS	13.76772G	53.15	68.20	-15.05	37.95	3	Horizontal	338	2.29	-	40.47	8.65	33.92

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.53888G	51.75	97.74	-45.99	41.53	1	Vertical	356	1.51	-	39.33	17.69	46.80
RMS	27.5434G	38.05	77.74	-39.69	27.83	1	Vertical	356	1.51	-	39.33	17.69	46.80

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6885MHz Straddle 6.525-6.875GHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.53808G	51.59	97.74	-46.15	41.37	1	Horizontal	129	1.50	-	39.33	17.69	46.80
RMS	27.53648G	38.08	77.74	-39.66	27.86	1	Horizontal	129	1.50	-	39.33	17.69	46.80

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9166G	119.12	Inf	-Inf	109.87	3	Vertical	92	1.80	-	35.87	6.43	33.05
RMS	6.919G	108.04	Inf	-Inf	98.79	3	Vertical	92	1.80	-	35.86	6.44	33.05
PK	7.1998G	63.48	88.20	-24.72	52.96	3	Vertical	92	1.80	-	36.90	6.80	33.18
RMS	7.2118G	52.85	68.20	-15.35	42.30	3	Vertical	92	1.80	-	36.92	6.81	33.18

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	6.9322G	112.04	Inf	-Inf	102.80	3	Horizontal	172.5	1.55	-	35.84	6.46	33.06
RMS	6.9202G	101.77	Inf	-Inf	92.53	3	Horizontal	172.5	1.55	-	35.86	6.44	33.06
PK	7.201G	65.41	88.20	-22.79	54.89	3	Horizontal	172.5	1.55	-	36.90	6.80	33.18
RMS	7.2166G	52.78	68.20	-15.42	42.21	3	Horizontal	172.5	1.55	-	36.93	6.82	33.18

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84638G	63.10	88.20	-25.10	47.80	3	Vertical	259	1.33	-	40.55	8.63	33.88
RMS	13.8491G	49.85	68.20	-18.35	34.55	3	Vertical	259	1.33	-	40.55	8.63	33.88

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.84888G	66.04	88.20	-22.16	50.74	3	Horizontal	291	1.77	-	40.55	8.63	33.88
RMS	13.85386G	52.85	68.20	-15.35	37.54	3	Horizontal	291	1.77	-	40.55	8.63	33.87

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.70446G	52.10	97.74	-45.64	41.67	1	Vertical	39	1.51	-	39.46	17.77	46.80
RMS	27.70274G	38.63	77.74	-39.11	28.20	1	Vertical	39	1.51	-	39.46	17.77	46.80

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

6925MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	27.7039G	52.45	97.74	-45.29	42.02	1	Horizontal	199	1.50	-	39.46	17.77	46.80
RMS	27.70402G	38.66	77.74	-39.08	28.23	1	Horizontal	199	1.50	-	39.46	17.77	46.80

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0066G	119.43	Inf	-Inf	110.00	3	Vertical	92	1.77	-	35.93	6.61	33.11
RMS	7.0082G	108.70	Inf	-Inf	99.27	3	Vertical	92	1.77	-	35.93	6.61	33.11
PK	7.1634G	64.37	88.20	-23.83	53.95	3	Vertical	92	1.77	-	36.83	6.76	33.17
RMS	7.1682G	52.92	68.20	-15.28	42.48	3	Vertical	92	1.77	-	36.84	6.77	33.17

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0058G	116.00	Inf	-Inf	106.58	3	Horizontal	123.8	2.09	-	35.92	6.61	33.11
RMS	7.0082G	105.89	Inf	-Inf	96.46	3	Horizontal	123.8	2.09	-	35.93	6.61	33.11
PK	7.1874G	63.05	88.20	-25.15	52.56	3	Horizontal	123.8	2.09	-	36.87	6.79	33.17
RMS	7.1914G	52.86	68.20	-15.34	42.37	3	Horizontal	123.8	2.09	-	36.88	6.79	33.18

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom








EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.00598G	62.69	88.20	-25.51	46.98	3	Vertical	233	1.76	-	40.90	8.60	33.79
RMS	14.0056G	49.46	68.20	-18.74	33.75	3	Vertical	233	1.76	-	40.90	8.60	33.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom



Lim.PK 
 PK 
 Lim.AV 
 AV 


01/10/2022

EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.01146G	66.20	88.20	-22.00	50.48	3	Horizontal	36	2.90	-	40.90	8.60	33.78
RMS	14.00688G	52.37	68.20	-15.83	36.66	3	Horizontal	36	2.90	-	40.90	8.60	33.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	28.01918G	54.81	97.74	-42.93	44.08	1	Vertical	303	1.54	-	39.61	17.91	46.79
RMS	28.01962G	41.68	77.74	-36.06	30.95	1	Vertical	303	1.54	-	39.61	17.91	46.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7005MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	28.01928G	55.44	97.74	-42.30	44.71	1	Horizontal	247	1.54	-	39.61	17.91	46.79
RMS	28.01752G	41.70	77.74	-36.04	30.97	1	Horizontal	247	1.54	-	39.61	17.91	46.79

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0778G	121.07	Inf	-Inf	111.21	3	Vertical	360	1.55	-	36.32	6.68	33.14
RMS	7.087G	109.73	Inf	-Inf	99.78	3	Vertical	360	1.55	-	36.40	6.69	33.14
PK	7.129G	82.41	88.20	-5.79	72.16	3	Vertical	360	1.55	-	36.67	6.73	33.15
RMS	7.125G	62.54	68.20	-5.66	52.32	3	Vertical	360	1.55	-	36.65	6.72	33.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	7.0762G	116.02	Inf	-Inf	106.17	3	Horizontal	43	1.80	-	36.31	6.68	33.14
RMS	7.0786G	104.95	Inf	-Inf	95.08	3	Horizontal	43	1.80	-	36.33	6.68	33.14
PK	7.129G	75.19	88.20	-13.01	64.94	3	Horizontal	43	1.80	-	36.67	6.73	33.15
RMS	7.125G	56.11	68.20	-12.09	45.89	3	Horizontal	43	1.80	-	36.65	6.72	33.15

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.17142G	61.68	88.20	-26.52	45.92	3	Vertical	349	2.64	-	40.83	8.64	33.71
RMS	14.16582G	48.36	68.20	-19.84	32.60	3	Vertical	349	2.64	-	40.83	8.64	33.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	14.1676G	64.65	88.20	-23.55	48.89	3	Horizontal	60	1.98	-	40.83	8.64	33.71
RMS	14.167G	51.50	68.20	-16.70	35.74	3	Horizontal	60	1.98	-	40.83	8.64	33.71

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	28.33866G	53.55	97.74	-44.19	42.45	1	Vertical	203	1.53	-	39.70	18.00	46.60
RMS	28.34188G	39.73	77.74	-38.01	28.62	1	Vertical	203	1.53	-	39.70	18.00	46.59

802.11ax HEW40-BF_Nss1,(MCS0)_4TX

7085MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	28.33716G	53.36	97.74	-44.38	42.26	1	Horizontal	75	1.58	-	39.70	18.00	46.60
RMS	28.34258G	39.83	77.74	-37.91	28.72	1	Horizontal	75	1.58	-	39.70	18.00	46.59

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.857G	64.45	88.20	-23.75	57.23	3	Vertical	337	1.80	-	34.03	5.73	32.54
RMS	5.9122G	48.77	68.20	-19.43	41.38	3	Vertical	337	1.80	-	34.18	5.76	32.55
PK	6.1342G	115.13	Inf	-Inf	107.66	3	Vertical	337	1.80	-	34.17	5.93	32.63
RMS	6.1414G	104.49	Inf	-Inf	97.00	3	Vertical	337	1.80	-	34.18	5.94	32.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-B-4-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8558G	70.84	88.20	-17.36	63.63	3	Horizontal	277	1.58	-	34.02	5.73	32.54
RMS	5.9122G	48.75	68.20	-19.45	41.36	3	Horizontal	277	1.58	-	34.18	5.76	32.55
PK	6.1318G	115.15	Inf	-Inf	107.69	3	Horizontal	277	1.58	-	34.16	5.93	32.63
RMS	6.1306G	104.44	Inf	-Inf	96.98	3	Horizontal	277	1.58	-	34.16	5.93	32.63

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.28982G	59.38	74.00	-14.62	45.98	3	Vertical	326	1.77	-	38.71	8.94	34.25
AV	12.28982G	50.18	54.00	-3.82	36.78	3	Vertical	326	1.77	-	38.71	8.94	34.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.29002G	59.46	74.00	-14.54	46.06	3	Horizontal	309	1.66	-	38.71	8.94	34.25
AV	12.28982G	51.28	54.00	-2.72	37.88	3	Horizontal	309	1.66	-	38.71	8.94	34.25

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	24.58476G	48.28	97.74	-49.46	41.74	1	Vertical	57	1.56	-	38.90	16.29	48.65
RMS	24.58412G	34.58	77.74	-43.16	28.04	1	Vertical	57	1.56	-	38.90	16.29	48.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6145MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	24.58108G	47.67	97.74	-50.07	41.13	1	Horizontal	97	1.56	-	38.90	16.29	48.65
RMS	24.57692G	34.56	77.74	-43.18	28.02	1	Horizontal	97	1.56	-	38.90	16.29	48.65

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9178G	59.09	88.20	-29.11	51.73	3	Vertical	96	1.75	-	34.16	5.76	32.56
RMS	5.9002G	48.96	68.20	-19.24	41.56	3	Vertical	96	1.75	-	34.20	5.75	32.55
PK	6.2138G	114.52	Inf	-Inf	106.92	3	Vertical	96	1.75	-	34.26	6.00	32.66
RMS	6.241G	104.14	Inf	-Inf	96.45	3	Vertical	96	1.75	-	34.36	6.00	32.67

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUT Y_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9082G	59.62	88.20	-28.58	52.24	3	Horizontal	136.7	2.02	-	34.18	5.75	32.55
RMS	5.9002G	48.98	68.20	-19.22	41.58	3	Horizontal	136.7	2.02	-	34.20	5.75	32.55
PK	6.233G	110.45	Inf	-Inf	102.79	3	Horizontal	136.7	2.02	-	34.33	6.00	32.67
RMS	6.2314G	100.42	Inf	-Inf	92.76	3	Horizontal	136.7	2.02	-	34.33	6.00	32.67

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44972G	59.18	74.00	-14.82	45.54	3	Vertical	324	1.80	-	38.90	8.91	34.17
AV	12.44988G	48.15	54.00	-5.85	34.51	3	Vertical	324	1.80	-	38.90	8.91	34.17

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.44984G	60.03	74.00	-13.97	46.39	3	Horizontal	307	1.62	-	38.90	8.91	34.17
AV	12.44988G	51.67	54.00	-2.33	38.03	3	Horizontal	307	1.62	-	38.90	8.91	34.17

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	24.90332G	49.28	97.74	-48.46	42.33	1	Vertical	28	1.50	-	38.96	16.45	48.46
RMS	24.90478G	35.66	77.74	-42.08	28.71	1	Vertical	28	1.50	-	38.96	16.45	48.46

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6225MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	24.8972G	48.94	97.74	-48.80	41.99	1	Horizontal	198	1.56	-	38.96	16.45	48.46
RMS	24.89974G	35.62	77.74	-42.12	28.67	1	Horizontal	198	1.56	-	38.96	16.45	48.46

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8618G	58.94	88.20	-29.26	51.70	3	Vertical	91	1.79	-	34.05	5.73	32.54
RMS	5.8978G	48.95	68.20	-19.25	41.56	3	Vertical	91	1.79	-	34.19	5.75	32.55
PK	6.3874G	115.39	Inf	-Inf	107.37	3	Vertical	91	1.79	-	34.75	6.00	32.73
RMS	6.3898G	105.66	Inf	-Inf	97.63	3	Vertical	91	1.79	-	34.76	6.00	32.73

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.9146G	58.89	88.20	-29.31	51.51	3	Horizontal	128.7	2.00	-	34.17	5.76	32.55
RMS	5.9122G	49.02	68.20	-19.18	41.63	3	Horizontal	128.7	2.00	-	34.18	5.76	32.55
PK	6.3946G	111.14	Inf	-Inf	103.09	3	Horizontal	128.7	2.00	-	34.78	6.00	32.73
RMS	6.3922G	101.25	Inf	-Inf	93.21	3	Horizontal	128.7	2.00	-	34.77	6.00	32.73

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.7656G	62.52	88.20	-25.68	48.37	3	Vertical	42	2.40	-	39.37	8.85	34.07
RMS	12.77194G	49.36	68.20	-18.84	35.21	3	Vertical	42	2.40	-	39.37	8.85	34.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.76742G	66.29	88.20	-21.91	52.14	3	Horizontal	233	1.78	-	39.37	8.85	34.07
RMS	12.77244G	52.39	68.20	-15.81	38.24	3	Horizontal	233	1.78	-	39.37	8.85	34.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	25.53812G	48.48	97.74	-49.26	40.88	1	Vertical	243	1.57	-	38.90	16.77	48.07
RMS	25.53906G	35.01	77.74	-42.73	27.41	1	Vertical	243	1.57	-	38.90	16.77	48.07

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6385MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	25.54142G	48.60	97.74	-49.14	41.00	1	Horizontal	261	1.56	-	38.90	16.77	48.07
RMS	25.54408G	35.01	77.74	-42.73	27.40	1	Horizontal	261	1.56	-	38.90	16.77	48.06

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8904G	58.92	88.20	-29.28	51.56	3	Vertical	77	2.10	-	34.16	5.75	32.55
RMS	5.9086G	48.98	68.20	-19.22	41.60	3	Vertical	77	2.10	-	34.18	5.75	32.55
PK	6.465G	115.35	Inf	-Inf	107.06	3	Vertical	77	2.10	-	34.99	6.06	32.76
RMS	6.4598G	106.44	Inf	-Inf	98.17	3	Vertical	77	2.10	-	34.96	6.06	32.75

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.88G	58.33	88.20	-29.87	51.01	3	Horizontal	114.1	1.81	-	34.12	5.74	32.54
RMS	5.9008G	48.97	68.20	-19.23	41.57	3	Horizontal	114.1	1.81	-	34.20	5.75	32.55
PK	6.4858G	112.60	Inf	-Inf	104.16	3	Horizontal	114.1	1.81	-	35.11	6.09	32.76
RMS	6.4624G	102.89	Inf	-Inf	94.62	3	Horizontal	114.1	1.81	-	34.97	6.06	32.76

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUTY_4TX
 Setting 25
 04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.92676G	64.07	88.20	-24.13	49.73	3	Vertical	217	1.49	-	39.55	8.81	34.02
RMS	12.92634G	49.50	68.20	-18.70	35.16	3	Vertical	217	1.49	-	39.55	8.81	34.02

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	12.9265G	64.60	88.20	-23.60	50.26	3	Horizontal	351	2.18	-	39.55	8.81	34.02
RMS	12.9294G	52.47	68.20	-15.73	38.12	3	Horizontal	351	2.18	-	39.56	8.81	34.02

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6465MHz_TnomVnom




EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	25.85664G	48.39	97.74	-49.35	40.33	1	Vertical	267	1.50	-	38.94	16.93	47.81
RMS	25.8629G	35.22	77.74	-42.52	27.15	1	Vertical	267	1.50	-	38.95	16.93	47.81

802.11ax HEW80-BF_Nss1,(MCS0)_4TX


6465MHz_TnomVnom



EUT Y_4TX
Setting 25
02-B-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	25.86342G	48.63	97.74	-49.11	40.56	1	Horizontal	150	1.54	-	38.95	16.93	47.81
RMS	25.85946G	35.11	77.74	-42.63	27.05	1	Horizontal	150	1.54	-	38.94	16.93	47.81

802.11ax HEW80-BF_Nss1,(MCS0)_4TX
6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
 Setting 25
 02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8534G	72.62	88.20	-15.58	63.64	3	Vertical	96	2.00	-	33.82	6.15	30.99
RMS	5.8954G	49.80	68.20	-18.40	40.56	3	Vertical	96	2.00	-	34.07	6.19	31.02
PK	6.5394G	115.98	Inf	-Inf	106.34	3	Vertical	96	2.00	-	34.46	6.47	31.29
RMS	6.5394G	107.53	Inf	-Inf	97.89	3	Vertical	96	2.00	-	34.46	6.47	31.29
PK	7.2366G	62.89	88.20	-25.31	51.74	3	Vertical	96	2.00	-	36.15	6.88	31.88
RMS	7.2394G	52.70	68.20	-15.50	41.54	3	Vertical	96	2.00	-	36.16	6.88	31.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom




EUT_V_4TX
Setting 25
02-F-R-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.8982G	59.23	88.20	-28.97	49.97	3	Horizontal	53.9	1.72	-	34.09	6.19	31.02
RMS	5.859G	49.90	68.20	-18.30	40.89	3	Horizontal	53.9	1.72	-	33.85	6.15	30.99
PK	6.545G	113.11	Inf	-Inf	103.45	3	Horizontal	53.9	1.72	-	34.48	6.47	31.29
RMS	6.559G	104.00	Inf	-Inf	94.31	3	Horizontal	53.9	1.72	-	34.52	6.48	31.31
PK	7.1778G	61.72	88.20	-26.48	50.81	3	Horizontal	53.9	1.72	-	35.87	6.88	31.84
RMS	7.2394G	52.60	68.20	-15.60	41.44	3	Horizontal	53.9	1.72	-	36.16	6.88	31.88

802.11ax HEW80-BF_Nss1,(MCS0)_4TX

6545MHz Straddle 6.425-6.525GHz_TnomVnom



EUTY_4TX
Setting 25
04-D-E-2

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	13.08994G	62.19	88.20	-26.01	47.72	3	Vertical	314	1.96	-	39.70	8.78	34.01
RMS	13.0899G	55.85	68.20	-12.35	41.38	3	Vertical	314	1.96	-	39.70	8.78	34.01