


5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5700MHz_TX




EUT Y_3TX
 Setting 18.5
 06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.39973G	59.74	74.00	-14.26	43.94	3	Vertical	261	2.91	-	40.10	10.33	34.63
AV	11.39969G	46.99	54.00	-7.01	31.19	3	Vertical	261	2.91	-	40.10	10.33	34.63

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5700MHz_TX




EUT Y_3TX
 Setting 18.5
 06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.40385G	59.93	74.00	-14.07	44.13	3	Horizontal	250	2.99	-	40.10	10.33	34.63
AV	11.40347G	46.92	54.00	-7.08	31.12	3	Horizontal	250	2.99	-	40.10	10.33	34.63

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
 Setting 24.5
 06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7216G	123.01	Inf	-Inf	116.06	3	Vertical	280	1.80	-	32.09	7.29	32.43
AV	5.7208G	111.77	Inf	-Inf	104.83	3	Vertical	280	1.80	-	32.08	7.29	32.43
PK	5.8716G	63.31	68.20	-4.89	55.89	3	Vertical	280	1.80	-	32.43	7.37	32.38

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
 Setting 24.5
 06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7212G	122.68	Inf	-Inf	115.74	3	Horizontal	42	1.80	-	32.08	7.29	32.43
AV	5.7212G	111.03	Inf	-Inf	104.09	3	Horizontal	42	1.80	-	32.08	7.29	32.43
PK	5.918G	62.46	68.20	-5.74	54.85	3	Horizontal	42	1.80	-	32.60	7.38	32.37

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
 Setting 24.5
 06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.4372G	59.14	74.00	-14.86	43.33	3	Vertical	334	1.26	-	40.10	10.34	34.63
AV	11.43838G	46.40	54.00	-7.60	30.59	3	Vertical	334	1.26	-	40.10	10.34	34.63

5.47-5.725GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5720MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
 Setting 24.5
 06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.44336G	59.48	74.00	-14.52	43.67	3	Horizontal	291	2.03	-	40.10	10.34	34.63
AV	11.43531G	46.41	54.00	-7.59	30.60	3	Horizontal	291	2.03	-	40.10	10.34	34.63

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5745MHz_TX




EUT Y_3TX
 Setting 24.5
 06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	65.56	68.20	-2.64	58.97	3	Vertical	280	1.52	-	31.81	7.23	32.45
PK	5.7465G	124.05	Inf	-Inf	116.97	3	Vertical	280	1.52	-	32.19	7.31	32.42
AV	5.746G	112.30	Inf	-Inf	105.23	3	Vertical	280	1.52	-	32.18	7.31	32.42
PK	5.9865G	61.31	68.20	-6.89	53.72	3	Vertical	280	1.52	-	32.53	7.40	32.34

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5745MHz_TX




EUT Y_3TX
 Setting 24.5
 06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	62.97	68.94	-5.97	56.39	3	Horizontal	45	1.80	-	31.80	7.23	32.45
PK	5.7465G	120.55	Inf	-Inf	113.47	3	Horizontal	45	1.80	-	32.19	7.31	32.42
AV	5.7465G	110.29	Inf	-Inf	103.21	3	Horizontal	45	1.80	-	32.19	7.31	32.42
PK	5.9325G	61.11	68.20	-7.09	53.49	3	Horizontal	45	1.80	-	32.60	7.38	32.36

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5745MHz_TX




EUT Y_3TX
 Setting 24.5
 06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49094G	58.65	74.00	-15.35	42.83	3	Vertical	321	2.39	-	40.10	10.35	34.63
AV	11.49376G	46.00	54.00	-8.00	30.18	3	Vertical	321	2.39	-	40.10	10.35	34.63

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5745MHz_TX




EUT Y_3TX
 Setting 24.5
 06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.49083G	59.01	74.00	-14.99	43.19	3	Horizontal	328	2.69	-	40.10	10.35	34.63
AV	11.49434G	46.00	54.00	-8.00	30.18	3	Horizontal	328	2.69	-	40.10	10.35	34.63

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5785MHz_TX




EUT_Y_3TX
 Setting 24.5
 06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.622G	61.14	68.20	-7.06	54.53	3	Vertical	284	1.44	-	31.86	7.21	32.46
PK	5.787G	123.00	Inf	-Inf	115.80	3	Vertical	284	1.44	-	32.27	7.34	32.41
AV	5.787G	111.84	Inf	-Inf	104.64	3	Vertical	284	1.44	-	32.27	7.34	32.41
PK	5.9385G	64.54	68.20	-3.66	56.92	3	Vertical	284	1.44	-	32.60	7.38	32.36

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5785MHz_TX




EUT_Y_3TX
 Setting 24.5
 06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	60.73	68.20	-7.47	54.12	3	Horizontal	43	1.76	-	31.86	7.21	32.46
PK	5.7865G	120.83	Inf	-Inf	113.63	3	Horizontal	43	1.76	-	32.27	7.34	32.41
AV	5.786G	111.00	Inf	-Inf	103.80	3	Horizontal	43	1.76	-	32.27	7.34	32.41
PK	6.0305G	62.13	68.20	-6.07	54.53	3	Horizontal	43	1.76	-	32.56	7.42	32.38

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5785MHz_TX




EUT Y_3TX
Setting 24.5
06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.57452G	58.91	74.00	-15.09	43.23	3	Vertical	215	1.69	-	39.95	10.37	34.64
AV	11.56642G	45.97	54.00	-8.03	30.27	3	Vertical	215	1.69	-	39.97	10.37	34.64

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5785MHz_TX




EUT Y_3TX
 Setting 24.5
 06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.56677G	58.58	74.00	-15.42	42.88	3	Horizontal	207	2.74	-	39.97	10.37	34.64
AV	11.56686G	45.97	54.00	-8.03	30.27	3	Horizontal	207	2.74	-	39.97	10.37	34.64

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5825MHz_TX




EUT Y_3TX
 Setting 24
 06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6235G	60.17	68.20	-8.03	53.57	3	Vertical	337	2.18	-	31.85	7.21	32.46
PK	5.827G	123.82	Inf	-Inf	116.56	3	Vertical	337	2.18	-	32.30	7.36	32.40
AV	5.827G	112.45	Inf	-Inf	105.19	3	Vertical	337	2.18	-	32.30	7.36	32.40
PK	5.9265G	66.02	68.20	-2.18	58.40	3	Vertical	337	2.18	-	32.60	7.38	32.36

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5825MHz_TX




EUT Y_3TX
 Setting 24
 06-H-P-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.647G	59.47	68.20	-8.73	52.88	3	Horizontal	42	1.66	-	31.81	7.23	32.45
PK	5.826G	121.01	Inf	-Inf	113.75	3	Horizontal	42	1.66	-	32.30	7.36	32.40
AV	5.826G	110.32	Inf	-Inf	103.06	3	Horizontal	42	1.66	-	32.30	7.36	32.40
PK	5.9305G	62.74	68.20	-5.46	55.12	3	Horizontal	42	1.66	-	32.60	7.38	32.36

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5825MHz_TX




EUT Y_3TX
 Setting 24
 06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65184G	58.61	74.00	-15.39	43.28	3	Vertical	209	1.15	-	39.59	10.39	34.65
AV	11.645G	45.64	54.00	-8.36	30.26	3	Vertical	209	1.15	-	39.63	10.39	34.64

5.725-5.85GHz_802.11ax HEW20_Nss1,(MCS0)_3TX

5825MHz_TX




EUT Y_3TX
 Setting 24
 06-H-P-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.65262G	58.71	74.00	-15.29	43.39	3	Horizontal	252	1.21	-	39.58	10.39	34.65
AV	11.64515G	45.70	54.00	-8.30	30.32	3	Horizontal	252	1.21	-	39.63	10.39	34.64

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5190MHz_TX




EUT_Y_3TX
 Setting 18
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1478G	65.85	74.00	-8.15	59.31	3	Vertical	321	1.80	-	31.90	7.10	32.46
AV	5.1478G	52.87	54.00	-1.13	46.33	3	Vertical	321	1.80	-	31.90	7.10	32.46
PK	5.1874G	116.97	Inf	-Inf	110.42	3	Vertical	321	1.80	-	31.83	7.18	32.46
AV	5.1924G	105.22	Inf	-Inf	98.67	3	Vertical	321	1.80	-	31.82	7.19	32.46

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5190MHz_TX




EUT_Y_3TX
 Setting 18
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1458G	62.46	74.00	-11.54	55.91	3	Horizontal	-0	1.80	-	31.91	7.10	32.46
AV	5.15G	50.07	54.00	-3.93	43.52	3	Horizontal	-0	1.80	-	31.90	7.11	32.46
PK	5.191G	113.31	Inf	-Inf	106.77	3	Horizontal	-0	1.80	-	31.82	7.18	32.46
AV	5.191G	102.11	Inf	-Inf	95.57	3	Horizontal	-0	1.80	-	31.82	7.18	32.46

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5190MHz_TX




EUT_Y_3TX
 Setting 18
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.56863G	59.18	74.00	-14.82	43.74	3	Vertical	143	2.01	-	38.29	11.97	34.82
AV	15.56506G	46.86	54.00	-7.14	31.40	3	Vertical	143	2.01	-	38.31	11.97	34.82

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5190MHz_TX




EUT Y_3TX
 Setting 18
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.5748G	59.15	74.00	-14.85	43.74	3	Horizontal	39	2.93	-	38.25	11.98	34.82
AV	15.5663G	46.78	54.00	-7.22	31.33	3	Horizontal	39	2.93	-	38.30	11.97	34.82

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5230MHz_TX




EUT_Y_3TX
 Setting 20
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1472G	69.31	74.00	-4.69	62.76	3	Vertical	325	1.80	-	31.91	7.10	32.46
AV	5.1478G	53.52	54.00	-0.48	46.98	3	Vertical	325	1.80	-	31.90	7.10	32.46
PK	5.233G	118.36	Inf	-Inf	111.90	3	Vertical	325	1.80	-	31.67	7.26	32.47
AV	5.2279G	106.84	Inf	-Inf	100.37	3	Vertical	325	1.80	-	31.69	7.25	32.47
PK	5.3527G	65.85	74.00	-8.15	59.53	3	Vertical	325	1.80	-	31.31	7.49	32.48
AV	5.3776G	48.60	54.00	-5.40	42.14	3	Vertical	325	1.80	-	31.41	7.54	32.49

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5230MHz_TX




EUT_Y_3TX
 Setting 20
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1493G	68.78	74.00	-5.22	62.24	3	Horizontal	24	1.80	-	31.90	7.10	32.46
AV	5.1484G	51.05	54.00	-2.95	44.51	3	Horizontal	24	1.80	-	31.90	7.10	32.46
PK	5.2285G	116.05	Inf	-Inf	109.58	3	Horizontal	24	1.80	-	31.69	7.25	32.47
AV	5.2288G	103.83	Inf	-Inf	97.37	3	Horizontal	24	1.80	-	31.68	7.25	32.47
PK	5.3542G	60.08	74.00	-13.92	53.75	3	Horizontal	24	1.80	-	31.32	7.49	32.48
AV	5.35G	48.16	54.00	-5.84	41.85	3	Horizontal	24	1.80	-	31.30	7.49	32.48

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5230MHz_TX




EUT Y_3TX
 Setting 20
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.6874G	59.73	74.00	-14.27	44.57	3	Vertical	87	1.89	-	37.93	12.04	34.81
AV	15.68727G	46.34	54.00	-7.66	31.18	3	Vertical	87	1.89	-	37.93	12.04	34.81

5.15-5.25GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5230MHz_TX




EUT Y_3TX
 Setting 20
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.68941G	58.42	74.00	-15.58	43.27	3	Horizontal	343	2.46	-	37.92	12.04	34.81
AV	15.68599G	46.27	54.00	-7.73	31.11	3	Horizontal	343	2.46	-	37.93	12.04	34.81

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5270MHz_TX




EUT Y_3TX
 Setting 19
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.15G	60.38	74.00	-13.62	53.83	3	Vertical	340	3.00	-	31.90	7.11	32.46
AV	5.1239G	48.41	54.00	-5.59	41.85	3	Vertical	340	3.00	-	31.95	7.06	32.45
PK	5.2694G	118.06	Inf	-Inf	111.68	3	Vertical	340	3.00	-	31.52	7.33	32.47
AV	5.2691G	106.71	Inf	-Inf	100.33	3	Vertical	340	3.00	-	31.52	7.33	32.47
PK	5.3543G	71.02	74.00	-2.98	64.69	3	Vertical	340	3.00	-	31.32	7.49	32.48
AV	5.35G	53.14	54.00	-0.86	46.83	3	Vertical	340	3.00	-	31.30	7.49	32.48

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5270MHz_TX




EUT_Y_3TX
 Setting 19
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.132G	59.38	74.00	-14.62	52.83	3	Horizontal	341	1.03	-	31.94	7.07	32.46
AV	5.1218G	48.10	54.00	-5.90	41.54	3	Horizontal	341	1.03	-	31.96	7.05	32.45
PK	5.2724G	116.12	Inf	-Inf	109.74	3	Horizontal	341	1.03	-	31.51	7.34	32.47
AV	5.2724G	104.76	Inf	-Inf	98.38	3	Horizontal	341	1.03	-	31.51	7.34	32.47
PK	5.3528G	69.74	74.00	-4.26	63.42	3	Horizontal	341	1.03	-	31.31	7.49	32.48
AV	5.3525G	52.18	54.00	-1.82	45.86	3	Horizontal	341	1.03	-	31.31	7.49	32.48

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5270MHz_TX




EUT Y_3TX
 Setting 19
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81381G	60.50	74.00	-13.50	45.32	3	Vertical	242	1.50	-	37.87	12.11	34.80
AV	15.81165G	47.01	54.00	-6.99	31.82	3	Vertical	242	1.50	-	37.88	12.11	34.80

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5270MHz_TX




EUT Y_3TX
 Setting 19
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.81106G	59.69	74.00	-14.31	44.50	3	Horizontal	70	2.38	-	37.88	12.11	34.80
AV	15.8137G	47.05	54.00	-6.95	31.87	3	Horizontal	70	2.38	-	37.87	12.11	34.80

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5310MHz_TX




EUT_Y_3TX
 Setting 16
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3052G	115.13	Inf	-Inf	108.82	3	Vertical	346	1.80	-	31.39	7.40	32.48
AV	5.3106G	103.39	Inf	-Inf	97.08	3	Vertical	346	1.80	-	31.38	7.41	32.48
PK	5.3502G	67.19	74.00	-6.81	60.88	3	Vertical	346	1.80	-	31.30	7.49	32.48
AV	5.3504G	53.93	54.00	-0.07	47.62	3	Vertical	346	1.80	-	31.30	7.49	32.48

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5310MHz_TX




EUT_Y_3TX
 Setting 16
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3072G	113.78	Inf	-Inf	107.47	3	Horizontal	341	1.07	-	31.39	7.40	32.48
AV	5.3122G	101.76	Inf	-Inf	95.45	3	Horizontal	341	1.07	-	31.38	7.41	32.48
PK	5.353G	63.93	74.00	-10.07	57.61	3	Horizontal	341	1.07	-	31.31	7.49	32.48
AV	5.3522G	51.31	54.00	-2.69	44.99	3	Horizontal	341	1.07	-	31.31	7.49	32.48

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5310MHz_TX




EUT Y_3TX
 Setting 16
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.931G	59.34	74.00	-14.66	44.29	3	Vertical	219	2.59	-	37.67	12.17	34.79
AV	15.93444G	46.76	54.00	-7.24	31.71	3	Vertical	219	2.59	-	37.67	12.17	34.79

5.25-5.35GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5310MHz_TX




EUT Y_3TX
 Setting 16
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.93076G	59.64	74.00	-14.36	44.59	3	Horizontal	169	1.01	-	37.67	12.17	34.79
AV	15.93151G	46.82	54.00	-7.18	31.77	3	Horizontal	169	1.01	-	37.67	12.17	34.79

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5510MHz_TX




EUT_Y_3TX
 Setting 18
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4478G	63.19	74.00	-10.81	56.50	3	Vertical	343	1.80	-	31.69	7.49	32.49
AV	5.4576G	51.14	54.00	-2.86	44.43	3	Vertical	343	1.80	-	31.73	7.47	32.49
PK	5.4674G	67.74	68.20	-0.46	61.02	3	Vertical	343	1.80	-	31.77	7.45	32.50
PK	5.508G	117.16	Inf	-Inf	110.39	3	Vertical	343	1.80	-	31.90	7.37	32.50
AV	5.508G	105.46	Inf	-Inf	98.69	3	Vertical	343	1.80	-	31.90	7.37	32.50

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5510MHz_TX




EUT_Y_3TX
 Setting 18
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4554G	60.95	74.00	-13.05	54.25	3	Horizontal	38	1.80	-	31.72	7.47	32.49
AV	5.4562G	49.37	54.00	-4.63	42.67	3	Horizontal	38	1.80	-	31.72	7.47	32.49
PK	5.4658G	63.51	68.20	-4.69	56.80	3	Horizontal	38	1.80	-	31.76	7.45	32.50
PK	5.5116G	116.02	Inf	-Inf	109.26	3	Horizontal	38	1.80	-	31.90	7.36	32.50
AV	5.5112G	104.29	Inf	-Inf	97.53	3	Horizontal	38	1.80	-	31.90	7.36	32.50

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5510MHz_TX




EUT Y_3TX
 Setting 18
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.01902G	60.77	74.00	-13.23	44.67	3	Vertical	0	2.02	-	40.52	10.23	34.65
AV	11.01937G	46.86	54.00	-7.14	30.76	3	Vertical	0	2.02	-	40.52	10.23	34.65

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5510MHz_TX




EUT Y_3TX
 Setting 18
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.02089G	59.42	74.00	-14.58	43.32	3	Horizontal	336	2.12	-	40.52	10.23	34.65
AV	11.02187G	46.99	54.00	-7.01	30.90	3	Horizontal	336	2.12	-	40.51	10.23	34.65

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5550MHz_TX




EUT Y_3TX
 Setting 19.5
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4568G	64.88	74.00	-9.12	58.17	3	Vertical	338	3.00	-	31.73	7.47	32.49
AV	5.4564G	50.23	54.00	-3.77	43.52	3	Vertical	338	3.00	-	31.73	7.47	32.49
PK	5.4668G	67.31	68.20	-0.89	60.59	3	Vertical	338	3.00	-	31.77	7.45	32.50
PK	5.5464G	118.08	Inf	-Inf	111.38	3	Vertical	338	3.00	-	31.90	7.29	32.49
AV	5.5516G	106.54	Inf	-Inf	99.84	3	Vertical	338	3.00	-	31.90	7.28	32.48
PK	5.7384G	61.58	68.20	-6.62	54.55	3	Vertical	338	3.00	-	32.15	7.30	32.42

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5550MHz_TX




EUT Y_3TX
 Setting 19.5
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4564G	67.57	74.00	-6.43	60.86	3	Horizontal	38	1.80	-	31.73	7.47	32.49
AV	5.4564G	49.38	54.00	-4.62	42.67	3	Horizontal	38	1.80	-	31.73	7.47	32.49
PK	5.4608G	67.40	68.20	-0.80	60.70	3	Horizontal	38	1.80	-	31.74	7.46	32.50
PK	5.5512G	117.39	Inf	-Inf	110.68	3	Horizontal	38	1.80	-	31.90	7.29	32.48
AV	5.5512G	105.79	Inf	-Inf	99.08	3	Horizontal	38	1.80	-	31.90	7.29	32.48
PK	5.7264G	60.95	68.20	-7.25	53.98	3	Horizontal	38	1.80	-	32.11	7.29	32.43

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5550MHz_TX




EUT Y_3TX
 Setting 19.5
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.0978G	59.35	74.00	-14.65	43.54	3	Vertical	302	1.38	-	40.21	10.25	34.65
AV	11.09645G	46.29	54.00	-7.71	30.48	3	Vertical	302	1.38	-	40.21	10.25	34.65

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5550MHz_TX




EUT Y_3TX
 Setting 19.5
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.09837G	58.70	74.00	-15.30	42.89	3	Horizontal	95	2.60	-	40.21	10.25	34.65
AV	11.09656G	46.29	54.00	-7.71	30.48	3	Horizontal	95	2.60	-	40.21	10.25	34.65

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5670MHz_TX




EUT_Y_3TX
 Setting 19
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.666G	116.39	Inf	-Inf	109.74	3	Vertical	278	1.80	-	31.86	7.24	32.45
AV	5.671G	105.34	Inf	-Inf	98.66	3	Vertical	278	1.80	-	31.88	7.25	32.45
PK	5.7258G	67.86	68.20	-0.34	60.90	3	Vertical	278	1.80	-	32.10	7.29	32.43

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5670MHz_TX




EUT_Y_3TX
 Setting 19
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6718G	115.53	Inf	-Inf	108.84	3	Horizontal	45	1.80	-	31.89	7.25	32.45
AV	5.6712G	104.67	Inf	-Inf	97.99	3	Horizontal	45	1.80	-	31.88	7.25	32.45
PK	5.726G	66.41	68.20	-1.79	59.45	3	Horizontal	45	1.80	-	32.10	7.29	32.43

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5670MHz_TX




EUT Y_3TX
 Setting 19
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.34409G	59.37	74.00	-14.63	43.71	3	Vertical	191	1.60	-	39.99	10.31	34.64
AV	11.34214G	46.42	54.00	-7.58	30.77	3	Vertical	191	1.60	-	39.98	10.31	34.64

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5670MHz_TX




EUT Y_3TX
 Setting 19
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.33898G	58.93	74.00	-15.07	43.28	3	Horizontal	197	1.50	-	39.98	10.31	34.64
AV	11.34206G	46.41	54.00	-7.59	30.76	3	Horizontal	197	1.50	-	39.98	10.31	34.64

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
 Setting 22.5
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.7084G	120.53	Inf	-Inf	113.65	3	Vertical	279	1.48	-	32.03	7.28	32.43
AV	5.7088G	109.82	Inf	-Inf	102.93	3	Vertical	279	1.48	-	32.04	7.28	32.43
PK	5.8636G	67.72	68.20	-0.48	60.35	3	Vertical	279	1.48	-	32.38	7.37	32.38

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
 Setting 22.5
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.714G	119.86	Inf	-Inf	112.95	3	Horizontal	41	1.57	-	32.06	7.28	32.43
AV	5.7088G	108.82	Inf	-Inf	101.93	3	Horizontal	41	1.57	-	32.04	7.28	32.43
PK	5.8644G	67.31	68.20	-0.89	59.93	3	Horizontal	41	1.57	-	32.39	7.37	32.38

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
 Setting 22.5
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41535G	59.11	74.00	-14.89	43.31	3	Vertical	156	2.80	-	40.10	10.33	34.63
AV	11.42365G	46.56	54.00	-7.44	30.76	3	Vertical	156	2.80	-	40.10	10.33	34.63

5.47-5.725GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5710MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
 Setting 22.5
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.41866G	59.40	74.00	-14.60	43.60	3	Horizontal	286	1.70	-	40.10	10.33	34.63
AV	11.41533G	46.52	54.00	-7.48	30.72	3	Horizontal	286	1.70	-	40.10	10.33	34.63

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5755MHz_TX




EUT Y_3TX
 Setting 22.5
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	67.85	68.20	-0.35	61.27	3	Vertical	278	2.15	-	31.80	7.23	32.45
PK	5.756G	120.70	Inf	-Inf	113.60	3	Vertical	278	2.15	-	32.21	7.31	32.42
AV	5.756G	109.41	Inf	-Inf	102.31	3	Vertical	278	2.15	-	32.21	7.31	32.42
PK	5.9255G	63.11	68.20	-5.09	55.49	3	Vertical	278	2.15	-	32.60	7.38	32.36

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5755MHz_TX




EUT_Y_3TX
 Setting 22.5
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.641G	65.02	68.20	-3.18	58.43	3	Horizontal	43	1.59	-	31.82	7.22	32.45
PK	5.756G	120.04	Inf	-Inf	112.94	3	Horizontal	43	1.59	-	32.21	7.31	32.42
AV	5.7565G	108.14	Inf	-Inf	101.03	3	Horizontal	43	1.59	-	32.21	7.32	32.42
PK	5.973G	62.82	68.20	-5.38	55.23	3	Horizontal	43	1.59	-	32.55	7.39	32.35

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5755MHz_TX




EUT Y_3TX
 Setting 22.5
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.50872G	58.92	74.00	-15.08	43.12	3	Vertical	190	2.11	-	40.08	10.35	34.63
AV	11.5145G	45.87	54.00	-8.13	30.07	3	Vertical	190	2.11	-	40.07	10.36	34.63

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5755MHz_TX




EUT Y_3TX
 Setting 22.5
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.51466G	58.84	74.00	-15.16	43.04	3	Horizontal	196	1.42	-	40.07	10.36	34.63
AV	11.50848G	45.88	54.00	-8.12	30.08	3	Horizontal	196	1.42	-	40.08	10.35	34.63

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5795MHz_TX




EUT Y_3TX
 Setting 21.5
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.621G	61.64	68.20	-6.56	55.03	3	Vertical	303	2.92	-	31.86	7.21	32.46
PK	5.796G	120.24	Inf	-Inf	113.01	3	Vertical	303	2.92	-	32.29	7.35	32.41
AV	5.796G	109.01	Inf	-Inf	101.78	3	Vertical	303	2.92	-	32.29	7.35	32.41
PK	5.931G	67.77	68.20	-0.43	60.15	3	Vertical	303	2.92	-	32.60	7.38	32.36

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5795MHz_TX




EUT Y_3TX
 Setting 21.5
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.626G	60.70	68.20	-7.50	54.10	3	Horizontal	42	1.80	-	31.85	7.21	32.46
PK	5.7965G	118.32	Inf	-Inf	111.09	3	Horizontal	42	1.80	-	32.29	7.35	32.41
AV	5.796G	107.19	Inf	-Inf	99.96	3	Horizontal	42	1.80	-	32.29	7.35	32.41
PK	5.926G	67.05	68.20	-1.15	59.43	3	Horizontal	42	1.80	-	32.60	7.38	32.36

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5795MHz_TX




EUT Y_3TX
 Setting 21.5
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.58891G	58.42	74.00	-15.58	42.76	3	Vertical	77	1.76	-	39.92	10.38	34.64
AV	11.58718G	45.97	54.00	-8.03	30.31	3	Vertical	77	1.76	-	39.93	10.37	34.64

5.725-5.85GHz_802.11ax HEW40_Nss1,(MCS0)_3TX

5795MHz_TX




EUT Y_3TX
 Setting 21.5
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.59194G	58.33	74.00	-15.67	42.67	3	Horizontal	98	1.75	-	39.92	10.38	34.64
AV	11.58842G	45.92	54.00	-8.08	30.26	3	Horizontal	98	1.75	-	39.92	10.38	34.64

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5210MHz_TX




EUT Y_3TX
 Setting 16
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.138G	65.24	74.00	-8.76	58.70	3	Vertical	341	1.80	-	31.92	7.08	32.46
AV	5.1376G	53.70	54.00	-0.30	47.16	3	Vertical	341	1.80	-	31.92	7.08	32.46
PK	5.2024G	110.51	Inf	-Inf	103.98	3	Vertical	341	1.80	-	31.79	7.20	32.46
AV	5.2124G	99.20	Inf	-Inf	92.70	3	Vertical	341	1.80	-	31.75	7.22	32.47
PK	5.3576G	60.04	74.00	-13.96	53.69	3	Vertical	341	1.80	-	31.33	7.50	32.48
AV	5.3532G	47.85	54.00	-6.15	41.53	3	Vertical	341	1.80	-	31.31	7.49	32.48

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5210MHz_TX




EUT Y_3TX
 Setting 16
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1488G	64.73	74.00	-9.27	58.19	3	Horizontal	350	1.52	-	31.90	7.10	32.46
AV	5.1492G	53.16	54.00	-0.84	46.62	3	Horizontal	350	1.52	-	31.90	7.10	32.46
PK	5.2044G	108.67	Inf	-Inf	102.14	3	Horizontal	350	1.52	-	31.78	7.21	32.46
AV	5.2088G	97.11	Inf	-Inf	90.60	3	Horizontal	350	1.52	-	31.76	7.22	32.47
PK	5.3848G	59.74	74.00	-14.26	53.24	3	Horizontal	350	1.52	-	31.44	7.55	32.49
AV	5.3852G	47.46	54.00	-6.54	40.96	3	Horizontal	350	1.52	-	31.44	7.55	32.49

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5210MHz_TX




EUT Y_3TX
 Setting 16
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62534G	58.88	74.00	-15.12	43.63	3	Vertical	186	1.49	-	38.05	12.01	34.81
AV	15.63174G	46.45	54.00	-7.55	31.21	3	Vertical	186	1.49	-	38.04	12.01	34.81

5.15-5.25GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5210MHz_TX




EUT Y_3TX
 Setting 16
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.62916G	58.44	74.00	-15.56	43.20	3	Horizontal	30	1.08	-	38.04	12.01	34.81
AV	15.63133G	46.50	54.00	-7.50	31.26	3	Horizontal	30	1.08	-	38.04	12.01	34.81

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5290MHz_TX




EUT Y_3TX
 Setting 13.5
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.0984G	60.85	74.00	-13.15	54.29	3	Vertical	340	1.80	-	32.00	7.01	32.45
AV	5.142G	47.55	54.00	-6.45	41.00	3	Vertical	340	1.80	-	31.92	7.09	32.46
PK	5.2832G	109.18	Inf	-Inf	102.82	3	Vertical	340	1.80	-	31.47	7.36	32.47
AV	5.2928G	97.60	Inf	-Inf	91.27	3	Vertical	340	1.80	-	31.43	7.38	32.48
PK	5.3568G	66.30	74.00	-7.70	59.95	3	Vertical	340	1.80	-	31.33	7.50	32.48
AV	5.3576G	53.51	54.00	-0.49	47.16	3	Vertical	340	1.80	-	31.33	7.50	32.48
PK	5.4828G	59.28	68.20	-8.92	52.53	3	Vertical	340	1.80	-	31.83	7.42	32.50

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5290MHz_TX




EUT Y_3TX
 Setting 13.5
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1024G	59.61	74.00	-14.39	53.05	3	Horizontal	66	1.80	-	32.00	7.01	32.45
AV	5.0928G	47.36	54.00	-6.64	40.82	3	Horizontal	66	1.80	-	31.99	7.00	32.45
PK	5.2892G	104.90	Inf	-Inf	98.56	3	Horizontal	66	1.80	-	31.44	7.37	32.47
AV	5.2892G	93.12	Inf	-Inf	86.78	3	Horizontal	66	1.80	-	31.44	7.37	32.47
PK	5.3544G	62.15	74.00	-11.85	55.82	3	Horizontal	66	1.80	-	31.32	7.49	32.48
AV	5.354G	51.33	54.00	-2.67	45.00	3	Horizontal	66	1.80	-	31.32	7.49	32.48
PK	5.4636G	59.58	68.20	-8.62	52.87	3	Horizontal	66	1.80	-	31.75	7.46	32.50

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5290MHz_TX




EUT Y_3TX
 Setting 13.5
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87496G	59.98	74.00	-14.02	44.89	3	Vertical	210	2.65	-	37.75	12.14	34.80
AV	15.86789G	46.89	54.00	-7.11	31.79	3	Vertical	210	2.65	-	37.76	12.14	34.80

5.25-5.35GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5290MHz_TX




EUT Y_3TX
 Setting 13.5
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.87085G	59.29	74.00	-14.71	44.19	3	Horizontal	136	1.25	-	37.76	12.14	34.80
AV	15.86692G	46.85	54.00	-7.15	31.74	3	Horizontal	136	1.25	-	37.77	12.14	34.80

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5530MHz_TX




EUT Y_3TX
 Setting 17
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.3304G	59.47	68.20	-8.73	53.16	3	Vertical	342	3.00	-	31.34	7.45	32.48
PK	5.4568G	65.62	74.00	-8.38	58.91	3	Vertical	342	3.00	-	31.73	7.47	32.49
AV	5.4572G	53.29	54.00	-0.71	46.58	3	Vertical	342	3.00	-	31.73	7.47	32.49
PK	5.466G	65.14	68.20	-3.06	58.43	3	Vertical	342	3.00	-	31.76	7.45	32.50
PK	5.5316G	111.42	Inf	-Inf	104.69	3	Vertical	342	3.00	-	31.90	7.32	32.49
AV	5.5316G	100.61	Inf	-Inf	93.88	3	Vertical	342	3.00	-	31.90	7.32	32.49
PK	5.726G	59.96	68.20	-8.24	53.00	3	Vertical	342	3.00	-	32.10	7.29	32.43

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5530MHz_TX




EUT_Y_3TX
 Setting 17
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.346G	59.19	68.20	-9.01	52.88	3	Horizontal	40	1.80	-	31.31	7.48	32.48
AV	5.4564G	51.38	54.00	-2.62	44.67	3	Horizontal	40	1.80	-	31.73	7.47	32.49
PK	5.466G	64.75	68.20	-3.45	58.04	3	Horizontal	40	1.80	-	31.76	7.45	32.50
PK	5.5312G	111.88	Inf	-Inf	105.15	3	Horizontal	40	1.80	-	31.90	7.32	32.49
AV	5.5312G	99.65	Inf	-Inf	92.92	3	Horizontal	40	1.80	-	31.90	7.32	32.49
PK	5.726G	60.85	68.20	-7.35	53.89	3	Horizontal	40	1.80	-	32.10	7.29	32.43

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5530MHz_TX




EUT Y_3TX
 Setting 17
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06355G	59.33	74.00	-14.67	43.39	3	Vertical	303	2.87	-	40.35	10.24	34.65
AV	11.06281G	46.83	54.00	-7.17	30.89	3	Vertical	303	2.87	-	40.35	10.24	34.65

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5530MHz_TX




EUT Y_3TX
 Setting 17
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.06054G	60.23	74.00	-13.77	44.28	3	Horizontal	290	1.57	-	40.36	10.24	34.65
AV	11.06323G	46.77	54.00	-7.23	30.83	3	Horizontal	290	1.57	-	40.35	10.24	34.65

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5610MHz_TX




EUT_Y_3TX
 Setting 17
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.456G	60.95	74.00	-13.05	54.25	3	Vertical	339	2.93	-	31.72	7.47	32.49
AV	5.4568G	48.26	54.00	-5.74	41.55	3	Vertical	339	2.93	-	31.73	7.47	32.49
PK	5.4664G	60.19	68.20	-8.01	53.47	3	Vertical	339	2.93	-	31.77	7.45	32.50
PK	5.6072G	113.64	Inf	-Inf	107.02	3	Vertical	339	2.93	-	31.89	7.20	32.47
AV	5.6116G	101.39	Inf	-Inf	94.77	3	Vertical	339	2.93	-	31.88	7.20	32.46
PK	5.7276G	65.78	68.20	-2.42	58.81	3	Vertical	339	2.93	-	32.11	7.29	32.43

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5610MHz_TX




EUT_Y_3TX
Setting 17
06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.4524G	60.30	74.00	-13.70	53.60	3	Horizontal	41	1.77	-	31.71	7.48	32.49
AV	5.4564G	47.91	54.00	-6.09	41.20	3	Horizontal	41	1.77	-	31.73	7.47	32.49
PK	5.4668G	60.06	68.20	-8.14	53.34	3	Horizontal	41	1.77	-	31.77	7.45	32.50
PK	5.6164G	111.30	Inf	-Inf	104.69	3	Horizontal	41	1.77	-	31.87	7.20	32.46
AV	5.6112G	100.21	Inf	-Inf	93.59	3	Horizontal	41	1.77	-	31.88	7.20	32.46
PK	5.7264G	67.06	68.20	-1.14	60.09	3	Horizontal	41	1.77	-	32.11	7.29	32.43

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5610MHz_TX




EUT Y_3TX
 Setting 17
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.21602G	58.50	74.00	-15.50	42.96	3	Vertical	23	1.67	-	39.90	10.28	34.64
AV	11.21672G	45.76	54.00	-8.24	30.22	3	Vertical	23	1.67	-	39.90	10.28	34.64

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5610MHz_TX




EUT Y_3TX
 Setting 17
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.22333G	58.41	74.00	-15.59	42.87	3	Horizontal	287	1.06	-	39.90	10.28	34.64
AV	11.2169G	45.76	54.00	-8.24	30.22	3	Horizontal	287	1.06	-	39.90	10.28	34.64

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
 Setting 19
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.6876G	115.61	Inf	-Inf	108.84	3	Vertical	276	2.21	-	31.95	7.26	32.44
AV	5.688G	103.02	Inf	-Inf	96.25	3	Vertical	276	2.21	-	31.95	7.26	32.44
PK	5.8524G	67.21	68.20	-0.99	59.93	3	Vertical	276	2.21	-	32.31	7.36	32.39

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
 Setting 19
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.684G	113.64	Inf	-Inf	106.88	3	Horizontal	44	1.68	-	31.94	7.26	32.44
AV	5.6888G	102.00	Inf	-Inf	95.22	3	Horizontal	44	1.68	-	31.96	7.26	32.44
PK	5.854G	67.25	68.20	-0.95	59.96	3	Horizontal	44	1.68	-	32.32	7.36	32.39

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
 Setting 19
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37929G	59.46	74.00	-14.54	43.71	3	Vertical	228	1.66	-	40.06	10.32	34.63
AV	11.38205G	46.75	54.00	-7.25	31.00	3	Vertical	228	1.66	-	40.06	10.32	34.63

5.47-5.725GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5690MHz Straddle 5.47-5.725GHz_TX




EUT Y_3TX
 Setting 19
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.37605G	59.31	74.00	-14.69	43.57	3	Horizontal	10	2.52	-	40.05	10.32	34.63
AV	11.38037G	46.75	54.00	-7.25	31.00	3	Horizontal	10	2.52	-	40.06	10.32	34.63

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5775MHz_TX




EUT_Y_3TX
 Setting 19
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.65G	65.19	68.20	-3.01	58.61	3	Vertical	278	1.77	-	31.80	7.23	32.45
PK	5.781G	113.40	Inf	-Inf	106.22	3	Vertical	278	1.77	-	32.26	7.33	32.41
AV	5.776G	102.43	Inf	-Inf	95.26	3	Vertical	278	1.77	-	32.25	7.33	32.41
PK	5.927G	67.31	68.20	-0.89	59.69	3	Vertical	278	1.77	-	32.60	7.38	32.36

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5775MHz_TX




EUT_Y_3TX
 Setting 19
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.651G	63.58	68.94	-5.36	57.00	3	Horizontal	44	1.71	-	31.80	7.23	32.45
PK	5.781G	112.70	Inf	-Inf	105.52	3	Horizontal	44	1.71	-	32.26	7.33	32.41
AV	5.776G	101.43	Inf	-Inf	94.26	3	Horizontal	44	1.71	-	32.25	7.33	32.41
PK	5.926G	67.76	68.20	-0.44	60.14	3	Horizontal	44	1.71	-	32.60	7.38	32.36

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5775MHz_TX




EUT Y_3TX
 Setting 19
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.55245G	58.51	74.00	-15.49	42.78	3	Vertical	241	1.83	-	40.00	10.37	34.64
AV	11.54575G	45.86	54.00	-8.14	30.12	3	Vertical	241	1.83	-	40.01	10.36	34.63

5.725-5.85GHz_802.11ax HEW80_Nss1,(MCS0)_3TX

5775MHz_TX




EUT_Y_3TX
 Setting 19
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.5524G	58.30	74.00	-15.70	42.57	3	Horizontal	71	2.21	-	40.00	10.37	34.64
AV	11.54542G	45.92	54.00	-8.08	30.18	3	Horizontal	71	2.21	-	40.01	10.36	34.63

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_3TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_3TX
 Setting 16.5
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1324G	64.32	74.00	-9.68	57.77	3	Vertical	342	1.80	-	31.94	7.07	32.46
AV	5.1276G	51.89	54.00	-2.11	45.35	3	Vertical	342	1.80	-	31.94	7.06	32.46
PK	5.2524G	107.15	Inf	-Inf	100.73	3	Vertical	342	1.80	-	31.59	7.30	32.47
AV	5.2524G	95.15	Inf	-Inf	88.73	3	Vertical	342	1.80	-	31.59	7.30	32.47
PK	5.3676G	64.48	74.00	-9.52	58.07	3	Vertical	342	1.80	-	31.37	7.52	32.48
AV	5.3628G	53.09	54.00	-0.91	46.71	3	Vertical	342	1.80	-	31.35	7.51	32.48
PK	5.5524G	60.27	68.20	-7.93	53.57	3	Vertical	342	1.80	-	31.90	7.28	32.48

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_3TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_3TX
 Setting 16.5
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1404G	62.97	74.00	-11.03	56.42	3	Horizontal	341	1.00	-	31.92	7.09	32.46
AV	5.1292G	50.74	54.00	-3.26	44.19	3	Horizontal	341	1.00	-	31.94	7.07	32.46
PK	5.27G	104.23	Inf	-Inf	97.85	3	Horizontal	341	1.00	-	31.52	7.33	32.47
AV	5.2548G	93.00	Inf	-Inf	86.59	3	Horizontal	341	1.00	-	31.58	7.30	32.47
PK	5.4012G	63.00	74.00	-11.00	56.41	3	Horizontal	341	1.00	-	31.50	7.58	32.49
AV	5.3556G	51.47	54.00	-2.53	45.13	3	Horizontal	341	1.00	-	31.32	7.50	32.48
PK	5.5772G	60.29	68.20	-7.91	53.64	3	Horizontal	341	1.00	-	31.90	7.23	32.48

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_3TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_3TX
 Setting 16.5
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.74999G	58.95	74.00	-15.05	43.79	3	Vertical	235	2.37	-	37.90	12.07	34.81
AV	15.74549G	46.82	54.00	-7.18	31.66	3	Vertical	235	2.37	-	37.90	12.07	34.81

5.25-5.35GHz_802.11ax HEW160_Nss1,(MCS0)_3TX

5250MHz Straddle 5.25-5.35GHz_TX




EUT Y_3TX
 Setting 16.5
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	15.75319G	59.14	74.00	-14.86	43.96	3	Horizontal	183	1.33	-	37.90	12.08	34.80
AV	15.74973G	46.74	54.00	-7.26	31.58	3	Horizontal	183	1.33	-	37.90	12.07	34.81

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_3TX

5570MHz_TX




EUT Y_3TX
 Setting 17
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.2956G	59.70	68.20	-8.50	53.38	3	Vertical	340	2.82	-	31.42	7.38	32.48
PK	5.4508G	64.66	74.00	-9.34	57.97	3	Vertical	340	2.82	-	31.70	7.48	32.49
AV	5.4516G	53.28	54.00	-0.72	46.58	3	Vertical	340	2.82	-	31.71	7.48	32.49
PK	5.4612G	64.20	68.20	-4.00	57.50	3	Vertical	340	2.82	-	31.74	7.46	32.50
PK	5.5764G	107.50	Inf	-Inf	100.84	3	Vertical	340	2.82	-	31.90	7.24	32.48
AV	5.5716G	96.03	Inf	-Inf	89.36	3	Vertical	340	2.82	-	31.90	7.25	32.48
PK	5.7268G	66.31	68.20	-1.89	59.34	3	Vertical	340	2.82	-	32.11	7.29	32.43

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_3TX

5570MHz_TX




EUT_Y_3TX
 Setting 17
 06-H-K-5-10

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	5.1788G	59.58	68.20	-8.62	53.04	3	Horizontal	38	1.80	-	31.84	7.16	32.46
PK	5.4556G	61.74	74.00	-12.26	55.04	3	Horizontal	38	1.80	-	31.72	7.47	32.49
AV	5.4516G	51.49	54.00	-2.51	44.79	3	Horizontal	38	1.80	-	31.71	7.48	32.49
PK	5.466G	64.22	68.20	-3.98	57.51	3	Horizontal	38	1.80	-	31.76	7.45	32.50
PK	5.606G	106.22	Inf	-Inf	99.61	3	Horizontal	38	1.80	-	31.89	7.19	32.47
AV	5.566G	94.71	Inf	-Inf	88.03	3	Horizontal	38	1.80	-	31.90	7.26	32.48
PK	5.7268G	65.35	68.20	-2.85	58.38	3	Horizontal	38	1.80	-	32.11	7.29	32.43

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_3TX

5570MHz_TX




EUT Y_3TX
 Setting 17
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14332G	57.96	74.00	-16.04	42.27	3	Vertical	5	1.29	-	40.07	10.26	34.64
AV	11.13578G	45.55	54.00	-8.45	29.84	3	Vertical	5	1.29	-	40.09	10.26	34.64

5.47-5.725GHz_802.11ax HEW160_Nss1,(MCS0)_3TX

5570MHz_TX



EUT Y_3TX
 Setting 17
 06-H-K-5

Type	Freq (Hz)	Level (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Raw (dBuV)	Dist (m)	Condition	Azimuth (°)	Height (m)	Comment	AF (dB)	CL (dB)	PA (dB)
PK	11.14134G	58.32	74.00	-15.68	42.62	3	Horizontal	71	1.49	-	40.08	10.26	34.64
AV	11.13587G	45.55	54.00	-8.45	29.84	3	Horizontal	71	1.49	-	40.09	10.26	34.64