

Appendix Test Data for BT(BDR/EDR) (Conducted Measurement)

Product Name: Bluetooth Adapter

Trade Mark: INSTALLBAY

Test Model: IBBTR18

FCC ID: 2AHL8-IBBTR18

Environmental Conditions

Temperature:	25.5°C
Relative Humidity:	55%
ATM Pressure:	100.0 kPa
Test Engineer:	Anna Hu
Supervised by:	Hugo Chen
NOTE	N/A


Appendix A: 20dB Emission Bandwidth

Test Result


TestMode	Antenna	Channel	20db EBW[MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.951	2401.553	2402.504	---	---
		2441	0.948	2440.553	2441.501	---	---
		2480	0.945	2479.556	2480.501	---	---
2DH5	Ant1	2402	1.263	2401.382	2402.645	---	---
		2441	1.320	2440.355	2441.675	---	---
		2480	1.269	2479.382	2480.651	---	---
3DH5	Ant1	2402	1.278	2401.364	2402.642	---	---
		2441	1.296	2440.367	2441.663	---	---
		2480	1.317	2479.352	2480.669	---	---

Test Graphs







2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3D15_Ant1_2441



3D15_Ant1_2480





Appendix B: Occupied Channel Bandwidth

Test Result


TestMode	Antenna	Channel	OCB [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
DH5	Ant1	2402	0.87541	2401.5762	2402.4517	---	---
		2441	0.87024	2440.5781	2441.4483	---	---
		2480	0.86707	2479.5803	2480.4474	---	---
2DH5	Ant1	2402	1.1748	2401.4259	2402.6007	---	---
		2441	1.1748	2440.4263	2441.6011	---	---
		2480	1.1801	2479.4252	2480.6053	---	---
3DH5	Ant1	2402	1.1782	2401.4219	2402.6001	---	---
		2441	1.1883	2440.4144	2441.6027	---	---
		2480	1.1832	2479.4174	2480.6006	---	---

Test Graphs







2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480




Appendix C: Maximum Peak conducted output power


Test Result

TestMode	Antenna	Channel	Result[dBm]	Limit[dBm]	Verdict
DH5	Ant1	2402	0.37	≤30	PASS
		2441	0.95	≤30	PASS
		2480	0.86	≤30	PASS
2DH5	Ant1	2402	0.67	≤20.97	PASS
		2441	1.22	≤20.97	PASS
		2480	1.12	≤20.97	PASS
3DH5	Ant1	2402	1.19	≤20.97	PASS
		2441	1.71	≤20.97	PASS
		2480	1.67	≤20.97	PASS


Test Graphs




2DH5_Ant1_2402




2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480




Appendix D: Carrier frequency separation

Test Result

TestMode	Antenna	Channel	Result[MHz]	Limit[MHz]	Verdict
DH5	Ant1	Hop	1.014	≥ 0.951	PASS
2DH5	Ant1	Hop	0.934	≥ 0.880	PASS
3DH5	Ant1	Hop	1.2	≥ 0.878	PASS

Test Graphs





Appendix E: Time of occupancy

Test Result



TestMode	Antenna	Channel	BurstWidth [ms]	TotalHops [Num]	Result[s]	Limit[s]	Verdict
DH5	Ant1	Hop	2.885	120	0.346	≤0.4	PASS
2DH5	Ant1	Hop	2.891	120	0.347	≤0.4	PASS
3DH5	Ant1	Hop	2.892	100	0.289	≤0.4	PASS

Test Graphs





3DH5_Ant1_Hop




Appendix F: Number of hopping channels

Test Result

TestMode	Antenna	Channel	Result[Num]	Limit[Num]	Verdict
DH5	Ant1	Hop	79	≥15	PASS
2DH5	Ant1	Hop	79	≥15	PASS
3DH5	Ant1	Hop	79	≥15	PASS

Test Graphs




Appendix G: Band edge measurements

Test Result


TestMode	Antenna	ChName	Channel	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	Low	2402	-0.07	-50.12	≤-20.07	PASS
		High	2480	0.30	-48.78	≤-19.7	PASS
		Low	Hop_2402	-0.48	-49.41	≤-20.48	PASS
		High	Hop_2480	0.06	-49.06	≤-19.94	PASS
2DH5	Ant1	Low	2402	-1.05	-50.12	≤-21.05	PASS
		High	2480	-0.20	-49.5	≤-20.2	PASS
		Low	Hop_2402	-4.03	-50.64	≤-24.03	PASS
		High	Hop_2480	-2.43	-48.47	≤-22.43	PASS
3DH5	Ant1	Low	2402	-0.67	-50.03	≤-20.67	PASS
		High	2480	-0.47	-49.29	≤-20.47	PASS
		Low	Hop_2402	-2.88	-51.09	≤-22.88	PASS
		High	Hop_2480	-2.22	-49.58	≤-22.22	PASS

Test Graphs







2DH5_Ant1_Low_2402




2DH5_Ant1_High_2480




2DH5_Ant1_Low_Hop_2402




2DH5_Ant1_High_Hop_2480




3DH5_Ant1_Low_2402




3DH5_Ant1_High_2480



3DH5_Ant1_Low_Hop_2402



3DH5_Ant1_High_Hop_2480








Appendix H: Conducted Spurious Emission

Test Result


TestMode	Antenna	Channel	FreqRange [MHz]	RefLevel [dBm]	Result [dBm]	Limit [dBm]	Verdict
DH5	Ant1	2402	Reference	-0.73	-0.73	---	PASS
			30~1000	-0.73	-62.83	≤-20.73	PASS
			1000~26500	-0.73	-49.95	≤-20.73	PASS
		2441	Reference	-0.03	-0.03	---	PASS
			30~1000	-0.03	-62.41	≤-20.03	PASS
			1000~26500	-0.03	-50.3	≤-20.03	PASS
		2480	Reference	-0.35	-0.35	---	PASS
			30~1000	-0.35	-58.18	≤-20.35	PASS
			1000~26500	-0.35	-49.08	≤-20.35	PASS
2DH5	Ant1	2402	Reference	-1.17	-1.17	---	PASS
			30~1000	-1.17	-62.03	≤-21.17	PASS
			1000~26500	-1.17	-50.36	≤-21.17	PASS
		2441	Reference	-0.75	-0.75	---	PASS
			30~1000	-0.75	-62.12	≤-20.75	PASS
			1000~26500	-0.75	-50.14	≤-20.75	PASS
		2480	Reference	-0.72	-0.72	---	PASS
			30~1000	-0.72	-62.38	≤-20.72	PASS
			1000~26500	-0.72	-50.63	≤-20.72	PASS
3DH5	Ant1	2402	Reference	-1.86	-1.86	---	PASS
			30~1000	-1.86	-62.04	≤-21.86	PASS
			1000~26500	-1.86	-50.34	≤-21.86	PASS
		2441	Reference	-0.58	-0.58	---	PASS
			30~1000	-0.58	-62.52	≤-20.58	PASS
			1000~26500	-0.58	-49.96	≤-20.58	PASS
		2480	Reference	-4.00	-4.00	---	PASS
			30~1000	-4.00	-62.61	≤-24	PASS
			1000~26500	-4.00	-50.26	≤-24	PASS

Test Graphs







DH5_Ant1_2441_30~1000




DH5_Ant1_2441_1000~26500




DH5_Ant1_2480_0~Reference




DH5_Ant1_2480_30~1000




DH5_Ant1_2480_1000~26500




2DH5_Ant1_2402_0~Reference




2DH5_Ant1_2402_30~1000




2DH5_Ant1_2402_1000~26500




2DH5_Ant1_2441_0~Reference




2DH5_Ant1_2441_30~100




2DH5_Ant1_2441_1000~26500




2DH5_Ant1_2480_0~Reference




2DH5_Ant1_2480_30~1000




2DH5_Ant1_2480_1000~26500




3DH5_Ant1_2402_0~Reference




3DH5_Ant1_2402_30~1000




3DH5_Ant1_2402_1000~26500




3DH5_Ant1_2441_0~Reference




3DH5_Ant1_2441_30~1000




3DH5_Ant1_2441_1000~26500




3DH5_Ant1_2480_0~Reference



3DH5_Ant1_2480_30~1000



3DH5_Ant1_2480_1000~26500





Appendix I: Duty Cycle

Test Result


TestMode	Antenna	Channel	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/T[kHz]
DH5	Ant1	2402	2.89	3.73	77.48	0.35
		2441	2.89	3.73	77.48	0.35
		2480	2.89	3.73	77.48	0.35
2DH5	Ant1	2402	2.89	3.73	77.48	0.35
		2441	2.89	3.74	77.27	0.35
		2480	2.88	3.73	77.21	0.35
3DH5	Ant1	2402	2.89	3.74	77.27	0.35
		2441	2.89	3.74	77.27	0.35
		2480	2.89	3.73	77.48	0.35

Test Graphs







2DH5_Ant1_2441




2DH5_Ant1_2480




3DH5_Ant1_2402



3DH5_Ant1_2441



3DH5_Ant1_2480



Appendix J: Emissions in Restricted Bands





Test Result


TestMode	Antenna	ChName	Channel	Detector	Freq(MHz)	Result(dBm)	Limit(dBm)	Verdict
DH5	Ant1	Low	2402	AV	2310.000	-49.08	≤-41.20	PASS
				AV	2383.685	-48.76	≤-41.20	PASS
				AV	2390.000	-48.82	≤-41.20	PASS
				Peak	2310.000	-42.7	≤-21.20	PASS
				Peak	2385.680	-39.6	≤-21.20	PASS
				Peak	2390.000	-40.17	≤-21.20	PASS
		High	2480	AV	2483.500	-47.97	≤-41.20	PASS
				AV	2483.520	-47.97	≤-41.20	PASS
				AV	2500.000	-48.21	≤-41.20	PASS
				Peak	2483.500	-40.26	≤-21.20	PASS
				Peak	2498.000	-38.35	≤-21.20	PASS
				Peak	2500.000	-41.81	≤-21.20	PASS
2DH5	Ant1	Low	2402	AV	2310.000	-49.25	≤-41.20	PASS
				AV	2389.670	-48.76	≤-41.20	PASS
				AV	2390.000	-48.85	≤-41.20	PASS
				Peak	2310.000	-42.58	≤-21.20	PASS
				Peak	2335.175	-39.1	≤-21.20	PASS
				Peak	2390.000	-41.44	≤-21.20	PASS
		High	2480	AV	2483.500	-47.86	≤-41.20	PASS
				AV	2483.520	-47.86	≤-41.20	PASS
				AV	2500.000	-48.19	≤-41.20	PASS
				Peak	2483.500	-40.99	≤-21.20	PASS
				Peak	2493.600	-38.48	≤-21.20	PASS
				Peak	2500.000	-38.66	≤-21.20	PASS
3DH5	Ant1	Low	2402	AV	2310.000	-49.19	≤-41.20	PASS
				AV	2383.685	-48.72	≤-41.20	PASS
				AV	2390.000	-48.74	≤-41.20	PASS
				Peak	2310.000	-40.55	≤-21.20	PASS
				Peak	2361.845	-38.65	≤-21.20	PASS
				Peak	2390.000	-42.28	≤-21.20	PASS
		High	2480	AV	2483.500	-47.87	≤-41.20	PASS
				AV	2483.520	-47.87	≤-41.20	PASS
				AV	2500.000	-48.23	≤-41.20	PASS
				Peak	2483.500	-39.51	≤-21.20	PASS
				Peak	2486.160	-38.82	≤-21.20	PASS
				Peak	2500.000	-40.5	≤-21.20	PASS

Note:


1. The Antenna Gain is compensated in the graph with 2dBi and Antenna Gain which is Higher.
2. The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Test Graphs







2DH5_Ant1_Low_2402_AV




2DH5_Ant1_Low_2402_Peak




2DH5_Ant1_High_2480_AV




2DH5_Ant1_High_2480_Peak




3DH5_Ant1_Low_2402_AV



3DH5_Ant1_Low_2402_Peak



3DH5_Ant1_High_2480_AV



3DH5_Ant1_High_2480_Peak

