






30MHz~3GHz_Band2_5MHz_QPSK_1_0_LowCH18625-1852.5




3GHz~10GHz_Band2_5MHz_QPSK_1_0_LowCH18625-1852.5




30MHz~3GHz_Band2_5MHz_QPSK_1_0_MidCH18900-1880




3GHz~10GHz_Band2_5MHz_QPSK_1_0_MidCH18900-1880



30MHz~3GHz_Band2_5MHz_QPSK_1_0_HighCH19175-1907.5




3GHz~10GHz_Band2_5MHz_QPSK_1_0_HighCH19175-1907.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band2_10MHz_QPSK_1_0_LowCH18650-1855




3GHz~10GHz_Band2_10MHz_QPSK_1_0_LowCH18650-1855




30MHz~3GHz_Band2_10MHz_QPSK_1_0_MidCH18900-1880




3GHz~10GHz_Band2_10MHz_QPSK_1_0_MidCH18900-1880



30MHz~3GHz_Band2_10MHz_QPSK_1_0_HighCH19150-1905




3GHz~10GHz_Band2_10MHz_QPSK_1_0_HighCH19150-1905



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band2_15MHz_QPSK_1_0_LowCH18675-1857.5




3GHz~10GHz_Band2_15MHz_QPSK_1_0_LowCH18675-1857.5




30MHz~3GHz_Band2_15MHz_QPSK_1_0_MidCH18900-1880




3GHz~10GHz_Band2_15MHz_QPSK_1_0_MidCH18900-1880



30MHz~3GHz_Band2_15MHz_QPSK_1_0_HighCH19125-1902.5




3GHz~10GHz_Band2_15MHz_QPSK_1_0_HighCH19125-1902.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band2_20MHz_QPSK_1_0_LowCH18700-1860




3GHz~10GHz_Band2_20MHz_QPSK_1_0_LowCH18700-1860




30MHz~3GHz_Band2_20MHz_QPSK_1_0_MidCH18900-1880




3GHz~10GHz_Band2_20MHz_QPSK_1_0_MidCH18900-1880



30MHz~3GHz_Band2_20MHz_QPSK_1_0_HighCH19100-1900




3GHz~10GHz_Band2_20MHz_QPSK_1_0_HighCH19100-1900




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band4_1_4MHz_QPSK_1_0_LowCH19957-1710.7




3GHz~10GHz_Band4_1_4MHz_QPSK_1_0_LowCH19957-1710.7




30MHz~3GHz_Band4_1_4MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~10GHz_Band4_1_4MHz_QPSK_1_0_MidCH20175-1732.5



30MHz~3GHz_Band4_1_4MHz_QPSK_1_0_HighCH20393-1754.3



3GHz~10GHz_Band4_1_4MHz_QPSK_1_0_HighCH20393-1754.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 168 of 271




30MHz~3GHz_Band4_3MHz_QPSK_1_0_LowCH19965-1711.5




3GHz~10GHz_Band4_3MHz_QPSK_1_0_LowCH19965-1711.5




30MHz~3GHz_Band4_3MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~10GHz_Band4_3MHz_QPSK_1_0_MidCH20175-1732.5



30MHz~3GHz_Band4_3MHz_QPSK_1_0_HighCH20385-1753.5



3GHz~10GHz_Band4_3MHz_QPSK_1_0_HighCH20385-1753.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 就明 * 近報告話术性對例或之樣态員實 * 问時武樣态性体智知犬 * 多報告末整本公司書面計引 * 不可能的複复 * This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

&公司 t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com




Report No.: E2/2018/70105 Page 169 of 271




30MHz~3GHz_Band4_5MHz_QPSK_1_0_LowCH19975-1712.5




3GHz~10GHz_Band4_5MHz_QPSK_1_0_LowCH19975-1712.5




30MHz~3GHz_Band4_5MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~10GHz_Band4_5MHz_QPSK_1_0_MidCH20175-1732.5



30MHz~3GHz_Band4_5MHz_QPSK_1_0_HighCH20375-1752.5



3GHz~10GHz_Band4_5MHz_QPSK_1_0_HighCH20375-1752.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sqs.com






30MHz~3GHz_Band4_10MHz_QPSK_1_0_LowCH20000-1715




3GHz~10GHz_Band4_10MHz_QPSK_1_0_LowCH20000-1715




30MHz~3GHz_Band4_10MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~10GHz_Band4_10MHz_QPSK_1_0_MidCH20175-1732.5



30MHz~3GHz_Band4_10MHz_QPSK_1_0_HighCH20350-1750



3GHz~10GHz_Band4_10MHz_QPSK_1_0_HighCH20350-1750



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 171 of 271




30MHz~3GHz_Band4_15MHz_QPSK_1_0_LowCH20025-1717.5




3GHz~10GHz_Band4_15MHz_QPSK_1_0_LowCH20025-1717.5




30MHz~3GHz_Band4_15MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~10GHz_Band4_15MHz_QPSK_1_0_MidCH20175-1732.5



30MHz~3GHz_Band4_15MHz_QPSK_1_0_HighCH20325-1747.5




3GHz~10GHz_Band4_15MHz_QPSK_1_0_HighCH20325-1747.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band4_20MHz_QPSK_1_0_LowCH20050-1720




3GHz~10GHz_Band4_20MHz_QPSK_1_0_LowCH20050-1720




30MHz~3GHz_Band4_20MHz_QPSK_1_0_MidCH20175-1732.5




3GHz~10GHz_Band4_20MHz_QPSK_1_0_MidCH20175-1732.5



30MHz~3GHz_Band4_20MHz_QPSK_1_0_HighCH20300-1745




3GHz~10GHz_Band4_20MHz_QPSK_1_0_HighCH20300-1745




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 就明 * 近報告話术性對例或之樣态員實 * 问時武樣态性体智知犬 * 多報告末整本公司書面計引 * 不可能的複复 * This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band5_1_4MHz_QPSK_1_0_LowCH20407-824.7




3GHz~10GHz_Band5_1_4MHz_QPSK_1_0_LowCH20407-824.7




30MHz~3GHz_Band5_1_4MHz_QPSK_1_0_MidCH20525-836.5




3GHz~10GHz_Band5_1_4MHz_QPSK_1_0_MidCH20525-836.5



30MHz~3GHz_Band5_1_4MHz_QPSK_1_0_HighCH20643-848.3




3GHz~10GHz_Band5_1_4MHz_QPSK_1_0_HighCH20643-848.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band5_3MHz_QPSK_1_0_LowCH20415-825.5




3GHz~10GHz_Band5_3MHz_QPSK_1_0_LowCH20415-825.5




30MHz~3GHz_Band5_3MHz_QPSK_1_0_MidCH20525-836.5




3GHz~10GHz_Band5_3MHz_QPSK_1_0_MidCH20525-836.5



30MHz~3GHz_Band5_3MHz_QPSK_1_0_HighCH20635-847.5




3GHz~10GHz_Band5_3MHz_QPSK_1_0_HighCH20635-847.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band5_5MHz_QPSK_1_0_LowCH20425-826.5




3GHz~10GHz_Band5_5MHz_QPSK_1_0_LowCH20425-826.5




30MHz~3GHz_Band5_5MHz_QPSK_1_0_MidCH20525-836.5




3GHz~10GHz_Band5_5MHz_QPSK_1_0_MidCH20525-836.5



30MHz~3GHz_Band5_5MHz_QPSK_1_0_HighCH20625-846.5



3GHz~10GHz_Band5_5MHz_QPSK_1_0_HighCH20625-846.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 就明 * 近報告話术性對例或之樣态員實 * 问時武樣态性体智知犬 * 多報告末整本公司書面計引 * 不可能的複复 * This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


S Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com







30MHz~3GHz_Band5_10MHz_QPSK_1_0_LowCH20450-829




3GHz~10GHz_Band5_10MHz_QPSK_1_0_LowCH20450-829




30MHz~3GHz_Band5_10MHz_QPSK_1_0_MidCH20525-836.5




3GHz~10GHz_Band5_10MHz_QPSK_1_0_MidCH20525-836.5



30MHz~3GHz_Band5_10MHz_QPSK_1_0_HighCH20600-844




3GHz~10GHz_Band5_10MHz_QPSK_1_0_HighCH20600-844



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band12_1_4MHz_QPSK_1_0_LowCH23017-699.7




3GHz~10GHz_Band12_1_4MHz_QPSK_1_0_LowCH23017-699.7




30MHz~3GHz_Band12_1_4MHz_QPSK_1_0_MidCH23095-707.5




3GHz~10GHz_Band12_1_4MHz_QPSK_1_0_MidCH23095-707.5



30MHz~3GHz_Band12_1_4MHz_QPSK_1_0_HighCH23173-715.3



3GHz~10GHz_Band12_1_4MHz_QPSK_1_0_HighCH23173-715.3



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


t (886-2) 2299-3279

f (886-2) 2298-0488







30MHz~3GHz_Band12_3MHz_QPSK_1_0_LowCH23025-700.5




3GHz~10GHz_Band12_3MHz_QPSK_1_0_LowCH23025-700.5




30MHz~3GHz_Band12_3MHz_QPSK_1_0_MidCH23095-707.5




3GHz~10GHz_Band12_3MHz_QPSK_1_0_MidCH23095-707.5



30MHz~3GHz_Band12_3MHz_QPSK_1_0_HighCH23165-714.5



3GHz~10GHz_Band12_3MHz_QPSK_1_0_HighCH23165-714.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279


f (886-2) 2298-0488 www.tw.sqs.com




Report No.: E2/2018/70105 Page 179 of 271




30MHz~3GHz_Band12_5MHz_QPSK_1_0_LowCH23035-701.5




3GHz~10GHz_Band12_5MHz_QPSK_1_0_LowCH23035-701.5




30MHz~3GHz_Band12_5MHz_QPSK_1_0_MidCH23095-707.5




3GHz~10GHz_Band12_5MHz_QPSK_1_0_MidCH23095-707.5



30MHz~3GHz_Band12_5MHz_QPSK_1_0_HighCH23155-713.5




3GHz~10GHz_Band12_5MHz_QPSK_1_0_HighCH23155-713.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band12_10MHz_QPSK_1_0_LowCH23060-704




3GHz~10GHz_Band12_10MHz_QPSK_1_0_LowCH23060-704




30MHz~3GHz_Band12_10MHz_QPSK_1_0_MidCH23095-707.5




3GHz~10GHz_Band12_10MHz_QPSK_1_0_MidCH23095-707.5



30MHz~3GHz_Band12_10MHz_QPSK_1_0_HighCH23130-711




3GHz~10GHz_Band12_10MHz_QPSK_1_0_HighCH23130-711



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band25_1_4MHz_QPSK_1_0_LowCH26047-1850.7




3GHz~10GHz_Band25_1_4MHz_QPSK_1_0_LowCH26047-1850.7




30MHz~3GHz_Band25_1_4MHz_QPSK_1_0_MidCH26365-1882.5




3GHz~10GHz_Band25_1_4MHz_QPSK_1_0_MidCH26365-1882.5



30MHz~3GHz_Band25_1_4MHz_QPSK_1_0_HighCH26683-1914.3



3GHz~10GHz_Band25_1_4MHz_QPSK_1_0_HighCH26683-1914.3




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 就明 * 近報告話术性對例或之樣态員實 * 问時武樣态性体智知犬 * 多報告末整本公司書面計引 * 不可能的複复 * This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


indect extent of the lath.

GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號







30MHz~3GHz_Band25_3MHz_QPSK_1_0_LowCH26055-1851.5




3GHz~10GHz_Band25_3MHz_QPSK_1_0_LowCH26055-1851.5




30MHz~3GHz_Band25_3MHz_QPSK_1_0_MidCH26365-1882.5




3GHz~10GHz_Band25_3MHz_QPSK_1_0_MidCH26365-1882.5



30MHz~3GHz_Band25_3MHz_QPSK_1_0_HighCH26675-1913.5




3GHz~10GHz_Band25_3MHz_QPSK_1_0_HighCH26675-1913.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band25_5MHz_QPSK_1_0_LowCH26065-1852.5




3GHz~10GHz_Band25_5MHz_QPSK_1_0_LowCH26065-1852.5




30MHz~3GHz_Band25_5MHz_QPSK_1_0_MidCH26365-1882.5




3GHz~10GHz_Band25_5MHz_QPSK_1_0_MidCH26365-1882.5



30MHz~3GHz_Band25_5MHz_QPSK_1_0_HighCH26665-1912.5



3GHz~10GHz_Band25_5MHz_QPSK_1_0_HighCH26665-1912.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


解析方角 就明 * 近報告話术性對例或之樣态員實 * 问時武樣态性体智知犬 * 多報告末整本公司書面計引 * 不可能的複复 * This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

公司 t (886-2) 2299-3279


f (886-2) 2298-0488

www.tw.sgs.com







30MHz~3GHz_Band25_10MHz_QPSK_1_0_LowCH26090-1855




3GHz~10GHz_Band25_10MHz_QPSK_1_0_LowCH26090-1855




30MHz~3GHz_Band25_10MHz_QPSK_1_0_MidCH26365-1882.5




3GHz~10GHz_Band25_10MHz_QPSK_1_0_MidCH26365-1882.5



30MHz~3GHz_Band25_10MHz_QPSK_1_0_HighCH26640-1910




3GHz~10GHz_Band25_10MHz_QPSK_1_0_HighCH26640-1910



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band25_15MHz_QPSK_1_0_LowCH26115-1857.5




3GHz~10GHz_Band25_15MHz_QPSK_1_0_LowCH26115-1857.5




30MHz~3GHz_Band25_15MHz_QPSK_1_0_MidCH26365-1882.5




3GHz~10GHz_Band25_15MHz_QPSK_1_0_MidCH26365-1882.5



30MHz~3GHz_Band25_15MHz_QPSK_1_0_HighCH26615-1907.5



3GHz~10GHz_Band25_15MHz_QPSK_1_0_HighCH26615-1907.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

家非方角説明 : 北朝台路来僅對測点之樣品具質 : 同時比樣品僅保留別大。本報台来陸本公司書面計可 : 木可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction foocuments. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful

and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134, WuKungRoad, NewTaipeiIndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan 24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488


www.tw.sgs.com




Report No.: E2/2018/70105 Page 186 of 271




30MHz~3GHz_Band25_20MHz_QPSK_1_0_LowCH26140-1860




3GHz~10GHz_Band25_20MHz_QPSK_1_0_LowCH26140-1860




30MHz~3GHz_Band25_20MHz_QPSK_1_0_MidCH26365-1882.5




3GHz~10GHz_Band25_20MHz_QPSK_1_0_MidCH26365-1882.5



30MHz~3GHz_Band25_20MHz_QPSK_1_0_HighCH26590-1905




3GHz~10GHz_Band25_20MHz_QPSK_1_0_HighCH26590-1905




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band26_1_4MHz_QPSK_1_0_LowCH26697




3GHz~10GHz_Band26_1_4MHz_QPSK_1_0_LowCH26697




30MHz~3GHz_Band26_1_4MHz_QPSK_1_0_MidCH26865




3GHz~10GHz_Band26_1_4MHz_QPSK_1_0_MidCH26865



30MHz~3GHz_Band26_1_4MHz_QPSK_1_0_HighCH27033



3GHz~10GHz_Band26_1_4MHz_QPSK_1_0_HighCH27033




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279







30MHz~3GHz_Band26_3MHz_QPSK_1_0_LowCH26705




3GHz~10GHz_Band26_3MHz_QPSK_1_0_LowCH26705




30MHz~3GHz_Band26_3MHz_QPSK_1_0_MidCH26865




3GHz~10GHz_Band26_3MHz_QPSK_1_0_MidCH26865



30MHz~3GHz_Band26_3MHz_QPSK_1_0_HighCH27025



3GHz~10GHz_Band26_3MHz_QPSK_1_0_HighCH27025




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 就明 * 近報告話术性對例或之樣态員實 * 问時武樣态性体智知犬 * 多報告末整本公司書面計引 * 不可能的複复 * This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

indect extent of the lath.


GS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Report No.: E2/2018/70105 Page 189 of 271




30MHz~3GHz_Band26_5MHz_QPSK_1_0_LowCH26715




3GHz~10GHz_Band26_5MHz_QPSK_1_0_LowCH26715




30MHz~3GHz_Band26_5MHz_QPSK_1_0_MidCH26865




3GHz~10GHz_Band26_5MHz_QPSK_1_0_MidCH26865



30MHz~3GHz_Band26_5MHz_QPSK_1_0_HighCH27015




3GHz~10GHz_Band26_5MHz_QPSK_1_0_HighCH27015




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band26_10MHz_QPSK_1_0_LowCH26750




3GHz~10GHz_Band26_10MHz_QPSK_1_0_LowCH26750




30MHz~3GHz_Band26_10MHz_QPSK_1_0_MidCH26865




3GHz~10GHz_Band26_10MHz_QPSK_1_0_MidCH26865



30MHz~3GHz_Band26_10MHz_QPSK_1_0_HighCH26990



3GHz~10GHz_Band26_10MHz_QPSK_1_0_HighCH26990




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 就明 * 近報告話术性對例或之樣态員實 * 问時武樣态性体智知犬 * 多報告末整本公司書面計引 * 不可能的複复 * This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

wan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


&公司 t (886-2) 2299-3279

f (886-2) 2298-0488







30MHz~3GHz_Band26_15MHz_QPSK_1_0_LowCH26775




3GHz~10GHz_Band26_15MHz_QPSK_1_0_LowCH26775




30MHz~3GHz_Band26_15MHz_QPSK_1_0_MidCH26865




3GHz~10GHz_Band26_15MHz_QPSK_1_0_MidCH26865



30MHz~3GHz_Band26_15MHz_QPSK_1_0_HighCH26965



3GHz~10GHz_Band26_15MHz_QPSK_1_0_HighCH26965



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


t (886-2) 2299-3279

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


f (886-2) 2298-0488

www.tw.sqs.com







30MHz~3GHz_Band26_1_4MHz_QPSK_1_0_LowCH26697




3GHz~10GHz_Band26_1_4MHz_QPSK_1_0_LowCH26697




30MHz~3GHz_Band26_1_4MHz_QPSK_1_0_MidCH26740




3GHz~10GHz_Band26_1_4MHz_QPSK_1_0_MidCH26740



30MHz~3GHz_Band26_1_4MHz_QPSK_1_0_HighCH26783




3GHz~10GHz_Band26_1_4MHz_QPSK_1_0_HighCH26783



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band26_3MHz_QPSK_1_0_LowCH26705




3GHz~10GHz_Band26_3MHz_QPSK_1_0_LowCH26705




30MHz~3GHz_Band26_3MHz_QPSK_1_0_MidCH26740




3GHz~10GHz_Band26_3MHz_QPSK_1_0_MidCH26740



30MHz~3GHz_Band26_3MHz_QPSK_1_0_HighCH26775




3GHz~10GHz_Band26_3MHz_QPSK_1_0_HighCH26775



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.







30MHz~3GHz_Band26_5MHz_QPSK_1_0_LowCH26715




3GHz~10GHz_Band26_5MHz_QPSK_1_0_LowCH26715




30MHz~3GHz_Band26_5MHz_QPSK_1_0_MidCH26740




3GHz~10GHz_Band26_5MHz_QPSK_1_0_MidCH26740



30MHz~3GHz_Band26_5MHz_QPSK_1_0_HighCH26765



3GHz~10GHz_Band26_5MHz_QPSK_1_0_HighCH26765




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

解析方角 規則: 此報告語末性對例成之樣态員實 计同时武禄态性体留切大。各報台来學本公司書面計引、不可能的複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





30MHz~3GHz_Band26_10MHz_QPSK_1_0_MidCH26740



3GHz~10GHz_Band26_10MHz_QPSK_1_0_MidCH26740



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and the proported the fall with and offenders may be prosecuted to the fullest extent of the law.



Page 196 of 271

9. FIELD STRENGTH OF SPURIOUS RADIATION MEASUREMENT

9.1. Standard Applicable

According to FCC §2.1053,

FCC §22.917(a), §24.238(a), §27.53 (h), the magnitude of each spurious and harmonic emission that can be detected when the equipment is operated under the conditions specified in the instruction manual and/ or alignment procedure, shall not be less than 43 + 10 log (mean output power in watts) dBc below the mean power output outside a license's frequency block (-13dBm).

FCC §27.53(c) (5) & FCC §27.53(g)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 100 kilohertz or greater. However, in the 100 kilohertz bands immediately outside and adjacent to a licensee's frequency block, a resolution bandwidth of at least 30 kHz may be employed.

FCC §27.53(h) (3)

Compliance with this provision is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 megahertz bands immediately outside and adjacent to the licensee's frequency block, a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed. The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power.

FCC 27.53(a)(4)

For mobile and portable stations operating in the 2305-2315 MHz and 2350-2360 MHz bands:

- (i) By a factor of not less than: 43 + 10 log (P) dB on all frequencies between 2305 and 2320 MHz and on all frequencies between 2345 and 2360 MHz that are outside the licensed band(s) of operation, not less than 55 + 10 log (P) dB on all frequencies between 2320 and 2324 MHz and on all frequencies between 2341 and 2345 MHz, not less than 61 + 10 log (P) dB on all frequencies between 2324 and 2328 MHz and on all frequencies between 2337 and 2341 MHz, and not less than 67 + 10 log (P) dB on all frequencies between 2328 and 2337 MHz;
- (ii) By a factor of not less than 43 + 10 log (P) dB on all frequencies between 2300 and 2305 MHz, 55 + 10 log (P) dB on all frequencies between 2296 and 2300 MHz, 61 + 10 log (P) dB on all frequencies between 2292 and 2296 MHz, 67 + 10 log (P) dB on all frequencies between 2288 and 2292 MHz, and 70 + 10 log (P) dB below 2288 MHz;
- (iii) By a factor of not less than 43 + 10 log (P) dB on all frequencies between 2360 and 2365 MHz, and not less than 70 + 10 log (P) dB above 2365 MHz.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責、同時此樣品僅保留印天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law SGS Taiwan Ltd.



Page 197 of 271

FCC §27.53(m) (4) (6)

For mobile digital stations, the attenuation factor shall be not less than 40 + 10 log (P) dB on all frequencies between the channel edge and 5 megahertz from the channel edge, 43 + 10 log (P) dB on all frequencies between 5 megahertz and X megahertz from the channel edge, and 55 + 10 log (P) dB on all frequencies more than X megahertz from the channel edge, where X is the greater of 6 megahertz or the actual emission bandwidth as defined in paragraph (m)(6) of this section. In addition, the attenuation factor shall not be less that 43 + 10 log (P) dB on all frequencies between 2490.5 MHz and 2496 MHz and 55 + 10 log (P) dB at or below 2490.5 MHz. Mobile Satellite Service licensees operating on frequencies below 2495 MHz may also submit a documented interference complaint against BRS licensees operating on channel BRS Channel 1 on the same terms and conditions as adjacent channel BRS or EBS licensees.

Measurement procedure. Compliance with these rules is based on the use of measurement instrumentation employing a resolution bandwidth of 1 megahertz or greater. However, in the 1 MHz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least one percent of the emission bandwidth of the fundamental emission of the transmitter may be employed; for mobile digital stations, in the 1 megahertz bands immediately outside and adjacent to the frequency block a resolution bandwidth of at least two percent may be employed, except when the 1 megahertz band is 2495-2496 MHz, in which case a resolution bandwidth of at least one percent may be employed. A narrower resolution bandwidth is permitted in all cases to improve measurement accuracy provided the measured power is integrated over the full required measurement bandwidth (i.e. 1 megahertz or 1 percent of emission bandwidth, as specified; or 1 megahertz or 2 percent for mobile digital stations, except in the band 2495-2496 MHz). The emission bandwidth is defined as the width of the signal between two points, one below the carrier center frequency and one above the carrier center frequency, outside of which all emissions are attenuated at least 26 dB below the transmitter power. With respect to television operations, measurements must be made of the separate visual and aural operating powers at sufficiently frequent intervals to ensure compliance with the rules.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the feeding shown in this test report refer only for the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer on the sample(s) and refer only of the sample(s) tested and source and refer only of the sample(s) and refer on the sample(s) and refer only of the sample(s) and refer on the sample Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd.



Page 198 of 271


Table 2 — Unwanted Emissions for Mobile, Portable and Low-Power Fixed Subscriber **Equipment**

Frequency (MHz)	Attenuation (dB)
<2200	$43 + 10 \log_{10}(p)$
2200 - 2288	$70 + 10 \log_{10}(p)$
2288 - 2292	$67 + 10 \log_{10}(p)$
2292 - 2296	$61 + 10 \log_{10}(p)$
2296 - 2300	$55 + 10 \log_{10}(p)$
2300 - 2305	$43 + 10 \log_{10}(p)$
2305 - 2320	$43 + 10 \log_{10}(p)^{\text{Note}}$
2320 - 2324	$55 + 10 \log_{10}(p)$
2324 - 2328	$61 + 10 \log_{10}(p)$
2328 - 2337	$67 + 10 \log_{10}(p)$
2337 - 2341	$61 + 10 \log_{10}(p)$
2341 - 2345	$55 + 10 \log_{10}(p)$
2345 - 2360	$43 + 10 \log_{10}(p)^{\text{Note}}$
2360 - 2365	$43 + 10 \log_{10}(p)$
2365 - 2395	$70 + 10 \log_{10}(p)$
>2395	$43 + 10 \log_{10}(p)$

Note: Measured at the edges of the highest and lowest frequency range(s) in which the equipment is designed to operate. See Section 1.2 for the permitted frequency ranges for various equipment types.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.


Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the property of the previous product the company of the previous product the company of the previous product the company of the previous product the previous prediction in the previous product the previous pre Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law






9.2. EUT Setup

Radiated Emission Test Set-Up, Frequency Below 1000MHz



Radiated Emission Test Set-UP Frequency Over 1 GHz



t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the properties of the previous properties of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 200 of 271

9.3. Measurement Procedure:

The EUT was placed on a non-conductive; the measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the antenna height and the EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. This maximization process was repeated with the EUT positioned in each of its three orthogonal orientations.

The frequency range up to tenth harmonic was investigated for each of three fundamental frequencies (low, middle and high channels). Once spurious emission was identified, the power of the emission was determined using the substitution method.

The spurious emissions attenuation was calculated as the difference between radiated power at the fundamental frequency and the spurious emissions frequency.

ERP (dBm) = SG Level(dBm) + Antenna Gain(dBd) + Cable Loss(dB)

EIRP (dBm) = SG Level(dBm) + Antenna Gain(dBi) + Cable Loss(dB)

9.4. Measurement Equipment Used:

9.4. Measurement Equipment Oseu.								
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.			
Broadband An- tenna	SCHWAZBECK	VULB 9168	9168-617	2017/10/27	2018/10/26			
Horn Antenna	Schwarzbeck	BBHA9120D	1341	2018/06/07	2019/06/06			
Loop Antenna	ETS.LINDGREN	6502	148045	2017/09/26	2018/09/25			
3m Site NSA	SGS	966 chamber D	N/A	2018/07/06	2019/07/05			
EMI Test Receiver	R&S	ESU 40	100363	2018/04/11	2019/04/10			
Pre-Amplifier	EMC Instru- ments	EMC184045B	980135	2017/10/27	2018/10/26			
Pre-Amplifier	EMC Instru- ments	EMC9135	980234	2017/12/26	2018/12/25			
Pre-Amplifier	EMC Instru- ments	EMC12630SE	980271	2017/12/26	2018/12/25			
Coaxial Cable	Huber Suhner	EMC106-SM-SM- 7200	150703	2017/12/26	2018/12/25			
Coaxial Cable	Huber Suhner	RG 214/U	W22.03	2017/12/26	2018/12/25			

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留句天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and Conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions for Electronic Documents at www.sgs.com/terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司 t (886-2) 2299-3279



Page 201 of 271


9.5. Measurement Result:

Radiated Spurious Emission Measurement Result: LTE-Band 2 (The Worst Case)

Operation Mode :LTE B2 **Test Date** :2018-08-09

Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL

Test Channel :1860 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
N 41 1-	JD	Output Level	Gain	Loss	-ID	-ID
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
00.07	50.07	57.40	0.00	0.05	40.00	45.07
60.07	-58.87	-57.40	-0.82	-0.65	-13.00	-45.87
252.13	-63.28	-67.03	5.20	-1.45	-13.00	-50.28
506.27	-64.75	-68.44	6.28	-2.59	-13.00	-51.75
642.07	-63.80	-68.17	6.84	-2.47	-13.00	-50.80
808.91	-63.01	-68.14	7.56	-2.43	-13.00	-50.01
895.24	-62.65	-67.80	7.58	-2.43	-13.00	-49.65
3720.00	-56.92	-62.64	12.44	-6.72	-13.00	-43.92

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the properties of the previous properties of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 202 of 271

Operation Mode :LTE B2 **Test Date** :2018-08-09 Test Mode :TX CH LOW Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL


Test Channel :1860 MHz Engineer :Enzo





Page 203 of 271

Operation Mode :LTE B2 **Test Date** :2018-08-09 Test Mode :TX CH MID Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL **Test Channel** :1880 MHz Engineer :Enzo




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin	
		Output Level	Gain	Loss			
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
53.28	-62.91	-58.89	-3.36	-0.66	-13.00	-49.91	
132.82	-58.19	-58.74	1.50	-0.95	-13.00	-45.19	
263.77	-68.14	-72.02	5.37	-1.49	-13.00	-55.14	
410.24	-68.22	-71.84	5.66	-2.04	-13.00	-55.22	
534.40	-65.34	-69.15	6.24	-2.43	-13.00	-52.34	
839.95	-62.20	-67.33	7.51	-2.38	-13.00	-49.20	
3760.00	-56.38	-62.17	12.46	-6.67	-13.00	-43.38	
5640.00	-47.82	-54.25	13.03	-6.60	-13.00	-34.82	
132.82 263.77 410.24 534.40 839.95 3760.00	-58.19 -68.14 -68.22 -65.34 -62.20 -56.38	-58.74 -72.02 -71.84 -69.15 -67.33 -62.17	1.50 5.37 5.66 6.24 7.51 12.46	-0.95 -1.49 -2.04 -2.43 -2.38 -6.67	-13.00 -13.00 -13.00 -13.00 -13.00	-45.19 -55.14 -55.22 -52.34 -49.20 -43.38	



Page 204 of 271

Operation Mode :LTE B2 **Test Date** :2018-08-09 Test Mode :TX CH MID Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL **Test Channel** :1880 MHz Engineer :Enzo




Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin	
 MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
101.78	-69.40	-67.79	-0.74	-0.87	-13.00	-56.40	
388.90	-70.82	-74.40	5.60	-2.02	-13.00	-57.82	
612.00	-66.90	-71.40	6.72	-2.22	-13.00	-53.90	
858.38	-64.19	-69.34	7.52	-2.37	-13.00	-51.19	
955.38	-62.67	-67.59	7.68	-2.76	-13.00	-49.67	
994.18	-61.68	-66.51	7.79	-2.96	-13.00	-48.68	
3760.00	-56.76	-62.55	12.46	-6.67	-13.00	-43.76	
5640.00	-43.97	-50.40	13.03	-6.60	-13.00	-30.97	



Page 205 of 271

Operation Mode :LTE B2 **Test Date** :2018-08-09 Test Mode :TX CH HIGH Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL **Test Channel** :1900 MHz Engineer :Enzo




EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
dBm	dBm	dBi/dBd	dB	dBm	dB
-68.45	-56.44	-11.41	-0.60	-13.00	-55.45
-51.14	-53.56	3.48	-1.06	-13.00	-38.14
-62.08	-65.91	5.78	-1.95	-13.00	-49.08
-66.69	-70.37	6.29	-2.61	-13.00	-53.69
-62.82	-67.95	7.56	-2.43	-13.00	-49.82
-61.43	-66.25	7.81	-2.99	-13.00	-48.43
-57.16	-63.03	12.48	-6.61	-13.00	-44.16
	-68.45 -51.14 -62.08 -66.69 -62.82 -61.43	Output Level dBm dBm -68.45 -56.44 -51.14 -53.56 -62.08 -65.91 -66.69 -70.37 -62.82 -67.95 -61.43 -66.25	Output Level Gain dBi/dBd -68.45 -56.44 -11.41 -51.14 -53.56 3.48 -62.08 -65.91 5.78 -66.69 -70.37 6.29 -62.82 -67.95 7.56 -61.43 -66.25 7.81	dBm Output Level dBm Gain dBi/dBd Loss dB -68.45 -56.44 -11.41 -0.60 -51.14 -53.56 3.48 -1.06 -62.08 -65.91 5.78 -1.95 -66.69 -70.37 6.29 -2.61 -62.82 -67.95 7.56 -2.43 -61.43 -66.25 7.81 -2.99	dBm Output Level dBm Gain dBi/dBd Loss dBm -68.45 -56.44 -11.41 -0.60 -13.00 -51.14 -53.56 3.48 -1.06 -13.00 -62.08 -65.91 5.78 -1.95 -13.00 -66.69 -70.37 6.29 -2.61 -13.00 -62.82 -67.95 7.56 -2.43 -13.00 -61.43 -66.25 7.81 -2.99 -13.00



Page 206 of 271

Operation Mode :LTE B2 **Test Date** :2018-08-09 Test Mode :TX CH HIGH Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL **Test Channel** :1900 MHz Engineer :Enzo




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
44.55	-67.47	-58.39	-8.45	-0.63	-13.00	-54.47
231.76	-61.06	-65.08	5.39	-1.37	-13.00	-48.06
377.26	-67.24	-70.90	5.66	-2.00	-13.00	-54.24
514.03	-68.55	-72.28	6.27	-2.54	-13.00	-55.55
820.55	-64.34	-69.47	7.54	-2.41	-13.00	-51.34
928.22	-64.66	-69.69	7.63	-2.60	-13.00	-51.66
3800.00	-56.32	-62.19	12.48	-6.61	-13.00	-43.32
5700.00	-44.85	-51.17	13.04	-6.72	-13.00	-31.85
5700.00	-44.85	-51.17	13.04	-6.72	-13.00	-31.85



Page 207 of 271

Radiated Spurious Emission Measurement Result: LTE-Band 4 (The Worst Case)

Operation Mode :LTE B4 **Test Date** :2018-08-09 Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL **Test Channel** :1720 MHz Engineer :Enzo



EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
dBm	dBm	dBi/dBd	dB	dBm	dB
				40.00	
-67.34	-62.53	-4.15	-0.66	-13.00	-54.34
-60.22	-64.12	5.30	-1.40	-13.00	-47.22
-66.59	-70.52	6.13	-2.20	-13.00	-53.59
-64.10	-68.16	6.35	-2.29	-13.00	-51.10
-62.56	-67.69	7.54	-2.41	-13.00	-49.56
-62.36	-67.39	7.63	-2.60	-13.00	-49.36
-51.27	-56.74	12.19	-6.72	-13.00	-38.27
-45.40	-51.40	12.67	-6.67	-13.00	-32.40
	-67.34 -60.22 -66.59 -64.10 -62.56 -62.36 -51.27	Output Level dBm -67.34	Output Level Gain dBi/dBd -67.34 -62.53 -4.15 -60.22 -64.12 5.30 -66.59 -70.52 6.13 -64.10 -68.16 6.35 -62.56 -67.69 7.54 -62.36 -67.39 7.63 -51.27 -56.74 12.19	dBm Output Level dBm Gain dBi/dBd Loss dB -67.34 -62.53 -4.15 -0.66 -60.22 -64.12 5.30 -1.40 -66.59 -70.52 6.13 -2.20 -64.10 -68.16 6.35 -2.29 -62.56 -67.69 7.54 -2.41 -62.36 -67.39 7.63 -2.60 -51.27 -56.74 12.19 -6.72	dBm Output Level dBm Gain dBi/dBd Loss dBm -67.34 -62.53 -4.15 -0.66 -13.00 -60.22 -64.12 5.30 -1.40 -13.00 -66.59 -70.52 6.13 -2.20 -13.00 -64.10 -68.16 6.35 -2.29 -13.00 -62.56 -67.69 7.54 -2.41 -13.00 -62.36 -67.39 7.63 -2.60 -13.00 -51.27 -56.74 12.19 -6.72 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 208 of 271

Operation Mode :LTE B4 **Test Date** :2018-08-09 Test Mode :TX CH LOW Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL **Test Channel** :1720 MHz Engineer :Enzo




EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		-
dBm	dBm	dBi/dBd	dB	dBm	dB
					_
-58.32	-62.25	5.32	-1.39	-13.00	-45.32
-69.34	-72.96	5.63	-2.01	-13.00	-56.34
-67.51	-71.38	6.22	-2.35	-13.00	-54.51
-66.78	-71.27	6.73	-2.24	-13.00	-53.78
-64.49	-69.63	7.51	-2.37	-13.00	-51.49
-63.76	-68.91	7.59	-2.44	-13.00	-50.76
-50.80	-56.27	12.19	-6.72	-13.00	-37.80
-47.07	-53.07	12.67	-6.67	-13.00	-34.07
	-58.32 -69.34 -67.51 -66.78 -64.49 -63.76 -50.80	Output Level dBm -58.32	dBm Output Level dBm Gain dBi/dBd -58.32 -62.25 5.32 -69.34 -72.96 5.63 -67.51 -71.38 6.22 -66.78 -71.27 6.73 -64.49 -69.63 7.51 -63.76 -68.91 7.59 -50.80 -56.27 12.19	dBm Output Level dBm Gain dBi/dBd Loss dB -58.32 -62.25 5.32 -1.39 -69.34 -72.96 5.63 -2.01 -67.51 -71.38 6.22 -2.35 -66.78 -71.27 6.73 -2.24 -64.49 -69.63 7.51 -2.37 -63.76 -68.91 7.59 -2.44 -50.80 -56.27 12.19 -6.72	dBm Output Level dBm Gain dBi/dBd Loss dBm -58.32 -62.25 5.32 -1.39 -13.00 -69.34 -72.96 5.63 -2.01 -13.00 -67.51 -71.38 6.22 -2.35 -13.00 -66.78 -71.27 6.73 -2.24 -13.00 -64.49 -69.63 7.51 -2.37 -13.00 -63.76 -68.91 7.59 -2.44 -13.00 -50.80 -56.27 12.19 -6.72 -13.00



Page 209 of 271

Operation Mode :LTE B4 Test Mode :TX CH MID **EUT Pol** :E1 Plan **Test Channel** :1732.5 MHz **Test Date** :2018-08-09 Temp./Humi. :25/60 Antenna Pol. :VERTICAL Engineer :Enzo



EIRP/ERP	SG Output Lovel	Antenna	Cable	Limit	Margin
dBm	dBm	dBi/dBd	dB	dBm	dB
-53.74	-52.80	-0.05	-0.89	-13.00	-40.74
-66.64	-70.49	5.90	-2.05	-13.00	-53.64
-64.51	-68.95	6.60	-2.16	-13.00	-51.51
-62.43	-67.57	7.52	-2.38	-13.00	-49.43
-61.51	-66.52	7.64	-2.63	-13.00	-48.51
-61.92	-66.82	7.71	-2.81	-13.00	-48.92
-50.57	-55.96	12.23	-6.84	-13.00	-37.57
-46.97	-53.04	12.70	-6.63	-13.00	-33.97
	-53.74 -66.64 -64.51 -62.43 -61.51 -61.92 -50.57	Output Level dBm -53.74 -52.80 -66.64 -70.49 -64.51 -68.95 -62.43 -67.57 -61.51 -66.52 -61.92 -50.57 -55.96	dBm Output Level dBm Gain dBi/dBd -53.74 -52.80 -0.05 -66.64 -70.49 5.90 -64.51 -68.95 6.60 -62.43 -67.57 7.52 -61.51 -66.52 7.64 -61.92 -66.82 7.71 -50.57 -55.96 12.23	dBm Output Level dBm Gain dBi/dBd Loss dB -53.74 -52.80 -0.05 -0.89 -66.64 -70.49 5.90 -2.05 -64.51 -68.95 6.60 -2.16 -62.43 -67.57 7.52 -2.38 -61.51 -66.52 7.64 -2.63 -61.92 -66.82 7.71 -2.81 -50.57 -55.96 12.23 -6.84	dBm Output Level dBm Gain dBi/dBd Loss dBm -53.74 -52.80 -0.05 -0.89 -13.00 -66.64 -70.49 5.90 -2.05 -13.00 -64.51 -68.95 6.60 -2.16 -13.00 -62.43 -67.57 7.52 -2.38 -13.00 -61.51 -66.52 7.64 -2.63 -13.00 -61.92 -66.82 7.71 -2.81 -13.00 -50.57 -55.96 12.23 -6.84 -13.00




Page 210 of 271

Operation Mode :LTE B4 **Test Date** :2018-08-09 Test Mode :TX CH MID Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL

Test Channel :1732.5 MHz Engineer :Enzo




_



Page 211 of 271

Operation Mode :LTE B4 **Test Date** :2018-08-09 Test Mode :TX CH HIGH Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL **Test Channel** :1745 MHz Engineer :Enzo



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		•
dBm	dBm	dBi/dBd	dB	dBm	dB
-57.44	-57.28	0.60	-0.76	-13.00	-44.44
-71.00	-75.09	5.66	-1.57	-13.00	-58.00
-66.69	-70.60	5.97	-2.06	-13.00	-53.69
-64.22	-68.60	6.83	-2.45	-13.00	-51.22
-62.82	-67.95	7.56	-2.43	-13.00	-49.82
-61.98	-67.13	7.53	-2.38	-13.00	-48.98
-55.08	-60.40	12.28	-6.96	-13.00	-42.08
-46.64	-52.79	12.74	-6.59	-13.00	-33.64
	-57.44 -71.00 -66.69 -64.22 -62.82 -61.98 -55.08	Output Level dBm -57.44 -57.28 -71.00 -75.09 -66.69 -70.60 -64.22 -68.60 -62.82 -67.95 -61.98 -67.13 -55.08 -60.40	dBm Output Level dBm Gain dBi/dBd -57.44 -57.28 0.60 -71.00 -75.09 5.66 -66.69 -70.60 5.97 -64.22 -68.60 6.83 -62.82 -67.95 7.56 -61.98 -67.13 7.53 -55.08 -60.40 12.28	dBm Output Level dBm Gain dBi/dBd Loss dB -57.44 -57.28 0.60 -0.76 -71.00 -75.09 5.66 -1.57 -66.69 -70.60 5.97 -2.06 -64.22 -68.60 6.83 -2.45 -62.82 -67.95 7.56 -2.43 -61.98 -67.13 7.53 -2.38 -55.08 -60.40 12.28 -6.96	dBm Output Level dBm Gain dBi/dBd Loss dBm -57.44 -57.28 0.60 -0.76 -13.00 -71.00 -75.09 5.66 -1.57 -13.00 -66.69 -70.60 5.97 -2.06 -13.00 -64.22 -68.60 6.83 -2.45 -13.00 -62.82 -67.95 7.56 -2.43 -13.00 -61.98 -67.13 7.53 -2.38 -13.00 -55.08 -60.40 12.28 -6.96 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號


www.tw.sqs.com



Page 212 of 271

Operation Mode :LTE B4 **Test Date** :2018-08-09 Test Mode :TX CH HIGH Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL **Test Channel** :1745 MHz Engineer :Enzo




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
•		Output Level	Gain	Loss		•
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
114.39	-72.79	-72.13	0.24	-0.90	-13.00	-59.79
479.11	-69.10	-72.91	6.20	-2.39	-13.00	-56.10
685.72	-64.98	-69.81	7.19	-2.36	-13.00	-51.98
844.80	-64.49	-69.63	7.51	-2.37	-13.00	-51.49
876.81	-64.21	-69.36	7.55	-2.40	-13.00	-51.21
941.80	-64.23	-69.20	7.65	-2.68	-13.00	-51.23
3490.00	-54.58	-59.90	12.28	-6.96	-13.00	-41.58
5235.00	-50.71	-56.86	12.74	-6.59	-13.00	-37.71



Page 213 of 271

Radiated Spurious Emission Measurement Result: LTE-Band 5 (The Worst Case)

Operation Mode :LTE B5 **Test Date** :2018-08-09 Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL **Test Channel** :829 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
84.32	-51.09	-50.67	0.37	-0.79	-13.00	-38.09
198.78	-62.09	-66.62	5.76	-1.23	-13.00	-49.09
286.08	-71.29	-75.39	5.67	-1.57	-13.00	-58.29
530.52	-65.08	-68.87	6.25	-2.46	-13.00	-52.08
760.41	-62.35	-67.66	7.44	-2.13	-13.00	-49.35
942.77	-62.75	-67.71	7.65	-2.69	-13.00	-49.75
1658.00	-37.23	-42.22	8.83	-3.84	-13.00	-24.23
1658.00	-37.23	-42.22	8.83	-3.84	-13.00	-24.23

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號



Page 214 of 271

Operation Mode :LTE B5 **Test Date** :2018-08-09 Test Mode :TX CH LOW Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL **Test Channel** :829 MHz Engineer :Enzo




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
43.58	-66.87	-57.08	-9.17	-0.62	-13.00	-53.87
153.19	-56.35	-58.10	2.77	-1.02	-13.00	-43.35
323.91	-61.48	-65.52	5.82	-1.78	-13.00	-48.48
493.66	-69.30	-73.01	6.26	-2.55	-13.00	-56.30
780.78	-64.77	-69.99	7.51	-2.29	-13.00	-51.77
935.01	-60.98	-65.98	7.64	-2.64	-13.00	-47.98
1658.00	-35.35	-40.34	8.83	-3.84	-13.00	-22.35
1658.00	-35.35	-40.34	8.83	-3.84	-13.00	-22.35



Page 215 of 271

Operation Mode :LTE B5 **Test Date** :2018-08-09 Test Mode :TX CH MID Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL **Test Channel** :836.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin	
		Output Level	Gain	Loss			
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
78.50	-51.68	-51.56	0.65	-0.77	-13.00	-38.68	
241.46	-59.03	-62.89	5.27	-1.41	-13.00	-46.03	
430.61	-65.08	-68.91	5.88	-2.05	-13.00	-52.08	
627.52	-63.48	-67.91	6.78	-2.35	-13.00	-50.48	
822.49	-60.81	-65.95	7.54	-2.40	-13.00	-47.81	
935.01	-59.46	-64.46	7.64	-2.64	-13.00	-46.46	
1673.00	-35.69	-40.73	8.90	-3.86	-13.00	-22.69	
1673.00	-35.69	-40.73	8.90	-3.86	-13.00	-22.69	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

www.tw.sqs.com




Page 216 of 271

Operation Mode :LTE B5 **Test Date** :2018-08-09 Test Mode :TX CH MID Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL **Test Channel** :836.5 MHz

Engineer :Enzo




EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level	Gain	Loss		
dBm	dBm	dBi/dBd	dB	dBm	dB
-66.76	-65.99	0.04	-0.81	-13.00	-53.76
-57.23	-61.70	5.70	-1.23	-13.00	-44.23
-61.20	-64.93	5.71	-1.98	-13.00	-48.20
-65.84	-70.12	6.49	-2.21	-13.00	-52.84
-63.07	-68.20	7.53	-2.40	-13.00	-50.07
-60.98	-65.98	7.64	-2.64	-13.00	-47.98
-36.32	-41.36	8.90	-3.86	-13.00	-23.32
-36.32	-41.36	8.90	-3.86	-13.00	-23.32
	-66.76 -57.23 -61.20 -65.84 -63.07 -60.98 -36.32	Output Level dBm -66.76 -65.99 -57.23 -61.70 -61.20 -64.93 -65.84 -70.12 -63.07 -68.20 -60.98 -65.98 -36.32 -41.36	dBm Output Level dBm Gain dBi/dBd -66.76 -65.99 0.04 -57.23 -61.70 5.70 -61.20 -64.93 5.71 -65.84 -70.12 6.49 -63.07 -68.20 7.53 -60.98 -65.98 7.64 -36.32 -41.36 8.90	dBm Output Level dBm Gain dBi/dBd Loss dB -66.76 -65.99 0.04 -0.81 -57.23 -61.70 5.70 -1.23 -61.20 -64.93 5.71 -1.98 -65.84 -70.12 6.49 -2.21 -63.07 -68.20 7.53 -2.40 -60.98 -65.98 7.64 -2.64 -36.32 -41.36 8.90 -3.86	dBm Output Level dBm Gain dBi/dBd Loss dB -66.76 -65.99 0.04 -0.81 -13.00 -57.23 -61.70 5.70 -1.23 -13.00 -61.20 -64.93 5.71 -1.98 -13.00 -65.84 -70.12 6.49 -2.21 -13.00 -63.07 -68.20 7.53 -2.40 -13.00 -60.98 -65.98 7.64 -2.64 -13.00 -36.32 -41.36 8.90 -3.86 -13.00



Page 217 of 271

Operation Mode :LTE B5 **Test Date** :2018-08-09 Test Mode :TX CH HIGH Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL **Test Channel** :844 MHz Engineer :Enzo




_



Page 218 of 271

Operation Mode :LTE B5 **Test Date** :2018-08-09 Test Mode :TX CH HIGH Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL **Test Channel** :844 MHz Engineer :Enzo




Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
68.80	-66.91	-66.55	0.36	-0.72	-13.00	-53.91
242.43	-56.29	-60.14	5.26	-1.41	-13.00	-43.29
366.59	-61.20	-64.93	5.71	-1.98	-13.00	-48.20
579.99	-65.84	-70.12	6.49	-2.21	-13.00	-52.84
815.70	-62.86	-68.00	7.55	-2.41	-13.00	-49.86
935.01	-60.98	-65.98	7.64	-2.64	-13.00	-47.98
1688.00	-38.09	-43.17	8.96	-3.88	-13.00	-25.09
1688.00	-38.09	-43.17	8.96	-3.88	-13.00	-25.09



Page 219 of 271

Radiated Spurious Emission Measurement Result: LTE-Band 12 (The Worst Case)

Operation Mode :LTE B12 **Test Date** :2018-08-10 Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL **Test Channel** :704 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin	
		Output Level	Gain	Loss			
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
69.77	-60.11	-59.86	0.48	-0.73	-13.00	-47.11	
320.03	-69.55	-73.62	5.82	-1.75	-13.00	-56.55	
475.23	-66.32	-70.16	6.18	-2.34	-13.00	-53.32	
653.71	-63.66	-68.04	6.90	-2.52	-13.00	-50.66	
880.69	-62.90	-68.05	7.56	-2.41	-13.00	-49.90	
964.11	-62.46	-67.36	7.70	-2.80	-13.00	-49.46	
1408.00	-53.79	-58.03	7.73	-3.49	-13.00	-40.79	
1408.00	-53.79	-58.03	7.73	-3.49	-13.00	-40.79	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279

f (886-2) 2298-0488

www.tw.sqs.com




Page 220 of 271

Operation Mode :LTE B12 **Test Date** :2018-08-10 Test Mode :TX CH LOW Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL






Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
127.00	-68.63	-68.82	1.13	-0.94	-13.00	-55.63
405.39	-70.42	-73.99	5.61	-2.04	-13.00	-57.42
591.63	-66.41	-70.85	6.60	-2.16	-13.00	-53.41
753.62	-65.80	-71.14	7.42	-2.08	-13.00	-52.80
901.06	-64.63	-69.77	7.59	-2.45	-13.00	-51.63
951.50	-63.70	-68.62	7.66	-2.74	-13.00	-50.70
1408.00	-54.57	-58.81	7.73	-3.49	-13.00	-41.57
1408.00	-54.57	-58.81	7.73	-3.49	-13.00	-41.57



Page 221 of 271

Operation Mode :LTE B12 **Test Date** :2018-08-10 Test Mode :TX CH MID Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL **Test Channel** :707.5 MHz Engineer :Enzo



EIRP/ERP	SG Output Loval	Antenna	Cable	Limit	Margin
ID.	•			ID.	ID.
dBm	dBm	dBi/dBd	dВ	dBm	dB
-62.91	-58.89	-3.36	-0.66	-13.00	-49.91
-59.03	-62.89	5.27	-1.41	-13.00	-46.03
-68.45	-72.11	5.71	-2.05	-13.00	-55.45
-65.52	-69.27	6.26	-2.51	-13.00	-52.52
-64.37	-68.71	6.88	-2.54	-13.00	-51.37
-61.67	-66.82	7.58	-2.43	-13.00	-48.67
-59.53	-63.78	7.75	-3.50	-13.00	-46.53
-59.53	-63.78	7.75	-3.50	-13.00	-46.53
	-62.91 -59.03 -68.45 -65.52 -64.37 -61.67 -59.53	Output Level dBm -62.91	Output Level Gain dBi/dBd -62.91 -58.89 -3.36 -59.03 -62.89 5.27 -68.45 -72.11 5.71 -65.52 -69.27 6.26 -64.37 -68.71 6.88 -61.67 -66.82 7.58 -59.53 -63.78 7.75	dBm Output Level dBm Gain dBi/dBd Loss dB -62.91 -58.89 -3.36 -0.66 -59.03 -62.89 5.27 -1.41 -68.45 -72.11 5.71 -2.05 -65.52 -69.27 6.26 -2.51 -64.37 -68.71 6.88 -2.54 -61.67 -66.82 7.58 -2.43 -59.53 -63.78 7.75 -3.50	dBm Output Level dBm Gain dBi/dBd Loss dBm -62.91 -58.89 -3.36 -0.66 -13.00 -59.03 -62.89 5.27 -1.41 -13.00 -68.45 -72.11 5.71 -2.05 -13.00 -65.52 -69.27 6.26 -2.51 -13.00 -64.37 -68.71 6.88 -2.54 -13.00 -61.67 -66.82 7.58 -2.43 -13.00 -59.53 -63.78 7.75 -3.50 -13.00




Page 222 of 271

Operation Mode :LTE B12 **Test Date** :2018-08-10 Test Mode :TX CH MID Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL

Test Channel :707.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
93.05	-66.52	-65.40	-0.29	-0.83	-13.00	-53.52
284.14	-72.01	-76.10	5.65	-1.56	-13.00	-59.01
472.32	-68.74	-72.60	6.17	-2.31	-13.00	-55.74
586.78	-66.21	-70.58	6.55	-2.18	-13.00	-53.21
878.75	-63.80	-68.94	7.55	-2.41	-13.00	-50.80
946.65	-63.36	-68.31	7.66	-2.71	-13.00	-50.36
1415.00	-59.14	-63.39	7.75	-3.50	-13.00	-46.14
1415.00	-59.14	-63.39	7.75	-3.50	-13.00	-46.14


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 223 of 271

Operation Mode :LTE B12 **Test Date** :2018-08-10 Test Mode :TX CH HIGH Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL **Test Channel** :711 MHz Engineer :Enzo




B
.34
.18
.78
.39
.38
.94
.83
.83
)



Page 224 of 271

Operation Mode :LTE B12 **Test Date** :2018-08-10 Test Mode :TX CH HIGH Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL **Test Channel** :711 MHz Engineer :Enzo



EIRP/ERP	SG	Antenna	Cable	Limit	Margin
	Output Level				
dBm	dBm	dBi/dBd	dB	dBm	dB
					_
-70.72	-67.09	-2.97	-0.66	-13.00	-57.72
-66.40	-70.57	5.77	-1.60	-13.00	-53.40
-68.17	-71.85	6.28	-2.60	-13.00	-55.17
-66.72	-71.77	7.32	-2.27	-13.00	-53.72
-64.10	-69.23	7.52	-2.39	-13.00	-51.10
-61.73	-66.72	7.64	-2.65	-13.00	-48.73
-54.60	-58.87	7.78	-3.51	-13.00	-41.60
-54.60	-58.87	7.78	-3.51	-13.00	-41.60
	-70.72 -66.40 -68.17 -66.72 -64.10 -61.73 -54.60	Output Level dBm -70.72	dBm Output Level dBm Gain dBi/dBd -70.72 -67.09 -2.97 -66.40 -70.57 5.77 -68.17 -71.85 6.28 -66.72 -71.77 7.32 -64.10 -69.23 7.52 -61.73 -66.72 7.64 -54.60 -58.87 7.78	dBm Output Level dBm Gain dBi/dBd Loss dB -70.72 -67.09 -2.97 -0.66 -66.40 -70.57 5.77 -1.60 -68.17 -71.85 6.28 -2.60 -66.72 -71.77 7.32 -2.27 -64.10 -69.23 7.52 -2.39 -61.73 -66.72 7.64 -2.65 -54.60 -58.87 7.78 -3.51	dBm Output Level dBm Gain dBi/dBd Loss dBm -70.72 -67.09 -2.97 -0.66 -13.00 -66.40 -70.57 5.77 -1.60 -13.00 -68.17 -71.85 6.28 -2.60 -13.00 -66.72 -71.77 7.32 -2.27 -13.00 -64.10 -69.23 7.52 -2.39 -13.00 -61.73 -66.72 7.64 -2.65 -13.00 -54.60 -58.87 7.78 -3.51 -13.00




Page 225 of 271

Radiated Spurious Emission Measurement Result: LTE-Band 25 (The Worst Case)

Operation Mode :LTE B25 **Test Date** :2018-08-09 Test Mode :TX CH LOW Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :VERTICAL **Test Channel** :1860 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
93.05	-49.42	-48.30	-0.29	-0.83	-13.00	-36.42
200.72	-63.73	-68.31	5.82	-1.24	-13.00	-50.73
379.20	-67.13	-70.78	5.65	-2.00	-13.00	-54.13
567.38	-63.64	-67.75	6.38	-2.27	-13.00	-50.64
815.70	-62.17	-67.31	7.55	-2.41	-13.00	-49.17
969.93	-61.83	-66.72	7.72	-2.83	-13.00	-48.83
3720.00	-56.93	-62 65	12 44	-6 72	-13 00	-43 93

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 226 of 271

Operation Mode :LTE B25 **Test Date** :2018-08-09 Test Mode :TX CH LOW Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL **Test Channel**

:1860 MHz Engineer :Enzo




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		-
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
90.14	-66.41	-65.58	-0.02	-0.81	-13.00	-53.41
277.35	-67.34	-71.36	5.56	-1.54	-13.00	-54.34
459.71	-68.89	-72.83	6.11	-2.17	-13.00	-55.89
787.57	-64.10	-69.29	7.53	-2.34	-13.00	-51.10
938.89	-62.63	-67.60	7.64	-2.67	-13.00	-49.63
965.08	-63.33	-68.23	7.71	-2.81	-13.00	-50.33
3720.00	-55.62	-61.34	12.44	-6.72	-13.00	-42.62



Page 227 of 271

Operation Mode :LTE B25 **Test Date** :2018-08-09 Test Mode :TX CH MID Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL **Test Channel** :1882.5 MHz Engineer :Enzo



•




Page 228 of 271

Operation Mode :LTE B25 **Test Date** :2018-08-09 Test Mode :TX CH MID Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL

Test Channel :1882.5 MHz Engineer :Enzo




Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
MHz	dBm	Output Level dBm	Gain dBi/dBd	Loss dB	dBm	dB
1711 12	<u>abin</u>	<u>abiii</u>	abi/aba	<u>ub</u>	abiii	<u>ub</u>
93.05	-66.52	-65.40	-0.29	-0.83	-13.00	-53.52
214.30	-62.45	-66.78	5.63	-1.30	-13.00	-49.45
365.62	-62.24	-65.97	5.71	-1.98	-13.00	-49.24
571.26	-67.09	-71.26	6.42	-2.25	-13.00	-54.09
858.38	-64.19	-69.34	7.52	-2.37	-13.00	-51.19
991.27	-62.58	-67.42	7.78	-2.94	-13.00	-49.58
3765.00	-56.15	-61.95	12.46	-6.66	-13.00	-43.15



Page 229 of 271

Operation Mode :LTE B25 **Test Date** :2018-08-09 Test Mode :TX CH HIGH Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL **Test Channel** :1905 MHz Engineer :Enzo




Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
229.82	-64.09	-68.15	5.42	-1.36	-13.00	-51.09
383.08	-69.24	-72.86	5.63	-2.01	-13.00	-56.24
611.03	-64.01	-68.52	6.72	-2.21	-13.00	-51.01
809.88	-62.13	-67.27	7.56	-2.42	-13.00	-49.13
920.46	-62.15	-67.21	7.62	-2.56	-13.00	-49.15
977.69	-61.11	-65.98	7.74	-2.87	-13.00	-48.11
3810.00	-56.41	-62.30	12.49	-6.60	-13.00	-43.41



Page 230 of 271

Operation Mode :LTE B25 **Test Date** :2018-08-09 Test Mode :TX CH HIGH Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL **Test Channel** :1905 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
82.38	-70.55	-70.26	0.50	-0.79	-13.00	-57.55
339.43	-68.50	-72.42	5.80	-1.88	-13.00	-55.50
531.49	-67.88	-71.68	6.25	-2.45	-13.00	-54.88
791.45	-65.20	-70.37	7.54	-2.37	-13.00	-52.20
973.81	-63.00	-67.88	7.73	-2.85	-13.00	-50.00
987.39	-62.74	-67.59	7.77	-2.92	-13.00	-49.74
3810.00	-56.38	-62.27	12.49	-6.60	-13.00	-43.38




Page 231 of 271

Radiated Spurious Emission Measurement Result: LTE-Band 26 (The Worst Case)

Operation Mode :LTE B26 **Test Date** :2018-08-09 Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL





EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
dBm	dBm	dBi/dBd	dB	dBm	dB
65 O7	62.00	0.44	0.67	12.00	-52.07
-67.10	-71.08	5.50	-0.67 -1.52	-13.00	-52.07 -54.10
-65.10	-68.96	6.23	-2.37	-13.00	-52.10
-61.83	-66.96	7.57	-2.44	-13.00	-48.83
-62.74	-67.85	7.61	-2.50	-13.00	-49.74
-62.03	-66.90	7.75	-2.88	-13.00	-49.03
-36.17	-41.15	8.82	-3.84	-13.00	-23.17
-36.17	-41.15	8.82	-3.84	-13.00	-23.17
	-65.07 -67.10 -65.10 -61.83 -62.74 -62.03 -36.17	Output Level dBm -65.07 -63.99 -67.10 -71.08 -65.10 -68.96 -61.83 -66.96 -62.74 -67.85 -62.03 -66.90 -36.17 -41.15	Output Level Gain dBi/dBd -65.07 -63.99 -0.41 -67.10 -71.08 5.50 -65.10 -68.96 6.23 -61.83 -66.96 7.57 -62.74 -67.85 7.61 -62.03 -66.90 7.75 -36.17 -41.15 8.82	dBm Output Level dBm Gain dBi/dBd Loss dB -65.07 -63.99 -0.41 -0.67 -67.10 -71.08 5.50 -1.52 -65.10 -68.96 6.23 -2.37 -61.83 -66.96 7.57 -2.44 -62.74 -67.85 7.61 -2.50 -62.03 -66.90 7.75 -2.88 -36.17 -41.15 8.82 -3.84	dBm Output Level dBm Gain dBi/dBd Loss dBm -65.07 -63.99 -0.41 -0.67 -13.00 -67.10 -71.08 5.50 -1.52 -13.00 -65.10 -68.96 6.23 -2.37 -13.00 -61.83 -66.96 7.57 -2.44 -13.00 -62.74 -67.85 7.61 -2.50 -13.00 -62.03 -66.90 7.75 -2.88 -13.00 -36.17 -41.15 8.82 -3.84 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 232 of 271

Operation Mode :LTE B26 **Test Date** :2018-08-09 Test Mode :TX CH LOW Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL

Test Channel :827.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
86.26	-70.55	-69.99	0.24	-0.80	-13.00	-57.55
302.57	-64.89	-69.10	5.85	-1.64	-13.00	-51.89
563.50	-67.24	-71.30	6.35	-2.29	-13.00	-54.24
787.57	-64.10	-69.29	7.53	-2.34	-13.00	-51.10
900.09	-63.76	-68.91	7.59	-2.44	-13.00	-50.76
964.11	-63.50	-68.40	7.70	-2.80	-13.00	-50.50
1655.00	-36.93	-41.91	8.82	-3.84	-13.00	-23.93
1655.00	-36.93	-41.91	8.82	-3.84	-13.00	-23.93


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 233 of 271

Operation Mode :LTE B26 **Test Date** :2018-08-09 Test Mode :TX CH MID Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL **Test Channel** :831.5 MHz Engineer :Enzo



EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
dBm	dBm	dBi/dBd	dB	dBm	dB
50.00	54.77	0.00	0.07	40.00	40.00
-53.30	-51.//	-0.66	-0.87	-13.00	-40.30
-65.68	-69.34	5.66	-2.00	-13.00	-52.68
-64.60	-68.45	6.22	-2.37	-13.00	-51.60
-64.04	-68.89	7.20	-2.35	-13.00	-51.04
-62.02	-67.14	7.60	-2.48	-13.00	-49.02
-62.03	-66.90	7.75	-2.88	-13.00	-49.03
-37.51	-42.51	8.85	-3.85	-13.00	-24.51
-37.51	-42.51	8.85	-3.85	-13.00	-24.51
	-53.30 -65.68 -64.60 -64.04 -62.02 -62.03 -37.51	Output Level dBm -53.30 -51.77 -65.68 -69.34 -64.60 -68.45 -64.04 -68.89 -62.02 -67.14 -62.03 -37.51 -42.51	dBmOutput Level dBmGain dBi/dBd-53.30-51.77-0.66-65.68-69.345.66-64.60-68.456.22-64.04-68.897.20-62.02-67.147.60-62.03-66.907.75-37.51-42.518.85	dBm Output Level dBm Gain dBi/dBd Loss dB -53.30 -51.77 -0.66 -0.87 -65.68 -69.34 5.66 -2.00 -64.60 -68.45 6.22 -2.37 -64.04 -68.89 7.20 -2.35 -62.02 -67.14 7.60 -2.48 -62.03 -66.90 7.75 -2.88 -37.51 -42.51 8.85 -3.85	dBm Output Level dBm Gain dBi/dBd Loss dB -53.30 -51.77 -0.66 -0.87 -13.00 -65.68 -69.34 5.66 -2.00 -13.00 -64.60 -68.45 6.22 -2.37 -13.00 -64.04 -68.89 7.20 -2.35 -13.00 -62.02 -67.14 7.60 -2.48 -13.00 -62.03 -66.90 7.75 -2.88 -13.00 -37.51 -42.51 8.85 -3.85 -13.00



Test Channel

Report No.: E2/2018/70105


Page 234 of 271

Operation Mode :LTE B26 **Test Date** :2018-08-09 Test Mode :TX CH MID Temp./Humi. :25/60

:831.5 MHz

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL

> Engineer :Enzo




EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
dBm	dBm	dBi/dBd	dB	dBm	dB
70.70	07.00	0.07	0.00	40.00	
-70.72	-67.09	-2.97	-0.66	-13.00	-57.72
-65.23	-69.25	5.82	-1.80	-13.00	-52.23
-67.99	-71.73	6.27	-2.53	-13.00	-54.99
-66.95	-71.65	7.11	-2.41	-13.00	-53.95
-65.16	-70.30	7.53	-2.39	-13.00	-52.16
-63.04	-67.96	7.69	-2.77	-13.00	-50.04
-35.04	-40.04	8.85	-3.85	-13.00	-22.04
-35.04	-40.04	8.85	-3.85	-13.00	-22.04
_	-70.72 -65.23 -67.99 -66.95 -65.16 -63.04 -35.04	Output Level dBm -70.72 -67.09 -65.23 -69.25 -67.99 -71.73 -66.95 -71.65 -65.16 -70.30 -63.04 -67.96 -35.04 -40.04	dBm Output Level dBm Gain dBi/dBd -70.72 -67.09 -2.97 -65.23 -69.25 5.82 -67.99 -71.73 6.27 -66.95 -71.65 7.11 -65.16 -70.30 7.53 -63.04 -67.96 7.69 -35.04 -40.04 8.85	dBm Output Level dBm Gain dBi/dBd Loss dB -70.72 -67.09 -2.97 -0.66 -65.23 -69.25 5.82 -1.80 -67.99 -71.73 6.27 -2.53 -66.95 -71.65 7.11 -2.41 -65.16 -70.30 7.53 -2.39 -63.04 -67.96 7.69 -2.77 -35.04 -40.04 8.85 -3.85	dBm Output Level dBm Gain dBi/dBd Loss dBm -70.72 -67.09 -2.97 -0.66 -13.00 -65.23 -69.25 5.82 -1.80 -13.00 -67.99 -71.73 6.27 -2.53 -13.00 -66.95 -71.65 7.11 -2.41 -13.00 -65.16 -70.30 7.53 -2.39 -13.00 -63.04 -67.96 7.69 -2.77 -13.00 -35.04 -40.04 8.85 -3.85 -13.00



Page 235 of 271

Operation Mode :LTE B26 **Test Date** :2018-08-09 Test Mode :TX CH HIGH Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL **Test Channel** :841.5 MHz Engineer :Enzo



_
B
.03
.79
.07
.34
.54
.32
.63
.63
1)

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號




Page 236 of 271

Operation Mode :LTE B26 **Test Date** :2018-08-09 Test Mode :TX CH HIGH Temp./Humi. :25/60

EUT Pol :E1 Plan Antenna Pol. :HORIZONTAL

Test Channel :841.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
						_
50.37	-73.90	-68.69	-4.55	-0.66	-13.00	-60.90
227.88	-60.24	-64.33	5.44	-1.35	-13.00	-47.24
384.05	-69.83	-73.44	5.62	-2.01	-13.00	-56.83
578.05	-66.99	-71.25	6.48	-2.22	-13.00	-53.99
870.99	-63.32	-68.47	7.54	-2.39	-13.00	-50.32
981.57	-62.30	-67.17	7.76	-2.89	-13.00	-49.30
1683.00	-36.53	-41.60	8.94	-3.87	-13.00	-23.53
1683.00	-36.53	-41.60	8.94	-3.87	-13.00	-23.53

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.


No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.



Page 237 of 271

Radiated Spurious Emission Measurement Result: LTE-Band 26 for Part 90S (The Worst Case)

Operation Mode :Part90 5M QPSK RB1,0 **Test Date** :2018-08-09 Test Mode :TX CH LOW Temp./Humi. :25/60 **EUT Pol** :E1 Plan Antenna Pol. :VERTICAL **Test Channel** :816.5 MHz Engineer :Enzo



Freq.	EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
87.23	-49.77	-49.14	0.17	-0.80	-13.00	-36.77
185.20	-53.04	-56.82	4.95	-1.17	-13.00	-40.04
271.53	-58.93	-62.89	5.48	-1.52	-13.00	-45.93
336.52	-57.81	-61.76	5.81	-1.86	-13.00	-44.81
769.14	-58.51	-63.78	7.47	-2.20	-13.00	-45.51
938.89	-58.74	-63.71	7.64	-2.67	-13.00	-45.74
1633.00	-61.81	-66.72	8.72	-3.81	-13.00	-48.81

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm.

Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of company is the previous of the properties of the previous properties of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 238 of 271


Operation Mode Test Mode **EUT Pol Test Channel**

:Part90 5M QPSK RB1,0 :TX CH LOW

:E1 Plan :816.5 MHz **Test Date** :2018-08-09 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin
		Output Level	Gain	Loss		
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB
96.93	-55.24	-53.76	-0.63	-0.85	-13.00	-42.24
162.89	-59.46	-61.88	3.48	-1.06	-13.00	-46.46
250.19	-46.91	-50.64	5.17	-1.44	-13.00	-33.91
359.80	-61.47	-65.24	5.74	-1.97	-13.00	-48.47
551.86	-65.31	-69.21	6.24	-2.34	-13.00	-52.31
933.07	-61.88	-66.89	7.64	-2.63	-13.00	-48.88
1633.00	-61.72	-66.63	8.72	-3.81	-13.00	-48.72
551.86 933.07	-65.31 -61.88	-69.21 -66.89	6.24 7.64	-2.34 -2.63	-13.00 -13.00	-52.31 -48.88

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 239 of 271

Operation Mode Test Mode **EUT Pol Test Channel**

:Part90 5M QPSK RB1,0 :TX CH MID

:E1 Plan :819 MHz **Test Date** :2018-08-09 Temp./Humi. :25/60 Antenna Pol. :VERTICAL Engineer :Enzo



EIRP/ERP	SG Output Level	Antenna Gain	Cable Loss	Limit	Margin
dBm	dBm	dBi/dBd	dB	dBm	dB
-48.66	-44.64	-3.36	-0.66	-13.00	-35.66
-45.56	-44.54	-0.20	-0.82	-13.00	-32.56
-53.57	-58.03	5.73	-1.27	-13.00	-40.57
-54.85	-58.68	5.30	-1.47	-13.00	-41.85
-58.57	-62.38	5.77	-1.96	-13.00	-45.57
-60.03	-64.99	7.65	-2.69	-13.00	-47.03
-61.48	-66.40	8.74	-3.82	-13.00	-48.48
	-48.66 -45.56 -53.57 -54.85 -58.57 -60.03	Output Level dBm	dBm Output Level dBm Gain dBi/dBd -48.66 -44.64 -3.36 -45.56 -44.54 -0.20 -53.57 -58.03 5.73 -54.85 -58.68 5.30 -58.57 -62.38 5.77 -60.03 -64.99 7.65	dBm Output Level dBm Gain dBi/dBd Loss dB -48.66 -44.64 -3.36 -0.66 -45.56 -44.54 -0.20 -0.82 -53.57 -58.03 5.73 -1.27 -54.85 -58.68 5.30 -1.47 -58.57 -62.38 5.77 -1.96 -60.03 -64.99 7.65 -2.69	dBm Output Level dBm Gain dBi/dBd Loss dBm -48.66 -44.64 -3.36 -0.66 -13.00 -45.56 -44.54 -0.20 -0.82 -13.00 -53.57 -58.03 5.73 -1.27 -13.00 -54.85 -58.68 5.30 -1.47 -13.00 -58.57 -62.38 5.77 -1.96 -13.00 -60.03 -64.99 7.65 -2.69 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 www.tw.sqs.com

台灣檢驗科技股份有限公司



Page 240 of 271

Operation Mode Test Mode **EUT Pol**

Test Channel


:Part90 5M QPSK RB1,0 :TX CH MID :E1 Plan

:819 MHz

Test Date :2018-08-09 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

Engineer :Enzo



Limit	Margin
dBm	dB
-13.00	-44.56
-13.00	-45.40
-13.00	-41.78
-13.00	-53.50
-13.00	-51.32
-13.00	-49.24
-13.00	-48.68
	-13.00 -13.00 -13.00 -13.00 -13.00 -13.00

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 241 of 271

Operation Mode Test Mode **EUT Pol Test Channel**

:Part90 5M QPSK RB1,0 :TX CH HIGH

:E1 Plan :821.5 MHz **Test Date** :2018-08-09 Temp./Humi. :25/60 Antenna Pol. :VERTICAL Engineer :Enzo



1 1 3 7 1 5 3

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 242 of 271


Operation Mode Test Mode **EUT Pol Test Channel**

:Part90 5M QPSK RB1,0 :TX CH HIGH

:E1 Plan :821.5 MHz **Test Date** :2018-08-09 Temp./Humi. :25/60

Antenna Pol. :HORIZONTAL

Engineer :Enzo



Freq.	EIRP/ERP	SG	Antenna	Cable	Limit	Margin	
		Output Level	Gain	Loss			
MHz	dBm	dBm	dBi/dBd	dB	dBm	dB	
30.00	-47.74	-27.25	-20.05	-0.44	-13.00	-34.74	
187.14	-52.25	-56.14	5.07	-1.18	-13.00	-39.25	
329.73	-60.55	-64.54	5.81	-1.82	-13.00	-47.55	
434.49	-61.60	-65.47	5.92	-2.05	-13.00	-48.60	
729.37	-58.33	-63.55	7.37	-2.15	-13.00	-45.33	
935.01	-57.46	-62.46	7.64	-2.64	-13.00	-44.46	
1643.00	-61.18	-66.12	8.76	-3.82	-13.00	-48.18	
1643.00	-61.18	-66.12	8.76	-3.82	-13.00	-48.18	

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of contained herein. Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Page 243 of 271

10. FREQUENCY STABILITY MEASUREMENT

10.1. Standard Applicabl

The frequency stability shall be sufficient to ensure that the fundamental emission stays within the authorized frequency block.

10.2. **Test Set-up**



Variable DC Power Supply

Note: Measurement setup for testing on Antenna connector

10.3. **Measurement Procedure**

The equipment under test was connected to an external AC or DC power supply and input rated voltage. RF output was connected to a frequency counter or spectrum analyzer via feed through attenuators. The EUT was placed inside the temperature chamber. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and measure EUT 25°C operating frequency as reference frequency. Turn EUT off and set the chamber temperature to -30°C. After the temperature stabilized for approximately 30 minutes recorded the frequency. Repeat step measure with 10°C increased per stage until the highest temperature of +50°C reached.

Set chamber temperature to 25°C. Use a variable AC power supply / DC power source to power the EUT and set the voltage to rated voltage. Set the spectrum analyzer RBW low enough to obtain the desired frequency resolution and recorded the frequency.

Reduce the input voltage to specify extreme voltage variation (+/- 15%) and endpoint as declared by the manufacturer, record the maximum frequency change.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

t (886-2) 2299-3279

Offices otherwise stated the feeding shown in this test report refer only for the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer on the sample(s) and refer only of the sample(s) tested and source and refer only of the sample(s) and refer on the sample(s) and refer Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.



Page 244 of 271

Measurement Equipment Used 10.4.

		<u>.</u>			
EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Spectrum Analyzer	Agilent	N9010A	MY51440113	2018/06/20	2019/06/19
Radio Communica- tion Analyer	Anritsu	MT8820C	6201107337	2018/06/15	2019/06/14
DC Power Supply	Agilent	E3640A	MY53130054	2017/09/04	2018/09/03
Attenuator	Marvelous	MVE2213-10	RF30	2017/12/26	2018/12/25
Splitter	Woken	DOM35LW1A2	RF36	2017/12/26	2018/12/25
Temperature Chamber	TERCHY	MHK-120LK	1020582	06/13/2018	06/12/2019


Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

**No.134, WuKungRoad, NewTaipeilndustrialPark, WukunDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

**No.134, WuKungRoad, NewTaipeilndustrialPark, WukunDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

**No.134, WuKungRoad, NewTaipeilndustrialPark, WukunDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號





10.5. **Measurement Result**

Reference Freq.:	LTE B2 Mid Channel		1880	MHz 20M QPSK CH 18900				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)				
	Freq. ERROR vs. VOLTAGE							
15	25	1879.999988	-12	4700				
12	25	1879.999991	-9	4700				
10.2	25	1879.999984	-16	4700				
10.1 (End Point)	25	1880.000005	5.0000001	4700				
		Freq. ERROR	vs. Temp.					
12	-30	1879.999979	-21	4700				
12	-20	1879.999981	-19	4700				
12	-10	1879.999979	-21	4700				
12	0	1880.000003	3.0000001	4700				
12	10	1880.000003	3.0000001	4700				
12	20	1879.999984	-16	4700				
12	30	1880.000006	6	4700				
12	40	1880.000011	11	4700				
12	50	1880.000002	2	4700				

Reference Freq.:		B4 Mid annel	1732.5	MHz 20M QPSK CH 20175
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
	F	req. ERROR vs	. VOLTAGE	
15	25	1732.500005	5.0000001	4331
12	25	1732.500009	9.0000001	4331
10.2	25	1732.500020	20	4331
10.1 (End Point)	25	1732.500019	19	4331
		Freq. ERROR	vs. Temp.	
12	-30	1732.499995	-5	4331
12	-20	1732.500013	13	4331
12	-10	1732.500011	11	4331
12	0	1732.499982	-18	4331
12	10	1732.500014	14	4331
12	20	1732.500022	22	4331
12	30	1732.499991	-9	4331
12	40	1732.500014	14	4331
12	50	1732.500001	1.0000001	4331


t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對测试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.200.0.2





Reference Freq.:	LTE B5 Mid Channel		836.5	MHz 10M QPSK CH 20525
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)
		Freq. ERROR vs	s. VOLTAGE	
15	25	836.500017	17	2091
12	25	836.500015	15	2091
10.2	25	836.499986	-14	2091
10.1 (End Point)	25	836.499984	-16	2091
		Freq. ERROR	vs. Temp.	
12	-30	836.499997	-3	2091
12	-20	836.500000	0	2091
12	-10	836.499981	-19	2091
12	0	836.500018	18	2091
12	10	836.500000	0	2091
12	20	836.500024	24	2091
12	30	836.500020	20	2091
12	40	836.500003	3	2091
12	50	836.500005	5	2091

Reference Freq.:		B12 Mid annel	707.5	MHz 10M QPSK CH 23095				
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)				
		Freq. ERROR vs	s. VOLTAGE					
15	25	707.499994	-6	1769				
12	25	707.499984	-16	1769				
10.2	25	707.499979	-21	1769				
10.1 (End Point)	25	707.500001	1	1769				
Freq. ERROR vs. Temp.								
12	-30	707.500004	4	1769				
12	-20	707.499991	-9	1769				
12	-10	707.499991	-9	1769				
12	0	707.499981	-19	1769				
12	10	707.499984	-16	1769				
12	20	707.500006	6	1769				
12	30	707.499990	-10	1769				
12	40	707.500016	16	1769				
12	50	707.499991	-9	1769				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.


**No.134, WuKungRoad, NewTaipeilndustrialPark, WukunDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

**No.134, WuKungRoad, NewTaipeilndustrialPark, WukunDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

**No.134, WuKungRoad, NewTaipeilndustrialPark, WukunDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

台灣檢驗科技股份有限公司

t (886-2) 2299-3279





Reference Freq.:		B25 Mid annel	1882.5	MHz 20M QPSK CH 26365					
Power Supply Vdc	Temp.	Freq.	Delta	Limit = +/- 2.5 ppm					
1 ower Supply vac	(°C)	(MHz)	(Hz)	(Hz)					
Freq. ERROR vs. VOLTAGE									
15	25	1882.500015	15.0000001	4700					
12	25	1882.499979	-21.0000001	4700					
10.2	25	1882.500007	7.0000001	4700					
10.1 (End Point)	25	1882.499992	-7.99999998	4700					
		Freq. ERROF	R vs. Temp.						
12	-30	1882.499987	1172499987	4700					
12	-20	1882.499992	1172499992	4700					
12	-10	1882.500010	1172500010	4700					
12	0	1882.499982	1172499982	4700					
12	10	1882.500010	1172500010	4700					
12	20	1882.499990	1172499990	4700					
12	30	1882.500003	1172500003	4700					
12	40	1882.500003	1172500003	4700					
12	50	1882.499996	1172499996	4700					

Reference Freq.:		326 Mid annel	831.5	MHz 15M QPSK CH 26865							
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = +/- 2.5 ppm (Hz)							
	Freq. ERROR vs. VOLTAGE										
15	25	831.500016	16	2091							
12	25	831.499979	-21	2091							
10.2	25	831.499981	-19	2091							
10.1 (End Point)	25	831.499993	-7	2091							
		Freq. ERROR	vs. Temp.								
12	-30	831.499977	-23	2091							
12	-20	831.499983	-17	2091							
12	-10	831.500007	7	2091							
12	0	831.499978	-22	2091							
12	10	831.499978	-22	2091							
12	20	831.500004	4	2091							
12	30	831.499979	-21	2091							
12	40	831.499989	-11	2091							
12	50	831.499995	-5	2091							

台灣檢驗科技股份有限公司

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對测试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.200.0.2



Page 248 of 271

Reference Freq.:		TE B26 Mid annel	819	MHz 10M QPSK CH 26740					
Power Supply Vdc	Temp. (°C)	Freq. (MHz)	Delta (Hz)	Limit = \pm 2.5 ppm (Hz)					
	Freq. ERRC	OR vs. VOLTAGE	(LTE B26 fo	or Part 90S)					
15	25	818.999988	-12	2048					
12	25	819.000008	8	2048					
10.2	25	818.999978	-22	2048					
10.1 (End Point)	25	818.999992	-8	2048					
	Freq. ERROR vs. Temp.								
12	-30	819.000007	7	2048					
12	-20	818.999996	-4	2048					
12	-10	819.000008	8	2048					
12	0	819.000023	23	2048					
12	10	819.000000	0	2048					
12	20	819.000023	23	2048					
12	30	818.999984	-16	2048					
12	40	818.999999	-1	2048					
12	50	819.000022	22	2048					

Note: The power is rated 120V dc.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

**No.134, WuKungRoad, NewTaipeilndustrialPark, WukunDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

**No.134, WuKungRoad, NewTaipeilndustrialPark, WukunDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

**No.134, WuKungRoad, NewTaipeilndustrialPark, WukunDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Page 249 of 271

PEAK TO AVERAGE RATIO 11.

11.1. **Standard Applicable**

The peak-to-average ratio (PAR) of the transmission may not exceed 13dB.

11.2. **Test SET-UP**



11.3. **Measurement Procedure**

- 1. KDB 971168 D01 is employed as the following procedure is proper adjusted accordingly:
- 2. Set resolution/measurement bandwidth ≥ signal's occupied bandwidth; & internal =1ms
- Set the number of counts to a value that stabilizes the measured CCDF curve.

11.4. **Measurement Equipment Used**

EQUIPMENT TYPE	MFR	MODEL NUMBER	SERIAL NUMBER	LAST CAL.	CAL DUE.
Spectrum Analyzer	Agilent	N9010A	MY51440113	2018/06/20	2019/06/19
Radio Communica- tion Analyer	Anritsu	MT8820C	6201107337	2018/06/15	2019/06/14
DC Power Supply	Agilent	E3640A	MY53130054	2017/09/04	2018/09/03
Attenuator	Marvelous	MVE2213-10	RF30	2017/12/26	2018/12/25
Splitter	Woken	DOM35LW1A2	RF36	2017/12/26	2018/12/25

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.

Offices otherwise stated the feeding shown in this test report refer only for the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer only of the sample(s) tested and source and refer on the sample(s) and refer only of the sample(s) tested and source and refer only of the sample(s) and refer on the sample(s) and refer Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law



Page 250 of 271

11.5. **Measurement Result**

Tabular Results:

	LTE BAND 2									
Chan	nel bandv	width: 1.4N	ИНz	Char	nnel band	lwidth: 3M	Hz			
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	PAPR (dB)			
(MHz)	CII	64QAM	Limit	(MHz)	СН	64QAM	Limit			
1850.7	18607	5.03	13	1851.5	18615	5.33	13			
1880.0	18900	5.10	13	1880.0	18900	5.34	13			
1909.3	19193	5.46	13	1908.5	19185	5.61	13			

	LTE BAND 2										
Char	nnel band	lwidth: 5M	lHz	Chan	nel band	width: 10N	ИHz				
Freq.	СН	PAPR	(dB)	Freq.	СП	PAPR	(dB)				
(MHz)	СП	64QAM	Limit	(MHz)	СН	64QAM	Limit				
1852.5	18625	5.24	13	1855.0	18650	5.46	13				
1880.0	18900	5.31	13	1880.0	18900	5.78	13				
1907.5	19175	5.48	13	1905.0	19150	5.53	13				


	LTE BAND 2										
Chan	nel band	width: 15N	ЛHz	Chan	nel band	width: 20N	ИHz				
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	PAPR (dB)				
(MHz)	CII	64QAM	Limit	(MHz)	СН	64QAM	Limit				
1857.5	18675	6.04	13	1860.0	18700	6.60	13				
1880.0	18900	5.90	13	1880.0	18900	6.51	13				
1902.5	19125	5.90	13	1900.0	19100	6.63	13				

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號





Page 251 of 271

	LTE BAND 4									
Chanr	nel band	width: 1.4	MHz	Chan	nel ban	dwidth: 3N	ИHz			
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)			
(MHz)	CII	64QAM	Limit	(MHz)	СН	64QAM	Limit			
1710.7	19957	5.14	13	1711.5	19965	5.37	13			
1732.5	20175	5.07	13	1732.5	20175	5.62	13			
1754.3	20393	4.99	13	1753.5	20385	5.28	13			

	LTE BAND 4									
Chan	nel ban	dwidth: 5N	ИHz	Chani	nel band	lwidth: 10l	VIHz			
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	PAPR (dB)			
(MHz)	CII	64QAM	Limit	(MHz)	CII	64QAM	Limit			
1712.5	19957	5.51	13	1715.0	20000	5.65	13			
1732.5	20175	5.64	13	1732.5	20175	5.71	13			
1752.5	20375	5.30	13	1750.0	20350	5.58	13			

	LTE BAND 4										
Chan	nel band	lwidth: 15l	VIHz	Chan	nel band	lwidth: 20l	VIHz				
Freq.	СН	PAPR	(dB)	Freq.	СП	PAPR	(dB)				
(MHz)	СП	64QAM	Limit	(MHz)	СН	64QAM	Limit				
1717.5	20025	5.97	13	1720.0	20050	6.52	13				
1732.5	20175	6.15	13	1732.5	20175	6.66	13				
1747.5	20325	6.12	13	1745.0	20300	6.63	13				

LTE BAND 5									
Channel bandwidth: 1.4MHz				Char	nnel band	lwidth: 3M	Hz		
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)			
(MHz)	СП	64QAM	Limit	(MHz)	СП	64QAM	Limit		
824.7	20407	6.05	13	825.5	20415	6.07	13		
836.5	20525	5.67	13	836.5	20525	5.95	13		
848.3	20643	5.09	13	847.5	20635	5.35	13		

LTE BAND 5									
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz					
Freq.	СН	PAPR	(dB)	Freq.	СП	PAPR	(dB)		
(MHz)	СП	64QAM	Limit	(MHz)	СН	64QAM	Limit		
826.5	20425	5.96	13	829.0	20450	6.06	13		
836.5	20525	5.90	13	836.5	20525	6.08	13		
846.5	20625	5.39	13	844.0	20600	5.94	13		


Member of SGS Group

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有说明,此報告結果僅對测试之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.

No.134, WuKungRoad, NewTaipeilndustrialPark, WukuDistrict, NewTaipeiCity, Taiwan24803/新北市五股區新北產業園區五工路 134 號

10.200.0.2





LTE BAND 12 Channel bandwidth: 1.4MHz Channel bandwidth: 3MHz PAPR (dB) PAPR (dB) Freq. Freq. CH CH (MHz) (MHz) 64QAM Limit 64QAM Limit 699.7 23017 13 700.5 23025 6.19 13 6.03 5.45 13 13 23095 23095 5.76 707.5 707.5 715.3 23173 5.75 13 714.5 23165 6.05 13

LTE BAND 12									
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz					
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)			
(MHz)	СП	64QAM	Limit	(MHz)	СН	64QAM	Limit		
701.5	23035	6.23	13	704.0	23060	5.87	13		
707.5	23095	5.69	13	707.5	23095	5.93	13		
713.5	23155	6.17	13	711.0	23130	6.20	13		

	LTE BAND 25									
Channel bandwidth: 1.4MHz				Channel bandwidth: 3MHz						
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	PAPR (dB)			
(MHz)	СП	64QAM	Limit	(MHz)	CH	64QAM	Limit			
1850.7	26047	4.99	13	1851.5	26055	5.38	13			
1882.5	26365	5.18	13	1882.5	26365	5.39	13			
1914.3	26683	5.35	13	1913.5	26675	5.83	13			


LTE BAND 25									
Chan	nel ban	dwidth: 5N	idth: 5MHz Channel bandwidth: 10MHz				VIHz		
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	(dB)		
(MHz)	СП	64QAM	Limit	(MHz)	СН	64QAM	Limit		
1852.5	26065	5.13	13	1855.0	26090	5.46	13		
1882.5	26365	5.17	13	1882.5	26365	5.49	13		
1912.5	26665	5.69	13	1910.0	26640	5.75	13		

LTE BAND 25									
Channel bandwidth: 15MHz				Chan	Channel bandwidth: 20MHz				
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)			
(MHz)	CII	64QAM	Limit	(MHz)	CII	64QAM	Limit		
1857.5	26115	5.99	13	1860.0	26140	6.61	13		
1882.5	26365	5.95	13	1882.5	26365	6.48	13		
1907.5	26615	6.00	13	1905.0	26590	6.55	13		

SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.





	LTE BAND 26									
Chan	nel band	width: 1.4N	ИHz	Channel bandwidth: 3MHz						
Freq.	СН	PAPR	(dB)	Freq.	СП	PAPR (dB)				
(MHz)	СП	64QAM	Limit	(MHz)	СН	64QAM	Limit			
814.7	26697	5.02	13	815.5	26705	5.38	13			
831.5	26865	5.25	13	831.5	26865	5.60	13			
848.3	27033	4.82	13	847.5	27025	5.17	13			

LTE BAND 26									
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz					
Freq.	СН	PAPR	(dB)	Freq.	СП	PAPR (dB)			
(MHz)	СП	64QAM	Limit	(MHz)	СН	64QAM	Limit		
816.5	26715	5.36	13	820.0	26750	5.70	13		
831.5	26865	5.60	13	831.5	26865	5.64	13		
846.5	27015	5.19	13	844.0	26990	5.49	13		

	LTE BAND 26								
Channel bandwidth: 15MHz									
Freq.	СН	PAPR	(dB)						
(MHz)	СП	64QAM	Limit						
822.5	26775	6.22	13						
831.5	26865	6.00	13						
841.5	26965	6.08	13						

LTE BAND 26 for part 90S										
Channel bandwidth: 1.4MHz			Channel bandwidth: 3MHz							
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR (dB)				
(MHz)	СП	64QAM	Limit	(MHz)	CF	64QAM	Limit			
814.7	26697	5.10	13	815.5	26705	5.43	13			
819.0	26740	5.42	13	819	26740	5.65	13			
823.3	26783	5.82	13	822.5	26775	5.83	13			

	LTE BAND 26 for part 90S									
Channel bandwidth: 5MHz				Channel bandwidth: 10MHz						
Freq.	СН	PAPR	(dB)	Freq.	СН	PAPR	PAPR (dB)			
(MHz)	Сп	64QAM	Limit	(MHz)	CH	64QAM	Limit			
816.5	26715	5.44	13							
819.0	26740	5.61	13	819.0	26740	5.77	13			
821.5	26765	5.83	13							

Please refer to next page for test plots.

Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留卯天。本報告未經本公司書面許可,不可部份複製。

This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

SGS Taiwan Ltd.* No.134 WukungRand NewTaipeiIndustrialPark WukuDistrict NewTaipeiCity.Taiwan24803/新士.市 无股區新士.產業園區 五工路 134 號


SGS Taiwan Ltd. No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號

t (886-2) 2299-3279




Report No.: E2/2018/70105 Page 254 of 271


LTE_Band2_1_4MHz_64QAM_6_0_LowCH18607-1850.7




LTE_Band2_1_4MHz_64QAM_6_0_MidCH18900-1880




LTE Band2 1 4MHz 64QAM 6 0 HighCH19193-1909.3




LTE_Band2_3MHz_64QAM_15_0_LowCH18615-1851.5



LTE_Band2_3MHz_64QAM_15_0_MidCH18900-1880





LTE_Band2_3MHz_64QAM_15_0_HighCH19185-1908.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留則大。本報告果經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.









LTE_Band2_5MHz_64QAM_25_0_MidCH18900-1880




LTE Band2 5MHz 64QAM 25 0 HighCH19175-1907.5




LTE_Band2_10MHz_64QAM_50_0_LowCH18650-1855



LTE_Band2_10MHz_64QAM_50_0_MidCH18900-1880




LTE Band2 10MHz 64QAM 50 0 HighCH19150-1905



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。


除非另有說明,此報告結果僅對測試之株品負責;同時此株品僅保留則大。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.

No.134,WuKungRoad,NewTaipeiIndustrialPark,WukuDistrict,NewTaipeiCity,Taiwan24803/新北市五股區新北產業園區五工路 134 號 SGS Taiwan Ltd.




Report No.: E2/2018/70105 Page 256 of 271


LTE_Band2_15MHz_64QAM_75_0_LowCH18675-1857.5




LTE_Band2_15MHz_64QAM_75_0_MidCH18900-1880




LTE Band2 15MHz 64QAM 75 0 HighCH19125-1902.5




LTE_Band2_20MHz_64QAM_100_0_LowCH18700-1860



LTE_Band2_20MHz_64QAM_100_0_MidCH18900-1880



LTE Band2 20MHz 64QAM 100 0 HighCH19100-1900



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之株品負責;同時此株品僅保留則大。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: E2/2018/70105 Page 257 of 271


LTE_Band4_1_4MHz_64QAM_6_0_LowCH19957-1710.7




LTE_Band4_1_4MHz_64QAM_6_0_MidCH20175-1732.5




LTE Band4 1 4MHz 64QAM 6 0 HighCH20393-1754.3




LTE_Band4_3MHz_64QAM_15_0_LowCH19965-1711.5



LTE_Band4_3MHz_64QAM_15_0_MidCH20175-1732.5



LTE Band4 3MHz 64QAM 15 0 HighCH20385-1753.5




Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留則大。本報告果經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: E2/2018/70105 Page 258 of 271


LTE_Band4_5MHz_64QAM_25_0_LowCH19975-1712.5




LTE_Band4_5MHz_64QAM_25_0_MidCH20175-1732.5




LTE Band4 5MHz 64QAM 25 0 HighCH20375-1752.5




LTE_Band4_10MHz_64QAM_50_0_LowCH20000-1715



LTE_Band4_10MHz_64QAM_50_0_MidCH20175-1732.5



LTE Band4 10MHz 64QAM 50 0 HighCH20350-1750



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之株品負責;同時此株品僅保留則大。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: E2/2018/70105 Page 259 of 271


LTE_Band4_15MHz_64QAM_75_0_LowCH20025-1717.5




LTE_Band4_15MHz_64QAM_75_0_MidCH20175-1732.5




LTE Band4 15MHz 64QAM 75 0 HighCH20325-1747.5




LTE_Band4_20MHz_64QAM_100_0_LowCH20050-1720



LTE_Band4_20MHz_64QAM_100_0_MidCH20175-1732.5



LTE Band4 20MHz 64QAM 100 0 HighCH20300-1745



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only.


除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之株品負責;同時此株品僅保留則大。本報告未經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.




Report No.: E2/2018/70105 Page 260 of 271


LTE_Band5_1_4MHz_64QAM_6_0_LowCH20407-824.7




LTE_Band5_1_4MHz_64QAM_6_0_MidCH20525-836.5




LTE Band5 1 4MHz 64QAM 6 0 HighCH20643-848.3




LTE_Band5_3MHz_64QAM_15_0_LowCH20415-825.5



LTE_Band5_3MHz_64QAM_15_0_MidCH20525-836.5



LTE Band5 3MHz 64QAM 15 0 HighCH20635-847.5



Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 90 days only. 除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留90天。本報告未經本公司書面許可,不可部份複製。

除非另有說明,此報告結果僅對測試之樣品負責,同時此樣品僅保留則大。本報告果經本公司書面許可,不可部份複製。
This document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at www.sgs.com/terms and conditions.htm and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at www.sgs.com/terms e-document.htm. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law.