

Applicant: Shenzhen EDUP Electronics Technology Co.,Ltd.

Product: Co-screen Device

Model No.: EH-WD9905, EH-WD9902, EH-WD9903, EH-WD9906,

EH-WD9907

Trademark: EDUP, EDUP HOME, EDUP LOVE, WISE TIGER

Test Standards: FCC Part 15.247

Test result:

It is herewith confirmed and found to comply with the

requirements set up by ANSI C63.10, FCC Part 15.247 for

the evaluation of electromagnetic compatibility

Approved By

Terry lang

Terry Tang

Manager

Dated: April 21, 2023

Results appearing herein relate only to the sample tested The technical reports is issued errors and omissions exempt and is subject to withdrawal at

## SHENZHEN TIMEWAY TESTING LABORATORIES

Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le Village, Nanshan District, Shenzhen, China

Tel (755) 83448688, Fax (755) 83442996, E-Mail:info@timeway-lab.com

Date: 2023-04-21



Page 2 of 63

# **Special Statement:**

The testing quality ability of our laboratory meet with "Quality Law of People's Republic of China" Clause 19.

The testing quality system of our laboratory meet with ISO/IEC-17025 requirements, which is approved by CNAL. This approval result is accepted by MRA of APLAC.

Our test facility is recognized, certified, or accredited by the following organizations:

## **CNAL-LAB Code: L2292**

The EMC Laboratory has been assessed and in compliance with CNAL/AC01:2002 accreditation criteria for testing Laboratories (identical to ISO/IEC 17025:2017 General Requirements) for the Competence of testing Laboratories.

## FCC-Registration No.: 744189

The EMC Laboratory has been registered and fully described in a report filed with the (FCC) Federal Communications commission. The acceptance letter from the FCC is maintained in our files. Registration No.: 744189.

## Industry Canada (IC) — Registration No.:5205A

The EMC Laboratory has been registered by Certification and Engineering Bureau of Industry Canada for radio equipment testing with Registration No.: 5205A.

### **A2LA** (Certification Number:5013.01)

The EMC Laboratory has been accredited by the American Association for Laboratory Accreditation (A2LA). Certification Number:5013.01

Page 3 of 63

Report No.: TW2304219-01E

Date: 2023-04-21



## **Test Report Conclusion**

## Content

1.0	General Details	4
1.1	Test Lab Details.	4
1.2	Applicant Details	4
1.3	Description of EUT	4
1.4	Submitted Sample	5
1.5	Test Duration.	5
1.6	Test Uncertainty.	5
1.7	Test By	5
2.0	List of Measurement Equipment	6
3.0	Technical Details	8
3.1	Summary of Test Results.	8
3.2	Test Standards.	8
4.0	EUT Modification	8
5.0	Power Line Conducted Emission Test.	9
5.1	Schematics of the Test.	9
5.2	Test Method and Test Procedure.	9
5.3	Configuration of the EUT.	9
5.4	EUT Operating Condition.	10
5.5	Conducted Emission Limit.	10
5.6	Test Result.	10
6.0	Radiated Emission test.	13
6.1	Test Method and Test Procedure.	13
6.2	Configuration of the EUT.	14
6.3	EUT Operation Condition.	14
6.4	Radiated Emission Limit.	14
7.0	6dB Bandwidth Measurement.	20
8.0	Maximum Output Power	28
9.0	Power Spectral Density Measurement	30
10.0	Out of Band Measurement.	38
11.0	Antenna Requirement	54
12.0	FCC ID Label	55
13.0	Photo of Test Setup and EUT View.	56

Date: 2023-04-21



### 1.0 General Details

### 1.1 Test Lab Details

Name: SHENZHEN TIMEWAY TESTING LABORATORIES.

Address: Zone C, 1st Floor, Block B, Jun Xiang Da Building, Zhongshan Park Road West, Tong Le

Village, Nanshan District, Shenzhen, China

Telephone: (755) 83448688 Fax: (755) 83442996

Site Listed with Federal Communications commission (FCC)

Registration Number: 744189 For 3m Anechoic Chamber

Site Listed with Industry Canada of Ottawa, Canada

Registration Number: IC: 5205A

For 3m Anechoic Chamber

### 1.2 Applicant Details

Applicant: Shenzhen EDUP Electronics Technology Co.,Ltd.

Address: 6 Floor, #6 Building, No.48, Kangzheng Road Liantang Industrial Area, Buji Town,

Shenzhen, China

Telephone: -Fax: --

### 1.3 Description of EUT

Product: Co-screen Device

Manufacturer: Shenzhen EDUP Electronics Technology Co.,Ltd.

Address: 6 Floor, #6 Building, No.48, Kangzheng Road Liantang Industrial Area, Buji

Town, Shenzhen, China

Trademark: EDUP

Additional Trademark: EDUP HOME, EDUP LOVE, WISE TIGER

Model Number: EH-WD9905

Additional Model Number: EH-WD9902, EH-WD9903, EH-WD9906, EH-WD9907

Hardware Version: V1.0

Software Version: RTL8723FU MP Cersion 0.0001.1020.2018

Serial No.: N/A

Rating: DC5.0V, 1A

Type of Modulation IEEE 802.11b: DSSS (CCK, QPSK, DBPSK)

IEEE 802.11g/n (HT20, HT40): OFDM (64QAM, 16QAM, QPSK, BPSK)

Frequency range IEEE 802.11b/g/n (HT20): 2412-2462MHz;

IEEE 802.11n HT40: 2422-2452MHz

Channel Spacing 5MHz for IEEE 802.11b/g/n (HT20, HT40)

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2023-04-21



Page 5 of 63

IEEE 802.11b: 11, 5.5, 2, 1 Mbps Air Data Rate

IEEE 802.11g: 54, 48,36, 24, 18, 12, 9, 6 Mbps

IEEE 802.11n HT20/HT40: mcs0-mcs7

Frequency Selection By software

Channel Number IEEE 802.11b/g/n (HT20): 11 Channels;

IEEE 802.11n (HT40): 7 Channels;

Antenna: Integral antenna with gain 3.04dBi Max (Get from the antenna specification)

Submitted Sample: 2 Samples

1.5 Test Duration

2023-04-13 to 2023-04-21

1.6 Test Uncertainty

Conducted Emissions Uncertainty = 3.6dB

Radiated Emissions below 1GHz Uncertainty =4.7dB

Radiated Emissions above 1GHz Uncertainty =6.0dB

Conducted Power Uncertainty =6.0dB

Occupied Channel Bandwidth Uncertainty =5%

Note: The measurement uncertainty is for coverage factor of k=2 and a level of confidence of 95%.

1.7 Test Engineer

The sample tested by

Print Name: Andy Xing

Page 6 of 63

Report No.: TW2304219-01E

Date: 2023-04-21



2.0 Test Equipment							
Instrument Type	Manufacturer	Model	Serial No.	Date of Cal.	Due Date		
ESPI Test Receiver	R&S	ESPI 3	100379	2022-07-15	2023-07-14		
LISN	R&S	EZH3-Z5	100294	2022-07-18	2023-07-17		
LISN	R&S	EZH3-Z5	100253	2022-07-18	2023-07-17		
Impuls-Begrenzer	R&S	ESH3-Z2	100281	2022-07-18	2023-07-17		
Loop Antenna	EMCO	6507	00078608	2022-07-18	2025-07-17		
Spectrum	R&S	FSIQ26	100292	2022-07-15	2023-07-14		
Horn Antenna	A-INFO	LB-180400-KF	J211060660	2022-07-18	2025-07-17		
Horn Antenna	R&S	BBHA 9120D	9120D-631	2022-07-18	2024-07-17		
Power meter	Anritsu	ML2487A	6K00003613	2022-07-18	2023-07-17		
Power sensor	Anritsu	MA2491A	32263	2022-07-18	2023-07-17		
Bilog Antenna	Schwarebeck	VULB9163	9163/340	2022-07-18	2025-07-17		
9*6*6 Anechoic			N/A	2022-07-26	2025-07-25		
EMI Test Receiver	RS	ESVB	826156/011	2022-07-15	2023-07-14		
EMI Test Receiver	RS	ESCS 30	834115/006	2022-07-15	2023-07-14		
Spectrum	HP/Agilent	E4407B	MY50441392	2022-07-15	2023-07-14		
Spectrum	RS	FSP	1164.4391.38	2022-07-15	2023-07-14		
RF Cable	Zhanadi	ZT26-NJ-NJ-8		2022-07-15	2023-07-14		
RF Cable	Zhengdi	M/FA					
RF Cable	Zhengdi	7m		2022-07-15	2023-07-14		
Pre-Amplifier	Schwarebeck	BBV9743	#218	2022-07-15	2023-07-14		
Pre-Amplifier	HP/Agilent	8449B	3008A00160	2022-07-15	2023-07-14		
LISN	SCHAFFNER	NNB42	00012	2022-08-18	2023-07-17		

## 2.2 Automation Test Software

### For Conducted Emission Test

Name	Version	
EZ-EMC	Ver.EMC-CON 3A1.1	

## For Radiated Emissions

Name	Version
EMI Test Software BL410-EV18.91	V18.905
EMI Test Software BL410-EV18.806 High Frequency	V18.06

Page 7 of 63

Report No.: TW2304219-01E

Date: 2023-04-21



### 3. DESCRIPTION OF TEST MODES

### IEEE 802.11b, 802.11g, 802.11n (HT20) mode

The EUT had been tested under operating condition. There are three channels have been tested as following:

Channel	Frequency (MHz)
Low	2412
Middle	2437
High	2462

IEEE 802.11b mode: 1Mbps data rate (worst case) was chosen for full testing. IEEE 802.11g mode: 6Mbps data rate (worst case) was chosen for full testing. IEEE 802.11n (HT20) mode: mcs0 (worst case) were chosen for full testing;

### IEEE 802.11n (HT40) mode

The EUT had been tested under operating condition. There are three channels have been tested as following:

Channel	Frequency (MHz)
Low	2422
Middle	2437
High	2452

IEEE 802.11n (HT40) mode: mcs0 data rate (worst case) were chosen for full testing

Note: During the test, the duty cycle was set up to >98%

Page 8 of 63

Report No.: TW2304219-01E

Date: 2023-04-21



#### 3.0 **Technical Details**

#### 3.1 **Summary of test results**

Standard	Test Type	Result	Notes
FCC Part 15, Paragraph15.203	Antenna Requirement	Pass	Complies
FCC Part 15, Paragraph15.207	<b>Conducted Emission Test</b>	Pass	Complies
	Spectrum bandwidth of a	Pass	Complies
FCC Part 15 Subpart C	Orthogonal Frequency		
Paragraph 15.247(a)(2) Limit	<b>Division Multiplex System</b>		
1 urugrupii 1012 i / (u)(2) 2iiiii	Limit: 6dB		
	bandwidth>500kHz		
FCC Part 15, Paragraph	Maximum peak output	Pass	
15.247(b)	power		Complies
13.247(0)	Limit: max. 30dBm		
FCC Part 15, Paragraph	Transmitter Radiated	Pass	Complies
15.109,15.205 & 15.209	Emission		
	Limit: Table 15.209		
FCC Part 15, Paragraph	<b>Power Spectral Density</b>	Pass	Complies
15.247(e)	Limit: max. 8dBm/3kHz		
FCC Part 15, Paragraph	Out of Band Emission and	Pass	Complies
15.247(d)	<b>Restricted Band</b>		
	Radiation		
	Limit: 20dB less than		
	peak value of fundamental		
	frequency		
	Restricted band limit:		
	<b>Table 15.209</b>		

#### 3.2 **Test Standards**

FCC Part 15 Subpart & Subpart C, Paragraph 15.247

#### 4.0 **EUT Modification**


No modification by SHENZHEN TIMEWAY TESTING LABORATORIES.

Date: 2023-04-21



### 5.0 Power Line Conducted Emission Test


### 5.1 Schematics of the test



### 5.2 Test Method and test Procedure

The EUT was tested according to ANSI C63.10-2013. The Frequency spectrum from 0.15 MHz to 30MHz was investigated. The LISN used was 50 ohm/50 uH as specified by section 5.1 of ANSI C63.10 -2013.

Test Voltage: 120V~, 60Hz Block diagram of Test setup



### 5.3 Configuration of the EUT

The EUT was configured according to ANSI C63.10-2013. All interface ports were connected to the appropriate peripherals. All peripherals and cables are listed below.

### A. EUT

Device	Manufacturer	Model	FCC ID
Co-screen Device	Shenzhen EDUP Electronics Technology Co.,Ltd.	EH-WD9905, EH-WD9902, EH-WD9903, EH-WD9906, EH-WD9907	2AHRD-EHWD9905

### B. Internal Device

Device	Manufacturer	Model	FCC ID/DOC
N/A			

## C. Peripherals

De	evice	Manufacturer	Model	FCC ID/DOC	Cable
I	PC	ThinkPad	R4		

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Report No.: TW2304219-01E Page 10 of 63

Date: 2023-04-21



## 5.4 EUT Operating Condition

Operating condition is according to ANSI C63.10-2013.

- A Setup the EUT and simulators as shown on follow
- B Enable AF signal and confirm EUT active to normal condition

## 5.5 Power line conducted Emission Limit according to Paragraph 15.207

Frequency	Limits (dB μ V)			
(MHz)	Quasi-peak Level	Average Level		
$0.15 \sim 0.50$	66.0~56.0*	56.0~46.0*		
$0.50 \sim 5.00$	56.0	46.0		
5.00 ~ 30.00	60.0	50.0		

Notes:

- 1. \*Decreasing linearly with logarithm of frequency.
- 2. The tighter limit shall apply at the transition frequencies

### 5.6 Test Results

The frequency spectrum from 0.15MHz to 30MHz was investigated. All reading are quasi-peak values with a resolution bandwidth of 9kHz.

Date: 2023-04-21



## A: Conducted Emission on Live Terminal (150kHz to 30MHz)


## **EUT Operating Environment**

Temperature: 26°C Humidity: 65%RH Atmospheric Pressure: 101 kPa

**EUT set Condition: Keep WIFI Transmitting** 

**Results: Pass** 

Please refer to following diagram for individual



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.1695	26.43	9.77	36.20	64.98	-28.78	QP	Р
2	0.1695	9.06	9.77	18.83	54.98	-36.15	AVG	Р
3	0.1890	23.66	9.76	33.42	64.08	-30.66	QP	Р
4	0.1890	7.87	9.76	17.63	54.08	-36.45	AVG	Р
5	0.2124	23.19	9.75	32.94	63.11	-30.17	QP	Р
6	0.2124	6.53	9.75	16.28	53.11	-36.83	AVG	Р
7	0.2436	21.35	9.75	31.10	61.97	-30.87	QP	Р
8	0.2436	5.42	9.75	15.17	51.97	-36.80	AVG	Р
9	0.6141	23.26	9.78	33.04	56.00	-22.96	QP	Р
10	0.6141	16.82	9.78	26.60	46.00	-19.40	AVG	Р
11	13.4754	24.15	10.31	34.46	60.00	-25.54	QP	Р
12	13.4754	15.00	10.31	25.31	50.00	-24.69	AVG	Р

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report

discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Date: 2023-04-21



#### B: Conducted Emission on Neutral Terminal (150kHz to 30MHz)


**EUT Operating Environment** 

Humidity: 65%RH Atmospheric Pressure: 101 kPa Temperature: 26°C

**EUT set Condition: Keep WIFI Transmitting** 

**Results: Pass** 

Please refer to following diagram for individual



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB)	Level (dBuV)	Limit (dBuV)	Margin (dB)	Detector	P/F
1	0.1500	27.98	9.79	37.77	66.00	-28.23	QP	Р
2	0.1500	11.28	9.79	21.07	56.00	-34.93	AVG	Р
3	0.1773	25.31	9.77	35.08	64.61	-29.53	QP	Р
4	0.1773	6.74	9.77	16.51	54.61	-38.10	AVG	Р
5	0.1773	25.31	9.77	35.08	64.61	-29.53	QP	Р
6	0.1773	6.82	9.77	16.59	54.61	-38.02	AVG	Р
7	0.2124	23.24	9.75	32.99	63.11	-30.12	QP	Р
8	0.2124	5.40	9.75	15.15	53.11	-37.96	AVG	Р
9	0.2358	21.45	9.75	31.20	62.24	-31.04	QP	Р
10	0.2358	5.33	9.75	15.08	52.24	-37.16	AVG	Р
11	14.3256	21.18	10.35	31.53	60.00	-28.47	QP	Р
12	14.3256	11.76	10.35	22.11	50.00	-27.89	AVG	Р

The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Report No.: TW2304219-01E Page 13 of 63

Date: 2023-04-21




### 6 Radiated Emission Test

- 6.1 Test Method and test Procedure:
- (1) The EUT was tested according to ANSI C63.10-2013. The radiated test was performed at Timeway EMC Laboratory. This site is on file with the FCC laboratory division, Registration No. 744189
- (2) The EUT, peripherals were put on the turntable which table size is 1m x 1.5 m, table high 0.8 m. All set up is according to ANSI C63.10-2013.
- (3) The frequency spectrum from 30 MHz to 25 GHz was investigated. All readings from 30 MHz to 1 GHz are Quasi-peak values with a resolution bandwidth of 120 kHz. F For measurement above 1GHz, peak values with RBW=1MHz VBW=3MHz and PK detector. AV value with RBW=1MHz, VBW=3MHz and RMS detector. Measurements were made at 3 meters.
- (4) The antenna high is varied from 1 m to 4 m high to find the maximum emission for each frequency.
- (5) Maximizing procedure was performed on the six (6) highest emissions to ensure EUT compliance is with all installation combinations. All data was recorded in the peak detection mode. Quasi-peak readings was performed only when an emission was found to be marginal (within -4 dB of specification limit), and are distinguished with a "QP" in the data table.
- (6) The antenna polarization: Vertical polarization and Horizontal polarization.

### **Block diagram of Test setup**

For radiated emissions from 9kHz to 30MHz




Page 14 of 63

Report No.: TW2304219-01E


Date: 2023-04-21



For radiated emissions from 30MHz to1GHz



For radiated emissions above 1GHz



- 6.2 Configuration of The EUT
  Same as section 5.3 of this report
- 6.3 EUT Operating Condition

  Same as section 5.4 of this report.
- 6.4 Radiated Emission Limit

All emission from a digital device, including any network of conductors and apparatus connected thereto, shall not exceed the level of field strength specified below:

Report No.: TW2304219-01E Page 15 of 63

Date: 2023-04-21



## Frequencies in restricted band are complied to limit on Paragraph 15.209

	1	8 1
Frequency Range (MHz)	Distance (m)	Field strength (dB $\mu$ V/m)
0.009-0.049	3	20log(2400/F(kHz)) +40log (300/3)
0.490-1.705	3	20log(24000/F(kHz)) +40log (30/3)
1.705-30	3	69.5
30-88	3	40.0
88-216	3	43.5
216-960	3	46.0
Above 960	3	54.0

Note:

- 1. RF Voltage (dBuV) = 20 log RF Voltage (uV)
- 2. In the Above Table, the tighter limit applies at the band edges.
- 3. Distance refers to the distance in meters between the measuring instrument antenna and the EUT
- 4. All scanning using PK detector. And the final emission level was get using QP detector for frequency range from 30-1000MHz.As to 1G-25G, the final emission level got using PK. For fundamental measurement, PK detector used.
- 5. For radiated emissions from 9kHz to 30MHz, the emission level is much less than the limit for more than 20dB. No necessary to take down the record.
- 6. Worse case were recorded in the test report. 802.11g was the worst case.

Page 16 of 63

Report No.: TW2304219-01E

Date: 2023-04-21




# Test result General Radiated Emission Data and Harmonics Radiated Emission Data

### Radiated Emission In Horizontal (30MHz----1000MHz)

EUT set Condition: **Keep Transmitting** 

**Results: Pass** 



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table (o)	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)			(cm)		
1	97.156	24.32	-13.90	43.5	-19.18	Peak	177.00	100	Horizontal	Pass
2	129.400	24.99	-16.81	43.5	-18.51	Peak	237.00	100	Horizontal	Pass
3	161.887	24.90	-16.40	43.5	-18.60	Peak	248.00	100	Horizontal	Pass
4	188.070	38.62	-14.46	43.5	-4.88	Peak	79.00	100	Horizontal	Pass
5	237.043	30.26	-12.37	46.0	-15.74	Peak	73.00	100	Horizontal	Pass
6	873.447	32.83	-2.15	46.0	-13.17	Peak	226.00	100	Horizontal	Pass

Report No.: TW2304219-01E Page 17 of 63

Date: 2023-04-21




# Test result General Radiated Emission Data and Harmonics Radiated Emission Data

### Radiated Emission In Vertical (30MHz----1000MHz)

EUT set Condition: **Keep Transmitting** 

**Results: Pass** 



No.	Frequency	Results	Factor	Limit	Over Limit	Detector	Table	Height	ANT	Verdict
	(MHz)	(dBuV/m)	(dB)	(dBuV/m)	(dB)		(o)	(cm)		
1	64.669	26.28	-13.49	40.0	-13.72	Peak	262.00	100	Vertical	Pass
2	76.306	25.30	-17.58	40.0	-14.70	Peak	251.00	100	Vertical	Pass
3	84.064	25.43	-16.72	40.0	-14.57	Peak	23.00	100	Vertical	Pass
4	97.156	38.66	-13.90	43.5	-4.84	Peak	51.00	100	Vertical	Pass
5	129.400	27.95	-16.81	43.5	-15.55	Peak	201.00	100	Vertical	Pass
6	161.645	28.79	-16.39	43.5	-14.71	Peak	201.00	100	Vertical	Pass

Page 18 of 63 Report No.: TW2304219-01E

Date: 2023-04-21



## Operation Mode: Transmitting under CH01 for 802.11b mode

Frequency (MHz)	Level@3m (dB \u03b4 V/m)	Antenna Polarity	Limit@3m (dB \( \mu \text{V/m} \)
4824.00	61.8 (PK) / 45.9 (AV)	Н	74(Peak)/ 54(AV)
4824.00	57.3 (PK) / 41.6 (AV)	V	74(Peak)/ 54(AV)
7236.00	-	H/V	74(Peak)/ 54(AV)
9648.00		H/V	74(Peak)/ 54(AV)
12060	1	H/V	74(Peak)/ 54(AV)
14472	1	H/V	74(Peak)/ 54(AV)
16884	-	H/V	74(Peak)/ 54(AV)
19296	ı	H/V	74(Peak)/ 54(AV)
21708		H/V	74(Peak)/ 54(AV)
24120		H/V	74(Peak)/ 54(AV)

## Operation Mode: Transmitting under CH06 for 802.11b mode

Frequency (MHz)	Level@3m (dB \u03b4 V/m)	Antenna Polarity	Limit@3m (dB \( \mu \)V/m)
4874.00	60.9 (PK)/ 45.1 (AV)	Н	74(Peak)/ 54(AV)
4874.00	56.7 (PK)/ 41.3 (AV)	V	74(Peak)/ 54(AV)
7311.00	-	H/V	74(Peak)/ 54(AV)
9748.00	-	H/V	74(Peak)/ 54(AV)
12185	-	H/V	74(Peak)/ 54(AV)
14622	1	H/V	74(Peak)/ 54(AV)
17059	•	H/V	74(Peak)/ 54(AV)
19496	-	H/V	74(Peak)/ 54(AV)
21933	-	H/V	74(Peak)/ 54(AV)
24370		H/V	74(Peak)/ 54(AV)

Report No.: TW2304219-01E Page 19 of 63

Date: 2023-04-21



## Operation Mode: Transmitting under CH11 for 802.11b mode

Frequency (MHz)	Level@3m (dB μ V/m)	Antenna Polarity	Limit@3m (dB µ V/m)
4924	60.6 (PK)/ 45.3 (AV)	Н	74(Peak)/ 54(AV)
4924	57.1 (PK)/ 41.8 (AV)	V	74(Peak)/ 54(AV)
7368		H/V	74(Peak)/ 54(AV)
9848		H/V	74(Peak)/ 54(AV)
12310		H/V	74(Peak)/ 54(AV)
14772		H/V	74(Peak)/ 54(AV)
17234		H/V	74(Peak)/ 54(AV)
19696		H/V	74(Peak)/ 54(AV)
22158		H/V	74(Peak)/ 54(AV)
24620		H/V	74(Peak)/ 54(AV)

Note: 1. Level = Reading + AF + Cable - Preamp + Filter - Dist, Margin = Level - Limit

- 2. Remark "---" means that the emissions level is too low to be measured
- 3. For 802.11b mode at 1Mbps
- 4. For radiated Emissions from 18-25GHz and below 30MHz, it is only the floor noise and less than the limit for more than 20dB. No necessary to take down.
- 5. Note: the final peak measurement results less than the AV limit. No necessary to take down the final AV measurement result


Report No.: TW2304219-01E Page 20 of 63

Date: 2023-04-21



## 7.0 6dB Bandwidth Measurement

## 7.1 Test Setup



## 7.2 Limits of 6dB Bandwidth Measurement

The minimum of 6dB Bandwidth Measurement is >500 kHz

## 7.3 Test Procedure

- 1. Set resolution bandwidth (RBW) = 100 kHz
- 2. Set the video bandwidth (VBW)  $\geq$  3 x RBW.
- 3. Detector = Peak.
- 4. Trace mode = max hold.
- 5. Sweep = auto couple.
- 6. Allow the trace to stabilize.
- 7. Measure the maximum width of the emission that is constrained by the frequencies associated with the two outermost amplitude points (upper and lower) that are attenuated by 6 dB relative to the maximum level measured in the fundamental emission.

## 7.4 Test Result

Date: 2023-04-21



Page 21 of 63

## 6dB Occupied Bandwidth


Mode	TX	Frequency		6dB Bandv	\	
	Туре	(MHz)	ANT	Result	Limit	Verdict
		2412	1	9.592	>=0.5	Pass
802.11b	SISO	2437	1	9.592	>=0.5	Pass
		2462	1	9.123	>=0.5	Pass
802.11g		2412	1	15.122	>=0.5	Pass
	SISO	2437	1	15.116	>=0.5	Pass
		2462	1	15.096	>=0.5	Pass
000 11n	SISO	2412	1	15.056	>=0.5	Pass
802.11n		2437	1	15.066	>=0.5	Pass
(HT20)		2462	1	15.121	>=0.5	Pass
802.11n (HT40)		2422	1	31.350	>=0.5	Pass
	SISO	2437	1	32.573	>=0.5	Pass
		2452	1	32.563	>=0.5	Pass

Page 22 of 63

Report No.: TW2304219-01E

Date: 2023-04-21





The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 23 of 63

Report No.: TW2304219-01E

Date: 2023-04-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-04-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-04-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-04-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-04-21





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to


Date: 2023-04-21



# Page 28 of 63

## 8. Maximum Output Power

## 8.1 Test Setup



### 8.2 Limits of Maximum Output Power

The Maximum Output Power Measurement is 30dBm.

### **8.3 Test Procedure**

The RF power output was measured with a Power meter connected to the RF Antenna connector (conducted measurement) while EUT was operating in transmit mode at the appropriate centre frequency.

Note: The PK power was measured

Report No.: TW2304219-01E Page 29 of 63

Date: 2023-04-21



### **8.4Test Results**

Mode	TX	Frequency Maximum Peak Conducted Output Power (			\/ordiot
	Туре	(MHz)	ANT1	Limit	Verdict
		2412	7.45	<=30	Pass
802.11b	SISO	2437	7.27	<=30	Pass
		2462	7.09	<=30	Pass
	SISO	2412	7.02	<=30	Pass
802.11g		2437	6.86	<=30	Pass
		2462	6.63	<=30	Pass
000 44 =		2412	4.74	<=30	Pass
802.11n	SISO	2437	6.50	<=30	Pass
(HT20)		2462	5.41	<=30	Pass
000 44 =		2422	4.97	<=30	Pass
802.11n	SISO	2437	6.90	<=30	Pass
(HT40)		2452	4.62	<=30	Pass

Note: 1. At finial test to get the worst-case emission at msc0 of 11n HT40 for CH03, CH06 and CH09

2. The result basic equation calculation as follow: Power Output = Power Reading + Cable loss + Attenuator

3. The worse case was recorded


Report No.: TW2304219-01E Page 30 of 63

Date: 2023-04-21



## 9. Power Spectral Density Measurement

## 9.1 Test Setup



### 9.2 Limits of Power Spectral Density Measurement

The Maximum Power Spectral Density Measurement is 8dBm/3kHz.

### 9.3 Test Procedure

- 1. Use this procedure when the maximum peak conducted output power in the fundamental emission is used to demonstrate compliance.
- 2. Set the RBW = 3 kHz.
- 3. Set the VBW  $\geq$  10 kHz.
- 4. Set the span to 1.5 times the DTS channel bandwidth.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode = max hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.
- 10. If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.
- 11. The resulting peak PSD level must be  $\leq 8 \text{ dBm/3kHz}$ .

Page 31 of 63 Report No.: TW2304219-01E

Date: 2023-04-21



### 9.4Test Result


Mada	TX	Frequency	Maximum PSI	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \	
Mode	Type	(MHz)	ANT1	Limit	Verdict
		2412	-18.19	<=8	Pass
802.11b	SISO	2437	-19.03	<=8	Pass
		2462	-18.72	<=8	Pass
	SISO	2412	-24.79	<=8	Pass
802.11g		2437	-24.82	<=8	Pass
		2462	-25.76	<=8	Pass
000 11n	SISO	2412	-26.49	<=8	Pass
802.11n		2437	-24.74	<=8	Pass
(HT20)		2462	-26.49	<=8	Pass
000 11n		2422	-29.72	<=8	Pass
802.11n (HT40)	SISO	2437	-28.18	<=8	Pass
		2452	-30.22	<=8	Pass

Page 32 of 63

Report No.: TW2304219-01E

Date: 2023-04-21





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 33 of 63

Report No.: TW2304219-01E

Date: 2023-04-21





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 34 of 63

Report No.: TW2304219-01E

Date: 2023-04-21





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 35 of 63

Report No.: TW2304219-01E

Date: 2023-04-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-04-21





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 37 of 63

Report No.: TW2304219-01E

Date: 2023-04-21





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Report No.: TW2304219-01E Page 38 of 63

Date: 2023-04-21



# 10 Out of Band Measurement 10.1 Test Setup for band edge



The restricted band requirement based on radiated emission test; please see the clause 6 for the test setup

### 10.2 Limits of Out of Band Emissions Measurement

- 1. Below –20dB of the highest emission level of operating band (in 100kHz Resolution Bandwidth).
- 2. Fall in the restricted bands listed in section 15.205. The maximum permitted average field strength is listed in section 15.209.

### **10.3 Test Procedure**

For signals in the restricted bands above and below the 2.4-2.483GHz allocated band a measurement was made of radiated emission test. (Peak values with RBW=VBW=1MHz and PK detector. AV value with RBW=1MHz, VBW=10Hz and PK detector)

For bandage test, the spectrum set as follows: RBW=100, VBW=300 kHz. A conducted measurement used

### 10.4 Test Result

Please see next pages

Note: 1. For band-edge measurement, the frequency from 30MHz-25GHz was tested. And It met the FCC rule.

Report No.: TW2304219-01E Page 39 of 63

Date: 2023-04-21




Mada	TX	Frequency	ANIT	Level of Reference	Limit	\
Mode	Mode Type	(MHz)	ANT	(dBm)	(dBm)	Verdict
		2412	1	-4.34	-24.34	Pass
802.11b	SISO	2437	1	-4.34	-24.34	Pass
		2462	1	-4.34	-24.34	Pass
		2412	1	-10.49	-30.49	Pass
802.11g	SISO	SISO 2437		-10.49	-30.49	Pass
		2462	1	-10.49	-30.49	Pass
000 44 =		2412	1	-10.29	-30.29	Pass
	802.11n (HT20)	SISO 2437		-10.29	-30.29	Pass
(П120)		2462	1	-10.29	-30.29	Pass
000 11n		2422	1	-13.42	-33.42	Pass
802.11n	SISO	SISO 2437		-13.42	-33.42	Pass
(HT40)		2452	1	-13.42	-33.42	Pass

Note1: Refer to FCC Part 15.247 (d) and ANSI C63.10-2013, the channel contains the maximum PSD level was used to establish the reference level.

Date: 2023-04-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Date: 2023-04-21





The report refers only to the sample tested and does not apply to the bulk.


This report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it. or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Date: 2023-04-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Date: 2023-04-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-04-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-04-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-04-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-04-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-04-21






The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Date: 2023-04-21





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Report No.: TW2304219-01E Page 50 of 63

Date: 2023-04-21



#### 10.5 Restricted band Measurement

EUT	Co-screen Device			Мо	del	EH-WD9905		
Mode	Keeping Transmitting			Test Voltage		DC3.7V		
Temperature	24 deg. C,			Humidity		56% RH		
Test Result:	Pass			Dete	ector	PK		
	802.11b mode, Low Channel, Horizontal							
2390	PK (dBµV/m)	40.97	т:.	Limit		$74(dB\mu V/m)$		
	AV (dBμV/m)		Lli			54(dBµV/m)		
	802.11b mode, Low Channel, Vertical							
2390	PK (dBµV/m)	38.87	Limit		74(dBµV/m)			
	AV (dBμV/m)			IIII	54(dBμV/m)			

#### 10.5 Restricted band Measurement

EUT	Co-screen Device			Model		EH-WD9905	
Mode	Keeping Transmitting			Test Voltage		DC3.7V	
Temperature	24 deg. C,			Humidity		56% RH	
Test Result:	Pass			Det	ector	PK	
802.11b mode, High Channel, Horizontal							
2483.5	PK (dBμV/m)	41.03	т ::	T		$74(dB\mu V/m)$	
	AV $(dB\mu V/m)$		Limit		$54(dB\mu V/m)$		
	802.11b mode, High Channel, Vertical						
2483.5	PK (dBµV/m)	38.82	Limit		74(dBμV/m)		
	AV (dBμV/m)				$54(dB\mu V/m)$		

Report No.: TW2304219-01E Page 51 of 63

Date: 2023-04-21



#### 10.5 Restricted band Measurement

EUT	Co-screen Device			Model		EH-WD9905	
Mode	Keeping Transmitting			Test Voltage		DC3.7V	
Temperature	24 deg. C,			Humidity		56% RH	
Test Result:	Pass			Det	tector	PK	
802.11g mode, Low Channel, Horizontal							
2390	PK (dBµV/m)	44.02	т.			$74(dB\mu V/m)$	
	AV (dBμV/m)		Limit		54(dBμV/m)		
802.11g mode, Low Channel Vertical							
2390	PK (dBµV/m)	42.55	Limit -			$74(dB\mu V/m)$	
	AV (dBμV/m)		Lli	IIII		54(dBµV/m)	

#### 10.5 Restricted band Measurement

Co-screen Device			N	1odel	EH-WD9905		
Keeping Transmitting			Test	Voltage	DC3.7V		
24 deg. C,			Hu	midity	56% RH		
Pass			De	etector	PK		
802.11g mode, High Channel, Horizontal							
PK (dBμV/m)	45.81	т.			74(dBμV/m)		
AV (dBμV/m)		Limit		54(dBµV/m)			
802.11g mode, High Channel, Vertical							
PK (dBµV/m)	43.26	T ' ',		74(dBμV/m)			
AV (dBμV/m)		Limi	It		54(dBμV/m)		
	PK (dBμV/m) AV (dBμV/m) PK (dBμV/m)	$\begin{tabular}{lll} Keeping Transmitting & 24 deg. C, & \\ & Pass & \\ \hline & 802.11g mode, High C \\ \hline PK (dB\mu V/m) & 45.81 & \\ AV (dB\mu V/m) & & \\ \hline & 802.11g mode, High C \\ \hline PK (dB\mu V/m) & 43.26 & \\ \hline \end{tabular}$	$\begin{tabular}{l lllllllllllllllllllllllllllllllllll$	$\begin{tabular}{cccccccccccccccccccccccccccccccccccc$	Keeping Transmitting       Test Voltage         24 deg. C,       Humidity         Pass       Detector         802.11g mode, High Channel, Horizontal         PK (dBμV/m)       Limit         802.11g mode, High Channel, Vertical         PK (dBμV/m)       43.26         Limit		

Report No.: TW2304219-01E Page 52 of 63

Date: 2023-04-21



#### 10.5 Restricted band Measurement

EUT	Co-screen Device			Model		EH-WD9905	
Mode	Keeping Transmitting			Test Voltage		DC3.7V	
Temperature	24 deg. C,			Humidity		56% RH	
Test Result:	Pass			De	tector	PK	
802.11n HT20 mode, Low Channel, Horizontal							
2390	PK (dBμV/m)	44.67	т:.	T		$74(dB\mu V/m)$	
	AV (dBμV/m)		Limit		$54(dB\mu V/m)$		
	802.11n HT20 mode, Low Channel Vertical						
2390	PK (dBμV/m)	42.83	Limit			74(dBμV/m)	
	AV (dBμV/m)			IIII		54(dBμV/m)	

#### Restricted band Measurement 10.5

EUT	Co-screen Device			Model		EH-WD9905		
Mode	Keeping Transmitting				Voltage	DC3.7V		
Temperature	24 deg. C,			Humidity		56% RH		
Test Result:	Pass			De	etector	PK		
	802.11n HT20 mode, High Channel, Horizontal							
2483.5	PK (dBµV/m)	46.90	т :			$74(dB\mu V/m)$		
	AV (dBμV/m)		Limit		54(dBμV/m)			
	802.11n HT20 mode, High Channel, Vertical							
2483.5	PK (dBμV/m)	44.17	Limit		74(dBμV/m)			
	AV (dBμV/m)					$54(dB\mu V/m)$		

Report No.: TW2304219-01E Page 53 of 63

Date: 2023-04-21



#### 10.5 Restricted band Measurement

EUT	Co-screen Device			Model		EH-WD9905	
Mode	Keeping Transmitting			Test Voltage		DC3.7V	
Temperature	24 deg. C,			Humidity		56% RH	
Test Result:	Pass			De	tector	PK	
802.11n HT40 mode, Low Channel, Horizontal							
2390	PK (dBμV/m)	47.31	т:.	T		$74(dB\mu V/m)$	
	AV (dBμV/m)		Limit		$54(dB\mu V/m)$		
	802.11n HT40 mode, Low Channel Vertical						
2390	PK (dBμV/m)	44.58	Limit			74(dBμV/m)	
	AV (dBμV/m)		LII	IIIIt		$54(dB\mu V/m)$	

#### 10.5 Restricted band Measurement

Co-screen Device			M	Iodel	EH-WD9905		
Keeping Transmitting			Test	Voltage	DC3.7V		
24 deg. C,			Hu	midity	56% RH		
Pass			De	etector	PK		
802.11n HT40 mode, High Channel, Horizontal							
PK (dBμV/m)	50.63				74(dBμV/m)		
AV (dBμV/m)		Limit		54(dBμV/m)			
802.11n HT40 mode, High Channel, Vertical							
PK (dBμV/m)	47.89	т	.,		74(dBμV/m)		
AV (dBμV/m)		Limi	It		54(dBμV/m)		
	802 PK (dBμV/m) AV (dBμV/m) 802 PK (dBμV/m)	Keeping Transmitting	$\begin{tabular}{l lllllllllllllllllllllllllllllllllll$	Keeping TransmittingTest24 deg. C,HuPassDe802.11n HT40 mode, High Channel, HorizonPK (dBμV/m)50.63Limit802.11n HT40 mode, High Channel, VerticalPK (dBμV/m)47.89	Keeping TransmittingTest Voltage24 deg. C,HumidityPassDetector802.11n HT40 mode, High Channel, HorizontalPK (dBμV/m)50.63AV (dBμV/m)ElimitPK (dBμV/m)47.89Limit		

Date: 2023-04-21



Page 54 of 63

# 11.0 Antenna Requirement

# 11.1 Standard Applicable

For intentional device, according to FCC 47 CFR Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

And according to FCC 47 CFR Section 15.247 (b), if transmitter antennas of directional gain greater than 6 dBi are used, the power shall be reduced by the mount in dB that the directional gain of the antenna exceeds 6 dBi.

### 11.2 Antenna Connected construction

Integral antenna with gain 3.04dBi Max (Get from the antenna specification)

Report No.: TW2304219-01E Page 55 of 63

Date: 2023-04-21




### 12.0 FCC ID Label

# FCC ID: 2AHRD-EHWD9905

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

# **Mark Location:**



Page 56 of 63

Report No.: TW2304219-01E

Date: 2023-04-21



#### 13.0 Photo of testing

Conducted Emission Test Setup:




Page 57 of 63

Report No.: TW2304219-01E

Date: 2023-04-21



# Radiated Emission Test Setup:



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the propert.

discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 58 of 63

Report No.: TW2304219-01E

Date: 2023-04-21



Outside View



The report refers only to the sample tested and does not apply to the bulk.

This report released in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any

discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 59 of 63

Report No.: TW2304219-01E

Date: 2023-04-21



Outside View



The report refers only to the sample tested and does not apply to the bulk.

This report refers only to the sample tested and does not apply to the bulk. This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Page 60 of 63 Report No.: TW2304219-01E

Date: 2023-04-21



Outside View



Page 61 of 63

Report No.: TW2304219-01E

Date: 2023-04-21







The report refers only to the sample tested and does not apply to the bulk.

This report released in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any

discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 62 of 63

Report No.: TW2304219-01E

Date: 2023-04-21



Inside view



The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.


In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 63 of 63 Report No.: TW2304219-01E

Date: 2023-04-21



### Inside view



-End of the report-