

Mode:	G-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2483.50	62.84	44.82	-18.02	74.00	29.18	Horizontal	PASS
2	2486.12	64.49	45.96	-18.53	74.00	28.04	Horizontal	PASS
3	2490.36	65.41	46.44	-18.97	74.00	27.56	Horizontal	PASS
4	2496.18	64.33	45.43	-18.90	74.00	28.57	Horizontal	PASS
5	2496.48	64.35	45.45	-18.90	74.00	28.55	Horizontal	PASS
6	2500.00	63.38	44.53	-18.85	74.00	29.47	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2483.50	63.63	45.61	-18.02	74.00	28.39	Vertical	PASS
2	2484.32	64.74	46.51	-18.23	74.00	27.49	Vertical	PASS
3	2487.59	64.63	45.93	-18.70	74.00	28.07	Vertical	PASS
4	2493.13	64.99	46.05	-18.94	74.00	27.95	Vertical	PASS
5	2494.67	64.47	45.54	-18.93	74.00	28.46	Vertical	PASS
6	2500.00	62.53	43.68	-18.85	74.00	30.32	Vertical	PASS

Mode:	N20-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2310.00	63.84	44.05	-19.79	74.00	29.95	Horizontal	PASS
2	2324.65	64.19	44.42	-19.77	74.00	29.58	Horizontal	PASS
3	2332.18	64.46	44.71	-19.75	74.00	29.29	Horizontal	PASS
4	2352.92	63.96	44.40	-19.56	74.00	29.60	Horizontal	PASS
5	2373.02	63.92	45.44	-18.48	74.00	28.56	Horizontal	PASS
6	2390.00	62.67	45.10	-17.57	74.00	28.90	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2310.00	62.81	43.02	-19.79	74.00	30.98	Vertical	PASS
2	2327.29	63.49	43.73	-19.76	74.00	30.27	Vertical	PASS
3	2340.35	64.23	44.49	-19.74	74.00	29.51	Vertical	PASS
4	2363.81	64.33	45.35	-18.98	74.00	28.65	Vertical	PASS
5	2374.06	66.28	47.85	-18.43	74.00	26.15	Vertical	PASS
6	2390.00	63.15	45.58	-17.57	74.00	28.42	Vertical	PASS

Mode:	N20-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	63.02	45.00	-18.02	74.00	29.00	Horizontal	PASS
2	2486.66	64.94	46.34	-18.60	74.00	27.66	Horizontal	PASS
3	2489.11	65.04	46.17	-18.87	74.00	27.83	Horizontal	PASS
4	2492.49	65.03	46.08	-18.95	74.00	27.92	Horizontal	PASS
5	2496.51	64.74	45.84	-18.90	74.00	28.16	Horizontal	PASS
6	2500.00	63.13	44.28	-18.85	74.00	29.72	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dBμV/m]	Level [dBμV/m]	Factor [dB/m]	Limit [dBμV/m]	Margin [dB]	Polarity	Verdict
1	2483.50	63.96	45.94	-18.02	74.00	28.06	Vertical	PASS
2	2486.56	65.42	46.84	-18.58	74.00	27.16	Vertical	PASS
3	2489.77	65.00	46.05	-18.95	74.00	27.95	Vertical	PASS
4	2492.59	65.16	46.21	-18.95	74.00	27.79	Vertical	PASS
5	2495.94	65.33	46.42	-18.91	74.00	27.58	Vertical	PASS
6	2500.00	63.91	45.06	-18.85	74.00	28.94	Vertical	PASS

Mode:	N40-2422
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2310.00	62.99	43.20	-19.79	74.00	30.80	Horizontal	PASS
2	2334.58	64.88	45.13	-19.75	74.00	28.87	Horizontal	PASS
3	2344.51	64.75	45.02	-19.73	74.00	28.98	Horizontal	PASS
4	2362.53	64.87	45.82	-19.05	74.00	28.18	Horizontal	PASS
5	2374.62	64.11	45.71	-18.40	74.00	28.29	Horizontal	PASS
6	2390.00	63.87	46.30	-17.57	74.00	27.70	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2310.00	64.07	44.28	-19.79	74.00	29.72	Vertical	PASS
2	2332.34	66.70	46.95	-19.75	74.00	27.05	Vertical	PASS
3	2341.39	66.01	46.27	-19.74	74.00	27.73	Vertical	PASS
4	2361.17	66.06	46.94	-19.12	74.00	27.06	Vertical	PASS
5	2371.50	66.13	47.56	-18.57	74.00	26.44	Vertical	PASS
6	2390.00	63.26	45.69	-17.57	74.00	28.31	Vertical	PASS

Mode:	N40-2452
-------	----------

DC

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2483.50	63.00	44.98	-18.02	74.00	29.02	Horizontal	PASS
2	2486.53	64.99	46.41	-18.58	74.00	27.59	Horizontal	PASS
3	2490.56	65.13	46.16	-18.97	74.00	27.84	Horizontal	PASS
4	2492.41	65.06	46.11	-18.95	74.00	27.89	Horizontal	PASS
5	2496.22	64.78	45.88	-18.90	74.00	28.12	Horizontal	PASS
6	2500.00	63.21	44.36	-18.85	74.00	29.64	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2483.50	63.82	45.80	-18.02	74.00	28.20	Vertical	PASS
2	2485.66	65.66	47.18	-18.48	74.00	26.82	Vertical	PASS
3	2491.63	66.29	47.33	-18.96	74.00	26.67	Vertical	PASS
4	2492.19	65.48	46.53	-18.95	74.00	27.47	Vertical	PASS
5	2495.00	65.11	46.19	-18.92	74.00	27.81	Vertical	PASS
6	2500.00	63.43	44.58	-18.85	74.00	29.42	Vertical	PASS

1. The Antenna Gain is compensated in the graph.
2. The limit in dBm for average detector is conversion from 54dB μ V/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.

Appendix I: Radiated emissions for transmitt

Note:


The low frequency, which started from 9 kHz to 30MHz, was pre-scanned and the result which was 20dB lower than the limit line per 15.31(o) was not reported.

According to C63.10, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement, so AV emission value did not show in below table if the peak value complies with average limit.

Above 1GHz, The emission level with margin less than 20db is recorded.


The worst case data were recorded.

Below 1GHz



NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	30.9710	52.19	34.92	-17.27	40.00	5.08	Vertical	PASS
2	38.7387	48.54	32.12	-16.42	40.00	7.88	Vertical	PASS
3	58.1582	49.32	33.25	-16.07	40.00	6.75	Vertical	PASS
4	107.677	50.30	30.88	-19.42	43.50	12.62	Vertical	PASS
5	156.226	47.32	31.69	-15.63	43.50	11.81	Vertical	PASS
6	192.152	52.67	34.35	-18.32	43.50	9.15	Vertical	PASS

Mode: 2412



NO.	Freq. [MHz]	PK Reading [dBµV/m]	Level [dBµV/m]	Factor [dB/m]	Limit [dBµV/m]	Margin [dB]	Polarity	Verdict
1	38.7387	50.99	34.57	-16.42	40.00	5.43	Horizontal	PASS
2	45.5355	51.85	35.89	-15.96	40.00	4.11	Horizontal	PASS
3	63.9840	48.40	31.58	-16.82	40.00	8.42	Horizontal	PASS
4	131.952	56.16	39.21	-16.95	43.50	4.29	Horizontal	PASS
5	167.877	54.33	38.09	-16.24	43.50	5.41	Horizontal	PASS
6	192.152	56.25	37.93	-18.32	43.50	5.57	Horizontal	PASS

Mode:	B-2412
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1996.00	68.51	47.98	-20.53	74.00	26.02	Horizontal	PASS
2	3214.85	67.15	47.47	-19.68	74.00	26.53	Horizontal	PASS
3	4823.78	71.23	54.82	-16.41	74.00	19.18	Horizontal	PASS
4	5928.04	65.02	50.43	-14.59	74.00	23.57	Horizontal	PASS
5	7282.14	64.67	51.76	-12.91	74.00	22.24	Horizontal	PASS
6	8996.00	64.47	53.43	-11.04	74.00	20.57	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1890.00	65.23	43.87	-21.36	74.00	30.13	Vertical	PASS
2	4244.17	65.81	48.57	-17.24	74.00	25.43	Vertical	PASS
3	4823.78	70.38	53.97	-16.41	74.00	20.03	Vertical	PASS
4	5898.06	64.34	49.81	-14.53	74.00	24.19	Vertical	PASS
5	7232.17	65.07	52.35	-12.72	74.00	21.65	Vertical	PASS
6	8446.36	63.77	51.91	-11.86	74.00	22.09	Vertical	PASS

Mode:	B-2437
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1996.00	67.30	46.77	-20.53	74.00	27.23	Horizontal	PASS
2	3249.83	66.50	46.90	-19.60	74.00	27.10	Horizontal	PASS
3	3934.37	65.47	47.62	-17.85	74.00	26.38	Horizontal	PASS
4	4873.75	69.92	53.60	-16.32	74.00	20.40	Horizontal	PASS
5	6697.53	63.94	51.06	-12.88	74.00	22.94	Horizontal	PASS
6	9175.88	64.85	54.17	-10.68	74.00	19.83	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	2128.00	66.32	46.13	-20.19	74.00	27.87	Vertical	PASS
2	3249.83	68.15	48.55	-19.60	74.00	25.45	Vertical	PASS
3	4873.75	70.99	54.67	-16.32	74.00	19.33	Vertical	PASS
4	6447.70	64.03	51.03	-13.00	74.00	22.97	Vertical	PASS
5	8036.64	64.42	52.37	-12.05	74.00	21.63	Vertical	PASS
6	9400.73	63.53	53.42	-10.11	74.00	20.58	Vertical	PASS

Mode:	B-2462
-------	--------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1526.00	66.86	42.18	-24.68	74.00	31.82	Vertical	PASS
2	3284.81	67.45	48.16	-19.29	74.00	25.84	Vertical	PASS
3	4923.71	70.31	53.92	-16.39	74.00	20.08	Vertical	PASS
4	6497.66	64.44	51.20	-13.24	74.00	22.80	Vertical	PASS
5	8086.60	64.22	52.72	-11.50	74.00	21.28	Vertical	PASS
6	9050.96	63.83	53.25	-10.58	74.00	20.75	Vertical	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1364.00	66.38	41.29	-25.09	74.00	32.71	Horizontal	PASS
2	2028.00	66.84	46.43	-20.41	74.00	27.57	Horizontal	PASS
3	3929.38	65.99	48.13	-17.86	74.00	25.87	Horizontal	PASS
4	4923.71	68.60	52.21	-16.39	74.00	21.79	Horizontal	PASS
5	6762.49	64.30	51.35	-12.95	74.00	22.65	Horizontal	PASS

Mode:	11G-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4826.73	-16.40	60.81	74.00	13.19	277.8	125.4	Horizontal
2	3214.85	-19.68	43.79	74.00	30.21	150	184	Horizontal
3	4818.78	-16.42	52.11	74.00	21.89	150	126	Horizontal
4	7227.18	-12.73	50.65	74.00	23.35	150	120	Horizontal
5	8051.63	-12.06	50.35	74.00	23.65	150	14	Horizontal
6	8816.12	-11.35	49.73	74.00	24.27	150	129	Horizontal

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1328.00	-25.22	40.20	74.00	33.80	150	205	Vertical
2	3339.77	-19.09	42.02	74.00	31.98	150	178	Vertical
3	4826.50	-16.40	59.56	74.00	14.44	217.4	204.1	Vertical
4	8081.61	-11.58	49.89	74.00	24.11	150	271	Vertical
5	5923.05	-14.58	47.92	74.00	26.08	150	265	Vertical
6	7237.17	-12.72	50.38	74.00	23.62	150	133	Vertical

Mode:	11G-2437
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4876.57	-16.32	57.14	74.00	16.86	135.4	205.8	Horizontal
2	1242.00	-25.58	38.92	74.00	35.08	150	24	Horizontal
3	2162.00	-20.08	43.37	74.00	30.63	150	320	Horizontal
4	3249.83	-19.60	45.52	74.00	28.48	150	191	Horizontal
5	7312.12	-12.94	50.26	74.00	23.74	150	137	Horizontal
6	7986.67	-11.89	49.51	74.00	24.49	150	357	Horizontal

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4873.94	-16.32	61.29	74.00	12.71	248.6	249.1	Vertical
2	2138.00	-20.14	43.74	74.00	30.26	150	278	Vertical
3	2998.00	-17.47	45.90	74.00	28.10	150	320	Vertical
4	3944.37	-17.82	44.48	74.00	29.52	150	191	Vertical
5	7317.12	-12.91	47.74	74.00	26.26	150	9	Vertical
6	9325.78	-10.38	48.68	74.00	25.32	150	180	Vertical

Mode:	11G-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4926.22	-16.39	57.36	74.00	16.64	117	210.5	Horizontal
2	1608.00	-23.85	39.54	74.00	34.46	150	291	Horizontal
3	3284.81	-19.29	45.60	74.00	28.40	150	184	Horizontal
4	4169.22	-17.10	45.65	74.00	28.35	150	124	Horizontal
5	7377.08	-12.65	50.33	74.00	23.67	150	121	Horizontal
6	9045.96	-10.61	50.09	74.00	23.91	150	233	Horizontal

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dBμV/m]	PK Limit [dBμV/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4926.32	-16.39	60.68	74.00	13.32	272.5	213.4	Vertical
2	1368.00	-25.09	38.72	74.00	35.28	150	330	Vertical
3	2082.00	-20.32	43.75	74.00	30.25	150	0	Vertical
4	3284.81	-19.29	44.75	74.00	29.25	150	68	Vertical
5	6347.76	-13.93	48.25	74.00	25.75	150	92	Vertical
6	6992.33	-12.58	49.57	74.00	24.43	150	352	Vertical

Mode:	N20-2412
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4820.78	-16.42	60.42	74.00	13.58	257.4	204.1	Vertical
2	1342.00	-25.12	38.22	74.00	35.78	150	325	Vertical
3	1994.00	-20.54	43.60	74.00	30.40	150	123	Vertical
4	3789.47	-18.24	44.73	74.00	29.27	150	113	Vertical
5	5863.09	-14.68	47.63	74.00	26.37	150	98	Vertical
6	9480.67	-10.16	50.94	74.00	23.06	150	360	Vertical

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4820.49	-16.42	60.30	74.00	13.70	149.9	179.4	Horizontal
2	1372.00	-25.10	38.10	74.00	35.90	150	68	Horizontal
3	1994.00	-20.54	43.31	74.00	30.69	150	88	Horizontal
4	3214.85	-19.68	44.63	74.00	29.37	150	214	Horizontal
5	6432.71	-13.20	47.47	74.00	26.53	150	316	Horizontal
6	7676.88	-12.37	49.18	74.00	24.82	150	144	Horizontal

Mode:	N20-2437
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4876.40	-16.32	61.84	74.00	12.16	263.5	4.4	Vertical
2	1252.00	-25.54	38.15	74.00	35.85	150	14	Vertical
3	2036.00	-20.38	43.45	74.00	30.55	150	207	Vertical
4	3634.57	-18.67	44.08	74.00	29.92	150	274	Vertical
5	6302.79	-13.33	49.97	74.00	24.03	150	305	Vertical
6	7621.91	-12.53	50.24	74.00	23.76	150	97	Vertical

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	4878.50	-16.32	58.01	74.00	15.99	198.9	189.8	Horizontal
2	2042.00	-20.36	43.23	74.00	30.77	150	60	Horizontal
3	3709.52	-18.67	45.72	74.00	28.28	150	274	Horizontal
4	5063.62	-15.83	46.01	74.00	27.99	150	15	Horizontal
5	6027.98	-14.27	48.01	74.00	25.99	150	346	Horizontal
6	8441.37	-11.88	49.99	74.00	24.01	150	286	Horizontal

Mode:	N20-2462
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	1396.19	-25.13	37.23	74.00	36.77	200	50	Vertical
2	1979.48	-20.67	42.26	74.00	31.74	100	10	Vertical
3	3282.05	-18.89	45.07	74.00	28.93	100	350	Vertical
4	4926.38	-15.28	58.47	74.00	15.53	288.9	214.6	Vertical
5	6339.66	-13.14	46.00	74.00	28.00	200	90	Vertical
6	9883.37	-9.33	48.51	74.00	25.49	200	60	Vertical

PK Final Data List								
NO.	Freq. [MHz]	Factor [dB/m]	PK Value [dB μ V/m]	PK Limit [dB μ V/m]	PK Margin [dB]	Height [cm]	Angle [°]	Polarity
1	2014.00	-20.45	42.70	74.00	31.30	150	128	Horizontal
2	3284.81	-19.29	41.87	74.00	32.13	150	231	Horizontal
3	3804.46	-18.14	42.31	74.00	31.69	150	100	Horizontal
4	4921.99	-16.38	58.33	74.00	15.67	213.3	109.1	Horizontal
5	10325.1	-8.45	49.93	74.00	24.07	150	335	Horizontal
6	7392.07	-12.62	47.38	74.00	26.62	150	7	Horizontal

Mode:	N40-2422
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1442.22	65.55	40.61	-24.94	74.00	33.39	Horizontal	PASS
2	1998.49	67.23	46.73	-20.50	74.00	27.27	Horizontal	PASS
3	3282.05	66.20	47.31	-18.89	74.00	26.69	Horizontal	PASS
4	4266.25	63.64	47.23	-16.41	74.00	26.77	Horizontal	PASS
5	6147.62	61.78	48.62	-13.16	74.00	25.38	Horizontal	PASS
6	8851.17	60.76	49.11	-11.65	74.00	24.89	Horizontal	PASS

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1448.22	65.81	40.89	-24.92	74.00	33.11	Vertical	PASS
2	3282.05	68.05	49.16	-18.89	74.00	24.84	Vertical	PASS
3	4209.24	63.54	47.01	-16.53	74.00	26.99	Vertical	PASS
4	6786.75	61.99	49.29	-12.70	74.00	24.71	Vertical	PASS
5	7518.90	62.46	49.83	-12.63	74.00	24.17	Vertical	PASS
6	8311.06	62.04	49.84	-12.20	74.00	24.16	Vertical	PASS

Mode:	N40-2437
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1514.25	65.35	40.56	-24.79	74.00	33.44	Horizontal	PASS
2	2147.57	64.97	44.87	-20.10	74.00	29.13	Horizontal	PASS
3	3249.04	66.44	47.53	-18.91	74.00	26.47	Horizontal	PASS
4	4887.37	68.64	53.30	-15.34	74.00	20.70	Horizontal	PASS
5	6741.74	61.30	48.53	-12.77	74.00	25.47	Horizontal	PASS
6	9145.22	61.34	50.27	-11.07	74.00	23.73	Horizontal	PASS


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1383.19	65.27	40.16	-25.11	74.00	33.84	Vertical	PASS
2	1993.49	65.30	44.75	-20.55	74.00	29.25	Vertical	PASS
3	3249.04	67.81	48.90	-18.91	74.00	25.10	Vertical	PASS
4	4878.37	69.35	53.99	-15.36	74.00	20.01	Vertical	PASS
5	6339.66	62.33	49.19	-13.14	74.00	24.81	Vertical	PASS
6	8053.01	61.74	49.81	-11.93	74.00	24.19	Vertical	PASS

Mode:	N40-2452
-------	----------

PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1994.49	65.22	44.68	-20.54	74.00	29.32	Horizontal	PASS
2	3270.05	66.35	47.45	-18.90	74.00	26.55	Horizontal	PASS
3	4899.37	68.61	53.29	-15.32	74.00	20.71	Horizontal	PASS
4	5802.56	62.86	49.16	-13.70	74.00	24.84	Horizontal	PASS
5	7347.86	63.95	51.37	-12.58	74.00	22.63	Horizontal	PASS
6	8995.19	61.31	49.97	-11.34	74.00	24.03	Horizontal	PASS


PK Final Data List								
NO.	Freq. [MHz]	PK Reading [dB μ V/m]	Level [dB μ V/m]	Factor [dB/m]	Limit [dB μ V/m]	Margin [dB]	Polarity	Verdict
1	1524.26	65.19	40.49	-24.70	74.00	33.51	Vertical	PASS
2	3270.05	67.87	48.97	-18.90	74.00	25.03	Vertical	PASS
3	4905.38	71.30	55.98	-15.32	74.00	18.02	Vertical	PASS
4	6204.64	62.53	49.37	-13.16	74.00	24.63	Vertical	PASS
5	7914.98	61.79	49.79	-12.00	74.00	24.21	Vertical	PASS
6	10516.5	61.24	52.92	-8.32	74.00	21.08	Vertical	PASS

Appendix J: Conducted emission AC power port



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBµV]	QP Limit [dBµV]	QP Margin [dB]	AV Value [dBµV]	AV Limit [dBµV]	AV Margin [dB]	Type	Verdict
1	0.1934	10.26	52.96	63.89	10.93	49.42	53.89	4.47	N	PASS
2	0.3555	10.27	37.45	58.83	21.38	30.09	48.83	18.74	N	PASS
3	0.6710	10.28	35.85	56.00	20.15	29.03	46.00	16.97	N	PASS
4	0.9012	10.28	35.52	56.00	20.48	28.81	46.00	17.19	N	PASS
5	1.6117	10.29	28.16	56.00	27.84	23.13	46.00	22.87	N	PASS
6	12.2236	10.48	30.15	60.00	29.85	22.17	50.00	27.83	N	PASS



Final Data List

NO.	Freq. [MHz]	Factor [dB]	QP Value [dBμV]	QP Limit [dBμV]	QP Margin [dB]	AV Value [dBμV]	AV Limit [dBμV]	AV Margin [dB]	Type	Verdict
1	0.1500	10.26	50.58	66.00	15.42	47.17	56.00	8.83	L	PASS
2	0.1913	10.26	45.86	63.98	18.12	42.18	53.98	11.80	L	PASS
3	0.4194	10.26	36.21	57.46	21.25	27.96	47.46	19.50	L	PASS
4	0.5047	10.28	36.55	56.00	19.45	27.73	46.00	18.27	L	PASS
5	0.9019	10.28	34.31	56.00	21.69	27.42	46.00	18.58	L	PASS
6	12.1243	10.48	29.72	60.00	30.28	21.62	50.00	28.38	L	PASS