
Report No.: FCC1607059-01 Page 61 of 104

Date: 2016-07-30



# 9. Power Spectral Density Measurement

### 9.1 Test Setup



#### 9.2 Limits of Power Spectral Density Measurement

The Maximum Power Spectral Density Measurement is 8dBm.

#### 9.3 Test Procedure

- 1. Use this procedure when the maximum peak conducted output power in the fundamental emission is used to demonstrate compliance.
- 2. Set the RBW = 10 kHz.
- 3. Set the VBW  $\geq$  30 kHz.
- 4. Set the span to 1.5 times the DTS channel bandwidth.
- 5. Detector = peak.
- 6. Sweep time = auto couple.
- 7. Trace mode =  $\max$  hold.
- 8. Allow trace to fully stabilize.
- 9. Use the peak marker function to determine the maximum amplitude level.
- 10. If measured value exceeds limit, reduce RBW (no less than 3 kHz) and repeat.
- 11. The resulting peak PSD level must be  $\leq 8$  dBm.

Page 62 of 104 Report No.: FCC1607059-01

Date: 2016-07-30



### 9.4Test Result

EUT		WiFi Speaker		Model		X10	
Mode		802.11b 11Mbps		Input Voltage		DC13.5V	
Temperat	ure	24 deg. C	deg. C, Humidity		lumidity 56% R		6% RH
Channel	Cha	Channel Frequency Final RF Power (MHz) Level (dBm)		Max	Maximum Limit Pass/ Fail (dBm)		
				11Mbps			
1		2412		-14.81	8		Pass
6		2437		-16.38		8	Pass
11		2462		-16.17		8	Pass

EUT		WiFi Speaker		Model		X10	
Mode	e 802.11b 1Mbps		Input Voltage		DC13.5V		
Temperat	ure	24 deg. C	,	Humidity	56% RH		6% RH
Channel	Cha	annel Frequency	Final	RF Power	Max	kimum Limit	Pass/ Fail
Channel		(MHz)	Leve	el in (dBm)		(dBm)	
				1Mbps			
1		2412 -		-16.07	8		Pass
6		2437	437 -			8	Pass
11		2462		-14.80		8	Pass

Page 63 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



EUT		WiFi Speaker		Model		X10		
Mode		802.11g 54Mb	11g 54Mbps Input Voltage		age DO		C13.5V	
Temperat	ure	24 deg. C,		Humidity		Humidity 56		% RH
Channel	Cha	annel Frequency (MHz)	Final RF Pow Level in (dBr		M	Taximum Limit (dBm)	Pass/ Fail	
				54Mbps				
1		2412		-23.50		8	Pass	
6		2437		-20.45		8	Pass	
11		2462		-20.89		8	Pass	

EUT		WiFi Speaker		Model		X10	
Mode		802.11n HT20 6.5	6.5Mbps Input Voltage		ge DO		C13.5V
Temperat	ure	24 deg. C,	Humidity		56		% RH
Channel	Cha	annel Frequency (MHz)	Final RF Power Level (dBm)		M	laximum Limit (dBm)	Pass/ Fail
	•			HT20			
1		2412		-22.72		8	Pass
6		2437	-21.37			8	Pass
11		2462		-21.67		8	Pass

EUT	EUT WiFi Speaker		Model		X10		
Mode	Mode 802.11n HT40		Input Voltage		DC	13.5V	
		6.5Mbps					
Temperat	ure	24 deg. C,		Humidity		569	% RH
Channel	Cha	Channel Frequency Fig.		nal RF Power Maximun		laximum Limit	Pass/ Fail
Chamilei		(MHz)	I	Level (dBm)	(dBm)		
				HT40			
1		2422		-24.05	05 8		Pass
4		2437		-23.54		8	Pass
7		2452		-23.28		8	Pass


Report No.: FCC1607059-01 Page 64 of 104

Date: 2016-07-30



### 9.5 Photo of Power Spectral Density Measurement

1.802.11b at 11Mbps of CH01




Page 65 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



# 2. 802.11b at 11Mbps at CH06




Page 66 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



# 3. 802.11b at 11Mbps of CH11




Page 67 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



### 4. 802.11b at 1Mbps of CH1




Page 68 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



### 5. 802.11b at 1Mbps of CH6




Page 69 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



# 6. 802.11b at 1Mbps of CH11




Page 70 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



# 7. 802.11g at 54Mbps of CH1




Page 71 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



# 8. 802.11g at 54Mbps of CH6




Report No.: FCC1607059-01 Page 72 of 104

Date: 2016-07-30



# 9. 802.11g at 54Mbps of CH11




Report No.: FCC1607059-01 Page 73 of 104

Date: 2016-07-30



#### 10. 802.11n at HT20 of CH01




Report No.: FCC1607059-01 Page 74 of 104

Date: 2016-07-30



#### 11. 802.11n at HT20 of CH06




Report No.: FCC1607059-01 Page 75 of 104

Date: 2016-07-30



#### 12. 802.11n at HT20 of CH11




Report No.: FCC1607059-01 Page 76 of 104

Date: 2016-07-30



#### 13. 802.11n at HT40 of CH01




Report No.: FCC1607059-01 Page 77 of 104

Date: 2016-07-30



#### 14. 802.11n at HT40 of CH04




Report No.: FCC1607059-01 Page 78 of 104

Date: 2016-07-30



#### 15. 802.11n at HT40 of CH07




Report No.: FCC1607059-01 Page 79 of 104

Date: 2016-07-30



# 10 Out of Band Measurement 10.1 Test Setup for band edge



The restricted band requirement based on radiated emission test; please see the clause 6 for the test setup

#### 10.2 Limits of Out of Band Emissions Measurement

- 1. Below –20dB of the highest emission level of operating band (in 100kHz Resolution Bandwidth).
- 2. Fall in the restricted bands listed in section 15.205. The maximum permitted average field strength is listed in section 15.209.

#### **10.3 Test Procedure**

For signals in the restricted bands above and below the 2.4-2.483GHz allocated band a measurement was made of radiated emission test.( Peak values with RBW=VBW=1MHz and PK detector. AV value with RBW=1MHz, VBW=1MHz and RMS detector)

For bandage test, the spectrum set as follows: RBW=100, VBW=300 kHz. A conducted measurement used

#### 10.4 Test Result

Please see next pages

Note: 1. this is a handhold device. The radiated emissions should be tested under 3-axes position (Lying, Side, and Stand), after pre-test. It was found that the worse radiated emission was get at the lying position. the worse case was recorded

2. For band-edge measurement, the frequency from 30MHz-25GHz was tested. And It met the FCC rule.

Page 80 of 104

Report No.: FCC1607059-01

Date: 2016-07-30




#### For 802.11b mode

CH01 at 11Mbps

10.4 Band-edge and Restricted band Measurement

EUT	WiFi Speaker		Model	X10
Mode	Keeping	Transmitting	Input Voltage	DC13.5V
Temperature	24	deg. C,	Humidity	56% RH
Test Result:	Pass		Detector	PK
2400	PK (dBμV/m)	49.5	Limit	$74(dB\mu V/m)$
	AV (dBμV/m)		Limit	$54(dB\mu V/m)$
2390	PK (dBμV/m)	43.9	Limit	$74(dB\mu V/m)$
	AV (dBμV/m)		Lillit	$54(dB\mu V/m)$

### **Test Figure:**



Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 81 of 104

Report No.: FCC1607059-01

Date: 2016-07-30




### CH11 at 11Mbps

#### **10.4** Band-edge and Restricted band Measurement

EUT	WiFi Speaker		Model	X10
Mode	Keeping	g Transmitting	Input Voltage	DC13.5V
Temperature	24	4 deg. C,	Humidity	56% RH
Test Result:		Pass	Detector	PK
2483.5	PK (dBμV/m) 42.4		T tout	74(dBμV/m)
	AV (dBμV/m)		Limit	54(dBμV/m)

### **Test Figure:**



Note: The Max. FS in Restrict Band are measured in conventional method.

Page 82 of 104

Report No.: FCC1607059-01

Date: 2016-07-30




#### For 802.11b mode

CH01 at 1Mbps

10.4 Band-edge and Restricted band Measurement

EUT	WiFi Speaker		Model	X10
Mode	Keeping	Transmitting	Input Voltage	DC13.5V
Temperature	24	deg. C,	Humidity	56% RH
Test Result:	Pass		Detector	PK
2400	PK (dBμV/m)	49.1	Limit	$74(dB\mu V/m)$
	AV (dBμV/m)		Limit	$54(dB\mu V/m)$
2390	PK (dBµV/m)	42.6	Limit	$74(dB\mu V/m)$
	AV (dBμV/m)		Lillit	$54(dB\mu V/m)$

### **Test Figure:**



Note: The Max. FS in Restrict Band are measured in conventional method.

Page 83 of 104

Report No.: FCC1607059-01

Date: 2016-07-30




#### CH11 at 1Mbps

#### **10.4** Band-edge and Restricted band Measurement

EUT	Wil	Fi Speaker	Model	X10
Mode	Keeping	g Transmitting	Input Voltage	DC13.5V
Temperature	24	l deg. C,	Humidity	56% RH
Test Result:		Pass	Detector	PK
2483.5	PK (dBμV/m)	$L(dB\mu V/m)$ 43.0		74(dBμV/m)
	AV (dBμV/m)		Limit	54(dBμV/m)

### **Test Figure:**



Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 84 of 104

Report No.: FCC1607059-01

Date: 2016-07-30




# For 802.11g mode

CH01 at 54Mbps

10.4 Band-edge and Restricted band Measurement

EUT	WiFi Speaker		Model	X10
Mode	Keeping	Transmitting	Input Voltage	DC13.5V
Temperature	24	deg. C,	Humidity	56% RH
Test Result:		Pass	Detector	PK
2400	PK (dBµV/m)	54.6	T imit	$74(dB\mu V/m)$
	AV (dBμV/m)	36.0	Limit	54(dBµV/m)
2390	PK (dBμV/m)	45.6	Limit	$74(dB\mu V/m)$
	AV (dBμV/m)		Lillit	54(dBµV/m)

### **Test Figure:**



Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 85 of 104

Report No.: FCC1607059-01

Date: 2016-07-30




### CH11 at 54Mbps

#### **10.4** Band-edge and Restricted band Measurement

EUT	WiFi Speaker		Mod	lel	X10
Mode	Keeping Transmitting		Input Voltage		DC13.5V
Temperature	24 deg. C,		Humidity		56% RH
Test Result:		Pass	Detec	ctor	PK
2483.5	PK (dBμV/m)	49.3	T ::4		$74(dB\mu V/m)$
	AV (dBμV/m)		Limit	54(dBµV/m)	

#### **Test Figure:**



Note: The Max. FS in Restrict Band are measured in conventional method.

Page 86 of 104

Report No.: FCC1607059-01

Date: 2016-07-30




### For 802.11n (HT20) mode

CH01 at 6.5Mbps

10.4 Band-edge and Restricted band Measurement

EUT	WiFi Speaker		Model	X10
Mode	Keeping	g Transmitting	Input Voltage	DC13.5V
Temperature	24	deg. C,	Humidity	56% RH
Test Result:	Pass		Detector	PK
2400	PK (dBµV/m)	55.2	Limit	74(dBμV/m)
	AV (dBμV/m)	36.8	Limit	54(dBµV/m)
2390	PK (dBµV/m)	45.1	Limit	74(dBµV/m)
	AV (dBμV/m)		Lillit	54(dBµV/m)

### **Test Figure:**



Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 87 of 104

Report No.: FCC1607059-01

Date: 2016-07-30




### CH11 at 6.5Mbps

#### **10.4** Band-edge and Restricted band Measurement

EUT	WiFi Speaker		Model	X10
Mode	Keeping Transmitting		Input Voltage	DC13.5V
Temperature	24 deg. C,		Humidity	56% RH
Test Result:	Pass		Detector	PK
2483.5	PK (dBµV/m)	51.9	T tools	$74(dB\mu V/m)$
	AV (dBμV/m)	32.7	Limit	54(dBµV/m)

### **Test Figure:**



Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 88 of 104

Report No.: FCC1607059-01

Date: 2016-07-30




### For 802.11n (HT40) mode

CH01 at 6.5Mbps

10.4 Band-edge and Restricted band Measurement

EUT	WiFi Speaker		Model	X10
Mode	Keeping Transmitting		Input Voltage	DC13.5V
Temperature	24 deg. C,		Humidity	56% RH
Test Result:	Pass		Detector	PK
2400	PK (dBµV/m)	55.5	Limit	$74(dB\mu V/m)$
	AV (dBμV/m)	37.7		$54(dB\mu V/m)$
2390	PK (dBµV/m)	46.8	Limit	$74(dB\mu V/m)$
	AV (dBμV/m)			$54(dB\mu V/m)$

### **Test Figure:**



Note: The Max. FS in Restrict Band are measured in conventional method.

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES, reserves the rights to withdraw it and to

Page 89 of 104

Report No.: FCC1607059-01

Date: 2016-07-30




### CH7 at 6.5Mbps

#### **10.4** Band-edge and Restricted band Measurement

EUT	WiFi Speaker		Model	X10
Mode	Keeping Transmitting		Input Voltage	DC13.5V
Temperature	24 deg. C,		Humidity	56% RH
Test Result:	Pass		Detector	PK
2483.5	PK (dBμV/m)	53.9	T 10014	$74(dB\mu V/m)$
	AV (dBμV/m)	35.1	Limit	$54(dB\mu V/m)$

### **Test Figure:**



Note: The Max. FS in Restrict Band are measured in conventional method.

Report No.: FCC1607059-01

Date: 2016-07-30



Page 90 of 104

### 11.0 Antenna Requirement

### 11.1 Standard Applicable

For intentional device, according to FCC 47 CFR Section 15.203, an intentional radiator shall be designed to ensure that no antenna other than that furnished by the responsible party shall be used with the device.

And according to FCC 47 CFR Section 15.247 (b), if transmitter antennas of directional gain greater than 6 dBi are used, the power shall be reduced by the mount in dB that the directional gain of the antenna exceeds 6 dBi.

#### 11.2 Antenna Connected construction

Integral antenna used. The maximum Gain of the antennas is 3.58dBi.

Report No.: FCC1607059-01 Page 91 of 104

Date: 2016-07-30




#### 12.0 FCC ID Label

#### FCC ID: 2AHXMX-10

This device complies with part 15 of the FCC rules. Operation is subject to the following two conditions (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

The label must not be a stick-on paper label. The label on these products must be permanently affixed to the product and readily visible at the time of purchase and must last the expected lifetime of the equipment not be readily detachable.

#### **Mark Location:**



Page 92 of 104 Report No.: FCC1607059-01

Date: 2016-07-30



#### 13.0 Photo of testing

Conducted Emission Test Setup:



Page 93 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



# Radiated Emission Test Setup:





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the propert. discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Report No.: FCC1607059-01

Date: 2016-07-30



# Photographs - EUT

#### Outside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 95 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



Outside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 96 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



Outside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 97 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



Outside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the property. discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to

Report No.: FCC1607059-01 Page 98 of 104

Date: 2016-07-30



Outside view



Page 99 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



Inside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 100 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



Inside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 101 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



Inside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 102 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



Inside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.


Page 103 of 104


Report No.: FCC1607059-01

Date: 2016-07-30



Inside view





The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.

Page 104 of 104

Report No.: FCC1607059-01

Date: 2016-07-30



Inside view





End of the report

The report refers only to the sample tested and does not apply to the bulk.

This report is issued in confidence to the client and it will be strictly treated as such by the SHENZHEN TIMEWAY TESTING LABORATORIES. It may not be reproduced rather in its entirety or in part and it may not be used for adverting. The client to whom the report is issued may, however, show or send it . or a certified copy there of prepared by the SHENZHEN TIMEWAY TESTING LABORATORIES. to his customer. Supplier or others persons directly concerned. SHENZHEN TIMEWAY TESTING LABORATORIES. will not, without the consent of the client enter into any discussion of correspondence with any third party concerning the contents of the report.

In the event of the improper use of the report. The SHENZHEN TIMEWAY TESTING LABORATORIES. reserves the rights to withdraw it and to adopt any other remedies which may be appropriate.