



Appendix D

RF Test Data for 5.2G WIFI (Conducted Measurement)

Product Name: TABLET PC

Test Model: PicassoTab X

Environmental Conditions

Temperature:	23.8 ° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	<i>mening su</i> Mening Su
Supervised by:	<i>Ling. Zhu</i> Ling Zhu





D.1 Emission Bandwidth

Test Result


TestMode	Antenna	Frequency[MHz]	26db EBW [MHz]	FL[MHz]	FH[MHz]	Limit[MHz]	Verdict
11A	Ant1	5180	19.920	5170.040	5189.960	---	PASS
		5220	19.920	5210.040	5229.960	---	PASS
		5240	19.800	5230.000	5249.800	---	PASS
11N20SISO	Ant1	5180	20.160	5169.880	5190.040	---	PASS
		5220	20.160	5209.920	5230.080	---	PASS
		5240	20.320	5229.760	5250.080	---	PASS
11N40SISO	Ant1	5190	40.400	5169.680	5210.080	---	PASS
		5230	40.400	5209.840	5250.240	---	PASS
11AC20SISO	Ant1	5180	20.280	5169.800	5190.080	---	PASS
		5220	20.360	5209.840	5230.200	---	PASS
		5240	20.160	5230.000	5250.160	---	PASS
11AC40SISO	Ant1	5190	40.640	5169.760	5210.400	---	PASS
		5230	40.320	5209.840	5250.160	---	PASS
11AC80SISO	Ant1	5210	80.800	5169.360	5250.160	---	PASS






Test Graphs

11A_Ant1_5180




11A_Ant1_5220




11A_Ant1_5240






11N20SISO_Ant1_5180




11N20SISO_Ant1_5220






11N20SISO_Ant1_5240




11N40SISO_Ant1_5190






11N40SISO_Ant1_5230




11AC20SISO_Ant1_5180






11AC20SISO_Ant1_5220




11AC20SISO_Ant1_5240






11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230





11AC80SISO_Ant1_5210





D.2 Maximum conducted output power

Test Result

Test Mode	Antenna	Frequency[MHz]	Result [dBm]	Limit [dBm]	Verdict
11A	Ant1	5180	6.08	≤23.98	PASS
		5220	5.87	≤23.98	PASS
		5240	5.92	≤23.98	PASS
11N20SISO	Ant1	5180	6.96	≤23.98	PASS
		5220	6.93	≤23.98	PASS
		5240	6.73	≤23.98	PASS
11N40SISO	Ant1	5190	6.86	≤23.98	PASS
		5230	5.84	≤23.98	PASS
11AC20SISO	Ant1	5180	6.01	≤23.98	PASS
		5220	5.79	≤23.98	PASS
		5240	6.83	≤23.98	PASS
11AC40SISO	Ant1	5190	6.91	≤23.98	PASS
		5230	6.99	≤23.98	PASS
11AC80SISO	Ant1	5210	5.97	≤23.98	PASS

Note: The Duty Cycle Factor is compensated in the graph.



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



D.3 Maximum power spectral density

Test Result

TestMode	Antenna	Frequency[MHz]	Total Result [dBm/MHz]	Limit[dBm/MHz]	Verdict
11A	Ant1	5180	-4.33	≤11.00	PASS
		5220	-4.56	≤11.00	PASS
		5240	-4.4	≤11.00	PASS
11N20SISO	Ant1	5180	-3.65	≤11.00	PASS
		5220	-3.72	≤11.00	PASS
		5240	-3.86	≤11.00	PASS
11N40SISO	Ant1	5190	-6.58	≤11.00	PASS
		5230	-7.66	≤11.00	PASS
11AC20SISO	Ant1	5180	-4.62	≤11.00	PASS
		5220	-4.81	≤11.00	PASS
		5240	-3.81	≤11.00	PASS
11AC40SISO	Ant1	5190	-6.57	≤11.00	PASS
		5230	-6.45	≤11.00	PASS
11AC80SISO	Ant1	5210	-10.65	≤11.00	PASS

Note: 1.The Result and Limit Unit is dBm/500 kHz in the band 5.725–5.85 GHz.
2.The Duty Cycle Factor and RBW Factor is compensated in the graph.




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

11A_Ant1_5180




11A_Ant1_5220




11A_Ant1_5240






11N20SISO_Ant1_5180




11N20SISO_Ant1_5220






11N20SISO_Ant1_5240




11N40SISO_Ant1_5190






11N40SISO_Ant1_5230




11AC20SISO_Ant1_5180






11AC20SISO_Ant1_5220




11AC20SISO_Ant1_5240






11AC40SISO_Ant1_5190




11AC40SISO_Ant1_5230





11AC80SISO_Ant1_5210





D.4 Emissions in Restricted Bands

Test Result

TestMode	Antenna	ChName	Frequency [MHz]	Detector	Freq [MHz]	Result [dBm]	Limit [dBm]	Result [dBuV/m]	Limit [dBuV/m]	Verdict
11A	Ant1	Low	5180	AV	4500.000	-48.74	≤-41.20	46.46	≤54	PASS
				AV	4838.800	-46.45	≤-41.20	48.75	≤54	PASS
				AV	5150.000	-46.92	≤-41.20	48.28	≤54	PASS
				Peak	4500.000	-41.94	≤-21.20	53.26	≤68.2	PASS
				Peak	4740.800	-38.37	≤-21.20	56.83	≤68.2	PASS
				Peak	5150.000	-43.8	≤-21.20	51.40	≤68.2	PASS
		High	5240	AV	5350.000	-47.61	≤-41.20	47.59	≤54	PASS
				AV	5385.360	-47.37	≤-41.20	47.83	≤54	PASS
				AV	5460.000	-47.56	≤-41.20	47.64	≤54	PASS
				Peak	5350.000	-45.22	≤-21.20	49.98	≤68.2	PASS
				Peak	5404.800	-38.85	≤-21.20	56.35	≤68.2	PASS
				Peak	5460.000	-43.91	≤-21.20	51.29	≤68.2	PASS
11N20SI SO	Ant1	Low	5180	AV	4500.000	-48.67	≤-41.20	46.53	≤54	PASS
				AV	5149.600	-46.25	≤-41.20	48.95	≤54	PASS
				AV	5150.000	-46.25	≤-41.20	48.95	≤54	PASS
				Peak	4500.000	-46.09	≤-21.20	49.11	≤68.2	PASS
				Peak	5137.000	-37.82	≤-21.20	57.38	≤68.2	PASS
				Peak	5150.000	-42.53	≤-21.20	52.67	≤68.2	PASS
		High	5240	AV	5350.000	-47.83	≤-41.20	47.37	≤54	PASS
				AV	5377.440	-47.3	≤-41.20	47.90	≤54	PASS
				AV	5460.000	-47.66	≤-41.20	47.54	≤54	PASS
				Peak	5350.000	-42.69	≤-21.20	52.51	≤68.2	PASS
				Peak	5440.080	-37.31	≤-21.20	57.89	≤68.2	PASS
				Peak	5460.000	-43.66	≤-21.20	51.54	≤68.2	PASS
11N40SI SO	Ant1	Low	5190	AV	4500.000	-48.63	≤-41.20	46.57	≤54	PASS
				AV	5149.600	-44.5	≤-41.20	50.70	≤54	PASS
				AV	5150.000	-44.71	≤-41.20	50.49	≤54	PASS
				Peak	4500.000	-46.14	≤-21.20	49.06	≤68.2	PASS
				Peak	5148.900	-35.91	≤-21.20	59.29	≤68.2	PASS
				Peak	5150.000	-44.17	≤-21.20	51.03	≤68.2	PASS
		High	5230	AV	5350.000	-47.45	≤-41.20	47.75	≤54	PASS
				AV	5449.340	-46.79	≤-41.20	48.41	≤54	PASS
				AV	5460.000	-47.54	≤-41.20	47.66	≤54	PASS
				Peak	5350.000	-42.57	≤-21.20	52.63	≤68.2	PASS
				Peak	5437.380	-37.62	≤-21.20	57.58	≤68.2	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC20S ISO	Ant1	Low	5180	Peak	5460.000	-44.28	≤-21.20	50.92	≤68.2	PASS
				AV	4500.000	-48.55	≤-41.20	46.65	≤54	PASS
				AV	4850.700	-46.51	≤-41.20	48.69	≤54	PASS
				AV	5150.000	-46.99	≤-41.20	48.21	≤54	PASS
				Peak	4500.000	-44.53	≤-21.20	50.67	≤68.2	PASS
				Peak	4950.100	-37.62	≤-21.20	57.58	≤68.2	PASS
				Peak	5150.000	-45.46	≤-21.20	49.74	≤68.2	PASS
		High	5240	AV	5350.000	-47.72	≤-41.20	47.48	≤54	PASS
				AV	5402.400	-47.25	≤-41.20	47.95	≤54	PASS
				AV	5460.000	-47.61	≤-41.20	47.59	≤54	PASS
				Peak	5350.000	-42.5	≤-21.20	52.70	≤68.2	PASS
				Peak	5371.920	-39.54	≤-21.20	55.66	≤68.2	PASS
				Peak	5460.000	-46.36	≤-21.20	48.84	≤68.2	PASS
11AC40S ISO	Ant1	Low	5190	AV	4500.000	-48.6	≤-41.20	46.60	≤54	PASS
				AV	5148.900	-44.98	≤-41.20	50.22	≤54	PASS
				AV	5150.000	-44.81	≤-41.20	50.39	≤54	PASS
				Peak	4500.000	-43.81	≤-21.20	51.39	≤68.2	PASS
				Peak	4959.900	-37.94	≤-21.20	57.26	≤68.2	PASS
				Peak	5150.000	-41.08	≤-21.20	54.12	≤68.2	PASS
		High	5230	AV	5350.000	-47.37	≤-41.20	47.83	≤54	PASS
				AV	5354.700	-46.69	≤-41.20	48.51	≤54	PASS
				AV	5460.000	-47.2	≤-41.20	48.00	≤54	PASS
				Peak	5350.000	-46.7	≤-21.20	48.50	≤68.2	PASS
				Peak	5406.700	-38.42	≤-21.20	56.78	≤68.2	PASS
				Peak	5460.000	-41.08	≤-21.20	54.12	≤68.2	PASS
11AC80S ISO	Ant1	Low	5210	AV	4500.000	-48.28	≤-41.20	46.92	≤54	PASS
				AV	5135.250	-44.62	≤-41.20	50.58	≤54	PASS
				AV	5150.000	-45.62	≤-41.20	49.58	≤54	PASS
				Peak	4500.000	-42.98	≤-21.20	52.22	≤68.2	PASS
				Peak	5144.250	-37.42	≤-21.20	57.78	≤68.2	PASS
				Peak	5150.000	-43.19	≤-21.20	52.01	≤68.2	PASS
		High	5210	AV	5350.000	-46.98	≤-41.20	48.22	≤54	PASS
				AV	5407.640	-46.36	≤-41.20	48.84	≤54	PASS
				AV	5460.000	-47.33	≤-41.20	47.87	≤54	PASS
				Peak	5350.000	-44.98	≤-21.20	50.22	≤68.2	PASS
				Peak	5451.040	-37.51	≤-21.20	57.69	≤68.2	PASS
				Peak	5460.000	-42.01	≤-21.20	53.19	≤68.2	PASS

Note:

1. The Antenna Gain is compensated in the graph.
2. For transmitters operating in 5150-5350 GHz band and 5470-5725 GHz band: The limit in dBm for average detector is conversion from 54dBuV/m, according to 15.209(a). The limit in dBm for peak detector is 20dB above the limit of average detector in dBm.



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

11A_Ant1_Low_5180_AV




11A_Ant1_Low_5180_Peak




11A_Ant1_High_5240_AV






11A_Ant1_High_5240_Peak




11N20SISO_Ant1_Low_5180_AV






11N20SISO_Ant1_Low_5180_Peak




11N20SISO_Ant1_High_5240_AV






11N20SISO_Ant1_High_5240_Peak




11N40SISO_Ant1_Low_5190_AV






11N40SISO_Ant1_Low_5190_Peak




11N40SISO_Ant1_High_5230_AV






11N40SISO_Ant1_High_5230_Peak




11AC20SISO_Ant1_Low_5180_AV





11AC20SISO_Ant1_Low_5180_Peak



11AC20SISO_Ant1_High_5240_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




11AC20SISO_Ant1_High_5240_Peak




11AC40SISO_Ant1_Low_5190_AV






11AC40SISO_Ant1_Low_5190_Peak




11AC40SISO_Ant1_High_5230_AV





11AC40SISO_Ant1_High_5230_Peak



11AC80SISO_Ant1_Low_5210_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC80SISO_Ant1_Low_5210_Peak



11AC80SISO_Ant1_High_5210_AV




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



11AC80SISO_Ant1_High_5210_Peak



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



D.5 Frequency Stability

Test Result

Voltage								
TestMode	Antenna	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC20SIS O	Ant1	5180	NV	NT	-20000.00	-3.861004	20	PASS
			LV	NT	-20000.00	-3.861004	20	PASS
			HV	NT	-20000.00	-3.861004	20	PASS
		5220	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	40000.00	7.662835	20	PASS
		5240	NV	NT	0.00	0.000000	20	PASS
			LV	NT	0.00	0.000000	20	PASS
			HV	NT	-60000.00	-11.450382	20	PASS
11AC40SIS O	Ant1	5190	NV	NT	0.00	0.000000	20	PASS
			LV	NT	-40000.00	-7.707129	20	PASS
			HV	NT	0.00	0.000000	20	PASS
		5230	NV	NT	-40000.00	-7.648184	20	PASS
			LV	NT	-40000.00	-7.648184	20	PASS
			HV	NT	-40000.00	-7.648184	20	PASS
11AC80SIS O	Ant1	5210	NV	NT	-80000.00	-15.355086	20	PASS
			LV	NT	-80000.00	-15.355086	20	PASS
			HV	NT	0.00	0.000000	20	PASS

Temperature								
TestMode	Antenna	Frequency [MHz]	Voltage [Vdc]	Temperature (°C)	Deviation (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
11AC20SIS O	Ant1	5180	NV	-30	-40000.00	-7.722008	20	PASS
			NV	-20	20000.00	3.861004	20	PASS
			NV	-10	-20000.00	-3.861004	20	PASS
			NV	0	-20000.00	-3.861004	20	PASS
			NV	10	-20000.00	-3.861004	20	PASS
			NV	20	-40000.00	-7.722008	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	-40000.00	-7.722008	20	PASS
		5220	NV	-30	-20000.00	-3.831418	20	PASS
			NV	-20	20000.00	3.831418	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



			NV	-10	-20000.00	-3.831418	20	PASS
			NV	0	-20000.00	-3.831418	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.831418	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-20000.00	-3.831418	20	PASS
			NV	50	0.00	0.000000	20	PASS
		5240	NV	-30	0.00	0.000000	20	PASS
			NV	-20	20000.00	3.816794	20	PASS
			NV	-10	-20000.00	-3.816794	20	PASS
			NV	0	20000.00	3.816794	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	-20000.00	-3.816794	20	PASS
			NV	30	-40000.00	-7.633588	20	PASS
			NV	40	0.00	0.000000	20	PASS
			NV	50	0.00	0.000000	20	PASS
11AC40SIS O	Ant1	5190	NV	-30	0.00	0.000000	20	PASS
			NV	-20	0.00	0.000000	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	-40000.00	-7.707129	20	PASS
			NV	10	0.00	0.000000	20	PASS
			NV	20	0.00	0.000000	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	40000.00	7.707129	20	PASS
			NV	50	-40000.00	-7.707129	20	PASS
		5230	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-40000.00	-7.648184	20	PASS
			NV	-10	-40000.00	-7.648184	20	PASS
			NV	0	-40000.00	-7.648184	20	PASS
			NV	10	-40000.00	-7.648184	20	PASS
			NV	20	-40000.00	-7.648184	20	PASS
			NV	30	0.00	0.000000	20	PASS
			NV	40	-40000.00	-7.648184	20	PASS
			NV	50	0.00	0.000000	20	PASS
11AC80SIS O	Ant1	5210	NV	-30	0.00	0.000000	20	PASS
			NV	-20	-80000.00	-15.355086	20	PASS
			NV	-10	0.00	0.000000	20	PASS
			NV	0	0.00	0.000000	20	PASS
			NV	10	-80000.00	-15.355086	20	PASS
			NV	20	-80000.00	-15.355086	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



		NV	30	0.00	0.000000	20	PASS
		NV	40	-80000.00	-15.355086	20	PASS
		NV	50	-80000.00	-15.355086	20	PASS



Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity



D.6 Duty Cycle

Test Result

TestMode	Antenna	Frequency[MHz]	Transmission Duration [ms]	Transmission Period [ms]	Duty Cycle [%]	1/T(kHz)
11A	Ant1	5180	1.39	1.43	97.20	0.72
		5220	1.39	1.44	96.53	0.72
		5240	1.40	1.45	96.55	0.71
11N20SISO	Ant1	5180	1.30	1.35	96.30	0.77
		5220	1.30	1.35	96.30	0.77
		5240	1.30	1.34	97.01	0.77
11N40SISO	Ant1	5190	0.65	0.69	94.20	1.54
		5230	0.65	0.70	92.86	1.54
11AC20SISO	Ant1	5180	1.31	1.35	97.04	0.76
		5220	1.31	1.36	96.32	0.76
		5240	1.31	1.36	96.32	0.76
11AC40SISO	Ant1	5190	0.66	0.70	94.29	1.52
		5230	0.65	0.69	94.20	1.54
11AC80SISO	Ant1	5210	0.32	0.37	86.49	3.13




Shenzhen LCS Compliance Testing Laboratory Ltd.
Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China
Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com
Scan code to check authenticity




Test Graphs

11A_Ant1_5180




11A_Ant1_5220




11A_Ant1_5240






11N20SISO_Ant1_5180




11N20SISO_Ant1_5220









11N20SISO_Ant1_5240




11N40SISO_Ant1_5190







11AC20SISO_Ant1_5220



11AC20SISO_Ant1_5240




Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




11AC40SISO_Ant1_5190



11AC40SISO_Ant1_5230





11AC80SISO_Ant1_5210

