



Appendix D

RF Test Data for 5.2GWIFI (Conducted Measurement)

Product Name: PicassoTab_X11

Test Model: PicassoTab_X11

Environmental Conditions

Temperature:	23.8° C
Relative Humidity:	52.1%
ATM Pressure:	100.0 kPa
Test Engineer:	Paddi Chen
Supervised by:	Nick Peng



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



D.1 -26dB Bandwidth

Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Limit -26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	19.701	---	Pass
NVNT	a	5200	Ant1	19.943	---	Pass
NVNT	a	5240	Ant1	20.175	---	Pass
NVNT	n20	5180	Ant1	19.924	---	Pass
NVNT	n20	5200	Ant1	19.968	---	Pass
NVNT	n20	5240	Ant1	19.999	---	Pass
NVNT	n40	5190	Ant1	39.901	---	Pass
NVNT	n40	5230	Ant1	40.357	---	Pass
NVNT	ac20	5180	Ant1	19.906	---	Pass
NVNT	ac20	5200	Ant1	19.908	---	Pass
NVNT	ac20	5240	Ant1	20.005	---	Pass
NVNT	ac40	5190	Ant1	40.25	---	Pass
NVNT	ac40	5230	Ant1	40.198	---	Pass
NVNT	ac80	5210	Ant1	81.349	---	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China


Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




Test Graphs

-26dB Bandwidth NVNT a 5180MHz Ant1



-26dB Bandwidth NVNT a 5200MHz Ant1



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



-26dB Bandwidth NVNT a 5240MHz Ant1



-26dB Bandwidth NVNT n20 5180MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



D.2 Maximum Conducted Output Power

Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	12.88	0.11	12.99	24	Pass
NVNT	a	5200	Ant1	12.35	0.11	12.46	24	Pass
NVNT	a	5240	Ant1	12.39	0.11	12.5	24	Pass
NVNT	n20	5180	Ant1	11.14	0.12	11.26	24	Pass
NVNT	n20	5200	Ant1	11.38	0.12	11.5	24	Pass
NVNT	n20	5240	Ant1	11.16	0.12	11.28	24	Pass
NVNT	n40	5190	Ant1	10.39	0.23	10.62	24	Pass
NVNT	n40	5230	Ant1	10.78	0.23	11.01	24	Pass
NVNT	ac20	5180	Ant1	11.57	0.12	11.69	24	Pass
NVNT	ac20	5200	Ant1	11.84	0.12	11.96	24	Pass
NVNT	ac20	5240	Ant1	11.08	0.12	11.2	24	Pass
NVNT	ac40	5190	Ant1	10.45	0.23	10.68	24	Pass
NVNT	ac40	5230	Ant1	10.77	0.23	11.0	24	Pass
NVNT	ac80	5210	Ant1	9.7	0.46	10.16	24	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



D.3 Maximum Power Spectral Density Level


Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm/MHz)	Duty Factor (dB)	Total PSD (dBm/MHz)	Limit (dBm/MHz)	Verdict
NVNT	a	5180	Ant1	3.65	0.11	3.76	11	Pass
NVNT	a	5200	Ant1	3.27	0.11	3.38	11	Pass
NVNT	a	5240	Ant1	2.87	0.11	2.98	11	Pass
NVNT	n20	5180	Ant1	1.45	0.12	1.57	11	Pass
NVNT	n20	5200	Ant1	1.98	0.12	2.1	11	Pass
NVNT	n20	5240	Ant1	1.46	0.12	1.58	11	Pass
NVNT	n40	5190	Ant1	-1.96	0.23	-1.73	11	Pass
NVNT	n40	5230	Ant1	-1.76	0.23	-1.53	11	Pass
NVNT	ac20	5180	Ant1	2.09	0.12	2.21	11	Pass
NVNT	ac20	5200	Ant1	2.34	0.12	2.46	11	Pass
NVNT	ac20	5240	Ant1	1.62	0.12	1.74	11	Pass
NVNT	ac40	5190	Ant1	-2.15	0.23	-1.92	11	Pass
NVNT	ac40	5230	Ant1	-1.91	0.23	-1.68	11	Pass
NVNT	ac80	5210	Ant1	-5.93	0.46	-5.47	11	Pass






Test Graphs

PSD NVNT a 5180MHz Ant1



PSD NVNT a 5200MHz Ant1





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





D.4 Restrict Band

Condition	Mode	Frequency (MHz)	Antenna	Spur Freq (MHz)	Power (dBm)	Gain (dBi)	Duty Factor (dB)	E (dBuV/m)	Detector	Limit (dBuV/m)	Verdict
NVNT	a	5180	Ant1	4500	-50.38	2.74	-	47.59	Peak	68.2	Pass
NVNT	a	5180	Ant1	4500	-58.49	2.74	0.11	39.59	Average	54	Pass
NVNT	a	5180	Ant1	5149.6	-41.19	2.74	-	56.78	Peak	68.2	Pass
NVNT	a	5180	Ant1	5149.6	-52.03	2.74	0.11	46.05	Average	54	Pass
NVNT	a	5180	Ant1	5150	-42.64	2.74	-	55.33	Peak	68.2	Pass
NVNT	a	5180	Ant1	5150	-51.94	2.74	0.11	46.14	Average	54	Pass
NVNT	a	5240	Ant1	5350	-45.62	2.74	-	52.35	Peak	68.2	Pass
NVNT	a	5240	Ant1	5350	-55.08	2.74	0.11	43	Average	54	Pass
NVNT	a	5240	Ant1	5350.32	-44.52	2.74	-	53.45	Peak	68.2	Pass
NVNT	a	5240	Ant1	5353.92	-54.42	2.74	0.11	43.66	Average	54	Pass
NVNT	a	5240	Ant1	5460	-49.17	2.74	-	48.8	Peak	68.2	Pass
NVNT	a	5240	Ant1	5460	-56.88	2.74	0.11	41.2	Average	54	Pass
NVNT	n20	5180	Ant1	4500	-50.11	2.74	-	47.86	Peak	68.2	Pass
NVNT	n20	5180	Ant1	4500	-58.17	2.74	0.12	39.92	Average	54	Pass
NVNT	n20	5180	Ant1	5078.2	-43.21	2.74	-	54.76	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5149.6	-53.54	2.74	0.12	44.55	Average	54	Pass
NVNT	n20	5180	Ant1	5150	-45.3	2.74	-	52.67	Peak	68.2	Pass
NVNT	n20	5180	Ant1	5150	-53.05	2.74	0.12	45.04	Average	54	Pass
NVNT	n20	5240	Ant1	5350	-47.72	2.74	-	50.25	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5350	-55.66	2.74	0.12	42.43	Average	54	Pass
NVNT	n20	5240	Ant1	5363.04	-44.11	2.74	-	53.86	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5355.12	-54.61	2.74	0.12	43.48	Average	54	Pass
NVNT	n20	5240	Ant1	5460	-47.13	2.74	-	50.84	Peak	68.2	Pass
NVNT	n20	5240	Ant1	5460	-57.03	2.74	0.12	41.06	Average	54	Pass
NVNT	n40	5190	Ant1	4500	-50.27	2.74	-	47.7	Peak	68.2	Pass
NVNT	n40	5190	Ant1	4500	-58.51	2.74	0.23	39.69	Average	54	Pass
NVNT	n40	5190	Ant1	5148.24	-37.77	2.74	-	60.2	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5149.7	-47.58	2.74	0.23	50.62	Average	54	Pass
NVNT	n40	5190	Ant1	5150	-38.63	2.74	-	59.34	Peak	68.2	Pass
NVNT	n40	5190	Ant1	5150	-47.58	2.74	0.23	50.62	Average	54	Pass
NVNT	n40	5230	Ant1	5350	-48.04	2.74	-	49.93	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5350	-55.11	2.74	0.23	43.09	Average	54	Pass
NVNT	n40	5230	Ant1	5404.92	-44.16	2.74	-	53.81	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5357.94	-54.54	2.74	0.23	43.66	Average	54	Pass
NVNT	n40	5230	Ant1	5460	-47.39	2.74	-	50.58	Peak	68.2	Pass
NVNT	n40	5230	Ant1	5460	-56.72	2.74	0.23	41.48	Average	54	Pass
NVNT	ac20	5180	Ant1	4500	-51.06	2.74	-	46.91	Peak	68.2	Pass



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity




NVNT	ac20	5180	Ant1	4500	-58.72	2.74	0.12	39.37	Average	54	Pass
NVNT	ac20	5180	Ant1	5147.5	-42.86	2.74	-	55.11	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5148.9	-52.93	2.74	0.12	45.16	Average	54	Pass
NVNT	ac20	5180	Ant1	5150	-44.44	2.74	-	53.53	Peak	68.2	Pass
NVNT	ac20	5180	Ant1	5150	-53.22	2.74	0.12	44.87	Average	54	Pass
NVNT	ac20	5240	Ant1	5350	-47.61	2.74	-	50.36	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5350	-55.03	2.74	0.12	43.06	Average	54	Pass
NVNT	ac20	5240	Ant1	5384.88	-45.13	2.74	-	52.84	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5355.36	-54.68	2.74	0.12	43.41	Average	54	Pass
NVNT	ac20	5240	Ant1	5460	-50.03	2.74	-	47.94	Peak	68.2	Pass
NVNT	ac20	5240	Ant1	5460	-56.73	2.74	0.12	41.36	Average	54	Pass
NVNT	ac40	5190	Ant1	4500	-50.49	2.74	-	47.48	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	4500	-58.07	2.74	0.23	40.13	Average	54	Pass
NVNT	ac40	5190	Ant1	5149.7	-38.84	2.74	-	59.13	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5149.7	-47.9	2.74	0.23	50.3	Average	54	Pass
NVNT	ac40	5190	Ant1	5150	-38.84	2.74	-	59.13	Peak	68.2	Pass
NVNT	ac40	5190	Ant1	5150	-47.9	2.74	0.23	50.3	Average	54	Pass
NVNT	ac40	5230	Ant1	5350	-47.38	2.74	-	50.59	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5350	-55.72	2.74	0.23	42.48	Average	54	Pass
NVNT	ac40	5230	Ant1	5357.4	-44.87	2.74	-	53.1	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5381.7	-54.63	2.74	0.23	43.57	Average	54	Pass
NVNT	ac40	5230	Ant1	5460	-49.07	2.74	-	48.9	Peak	68.2	Pass
NVNT	ac40	5230	Ant1	5460	-57.08	2.74	0.23	41.12	Average	54	Pass
NVNT	ac80	5210	Ant1	5350	-48.2	2.74	-	49.77	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5350	-54.95	2.74	0.46	43.48	Average	54	Pass
NVNT	ac80	5210	Ant1	5352.75	-44.78	2.74	-	53.19	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5354.4	-54.51	2.74	0.46	43.92	Average	54	Pass
NVNT	ac80	5210	Ant1	5460	-48.3	2.74	-	49.67	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5460	-56.29	2.74	0.46	42.14	Average	54	Pass
NVNT	ac80	5210	Ant1	4500	-50.77	2.74	-	47.2	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	4500	-58.3	2.74	0.46	40.13	Average	54	Pass
NVNT	ac80	5210	Ant1	5149.38	-40.85	2.74	-	57.12	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5149.38	-49.87	2.74	0.46	48.56	Average	54	Pass
NVNT	ac80	5210	Ant1	5150	-41.16	2.74	-	56.81	Peak	68.2	Pass
NVNT	ac80	5210	Ant1	5150	-49.97	2.74	0.46	48.46	Average	54	Pass






Test Graphs

Restrict Band NVNT a 5180MHz Ant1 Peak



Restrict Band NVNT a 5180MHz Ant1 Average



Shenzhen LCS Compliance Testing Laboratory Ltd.


Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com


Scan code to check authenticity



Restrict Band NVNT a 5240MHz Ant1 Peak



Restrict Band NVNT a 5240MHz Ant1 Average





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity





Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity



Shenzhen LCS Compliance Testing Laboratory Ltd.

Add: 101, 201 Bldg A & 301 Bldg C, Juji Industrial Park Yabianxueziwei, Shajing Street, Baoan District, Shenzhen, 518000, China

Tel: +(86) 0755-82591330 | E-mail: webmaster@lcs-cert.com | Web: www.lcs-cert.com

Scan code to check authenticity