







EXHIBIT 3 - EUT INTERNAL PHOTOGRAPHS

EUT Housing and Board View 1	 This photograph shows the disassembled components of the EUT. On the left is the top white plastic housing with a circular opening. To its right is the bottom white plastic housing, also with a circular opening. In the center is the internal circuit board, which is populated with various electronic components including a microcontroller, capacitors, and a small motor. The board is connected to the two housing pieces by thin wires. A black ruler with white markings is placed horizontally across the bottom of the components, showing measurements in millimeters. The background is a blue textured surface.
Solder Board-Component View 1	 This is a close-up photograph of the solder board component. The board is small and rectangular, with various electronic components soldered onto it. These include a microcontroller, capacitors, and a small motor. The board is placed on a blue textured surface. A black ruler with white markings is placed horizontally across the bottom of the board, showing measurements in millimeters. The background is a blue textured surface.

Solder Board-Component View 2	 A photograph of a small, rectangular black PCB component with two circular orange solder pads on its top surface. The component is placed on a blue textured background. A black ruler with white markings is positioned below the component, showing measurements in millimeters. The ruler has markings for 10, 20, 30, 40, 50, 60, 70, 80, 90, and 100 mm. The component is located between the 10 mm and 20 mm marks.
Solder Board-Component View 3	 A photograph of a larger, irregularly shaped black PCB component with a large circular cutout in the center. The component has several small circular solder pads and a gold-colored connector on its bottom edge. It is placed on a blue textured background. A black ruler with white markings is positioned below the component, showing measurements in millimeters. The ruler has markings for 10, 20, 30, 40, 50, 60, 70, 80, 90, and 100 mm. The component is located between the 10 mm and 20 mm marks.

Solder Board-Component View 4	 A photograph of a small, dark, irregularly shaped PCB component with a central circular cutout. The component is mounted on a blue textured surface. A black ruler with white markings is placed horizontally below the component, showing measurements in millimeters. The ruler markings range from 0 to 100 mm.
Solder Board-Component View 5	 A photograph of a larger, dark PCB component with various electronic components and labels. The component is mounted on a blue textured surface. A black ruler with white markings is placed horizontally below the component, showing measurements in millimeters. The ruler markings range from 0 to 100 mm. Labels on the component include "ANT", "IR-CUT", "FR-4 KB-6160", "94V-0 12-22 13", "c07d", and "20080802".