




5.2G:



## Duty Cycle


Condition	Mode	Frequency (MHz)	Antenna	Duty Cycle (%)	Correction Factor (dB)	1/T (kHz)
NVNT	a	5180	Ant1	98.2	0.08	0.72
NVNT	a	5200	Ant1	98.2	0.08	0.72
NVNT	a	5240	Ant1	98.15	0.08	0.71
NVNT	n20	5180	Ant1	98.06	0.09	0.77
NVNT	n20	5200	Ant1	98.06	0.09	0.77
NVNT	n20	5240	Ant1	98.06	0.09	0.77
NVNT	n40	5190	Ant1	95.23	0.21	1.54
NVNT	n40	5230	Ant1	95.51	0.2	1.54
NVNT	ac20	5180	Ant1	98.1	0.08	0.76
NVNT	ac20	5200	Ant1	98.1	0.08	0.76
NVNT	ac20	5240	Ant1	98.1	0.08	0.76
NVNT	ac40	5190	Ant1	95.43	0.2	1.54
NVNT	ac40	5230	Ant1	95.24	0.21	1.54
NVNT	ac80	5210	Ant1	89.5	0.48	3.03























## Maximum Conducted Output Power



Condition	Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	10.14	0.08	10.22	24	Pass
NVNT	a	5200	Ant1	10.49	0.08	10.57	24	Pass
NVNT	a	5240	Ant1	10.12	0.08	10.2	24	Pass
NVNT	n20	5180	Ant1	10.05	0.09	10.14	24	Pass
NVNT	n20	5200	Ant1	10.3	0.09	10.39	24	Pass
NVNT	n20	5240	Ant1	10	0.09	10.09	24	Pass
NVNT	n40	5190	Ant1	10.37	0.21	10.58	24	Pass
NVNT	n40	5230	Ant1	10.23	0.2	10.43	24	Pass
NVNT	ac20	5180	Ant1	10.11	0.08	10.19	24	Pass
NVNT	ac20	5200	Ant1	10.36	0.08	10.44	24	Pass
NVNT	ac20	5240	Ant1	10	0.08	10.08	24	Pass
NVNT	ac40	5190	Ant1	10.4	0.2	10.6	24	Pass
NVNT	ac40	5230	Ant1	10.2	0.21	10.41	24	Pass
NVNT	ac80	5210	Ant1	10.17	0.48	10.65	24	Pass



## -26dB Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	-26 dB Bandwidth (MHz)	Verdict
NVNT	a	5180	Ant1	20.076	Pass
NVNT	a	5200	Ant1	19.794	Pass
NVNT	a	5240	Ant1	19.863	Pass
NVNT	n20	5180	Ant1	20.196	Pass
NVNT	n20	5200	Ant1	20.415	Pass
NVNT	n20	5240	Ant1	20.691	Pass
NVNT	n40	5190	Ant1	53.478	Pass
NVNT	n40	5230	Ant1	56.142	Pass
NVNT	ac20	5180	Ant1	20.418	Pass
NVNT	ac20	5200	Ant1	20.043	Pass
NVNT	ac20	5240	Ant1	20.454	Pass
NVNT	ac40	5190	Ant1	41.148	Pass
NVNT	ac40	5230	Ant1	52.776	Pass
NVNT	ac80	5210	Ant1	101.976	Pass




























## Occupied Channel Bandwidth



Condition	Mode	Frequency (MHz)	Antenna	99% OBW (MHz)
NVNT	a	5180	Ant1	16.411
NVNT	a	5200	Ant1	16.345
NVNT	a	5240	Ant1	16.507
NVNT	n20	5180	Ant1	17.536
NVNT	n20	5200	Ant1	17.53
NVNT	n20	5240	Ant1	17.593
NVNT	n40	5190	Ant1	36.086
NVNT	n40	5230	Ant1	36.14
NVNT	ac20	5180	Ant1	17.623
NVNT	ac20	5200	Ant1	17.509
NVNT	ac20	5240	Ant1	17.572
NVNT	ac40	5190	Ant1	36.05
NVNT	ac40	5230	Ant1	36.08
NVNT	ac80	5210	Ant1	75.232




























## Maximum Power Spectral Density Level



Condition	Mode	Frequency (MHz)	Antenna	Conducted PSD (dBm)	Duty Factor (dB)	Total PSD (dBm)	Limit (dBm)	Verdict
NVNT	a	5180	Ant1	-0.43	0.08	-0.35	11	Pass
NVNT	a	5200	Ant1	-0.74	0.08	-0.66	11	Pass
NVNT	a	5240	Ant1	-1.25	0.08	-1.17	11	Pass
NVNT	n20	5180	Ant1	-0.69	0.09	-0.6	11	Pass
NVNT	n20	5200	Ant1	-1.11	0.09	-1.02	11	Pass
NVNT	n20	5240	Ant1	-0.92	0.09	-0.83	11	Pass
NVNT	n40	5190	Ant1	-5.2	0.21	-4.99	11	Pass
NVNT	n40	5230	Ant1	-3.3	0.2	-3.1	11	Pass
NVNT	ac20	5180	Ant1	-0.99	0.08	-0.91	11	Pass
NVNT	ac20	5200	Ant1	-1.21	0.08	-1.13	11	Pass
NVNT	ac20	5240	Ant1	-0.14	0.08	-0.06	11	Pass
NVNT	ac40	5190	Ant1	-4.96	0.2	-4.76	11	Pass
NVNT	ac40	5230	Ant1	-5.42	0.21	-5.21	11	Pass
NVNT	ac80	5210	Ant1	-10.48	0.48	-10	11	Pass




























## Band Edge



Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-36.67	-27	Pass
NVNT	a	5240	Ant1	-41.85	-27	Pass
NVNT	n20	5180	Ant1	-36.43	-27	Pass
NVNT	n20	5240	Ant1	-42.03	-27	Pass
NVNT	n40	5190	Ant1	-27.94	-27	Pass
NVNT	n40	5230	Ant1	-36.64	-27	Pass
NVNT	ac20	5180	Ant1	-36.14	-27	Pass
NVNT	ac20	5240	Ant1	-41.71	-27	Pass
NVNT	ac40	5190	Ant1	-27.49	-27	Pass
NVNT	ac40	5230	Ant1	-41.69	-27	Pass
NVNT	ac80	5210	Ant1	-42.71	-27	Pass
















## Conducted RF Spurious Emission

Condition	Mode	Frequency (MHz)	Antenna	Max Value (dBc)	Limit (dBc)	Verdict
NVNT	a	5180	Ant1	-36.11	-27	Pass
NVNT	a	5200	Ant1	-37.1	-27	Pass
NVNT	a	5240	Ant1	-37.42	-27	Pass
NVNT	n20	5180	Ant1	-36.54	-27	Pass
NVNT	n20	5200	Ant1	-37.16	-27	Pass
NVNT	n20	5240	Ant1	-36.3	-27	Pass
NVNT	n40	5190	Ant1	-37.66	-27	Pass
NVNT	n40	5230	Ant1	-37.24	-27	Pass
NVNT	ac20	5180	Ant1	-37.13	-27	Pass
NVNT	ac20	5200	Ant1	-37.1	-27	Pass
NVNT	ac20	5240	Ant1	-36.67	-27	Pass
NVNT	ac40	5190	Ant1	-37.74	-27	Pass
NVNT	ac40	5230	Ant1	-36.93	-27	Pass
NVNT	ac80	5210	Ant1	-36.77	-27	Pass

